

References

Chapter 1

EM-DAT: The OFDA/CRED International Disaster, Database – www.emdat.be – Université Catholique de Louvain – Brussels – Belgium

IPCC, 2013: Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 1535 pp.

Chapter 2

IPCC, 2013: Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 1535 pp.

Mantua, N. J. and S. R. Hare, 2002: The Pacific decadal oscillation. *J. Oceanogr.*, 58, 35–44.

Trenberth, K. E., J. M. Caron, D. P. Stepaniak and S. Worley, 2002: The evolution of El Niño–Southern Oscillation and global atmospheric surface temperatures, *J. Geophys. Res.*, 107, D8, doi: 10.1029/2000JD000298.

Chapter 3

Dettinger, M. D. and M. Ghil, 1998: Seasonal and interannual variations of atmospheric CO₂ and climate. *Tellus*, 50B, 1–24.

Doney, S. C., V. J. Fabry, R. A. Feely and J. A. Kleypas, 2009: Ocean acidification: The other CO₂ problem, *Annu. Rev. Mar. Sci.*, 1, 169–192, doi:10.1146/annurev.marine.010908.163834.

Iida Y., A. Kojima, Y. Takatani, T. Nakano., T. Midorikawa, M. Ishii, 2015: Trends in *p*CO₂ and sea-air CO₂ flux over the global open oceans for the last two decades. *J. Oceanogr.* doi:10.1007/s10872-015-0306-4.

IPCC, 2013: Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 1535 pp.

JMA, 2011: Annual Report on Ozone Layer Monitoring (in Japanese).

Keeling, C. D., S. C. Piper and M. Heimann, 1989: A three-dimensional model of atmospheric CO₂ transport based on observed winds: 4. Mean annual gradients and interannual variations. *AGU Monograph*, 55, Washington, American Geophysical Union, 305–363.

Keeling, C. D., T. P. Whorf, M. Wahlen and J. van der Plicht, 1995: Interannual extremes in the rate of rise of atmospheric carbon dioxide since 1980. *Nature*, 375, 666–670.

Kudo, R., A. Uchiyama, O. Ijima, N. Ohkawara and S. Ohta, 2012: Aerosol impact on the brightening in Japan. *J. Geophys. Res.*, 117(D07208), doi:10.1029/2011JD017158.

Machida, T., H. Matsueda, Y. Sawa, Y. Nakagawa, K. Hirokuni, N. Kondo, K. Goto, T. Nakazawa, K. Ishikawa and T. Ogawa, 2008: Worldwide measurements of atmospheric CO₂ and other trace gas species using commercial airlines. *J. Atmos. Oceanic Technol.*, 25(10), 1744–1754, doi:10.1175/2008JTECHA1082.1.

Matsueda, H., H. Yoshikawa-Inoue and M. Ishii, 2002: Aircraft observation of carbon dioxide at 8–13km altitude over the western Pacific from 1993 to 1999. *Tellus*, 54B, 1–22.

Norris, J. R. and M. Wild, 2009: Trends in aerosol radiative effects over China and Japan inferred from observed cloud cover, solar “dimming,” and solar “brightening.” *J. Geophys. Res.*, 114(D00D15), doi:10.1029/2008JD011378.

Ohmura, A., 2009: Observed decadal variations in surface solar radiation and their causes. *J. Geophys. Res.*,

- 114(D00D05), doi: 10.1029/2008JD011290.
- Raven, J., K. Caldeira, H. Elderfield, O. Hoegh-Guldberg, P. S. Liss, U. Reisbell, J. Shepard, C. Turley and A. J. Watson, 2005: Ocean acidification due to increasing atmospheric carbon dioxide. Policy Document 12/05. The Royal Society, London, UK, 60 pp.
- Saito, T., X. Fang, A. Stohl, Y. Yokouchi, J. Zeng, Y. Fukuyama, and H. Mukai, 2015: Extraordinary halocarbon emissions initiated by the 2011 Tohoku earthquake. *Geophys. Res. Lett.*, 42, doi:10.1002/2014GL062814.
- Sawa, Y., T. Machida and H. Matsueda, 2012: Aircraft observation of the seasonal variation in the transport of CO₂ in the upper atmosphere. *J. Geophys. Res.*, 117(D05305), doi: 10.1029/2011JDO16933.
- UNEP, 2015: Environmental effects of ozone depletion and its interactions with climate change: 2014 assessment, 236pp.
- WCRP, 2010: Summary Report from the Eleventh Baseline Surface Radiation Network (BSRN) Scientific Review and Workshop. WCRP Informal Report No. 08/2010, 21 pp.
- Wild, M., 2009: Global dimming and brightening: A review. *J. Geophys. Res.*, 114(D00D16), doi:10.1029/2008JD011470.
- Wild M. and A. Ohmura, 2004: BSRN longwave downward radiation measurements combined with GCMs show promise for greenhouse detection studies, *GEWEX news*, 14(4), 20pp.
- WMO, 2009: Technical Report of Global Analysis Method for Major Greenhouse Gases by the World Data Center for Greenhouse Gases. GAW Report, 184, WMO/TD No.1473.
- WMO, 2014: Scientific Assessment of Ozone Depletion: 2014. Global Ozone Research and Monitoring Project-Report, 55, 416 pp.
- WMO, 2015: WMO Greenhouse Gas Bulletin No.11.
<http://www.wmo.int/pages/prog/arep/gaw/ghg/GHGbulletin.html>
- WMO, 2016: WMO WDCGG DATA SUMMARY, WDCGG No.40, GAW Data Volume IV-Greenhouse Gases and Other Atmospheric Gases, published by the Japan Meteorological Agency in co-operation with World Meteorological Organization, March 2016. Available at
<http://ds.data.jma.go.jp/gmd/wdcgg/pub/products/summary/sum40/sum40.pdf>

Chapter 3 Column

- Ishii, M., and M. Kimoto, 2009: Reevaluation of historical ocean heat content variations with time-varying XBT and MBT depth bias corrections. *J. Oceanogr.*, 65, 287-299.
- Ishii, M., H.Y. Inoue, T. Midorikawa, S. Saito, T. Tokieda, D. Sasano, A. Nakadate, K. Nemoto, N. Metzl, C.S. Wong, and R.A. Feely, 2009: Spatial variability and decadal trend of the oceanic CO₂ in the western equatorial Pacific warm/fresh water. *Deep-Sea Res. Part II*, 56(8-10), 591-606.
- Ishii, M., N. Kosugi, D. Sasano, S. Saito, T. Midorikawa, and H.Y. Inoue, 2011: Ocean acidification off the south coast of Japan: a result from time series observations of CO₂ parameters from 1994 to 2008. *J. Geophys. Res.*, 116, C06022, doi:10.1029/2010JC006831.
- Masuzawa, J., 1967: An oceanographic section from Japan to New Guinea at 137°E in January 1967. *Oceanogr. Mag.*, 19, 95-118.
- Midorikawa, T., K. Nemoto, H. Kamiya, M. Ishii, and H.Y. Inoue, 2005: Persistently strong oceanic CO₂ sink in the western subtropical North Pacific. *Geophys. Res. Lett.*, 32, L05612.
- Midorikawa, T., M. Ishii, S. Saito, N. Kosugi, T. Motoi, H. Kamiya, A. Nakadate, K. Nemoto, and H.Y. Inoue, 2010: Decreasing pH trend estimated from 25-yr time series of carbonate parameters in the western North Pacific. *Tellus B*, 62, 649-659.
- Nakano, T., I. Kaneko, M. Endoh, and M. Kamachi, 2005: Interannual and decadal variabilities of NPIW salinity minimum core observed along JMA's hydrographic repeat sections. *J. Oceanogr.*, 61, 681-697.
- Nakano, T., I. Kaneko, T. Soga, H. Tsujino, T. Yasuda, H. Ishizaki, and M. Kamachi, 2007: Mid-depth freshening in the North Pacific subtropical gyre observed along the JMA repeat and WOCE hydrographic sections. *Geophys. Res. Lett.*, 34, L23608, doi:10.1029/2007GL031433.
- Nakano, T., T. Kitamura, S. Sugimoto, T. Suga, and M. Kamachi, 2015: Long-term variations of North Pacific

- Tropical Water along the 137°E repeat section. *J. Oceanogr.*, 71, 229-238.
- Qiu, B., and T.M. Joyce, 1992: Interannual variability in the mid- and low-latitude western North Pacific. *J. Phys. Oceanogr.*, 22, 1062-1079.
- Qiu, B., and S. Chen, 2006: Decadal variability in the formation of the North Pacific Subtropical Mode Water: ocean versus atmospheric control. *J. Phys. Oceanogr.*, 36, 1365-1380.
- Saiki, M., 1987: Interannual variation of the subtropical gyre in the western North Pacific. *Sea and Sky*, 63. 3. 113-125. (in Japanese)
- Shuto, K., 1996: Interannual variations of water temperature and salinity along the 137°E meridian. *J. Oceanogr.*, 52, 575-595.
- Suga, T., A. Kato, and K. Hanawa, 2000: North Pacific Tropical Water: its climatology and temporal changes associated with the climate regime shift in the 1970s. *Progress in Oceanogr.*, 47(2-4), 223-256.
- Sugimoto, S., and K. Hanawa, 2011: Quasi-decadal modulations of North Pacific Intermediate Water area in the cross section along the 137°E meridian: impact of the Aleutian Low activity. *J. Oceanogr.*, 67, 519-531.
- Takatani Y., A. Kojima, Y. Iida, T. Nakano, M. Ishii et al. 2014. Ocean acidification in the interior of the western North Pacific subtropical region. Presented at Int. Ocean Res. Conf., 2nd, Barcelona, Spain, Nov. 17-21.
- Tsujino, H., M. Hirabara, H. Nakano, T. Yasuda, T. Motoi and G. Yamanaka, 2011: Simulating present climate of the global ocean-ice system using the Meteorological Research Institute Community Ocean Model (MRI.COM): simulation characteristics and variability in the Pacific sector. *J. Oceanogr.*, 67, 449-479.
- Tsujino, H., S. Nishikawa, K. Sakamoto, N. Usui, H. Nakano & G. Yamanaka, 2013: Effects of large-scale wind on the Kuroshio path south of Japan in a 60-year historical OGCM simulation. *Climate Dynamics.*, 41, 2287-2318.