

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY16R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	3	3	5	7
01	-	-	-	-	3	3	4	6
02	-	-	-	-	3	3	5	6
03	-	-	-	1	2	2	5	8
04	-	-	-	-	3	3	6	6
05	-	-	-	-	4	4	5	6
06	-	-	-	-	4	4	6	6
07	-	-	-	-	3	3	5	5
08	-	-	-	-	4	4	6	6
09	-	-	-	-	3	3	5	6
10	-	-	-	-	3	3	5	5
11	-	-	-	-	3	3	4	6
12	-	-	-	-	3	3	4	5
13	-	-	-	-	3	3	3	5
14	-	-	-	-	3	3	3	5
15	-	-	-	-	3	3	3	5
16	-	-	-	-	3	3	5	6
17	-	-	-	-	4	3	5	6
18	-	-	-	-	5	4	6	8
19	-	-	-	-	5	5	6	8
20	-	-	-	1	5	4	7	10
21	-	-	-	1	3	3	6	10
22	-	-	-	1	3	3	6	10
23	-	-	-	1	4	3	6	8
MEAN	-	-	-	0	3	3	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY16R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	5	6	11	16
01	-	-	-	-	4	4	7	15
02	-	-	-	-	5	5	9	12
03	-	-	-	-	4	4	11	13
04	-	-	-	-	4	4	13	18
05	-	-	-	-	4	6	13	18
06	-	-	-	-	6	7	12	20
07	0)	0)	0)	0)	5)	6	10	17
08	-	-	-	-	4	4	9	13
09	-	-	-	-	4	4	9	13
10	-	-	-	-	5	4	9	13
11	-	-	-	-	2	2	6	9
12	-	-	1	1	4	4	8	11
13	-	-	-	1	7	8	11	12
14	-	-	-	2	8	7	10	12
15	-	-	1	2	6	7	10	14
16	-	-	1	1	6	6	11	14
17	-	-	1	3	6	6	7	14
18	-	-	1	1	6	6	9	15
19	-	1	1	1	4	4	13	19
20	-	-	1	1	4	5	11	18
21	-	-	1	1	3	4	12	17
22	-	-	-	1	5	6	11	18
23	-	-	-	1	6	6	12	16
MEAN	0)	0)	0)	1)	5)	5	10	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY16R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	7	7	15	17
01	-	-	-	-	5	5	12	17
02	-	-	-	-	5	5	12	15
03	-	-	-	-	4	4	8	17
04	-	-	-	-	5	5	10	16
05	0)	0)	0)	0)	3)	3	12	17
06	-	-	-	-	3	3	10	16
07	-	-	-	-	6	6	9	14
08	-	-	-	-	6	6	10	12
09	-	-	-	1	6	6	11	14
10	-	-	-	1	6	6	11	15
11	-	-	-	-	7	7	14	15
12	-	-	-	-	6	7	12	15
13	-	-	-	-	6	6	15	17
14	-	-	-	1	7	7	14	17
15	-	-	-	1	6	7	12	17
16	-	-	-	2	7	6	11	15
17	-	-	-	1	6	6	15	17
18	-	-	-	1	8	8	14	19
19	-	-	1	2	6	6	12	17
20	-	-	1	3	9	8	14	19
21	-	1	3	5	10	8	13	21
22	-	-	1	1	7	7	14	17
23	-	-	1	1	8	8	15	17
MEAN	0)	0)	0)	1)	6)	6	12	17

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY16R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	3	3	9	11
01	-	-	-	-	3	3	7	11
02	-	-	-	-	1	1	6	9
03	-	-	-	-	1	1	6	10
04	-	-	-	-	1	1	6	9
05	-	-	-	-	3	3	7	10
06	-	-	-	-	3	3	7	9
07	-	-	-	-	3	3	5	7
08	-	-	-	-	4	4	6	9
09	-	-	-	-	4	4	7	9
10	-	-	-	-	4	4	7	9
11	-	-	-	-	3	3	8	9
12	-	-	-	-	3	3	7	12
13	-	-	-	-	5	5	9	13
14	-	-	-	-	6	6	10	13
15	-	-	-	-	6	6	12	14
16	-	-	-	-	6	5	11	17
17	-	-	1	1	8	7	12	18
18	-	-	1	1	6	6	13	18
19	-	-	1	1	5	5	14	18
20	-	-	1	1	6	5	15	23
21	-	-	-	1	7	7	13	20
22	-	-	-	-	4	4	13	15
23	-	-	-	-	3	3	11	13
MEAN	-	-	0	0	4	4	9	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY16R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	1	1	8	13
01	-	-	-	-	2	2	8	10
02	-	-	-	-	1	1	8	10
03	-	-	-	-	1	1	7	8
04	-	-	-	-	1	1	7	10
05	-	-	-	-	3	3	6	6
06	-	-	-	-	2	2	5	6
07	0)	0)	0)	0)	1)	1	5	6
08	-	-	-	-	2	2	4	6
09	-	-	-	1	1	1	6	8
10	-	-	-	-	3	3	5	10
11	-	-	-	-	4	4	7	9
12	-	-	-	-	3	3	6	10
13	-	-	-	-	3	3	6	10
14	-	-	-	-	5	5	10	13
15	-	-	-	1	6	6	12	16
16	-	-	1	1	7	7	14	18
17	-	-	1	1	9	8	15	18
18	-	-	2	2	8	7	14	22
19	-	-	2	3	7	5	13	22
20	-	1	1	3	9	8	17	25
21	-	-	1	1	6	8	14	24
22	-	-	-	1	3	3	13	21
23	-	-	-	-	3	3	8	16
MEAN	0)	0)	0)	1)	4)	4	9	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY16R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	6	7	14	25
01	-	-	-	-	5	5	13	20
02	-	-	-	-	5	5	12	18
03	-	-	-	-	4	4	13	17
04	-	-	-	-	3	3	9	15
05	0)	0)	0)	0)	3)	3	10	13
06	-	-	-	-	3	3	8	15
07	-	-	-	-	3	3	11	15
08	-	-	-	-	3	3	9	13
09	-	-	-	-	3	3	9	13
10	-	-	-	-	5	5	12	17
11	-	-	-	-	9	9	13	19
12	-	-	-	1	8	8	17	21
13	-	-	-	1	9	9	18	25
14	-	-	-	1	11	11	20	30
15	-	-	-	-	11	11	21	28
16	-	-	-	1	11	11	21	29
17	-	-	1	3	14	14	23	36
18	-	-	-	3	19	20	29	39
19	-	-	1	5	18	17	29	39
20	-	1	2	5	21	22	33	46
21	-	-	1	4	19	20	34	45
22	-	-	-	1	15	15	29	38
23	-	-	-	-	7	7	20	31
MEAN	0)	0)	0)	1)	9)	9	18	25

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY16R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	4	4	10	20
01	-	-	-	-	3	3	7	13
02	-	-	-	-	3	3	6	10
03	-	-	-	-	2	2	3	9
04	-	-	-	-	1	1	4	8
05	-	-	-	-	-	-	3	5
06	-	-	-	-	2	2	5	7
07	-	-	-	-	2	2	4	6
08	-	-	-	-	3	3	3	6
09	-	-	-	-	2	2	3	9
10	-	-	-	-	2	2	7	13
11	-	-	-	-	3	3	9	14
12	-	-	-	-	4	4	8	17
13	-	-	-	1	5	5	10	21
14	-	-	-	1	9	9	16	24
15	-	-	-	1	12	12	17	28
16	-	-	-	1	14	14	23	29
17	-	-	-	2	17	17	25	35
18	-	-	-	6	18	18	26	35
19	-	-	-	5	19	20	27	41
20	-	-	1	6	18	18	30	45
21	-	-	-	4	19	20	26	37
22	-	-	-	-	16	16	24	32
23	-	-	-	-	7	7	18	30
MEAN	-	-	0	1	8	8	13	21

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY16R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	2	2	12	17
01	-	-	-	-	-	-	8	14
02	-	-	-	-	1	1	6	11
03	-	-	-	-	1	1	8	12
04	-	-	-	-	1	1	4	7
05	0)	0)	0)	0)	1)	1	5	8
06	0)	0)	0)	0)	1)	1	5	8
07	-	-	-	-	1	1	5	9
08	-	-	-	-	2	2	6	10
09	-	-	-	-	5	5	7	12
10	-	-	-	-	5	5	8	14
11	-	-	-	-	6	6	8	15
12	-	-	-	-	7	7	11	17
13	-	-	-	-	7	7	12	17
14	-	-	-	-	8	8	13	19
15	-	-	-	-	10	8	16	21
16	-	-	-	1	8	8	16	23
17	-	-	-	1	10	10	18	25
18	-	-	-	1	10	10	17	29
19	-	-	-	1	13	12	19	28
20	-	-	1	1	10	10	23	30
21	-	-	1	1	8	8	21	32
22	-	-	-	1	8	8	21	25
23	-	-	-	-	6	6	17	25
MEAN	0)	0)	0)	0)	6)	5	12	18

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY16R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	4	4	11	15
01	0)	0)	0)	0)	2)	3	11	17
02	-	-	-	-	2	2	9	14
03	-	-	-	-	1	1	6	11
04	-	-	-	-	3	3	8	12
05	0)	0)	0)	0)	1)	1	7	12
06	-	-	-	-	3	3	8	12
07	-	-	-	-	3	3	9	12
08	-	-	-	-	3	3	8	11
09	-	-	-	-	4	4	9	15
10	-	-	-	-	6	6	11	13
11	-	-	-	-	6	6	9	14
12	-	-	-	-	5	5	10	15
13	-	-	-	-	5	5	10	18
14	-	-	-	-	5	5	11	16
15	-	-	1	2	6	5	10	16
16	-	-	1	2	11	11	13	18
17	-	-	-	1	10	10	13	22
18	-	-	-	2	7	7	13	21
19	-	-	1	3	11	9	15	21
20	-	-	1	3	9	9	18	27
21	-	-	-	4	13	13	20	32
22	-	-	-	1	9	9	19	30
23	-	-	-	-	7	7	13	21
MEAN	0)	0)	0)	1)	6)	6	11	17

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY16R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	1	3	3	11	17
01	-	-	-	-	3	3	10	15
02	-	-	-	-	3	3	8	13
03	-	-	-	-	3	3	9	10
04	-	-	-	-	3	3	6	10
05	-	-	-	-	2	2	6	10
06	0)	0)	0)	0)	2)	2	6	10
07	-	-	-	-	5	5	6	11
08	-	-	-	-	4	4	6	11
09	-	-	-	-	5	5	8	11
10	-	-	-	-	5	5	7	10
11	-	-	-	1	8	8	8	12
12	-	-	-	1	6	6	8	12
13	-	-	-	1	6	6	9	13
14	-	-	-	1	6	6	10	15
15	-	-	-	1	8	8	12	17
16	-	-	1	2	9	9	14	18
17	-	1	1	1	6	6	13	18
18	-	-	-	1	7	7	12	17
19	-	-	1	3	10	10	14	18
20	-	-	1	1	11	10	15	19
21	-	-	-	2	9	9	16	21
22	-	-	1	1	4	5	12	19
23	-	-	-	1	5	5	11	17
MEAN	0)	0)	0)	1)	6)	6	10	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY16R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	3	3	8	15
01	-	-	-	-	4	4	9	15
02	-	-	-	-	3	3	8	13
03	-	-	-	-	4	5	9	14
04	-	-	-	-	5	5	9	12
05	0)	0)	0)	0)	4)	4	8	13
06	-	-	-	-	5	5	8	11
07	-	-	-	1	5	5	7	13
08	-	-	-	1	4	4	9	12
09	-	-	-	1	4	4	8	14
10	-	-	-	1	4	3	10	15
11	-	-	-	1	4	3	8	16
12	-	-	-	1	4	3	8	14
13	-	-	-	1	4	4	8	13
14	-	-	-	1	6	6	9	15
15	-	-	-	3	8	7	10	16
16	-	-	1	3	7	6	9	13
17	-	-	1	2	8	6	9	13
18	-	-	-	2	7	5	9	16
19	-	-	1	2	6	5	11	17
20	-	-	1	2	7	5	11	20
21	-	-	2	3	7	6	13	21
22	-	-	-	1	5	6	14	25
23	-	-	-	-	3	3	10	19
MEAN	0)	0)	0)	1)	5)	5	9	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY16R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	1	2	5	8
01	-	-	-	-	3	3	6	8
02	0)	0)	0)	0)	3)	3	5	6
03	-	-	-	-	3	3	6	8
04	-	-	-	-	5	5	8	10
05	-	-	-	-	5	5	6	6
06	0)	0)	0)	0)	3)	3	4	8
07	-	-	-	-	3	3	8	10
08	-	-	-	-	2	2	5	10
09	-	-	-	-	3	3	5	8
10	-	-	-	-	3	3	5	8
11	-	-	-	-	3	3	4	8
12	-	-	-	-	3	3	5	9
13	-	-	-	-	5	5	8	10
14	-	-	-	-	2	2	5	9
15	0)	0)	1)	1)	4)	3	6	8
16	0)	0)	1)	1)	5)	4	7	10
17	-	-	1	1	4	3	6	10
18	-	-	-	-	4	3	6	10
19	-	-	-	1	4	3	6	10
20	-	-	-	-	2	2	5	10
21	-	-	-	-	3	3	5	10
22	-	-	-	-	2	3	6	12
23	-	-	-	-	2	3	5	8
MEAN	0)	0)	0)	0)	3)	3	6	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY16R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	0	4	4	10	15
01	0)	0)	0)	0)	3)	3	9	13
02	0)	0)	0)	0)	3)	3	8	12
03	-	-	-	0	3	3	7	11
04	-	-	-	-	3	3	7	11
05	0)	0)	0)	0)	3)	3	7	10
06	0)	0)	0)	0)	3)	3	7	11
07	0)	0)	0)	0)	3)	3	7	10
08	-	-	-	0	3	3	7	10
09	-	-	-	0	4	4	7	11
10	-	-	-	0	4	4	8	12
11	-	-	-	0	5	5	8	12
12	-	-	0	0	5	5	9	13
13	-	-	-	0	5	5	10	14
14	-	-	-	1	6	6	11	16
15	0)	0)	0)	1)	7)	7	12	17
16	0)	0)	0)	1)	8)	8	13	18
17	-	0	0	1	9	8	13	19
18	-	-	0	2	9	8	14	21
19	-	0	1	2	9	8	15	22
20	-	0	1	2	9	9	16	24
21	-	0	1	2	9	9	16	24
22	-	-	0	1	7	7	15	22
23	-	-	0	0	5	5	12	19
MEAN	0)	0)	0)	1)	5)	5	10	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWYA-M

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	3	3	5	7
01	-	-	-	-	3	3	4	6
02	-	-	-	-	3	3	5	6
03	-	-	-	1	2	2	5	8
04	-	-	-	-	3	3	6	6
05	-	-	-	-	4	4	5	6
06	-	-	-	-	4	4	6	6
07	-	-	-	-	3	3	5	5
08	-	-	-	-	4	4	6	6
09	-	-	-	-	3	3	5	6
10	-	-	-	-	3	3	5	5
11	-	-	-	-	3	3	4	6
12	-	-	-	-	3	3	4	5
13	-	-	-	-	3	3	3	5
14	-	-	-	-	3	3	3	5
15	-	-	-	-	3	3	3	5
16	-	-	-	-	3	3	5	6
17	-	-	-	-	3	3	5	6
18	-	-	-	-	4	4	6	8
19	-	-	-	-	4	5	6	8
20	-	-	-	1	4	4	7	10
21	-	-	-	1	3	3	6	10
22	-	-	-	-	3	3	6	10
23	-	-	-	-	3	3	6	8
MEAN	-	-	-	0	3	3	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWYA-M

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	6	6	11	16
01	-	-	-	-	4	4	7	15
02	-	-	-	-	5	5	9	12
03	-	-	-	-	4	4	11	13
04	-	-	-	-	4	4	13	18
05	-	-	-	-	4	6	13	18
06	0)	0)	0)	0)	6)	7	12	20
07	-	-	-	-	5	6	10	17
08	-	-	-	-	4	4	9	13
09	-	-	-	-	4	4	9	13
10	-	-	-	-	4	4	9	13
11	-	-	-	-	2	2	6	9
12	-	-	-	1	4	4	8	11
13	-	-	-	1	7	8	11	12
14	-	-	-	1	7	7	10	12
15	-	-	1	2	7	7	10	14
16	-	-	1	2	5	6	11	14
17	-	-	1	2	6	6	7	14
18	-	1	1	1	6	6	9	15
19	-	1	1	1	4	4	13	19
20	-	-	1	1	4	5	11	18
21	-	-	1	1	3	4	12	17
22	-	-	-	1	5	6	11	18
23	-	-	-	1	6	6	12	16
MEAN	0)	0)	0)	1)	5)	5	10	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWYA-M

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	7	7	15	17
01	-	-	-	-	5	5	12	17
02	-	-	-	-	5	5	12	15
03	-	-	-	-	4	4	8	17
04	-	-	-	-	5	5	10	16
05	-	-	-	-	3	3	12	17
06	0)	0)	0)	0)	3)	3	10	16
07	-	-	-	-	6	6	9	14
08	-	-	-	-	6	6	10	12
09	-	-	-	1	6	6	11	14
10	-	-	-	1	6	6	11	15
11	-	-	-	-	7	7	14	15
12	-	-	-	-	7	7	12	15
13	-	-	-	-	6	6	15	17
14	-	-	-	1	7	7	14	17
15	-	-	-	1	7	7	12	17
16	-	-	-	1	7	6	11	15
17	-	-	-	1	5	6	15	17
18	-	-	1	2	8	8	14	19
19	-	-	1	2	6	6	12	17
20	-	-	1	3	8	8	14	19
21	-	-	1	3	9	8	13	21
22	-	-	2	2	7	7	14	17
23	-	-	1	1	8	8	15	17
MEAN	0)	0)	0)	1)	6)	6	12	17

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWYA-M

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	3	3	9	11
01	-	-	-	-	3	3	7	11
02	-	-	-	-	1	1	6	9
03	-	-	-	-	1	1	6	10
04	-	-	-	-	1	1	6	9
05	-	-	-	-	3	3	7	10
06	-	-	-	-	3	3	7	9
07	-	-	-	-	3	3	5	7
08	-	-	-	-	4	4	6	9
09	-	-	-	-	4	4	7	9
10	-	-	-	-	4	4	7	9
11	-	-	-	-	3	3	8	9
12	-	-	-	-	3	3	7	12
13	-	-	-	-	5	5	9	13
14	-	-	-	-	6	6	10	13
15	-	-	-	-	6	6	12	14
16	-	-	-	-	5	5	11	17
17	-	-	-	-	7	7	12	18
18	-	-	1	1	7	6	13	18
19	-	-	-	-	5	5	14	18
20	-	-	1	1	6	5	15	23
21	-	-	1	1	7	7	13	20
22	-	-	-	-	4	4	13	15
23	-	-	-	-	3	3	11	13
MEAN	-	-	0	0	4	4	9	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWYA-M

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	1	1	8	13
01	-	-	-	-	2	2	8	10
02	-	-	-	-	1	1	8	10
03	-	-	-	-	1	1	7	8
04	-	-	-	-	1	1	7	10
05	-	-	-	-	3	3	6	6
06	0)	0)	0)	0)	2)	2	5	6
07	-	-	-	-	1	1	5	6
08	-	-	-	-	2	2	4	6
09	-	-	-	1	1	1	6	8
10	-	-	-	-	3	3	5	10
11	-	-	-	-	4	4	7	9
12	-	-	-	-	3	3	6	10
13	-	-	-	-	3	3	6	10
14	-	-	-	-	5	5	10	13
15	-	-	-	1	6	6	12	16
16	-	-	1	1	7	7	14	18
17	-	-	-	1	8	8	15	18
18	-	-	2	2	8	7	14	22
19	-	-	1	1	5	5	13	22
20	-	1	1	3	8	8	17	25
21	-	-	1	2	7	8	14	24
22	-	-	-	1	3	3	13	21
23	-	-	-	-	3	3	8	16
MEAN	0)	0)	0)	1)	4)	4	9	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWYA-M

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	6	7	14	25
01	-	-	-	-	5	5	13	20
02	0)	0)	0)	0)	5)	5	12	18
03	-	-	-	-	5	4	13	17
04	-	-	-	-	3	3	9	15
05	-	-	-	-	3	3	10	13
06	0)	0)	0)	0)	3)	3	8	15
07	-	-	-	-	3	3	11	15
08	-	-	-	-	3	3	9	13
09	-	-	-	-	3	3	9	13
10	-	-	-	-	5	5	12	17
11	-	-	-	-	9	9	13	19
12	-	-	-	1	8	8	17	21
13	-	-	-	1	9	9	18	25
14	-	-	-	1	11	11	20	30
15	-	-	-	-	11	11	21	28
16	-	-	-	1	11	11	21	29
17	-	-	1	3	14	14	23	36
18	-	-	-	4	20	20	29	39
19	-	-	1	5	19	17	29	39
20	-	1	4	5	21	22	33	46
21	-	-	1	4	19	20	34	45
22	-	-	-	1	15	15	29	38
23	-	-	-	-	7	7	20	31
MEAN	0)	0)	0)	1)	9)	9	18	25

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWYA-M

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	4	4	10	20
01	-	-	-	-	3	3	7	13
02	-	-	-	-	3	3	6	10
03	-	-	-	-	2	2	3	9
04	-	-	-	-	1	1	4	8
05	-	-	-	-	-	-	3	5
06	-	-	-	-	3	2	5	7
07	-	-	-	-	2	2	4	6
08	-	-	-	-	3	3	3	6
09	-	-	-	-	2	2	3	9
10	-	-	-	-	2	2	7	13
11	-	-	-	-	3	3	9	14
12	-	-	-	-	4	4	8	17
13	-	-	-	1	5	5	10	21
14	-	-	-	1	9	9	16	24
15	-	-	1	1	12	12	17	28
16	-	-	-	1	14	14	23	29
17	-	-	-	2	17	17	25	35
18	-	-	-	6	17	18	26	35
19	-	-	1	5	20	20	27	41
20	-	1	2	7	17	18	30	45
21	-	-	1	4	19	20	26	37
22	-	-	-	-	16	16	24	32
23	-	-	-	-	7	7	18	30
MEAN	-	0	0	1	8	8	13	21

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWYA-M

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	3	2	12	17
01	-	-	-	-	-	-	8	14
02	-	-	-	-	1	1	6	11
03	-	-	-	-	1	1	8	12
04	-	-	-	-	-	1	4	7
05	-	-	-	-	1	1	5	8
06	0)	0)	0)	0)	1)	1	5	8
07	0)	0)	0)	0)	1)	1	5	9
08	-	-	-	-	2	2	6	10
09	-	-	-	-	5	5	7	12
10	-	-	-	-	5	5	8	14
11	-	-	-	-	6	6	8	15
12	-	-	-	-	7	7	11	17
13	-	-	-	-	7	7	12	17
14	-	-	-	-	8	8	13	19
15	-	-	-	-	8	8	16	21
16	-	-	-	1	8	8	16	23
17	-	-	-	1	10	10	18	25
18	-	-	-	1	10	10	17	29
19	-	-	-	1	13	12	19	28
20	-	-	-	2	11	10	23	30
21	-	-	-	1	8	8	21	32
22	-	-	-	1	8	8	21	25
23	-	-	-	-	6	6	17	25
MEAN	0)	0)	0)	0)	6)	5	12	18

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWYA-M

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	4	4	11	15
01	0)	0)	0)	0)	3)	3	11	17
02	0)	0)	0)	0)	2)	2	9	14
03	-	-	-	-	1	1	6	11
04	-	-	-	-	3	3	8	12
05	0)	0)	0)	0)	1)	1	7	12
06	0)	0)	0)	0)	3)	3	8	12
07	0)	0)	0)	0)	3)	3	9	12
08	-	-	-	-	3	3	8	11
09	-	-	-	-	4	4	9	15
10	-	-	-	-	6	6	11	13
11	-	-	-	-	6	6	9	14
12	-	-	-	-	5	5	10	15
13	-	-	-	-	6	5	10	18
14	-	-	-	-	5	5	11	16
15	-	-	1	2	6	5	10	16
16	-	-	-	2	11	11	13	18
17	-	-	1	2	9	10	13	22
18	-	-	1	2	8	7	13	21
19	-	1	2	3	10	9	15	21
20	-	1	1	3	9	9	18	27
21	-	-	-	3	12	13	20	32
22	-	-	-	1	9	9	19	30
23	-	-	-	-	7	7	13	21
MEAN	0)	0)	0)	1)	6)	6	11	17

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWYA-M

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	1	3	3	11	17
01	-	-	-	-	3	3	10	15
02	-	-	-	-	3	3	8	13
03	-	-	-	-	3	3	9	10
04	-	-	-	-	3	3	6	10
05	-	-	-	-	2	2	6	10
06	-	-	-	-	2	2	6	10
07	-	-	-	-	5	5	6	11
08	-	-	-	-	4	4	6	11
09	-	-	-	-	5	5	8	11
10	-	-	-	-	5	5	7	10
11	-	-	-	1	8	8	8	12
12	-	-	-	1	6	6	8	12
13	-	-	-	1	6	6	9	13
14	-	-	-	1	7	6	10	15
15	-	-	1	1	8	8	12	17
16	-	-	-	2	9	9	14	18
17	-	-	1	1	6	6	13	18
18	-	-	-	1	6	7	12	17
19	-	-	2	2	10	10	14	18
20	-	-	-	1	10	10	15	19
21	-	-	1	2	9	9	16	21
22	-	-	-	1	3	5	12	19
23	-	-	-	1	5	5	11	17
MEAN	-	-	0	1	6	6	10	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWYA-M

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	3	3	8	15
01	-	-	-	-	4	4	9	15
02	-	-	-	-	3	3	8	13
03	-	-	-	-	4	5	9	14
04	-	-	-	-	5	5	9	12
05	-	-	-	-	4	4	8	13
06	-	-	-	-	5	5	8	11
07	-	-	-	1	5	5	7	13
08	-	-	-	1	4	4	9	12
09	-	-	-	1	4	4	8	14
10	-	-	1	1	3	3	10	15
11	-	-	-	1	3	3	8	16
12	-	-	1	1	3	3	8	14
13	-	-	1	1	4	4	8	13
14	-	-	1	2	6	6	9	15
15	-	-	1	3	7	7	10	16
16	-	-	1	2	5	6	9	13
17	-	1	1	2	6	6	9	13
18	-	-	1	2	6	5	9	16
19	-	-	-	1	6	5	11	17
20	-	-	1	1	5	5	11	20
21	-	-	1	2	6	6	13	21
22	-	-	1	1	5	6	14	25
23	-	-	-	-	3	3	10	19
MEAN	-	0	0	1	5	5	9	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWYA-M

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	1	2	5	8
01	-	-	-	-	3	3	6	8
02	-	-	-	-	3	3	5	6
03	-	-	-	-	3	3	6	8
04	-	-	-	-	5	5	8	10
05	0)	0)	0)	0)	5)	5	6	6
06	-	-	-	-	3	3	4	8
07	-	-	-	-	3	3	8	10
08	-	-	-	-	2	2	5	10
09	-	-	-	-	3	3	5	8
10	-	-	-	-	3	3	5	8
11	-	-	-	-	3	3	4	8
12	-	-	-	-	3	3	5	9
13	-	-	-	-	5	5	8	10
14	-	-	-	-	2	2	5	9
15	0)	0)	0)	0)	3)	3	6	8
16	0)	1)	1)	1)	5)	4	7	10
17	-	-	1	1	4	3	6	10
18	-	-	1	1	3	3	6	10
19	-	-	-	1	4	3	6	10
20	-	-	-	-	2	2	5	10
21	-	-	-	-	3	3	5	10
22	-	-	-	-	2	3	6	12
23	-	-	-	-	2	3	5	8
MEAN	0)	0)	0)	0)	3)	3	6	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWYA-M

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	0	4	4	10	15
01	0)	0)	0)	0)	3)	3	9	13
02	0)	0)	0)	0)	3)	3	8	12
03	-	-	-	0	3	3	7	11
04	-	-	-	-	3	3	7	11
05	0)	0)	0)	0)	3)	3	7	10
06	0)	0)	0)	0)	3)	3	7	11
07	0)	0)	0)	0)	3)	3	7	10
08	-	-	-	0	3	3	7	10
09	-	-	-	0	4	4	7	11
10	-	-	0	0	4	4	8	12
11	-	-	-	0	5	5	8	12
12	-	-	0	0	5	5	9	13
13	-	-	0	0	5	5	10	14
14	-	-	0	1	6	6	11	16
15	0)	0)	0)	1)	7)	7	12	17
16	0)	0)	0)	1)	8)	8	13	18
17	-	0	0	1	8	8	13	19
18	-	0	1	2	9	8	14	21
19	-	0	1	2	9	8	15	22
20	-	0	1	2	9	9	16	24
21	-	-	1	2	9	9	16	24
22	-	-	0	1	7	7	15	22
23	-	-	0	0	5	5	12	19
MEAN	0)	0)	0)	1)	5)	5	10	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY34L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	3	3	5	7
01	-	-	-	-	3	3	4	6
02	-	-	-	-	3	3	5	6
03	-	-	-	1	2	2	5	8
04	-	-	-	-	3	3	6	6
05	-	-	-	-	4	4	5	6
06	-	-	-	-	4	4	6	6
07	-	-	-	-	3	3	5	5
08	-	-	-	-	4	4	6	6
09	-	-	-	-	3	3	5	6
10	-	-	-	-	3	3	5	5
11	-	-	-	-	3	3	4	6
12	-	-	-	-	3	3	4	5
13	-	-	-	-	3	3	3	5
14	-	-	-	-	3	3	3	5
15	-	-	-	-	3	3	3	5
16	-	-	-	-	3	3	5	6
17	-	-	-	-	3	3	5	6
18	-	-	-	-	4	4	6	8
19	-	-	-	-	5	5	6	8
20	-	-	-	1	4	4	7	10
21	-	-	-	1	4	3	6	10
22	-	-	-	-	3	3	6	10
23	-	-	-	-	3	3	6	8
MEAN	-	-	-	0	3	3	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY34L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	6	6	11	16
01	-	-	-	-	4	4	7	15
02	-	-	-	-	5	5	9	12
03	-	-	-	-	4	4	11	13
04	-	-	-	-	4	4	13	18
05	0)	0)	0)	0)	4)	6	13	18
06	-	-	-	-	6	7	12	20
07	-	-	-	-	5	6	10	17
08	-	-	-	-	4	4	9	13
09	-	-	-	-	4	4	9	13
10	-	-	-	-	4	4	9	13
11	-	-	1	1	3	2	6	9
12	-	-	-	1	5	4	8	11
13	-	-	-	1	8	8	11	12
14	-	-	-	1	7	7	10	12
15	-	-	2	4	8	7	10	14
16	-	-	1	2	6	6	11	14
17	-	-	1	2	6	6	7	14
18	-	-	1	1	6	6	9	15
19	-	1	1	1	4	4	13	19
20	-	1	1	1	4	5	11	18
21	-	-	1	1	4	4	12	17
22	-	-	-	1	5	6	11	18
23	-	-	-	1	6	6	12	16
MEAN	0)	0)	0)	1)	5)	5	10	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY34L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	7	7	15	17
01	-	-	-	-	5	5	12	17
02	-	-	-	-	5	5	12	15
03	-	-	-	-	4	4	8	17
04	-	-	-	-	5	5	10	16
05	-	-	-	-	3	3	12	17
06	0)	0)	0)	0)	3)	3	10	16
07	-	-	-	-	6	6	9	14
08	-	-	-	-	6	6	10	12
09	-	-	-	1	6	6	11	14
10	-	-	-	1	6	6	11	15
11	-	-	-	-	7	7	14	15
12	-	-	-	-	7	7	12	15
13	-	-	-	-	6	6	15	17
14	-	-	-	1	7	7	14	17
15	-	-	-	1	7	7	12	17
16	-	-	-	1	6	6	11	15
17	-	-	-	1	5	6	15	17
18	-	-	-	2	8	8	14	19
19	-	-	-	1	6	6	12	17
20	-	-	1	3	8	8	14	19
21	-	-	1	3	8	8	13	21
22	-	-	1	1	7	7	14	17
23	-	-	1	1	8	8	15	17
MEAN	0)	0)	0)	1)	6)	6	12	17

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY34L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	3	3	9	11
01	-	-	-	-	3	3	7	11
02	-	-	-	-	1	1	6	9
03	0)	0)	0)	0)	1)	1	6	10
04	-	-	-	-	1	1	6	9
05	-	-	-	-	3	3	7	10
06	-	-	-	-	3	3	7	9
07	-	-	-	-	3	3	5	7
08	-	-	-	-	4	4	6	9
09	0)	0)	0)	0)	4)	4	7	9
10	-	-	-	-	4	4	7	9
11	-	-	-	-	3	3	8	9
12	-	-	-	-	3	3	7	12
13	-	-	-	-	5	5	9	13
14	-	-	-	-	6	6	10	13
15	0)	0)	0)	0)	6)	6	12	14
16	-	-	-	-	5	5	11	17
17	-	-	-	-	7	7	12	18
18	-	-	1	1	7	6	13	18
19	-	-	-	-	5	5	14	18
20	-	-	1	1	6	5	15	23
21	-	-	-	1	7	7	13	20
22	-	-	-	-	4	4	13	15
23	-	-	-	-	3	3	11	13
MEAN	0)	0)	0)	0)	4)	4	9	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY34L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	1	1	8	13
01	-	-	-	-	2	2	8	10
02	-	-	-	-	1	1	8	10
03	-	-	-	-	1	1	7	8
04	-	-	-	-	1	1	7	10
05	0)	0)	0)	0)	3)	3	6	6
06	-	-	-	-	2	2	5	6
07	-	-	-	-	1	1	5	6
08	-	-	-	-	2	2	4	6
09	-	-	-	1	1	1	6	8
10	-	-	-	-	3	3	5	10
11	-	-	-	-	4	4	7	9
12	-	-	-	-	3	3	6	10
13	-	-	-	-	3	3	6	10
14	-	-	-	-	5	5	10	13
15	-	-	-	1	6	6	12	16
16	-	-	1	2	8	7	14	18
17	-	-	-	1	8	8	15	18
18	-	-	1	1	9	7	14	22
19	-	1	2	3	7	5	13	22
20	-	1	2	3	10	8	17	25
21	-	1	1	3	7	8	14	24
22	-	-	-	1	3	3	13	21
23	-	-	-	-	3	3	8	16
MEAN	0)	0)	0)	1)	4)	4	9	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY34L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	6	7	14	25
01	-	-	-	-	5	5	13	20
02	-	-	-	-	5	5	12	18
03	-	-	-	-	4	4	13	17
04	-	-	-	-	3	3	9	15
05	-	-	-	-	3	3	10	13
06	0)	0)	0)	0)	3)	3	8	15
07	-	-	-	-	3	3	11	15
08	-	-	-	-	3	3	9	13
09	-	-	-	-	3	3	9	13
10	-	-	-	-	5	5	12	17
11	-	-	-	-	9	9	13	19
12	-	-	-	1	8	8	17	21
13	-	-	-	1	9	9	18	25
14	-	-	-	1	11	11	20	30
15	-	-	-	-	11	11	21	28
16	-	-	-	1	11	11	21	29
17	-	-	1	3	14	14	23	36
18	-	-	1	5	20	20	29	39
19	-	-	1	3	18	17	29	39
20	-	1	2	5	21	22	33	46
21	-	-	-	3	20	20	34	45
22	-	-	-	1	15	15	29	38
23	-	-	-	-	7	7	20	31
MEAN	0)	0)	0)	1)	9)	9	18	25

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY34L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	4	4	10	20
01	-	-	-	-	3	3	7	13
02	-	-	-	-	3	3	6	10
03	-	-	-	-	2	2	3	9
04	-	-	-	-	1	1	4	8
05	-	-	-	-	-	-	3	5
06	-	-	-	-	3	2	5	7
07	-	-	-	-	2	2	4	6
08	-	-	-	-	3	3	3	6
09	-	-	-	-	2	2	3	9
10	-	-	-	-	2	2	7	13
11	-	-	-	-	3	3	9	14
12	-	-	-	-	4	4	8	17
13	-	-	-	1	5	5	10	21
14	-	-	-	1	9	9	16	24
15	-	-	1	1	12	12	17	28
16	-	-	1	1	15	14	23	29
17	-	-	-	2	19	17	25	35
18	-	-	1	6	18	18	26	35
19	-	-	1	5	20	20	27	41
20	-	-	2	6	17	18	30	45
21	-	-	1	4	19	20	26	37
22	-	-	-	-	16	16	24	32
23	-	-	-	-	7	7	18	30
MEAN	-	-	0	1	8	8	13	21

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY34L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	3	2	12	17
01	-	-	-	-	-	-	8	14
02	-	-	-	-	1	1	6	11
03	-	-	-	-	2	1	8	12
04	-	-	-	-	-	1	4	7
05	-	-	-	-	1	1	5	8
06	-	-	-	-	1	1	5	8
07	-	-	-	-	1	1	5	9
08	0)	0)	0)	0)	2)	2	6	10
09	-	-	-	-	5	5	7	12
10	-	-	-	-	5	5	8	14
11	-	-	-	-	6	6	8	15
12	-	-	-	-	7	7	11	17
13	-	-	-	-	7	7	12	17
14	-	-	-	-	8	8	13	19
15	-	-	-	-	8	8	16	21
16	-	-	-	1	8	8	16	23
17	-	-	-	1	10	10	18	25
18	-	-	-	1	10	10	17	29
19	-	-	1	1	14	12	19	28
20	-	-	1	2	10	10	23	30
21	-	-	-	1	8	8	21	32
22	-	-	-	1	8	8	21	25
23	-	-	-	-	6	6	17	25
MEAN	0)	0)	0)	0)	6)	5	12	18

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY34L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	4	4	11	15
01	-	-	-	-	3	3	11	17
02	0)	0)	0)	0)	2)	2	9	14
03	0)	0)	0)	0)	1)	1	6	11
04	0)	0)	0)	0)	3)	3	8	12
05	0)	0)	0)	0)	1)	1	7	12
06	0)	0)	0)	0)	3)	3	8	12
07	-	-	-	-	3	3	9	12
08	-	-	-	-	3	3	8	11
09	-	-	-	-	4	4	9	15
10	-	-	-	-	6	6	11	13
11	-	-	-	-	6	6	9	14
12	-	-	-	-	5	5	10	15
13	-	-	-	-	5	5	10	18
14	-	1	1	1	6	5	11	16
15	-	-	1	2	6	5	10	16
16	-	-	-	2	11	11	13	18
17	-	1	1	2	9	10	13	22
18	-	-	2	2	7	7	13	21
19	-	-	1	2	9	9	15	21
20	-	1	1	3	9	9	18	27
21	-	-	1	3	11	13	20	32
22	-	-	-	1	9	9	19	30
23	-	-	-	-	7	7	13	21
MEAN	0)	0)	0)	1)	6)	6	11	17

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY34L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	1	3	3	11	17
01	-	-	-	-	3	3	10	15
02	-	-	-	-	3	3	8	13
03	-	-	-	-	3	3	9	10
04	-	-	-	-	3	3	6	10
05	0)	0)	0)	0)	2)	2	6	10
06	-	-	-	-	2	2	6	10
07	-	-	-	-	5	5	6	11
08	-	-	-	-	4	4	6	11
09	-	-	-	-	5	5	8	11
10	-	-	-	-	5	5	7	10
11	-	-	-	1	8	8	8	12
12	-	-	-	1	6	6	8	12
13	-	-	-	1	6	6	9	13
14	-	-	-	1	7	6	10	15
15	-	-	-	1	9	8	12	17
16	-	-	-	1	9	9	14	18
17	-	-	1	1	6	6	13	18
18	-	-	-	1	6	7	12	17
19	-	-	1	2	10	10	14	18
20	-	-	-	1	10	10	15	19
21	-	-	2	3	9	9	16	21
22	-	-	-	-	4	5	12	19
23	-	-	-	1	5	5	11	17
MEAN	0)	0)	0)	1)	6)	6	10	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY34L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	3	3	8	15
01	-	-	-	-	4	4	9	15
02	-	-	-	-	3	3	8	13
03	-	-	-	-	4	5	9	14
04	-	-	-	-	5	5	9	12
05	-	-	-	-	4	4	8	13
06	0)	0)	0)	0)	5)	5	8	11
07	-	-	-	1	5	5	7	13
08	-	-	-	1	4	4	9	12
09	-	-	-	1	4	4	8	14
10	-	-	-	1	3	3	10	15
11	-	-	-	1	3	3	8	16
12	-	-	-	1	4	3	8	14
13	-	-	-	1	5	4	8	13
14	-	1	1	3	7	6	9	15
15	-	-	1	3	8	7	10	16
16	-	-	1	2	6	6	9	13
17	-	-	1	2	7	6	9	13
18	-	-	-	1	5	5	9	16
19	-	-	-	1	5	5	11	17
20	-	-	1	1	5	5	11	20
21	-	-	2	3	6	6	13	21
22	-	-	-	-	5	6	14	25
23	-	-	-	-	3	3	10	19
MEAN	0)	0)	0)	1)	5)	5	9	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY34L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	-	1	2	5	8
01	0)	0)	0)	0)	3)	3	6	8
02	-	-	-	-	3	3	5	6
03	-	-	-	-	3	3	6	8
04	-	-	-	-	5	5	8	10
05	-	-	-	-	5	5	6	6
06	0)	0)	0)	0)	3)	3	4	8
07	-	-	-	-	3	3	8	10
08	-	-	-	-	2	2	5	10
09	-	-	-	-	3	3	5	8
10	-	-	-	-	3	3	5	8
11	-	-	-	-	3	3	4	8
12	-	-	-	-	3	3	5	9
13	-	-	-	-	5	5	8	10
14	-	-	-	-	2	2	5	9
15	0)	0)	0)	0)	3)	3	6	8
16	0)	0)	1)	1)	5)	4	7	10
17	-	-	-	1	3	3	6	10
18	-	-	1	1	3	3	6	10
19	-	-	-	1	5	3	6	10
20	-	-	-	-	2	2	5	10
21	-	-	-	-	3	3	5	10
22	-	-	-	-	2	3	6	12
23	-	-	-	-	2	3	5	8
MEAN	0)	0)	0)	0)	3)	3	6	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NARITA International AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

NUMBER OF FORWARD SCATTER: RWY34L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<350	<400	<800	<1500	<3200	<5000
	-	-	<100	<200	<600	<600	<1000	<1500
00	-	-	-	0	4	4	10	15
01	0)	0)	0)	0)	3)	3	9	13
02	0)	0)	0)	0)	3)	3	8	12
03	0)	0)	0)	0)	3)	3	7	11
04	0)	0)	0)	0)	3)	3	7	11
05	0)	0)	0)	0)	3)	3	7	10
06	0)	0)	0)	0)	3)	3	7	11
07	-	-	-	0	3	3	7	10
08	0)	0)	0)	0)	3)	3	7	10
09	0)	0)	0)	0)	4)	4	7	11
10	-	-	-	0	4	4	8	12
11	-	-	0	0	5	5	8	12
12	-	-	-	0	5	5	9	13
13	-	-	-	0	5	5	10	14
14	-	0	0	1	6	6	11	16
15	0)	0)	0)	1)	7)	7	12	17
16	0)	0)	0)	1)	8)	8	13	18
17	-	0	0	1	8	8	13	19
18	-	-	1	2	9	8	14	21
19	-	0	1	2	9	8	15	22
20	-	0	1	2	9	9	16	24
21	-	0	1	2	9	9	16	24
22	-	-	0	0	7	7	15	22
23	-	-	0	0	5	5	12	19
MEAN	0)	0)	0)	1)	5)	5	10	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NARITA International AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	1	1	3	6			
01	1	1	1	1	5			
02	1	1	1	1	5			
03	1	1	1	1	5			
04	1	1	1	1	5			
05	1	1	1	3	5			
06	-	-	1	2	5			
07	1	1	1	1	5			
08	1	1	1	3	4			
09	-	-	1	1	3			
10	-	-	1	2	3			
11	-	-	1	1	3			
12	-	-	1	1	3			
13	-	1	1	1	3			
14	-	1	1	1	3			
15	-	-	1	1	5			
16	-	-	1	3	5			
17	-	-	2	3	5			
18	1	1	1	3	6			
19	1	1	1	3	6			
20	1	1	2	3	8			
21	1	1	3	4	8			
22	1	1	3	5	8			
23	1	2	3	4	7			
MEAN	0	1	1	2	5			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NARITA International AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	2	3	4	8	15			
01	1	3	3	4	12			
02	1	1	3	5	8			
03	1	1	3	5	9			
04	-	-	4	6	11			
05	1	1	3	6	13			
06	4	4	5	8	13			
07	1	1	2	5	13			
08	1	1	2	4	10			
09	1	1	2	5	10			
10	1	1	1	4	8			
11	1	1	2	4	5			
12	2	2	3	5	8			
13	4	4	6	7	10			
14	3	3	6	8	10			
15	4	4	5	7	12			
16	4	5	6	9	13			
17	5	5	6	6	12			
18	4	5	6	8	13			
19	3	4	5	12	16			
20	4	4	6	11	16			
21	2	4	7	11	15			
22	2	3	6	8	15			
23	3	4	5	9	15			
MEAN	2	3	4	7	12			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NARITA International AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	1	5	8	12			
01	1	1	3	6	12			
02	-	1	2	5	11			
03	-	-	1	5	12			
04	-	-	1	5	10			
05	-	1	2	4	10			
06	1	1	2	3	8			
07	1	1	3	4	8			
08	-	1	4	5	7			
09	1	1	2	3	8			
10	1	1	2	4	7			
11	1	1	3	6	9			
12	1	1	3	5	8			
13	1	1	2	6	9			
14	3	3	3	5	9			
15	3	3	4	6	10			
16	2	2	5	5	10			
17	3	3	4	7	10			
18	3	3	5	6	11			
19	3	3	5	7	10			
20	3	3	5	7	14			
21	5	5	6	8	17			
22	3	3	5	8	13			
23	3	3	5	9	13			
MEAN	2	2	3	6	10			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NARITA International AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	-	-	1	4	5			
01	-	-	-	3	5			
02	-	-	1	1	6			
03	-	-	1	1	7			
04	-	-	-	2	7			
05	-	-	1	1	6			
06	-	-	-	3	6			
07	-	-	-	1	4			
08	-	-	1	1	7			
09	-	-	1	2	5			
10	-	-	-	3	7			
11	-	-	-	1	4			
12	-	-	1	3	8			
13	-	-	1	3	8			
14	-	1	1	3	9			
15	1	1	1	3	9			
16	-	1	1	4	10			
17	1	1	2	5	12			
18	1	3	3	5	13			
19	1	1	3	6	13			
20	1	2	5	8	16			
21	1	1	1	7	14			
22	1	1	3	4	11			
23	-	-	1	4	8			
MEAN	0	0	1	3	8			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NARITA International AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	-	-	1	3	6			
01	-	-	1	3	5			
02	-	-	2	3	5			
03	-	-	1	2	5			
04	-	-	-	1	6			
05	-	-	1	1	3			
06	-	-	1	2	3			
07	-	-	1	3	5			
08	-	-	-	1	4			
09	1	1	1	1	3			
10	-	-	-	1	4			
11	-	-	1	2	4			
12	-	-	1	3	5			
13	-	-	-	2	5			
14	-	-	-	2	6			
15	1	2	3	5	10			
16	1	2	4	6	12			
17	3	3	4	8	14			
18	1	3	5	8	17			
19	3	3	4	8	17			
20	4	6	10	12	21			
21	5	5	9	12	19			
22	1	1	1	7	14			
23	-	-	1	3	6			
MEAN	1	1	2	4	8			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NARITA International AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	1	1	5	12			
01	1	1	1	3	8			
02	1	1	1	1	6			
03	-	-	1	3	8			
04	-	-	-	3	6			
05	-	-	-	2	4			
06	-	-	1	1	7			
07	-	-	1	3	8			
08	-	-	1	2	7			
09	1	1	1	2	5			
10	-	-	3	5	10			
11	-	-	3	5	9			
12	1	1	3	5	8			
13	3	3	3	5	11			
14	1	1	3	4	16			
15	1	1	3	7	17			
16	1	1	3	8	19			
17	3	5	7	12	23			
18	5	6	9	16	29			
19	5	7	9	19	31			
20	9	10	13	24	37			
21	6	7	11	20	35			
22	3	3	7	10	23			
23	1	1	1	5	15			
MEAN	2	2	4	7	15			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NARITA International AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	-	-	1	1	6			
01	-	-	-	1	3			
02	-	-	-	1	4			
03	-	-	-	-	2			
04	-	-	-	-	1			
05	-	-	-	-	1			
06	-	-	1	1	3			
07	-	-	1	1	3			
08	-	-	1	1	3			
09	-	-	1	1	5			
10	-	-	-	1	4			
11	-	-	-	2	5			
12	-	-	-	2	9			
13	-	1	1	2	10			
14	-	-	2	6	14			
15	1	1	3	5	18			
16	1	3	4	10	21			
17	3	5	9	14	26			
18	6	6	12	18	30			
19	7	8	14	17	32			
20	12	12	17	23	40			
21	7	8	15	18	32			
22	2	2	4	9	23			
23	1	1	1	3	12			
MEAN	2	2	4	6	13			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NARITA International AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	-	1	1	1	4			
01	-	-	-	1	2			
02	-	-	-	1	3			
03	-	-	1	1	5			
04	1	1	1	1	1			
05	-	-	-	1	3			
06	-	-	-	-	3			
07	-	-	1	1	4			
08	-	-	-	1	5			
09	-	-	-	1	6			
10	-	-	-	1	3			
11	-	-	-	-	3			
12	-	-	-	1	6			
13	-	-	-	1	3			
14	-	-	1	1	6			
15	1	1	3	4	10			
16	1	1	1	3	9			
17	1	1	1	6	14			
18	2	2	3	5	19			
19	1	1	2	8	20			
20	1	1	3	11	20			
21	2	2	4	8	20			
22	1	1	3	6	14			
23	-	-	-	1	6			
MEAN	0	0	1	3	8			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NARITA International AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	-	-	2	3	6			
01	1	1	1	3	6			
02	-	-	2	3	5			
03	-	-	-	1	6			
04	-	-	-	1	3			
05	-	-	-	2	5			
06	-	-	1	2	6			
07	-	-	-	3	7			
08	-	-	-	3	7			
09	-	-	1	1	6			
10	-	1	1	3	7			
11	-	-	1	3	5			
12	-	-	-	2	7			
13	-	-	-	3	8			
14	-	-	-	3	9			
15	1	1	1	5	7			
16	2	3	3	6	11			
17	2	3	4	5	13			
18	2	3	3	5	13			
19	3	5	5	7	15			
20	4	5	7	11	19			
21	8	8	11	12	24			
22	3	3	7	11	21			
23	1	1	1	4	10			
MEAN	1	1	2	4	9			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NARITA International AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	1	2	3	12			
01	-	-	1	3	8			
02	-	-	1	3	9			
03	-	-	1	5	7			
04	-	-	1	2	6			
05	-	-	-	2	7			
06	-	-	1	2	7			
07	-	-	1	3	8			
08	-	-	1	2	7			
09	-	-	1	3	6			
10	-	-	2	3	6			
11	1	1	2	3	9			
12	1	1	2	3	8			
13	1	1	1	4	10			
14	1	1	3	5	11			
15	1	1	3	5	11			
16	2	3	5	8	14			
17	1	1	3	7	14			
18	3	3	5	6	12			
19	4	4	5	8	14			
20	2	3	5	9	15			
21	5	5	8	12	18			
22	2	2	5	6	15			
23	1	1	2	5	12			
MEAN	1	1	2	5	10			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NARITA International AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	-	-	2	4	13			
01	-	1	2	5	12			
02	-	-	3	6	10			
03	1	1	3	6	11			
04	-	-	4	5	10			
05	1	1	3	5	9			
06	1	1	3	5	8			
07	1	1	1	5	9			
08	1	1	3	5	10			
09	1	1	1	4	9			
10	1	1	3	5	10			
11	1	1	1	3	11			
12	1	1	3	5	11			
13	1	1	3	5	10			
14	3	3	4	7	12			
15	3	3	5	7	13			
16	3	3	5	6	13			
17	3	3	5	5	11			
18	1	3	5	8	14			
19	1	1	5	8	14			
20	2	3	5	9	16			
21	3	3	7	10	18			
22	3	3	5	11	22			
23	-	1	4	7	18			
MEAN	1	2	4	6	12			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NARITA International AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	1	3	5	8			
01	1	1	3	5	7			
02	1	1	2	3	6			
03	-	1	1	5	6			
04	1	1	4	4	6			
05	1	1	2	3	5			
06	1	1	3	3	7			
07	1	1	3	5	10			
08	1	1	1	3	8			
09	2	2	2	4	7			
10	1	1	3	4	7			
11	1	1	1	3	7			
12	1	1	3	4	9			
13	1	1	2	5	10			
14	1	1	1	4	8			
15	1	1	2	5	8			
16	3	3	3	6	9			
17	1	1	2	5	10			
18	1	1	2	6	9			
19	1	1	1	5	8			
20	1	2	3	3	8			
21	2	3	3	3	8			
22	2	2	3	5	10			
23	2	3	3	5	7			
MEAN	1	1	2	4	8			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NARITA International AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	1	2	4	9			
01	0	1	1	3	7			
02	0	0	1	3	6			
03	0	0	1	3	7			
04	0	0	1	2	6			
05	0	0	1	2	6			
06	0	0	1	3	6			
07	0	0	1	3	7			
08	0	0	1	2	6			
09	0	0	1	2	6			
10	0	0	1	3	6			
11	0	0	1	3	6			
12	1	1	2	3	7			
13	1	1	2	4	8			
14	1	1	2	4	9			
15	1	1	3	5	11			
16	2	2	3	6	12			
17	2	3	4	7	14			
18	3	3	5	8	16			
19	3	3	5	9	16			
20	4	4	7	11	19			
21	4	4	7	10	19			
22	2	2	4	8	16			
23	1	1	2	5	11			
MEAN	1	1	3	5	10			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NARITA International AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	3	3	5	6
01	-	-	1	2	3	4	5
02	-	-	1	1	3	5	6
03	-	1	1	1	2	5	7
04	-	-	1	3	3	6	6
05	-	-	1	3	4	5	6
06	-	-	2	3	4	6	6
07	-	-	1	2	3	5	5
08	-	-	1	3	4	6	6
09	-	-	1	2	3	5	6
10	-	-	1	2	3	5	5
11	-	-	1	3	3	4	5
12	-	-	1	1	3	4	5
13	-	-	1	1	3	3	5
14	-	-	1	2	3	3	5
15	-	-	1	2	3	3	4
16	-	-	3	3	3	4	4
17	-	-	3	3	3	5	5
18	-	-	2	3	4	6	6
19	-	-	2	3	4	5	6
20	-	1	3	3	4	6	6
21	-	1	3	3	3	6	7
22	-	-	3	3	3	5	7
23	-	-	1	2	3	6	7
MEAN	-	0	1	2	3	5	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NARITA International AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	3	4	5	8	9
01	-	-	3	4	4	6	10
02	-	-	2	4	5	8	11
03	-	-	1	4	4	8	11
04	-	-	1	2	4	9	14
05	-	-	1	2	4	11	15
06	-	-	2	4	6	11	18
07	-	-	2	4	5	9	14
08	-	-	1	3	4	9	11
09	-	-	2	2	4	8	11
10	-	-	1	2	4	7	10
11	-	-	2	2	2	5	8
12	-	1	2	2	4	6	8
13	-	1	3	4	6	8	8
14	-	1	4	5	7	8	10
15	-	1	4	4	6	8	10
16	-	1	3	3	4	6	10
17	-	1	4	4	4	5	8
18	-	1	4	4	4	5	8
19	-	1	2	3	3	5	8
20	-	1	2	3	3	4	6
21	-	-	1	1	2	6	8
22	-	1	2	3	5	8	9
23	-	1	3	3	6	7	8
MEAN	-	0	2	3	4	7	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NARITA International AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	4	6	7	14	14
01	-	-	4	5	5	12	14
02	-	-	1	1	5	11	13
03	-	-	1	1	4	8	10
04	-	-	1	2	5	8	14
05	-	-	1	1	3	8	14
06	-	-	-	2	3	10	14
07	-	-	1	3	6	8	13
08	-	-	3	3	6	10	12
09	-	1	3	4	6	10	14
10	-	1	3	5	6	10	14
11	-	-	5	5	7	14	15
12	-	-	3	5	6	12	14
13	-	-	3	4	6	13	14
14	-	1	5	6	7	14	15
15	-	1	5	5	6	12	14
16	-	1	3	3	6	10	14
17	-	1	3	5	5	12	15
18	-	1	4	5	6	12	15
19	-	1	3	4	4	9	14
20	-	1	4	6	6	12	14
21	-	2	5	6	7	10	13
22	-	-	4	6	6	11	14
23	-	1	6	8	8	14	15
MEAN	-	0	3	4	6	11	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NARITA International AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	1	3	8	11
01	-	-	1	1	3	7	10
02	-	-	-	1	1	6	9
03	-	-	-	-	1	6	9
04	-	-	1	1	1	5	8
05	-	-	1	1	3	7	9
06	-	-	1	1	3	7	8
07	-	-	-	1	3	5	6
08	-	-	-	-	4	6	7
09	-	-	-	2	4	7	9
10	-	-	1	2	4	7	8
11	-	-	1	3	3	8	9
12	-	-	1	3	3	7	10
13	-	-	3	5	5	9	12
14	-	-	3	5	6	10	12
15	-	-	1	5	6	12	13
16	-	-	3	4	5	10	14
17	-	-	3	5	7	11	15
18	-	-	3	5	5	11	12
19	-	-	3	3	5	12	13
20	-	1	3	4	5	11	15
21	-	1	3	5	7	11	15
22	-	-	3	4	4	12	13
23	-	-	1	2	3	10	11
MEAN	-	0	2	3	4	9	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NARITA International AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	-	1	1	7	12
01	-	-	-	1	2	8	10
02	-	-	1	1	1	8	10
03	-	-	-	1	1	7	8
04	-	-	-	1	1	7	9
05	-	-	-	1	3	6	6
06	-	-	-	1	2	4	6
07	-	-	1	1	1	5	5
08	-	-	1	1	2	4	6
09	-	1	1	1	1	6	8
10	-	-	-	-	3	5	9
11	-	-	1	1	4	7	9
12	-	-	1	2	3	6	9
13	-	-	1	2	3	6	9
14	-	-	3	5	5	9	12
15	-	1	3	5	6	10	14
16	-	1	6	6	7	12	14
17	-	1	6	7	8	13	13
18	-	1	5	6	6	10	12
19	-	-	3	3	4	9	11
20	-	2	5	6	6	12	12
21	-	1	5	5	5	9	13
22	-	1	2	3	3	11	14
23	-	-	1	1	3	8	14
MEAN	-	0	2	3	3	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NARITA International AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	3	6	12	21
01	-	-	1	3	5	12	19
02	-	-	1	3	5	12	17
03	-	-	1	3	4	12	17
04	-	-	-	1	3	9	14
05	-	-	-	-	3	10	13
06	-	-	-	1	3	8	14
07	-	-	-	1	3	11	13
08	-	-	1	1	3	8	13
09	-	-	1	2	3	9	13
10	-	-	1	3	5	11	15
11	-	-	3	6	9	13	18
12	-	1	4	7	8	16	21
13	-	1	4	5	9	18	23
14	-	1	4	7	11	20	25
15	-	-	6	7	11	19	22
16	-	1	7	8	11	20	21
17	-	2	9	11	13	22	28
18	-	3	11	13	19	25	29
19	-	3	9	13	17	21	25
20	-	4	14	16	20	27	29
21	-	3	9	15	19	28	31
22	-	1	5	11	15	28	31
23	-	-	1	3	7	19	27
MEAN	-	1	4	6	9	16	21

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NARITA International AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	2	4	10	19
01	-	-	1	1	3	7	13
02	-	-	1	2	3	6	9
03	-	-	-	1	2	3	8
04	-	-	-	-	1	4	7
05	-	-	-	-	-	3	5
06	-	-	1	1	2	4	6
07	-	-	1	1	2	4	6
08	-	-	-	2	3	3	5
09	-	-	1	1	2	3	8
10	-	-	1	1	2	7	11
11	-	-	1	2	3	8	12
12	-	-	1	3	4	8	11
13	-	1	1	4	5	10	14
14	-	1	4	6	9	15	17
15	-	1	5	9	12	17	19
16	-	1	8	10	14	20	22
17	-	2	10	15	17	23	26
18	-	6	14	16	17	23	25
19	-	5	13	16	19	23	27
20	-	6	12	14	16	24	26
21	-	4	13	15	19	22	24
22	-	-	5	10	16	21	25
23	-	-	3	4	7	17	28
MEAN	-	1	4	6	8	12	16

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NARITA International AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	-	1	2	12	16
01	-	-	-	-	-	8	14
02	-	-	-	-	1	6	9
03	-	-	-	-	1	6	9
04	-	-	-	-	-	3	6
05	-	-	-	-	1	5	6
06	-	-	-	1	1	5	7
07	-	-	1	1	1	4	9
08	-	-	1	1	2	6	8
09	-	-	1	2	5	7	9
10	-	-	-	2	5	8	12
11	-	-	-	3	6	8	14
12	-	-	1	4	7	11	15
13	-	-	2	5	7	12	16
14	-	-	1	4	8	12	17
15	-	-	1	3	8	14	17
16	-	1	2	4	8	15	20
17	-	1	3	6	10	16	20
18	-	1	4	8	10	16	22
19	-	1	5	10	12	16	20
20	-	1	6	8	10	16	22
21	-	1	3	5	8	16	21
22	-	1	3	5	8	18	22
23	-	-	1	1	6	16	23
MEAN	-	0	1	3	5	11	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NARITA International AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	2	4	10	13
01	-	-	-	1	2	9	16
02	-	-	-	-	2	7	12
03	-	-	-	-	1	5	9
04	-	-	-	1	3	8	11
05	-	-	-	1	1	7	11
06	-	-	-	1	3	7	10
07	-	-	1	1	3	8	11
08	-	-	-	1	3	7	9
09	-	-	2	2	4	9	13
10	-	-	3	3	6	10	11
11	-	-	3	4	6	9	13
12	-	-	3	3	5	10	13
13	-	-	1	2	5	10	15
14	-	-	1	3	5	11	12
15	-	1	3	3	5	9	13
16	-	2	5	7	11	13	15
17	-	1	4	6	9	11	15
18	-	1	3	4	7	11	13
19	-	1	5	6	9	13	15
20	-	2	5	7	9	13	17
21	-	3	5	7	11	15	21
22	-	1	7	9	9	16	21
23	-	-	2	5	7	12	17
MEAN	-	1	2	3	5	10	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NARITA International AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	3	3	3	10	13
01	-	-	-	2	3	9	12
02	-	-	-	1	3	7	9
03	-	-	1	1	3	8	9
04	-	-	-	1	3	6	8
05	-	-	-	1	2	6	6
06	-	-	-	2	2	5	6
07	-	-	2	3	5	6	8
08	-	-	2	3	4	5	8
09	-	-	2	4	5	7	9
10	-	-	2	3	5	7	8
11	-	1	3	5	8	8	9
12	-	1	3	5	6	8	10
13	-	1	5	5	6	8	10
14	-	1	5	6	6	9	10
15	-	1	5	6	8	10	12
16	-	1	5	7	9	12	14
17	-	1	6	6	6	12	14
18	-	1	5	6	6	9	12
19	-	2	5	8	10	12	13
20	-	1	5	6	10	12	13
21	-	1	4	6	8	10	12
22	-	-	1	3	3	8	8
23	-	1	3	5	5	10	14
MEAN	-	0	3	4	5	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NARITA International AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	1	3	5	6
01	-	-	1	3	4	6	8
02	-	-	2	2	3	5	8
03	-	-	3	3	4	6	10
04	-	-	3	4	5	7	9
05	-	-	3	3	4	7	9
06	-	-	2	4	5	7	8
07	-	1	1	3	5	6	9
08	-	1	1	4	4	7	7
09	-	1	1	3	4	7	8
10	-	1	1	2	3	7	9
11	-	1	1	2	3	6	10
12	-	1	1	2	3	6	10
13	-	1	3	4	4	7	10
14	-	1	5	5	6	7	9
15	-	3	5	5	7	9	9
16	-	2	3	4	5	7	7
17	-	1	3	3	5	7	8
18	-	1	3	4	5	6	8
19	-	1	3	5	5	6	9
20	-	1	2	3	4	5	9
21	-	1	1	3	3	5	8
22	-	-	1	3	4	7	9
23	-	-	1	2	3	5	7
MEAN	-	1	2	3	4	6	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NARITA International AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	1	1	3	4
01	-	-	1	3	3	4	5
02	-	-	2	2	3	4	5
03	-	-	1	3	3	3	6
04	-	-	3	3	5	7	8
05	-	-	3	4	5	6	6
06	-	-	3	3	3	4	5
07	-	-	3	3	3	6	6
08	-	-	1	2	2	4	5
09	-	-	3	3	3	4	5
10	-	-	2	3	3	3	4
11	-	-	2	2	3	3	4
12	-	-	2	2	3	3	5
13	-	-	3	3	5	6	7
14	-	-	1	2	2	3	5
15	-	-	2	2	3	3	5
16	-	1	3	3	3	4	5
17	-	1	3	3	3	3	4
18	-	-	1	1	2	3	4
19	-	1	2	3	3	5	5
20	-	-	2	2	2	3	5
21	-	-	3	3	3	5	5
22	-	-	1	2	2	3	5
23	-	-	2	2	2	3	5
MEAN	-	0	2	2	3	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NARITA International AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	0	1	2	4	9	12
01	-	-	1	2	3	8	11
02	-	-	1	2	3	7	10
03	-	0	1	1	3	7	9
04	-	-	1	2	3	7	9
05	-	-	1	1	3	7	9
06	-	-	1	2	3	6	9
07	-	0	1	2	3	6	9
08	-	0	1	2	3	6	8
09	-	0	1	2	4	7	9
10	-	0	1	2	4	7	10
11	-	0	2	3	5	8	10
12	-	0	2	3	5	8	11
13	-	0	2	4	5	9	12
14	-	0	3	5	6	10	12
15	-	1	3	5	7	10	13
16	-	1	4	5	7	11	13
17	-	1	5	6	8	12	14
18	-	1	5	6	8	11	14
19	-	1	4	6	8	11	14
20	-	2	5	7	8	12	15
21	-	1	5	6	8	12	15
22	-	0	3	5	6	12	15
23	-	0	2	3	5	11	15
MEAN	-	0	2	4	5	9	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NARITA International AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	9	0	-	-	-	-	-	-	-	-	-	10
[35-36-01]	4	6	3	0	0	0	-	-	-	-	-	13
[02-03-04]	2	3	2	1	0	-	-	-	-	-	-	7
[05-06-07]	1	1	0	0	0	-	-	-	-	-	-	2
[08-09-10]	1	0	0	-	-	-	-	-	-	-	-	2
[11-12-13]	2	0	0	-	-	-	-	-	-	-	-	3
[14-15-16]	2	0	-	-	-	-	-	-	-	-	-	2
[17-18-19]	2	1	-	-	-	-	-	-	-	-	-	3
[20-21-22]	2	1	0	0	0	-	-	-	-	-	-	4
[23-24-25]	3	1	1	0	0	-	-	-	-	-	-	5
[26-27-28]	5	2	0	0	-	-	-	-	-	-	-	7
[29-30-31]	8	7	4	1	0	-	-	-	-	-	-	20
[32-33-34]	8	10	4	1	0	0	-	-	-	-	-	23
TOTAL	49	33	13	4	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NARITA International AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	9	0	-	-	-	-	-	-	-	-	-	9
[35-36-01]	4	6	2	1	0	0	0	-	-	-	-	13
[02-03-04]	3	5	1	1	0	-	-	-	-	-	-	10
[05-06-07]	2	3	0	0	-	-	-	-	-	-	-	5
[08-09-10]	1	2	0	0	0	-	-	-	-	-	-	3
[11-12-13]	2	1	0	0	0	-	-	-	-	-	-	3
[14-15-16]	2	1	0	0	-	-	-	-	-	-	-	3
[17-18-19]	1	1	1	-	-	-	-	-	-	-	-	3
[20-21-22]	1	0	1	0	-	-	-	-	-	-	-	3
[23-24-25]	2	1	0	0	0	-	-	-	-	-	-	3
[26-27-28]	3	1	0	-	-	-	-	-	-	-	-	5
[29-30-31]	6	5	3	1	0	-	-	-	-	-	-	16
[32-33-34]	8	9	3	1	0	0	-	-	-	-	-	22
TOTAL	44	37	13	5	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NARITA International AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	6	0	-	-	-	-	-	-	-	-	-	6
[35-36-01]	2	6	3	1	0	-	-	-	-	-	-	13
[02-03-04]	3	7	4	1	0	-	-	-	-	-	-	14
[05-06-07]	2	4	1	0	-	-	-	-	-	-	-	7
[08-09-10]	1	2	0	-	-	-	-	-	-	-	-	4
[11-12-13]	2	2	0	0	-	-	-	-	-	-	-	4
[14-15-16]	3	2	1	0	-	0	-	-	-	-	-	6
[17-18-19]	3	2	1	0	-	-	-	-	-	-	-	6
[20-21-22]	2	3	2	1	0	0	-	-	-	-	-	8
[23-24-25]	2	2	1	0	0	-	-	-	-	-	-	6
[26-27-28]	2	1	0	-	-	-	-	-	-	-	-	3
[29-30-31]	3	3	3	1	0	-	-	-	-	-	-	11
[32-33-34]	3	4	2	1	0	0	-	-	-	-	-	10
TOTAL	35	39	19	5	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NARITA International AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	6	0	-	-	-	-	-	-	-	-	-	6
[35-36-01]	2	4	2	0	0	-	-	-	-	-	-	9
[02-03-04]	3	7	5	1	0	-	-	-	-	-	-	15
[05-06-07]	2	4	2	0	-	-	-	-	-	-	-	8
[08-09-10]	2	2	1	-	-	-	-	-	-	-	-	4
[11-12-13]	3	4	1	0	0	-	-	-	-	-	-	8
[14-15-16]	5	4	3	0	0	0	-	-	-	-	-	13
[17-18-19]	4	4	2	0	0	0	-	-	-	-	-	12
[20-21-22]	2	2	2	1	0	0	-	-	-	-	-	8
[23-24-25]	1	2	1	0	0	-	0	-	-	-	-	4
[26-27-28]	2	1	0	0	-	-	-	-	-	-	-	2
[29-30-31]	2	2	1	1	-	-	-	-	-	-	-	5
[32-33-34]	3	3	1	1	0	0	-	-	-	-	-	7
TOTAL	34	37	22	5	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NARITA International AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	7	0	-	-	-	-	-	-	-	-	-	7
[35-36-01]	1	3	1	0	0	-	-	-	-	-	-	6
[02-03-04]	2	6	3	1	-	-	-	-	-	-	-	12
[05-06-07]	2	3	1	0	-	-	-	-	-	-	-	5
[08-09-10]	2	2	1	0	-	-	-	-	-	-	-	5
[11-12-13]	3	4	1	0	0	-	-	-	-	-	-	9
[14-15-16]	7	7	5	0	0	0	-	-	-	-	-	19
[17-18-19]	6	6	2	0	0	-	-	-	-	-	-	15
[20-21-22]	2	2	2	1	-	-	-	-	-	-	-	7
[23-24-25]	2	1	0	0	-	-	-	-	-	-	-	4
[26-27-28]	1	0	-	-	-	-	-	-	-	-	-	1
[29-30-31]	2	1	0	0	-	-	-	-	-	-	-	3
[32-33-34]	2	2	1	0	0	0	-	-	-	-	-	5
TOTAL	41	38	17	3	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NARITA International AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	7	0	-	-	-	-	-	-	-	-	-	7
[35-36-01]	2	2	1	0	0	-	-	-	-	-	-	5
[02-03-04]	4	9	4	1	0	-	-	-	-	-	-	18
[05-06-07]	3	5	1	-	-	-	-	-	-	-	-	9
[08-09-10]	3	3	1	-	-	-	-	-	-	-	-	7
[11-12-13]	6	7	2	0	0	0	-	-	-	-	-	15
[14-15-16]	7	8	3	-	-	-	0	-	-	-	-	18
[17-18-19]	5	3	0	-	0	-	-	-	-	-	-	9
[20-21-22]	2	1	1	0	0	0	-	-	-	-	-	4
[23-24-25]	1	1	0	0	0	-	-	-	-	-	-	3
[26-27-28]	1	0	-	-	-	-	-	-	-	-	-	1
[29-30-31]	1	0	0	0	-	-	-	-	-	-	-	2
[32-33-34]	1	1	0	-	-	-	-	-	-	-	-	3
TOTAL	44	40	13	2	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NARITA International AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	8	0	-	-	-	-	-	-	-	-	-	8
[35-36-01]	2	2	1	0	-	-	-	-	-	-	-	5
[02-03-04]	4	9	2	-	-	-	-	-	-	-	-	15
[05-06-07]	3	4	1	-	-	-	-	-	-	-	-	8
[08-09-10]	2	2	0	-	-	-	-	-	-	-	-	5
[11-12-13]	5	6	1	0	-	-	-	-	-	-	-	12
[14-15-16]	8	7	2	0	-	-	-	-	-	-	-	17
[17-18-19]	6	5	1	0	-	-	-	-	-	-	-	12
[20-21-22]	3	4	4	1	0	-	-	-	-	-	-	11
[23-24-25]	1	1	1	0	-	-	-	-	-	-	-	3
[26-27-28]	1	0	0	-	-	-	-	-	-	-	-	1
[29-30-31]	1	0	-	-	-	-	-	-	-	-	-	1
[32-33-34]	2	1	0	-	-	-	-	-	-	-	-	3
TOTAL	45	41	12	2	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NARITA International AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	6	0	-	-	-	-	-	-	-	-	-	6
[35-36-01]	1	3	1	1	0	0	-	-	-	-	-	5
[02-03-04]	3	8	5	1	0	0	-	-	-	-	-	17
[05-06-07]	2	3	1	0	-	-	-	-	-	-	-	7
[08-09-10]	2	2	0	0	0	-	-	-	-	-	-	4
[11-12-13]	4	4	1	-	-	0	-	-	0	-	-	8
[14-15-16]	9	7	3	0	0	-	-	-	-	-	-	19
[17-18-19]	8	5	1	0	-	0	-	-	-	-	-	15
[20-21-22]	3	4	3	1	-	0	-	-	-	-	-	11
[23-24-25]	1	1	1	0	-	-	-	-	-	-	-	3
[26-27-28]	1	0	0	0	-	-	-	-	-	-	-	1
[29-30-31]	1	0	0	-	0	-	-	-	-	-	-	1
[32-33-34]	1	1	0	0	-	-	-	-	-	-	-	2
TOTAL	43	39	15	2	0	0	-	-	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NARITA International AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	6	0	-	-	-	-	-	-	-	-	-	6
[35-36-01]	4	6	2	1	0	-	-	-	-	-	-	13
[02-03-04]	4	12	4	1	0	0	-	-	-	-	-	23
[05-06-07]	3	6	1	0	-	-	-	-	-	-	-	10
[08-09-10]	3	3	0	-	-	-	-	-	-	-	-	5
[11-12-13]	4	2	0	0	-	-	-	-	-	-	-	7
[14-15-16]	6	5	1	0	0	0	-	-	-	-	-	12
[17-18-19]	5	3	1	0	0	0	-	-	-	-	-	8
[20-21-22]	2	2	0	0	0	-	-	-	-	-	-	4
[23-24-25]	1	1	0	-	0	-	-	-	-	-	-	2
[26-27-28]	1	0	0	-	-	-	-	-	-	-	-	1
[29-30-31]	2	1	0	-	-	-	-	-	-	-	-	2
[32-33-34]	4	2	0	0	-	-	-	-	-	-	-	6
TOTAL	43	42	11	3	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NARITA International AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	7	-	-	-	-	-	-	-	-	-	-	7
[35-36-01]	4	7	4	1	0	-	0	-	-	-	-	16
[02-03-04]	3	12	5	1	0	0	-	-	-	-	-	21
[05-06-07]	2	4	1	0	-	-	-	-	-	-	-	8
[08-09-10]	2	2	0	-	-	-	-	-	-	-	-	5
[11-12-13]	2	1	0	0	0	-	-	-	-	-	-	3
[14-15-16]	3	2	0	0	0	0	-	-	-	-	-	5
[17-18-19]	3	1	1	0	0	-	-	-	-	-	-	5
[20-21-22]	2	1	1	0	0	0	-	-	-	-	-	4
[23-24-25]	1	1	0	0	-	-	-	-	-	-	-	2
[26-27-28]	1	0	0	0	-	-	-	-	-	-	-	2
[29-30-31]	5	2	1	0	-	0	-	-	-	-	-	7
[32-33-34]	7	6	1	0	0	-	-	-	-	-	-	14
TOTAL	42	39	14	3	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NARITA International AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	11	-	-	-	-	-	-	-	-	-	-	11
[35-36-01]	4	6	2	0	0	-	-	-	-	-	-	12
[02-03-04]	2	6	2	0	0	-	-	-	-	-	-	11
[05-06-07]	2	2	0	-	-	-	-	-	-	-	-	4
[08-09-10]	1	1	-	-	-	-	-	-	-	-	-	2
[11-12-13]	2	1	-	0	-	-	-	-	-	-	-	3
[14-15-16]	2	1	0	-	-	-	-	-	-	-	-	3
[17-18-19]	2	2	0	0	-	-	-	-	-	-	-	4
[20-21-22]	2	2	1	0	-	-	-	-	-	-	-	5
[23-24-25]	3	1	0	0	-	-	-	-	-	-	-	4
[26-27-28]	3	0	0	-	-	-	-	-	-	-	-	4
[29-30-31]	8	3	1	0	-	-	-	-	-	-	-	12
[32-33-34]	10	11	2	1	0	-	-	-	-	-	-	23
TOTAL	53	35	9	2	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NARITA International AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	12	-	-	-	-	-	-	-	-	-	-	12
[35-36-01]	3	6	1	0	0	-	-	-	-	-	-	10
[02-03-04]	2	3	1	0	-	-	-	-	-	-	-	7
[05-06-07]	1	1	-	-	-	-	-	-	-	-	-	2
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	1
[11-12-13]	2	0	-	-	-	-	-	-	-	-	-	2
[14-15-16]	2	0	0	0	0	-	-	-	-	-	-	3
[17-18-19]	2	1	0	0	0	-	-	-	-	-	-	4
[20-21-22]	3	1	1	0	0	-	-	-	-	-	-	5
[23-24-25]	5	1	1	1	0	-	-	-	-	-	-	8
[26-27-28]	5	1	0	0	-	-	-	-	-	-	-	6
[29-30-31]	8	6	2	0	-	-	-	-	-	-	-	17
[32-33-34]	9	10	3	1	0	-	-	-	-	-	-	23
TOTAL	56	31	9	3	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NARITA International AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	8	0	-	-	-	-	-	-	-	-	-	8
[35-36-01]	3	5	2	0	0	0	0	-	-	-	-	10
[02-03-04]	3	7	3	1	0	0	-	-	-	-	-	14
[05-06-07]	2	3	1	0	0	-	-	-	-	-	-	6
[08-09-10]	2	2	0	0	0	-	-	-	-	-	-	4
[11-12-13]	3	3	1	0	0	0	-	-	0	-	-	6
[14-15-16]	5	4	1	0	0	0	0	-	-	-	-	10
[17-18-19]	4	3	1	0	0	0	-	-	-	-	-	8
[20-21-22]	2	2	1	1	0	0	-	-	-	-	-	6
[23-24-25]	2	1	1	0	0	-	0	-	-	-	-	4
[26-27-28]	2	1	0	0	-	-	-	-	-	-	-	3
[29-30-31]	4	3	1	0	0	0	-	-	-	-	-	8
[32-33-34]	5	5	1	0	0	0	-	-	-	-	-	12
TOTAL	44	38	14	3	1	0	0	-	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NARITA International AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	74	21	3	-	-	-	-	-
01	-	-	-	1	44	49	6	-	-	-	-	-
02	-	-	-	-	26	61	14	-	-	-	-	-
03	-	-	-	-	17	62	20	1	-	-	-	-
04	-	-	-	-	14	60	24	2	-	-	-	-
05	-	-	-	-	14	58	26	2	-	-	-	-
06	-	-	-	-	12	61	25	1	-	-	-	-
07	-	-	-	-	19	66	15	-	-	-	-	-
08	-	-	-	-	35	56	8	-	-	-	-	-
09	-	-	-	1	54	41	5	-	-	-	-	-
10	-	-	-	6	58	33	3	-	-	-	-	-
11	-	-	-	11	67	19	3	-	-	-	-	-
12	-	-	-	17	66	15	1	-	-	-	-	-
13	-	-	-	23	63	14	1	-	-	-	-	-
14	-	-	-	28	58	13	1	-	-	-	-	-
15	-	-	-	33	55	11	1	-	-	-	-	-
16	-	-	-	43	46	10	1	-	-	-	-	-
17	-	-	1	44	44	10	1	-	-	-	-	-
18	-	-	2	45	43	9	1	-	-	-	-	-
19	-	-	4	43	45	8	1	-	-	-	-	-
20	-	-	3	47	44	5	1	-	-	-	-	-
21	-	-	5	49	39	6	1	-	-	-	-	-
22	-	-	8	47	36	8	1	-	-	-	-	-
23	-	-	-	32	57	10	1	-	-	-	-	-
MEAN	-	-	1	20	43	30	7	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NARITA International AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	3	57	34	5	1	-	-	-	-
01	-	-	-	1	35	54	9	1	-	-	-	-
02	-	-	-	-	26	58	13	2	-	-	-	-
03	-	-	-	-	20	54	20	5	-	-	-	-
04	-	-	-	1	18	55	22	4	1	-	-	-
05	-	-	-	1	18	55	22	4	1	-	-	-
06	-	-	-	-	16	55	25	4	1	-	-	-
07	-	-	-	-	18	59	19	4	1	-	-	-
08	-	-	-	-	30	59	8	2	1	-	-	-
09	-	-	-	1	46	44	7	1	-	-	-	-
10	-	-	-	2	56	37	4	1	-	-	-	-
11	-	-	-	5	60	30	4	1	-	-	-	-
12	-	-	-	11	59	25	4	1	-	-	-	-
13	-	-	-	15	58	23	2	2	-	-	-	-
14	-	-	-	15	60	20	3	2	-	-	-	-
15	-	-	-	23	56	17	4	1	-	-	-	-
16	-	-	1	26	56	13	3	1	-	-	-	-
17	-	-	2	30	54	11	3	1	-	-	-	-
18	-	-	3	35	44	13	4	1	-	-	-	-
19	-	-	4	39	42	11	3	1	-	-	-	-
20	-	-	4	46	37	11	2	1	-	-	-	-
21	-	-	5	42	38	12	3	1	-	-	-	-
22	-	-	3	40	40	13	2	1	-	-	-	-
23	-	-	-	15	63	18	2	1	-	-	-	-
MEAN	-	-	1	15	42	32	8	2	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: NARITA International AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	10	50	28	12	-	-	-	-
01	-	-	-	-	5	46	32	16	2	-	-	-
02	-	-	-	-	2	37	37	21	3	-	-	-
03	-	-	-	-	1	36	36	21	6	-	-	-
04	-	-	-	-	1	32	38	22	7	-	-	-
05	-	-	-	-	1	34	34	25	6	-	-	-
06	-	-	-	-	-	35	34	26	5	-	-	-
07	-	-	-	-	-	40	34	25	2	-	-	-
08	-	-	-	-	3	46	30	21	-	-	-	-
09	-	-	-	-	5	55	26	14	-	-	-	-
10	-	-	-	-	7	57	24	12	-	-	-	-
11	-	-	-	-	13	55	23	10	-	-	-	-
12	-	-	-	1	19	52	23	6	-	-	-	-
13	-	-	-	2	24	48	19	6	-	-	-	-
14	-	-	-	3	28	45	20	5	-	-	-	-
15	-	-	-	4	32	43	17	4	-	-	-	-
16	-	-	-	5	36	39	19	1	1	-	-	-
17	-	-	-	6	36	39	17	1	1	-	-	-
18	-	-	-	6	36	44	12	1	1	-	-	-
19	-	-	-	10	36	40	12	1	-	-	-	-
20	-	-	-	13	37	39	10	2	-	-	-	-
21	-	-	-	14	36	39	8	2	-	-	-	-
22	-	-	-	5	37	43	13	2	-	-	-	-
23	-	-	-	-	23	51	21	5	-	-	-	-
MEAN	-	-	-	3	18	43	24	11	1	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NARITA International AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	1	12	35	43	9	-	-	-
01	-	-	-	-	1	7	31	45	16	-	-	-
02	-	-	-	-	1	5	27	45	21	1	-	-
03	-	-	-	-	1	3	27	45	23	1	-	-
04	-	-	-	-	1	3	27	40	28	2	-	-
05	-	-	-	-	1	5	24	45	24	1	-	-
06	-	-	-	-	1	5	28	42	23	1	-	-
07	-	-	-	-	1	7	30	46	15	1	-	-
08	-	-	-	-	1	7	35	49	9	-	-	-
09	-	-	-	-	1	15	39	43	3	-	-	-
10	-	-	-	-	1	19	47	31	3	-	-	-
11	-	-	-	-	1	21	51	25	3	-	-	-
12	-	-	-	-	2	20	57	18	3	-	-	-
13	-	-	-	-	2	26	55	16	1	-	-	-
14	-	-	-	-	3	31	50	15	1	-	-	-
15	-	-	-	-	4	35	45	15	1	-	-	-
16	-	-	-	-	9	33	44	14	-	-	-	-
17	-	-	-	-	7	39	41	13	-	-	-	-
18	-	-	-	-	13	35	42	9	1	-	-	-
19	-	-	-	1	15	34	41	9	1	-	-	-
20	-	-	-	2	14	35	42	7	1	-	-	-
21	-	-	-	-	12	35	42	11	-	-	-	-
22	-	-	-	-	3	26	48	23	1	-	-	-
23	-	-	-	-	1	19	42	35	2	-	-	-
MEAN	-	-	-	0	4	20	40	28	8	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NARITA International AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	5	38	54	3	-	-
01	-	-	-	-	-	-	4	29	61	6	-	-
02	-	-	-	-	-	-	3	23	65	10	-	-
03	-	-	-	-	-	-	3	19	60	18	-	-
04	-	-	-	-	-	-	2	19	60	19	-	-
05	-	-	-	-	-	-	1	21	60	18	-	-
06	-	-	-	-	-	-	2	23	61	15	-	-
07	-	-	-	-	-	-	5	28	58	10	-	-
08	-	-	-	-	-	-	5	35	57	3	-	-
09	-	-	-	-	-	-	6	55	38	1	-	-
10	-	-	-	-	-	1	15	63	21	-	-	-
11	-	-	-	-	-	-	19	69	12	-	-	-
12	-	-	-	-	-	1	21	73	5	-	-	-
13	-	-	-	-	-	2	30	64	5	-	-	-
14	-	-	-	-	-	3	34	59	5	-	-	-
15	-	-	-	-	-	4	37	56	3	-	-	-
16	-	-	-	-	1	5	40	52	3	-	-	-
17	-	-	-	-	1	7	43	46	3	-	-	-
18	-	-	-	-	1	11	43	44	2	-	-	-
19	-	-	-	-	1	12	46	39	2	-	-	-
20	-	-	-	-	1	9	49	39	3	-	-	-
21	-	-	-	-	-	3	34	58	5	-	-	-
22	-	-	-	-	-	1	18	68	13	-	-	-
23	-	-	-	-	-	-	8	55	37	-	-	-
MEAN	-	-	-	-	0	2	20	45	29	4	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: NARITA International AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	17	72	11	-	-
01	-	-	-	-	-	-	-	15	67	18	-	-
02	-	-	-	-	-	-	-	12	58	30	-	-
03	-	-	-	-	-	-	-	11	58	31	-	-
04	-	-	-	-	-	-	-	13	55	32	1	-
05	-	-	-	-	-	-	-	9	61	28	1	-
06	-	-	-	-	-	-	-	10	61	29	-	-
07	-	-	-	-	-	-	-	11	69	21	-	-
08	-	-	-	-	-	-	-	16	71	13	-	-
09	-	-	-	-	-	-	1	21	72	6	-	-
10	-	-	-	-	-	-	1	37	60	3	-	-
11	-	-	-	-	-	-	1	49	49	1	-	-
12	-	-	-	-	-	-	1	55	43	1	-	-
13	-	-	-	-	-	-	3	57	40	1	-	-
14	-	-	-	-	-	-	5	63	32	1	-	-
15	-	-	-	-	-	-	6	66	27	1	-	-
16	-	-	-	-	-	-	8	68	24	-	-	-
17	-	-	-	-	-	-	9	69	21	1	-	-
18	-	-	-	-	-	-	10	66	23	1	-	-
19	-	-	-	-	-	1	11	66	22	1	-	-
20	-	-	-	-	-	1	11	64	24	1	-	-
21	-	-	-	-	-	-	5	63	31	1	-	-
22	-	-	-	-	-	-	2	42	55	1	-	-
23	-	-	-	-	-	-	-	27	70	3	-	-
MEAN	-	-	-	-	-	0	3	39	49	10	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: NARITA International AIRPORT MONTH: JUL
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	4	30	57	9	-
01	-	-	-	-	-	-	-	1	28	48	23	-
02	-	-	-	-	-	-	-	-	27	45	28	-
03	-	-	-	-	-	-	-	1	19	45	35	-
04	-	-	-	-	-	-	-	1	19	43	36	-
05	-	-	-	-	-	-	-	1	20	45	34	-
06	-	-	-	-	-	-	-	2	21	50	28	-
07	-	-	-	-	-	-	-	3	22	55	20	-
08	-	-	-	-	-	-	-	3	28	57	12	-
09	-	-	-	-	-	-	-	4	35	54	7	-
10	-	-	-	-	-	-	-	5	51	43	2	-
11	-	-	-	-	-	-	-	8	55	36	-	-
12	-	-	-	-	-	-	-	8	61	31	-	-
13	-	-	-	-	-	-	-	10	63	27	-	-
14	-	-	-	-	-	-	-	12	66	22	-	-
15	-	-	-	-	-	-	-	15	67	18	-	-
16	-	-	-	-	-	-	-	20	65	15	-	-
17	-	-	-	-	-	-	-	23	65	13	-	-
18	-	-	-	-	-	-	-	21	67	12	-	-
19	-	-	-	-	-	-	-	21	70	9	-	-
20	-	-	-	-	-	-	-	21	69	10	-	-
21	-	-	-	-	-	-	-	16	66	18	-	-
22	-	-	-	-	-	-	-	10	54	37	-	-
23	-	-	-	-	-	-	-	6	43	50	1	-
MEAN	-	-	-	-	-	-	-	9	46	35	10	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: NARITA International AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	21	59	21	-
01	-	-	-	-	-	-	-	-	14	46	40	-
02	-	-	-	-	-	-	-	-	15	40	45	1
03	-	-	-	-	-	-	-	-	13	37	49	1
04	-	-	-	-	-	-	-	-	12	36	48	3
05	-	-	-	-	-	-	-	-	14	37	45	3
06	-	-	-	-	-	-	-	-	15	37	47	1
07	-	-	-	-	-	-	-	-	14	50	35	1
08	-	-	-	-	-	-	-	-	17	58	25	-
09	-	-	-	-	-	-	-	-	21	70	9	-
10	-	-	-	-	-	-	-	-	28	71	1	-
11	-	-	-	-	-	-	-	-	37	63	-	-
12	-	-	-	-	-	-	-	-	46	54	-	-
13	-	-	-	-	-	-	-	-	54	46	-	-
14	-	-	-	-	-	-	-	1	61	38	-	-
15	-	-	-	-	-	-	-	2	67	31	-	-
16	-	-	-	-	-	-	-	1	70	28	-	-
17	-	-	-	-	-	-	-	4	70	26	-	-
18	-	-	-	-	-	-	-	3	75	22	-	-
19	-	-	-	-	-	-	-	5	76	19	-	-
20	-	-	-	-	-	-	-	6	75	19	-	-
21	-	-	-	-	-	-	-	3	64	34	-	-
22	-	-	-	-	-	-	-	2	34	65	-	-
23	-	-	-	-	-	-	-	1	21	74	5	-
MEAN	-	-	-	-	-	-	-	1	39	44	15	0

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NARITA International AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	8	51	39	1	-
01	-	-	-	-	-	-	-	3	53	43	1	-
02	-	-	-	-	-	-	-	2	46	47	5	-
03	-	-	-	-	-	-	-	2	43	46	9	-
04	-	-	-	-	-	-	-	2	37	50	11	-
05	-	-	-	-	-	-	-	3	41	48	8	-
06	-	-	-	-	-	-	-	3	48	42	7	-
07	-	-	-	-	-	-	-	2	51	43	3	-
08	-	-	-	-	-	-	-	5	59	35	1	-
09	-	-	-	-	-	-	-	11	61	28	-	-
10	-	-	-	-	-	-	-	13	67	20	-	-
11	-	-	-	-	-	-	1	20	66	13	-	-
12	-	-	-	-	-	-	1	23	65	11	-	-
13	-	-	-	-	-	-	1	29	61	9	-	-
14	-	-	-	-	-	-	1	31	62	6	-	-
15	-	-	-	-	-	-	3	32	62	3	-	-
16	-	-	-	-	-	-	1	34	61	4	-	-
17	-	-	-	-	-	-	1	37	57	5	-	-
18	-	-	-	-	-	-	3	37	55	5	-	-
19	-	-	-	-	-	-	5	37	56	3	-	-
20	-	-	-	-	-	-	4	38	55	3	-	-
21	-	-	-	-	-	-	3	37	57	4	-	-
22	-	-	-	-	-	-	1	32	55	13	-	-
23	-	-	-	-	-	-	-	14	58	27	1	-
MEAN	-	-	-	-	-	-	1	19	55	23	2	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NARITA International AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	9	62	23	6	-	-
01	-	-	-	-	-	-	4	54	36	6	-	-
02	-	-	-	-	-	-	3	45	44	8	1	-
03	-	-	-	-	-	-	3	38	48	10	1	-
04	-	-	-	-	-	-	4	40	44	12	-	-
05	-	-	-	-	-	-	4	42	41	12	1	-
06	-	-	-	-	-	-	5	43	41	12	-	-
07	-	-	-	-	-	-	6	51	37	6	-	-
08	-	-	-	-	-	-	9	63	25	4	-	-
09	-	-	-	-	-	-	12	66	22	1	-	-
10	-	-	-	-	-	-	15	63	22	-	-	-
11	-	-	-	-	-	1	24	58	17	1	-	-
12	-	-	-	-	-	3	27	54	16	1	-	-
13	-	-	-	-	-	3	29	52	16	-	-	-
14	-	-	-	-	-	3	36	48	13	-	-	-
15	-	-	-	-	-	5	35	48	11	1	-	-
16	-	-	-	-	-	4	39	43	13	1	-	-
17	-	-	-	-	-	6	38	43	11	2	-	-
18	-	-	-	-	-	6	39	43	10	1	-	-
19	-	-	-	-	1	7	40	41	10	2	-	-
20	-	-	-	-	-	8	37	44	9	1	-	-
21	-	-	-	-	-	12	37	37	12	1	-	-
22	-	-	-	-	-	5	37	45	14	1	-	-
23	-	-	-	-	-	-	25	56	17	3	-	-
MEAN	-	-	-	-	0	3	22	49	23	4	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: NARITA International AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	1	20	60	18	1	-	-	-
01	-	-	-	-	1	11	53	35	1	-	-	-
02	-	-	-	-	1	6	44	45	5	-	-	-
03	-	-	-	-	1	5	38	53	4	-	-	-
04	-	-	-	-	1	3	37	52	7	-	-	-
05	-	-	-	-	1	3	35	53	8	-	-	-
06	-	-	-	-	1	4	39	51	5	-	-	-
07	-	-	-	-	1	7	48	42	2	-	-	-
08	-	-	-	-	1	17	52	28	2	-	-	-
09	-	-	-	-	2	23	54	20	1	-	-	-
10	-	-	-	-	2	26	51	20	1	-	-	-
11	-	-	-	-	5	31	47	16	1	-	-	-
12	-	-	-	-	9	29	47	13	1	-	-	-
13	-	-	-	-	9	37	45	8	1	-	-	-
14	-	-	-	-	11	35	45	7	1	-	-	-
15	-	-	-	1	13	41	37	7	1	-	-	-
16	-	-	-	1	14	40	37	8	1	-	-	-
17	-	-	-	1	13	48	31	7	1	-	-	-
18	-	-	-	1	16	45	31	7	-	-	-	-
19	-	-	-	1	18	43	31	7	-	-	-	-
20	-	-	-	1	20	45	29	5	-	-	-	-
21	-	-	-	1	22	41	31	4	1	-	-	-
22	-	-	-	2	17	43	33	4	1	-	-	-
23	-	-	-	-	3	38	51	7	1	-	-	-
MEAN	-	-	-	0	8	27	42	22	2	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NARITA International AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	30	54	13	3	-	-	-	-
01	-	-	-	-	10	55	30	5	-	-	-	-
02	-	-	-	-	5	54	35	6	1	-	-	-
03	-	-	-	-	3	43	45	10	1	-	-	-
04	-	-	-	-	2	41	45	11	1	-	-	-
05	-	-	-	-	2	38	48	12	1	-	-	-
06	-	-	-	-	1	45	44	9	1	-	-	-
07	-	-	-	-	3	57	37	3	1	-	-	-
08	-	-	-	-	16	59	24	1	-	-	-	-
09	-	-	-	1	26	54	17	1	-	-	-	-
10	-	-	-	4	33	47	15	1	-	-	-	-
11	-	-	-	6	41	37	14	1	-	-	-	-
12	-	-	-	6	43	39	12	1	-	-	-	-
13	-	-	-	11	42	38	8	-	1	-	-	-
14	-	-	-	12	47	34	6	1	-	-	-	-
15	-	-	1	15	47	32	5	1	-	-	-	-
16	-	-	-	21	43	28	7	1	-	-	-	-
17	-	-	-	23	44	27	5	1	-	-	-	-
18	-	-	1	23	45	26	4	1	-	-	-	-
19	-	-	1	26	42	26	3	2	-	-	-	-
20	-	-	1	28	42	25	3	2	-	-	-	-
21	-	-	2	27	42	23	3	3	-	-	-	-
22	-	-	3	25	45	21	4	2	-	-	-	-
23	-	-	-	5	52	34	7	3	-	-	-	-
MEAN	-	-	0	10	29	39	18	3	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NARITA International AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	0	14	16	13	17	22	15	3	-
01	-	-	-	0	8	18	14	17	23	14	5	-
02	-	-	-	-	5	18	15	17	24	15	7	0
03	-	-	-	-	3	17	16	17	23	16	8	0
04	-	-	-	0	3	16	16	17	23	16	8	0
05	-	-	-	0	3	16	16	18	23	16	7	0
06	-	-	-	-	3	17	17	18	23	16	7	0
07	-	-	-	-	3	20	16	18	23	16	5	0
08	-	-	-	-	7	20	14	19	22	14	3	-
09	-	-	-	0	11	19	14	20	21	13	1	-
10	-	-	-	1	13	18	14	21	21	11	0	-
11	-	-	-	2	15	16	15	22	20	10	-	-
12	-	-	-	3	16	15	16	21	20	8	-	-
13	-	-	-	4	16	16	16	20	20	7	-	-
14	-	-	-	5	17	15	17	20	20	6	-	-
15	-	-	0	6	17	16	16	21	20	5	-	-
16	-	-	0	8	17	14	17	20	20	4	-	-
17	-	-	0	9	16	16	16	20	19	4	-	-
18	-	-	0	9	16	16	16	19	20	3	-	-
19	-	-	1	10	16	15	16	19	20	3	-	-
20	-	-	1	11	16	15	16	19	20	3	-	-
21	-	-	1	11	16	14	14	19	20	5	-	-
22	-	-	1	10	15	13	13	19	19	10	-	-
23	-	-	-	4	16	14	13	18	21	13	0	-
MEAN	-	-	0	4	12	16	15	19	21	10	2	0

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NARITA International AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	3.6	4.4	8.8	13.2	18.1	20.7	24.7	26.2	22.8	17.7	11.6	6.2	14.8
Daily maximum air temperature(°C)	9.4	9.8	14.1	18.6	23.6	25.0	29.3	30.8	27.0	22.2	16.6	11.9	19.9
Daily minimum air temperature(°C)	-2.7	-1.2	3.2	7.5	12.7	17.1	21.2	22.6	19.3	13.2	6.1	0.1	9.9
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	65.7	91.7	98.2	115.9	105.0	167.9	80.8	148.2	185.3	242.0	112.2	59.3	1472.2
Snow fall(cm)	3	4	0	0	-	-	0	0	-	-	0	0	6
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	980.4	987.9	979.6	971.2	984.4	983.9	985.0	975.0	981.6	962.2	989.9	983.2	962.2
Daily maximum air temperature(°C)	17.1	23.0	23.8*	28.0	29.8	31.5	34.4*	36.9	34.8	31.0	24.0	24.0	36.9
Daily minimum air temperature(°C)	-8.4	-8.9	-5.2*	-2.1	0.8	8.2	16.1	18.1	10.3	3.6	-2.8	-8.4	-8.9
Daily precipitation(mm)	72.0	124.0	38.0	67.0	58.5	91.0	69.0	80.0	73.5	215.5	73.5	35.5	215.5
Daily max.one-hour precipitation(mm)	12.5	26.0	17.0	19.0	15.0	30.0	32.5	56.5	43.5	49.0	19.5	12.5*	56.5
Daily max.ten-minute precipitation(mm)	4.0	11.0	5.0	7.0	11.0	16.0	16.0	19.5	18.5	14.5	5.5	7.0	19.5
Daily totals of snowfall(cm)	8	6	1	0 *	-	-	×	×	-	-	0	0 *	8
Daily maximum of snow cover(cm)	8	6	-	-	-	-	×	×	-	-	-	-	8
Daily maximum wind speed(kt)	31	34	34	39	33	34	30	54	32	46	28	31	54
with wind direction(36DIR.)	34	1	34	23	22	14	23	13	17	34	33	16	13
Daily maximum peak gust(kt)	42	47	52	55	45	51	40 *	70	50	60	39	45	70
with wind direction(36DIR.)	34	35	23	16	22	14	22	13	15	34	16	16	13

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NARITA International AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	24.2	18.4	6.2	1.4	-	-	-	-	-	-	2.4	16.0	68.6
25.0°C	-	-	-	-	-	-	0.8	1.8	-	-	-	-	2.6
Daily mean air temperature < 0.0°C	-	0.6	-	-	-	-	-	-	-	-	-	0.2	0.8
25.0°C	-	-	-	-	-	0.6	16.6	23.4	8.4	0.2	-	-	49.2
Daily maximum air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	-	-	-	0.8	10.0	15.6	26.8	28.6	22.4	6.4	-	-	110.6
30.0°C	-	-	-	-	-	0.6	15.4	22.0	6.6	0.6	-	-	45.2
Daily precipitation 0.0mm	10.8	14.6	18.2	17.0	14.4	20.0	17.4	16.2	20.0	17.0	16.6	12.8	195.0
1.0mm	5.0	6.6	9.0	8.8	8.8	11.4	7.6	8.6	11.2	9.8	8.8	6.4	102.0
5.0mm	3.2	4.2	5.0	5.4	5.8	6.4	3.8	5.4	8.6	6.4	6.0	3.4	63.6
10.0mm	1.8	2.6	3.8	3.8	3.0	4.8	2.8	4.0	6.2	5.8	4.2	2.4	45.2
30.0mm	0.6	0.6	0.8	1.0	1.0	1.6	0.6	2.0	2.2	2.6	0.6	0.4	14.0
50.0mm	0.2	0.2	-	0.2	0.2	0.8	0.2	0.6	0.4	1.6	0.2	-	4.6
70.0mm	0.2	0.2	-	-	-	0.2	-	0.4	0.2	0.8	0.2	-	2.2
100.0mm	-	0.2	-	-	-	-	-	-	-	0.4	-	-	0.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NARITA International AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	0cm	4.6	4.2	0.8	0.4	-	-	-	-	-	-	0.2	0.4	10.6
	5cm	0.2	0.2	-	-	-	-	-	-	-	-	-	-	0.4
	10cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	20cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	50cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	100cm	-	-	-	-	-	-	-	-	-	-	-	-	-
Daily max.depth of snow cover	0cm	1.0	1.4	-	-	-	-	-	-	-	-	-	-	2.4
	5cm	0.2	0.2	-	-	-	-	-	-	-	-	-	-	0.4
	10cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	20cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	50cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	100cm	-	-	-	-	-	-	-	-	-	-	-	-	-
Daily maximum wind speed	200cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	20kt	4.6	5.8	7.0	6.8	4.8	2.0	1.8	2.4	2.8	4.0	2.2	4.2	48.4
	30kt	0.2	0.8	0.8	0.8	0.4	0.2	0.2	0.4	0.2	1.0	-	0.2	5.2
	40kt	-	-	-	-	-	-	-	0.2	-	0.2	-	-	0.4
	50kt	-	-	-	-	-	-	-	0.2	-	-	-	-	0.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NARITA International AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1012.4	1013.0	1011.8	1010.3	1007.1	1004.5	1004.8	1004.7	1009.2	1012.2	1013.3	1011.8	1009.6
01	1012.3	1012.8	1011.5	1010.2	1007.0	1004.4	1004.7	1004.5	1009.1	1012.0	1013.1	1011.6	1009.4
02	1011.5	1012.3	1011.1	1009.8	1006.6	1004.2	1004.5	1004.2	1008.6	1011.6	1012.4	1010.7	1009.0
03	1010.4	1011.3	1010.4	1009.2	1006.1	1003.9	1004.1	1003.8	1008.2	1011.0	1011.5	1009.8	1008.3
04	1009.8	1010.6	1009.5	1008.7	1005.6	1003.5	1003.8	1003.5	1007.7	1010.5	1011.0	1009.2	1007.8
05	1009.6	1010.2	1009.1	1008.2	1005.3	1003.3	1003.6	1003.1	1007.4	1010.4	1010.8	1009.0	1007.5
06	1009.8	1010.3	1008.9	1007.9	1005.1	1003.2	1003.4	1002.9	1007.4	1010.6	1010.9	1009.2	1007.5
07	1010.1	1010.5	1009.0	1008.0	1005.1	1003.1	1003.4	1003.0	1007.6	1010.7	1011.2	1009.5	1007.6
08	1010.5	1010.8	1009.2	1008.2	1005.2	1003.3	1003.4	1003.1	1007.8	1011.0	1011.5	1010.0	1007.8
09	1011.0	1011.3	1009.6	1008.5	1005.7	1003.5	1003.8	1003.4	1008.0	1011.4	1011.9	1010.3	1008.2
10	1011.3	1011.7	1010.0	1009.0	1006.1	1003.8	1004.2	1003.9	1008.5	1011.8	1012.2	1010.6	1008.6
11	1011.5	1011.9	1010.3	1009.6	1006.6	1004.3	1004.6	1004.4	1009.0	1012.0	1012.4	1010.7	1008.9
12	1011.6	1012.1	1010.5	1009.8	1007.0	1004.6	1004.9	1004.7	1009.0	1012.1	1012.5	1010.9	1009.1
13	1011.6	1012.0	1010.6	1009.7	1007.0	1004.6	1004.9	1004.6	1009.0	1012.0	1012.5	1011.0	1009.1
14	1011.5	1011.9	1010.4	1009.6	1006.9	1004.4	1004.8	1004.5	1008.8	1011.7	1012.3	1010.9	1009.0
15	1011.4	1011.8	1010.4	1009.4	1006.7	1004.2	1004.5	1004.3	1008.6	1011.5	1012.2	1010.7	1008.8
16	1011.0	1011.9	1010.5	1009.2	1006.5	1003.9	1004.3	1004.0	1008.4	1011.3	1012.1	1010.7	1008.6
17	1011.2	1011.8	1010.3	1009.1	1006.4	1003.8	1004.1	1003.8	1008.2	1011.1	1012.1	1010.9	1008.6
18	1011.0	1011.7	1010.2	1009.1	1006.3	1003.8	1004.1	1003.8	1008.2	1011.0	1012.0	1010.7	1008.5
19	1010.9	1011.7	1010.3	1009.2	1006.5	1004.0	1004.2	1003.9	1008.2	1011.1	1012.0	1010.5	1008.6
20	1011.1	1011.9	1010.7	1009.4	1006.7	1004.2	1004.4	1004.2	1008.4	1011.3	1012.3	1010.7	1008.8
21	1011.4	1012.2	1011.1	1009.9	1007.0	1004.4	1004.7	1004.4	1008.8	1011.5	1012.5	1011.1	1009.1
22	1011.8	1012.6	1011.5	1010.2	1007.1	1004.5	1004.9	1004.6	1009.0	1011.9	1013.0	1011.4	1009.4
23	1012.2	1013.0	1011.7	1010.3	1007.2	1004.6	1004.9	1004.6	1009.1	1012.2	1013.3	1011.7	1009.6
MEAN	1011.1	1011.7	1010.3	1009.3	1006.4	1004.0	1004.3	1004.0	1008.4	1011.4	1012.1	1010.6	1008.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NARITA International AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	3.8	4.7	9.4	14.7	19.9	22.0	25.9	27.6	23.9	18.7	12.2	6.9	15.8
01	5.6	6.1	10.6	15.6	20.9	22.8	26.9	28.5	24.7	19.8	13.6	8.7	17.0
02	6.8	7.0	11.5	16.5	21.6	23.2	27.4	29.1	25.2	20.5	14.6	9.7	17.8
03	7.7	7.7	12.1	16.9	22.1	23.5	27.9	29.4	25.6	20.9	15.2	10.5	18.3
04	8.2	8.0	12.5	17.1	22.2	23.6	28.1	29.5	25.8	20.9	15.4	10.8	18.5
05	8.4	8.2	12.6	16.9	22.2	23.5	28.0	29.3	25.7	20.9	15.6	10.9	18.5
06	8.3	8.1	12.4	16.5	21.9	23.3	27.7	29.1	25.4	20.6	15.2	10.6	18.3
07	7.5	7.6	11.8	15.9	21.1	22.9	27.1	28.6	24.8	19.9	14.3	9.5	17.6
08	6.0	6.6	10.9	15.1	20.1	22.2	26.4	27.8	23.9	18.7	13.0	8.0	16.6
09	4.8	5.5	9.8	14.2	19.0	21.4	25.5	26.7	23.1	18.1	12.4	7.1	15.6
10	4.1	4.9	9.2	13.2	17.8	20.5	24.4	25.7	22.6	17.6	12.0	6.4	14.9
11	3.3	4.3	8.7	12.7	17.2	19.9	23.8	25.2	22.2	17.1	11.4	5.7	14.3
12	2.7	3.8	8.2	12.3	16.6	19.5	23.5	24.8	21.8	16.7	10.8	5.1	13.8
13	2.3	3.4	7.8	11.8	16.2	19.2	23.2	24.5	21.6	16.5	10.5	4.8	13.5
14	1.9	3.1	7.4	11.5	15.7	19.0	22.9	24.3	21.3	16.2	10.1	4.3	13.1
15	1.4	2.7	6.9	11.1	15.4	18.8	22.7	24.1	21.0	15.8	9.6	3.7	12.8
16	1.1	2.2	6.5	10.6	15.1	18.5	22.4	23.9	21.0	15.9	9.6	3.7	12.5
17	0.8	1.8	6.2	10.4	14.8	18.4	22.2	23.7	20.8	15.7	9.2	3.4	12.3
18	0.6	1.5	5.8	10.0	14.4	18.3	22.1	23.6	20.6	15.4	8.9	3.3	12.1
19	0.3	1.3	5.5	9.7	14.2	18.1	22.0	23.5	20.5	15.2	8.6	3.1	11.8
20	0.0	1.0	5.1	9.5	14.2	18.2	22.0	23.4	20.4	15.1	8.3	2.9	11.6
21	-0.3	0.9	5.0	10.0	15.6	19.0	22.6	24.0	20.6	14.8	8.1	2.7	11.9
22	-0.3	1.3	6.3	11.9	17.2	20.0	23.8	25.3	21.7	15.9	8.7	2.8	12.9
23	1.5	3.1	8.0	13.4	18.7	21.1	24.8	26.6	22.9	17.4	10.5	4.7	14.4
MEAN	3.6	4.4	8.8	13.2	18.1	20.7	24.7	26.2	22.8	17.7	11.6	6.2	14.8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NARITA International AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	5.1	5.7	7.6	10.7	15.3	19.9	25.6	27.7	23.5	16.1	10.7	6.8	14.6
01	5.0	5.6	7.5	10.4	15.1	19.9	25.6	27.5	23.1	16.1	10.7	6.8	14.4
02	4.9	5.4	7.4	10.4	14.9	19.7	25.6	27.3	23.0	15.9	10.7	6.7	14.3
03	4.8	5.3	7.4	10.4	15.0	19.8	25.7	27.4	22.8	15.8	10.6	6.6	14.3
04	4.7	5.3	7.3	10.4	15.2	19.8	25.8	27.5	22.7	15.7	10.5	6.6	14.3
05	4.7	5.4	7.6	10.6	15.2	20.0	25.7	27.5	22.8	15.6	10.6	6.5	14.3
06	4.7	5.4	7.6	10.7	14.9	20.0	25.6	27.4	22.8	15.8	10.7	6.6	14.4
07	4.9	5.5	7.6	10.8	15.0	19.9	25.6	27.1	23.0	16.0	11.0	6.6	14.4
08	5.1	5.6	7.9	11.0	15.1	19.9	25.5	27.1	23.1	16.1	11.2	6.8	14.5
09	5.2	5.8	8.0	11.1	15.2	20.0	25.4	27.2	23.2	16.1	11.0	6.8	14.6
10	5.1	5.8	8.2	11.2	15.4	19.9	25.4	27.3	23.1	16.1	11.0	6.8	14.6
11	5.0	5.8	8.2	11.3	15.5	20.0	25.4	27.4	23.1	16.0	10.8	6.7	14.6
12	5.0	5.8	8.2	11.3	15.5	19.9	25.5	27.3	23.1	16.0	10.7	6.6	14.6
13	5.0	5.8	8.2	11.2	15.5	19.9	25.4	27.2	23.1	15.9	10.5	6.6	14.5
14	5.0	5.8	8.1	11.1	15.4	19.9	25.2	27.3	22.9	15.8	10.4	6.5	14.5
15	5.0	5.8	8.0	11.1	15.3	19.8	25.1	27.1	22.8	15.8	10.3	6.5	14.4
16	5.0	5.6	7.9	10.8	15.2	19.7	24.8	27.1	22.9	16.0	10.3	6.6	14.3
17	4.9	5.5	7.7	10.8	15.0	19.6	24.7	26.9	22.8	15.9	10.3	6.5	14.2
18	4.9	5.6	7.6	10.7	14.8	19.4	24.7	26.8	22.6	15.7	10.1	6.5	14.1
19	4.8	5.5	7.5	10.7	14.7	19.3	24.6	26.8	22.6	15.5	10.0	6.4	14.0
20	4.8	5.5	7.4	10.4	14.7	19.4	24.6	26.7	22.5	15.4	9.9	6.3	14.0
21	4.7	5.4	7.3	10.6	15.6	20.1	25.3	27.5	22.7	15.3	9.8	6.2	14.2
22	4.7	5.6	7.6	11.0	15.9	20.4	25.7	28.1	23.4	15.9	10.1	6.2	14.5
23	5.0	5.7	7.7	10.8	15.7	20.2	25.6	28.0	23.7	16.0	10.6	6.6	14.7
MEAN	4.9	5.6	7.7	10.8	15.2	19.9	25.3	27.3	23.0	15.8	10.5	6.6	14.4

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NARITA International AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	62	64	62	62	65	75	77	75	78	73	73	66	70
01	54	57	57	58	61	72	73	71	73	69	67	58	64
02	49	53	54	55	58	70	70	69	71	65	63	54	61
03	45	50	52	54	57	69	69	68	69	63	61	51	59
04	43	49	51	54	57	69	69	68	68	63	60	50	58
05	42	49	52	55	58	69	68	68	69	63	59	49	59
06	43	50	52	57	58	70	69	69	70	65	61	50	60
07	47	52	55	60	61	72	71	70	73	68	66	54	62
08	53	56	59	63	64	74	74	73	77	73	72	62	67
09	59	61	64	67	69	78	78	78	81	76	74	65	71
10	61	65	68	72	75	82	83	83	84	78	76	68	75
11	64	67	70	75	79	86	86	85	85	81	78	70	77
12	66	69	72	77	81	87	88	87	87	82	80	72	79
13	68	71	74	78	83	88	89	88	88	83	80	73	81
14	70	72	75	80	85	89	90	89	89	84	81	76	82
15	72	74	77	81	87	91	91	90	90	85	83	77	83
16	73	75	78	82	87	91	91	91	91	86	84	78	84
17	74	75	79	83	88	91	92	91	91	87	85	80	85
18	74	77	79	84	88	92	92	92	92	87	86	80	85
19	75	78	80	85	89	92	93	93	92	87	86	80	86
20	76	79	81	85	89	92	93	93	92	87	87	81	86
21	76	79	81	83	87	91	91	92	92	88	87	81	86
22	77	78	77	76	80	87	87	87	89	85	86	80	82
23	73	72	69	69	72	80	82	81	84	79	81	75	76
MEAN	62	66	68	70	74	82	82	81	83	77	76	68	74

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NARITA International AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	32	32	31 *	3	18	4	3	2	2	1	33	33 *	2
01	31	31	31	4	16 *	2	4	3	3 *	2	33	33	2
02	32 *	31	2	4	16	16	14	4	3	3	32	32	3
03	30 *	32	4	4	4	4	13	4	4	4	32	32	4
04	31	31	1	16 *	15	14	13	4	4	4	32	32 *	3
05	32	31	4	14	14	13	13	14	3	3	3	32	3
06	32	31	21	13	15	14	14	15	3	3	4 *	31	14
07	32	33 *	12	15	15	14	13	15	3 *	3 *	32	33	14
08	31	32	3	14	15	14	14	15	3	2	2	32	15
09	32	31	14	15	15	13	13	15	15	3	32 *	30	15
10	32	2	1	18	16	15 *	15	17	3	3	3	3	3
11	31	33 *	20	17	17	16	14	17	2	2	33	32	17
12	32	1	2	17	16	15 *	15	17	1	1	1	1	1
13	31 *	1	1 *	16	18	15	3	16	1	2	34	33 *	2
14	33	32	1	16	16	3	21	18	1	1	1	1	1
15	33	33	36 *	16 *	17	3	3	15	1	2	31	33	33
16	33	33	1	1	17	3	3 *	16	2	3	33	33	1
17	33	33	1	1	17	3	16	2	1	33	33	33 *	33
18	33	33	1	1	17	3	17	2	1	33	32	30	33
19	32	34	1	36	3	12	2	2	1	33	33 *	32	33
20	33	32	33	1	17	3 *	17	2	1	1	32	31	33
21	32	32 *	33	2	2	3	36 *	2	1	33	33	33	33
22	33	33	1 *	1	2	4	3 *	17	1	1	33	33	33
23	32	32	1	3	3	3	2	2	1	1	33	32	32
ALL	32	32	1	3	16	3	14	15	3	3	33	32	3

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NARITA International AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.6	7.6	8.5	8.6	7.4	6.7	6.5	7.0	7.3	7.8	6.2	6.6	7.2
01	8.2	8.1	9.2	9.4	8.1	7.4	6.9	7.5	7.9	8.6	6.9	7.6	8.0
02	8.6	8.4	9.6	9.7	8.6	7.8	7.3	8.1	7.7	9.0	7.3	8.0	8.4
03	9.0	8.9	9.8	10.2	9.2	8.5	8.1	8.7	8.1	9.0	7.8	8.4	8.8
04	8.9	9.3	10.4	10.7	10.0	8.8	8.8	9.3	8.6	8.9	7.7	8.1	9.1
05	8.9	9.1	10.4	11.1	10.3	9.2	9.2	9.9	9.0	8.9	7.3	7.6	9.3
06	8.8	9.3	10.3	11.2	10.7	9.3	9.2	9.8	9.4	8.7	7.0	7.6	9.3
07	7.9	9.5	10.4	10.9	10.5	9.3	9.2	9.8	8.9	7.9	6.7	6.9	9.0
08	6.8	8.2	9.7	10.1	9.8	8.9	8.5	9.2	8.3	6.8	5.6	5.2	8.1
09	6.4	7.2	7.8	8.6	8.2	8.1	7.8	8.1	7.0	6.4	5.8	5.8	7.3
10	6.6	6.9	7.3	7.7	7.0	6.8	6.3	6.8	6.5	6.4	6.2	5.6	6.7
11	6.2	6.7	7.1	7.3	6.0	5.9	5.8	6.2	6.2	6.2	6.0	5.4	6.3
12	6.0	6.2	6.8	6.8	5.8	5.7	5.3	5.8	5.7	5.9	5.4	5.0	5.9
13	5.9	6.2	6.9	6.7	5.5	5.2	5.3	5.8	5.6	5.7	5.6	5.3	5.8
14	5.8	5.7	6.8	6.5	5.3	5.3	4.9	5.4	5.6	6.0	5.3	4.9	5.6
15	5.6	5.8	6.6	6.1	5.0	5.1	4.9	5.3	5.3	5.9	5.0	4.5	5.4
16	5.5	5.7	6.4	6.1	4.9	4.8	4.9	5.2	5.4	6.0	5.0	4.5	5.4
17	5.5	5.8	6.1	5.6	4.8	4.9	4.7	5.1	5.1	6.1	4.8	4.5	5.3
18	5.4	5.7	6.1	5.8	4.9	4.8	4.8	5.2	5.1	5.9	4.7	4.4	5.2
19	5.1	5.8	6.0	5.6	4.9	4.8	4.6	5.0	5.3	6.0	4.7	4.6	5.2
20	5.2	5.5	6.0	5.8	4.6	4.7	4.6	4.9	5.2	6.1	4.7	4.4	5.1
21	4.8	5.3	6.0	5.9	5.0	5.1	4.9	5.0	5.2	5.9	4.4	4.5	5.2
22	4.8	5.4	6.3	6.9	6.1	5.8	5.6	5.8	5.9	6.3	4.8	4.7	5.7
23	5.1	6.4	7.4	7.8	7.0	6.3	6.3	6.7	6.9	7.4	5.3	5.3	6.5
MEAN	6.6	7.0	7.8	8.0	7.1	6.6	6.5	6.9	6.7	7.0	5.9	5.8	6.8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NARITA International AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	4.1	10.3	-2.4	3.9	9.6	-2.2	6.4	11.3	1.3	11.3	16.8	5.2
02	4.1	10.3	-2.4	3.9	9.6	-2.1	6.7	11.5	1.6	11.4	16.9	5.4
03	4.1	10.2	-2.5	3.9	9.5	-2.1	6.9	11.7	1.9	11.5	17.0	5.5
04	4.0	10.2	-2.6	3.9	9.5	-2.0	7.1	11.9	2.1	11.6	17.1	5.6
05	4.0	10.1	-2.7	3.9	9.4	-1.9	7.2	12.1	2.2	11.7	17.1	5.6
06	3.9	10.0	-2.7	3.9	9.4	-1.9	7.3	12.2	2.3	11.7	17.2	5.7
07	3.8	9.9	-2.7	3.9	9.4	-1.8	7.4	12.4	2.4	11.8	17.3	5.7
08	3.8	9.8	-2.8	3.9	9.3	-1.8	7.5	12.6	2.4	11.8	17.4	5.7
09	3.7	9.7	-2.8	3.9	9.3	-1.7	7.7	12.7	2.4	11.9	17.5	5.8
10	3.6	9.5	-2.9	4.0	9.4	-1.6	7.8	12.9	2.4	12.0	17.5	5.9
11	3.5	9.4	-2.9	4.0	9.4	-1.6	7.9	13.1	2.4	12.1	17.7	6.0
12	3.5	9.2	-2.9	4.0	9.4	-1.5	8.0	13.3	2.5	12.3	17.8	6.2
13	3.4	9.1	-2.8	4.1	9.4	-1.4	8.2	13.5	2.5	12.5	17.9	6.5
14	3.4	9.0	-2.8	4.1	9.5	-1.4	8.3	13.8	2.6	12.6	18.1	6.7
15	3.3	8.9	-2.8	4.1	9.5	-1.3	8.5	14.0	2.8	12.8	18.2	7.0
16	3.3	8.9	-2.7	4.2	9.5	-1.3	8.7	14.2	2.9	13.0	18.3	7.4
17	3.3	8.8	-2.7	4.3	9.6	-1.2	8.9	14.4	3.1	13.2	18.5	7.7
18	3.4	8.8	-2.6	4.3	9.6	-1.1	9.0	14.6	3.2	13.4	18.6	8.0
19	3.4	8.8	-2.6	4.4	9.7	-1.0	9.2	14.7	3.3	13.7	18.8	8.3
20	3.4	8.8	-2.5	4.5	9.8	-0.9	9.3	14.8	3.4	13.9	19.0	8.6
21	3.4	8.9	-2.5	4.6	9.9	-0.8	9.4	14.9	3.5	14.1	19.2	8.9
22	3.5	9.0	-2.5	4.8	10.0	-0.6	9.5	15.0	3.6	14.3	19.5	9.2
23	3.5	9.0	-2.5	5.0	10.2	-0.4	9.6	15.1	3.7	14.6	19.8	9.4
24	3.5	9.1	-2.5	5.2	10.4	-0.2	9.7	15.3	3.7	14.9	20.0	9.7
25	3.6	9.2	-2.5	5.4	10.6	0.1	9.8	15.4	3.8	15.1	20.3	9.9
26	3.6	9.3	-2.5	5.7	10.8	0.4	10.0	15.6	4.0	15.4	20.7	10.1
27	3.7	9.4	-2.5	5.9	10.9	0.7	10.2	15.8	4.2	15.7	21.0	10.3
28	3.7	9.5	-2.5	6.2	11.1	1.0	10.4	16.0	4.4	15.9	21.2	10.5
29	3.8	9.5	-2.4	6.3	11.2	1.2	10.6	16.2	4.6	16.1	21.5	10.7
30	3.8	9.6	-2.3				10.9	16.4	4.8	16.3	21.7	10.8
31	3.9	9.6	-2.3				11.1	16.6	5.0			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NARITA International AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	16.5	22.0	10.9	19.7	24.6	15.0	22.1	26.3	19.0	26.6	31.6	22.6
02	16.6	22.1	11.0	19.7	24.6	15.1	22.3	26.5	19.2	26.7	31.7	22.7
03	16.7	22.3	11.1	19.7	24.5	15.2	22.6	26.8	19.5	26.8	31.8	22.8
04	16.8	22.5	11.1	19.7	24.4	15.4	22.8	27.1	19.7	26.9	31.9	22.9
05	16.9	22.6	11.1	19.8	24.4	15.5	23.1	27.4	19.9	26.9	31.9	22.9
06	16.9	22.7	11.1	19.9	24.3	15.7	23.4	27.7	20.2	26.9	31.9	23.0
07	17.0	22.8	11.1	19.9	24.3	15.9	23.7	28.1	20.4	26.9	31.9	23.0
08	17.1	22.9	11.2	20.0	24.4	16.1	24.0	28.4	20.7	26.9	31.8	23.1
09	17.2	23.0	11.2	20.2	24.4	16.3	24.3	28.7	20.9	26.8	31.8	23.1
10	17.3	23.0	11.3	20.3	24.5	16.6	24.5	29.0	21.1	26.8	31.7	23.1
11	17.4	23.1	11.4	20.5	24.6	16.8	24.7	29.3	21.2	26.7	31.7	23.1
12	17.5	23.2	11.6	20.6	24.7	17.1	24.8	29.5	21.3	26.7	31.6	23.1
13	17.6	23.2	11.8	20.8	24.9	17.3	25.0	29.6	21.4	26.7	31.5	23.0
14	17.7	23.3	12.0	20.9	25.0	17.5	25.0	29.7	21.5	26.6	31.5	23.0
15	17.9	23.3	12.1	21.1	25.1	17.7	25.1	29.7	21.5	26.6	31.4	23.0
16	18.0	23.4	12.3	21.2	25.2	17.8	25.1	29.7	21.6	26.5	31.4	23.0
17	18.1	23.4	12.5	21.3	25.3	18.0	25.0	29.6	21.5	26.5	31.3	22.9
18	18.2	23.5	12.7	21.4	25.4	18.0	25.0	29.6	21.5	26.4	31.1	22.9
19	18.3	23.6	12.9	21.4	25.5	18.1	25.0	29.6	21.5	26.3	31.0	22.8
20	18.4	23.7	13.1	21.4	25.5	18.1	25.0	29.5	21.4	26.2	30.8	22.7
21	18.6	23.8	13.2	21.4	25.5	18.1	25.0	29.6	21.4	26.0	30.6	22.5
22	18.7	24.0	13.4	21.4	25.5	18.1	25.1	29.7	21.5	25.8	30.3	22.4
23	18.8	24.1	13.6	21.4	25.5	18.1	25.2	29.8	21.5	25.6	30.1	22.2
24	19.0	24.2	13.8	21.4	25.5	18.2	25.3	29.9	21.6	25.5	29.8	22.1
25	19.1	24.4	14.0	21.4	25.6	18.2	25.4	30.1	21.7	25.3	29.6	21.9
26	19.2	24.5	14.2	21.4	25.6	18.2	25.6	30.4	21.8	25.1	29.4	21.8
27	19.3	24.6	14.3	21.5	25.7	18.3	25.8	30.6	22.0	25.0	29.2	21.6
28	19.4	24.7	14.5	21.6	25.8	18.5	26.0	30.9	22.1	24.8	29.1	21.5
29	19.5	24.7	14.6	21.7	25.9	18.6	26.2	31.1	22.2	24.8	29.0	21.4
30	19.6	24.7	14.8	21.9	26.1	18.8	26.3	31.3	22.4	24.7	28.9	21.4
31	19.6	24.7	14.9				26.5	31.5	22.5	24.7	28.9	21.4

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NARITA International AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 35° 45.9'N, LONGITUDE: 140° 23.1'E, ELEVATION ABOVE MSL: 135 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	24.6	28.9	21.3	20.8	24.7	17.1	14.2	19.1	9.0	8.7	14.2	2.8
02	24.6	28.9	21.3	20.7	24.7	17.0	14.0	18.9	8.8	8.5	14.0	2.6
03	24.6	28.9	21.3	20.6	24.6	16.8	13.8	18.8	8.6	8.3	13.9	2.4
04	24.5	28.8	21.3	20.4	24.4	16.6	13.7	18.6	8.4	8.1	13.8	2.1
05	24.5	28.8	21.2	20.2	24.3	16.3	13.5	18.5	8.3	8.0	13.6	1.9
06	24.4	28.6	21.1	20.0	24.1	16.0	13.4	18.3	8.1	7.8	13.5	1.6
07	24.2	28.5	21.0	19.8	24.0	15.7	13.2	18.2	7.9	7.6	13.3	1.4
08	24.1	28.3	20.9	19.5	23.8	15.4	13.1	18.0	7.7	7.4	13.1	1.2
09	24.0	28.2	20.7	19.2	23.6	15.0	12.9	17.8	7.5	7.2	13.0	1.0
10	23.8	28.0	20.6	18.9	23.3	14.6	12.7	17.7	7.3	7.0	12.8	0.8
11	23.6	27.8	20.4	18.7	23.1	14.2	12.5	17.5	7.1	6.9	12.6	0.6
12	23.4	27.6	20.2	18.4	22.9	13.9	12.3	17.3	6.9	6.7	12.5	0.5
13	23.3	27.4	20.0	18.1	22.6	13.5	12.1	17.1	6.6	6.6	12.3	0.4
14	23.1	27.2	19.7	17.8	22.4	13.2	11.9	16.9	6.4	6.4	12.1	0.3
15	22.9	27.0	19.5	17.6	22.2	13.0	11.7	16.7	6.1	6.3	12.0	0.2
16	22.7	26.8	19.3	17.4	22.0	12.7	11.5	16.5	5.9	6.2	11.8	0.0
17	22.5	26.6	19.0	17.2	21.8	12.5	11.3	16.4	5.7	6.1	11.7	-0.1
18	22.3	26.4	18.8	17.0	21.7	12.3	11.1	16.2	5.4	5.9	11.6	-0.2
19	22.1	26.1	18.6	16.8	21.5	12.1	10.9	16.0	5.2	5.8	11.5	-0.3
20	21.9	25.9	18.3	16.6	21.3	11.9	10.7	15.8	5.0	5.7	11.3	-0.4
21	21.7	25.8	18.1	16.5	21.2	11.7	10.4	15.6	4.9	5.5	11.2	-0.5
22	21.6	25.6	18.0	16.3	21.1	11.5	10.2	15.4	4.7	5.4	11.1	-0.7
23	21.4	25.4	17.8	16.1	20.9	11.3	10.1	15.2	4.5	5.3	10.9	-0.9
24	21.3	25.3	17.7	15.9	20.7	11.1	9.9	15.1	4.3	5.1	10.8	-1.0
25	21.2	25.2	17.5	15.7	20.5	10.8	9.7	14.9	4.1	4.9	10.7	-1.2
26	21.1	25.1	17.4	15.5	20.3	10.5	9.6	14.8	3.9	4.8	10.6	-1.4
27	21.1	25.0	17.4	15.3	20.1	10.3	9.4	14.7	3.7	4.6	10.5	-1.6
28	21.0	24.9	17.3	15.0	19.9	10.0	9.2	14.5	3.5	4.5	10.4	-1.8
29	20.9	24.9	17.3	14.8	19.7	9.7	9.0	14.4	3.3	4.4	10.4	-1.9
30	20.9	24.8	17.2	14.6	19.4	9.5	8.9	14.3	3.1	4.3	10.3	-2.1
31				14.4	19.2	9.2				4.2	10.3	-2.2