

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NIIJIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	5
01						-	1	3
02						-	1	3
03						-	1	3
04						-	-	2
05						-	1	4
06						1	2	3
07						1	2	2
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NIIJIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	1	6
01						1	1	8
02						1	1	8
03						1	2	7
04						1	1	6
05						1	1	6
06						1	1	7
07						1	1	6
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	1	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NIIJIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	7
01						-	1	6
02						-	1	7
03						1	1	6
04						-	1	8
05						-	-	6
06						1	4	6
07						1	3	6
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NIIJIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	3	4
01						2	3	5
02						1	3	7
03						-	1	6
04						-	1	6
05						-	1	4
06						-	-	3
07						1	1	5
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NIIJIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	3	7
01						1	3	8
02						2	3	8
03						2	3	5
04						1	1	6
05						1	1	5
06						1	1	4
07						2	2	5
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	2	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NIIJIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						3	5	9
01						2	3	9
02						1	3	9
03						1	3	10
04						1	1	9
05						1	2	11
06						2	3	11
07						3)	4)	11)
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						2)	3)	10)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NIIJIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						3	3	9
01						2	3	7
02						1	3	6
03						-	-	5
04						-	-	1
05						-	-	3
06						1	1	5
07						1	1	5
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NIIJIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	-	4
01						-	1	3
02						-	1	3
03						-	1	3
04						-	-	1
05						-	-	1
06						-	-	1
07						-	-	-
08						-	1	2
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						-	0	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NIIJIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	3
01						1	1	2
02						-	1	2
03						-	-	3
04						-	1	7
05						-	-	4
06						-	-	4
07						1	1	3
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NIIJIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	5
01						1	2	5
02						-	1	4
03						-	1	3
04						-	-	5
05						-	-	4
06						-	1	3
07						1	3	6
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NIIJIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	3
01						-	-	2
02						-	-	1
03						-	1	3
04						-	-	2
05						-	-	1
06						-	1	3
07						-	1	2
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						-	0	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NIIJIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	1	5
01						-	-	3
02						-	-	3
03						-	-	3
04						-	-	1
05						-	-	3
06						-	-	3
07						1	1	3
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	0	3

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	2	6
01						1	2	5
02						1	2	5
03						0	1	5
04						0	1	4
05						0	0	4
06						0	1	4
07						1)	2)	4)
08						x	x	x
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1)	1)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NIIJIMA AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	-	-					
01	-	-	1					
02	-	-	1					
03	-	-	-					
04	-	-	-					
05	-	1	1					
06	-	-	-					
07	-	-	1					
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	0					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NIIJIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	-	1					
01	-	-	2					
02	-	-	1					
03	1	1	4					
04	-	1	1					
05	-	-	-					
06	-	-	2					
07	-	-	1					
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	2					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NIIJIMA AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	-	1	1					
02	-	1	1					
03	-	1	1					
04	-	1	1					
05	-	-	3					
06	-	2	4					
07	-	1	3					
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	1	2					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NIIJIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	-	1	1					
02	-	1	1					
03	-	1	1					
04	-	-	1					
05	-	-	1					
06	-	-	2					
07	-	1	1					
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	1	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NIIJIMA AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1	2	3					
01	-	1	1					
02	-	1	2					
03	-	1	1					
04	-	1	1					
05	-	1	1					
06	-	-	1					
07	1	1	2					
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	1	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NIIJIMA AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1	2	4					
01	1	2	3					
02	1	1	2					
03	-	2	5					
04	-	-	3					
05	-	1	3					
06	-	1	3					
07	1)	3)	3)					
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1)	2)	3)					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NIIJIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	2	3	5					
01	2	3	4					
02	1	3	3					
03	-	-	1					
04	-	-	-					
05	-	-	1					
06	1	1	1					
07	1	1	1					
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	1	2					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NIIJIMA AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	-	1					
01	-	1	1					
02	-	1	1					
03	-	1	1					
04	-	-	-					
05	-	-	-					
06	-	-	-					
07	-	-	-					
08	-	-	-					
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	0					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NIIJIMA AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	-	-	-					
02	-	1	1					
03	-	-	-					
04	-	1	1					
05	-	-	1					
06	-	-	1					
07	-	-	1					
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NIIJIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	2					
01	-	1	3					
02	-	1	1					
03	-	1	1					
04	-	-	1					
05	-	-	1					
06	-	-	-					
07	-	2	2					
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	1	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NIIJIMA AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	-	-	-					
02	-	-	-					
03	-	-	1					
04	-	-	-					
05	-	-	-					
06	-	1	1					
07	-	-	-					
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	0					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NIIJIMA AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1	1	1					
01	-	-	-					
02	-	-	-					
03	-	-	-					
04	-	-	-					
05	-	-	-					
06	-	-	-					
07	-	1	1					
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	0					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NIIJIMA AIRPORT [ANNUAL]
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	0	1	2					
01	0	1	1					
02	0	1	1					
03	0	1	1					
04	-	0	1					
05	-	0	1					
06	0	0	1					
07	0)	1)	1)					
08	x	x	x					
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0)	1)	1)					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NIIJIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	1	5			
01	-	-	1	3			
02	-	-	1	3			
03	-	-	1	3			
04	-	-	-	2			
05	-	-	-	3			
06	-	1	2	3			
07	-	1	2	2			
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	1	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NIIJIMA AIRPORT MONTH: FEB
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	1	1	6			
01	-	1	1	7			
02	-	1	1	8			
03	-	1	1	7			
04	-	1	1	6			
05	-	1	1	6			
06	-	1	1	7			
07	-	1	1	6			
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	1	1	7			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NIIJIMA AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	1	7			
01	-	-	1	6			
02	-	-	1	7			
03	-	1	1	6			
04	-	-	1	7			
05	-	-	-	5			
06	-	1	3	6			
07	-	1	2	6			
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	1	6			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NIIJIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	1	3	4			
01	-	2	3	5			
02	-	1	3	7			
03	-	-	1	5			
04	-	-	1	5			
05	-	-	1	3			
06	-	-	-	3			
07	-	1	1	5			
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	1	2	5			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NIIJIMA AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	1	3	7			
01	-	1	3	8			
02	-	2	3	8			
03	-	2	3	5			
04	-	1	1	6			
05	-	1	1	5			
06	-	1	1	4			
07	-	1	1	4			
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	1	2	6			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NIIJIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	3	3	9			
01	-	1	1	7			
02	-	1	3	9			
03	-	1	2	9			
04	-	1	1	8			
05	-	1	1	10			
06	-	2	2	9			
07	1)	3)	3)	11)			
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	2)	2)	9)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NIIJIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	2	2	6			
01	-	1	1	4			
02	-	1	1	4			
03	-	-	-	4			
04	-	-	-	1			
05	-	-	-	2			
06	-	1	1	4			
07	-	1	1	5			
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	1	1	4			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NIIJIMA AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	3			
01	-	-	-	2			
02	-	-	-	3			
03	-	-	-	3			
04	-	-	-	1			
05	-	-	-	1			
06	-	-	-	1			
07	-	-	-	-			
08	-	-	1	2			
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	0	2			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NIIJIMA AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	2			
01	-	1	1	2			
02	-	-	-	1			
03	-	-	-	3			
04	-	-	1	6			
05	-	-	-	3			
06	-	-	-	3			
07	-	1	1	2			
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	0	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NIIJIMA AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	4			
01	-	1	1	4			
02	-	-	-	4			
03	-	-	1	3			
04	-	-	-	5			
05	-	-	-	4			
06	-	-	1	3			
07	-	1	2	6			
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	0	4			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NIIJIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	3			
01	-	-	-	2			
02	-	-	-	1			
03	-	-	1	3			
04	-	-	-	2			
05	-	-	-	1			
06	-	-	1	3			
07	-	-	1	2			
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	0	2			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NIIJIMA AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 8
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	4			
01	-	-	-	3			
02	-	-	-	3			
03	-	-	-	3			
04	-	-	-	1			
05	-	-	-	3			
06	-	-	-	3			
07	-	1	1	3			
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	0	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NIIJIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	1	1	5			
01	-	1	1	4			
02	-	0	1	5			
03	-	0	1	5			
04	-	0	0	4			
05	-	0	0	4			
06	-	0	1	4			
07	0)	1)	1)	4)			
08	x	x	x	x			
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	1)	1)	4)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NIIJIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												4)
VARIABLE	9)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[35-36-01]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[05-06-07]	2)	6)	3)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[08-09-10]	2)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[20-21-22]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[23-24-25]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	4)	15)	21)	7)	1)	0)	0)	0)	0)	0)	0)	48)
[29-30-31]	1)	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[32-33-34]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	26)	33)	30)	7)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NIIJIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												3)
VARIABLE	11)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[35-36-01]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[02-03-04]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[05-06-07]	2)	9)	3)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[08-09-10]	2)	8)	4)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[11-12-13]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[20-21-22]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[23-24-25]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	4)	10)	14)	8)	0)	0)	0)	0)	0)	0)	0)	35)
[29-30-31]	1)	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[32-33-34]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	28)	36)	24)	9)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NIIJIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												2)
VARIABLE	11)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[35-36-01]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[02-03-04]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[05-06-07]	2)	8)	5)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[08-09-10]	2)	7)	4)	1)	0)	0)	0)	0)	0)	0)	0)	13)
[11-12-13]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[20-21-22]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[23-24-25]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	6)	14)	13)	5)	0)	0)	0)	0)	0)	0)	0)	38)
[29-30-31]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[32-33-34]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	28)	39)	24)	6)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NIIJIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												4)
VARIABLE	12)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[35-36-01]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[02-03-04]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[05-06-07]	2)	6)	4)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[08-09-10]	3)	8)	8)	1)	0)	0)	0)	0)	0)	0)	0)	20)
[11-12-13]	3)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[14-15-16]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[20-21-22]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	6)	13)	7)	2)	0)	0)	0)	0)	0)	0)	0)	29)
[29-30-31]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
TOTAL	33)	37)	21)	3)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NIIJIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												5
VARIABLE	17	2	0	-	-	-	-	-	-	-	-	19
[35-36-01]	0	0	0	-	-	-	-	-	-	-	-	1
[02-03-04]	0	0	0	-	-	-	-	-	-	-	-	1
[05-06-07]	2	6	1	0	-	-	-	-	-	-	-	9
[08-09-10]	4	9	4	1	0	0	-	-	-	-	-	18
[11-12-13]	3	1	0	0	0	-	-	-	-	-	-	5
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	2	-	-	-	-	-	-	-	-	-	-	2
[20-21-22]	1	0	-	-	-	-	-	-	-	-	-	1
[23-24-25]	4	2	0	-	-	-	-	-	-	-	-	6
[26-27-28]	10	13	3	0	-	-	-	-	-	-	-	26
[29-30-31]	3	2	0	-	-	-	-	-	-	-	-	5
[32-33-34]	1	0	-	-	-	-	-	-	-	-	-	1
TOTAL	48	36	10	1	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NIIJIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												5)
VARIABLE	12)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[35-36-01]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[02-03-04]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[05-06-07]	3)	9)	2)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[08-09-10]	8)	16)	7)	1)	0)	0)	0)	0)	0)	0)	0)	32)
[11-12-13]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[20-21-22]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	7)	9)	1)	0)	0)	0)	0)	0)	0)	0)	0)	17)
[29-30-31]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[32-33-34]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	40)	42)	11)	1)	0)	0)	0)	0)	0)	0)	0)	

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NIIJIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												6
VARIABLE	14	3	0	-	-	-	-	-	-	-	-	17
[35-36-01]	0	0	0	-	-	-	-	-	-	-	-	1
[02-03-04]	0	0	-	-	-	-	-	-	-	-	-	1
[05-06-07]	2	8	2	0	-	-	-	-	-	-	-	12
[08-09-10]	5	8	3	0	0	0	0	-	-	-	-	16
[11-12-13]	3	0	-	-	-	-	-	-	-	-	-	4
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	1	-	-	-	-	-	-	-	-	-	-	1
[20-21-22]	1	-	-	-	-	-	-	-	-	-	-	1
[23-24-25]	5	2	-	-	-	-	-	-	-	-	-	7
[26-27-28]	18	12	1	0	0	-	-	-	-	-	-	30
[29-30-31]	2	1	0	-	-	-	-	-	-	-	-	3
[32-33-34]	1	0	0	0	-	-	-	-	-	-	-	1
TOTAL	54	34	6	1	0	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NIIJIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												8
VARIABLE	15	5	1	-	-	-	-	-	-	-	-	21
[35-36-01]	0	1	0	-	-	-	-	-	-	-	-	1
[02-03-04]	0	1	0	-	-	-	-	-	-	-	-	1
[05-06-07]	3	11	4	0	-	-	-	-	-	-	-	18
[08-09-10]	5	9	7	1	-	-	-	-	-	-	-	21
[11-12-13]	5	1	0	0	0	-	-	-	-	-	-	6
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	1	0	-	-	-	-	-	-	-	-	-	1
[20-21-22]	1	-	-	-	-	-	-	-	-	-	-	1
[23-24-25]	2	1	-	-	-	-	-	-	-	-	-	3
[26-27-28]	9	6	0	0	-	-	-	-	-	-	-	15
[29-30-31]	2	1	-	-	-	-	-	-	-	-	-	3
[32-33-34]	1	0	0	-	-	-	-	-	-	-	-	1
TOTAL	44	34	13	1	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NIIJIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												5)
VARIABLE	13)	7)	1)	0)	0)	0)	0)	0)	0)	0)	0)	21)
[35-36-01]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[02-03-04]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[05-06-07]	2)	13)	7)	0)	0)	0)	0)	0)	0)	0)	0)	22)
[08-09-10]	3)	10)	10)	1)	0)	0)	0)	0)	0)	0)	0)	24)
[11-12-13]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[20-21-22]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[23-24-25]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	4)	8)	2)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[29-30-31]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[32-33-34]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	31)	41)	21)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NIIJIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												4
VARIABLE	11	4	1	-	-	-	-	-	-	-	-	16
[35-36-01]	1	0	0	-	-	-	-	-	-	-	-	1
[02-03-04]	1	1	0	-	-	-	-	-	-	-	-	2
[05-06-07]	2	12	5	0	-	-	-	-	-	-	-	19
[08-09-10]	2	10	6	0	-	-	-	-	-	-	-	18
[11-12-13]	2	1	-	-	-	-	-	-	-	-	-	3
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	0	-	-	-	-	-	-	-	-	-	-	0
[20-21-22]	1	0	-	-	-	-	-	-	-	-	-	1
[23-24-25]	1	0	0	-	-	-	-	-	-	-	-	2
[26-27-28]	4	9	12	3	0	-	-	-	-	-	-	29
[29-30-31]	2	2	1	0	-	-	-	-	-	-	-	4
[32-33-34]	1	0	0	-	-	-	-	-	-	-	-	1
TOTAL	30	38	24	4	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NIIJIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												4)
VARIABLE	12)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[35-36-01]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[02-03-04]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[05-06-07]	2)	6)	2)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[08-09-10]	2)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[20-21-22]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[23-24-25]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	5)	12)	20)	12)	1)	0)	0)	0)	0)	0)	0)	50)
[29-30-31]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[32-33-34]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	28)	29)	25)	13)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NIIJIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												5)
VARIABLE	12)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	16)
[35-36-01]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[02-03-04]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[05-06-07]	2)	8)	3)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[08-09-10]	4)	9)	5)	1)	0)	0)	0)	0)	0)	0)	0)	18)
[11-12-13]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[20-21-22]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	7)	12)	8)	3)	0)	0)	0)	0)	0)	0)	0)	30)
[29-30-31]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[32-33-34]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	36)	37)	18)	4)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NIJIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	3	59	36	2	-	-	-	-
01	-	-	-	-	2	50	45	3	-	-	-	-
02	-	-	-	-	2	44	51	3	-	-	-	-
03	-	-	-	-	3	41	51	5	-	-	-	-
04	-	-	-	-	2	41	52	5	-	-	-	-
05	-	-	-	-	1	43	52	5	-	-	-	-
06	-	-	-	-	1	45	50	5	-	-	-	-
07	-	-	-	-	1	52	44	3	-	-	-	-
08	-	-	-	-	3	66	30	1	-	-	-	-
09	-	-	-	-	9	62	28	1	-	-	-	-
10	0)	0)	0)	0)	14)	57)	28)	1)	0)	0)	0)	0)
11	0)	0)	0)	1)	15)	55)	29)	1)	0)	0)	0)	0)
12	-	-	-	1	14	57	27	1	-	-	-	-
13	-	-	-	1	15	56	25	2	-	-	-	-
14	-	-	-	1	12	61	25	1	-	-	-	-
15	-	-	-	1	12	65	23	-	-	-	-	-
16	-	-	-	1	12	63	23	1	-	-	-	-
17	-	-	-	1	12	65	21	1	-	-	-	-
18	-	-	-	1	13	66	20	1	-	-	-	-
19	-	-	-	1	12	70	18	-	-	-	-	-
20	-	-	-	-	14	69	17	1	-	-	-	-
21	-	-	-	-	16	66	17	-	-	-	-	-
22	-	-	-	1	15	69	15	1	-	-	-	-
23	-	-	-	-	6	72	21	1	-	-	-	-
MEAN	0)	0)	0)	0)	9)	58)	31)	2)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NIIJIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	2	59	33	6	-	-	-	-
01	-	-	-	-	3	51	38	8	-	-	-	-
02	-	-	-	-	3	50	38	8	1	-	-	-
03	-	-	-	-	1	47	43	9	-	-	-	-
04	-	-	-	-	2	41	49	7	1	-	-	-
05	-	-	-	-	2	39	51	7	-	-	-	-
06	-	-	-	-	1	40	50	8	-	-	-	-
07	-	-	-	-	1	45	46	8	-	-	-	-
08	-	-	-	-	3	59	32	6	-	-	-	-
09	-	-	-	-	9	56	30	4	-	-	-	-
10	0)	0)	0)	0)	11)	55)	30)	4)	0)	0)	0)	0)
11	-	-	-	-	14	52	30	4	-	-	-	-
12	-	-	-	1	15	52	28	4	-	-	-	-
13	-	-	-	1	13	55	26	5	-	-	-	-
14	-	-	-	-	11	62	23	4	-	-	-	-
15	-	-	-	-	10	61	27	2	-	-	-	-
16	-	-	-	-	11	61	27	2	-	-	-	-
17	-	-	-	1	13	58	25	2	-	-	-	-
18	-	-	-	1	13	61	23	3	-	-	-	-
19	-	-	-	1	14	58	24	3	-	-	-	-
20	-	-	-	1	18	56	24	2	-	-	-	-
21	-	-	-	-	18	58	22	2	-	-	-	-
22	-	-	-	-	14	61	23	3	-	-	-	-
23	-	-	-	-	7	63	27	3	-	-	-	-
MEAN	0)	0)	0)	0)	9)	54)	32)	5)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NIJIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	22	44	33	1	-	-	-
01	-	-	-	-	-	19	46	34	2	-	-	-
02	-	-	-	-	-	15	48	35	1	-	-	-
03	-	-	-	-	-	14	46	36	4	-	-	-
04	-	-	-	-	-	12	49	36	3	-	-	-
05	-	-	-	-	-	13	46	37	5	-	-	-
06	-	-	-	-	-	11	49	37	3	-	-	-
07	-	-	-	-	-	12	52	34	2	-	-	-
08	-	-	-	-	-	17	53	30	-	-	-	-
09	-	-	-	-	-	25	51	24	-	-	-	-
10	0)	0)	0)	0)	1)	28)	47)	23)	0)	0)	0)	0)
11	0)	0)	0)	0)	2)	29)	47)	22)	0)	0)	0)	0)
12	0)	0)	0)	0)	1)	30)	47)	21)	1)	0)	0)	0)
13	0)	0)	0)	0)	2)	32)	47)	19)	0)	0)	0)	0)
14	0)	0)	0)	0)	2)	34)	44)	19)	1)	0)	0)	0)
15	0)	0)	0)	0)	3)	35)	42)	19)	1)	0)	0)	0)
16	-	-	-	-	3	34	45	18	1	-	-	-
17	-	-	-	-	2	35	46	17	1	-	-	-
18	-	-	-	-	3	36	44	17	-	-	-	-
19	-	-	-	1	3	37	43	17	-	-	-	-
20	-	-	-	1	3	38	43	15	-	-	-	-
21	-	-	-	1	2	41	39	17	-	-	-	-
22	-	-	-	-	3	36	43	18	-	-	-	-
23	-	-	-	-	-	32	45	23	-	-	-	-
MEAN	0)	0)	0)	0)	1)	27)	46)	25)	1)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NIJIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	2	25	60	13	-	-	-
01	-	-	-	-	-	2	24	56	18	-	-	-
02	-	-	-	-	-	1	23	59	17	-	-	-
03	-	-	-	-	-	1	23	57	19	-	-	-
04	-	-	-	-	-	1	26	52	21	-	-	-
05	-	-	-	-	-	1	24	53	22	-	-	-
06	-	-	-	-	-	1	24	55	21	-	-	-
07	-	-	-	-	-	1	27	55	17	-	-	-
08	-	-	-	-	-	1	33	57	9	-	-	-
09	0)	0)	0)	0)	0)	1)	34)	60)	4)	0)	0)	0)
10	0)	0)	0)	0)	0)	4)	36)	58)	3)	0)	0)	0)
11	-	-	-	-	-	5	36	59	1	-	-	-
12	-	-	-	-	1	5	37	57	1	-	-	-
13	-	-	-	-	-	6	37	56	1	-	-	-
14	-	-	-	-	-	9	35	55	1	-	-	-
15	-	-	-	-	-	9	39	51	1	-	-	-
16	-	-	-	-	-	12	41	45	1	-	-	-
17	-	-	-	-	-	13	42	43	3	-	-	-
18	-	-	-	-	-	14	43	42	1	-	-	-
19	-	-	-	-	-	14	43	42	1	-	-	-
20	-	-	-	-	-	15	45	39	1	-	-	-
21	-	-	-	-	-	11	43	44	1	-	-	-
22	-	-	-	-	-	7	31	61	2	-	-	-
23	-	-	-	-	-	3	30	63	4	-	-	-
MEAN	0)	0)	0)	0)	0)	6)	33)	53)	8)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NIIJIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	39	60	1	-	-
01	-	-	-	-	-	-	-	31	68	1	-	-
02	-	-	-	-	-	-	-	28	72	-	-	-
03	-	-	-	-	-	-	-	23	75	2	-	-
04	-	-	-	-	-	-	-	20	77	3	-	-
05	-	-	-	-	-	-	-	21	77	3	-	-
06	-	-	-	-	-	-	-	22	75	3	-	-
07	-	-	-	-	-	-	-	26	73	1	-	-
08	-	-	-	-	-	-	-	42	58	-	-	-
09	-	-	-	-	-	-	1	67	32	-	-	-
10	-	-	-	-	-	-	4	73	23	-	-	-
11	-	-	-	-	-	-	5	77	19	-	-	-
12	-	-	-	-	-	-	8	75	17	-	-	-
13	-	-	-	-	-	1	10	72	17	-	-	-
14	-	-	-	-	-	1	10	74	15	-	-	-
15	-	-	-	-	-	1	12	71	16	-	-	-
16	-	-	-	-	-	-	14	73	13	-	-	-
17	-	-	-	-	-	-	15	74	11	-	-	-
18	-	-	-	-	-	-	15	75	10	-	-	-
19	-	-	-	-	-	-	15	75	10	-	-	-
20	-	-	-	-	-	-	17	73	10	-	-	-
21	-	-	-	-	-	-	6	78	15	-	-	-
22	-	-	-	-	-	-	3	72	25	-	-	-
23	-	-	-	-	-	-	3	61	36	-	-	-
MEAN	-	-	-	-	-	0	6	56	38	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NIJIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	13	82	5	-	-
01	-	-	-	-	-	-	-	10	83	7	-	-
02	-	-	-	-	-	-	-	8	83	9	-	-
03	-	-	-	-	-	-	-	8	81	11	-	-
04	-	-	-	-	-	-	-	8	80	12	-	-
05	-	-	-	-	-	-	-	6	81	13	-	-
06	-	-	-	-	-	-	-	6	81	13	-	-
07	0)	0)	0)	0)	0)	0)	0)	8)	82)	10)	0)	0)
08	0)	0)	0)	0)	0)	0)	0)	15)	81)	5)	0)	0)
09	-	-	-	-	-	-	-	20	79	1	-	-
10	-	-	-	-	-	-	-	26	74	-	-	-
11	-	-	-	-	-	-	-	32	68	-	-	-
12	-	-	-	-	-	-	1	33	67	-	-	-
13	-	-	-	-	-	-	1	35	64	-	-	-
14	-	-	-	-	-	-	1	39	60	1	-	-
15	-	-	-	-	-	-	1	41	57	1	-	-
16	-	-	-	-	-	-	1	42	57	-	-	-
17	-	-	-	-	-	-	1	44	55	-	-	-
18	-	-	-	-	-	-	-	47	53	-	-	-
19	-	-	-	-	-	-	-	47	53	-	-	-
20	-	-	-	-	-	-	-	49	51	1	-	-
21	-	-	-	-	-	-	-	39	61	1	-	-
22	-	-	-	-	-	-	-	27	71	1	-	-
23	-	-	-	-	-	-	-	18	79	3	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	26)	70)	4)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NIJIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	1	31	67	1	-
01	-	-	-	-	-	-	-	1	26	69	4	-
02	-	-	-	-	-	-	-	1	21	72	6	-
03	-	-	-	-	-	-	-	1	21	70	8	-
04	-	-	-	-	-	-	-	1	19	70	9	-
05	-	-	-	-	-	-	-	1	20	68	11	-
06	-	-	-	-	-	-	-	1	22	69	8	-
07	-	-	-	-	-	-	-	-	23	70	7	-
08	-	-	-	-	-	-	-	1	29	68	2	-
09	0)	0)	0)	0)	0)	0)	0)	1)	39)	60)	0)	0)
10	0)	0)	0)	0)	0)	0)	0)	1)	47)	51)	0)	0)
11	-	-	-	-	-	-	-	1	50	48	-	-
12	-	-	-	-	-	-	-	2	51	47	-	-
13	-	-	-	-	-	-	-	3	53	45	-	-
14	-	-	-	-	-	-	-	3	57	40	-	-
15	-	-	-	-	-	-	-	3	59	39	-	-
16	-	-	-	-	-	-	-	3	64	34	-	-
17	-	-	-	-	-	-	-	5	63	33	-	-
18	-	-	-	-	-	-	-	6	63	32	-	-
19	-	-	-	-	-	-	-	5	66	29	-	-
20	-	-	-	-	-	-	-	5	67	28	-	-
21	-	-	-	-	-	-	-	3	61	37	-	-
22	-	-	-	-	-	-	-	3	48	49	-	-
23	-	-	-	-	-	-	-	2	41	57	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	2)	43)	52)	2)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: NIIJIMA AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	8	74	18	-
01	-	-	-	-	-	-	-	-	6	66	28	-
02	-	-	-	-	-	-	-	-	5	61	34	-
03	-	-	-	-	-	-	-	-	6	55	38	-
04	-	-	-	-	-	-	-	-	5	54	41	-
05	-	-	-	-	-	-	-	-	5	58	37	-
06	-	-	-	-	-	-	-	-	5	61	34	-
07	-	-	-	-	-	-	-	-	5	70	25	-
08	-	-	-	-	-	-	-	-	6	83	12	-
09	-	-	-	-	-	-	-	-	8	91	1	-
10	-	-	-	-	-	-	-	-	11	89	-	-
11	-	-	-	-	-	-	-	-	12	88	-	-
12	-	-	-	-	-	-	-	-	14	86	-	-
13	-	-	-	-	-	-	-	-	19	81	-	-
14	-	-	-	-	-	-	-	-	21	79	-	-
15	-	-	-	-	-	-	-	-	20	80	-	-
16	-	-	-	-	-	-	-	-	25	75	-	-
17	-	-	-	-	-	-	-	-	28	72	-	-
18	-	-	-	-	-	-	-	-	31	69	-	-
19	-	-	-	-	-	-	-	-	31	69	-	-
20	-	-	-	-	-	-	-	-	34	66	-	-
21	-	-	-	-	-	-	-	-	24	76	-	-
22	-	-	-	-	-	-	-	-	13	87	-	-
23	-	-	-	-	-	-	-	-	12	86	2	-
MEAN	-	-	-	-	-	-	-	-	15	74	11	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NIJIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	40	59	1	-
01	-	-	-	-	-	-	-	-	38	59	3	-
02	-	-	-	-	-	-	-	-	31	65	4	-
03	-	-	-	-	-	-	-	-	30	67	3	-
04	-	-	-	-	-	-	-	-	29	66	5	-
05	-	-	-	-	-	-	-	-	29	67	4	-
06	-	-	-	-	-	-	-	-	31	66	3	-
07	-	-	-	-	-	-	-	-	35	63	3	-
08	0)	0)	0)	0)	0)	0)	0)	0)	49)	51)	0)	0)
09	-	-	-	-	-	-	-	1	57	42	-	-
10	-	-	-	-	-	-	-	2	57	41	-	-
11	-	-	-	-	-	-	-	3	63	35	-	-
12	-	-	-	-	-	-	-	4	63	33	-	-
13	-	-	-	-	-	-	-	6	64	30	-	-
14	-	-	-	-	-	-	-	8	62	30	-	-
15	-	-	-	-	-	-	-	8	62	30	-	-
16	-	-	-	-	-	-	-	7	66	27	-	-
17	-	-	-	-	-	-	-	7	69	25	-	-
18	-	-	-	-	-	-	-	8	69	23	-	-
19	-	-	-	-	-	-	-	8	70	22	-	-
20	-	-	-	-	-	-	-	7	71	22	-	-
21	-	-	-	-	-	-	-	8	67	25	-	-
22	-	-	-	-	-	-	-	3	59	39	-	-
23	-	-	-	-	-	-	-	3	55	43	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	3)	53)	43)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NIIJIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	23	66	10	-	-
01	-	-	-	-	-	-	1	18	70	11	-	-
02	-	-	-	-	-	-	1	15	71	14	-	-
03	-	-	-	-	-	-	1	12	73	14	-	-
04	-	-	-	-	-	-	1	14	71	14	-	-
05	-	-	-	-	-	-	-	13	70	17	-	-
06	-	-	-	-	-	-	-	17	70	13	-	-
07	-	-	-	-	-	-	-	18	72	10	-	-
08	-	-	-	-	-	-	1	38	57	4	-	-
09	-	-	-	-	-	-	4	36	57	3	-	-
10	-	-	-	-	-	-	4	40	55	1	-	-
11	-	-	-	-	-	-	6	40	52	2	-	-
12	-	-	-	-	-	-	6	43	50	1	-	-
13	0)	0)	0)	0)	0)	0)	4)	45)	49)	1)	0)	0)
14	-	-	-	-	-	-	5	47	46	1	-	-
15	-	-	-	-	-	-	5	50	45	1	-	-
16	-	-	-	-	-	-	3	52	43	3	-	-
17	-	-	-	-	-	-	6	49	44	1	-	-
18	-	-	-	-	-	-	4	54	41	1	-	-
19	-	-	-	-	-	-	3	54	41	1	-	-
20	-	-	-	-	-	-	4	52	43	1	-	-
21	-	-	-	-	-	-	4	53	43	1	-	-
22	-	-	-	-	-	-	2	48	49	1	-	-
23	-	-	-	-	-	-	1	37	58	5	-	-
MEAN	0)	0)	0)	0)	0)	0)	3)	36)	56)	6)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NIIJIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	1	24	61	14	-	-	-
01	-	-	-	-	-	1	18	65	16	-	-	-
02	-	-	-	-	-	1	16	65	19	-	-	-
03	-	-	-	-	-	1	17	63	19	-	-	-
04	-	-	-	-	-	1	15	63	22	-	-	-
05	-	-	-	-	-	1	15	64	21	-	-	-
06	-	-	-	-	-	1	15	69	15	-	-	-
07	-	-	-	-	-	1	25	64	11	-	-	-
08	-	-	-	-	-	2	37	55	5	-	-	-
09	-	-	-	-	-	4	37	53	6	-	-	-
10	-	-	-	-	-	7	36	52	5	-	-	-
11	-	-	-	-	-	5	38	53	4	-	-	-
12	-	-	-	-	-	5	35	57	3	-	-	-
13	-	-	-	-	-	5	37	56	3	-	-	-
14	-	-	-	-	-	5	39	54	3	-	-	-
15	-	-	-	-	-	5	39	55	1	-	-	-
16	-	-	-	-	-	4	38	55	3	-	-	-
17	-	-	-	-	-	4	39	55	3	-	-	-
18	-	-	-	-	-	3	42	51	3	-	-	-
19	-	-	-	-	-	5	41	51	4	-	-	-
20	-	-	-	-	-	7	40	50	3	-	-	-
21	-	-	-	-	-	5	43	50	3	-	-	-
22	-	-	-	-	-	4	43	49	4	-	-	-
23	-	-	-	-	-	2	35	57	5	-	-	-
MEAN	-	-	-	-	-	3	32	57	8	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NIJIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	23	55	20	3	-	-	-
01	-	-	-	-	-	17	60	21	3	-	-	-
02	-	-	-	-	-	15	59	23	3	-	-	-
03	-	-	-	-	-	13	59	26	2	-	-	-
04	-	-	-	-	-	14	59	25	2	-	-	-
05	-	-	-	-	-	12	61	25	2	-	-	-
06	-	-	-	-	-	14	63	22	1	-	-	-
07	-	-	-	-	-	17	62	19	1	-	-	-
08	-	-	-	-	1	34	52	13	1	-	-	-
09	0)	0)	0)	0)	3)	35)	49)	12)	1)	0)	0)	0)
10	0)	0)	0)	0)	3)	32)	52)	12)	1)	0)	0)	0)
11	-	-	-	-	5	31	52	12	1	-	-	-
12	-	-	-	-	5	36	50	9	1	-	-	-
13	-	-	-	-	5	36	50	9	1	-	-	-
14	-	-	-	-	3	40	47	9	1	-	-	-
15	-	-	-	-	5	41	47	6	1	-	-	-
16	-	-	-	-	7	35	51	6	1	-	-	-
17	-	-	-	-	6	38	48	6	1	-	-	-
18	-	-	-	-	5	39	49	8	-	-	-	-
19	-	-	-	1	6	40	46	7	1	-	-	-
20	-	-	-	1	6	42	43	8	-	-	-	-
21	-	-	-	1	6	43	42	8	1	-	-	-
22	-	-	-	1	5	44	43	8	-	-	-	-
23	-	-	-	-	1	42	47	10	1	-	-	-
MEAN	0)	0)	0)	0)	3)	31)	52)	13)	1)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NIJIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	0	14	18	21	27	18	2	-
01	-	-	-	-	0	11	19	21	28	18	3	-
02	-	-	-	-	0	10	20	20	27	19	4	-
03	-	-	-	-	0	10	20	20	28	18	4	-
04	-	-	-	-	0	9	21	19	28	18	5	-
05	-	-	-	-	0	9	21	19	28	19	4	-
06	-	-	-	-	0	9	21	20	27	19	4	-
07	0)	0)	0)	0)	0)	11)	21)	20)	27)	19)	3)	0)
08	0)	0)	0)	0)	1)	15)	20)	21)	25)	18)	1)	0)
09	0)	0)	0)	0)	2)	15)	19)	23)	24)	17)	0)	0)
10	0)	0)	0)	0)	2)	15)	20)	24)	23)	15)	0)	0)
11	0)	0)	0)	0)	3)	15)	20)	25)	23)	15)	0)	0)
12	0)	0)	0)	0)	3)	15)	20)	26)	22)	14)	0)	0)
13	0)	0)	0)	0)	3)	16)	20)	26)	23)	13)	0)	0)
14	0)	0)	0)	0)	2)	17)	19)	26)	22)	13)	0)	0)
15	0)	0)	0)	0)	2)	18)	19)	26)	22)	13)	0)	0)
16	-	-	-	0	3	17	20	25	23	12	-	-
17	-	-	-	0	3	18	20	25	23	11	-	-
18	-	-	-	0	3	18	20	26	23	11	-	-
19	-	-	-	0	3	19	19	26	23	10	-	-
20	-	-	-	0	3	19	19	25	23	10	-	-
21	-	-	-	0	3	19	18	25	23	12	-	-
22	-	-	-	0	3	18	17	24	23	15	-	-
23	-	-	-	-	1	18	17	23	24	16	0	-
MEAN	0)	0)	0)	0)	2)	15)	20)	23)	24)	15)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NIIJIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	8.6	8.9	12.3	15.6)	19.0	21.1	25.0	27.0	24.4	20.5	15.9	11.2	17.5)
Daily maximum air temperature(°C)	11.2	11.6	15.1	18.6)	22.1	23.6	27.7	29.8	26.9	22.9	18.3	13.9	20.2)
Daily minimum air temperature(°C)	4.9	5.5	8.8	12.1)	15.5	18.8	22.7	24.6	21.8	17.6	12.8	7.7	14.5)
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	91.5	168.8	191.9	214.0)	117.5	263.6	141.6	117.5	181.3	242.2	183.5	139.9	2013.6)
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	983.9	991.0	987.0	979.3	987.2	988.5	985.4	978.0	988.5	956.7	993.4	982.2	956.7
Daily maximum air temperature(°C)	17.0	20.5	21.4	22.9*	27.7	27.4*	31.5	33.0	31.6	29.0	24.0	23.0	33.0
Daily minimum air temperature(°C)	-1.8	-1.6	-2.0	4.7	8.2	13.3	16.8	20.2	15.1	11.4*	5.8	-1.7	-2.0
Daily precipitation(mm)	87.5	134.5	136.5	96.0	62.5	125.5	99.0	116.0	95.0	155.5	72.0	72.0	155.5
Daily max.one-hour precipitation(mm)	33.5	28.5	28.0	17.5	22.5	43.5	33.5*	58.0	48.0	31.0	66.0	30.0	66.0
Daily max.ten-minute precipitation(mm)	8.5	14.5	12.0	7.0*	7.0*	13.5	11.0	14.0	20.5	12.0	20.0	10.0	20.5
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)													
Daily maximum wind speed(kt)	28 *	28	24 *	28	28	23 *	18	37	29	39	24	30	39
with wind direction(36DIR.)	29	29	29	27	10	9 *	10	9	9	33	29	28	33
Daily maximum peak gust(kt)	50	53	46	56	41	43	39	51	42	66	41 *	53	66
with wind direction(36DIR.)	32	8	29	29	10	27	26	9	8	33	24	28	33

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NIIJIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	1.4	0.8	0.2	0.0)	-	-	-	-	-	-	-	0.4	3.0)
25.0°C	-	-	-	0.0)	-	-	5.0	13.2	2.2	-	-	-	19.8)
Daily mean air temperature < 0.0°C	-	-	-	0.0)	-	-	-	-	-	-	-	-	0.0)
25.0°C	-	-	-	0.0)	-	-	17.6	28.2	12.2	0.8	-	-	56.0)
Daily maximum air temperature < 0.0°C	-	-	-	0.0)	-	-	-	-	-	-	-	-	0.0)
25.0°C	-	-	-	0.0)	1.4	6.6	27.0	30.2	24.4	6.2	-	-	96.3)
30.0°C	-	-	-	0.0)	-	-	5.2	19.0	2.6	-	-	-	25.3)
Daily precipitation 0.0mm	x	x	x	x	x	x	x	x	x	x	x	x	x
1.0mm	6.2	10.0	10.8	12.3)	7.8	12.8	7.4	9.2	10.8	9.6	12.4	9.4	117.0)
5.0mm	4.2	6.6	7.2	8.8)	4.8	9.4	5.4	5.8	7.6	7.6	8.0	6.0	81.0)
10.0mm	3.0	5.0	6.2	6.5)	3.4	7.4	3.6	3.4	5.0	4.4	5.4	3.8	56.8)
30.0mm	0.6	1.6	2.2	2.8)	1.4	2.6	1.2	0.6	0.8	2.6	1.8	1.4	18.8)
50.0mm	0.2	0.6	0.4	0.5)	0.8	1.2	1.0	0.4	0.8	1.6	0.8	0.6	8.5)
70.0mm	0.2	0.2	0.2	0.3)	-	0.8	0.4	0.2	0.8	0.8	0.2	0.2	4.5)
100.0mm	-	0.2	0.2	0.0)	-	0.6	-	0.2	-	0.4	-	-	1.5)

AERODROME: NIJIMA AIRPORT PERIOD OF RECORD: 2012-2016
LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NIIJIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1013.7	1013.9	1013.1	1011.6	1008.7	1005.6	1006.6	1006.1	1010.0	1012.9	1014.2	1013.3	1010.8
01	1013.7	1013.8	1013.0	1011.6	1008.7	1005.6	1006.6	1006.1	1010.0	1012.9	1014.1	1013.3	1010.8
02	1013.0	1013.4	1012.7	1011.4	1008.5	1005.5	1006.5	1005.9	1009.7	1012.6	1013.6	1012.6	1010.5
03	1012.1	1012.6	1012.2	1010.9	1008.2	1005.3	1006.3	1005.6	1009.3	1012.0	1012.8	1011.8	1010.0
04	1011.4	1011.9	1011.5	1010.5	1007.9	1005.0	1006.0	1005.4	1008.9	1011.5	1012.3	1011.2	1009.5
05	1011.2	1011.6	1010.9	1010.1	1007.6	1004.8	1005.8	1005.1	1008.6	1011.4	1012.1	1011.0	1009.2
06	1011.4	1011.6	1010.8	1009.8	1007.3	1004.7	1005.5	1004.9	1008.5	1011.5	1012.2	1011.1	1009.1
07	1011.6	1011.6	1010.7	1009.7	1007.2	1004.5	1005.4	1004.9	1008.6	1011.6	1012.4	1011.3	1009.2
08	1011.9	1011.9	1010.8	1009.8	1007.2	1004.5	1005.4	1004.9	1008.7	1011.8	1012.6	1011.6	1009.3
09	1012.2	1012.3	1011.0	1010.0	1007.4	1004.8	1005.6	1005.1	1008.9	1012.2	1013.0	1011.8	1009.5
10	1012.5	1012.7	1011.3	1010.3	1007.8	1005.1	1005.9	1005.5	1009.3	1012.4	1013.3	1012.2	1009.8
11	1012.7	1012.8	1011.6	1010.8	1008.1	1005.3	1006.3	1005.9	1009.8	1012.6	1013.4	1012.4	1010.2
12	1012.8	1013.0	1011.8	1011.1	1008.5	1005.7	1006.7	1006.2	1009.9	1012.7	1013.5	1012.6	1010.4
13	1012.8	1013.0	1011.9	1011.0	1008.4	1005.7	1006.6	1006.1	1009.8	1012.7	1013.5	1012.7	1010.4
14	1012.8	1013.0	1011.8	1010.9	1008.3	1005.5	1006.5	1006.0	1009.7	1012.4	1013.4	1012.6	1010.2
15	1012.6	1012.9	1011.7	1010.8	1008.1	1005.2	1006.2	1005.8	1009.5	1012.1	1013.1	1012.3	1010.0
16	1012.3	1012.9	1011.7	1010.6	1007.9	1004.9	1005.9	1005.4	1009.2	1011.8	1013.1	1012.3	1009.8
17	1012.4	1012.8	1011.5	1010.4	1007.7	1004.7	1005.7	1005.2	1009.0	1011.6	1013.0	1012.4	1009.7
18	1012.2	1012.5	1011.3	1010.3	1007.6	1004.6	1005.7	1005.2	1008.9	1011.4	1012.8	1012.1	1009.6
19	1012.0	1012.5	1011.4	1010.3	1007.7	1004.8	1005.8	1005.2	1008.9	1011.4	1012.8	1012.0	1009.6
20	1012.2	1012.7	1011.7	1010.5	1007.9	1005.1	1006.0	1005.4	1009.1	1011.6	1013.0	1012.1	1009.8
21	1012.5	1013.0	1012.1	1010.9	1008.2	1005.3	1006.2	1005.7	1009.4	1011.9	1013.3	1012.5	1010.1
22	1012.9	1013.3	1012.6	1011.3	1008.5	1005.5	1006.5	1005.9	1009.6	1012.4	1013.7	1012.8	1010.4
23	1013.3	1013.8	1012.9	1011.4	1008.6	1005.6	1006.6	1005.9	1009.8	1012.8	1014.1	1013.1	1010.7
MEAN	1012.4	1012.7	1011.8	1010.7	1008.0	1005.1	1006.1	1005.6	1009.3	1012.1	1013.1	1012.2	1009.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NIIJIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	9.0	9.3	12.7	16.3	19.9	21.6	25.6	27.8	25.0	21.2	16.4	12.0	18.1
01	9.5	9.7	13.0	16.6	20.2	21.9	26.0	28.1	25.3	21.5	16.8	12.3	18.4
02	9.7	9.9	13.2	16.7	20.5	22.2	26.3	28.4	25.6	21.6	17.0	12.6	18.7
03	9.9	10.1	13.4	16.9	20.8	22.4	26.4	28.5	25.8	21.8	17.1	12.7	18.8
04	10.1	10.1	13.6	17.1	20.9	22.5	26.6	28.8	25.8	21.8	17.2	12.7	18.9
05	10.0	10.2	13.7	17.0	20.9	22.4	26.7	28.7	25.8	21.8	17.1	12.7	18.9
06	10.0	10.2	13.7	16.9	20.7	22.4	26.5	28.6	25.7	21.5	16.9	12.4	18.8
07	9.6	10.0	13.4	16.7	20.4	22.2	26.3	28.4	25.4	21.2	16.5	12.0	18.5
08	8.8	9.5	13.0	16.2	19.8	21.8	25.9	27.9	25.0	20.6	15.9	11.3	18.0
09	8.4	9.0	12.4	15.8	19.3	21.4	25.3	27.2	24.4	20.3	15.7	11.1	17.5
10	8.3	8.7	12.1	15.3	18.6	21.0	24.8	26.6	24.1	20.1	15.5	11.1	17.2
11	8.2	8.7	12.0	15.2	18.4	20.7	24.6	26.5	23.9	20.1	15.4	11.0	17.1
12	8.1	8.7	12.0	15.1	18.2	20.6	24.5	26.3	23.7	20.0	15.4	10.8	16.9
13	8.0	8.6	11.9	15.0	18.0	20.5	24.3	26.2	23.6	20.0	15.4	10.7	16.8
14	8.0	8.6	11.7	14.8	17.9	20.4	24.2	26.0	23.5	19.9	15.3	10.5	16.7
15	7.9	8.6	11.5	14.7	17.8	20.3	24.1	25.9	23.3	19.8	15.3	10.4	16.6
16	7.9	8.3	11.5	14.3	17.6	20.1	23.8	25.8	23.4	19.9	15.3	10.4	16.5
17	7.9	8.2	11.3	14.2	17.4	20.1	23.8	25.7	23.3	19.7	15.3	10.4	16.4
18	7.8	8.1	11.2	14.1	17.3	20.1	23.7	25.5	23.2	19.7	15.2	10.4	16.4
19	7.8	8.0	11.1	14.0	17.1	19.9	23.5	25.4	23.1	19.7	15.1	10.2	16.2
20	7.7	7.7	11.0	13.8	17.0	19.9	23.5	25.3	23.1	19.6	15.0	10.1	16.2
21	7.5	7.7	11.0	14.1	17.9	20.4	24.0	25.8	23.3	19.6	14.9	10.1	16.4
22	7.5	8.0	11.5	15.2	18.8	20.9	24.6	26.6	24.0	20.1	15.1	10.2	16.9
23	8.2	8.7	12.2	15.8	19.4	21.3	25.1	27.2	24.6	20.7	15.9	11.1	17.5
MEAN	8.6	8.9	12.3	15.5	19.0	21.1	25.0	27.0	24.4	20.5	15.8	11.2	17.5

AERODROME: NIIJIMA AIRPORT PERIOD OF RECORD: 2012-2016
LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

[illegible]

AERODROME: NIJIMA AIRPORT PERIOD OF RECORD: 2012-2016
LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NIIJIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	27	27	27	28	7	7	27 *	27	7	6	7	27	27
01	27	27	27	7	7	8	8	27 *	6	6	27	27	27
02	27	27	27	8	7	9	27	27	7	6 *	27	27	27
03	27	27	27	8	8	8	8 *	27 *	7	7	27	27	27
04	27	27	27	8	8	8	9	7	7	7 *	27	27	27
05	27	27	27	27 *	8	9	27	26	8	8	27	27	27
06	27	27	27	9	27	8	26	27 *	8	8	27	27	27
07	27	27	27	27	27	9)	26	27	8	8	27	27	27)
08	27	27)	27)	27	27	9)	27 *	27	9	9	27	27	27)
09	27	27)	27)	27)	27	9	27)	27	9	9	27	27)	27)
10	27)	27)	27)	27)	26	8	27)	27	9	8	27	27	27)
11	28)	27	27)	27)	27	9	27	27	9	8	27	28	27)
12	28	28	27)	27	27	9	27	27	9	8	27	28	27)
13	28	27	27)	27	26	9	27	27	9	8)	27	27	27)
14	27	27	27)	27	27	9	27	27	8	8	27	28	27)
15	28	28	27)	27)	26	8	27	27	27	9	27	28	27)
16	28	27	27	27	27	8	27	27	27	8	28	28	27
17	28	28	27	27	26	8 *	27	27	27 *	8	27 *	28	27
18	28	28	27	27	27	8	27	26	27	8	27	27	27
19	28	28	27	27	27	8	27	27	27	8	27	28	27
20	28	28	27	27	27	8	27	27	27 *	8	27	28	27
21	28	28	27	27	8	8	27	27	7	9	27	27	27
22	28	27	27	27	8	8	27	27	8	8	8	28	27
23	28	28	28	8	7	8	28	27	7	7	8	28	28
ALL	27)	27)	27)	27)	27	8)	27)	27	8	8)	27	27)	27)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NIIJIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	9.2	9.1	8.8	8.3	6.9	7.3	6.6	6.0	7.0	8.5	8.5	9.2	8.0
01	9.6	9.5	8.9	8.3	7.1	7.5	6.8	6.4	7.2	8.4	8.5	9.5	8.1
02	9.6	9.4	8.9	8.0	7.4	7.7	7.0	6.4	7.3	8.8	8.5	9.5	8.2
03	9.5	9.4	9.0	8.3	7.3	7.3	7.2	6.5	7.2	8.7	8.5	9.6	8.2
04	9.4	9.3	9.0	8.5	7.2	7.2	7.1	6.7	7.4	8.4	8.4	9.7	8.2
05	9.3	9.1	8.7	8.5	7.0	7.2	6.7	6.5	7.2	8.5	8.5	9.6	8.1
06	8.7	8.8	8.6	8.5	6.7	7.0	6.6	6.3	6.9	8.0	8.0	9.2	7.8
07	8.3	8.5	8.5	8.5	6.4	6.7	6.3	6.1	6.3	7.5	7.6	8.8	7.5
08	7.9	8.4	8.0	8.0	6.0	6.4	5.9	5.8	5.9	6.8	7.0	8.5	7.1
09	7.9	8.3	7.6	7.2	5.4	5.9	5.7	5.1	5.4	6.6	7.0	8.4	6.7
10	8.1	8.1	7.5	6.9	4.8	5.4	5.2	4.5	5.2	6.5	7.1	8.7	6.5
11	8.3	8.1	7.7	7.2	4.7	5.2	5.1	4.4	5.1	6.6	7.1	9.1	6.6
12	8.1	8.1	7.6	6.9	4.9	5.3	5.1	4.4	5.0	6.5	7.4	8.8	6.5
13	8.3	7.9	8.1	6.6	4.7	5.4	5.0	4.4	4.8	6.5	7.2	8.8	6.5
14	8.6	7.9	7.6	6.5	4.8	5.2	4.8	4.3	4.7	6.3	7.3	8.7	6.4
15	8.9	7.9	7.8	6.7	4.9	5.0	5.0	4.3	4.7	6.2	7.6	8.7	6.5
16	8.9	7.8	8.1	6.8	4.9	5.1	4.9	4.2	4.7	6.2	7.3	8.4	6.4
17	9.0	7.7	8.1	6.7	4.6	5.2	4.8	4.2	4.5	6.1	7.6	8.5	6.4
18	8.6	7.8	8.0	6.4	4.5	5.0	5.0	3.9	4.7	6.4	7.5	8.5	6.3
19	8.5	8.0	8.1	6.3	4.7	5.0	4.9	4.2	4.6	6.7	7.3	8.3	6.4
20	8.6	8.0	8.2	6.2	4.5	5.2	4.8	4.1	4.9	6.7	7.5	8.3	6.4
21	8.5	8.0	7.9	6.4	5.0	5.8	5.2	4.3	5.1	6.8	7.6	8.4	6.6
22	8.7	8.1	8.2	7.0	5.9	6.3	5.8	5.3	5.7	6.9	7.6	8.4	7.0
23	9.0	8.6	8.7	7.7	6.5	6.7	6.3	5.8	6.6	7.8	8.0	8.7	7.5
MEAN	8.7	8.4	8.2	7.3	5.7	6.1	5.8	5.2	5.7	7.2	7.7	8.9	7.1

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NIIJIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	9.7	12.2	6.0	8.6	11.4	4.8	10.6	13.1	7.4	14.2	17.3	10.4
02	9.6	12.1	6.0	8.5	11.4	4.8	10.8	13.3	7.6	14.4	17.4	10.5
03	9.5	12.0	5.9	8.5	11.3	4.9	10.9	13.4	7.7	14.4	17.5	10.7
04	9.4	11.9	5.8	8.5	11.3	4.9	11.0	13.5	7.9	14.5	17.6	10.8
05	9.3	11.9	5.7	8.5	11.3	4.9	11.1	13.6	7.9	14.5	17.6	10.8
06	9.3	11.8	5.6	8.5	11.2	5.0	11.1	13.7	8.0	14.6	17.7	10.9
07	9.1	11.7	5.5	8.4	11.2	5.0	11.2	13.8	8.0	14.6	17.7	11.0
08	9.0	11.5	5.4	8.4	11.2	5.1	11.2	13.8	8.1	14.6	17.7	11.0
09	8.9	11.4	5.2	8.4	11.2	5.1	11.3	13.9	8.1	14.7	17.7	11.1
10	8.8	11.3	5.1	8.5	11.2	5.2	11.4	14.0	8.2	14.7	17.8	11.2
11	8.6	11.2	4.9	8.5	11.2	5.3	11.5	14.2	8.2	14.8	17.8	11.3
12	8.5	11.1	4.7	8.5	11.3	5.3	11.6	14.3	8.3	14.9	17.9	11.5
13	8.4	11.0	4.6	8.6	11.3	5.4	11.8	14.5	8.4	15.0	18.0	11.7
14	8.3	10.9	4.5	8.6	11.4	5.4	12.0	14.7	8.6	15.2	18.1	11.8
15	8.2	10.8	4.4	8.7	11.4	5.5	12.2	14.9	8.7	15.3	18.2	12.0
16	8.2	10.8	4.3	8.8	11.5	5.5	12.4	15.1	8.9	15.5	18.4	12.2
17	8.2	10.8	4.3	8.9	11.6	5.6	12.5	15.3	9.0	15.6	18.5	12.3
18	8.1	10.8	4.3	9.0	11.7	5.7	12.6	15.5	9.1	15.7	18.6	12.5
19	8.1	10.8	4.3	9.1	11.7	5.8	12.8	15.6	9.2	15.9	18.8	12.6
20	8.2	10.8	4.4	9.2	11.8	5.9	12.9	15.7	9.2	16.0	18.9	12.7
21	8.2	10.9	4.4	9.3	11.9	6.0	12.9	15.8	9.3	16.1	19.1	12.9
22	8.2	10.9	4.5	9.4	12.0	6.1	13.0	15.8	9.3	16.2	19.2	12.9
23	8.2	11.0	4.5	9.6	12.2	6.3	13.0	15.9	9.3	16.4	19.4	13.0
24	8.3	11.0	4.6	9.8	12.3	6.5	13.1	16.0	9.3	16.5	19.5	13.1
25	8.3	11.1	4.6	9.9	12.5	6.7	13.2	16.1	9.3	16.6	19.7	13.2
26	8.4	11.1	4.7	10.1	12.6	6.9	13.3	16.2	9.4	16.8	19.8	13.3
27	8.4	11.2	4.7	10.3	12.8	7.0	13.4	16.4	9.5	17.0	20.0	13.5
28	8.5	11.3	4.7	10.5	13.0	7.2	13.6	16.5	9.7	17.1	20.1	13.6
29	8.5	11.3	4.7	10.6	13.1	7.3	13.7	16.7	9.9	17.3	20.3	13.7
30	8.5	11.3	4.7				13.9	16.9	10.0	17.4	20.4	13.8
31	8.5	11.4	4.8				14.1	17.1	10.2			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NIIJIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	17.5	20.6	13.9	20.1	23.0	17.2	22.6	25.1	20.4	26.9	29.6	24.5
02	17.7	20.7	14.0	20.1	23.0	17.3	22.7	25.3	20.6	27.0	29.7	24.6
03	17.8	20.8	14.1	20.1	22.9	17.4	22.9	25.5	20.7	27.0	29.8	24.6
04	17.9	21.0	14.1	20.2	22.9	17.5	23.1	25.7	21.0	27.1	29.9	24.7
05	18.0	21.1	14.2	20.2	22.9	17.6	23.3	26.0	21.2	27.2	30.0	24.8
06	18.0	21.2	14.2	20.3	22.9	17.8	23.6	26.2	21.4	27.2	30.0	24.8
07	18.1	21.3	14.3	20.3	22.9	17.9	23.8	26.5	21.6	27.2	30.1	24.9
08	18.2	21.5	14.3	20.4	22.9	18.1	24.0	26.7	21.9	27.3	30.1	24.9
09	18.3	21.6	14.4	20.5	22.9	18.3	24.3	27.0	22.1	27.3	30.2	24.9
10	18.3	21.7	14.5	20.7	23.0	18.6	24.5	27.2	22.3	27.3	30.2	24.9
11	18.4	21.8	14.6	20.8	23.1	18.8	24.7	27.4	22.5	27.3	30.2	25.0
12	18.5	21.9	14.7	20.9	23.2	18.9	24.9	27.6	22.7	27.4	30.3	25.0
13	18.6	21.9	14.9	21.1	23.4	19.1	25.0	27.8	22.8	27.4	30.3	25.0
14	18.7	22.0	15.0	21.2	23.5	19.2	25.1	27.9	23.0	27.4	30.3	25.0
15	18.8	22.1	15.1	21.3	23.6	19.4	25.2	28.0	23.1	27.4	30.3	25.0
16	18.9	22.1	15.3	21.5	23.8	19.4	25.3	28.1	23.1	27.4	30.3	24.9
17	19.0	22.2	15.5	21.6	23.9	19.5	25.3	28.1	23.1	27.3	30.3	24.9
18	19.1	22.2	15.6	21.6	24.0	19.5	25.4	28.2	23.2	27.3	30.2	24.8
19	19.2	22.3	15.7	21.7	24.1	19.5	25.4	28.2	23.2	27.2	30.2	24.8
20	19.2	22.4	15.9	21.7	24.2	19.6	25.4	28.2	23.2	27.1	30.0	24.7
21	19.3	22.4	16.0	21.8	24.3	19.6	25.5	28.2	23.3	27.0	29.9	24.5
22	19.4	22.5	16.2	21.8	24.3	19.6	25.6	28.3	23.3	26.9	29.7	24.4
23	19.5	22.6	16.3	21.8	24.3	19.6	25.7	28.4	23.4	26.7	29.5	24.3
24	19.6	22.7	16.4	21.9	24.4	19.6	25.8	28.5	23.5	26.6	29.3	24.2
25	19.7	22.8	16.6	21.9	24.4	19.7	25.9	28.6	23.6	26.5	29.2	24.0
26	19.8	22.9	16.7	22.0	24.5	19.8	26.1	28.8	23.8	26.3	29.0	23.9
27	19.9	22.9	16.8	22.0	24.6	19.9	26.2	28.9	23.9	26.2	28.9	23.9
28	20.0	23.0	16.9	22.1	24.7	20.0	26.4	29.1	24.0	26.1	28.8	23.8
29	20.0	23.0	17.0	22.3	24.8	20.1	26.5	29.2	24.2	26.1	28.7	23.7
30	20.1	23.0	17.1	22.4	25.0	20.2	26.7	29.4	24.3	26.0	28.6	23.7
31	20.1	23.0	17.1				26.8	29.5	24.4	26.0	28.6	23.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NIIJIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 22.0'N, LONGITUDE: 139° 16.0'E, ELEVATION ABOVE MSL: 94 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	26.0	28.6	23.7	22.7	25.2	20.2	18.0	20.5	14.8	13.2	15.6	10.0
02	25.9	28.5	23.6	22.6	25.1	20.1	17.9	20.3	14.7	13.0	15.4	9.8
03	25.9	28.5	23.5	22.5	24.9	20.0	17.8	20.1	14.6	12.8	15.2	9.7
04	25.8	28.4	23.5	22.4	24.8	19.9	17.7	20.0	14.5	12.6	15.1	9.5
05	25.7	28.3	23.3	22.2	24.7	19.8	17.6	19.8	14.4	12.5	14.9	9.3
06	25.6	28.2	23.2	22.1	24.5	19.7	17.4	19.7	14.3	12.3	14.8	9.1
07	25.5	28.1	23.1	21.9	24.3	19.5	17.3	19.6	14.2	12.2	14.6	9.0
08	25.3	28.0	22.9	21.7	24.1	19.3	17.1	19.4	14.1	12.0	14.5	8.8
09	25.2	27.8	22.7	21.6	23.9	19.1	17.0	19.3	13.9	11.9	14.4	8.7
10	25.0	27.7	22.5	21.4	23.7	18.9	16.8	19.1	13.7	11.8	14.4	8.5
11	24.9	27.5	22.4	21.2	23.5	18.6	16.6	19.0	13.5	11.7	14.3	8.3
12	24.7	27.4	22.2	21.1	23.3	18.4	16.4	18.9	13.3	11.6	14.3	8.2
13	24.6	27.2	22.0	20.9	23.2	18.2	16.3	18.7	13.1	11.5	14.2	8.0
14	24.4	27.1	21.8	20.7	23.0	17.9	16.1	18.6	13.0	11.4	14.1	7.9
15	24.3	26.9	21.7	20.6	22.9	17.7	16.0	18.4	12.8	11.3	14.1	7.8
16	24.2	26.8	21.5	20.4	22.7	17.5	15.8	18.3	12.6	11.2	14.0	7.6
17	24.0	26.6	21.3	20.3	22.6	17.3	15.7	18.1	12.4	11.1	14.0	7.5
18	23.9	26.4	21.2	20.1	22.5	17.1	15.5	18.0	12.3	11.1	13.9	7.4
19	23.7	26.3	21.0	20.0	22.4	16.9	15.4	17.8	12.1	11.0	13.8	7.3
20	23.6	26.1	20.9	19.9	22.3	16.7	15.2	17.7	12.0	10.9	13.7	7.2
21	23.5	25.9	20.8	19.7	22.2	16.5	15.0	17.5	11.9	10.8	13.6	7.1
22	23.4	25.8	20.7	19.6	22.0	16.3	14.9	17.3	11.7	10.8	13.5	7.0
23	23.2	25.7	20.6	19.4	21.9	16.1	14.7	17.2	11.5	10.7	13.4	6.9
24	23.2	25.6	20.5	19.3	21.8	16.0	14.5	17.0	11.4	10.5	13.3	6.8
25	23.1	25.5	20.5	19.1	21.6	15.8	14.3	16.8	11.2	10.4	13.1	6.7
26	23.0	25.4	20.4	18.9	21.5	15.6	14.1	16.6	11.0	10.3	13.0	6.6
27	23.0	25.4	20.4	18.8	21.3	15.5	13.9	16.4	10.8	10.2	12.8	6.5
28	22.9	25.3	20.4	18.6	21.2	15.3	13.8	16.2	10.6	10.0	12.7	6.4
29	22.8	25.3	20.3	18.5	21.0	15.2	13.6	16.0	10.4	9.9	12.5	6.3
30	22.8	25.2	20.3	18.3	20.8	15.1	13.4	15.8	10.2	9.8	12.4	6.2
31				18.2	20.6	14.9				9.7	12.3	6.1