

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KOBE AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

NUMBER OF FORWARD SCATTER: RWY09

| FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME | | | | | | | | |
|---|-----------------|------|------|-------|-------|-----------------|-------|-------|
| TIME (UTC) | RVR(m) / Hs(ft) | | | | | VIS(m) / Hs(ft) | | |
| | <400 | <550 | <800 | <1000 | <1200 | <1500 | <3200 | <5000 |
| | <100 | <200 | <500 | <600 | <1000 | <600 | <1000 | <1500 |
| 00 | - | - | - | - | - | - | - | 1 |
| 01 | - | - | - | - | 1 | - | 1 | 1 |
| 02 | - | - | - | - | 1 | - | 1 | 2 |
| 03 | - | - | - | - | - | - | - | 1 |
| 04 | - | - | - | - | - | - | 1 | 2 |
| 05 | - | - | - | - | 1 | - | 1 | 2 |
| 06 | 0) | 0) | 0) | 0) | 1) | - | 1 | 1 |
| 07 | 0) | 0) | 0) | 0) | 1) | - | 1 | 1 |
| 08 | - | - | - | - | - | - | 1 | 3 |
| 09 | - | - | - | - | - | - | - | 1 |
| 10 | - | - | - | - | - | - | - | - |
| 11 | - | - | - | - | - | - | - | 1 |
| 12 | - | - | - | - | - | - | 1 | 1 |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | - | 1 | - | 1 | 1 |
| 23 | - | - | - | - | 1 | - | 1 | 1 |
| MEAN | 0) | 0) | 0) | 0) | 0) | - | 1 | 1 |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KOBE AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

NUMBER OF FORWARD SCATTER: RWY09

| FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME | | | | | | | | |
|---|-----------------|------|------|-------|-------|-----------------|-------|-------|
| TIME (UTC) | RVR(m) / Hs(ft) | | | | | VIS(m) / Hs(ft) | | |
| | <400 | <550 | <800 | <1000 | <1200 | <1500 | <3200 | <5000 |
| | <100 | <200 | <500 | <600 | <1000 | <600 | <1000 | <1500 |
| 00 | - | - | - | - | 1 | - | 1 | 4 |
| 01 | - | - | - | 1 | 2 | 1 | 2 | 6 |
| 02 | - | - | - | - | 3 | - | 3 | 6 |
| 03 | - | - | - | 1 | 4 | 1 | 4 | 6 |
| 04 | - | - | - | - | 1 | - | 1 | 4 |
| 05 | - | - | - | 1 | 1 | 1 | 1 | 4 |
| 06 | - | - | - | 1 | 1 | 1 | 1 | 2 |
| 07 | - | - | - | - | - | - | 1 | 2 |
| 08 | - | - | - | - | - | - | - | 3 |
| 09 | - | - | - | - | 1 | - | 1 | 3 |
| 10 | - | - | - | - | - | - | - | 1 |
| 11 | - | - | - | - | 1 | - | 1 | 1 |
| 12 | - | - | - | - | 1 | - | 1 | 4 |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | - | 1 | - | 2 | 4 |
| 23 | - | - | - | - | 2 | - | 2 | 4 |
| MEAN | - | - | - | 0 | 1 | 0 | 1 | 4 |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KOBE AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

NUMBER OF FORWARD SCATTER: RWY09

| FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME | | | | | | | | |
|---|-----------------|------|------|-------|-------|-----------------|-------|-------|
| TIME (UTC) | RVR(m) / Hs(ft) | | | | | VIS(m) / Hs(ft) | | |
| | <400 | <550 | <800 | <1000 | <1200 | <1500 | <3200 | <5000 |
| | <100 | <200 | <500 | <600 | <1000 | <600 | <1000 | <1500 |
| 00 | - | - | - | 1 | 1 | 1 | 2 | 5 |
| 01 | 0) | 0) | 0) | 1) | 2) | 1 | 2 | 4 |
| 02 | 0) | 0) | 1) | 1) | 2) | 1 | 3 | 5 |
| 03 | 0) | 0) | 1) | 2) | 3) | 1 | 3 | 4 |
| 04 | - | 1 | 1 | 1 | 1 | 1 | 3 | 5 |
| 05 | - | - | - | - | 1 | - | 1 | 5 |
| 06 | - | - | 1 | 1 | 3 | 1 | 3 | 3 |
| 07 | - | - | - | - | 3 | - | 3 | 6 |
| 08 | - | - | - | - | 1 | - | 2 | 4 |
| 09 | - | - | - | - | 1 | - | 2 | 4 |
| 10 | - | - | 1 | 1 | 1 | 1 | 1 | 3 |
| 11 | - | - | 1 | 1 | 2 | 1 | 2 | 3 |
| 12 | - | - | 1 | 1 | 2 | 1 | 3 | 3 |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | 1 | 1 | 1 | 1 | 3 |
| 23 | - | - | 1 | 1 | 1 | 1 | 3 | 5 |
| MEAN | 0) | 0) | 0) | 1) | 2) | 1 | 2 | 4 |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KOBE AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

NUMBER OF FORWARD SCATTER: RWY09

| FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME | | | | | | | | |
|---|-----------------|------|------|-------|-------|-----------------|-------|-------|
| TIME (UTC) | RVR(m) / Hs(ft) | | | | | VIS(m) / Hs(ft) | | |
| | <400 | <550 | <800 | <1000 | <1200 | <1500 | <3200 | <5000 |
| | <100 | <200 | <500 | <600 | <1000 | <600 | <1000 | <1500 |
| 00 | - | - | - | - | - | - | 1 | 2 |
| 01 | - | - | - | 1 | 1 | 1 | 1 | 2 |
| 02 | - | - | - | 1 | 1 | 1 | 1 | 3 |
| 03 | - | - | - | - | - | - | 1 | 3 |
| 04 | - | - | - | - | - | - | - | 3 |
| 05 | 0) | 0) | 0) | 0) | 1) | - | 2 | 3 |
| 06 | - | - | - | - | 1 | - | 2 | 3 |
| 07 | - | - | - | - | 3 | - | 3 | 3 |
| 08 | - | - | - | 1 | 2 | 1 | 2 | 4 |
| 09 | - | - | 1 | 1 | 2 | 1 | 2 | 3 |
| 10 | - | - | 1 | 1 | 2 | 1 | 2 | 2 |
| 11 | - | - | 1 | 1 | 3 | 1 | 3 | 4 |
| 12 | - | - | - | - | 1 | - | 1 | 1 |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | - | - | - | - | 3 |
| 23 | 0) | 0) | 0) | 0) | 0) | - | - | 1 |
| MEAN | 0) | 0) | 0) | 0) | 1) | 0 | 1 | 3 |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KOBE AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

NUMBER OF FORWARD SCATTER: RWY09

| FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME | | | | | | | | |
|---|-----------------|------|------|-------|-------|-----------------|-------|-------|
| TIME (UTC) | RVR(m) / Hs(ft) | | | | | VIS(m) / Hs(ft) | | |
| | <400 | <550 | <800 | <1000 | <1200 | <1500 | <3200 | <5000 |
| | <100 | <200 | <500 | <600 | <1000 | <600 | <1000 | <1500 |
| 00 | 0) | 0) | 0) | 0) | 2) | - | 3 | 3 |
| 01 | 0) | 0) | 0) | 0) | 1) | - | 1 | 3 |
| 02 | - | - | - | - | 1 | - | 1 | 4 |
| 03 | - | - | - | - | 1 | - | 1 | 2 |
| 04 | - | - | - | - | 1 | - | 1 | 3 |
| 05 | - | - | - | 1 | 1 | 1 | 1 | 3 |
| 06 | - | - | - | - | 1 | - | 1 | 5 |
| 07 | - | - | - | - | - | - | 1 | 3 |
| 08 | - | - | - | - | 1 | - | 1 | 5 |
| 09 | - | - | - | 1 | 1 | 1 | 2 | 3 |
| 10 | 0) | 0) | 0) | 0) | 1) | - | 1 | 3 |
| 11 | - | - | - | - | 1 | - | 1 | 3 |
| 12 | - | - | - | - | 1 | - | 1 | 2 |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | 0) | 0) | 0) | 0) | 2) | 1 | 3 | 4 |
| 23 | 1) | 1) | 1) | 1) | 2) | - | 1 | 3 |
| MEAN | 0) | 0) | 0) | 0) | 1) | 0 | 1 | 3 |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KOBE AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

NUMBER OF FORWARD SCATTER: RWY09

| FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME | | | | | | | | |
|---|-----------------|------|------|-------|-------|-----------------|-------|-------|
| TIME (UTC) | RVR(m) / Hs(ft) | | | | | VIS(m) / Hs(ft) | | |
| | <400 | <550 | <800 | <1000 | <1200 | <1500 | <3200 | <5000 |
| | <100 | <200 | <500 | <600 | <1000 | <600 | <1000 | <1500 |
| 00 | - | - | 1 | 1 | 2 | 1 | 1 | 3 |
| 01 | - | - | - | - | 1 | - | 1 | 3 |
| 02 | 0) | 0) | 1) | 1) | 1) | - | 1 | 3 |
| 03 | 0) | 0) | 0) | 1) | 1) | 1 | 1 | 3 |
| 04 | - | - | 1 | 1 | 1 | - | - | 3 |
| 05 | - | - | - | - | 1 | - | 1 | 2 |
| 06 | - | - | - | - | 1 | - | 1 | 4 |
| 07 | - | - | - | 1 | 1 | - | 1 | 3 |
| 08 | - | - | 1 | 1 | 1 | 1 | 1 | 1 |
| 09 | - | - | - | - | - | - | 1 | 3 |
| 10 | - | - | 1 | 1 | 1 | 1 | 1 | 5 |
| 11 | - | - | - | - | 1 | - | 1 | 2 |
| 12 | - | - | - | - | 1 | - | 2 | 5 |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | 1 | 2 | 1 | 2 | 5 |
| 23 | - | - | 1 | 1 | 1 | 1 | 1 | 3 |
| MEAN | 0) | 0) | 0) | 0) | 1) | 0 | 1 | 3 |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KOBE AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

NUMBER OF FORWARD SCATTER: RWY09

| FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME | | | | | | | | |
|---|-----------------|------|------|-------|-------|-----------------|-------|-------|
| TIME (UTC) | RVR(m) / Hs(ft) | | | | | VIS(m) / Hs(ft) | | |
| | <400 | <550 | <800 | <1000 | <1200 | <1500 | <3200 | <5000 |
| | <100 | <200 | <500 | <600 | <1000 | <600 | <1000 | <1500 |
| 00 | - | 1 | 1 | 3 | 4 | 1 | 4 | 9 |
| 01 | - | - | 1 | 1 | 4 | 1 | 4 | 7 |
| 02 | - | - | - | 1 | 1 | - | 1 | 6 |
| 03 | - | - | - | 1 | 1 | - | 2 | 3 |
| 04 | - | 1 | 1 | 1 | 3 | 1 | 3 | 4 |
| 05 | - | - | 1 | 1 | 2 | - | 3 | 3 |
| 06 | - | - | - | 1 | 1 | - | 1 | 2 |
| 07 | - | - | - | 1 | 2 | - | 1 | 3 |
| 08 | - | - | - | - | 1 | - | 1 | 2 |
| 09 | - | - | - | - | 1 | - | 1 | 1 |
| 10 | - | - | - | 1 | 1 | - | 1 | 2 |
| 11 | - | - | - | - | 1 | - | 1 | 1 |
| 12 | - | - | - | 1 | 1 | - | 1 | 1 |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | 1 | 1 | 2 | - | 2 | 5 |
| 23 | - | - | - | 1 | 3 | - | 3 | 6 |
| MEAN | - | 0 | 0 | 1 | 2 | 0 | 2 | 4 |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KOBE AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

NUMBER OF FORWARD SCATTER: RWY09

| FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME | | | | | | | | |
|---|-----------------|------|------|-------|-------|-----------------|-------|-------|
| TIME (UTC) | RVR(m) / Hs(ft) | | | | | VIS(m) / Hs(ft) | | |
| | <400 | <550 | <800 | <1000 | <1200 | <1500 | <3200 | <5000 |
| | <100 | <200 | <500 | <600 | <1000 | <600 | <1000 | <1500 |
| 00 | - | - | 1 | 1 | 1 | - | 1 | 1 |
| 01 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| 02 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 03 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 2 |
| 04 | - | - | - | 1 | 1 | - | - | 1 |
| 05 | - | - | 1 | 1 | 1 | - | - | 1 |
| 06 | - | - | - | - | 1 | - | - | 1 |
| 07 | - | - | - | - | - | - | - | - |
| 08 | - | - | - | - | - | - | - | - |
| 09 | - | - | - | - | - | - | - | 1 |
| 10 | - | - | - | - | - | - | 1 | 1 |
| 11 | - | - | - | - | 1 | - | 1 | 1 |
| 12 | - | - | - | - | - | - | - | - |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | 1 | 1 | 1 | 1 | 3 |
| 23 | - | - | - | 1 | 1 | - | - | 3 |
| MEAN | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KOBE AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

NUMBER OF FORWARD SCATTER: RWY09

| FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME | | | | | | | | |
|---|-----------------|------|------|-------|-------|-----------------|-------|-------|
| TIME (UTC) | RVR(m) / Hs(ft) | | | | | VIS(m) / Hs(ft) | | |
| | <400 | <550 | <800 | <1000 | <1200 | <1500 | <3200 | <5000 |
| | <100 | <200 | <500 | <600 | <1000 | <600 | <1000 | <1500 |
| 00 | - | - | - | - | - | - | - | 2 |
| 01 | - | 1 | 1 | 1 | 1 | - | 1 | 1 |
| 02 | 0) | 0) | 0) | 0) | 1) | - | 1 | 2 |
| 03 | - | - | - | - | - | - | - | 1 |
| 04 | - | - | - | 1 | 1 | - | - | 1 |
| 05 | - | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| 06 | - | - | - | - | - | - | - | 1 |
| 07 | - | 1 | 1 | 1 | 1 | - | 1 | 2 |
| 08 | - | - | - | - | 1 | - | 1 | 1 |
| 09 | - | - | - | - | - | - | - | 1 |
| 10 | - | - | - | - | - | - | - | 1 |
| 11 | - | - | - | - | 1 | - | - | - |
| 12 | - | - | - | - | 1 | - | 1 | 1 |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | 1 | 1 | - | - | 3 |
| 23 | - | - | 1 | 1 | 1 | - | 1 | 2 |
| MEAN | 0) | 0) | 0) | 0) | 0) | 0 | 0 | 1 |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KOBE AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

NUMBER OF FORWARD SCATTER: RWY09

| FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME | | | | | | | | |
|---|-----------------|------|------|-------|-------|-----------------|-------|-------|
| TIME (UTC) | RVR(m) / Hs(ft) | | | | | VIS(m) / Hs(ft) | | |
| | <400 | <550 | <800 | <1000 | <1200 | <1500 | <3200 | <5000 |
| | <100 | <200 | <500 | <600 | <1000 | <600 | <1000 | <1500 |
| 00 | - | - | - | - | - | - | - | 1 |
| 01 | - | - | - | - | 1 | - | - | 1 |
| 02 | - | - | - | - | - | - | - | - |
| 03 | - | - | - | - | - | - | - | - |
| 04 | - | - | - | - | - | - | - | 1 |
| 05 | - | - | - | - | 1 | - | 1 | 1 |
| 06 | - | - | - | - | - | - | 1 | 1 |
| 07 | - | - | - | - | - | - | 1 | 1 |
| 08 | - | - | - | - | 1 | - | 1 | 1 |
| 09 | - | - | - | - | 1 | - | 1 | 1 |
| 10 | - | - | - | - | - | - | - | - |
| 11 | - | - | - | - | - | - | - | 1 |
| 12 | - | - | - | - | 1 | - | 1 | 1 |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | - | - | - | - | 2 |
| 23 | - | - | - | - | - | - | 1 | 2 |
| MEAN | - | - | - | - | 0 | - | 0 | 1 |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KOBE AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

NUMBER OF FORWARD SCATTER: RWY09

| FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME | | | | | | | | |
|---|-----------------|------|------|-------|-------|-----------------|-------|-------|
| TIME (UTC) | RVR(m) / Hs(ft) | | | | | VIS(m) / Hs(ft) | | |
| | <400 | <550 | <800 | <1000 | <1200 | <1500 | <3200 | <5000 |
| | <100 | <200 | <500 | <600 | <1000 | <600 | <1000 | <1500 |
| 00 | - | - | - | - | 1 | - | 1 | 3 |
| 01 | - | - | - | - | - | - | - | 3 |
| 02 | 0) | 0) | 0) | 0) | 1) | - | 1 | 1 |
| 03 | 0) | 0) | 0) | 0) | 1) | - | 1 | 3 |
| 04 | - | - | - | - | 1 | - | 1 | 3 |
| 05 | - | - | - | - | 1 | - | - | 3 |
| 06 | - | - | - | - | - | - | - | 3 |
| 07 | - | - | - | - | 1 | - | 1 | 3 |
| 08 | - | - | - | - | 1 | - | 1 | 1 |
| 09 | - | - | - | - | 1 | - | 1 | 1 |
| 10 | - | - | - | - | 1 | - | 1 | 1 |
| 11 | - | - | - | - | - | - | - | 1 |
| 12 | - | - | - | - | 1 | - | 1 | 1 |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | - | 1 | - | 1 | 3 |
| 23 | - | - | - | - | 1 | - | 1 | 5 |
| MEAN | 0) | 0) | 0) | 0) | 1) | - | 1 | 2 |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KOBE AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

NUMBER OF FORWARD SCATTER: RWY09

| FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME | | | | | | | | |
|---|-----------------|------|------|-------|-------|-----------------|-------|-------|
| TIME (UTC) | RVR(m) / Hs(ft) | | | | | VIS(m) / Hs(ft) | | |
| | <400 | <550 | <800 | <1000 | <1200 | <1500 | <3200 | <5000 |
| | <100 | <200 | <500 | <600 | <1000 | <600 | <1000 | <1500 |
| 00 | - | - | - | - | 2 | - | 2 | 2 |
| 01 | - | - | - | - | - | - | - | - |
| 02 | 0) | 0) | 0) | 0) | 0) | - | - | - |
| 03 | 0) | 0) | 0) | 0) | 0) | - | - | 1 |
| 04 | - | - | - | - | - | - | - | 1 |
| 05 | - | - | - | - | - | - | - | 1 |
| 06 | - | - | - | - | - | - | - | - |
| 07 | - | - | - | - | - | - | - | - |
| 08 | - | - | - | - | - | - | - | 1 |
| 09 | - | - | - | - | - | - | - | 1 |
| 10 | - | - | - | - | - | - | - | 1 |
| 11 | - | - | - | - | - | - | - | 1 |
| 12 | - | - | - | - | - | - | - | 1 |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | - | - | - | 1 | 1 |
| 23 | - | - | - | 1 | 1 | 1 | 1 | 1 |
| MEAN | 0) | 0) | 0) | 0) | 0) | 0 | 0 | 1 |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KOBE AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

NUMBER OF FORWARD SCATTER: RWY09

| FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME | | | | | | | | |
|---|-----------------|------|------|-------|-------|-----------------|-------|-------|
| TIME (UTC) | RVR(m) / Hs(ft) | | | | | VIS(m) / Hs(ft) | | |
| | <400 | <550 | <800 | <1000 | <1200 | <1500 | <3200 | <5000 |
| | <100 | <200 | <500 | <600 | <1000 | <600 | <1000 | <1500 |
| 00 | 0) | 0) | 0) | 0) | 1) | 0 | 1 | 3 |
| 01 | 0) | 0) | 0) | 0) | 1) | 0 | 1 | 3 |
| 02 | 0) | 0) | 0) | 0) | 1) | 0 | 1 | 3 |
| 03 | 0) | 0) | 0) | 1) | 1) | 0 | 1 | 2 |
| 04 | - | 0 | 0 | 0 | 1 | 0 | 1 | 3 |
| 05 | 0) | 0) | 0) | 0) | 1) | 0 | 1 | 2 |
| 06 | 0) | 0) | 0) | 0) | 1) | 0 | 1 | 2 |
| 07 | 0) | 0) | 0) | 0) | 1) | - | 1 | 2 |
| 08 | - | - | 0 | 0 | 1 | 0 | 1 | 2 |
| 09 | - | - | 0 | 0 | 1 | 0 | 1 | 2 |
| 10 | 0) | 0) | 0) | 0) | 0) | 0 | 1 | 2 |
| 11 | - | - | 0 | 0 | 1 | 0 | 1 | 1 |
| 12 | - | - | 0 | 0 | 1 | 0 | 1 | 2 |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | 0) | 0) | 0) | 0) | 1) | 0 | 1 | 3 |
| 23 | 0) | 0) | 0) | 0) | 1) | 0 | 1 | 3 |
| MEAN | 0) | 0) | 0) | 0) | 1) | 0 | 1 | 2 |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KOBE AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES | | | | | | | | |
|---|----------------|-------|-------|-------|-------|-------|---|---|
| TIME (UTC) | VISIBILITY (m) | | | | | | | |
| | <400 | <1500 | <1600 | <2400 | <3200 | <5000 | - | - |
| 00 | - | - | - | - | - | 1 | | |
| 01 | - | - | - | - | - | - | | |
| 02 | - | - | - | - | 1 | 1 | | |
| 03 | - | - | - | - | - | - | | |
| 04 | - | - | - | - | 1 | 1 | | |
| 05 | - | - | - | - | 1 | 1 | | |
| 06 | - | - | - | - | - | 1 | | |
| 07 | - | - | - | - | - | 1 | | |
| 08 | - | - | - | - | 1 | 3 | | |
| 09 | - | - | - | - | - | 1 | | |
| 10 | - | - | - | - | - | - | | |
| 11 | - | - | - | - | - | 1 | | |
| 12 | - | - | - | - | 1 | 1 | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | - | - | - | | |
| 23 | - | - | - | - | - | - | | |
| MEAN | - | - | - | - | 0 | 1 | | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KOBE AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES | | | | | | | | |
|---|----------------|-------|-------|-------|-------|-------|---|---|
| TIME (UTC) | VISIBILITY (m) | | | | | | | |
| | <400 | <1500 | <1600 | <2400 | <3200 | <5000 | - | - |
| 00 | - | - | - | 1 | 1 | 4 | | |
| 01 | - | - | - | - | 1 | 4 | | |
| 02 | - | - | - | - | 1 | 4 | | |
| 03 | - | - | - | - | - | 5 | | |
| 04 | - | - | - | - | - | 1 | | |
| 05 | - | - | - | 1 | 1 | 2 | | |
| 06 | - | - | - | - | - | 1 | | |
| 07 | - | - | - | 1 | 1 | 2 | | |
| 08 | - | - | - | - | - | 2 | | |
| 09 | - | - | - | - | 1 | 2 | | |
| 10 | - | - | - | - | - | 1 | | |
| 11 | - | - | - | - | - | - | | |
| 12 | - | - | - | - | - | 1 | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | 1 | 1 | 3 | | |
| 23 | - | - | - | - | 1 | 4 | | |
| MEAN | - | - | - | 0 | 0 | 2 | | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KOBE AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES | | | | | | | | |
|---|----------------|-------|-------|-------|-------|-------|---|---|
| TIME (UTC) | VISIBILITY (m) | | | | | | | |
| | <400 | <1500 | <1600 | <2400 | <3200 | <5000 | - | - |
| 00 | - | - | - | 1 | 2 | 4 | | |
| 01 | - | 1 | 1 | 1 | 1 | 3 | | |
| 02 | - | 1 | 1 | 1 | 2 | 5 | | |
| 03 | - | - | 1 | 1 | 3 | 4 | | |
| 04 | - | 1 | 1 | 1 | 3 | 5 | | |
| 05 | - | - | - | 1 | 1 | 3 | | |
| 06 | - | - | - | - | 2 | 2 | | |
| 07 | - | - | - | - | 1 | 3 | | |
| 08 | - | - | - | 1 | 1 | 3 | | |
| 09 | - | - | - | 1 | 1 | 3 | | |
| 10 | - | - | - | - | 1 | 2 | | |
| 11 | - | 1 | 1 | 1 | 1 | 2 | | |
| 12 | - | - | - | 1 | 1 | 2 | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | 1 | 1 | 1 | 3 | | |
| 23 | - | - | - | 1 | 2 | 3 | | |
| MEAN | - | 0 | 0 | 1 | 1 | 3 | | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KOBE AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES | | | | | | | | |
|---|----------------|-------|-------|-------|-------|-------|---|---|
| TIME (UTC) | VISIBILITY (m) | | | | | | | |
| | <400 | <1500 | <1600 | <2400 | <3200 | <5000 | - | - |
| 00 | - | - | - | - | 1 | 1 | | |
| 01 | - | - | - | 1 | 1 | 2 | | |
| 02 | - | - | - | 1 | 1 | 3 | | |
| 03 | - | - | - | - | 1 | 2 | | |
| 04 | - | - | - | - | - | 3 | | |
| 05 | - | - | - | - | 2 | 3 | | |
| 06 | - | - | 1 | 1 | 2 | 3 | | |
| 07 | - | - | - | - | 1 | 3 | | |
| 08 | - | - | - | 1 | 1 | 3 | | |
| 09 | - | 1 | 1 | 1 | 1 | 3 | | |
| 10 | - | - | - | - | - | 1 | | |
| 11 | - | - | - | 1 | 1 | 1 | | |
| 12 | - | - | - | - | - | 1 | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | - | - | 3 | | |
| 23 | - | - | - | - | - | 1 | | |
| MEAN | - | 0 | 0 | 0 | 1 | 2 | | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KOBE AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES | | | | | | | | |
|---|----------------|-------|-------|-------|-------|-------|---|---|
| TIME (UTC) | VISIBILITY (m) | | | | | | | |
| | <400 | <1500 | <1600 | <2400 | <3200 | <5000 | - | - |
| 00 | - | - | - | - | 1 | 1 | | |
| 01 | - | - | - | - | - | 2 | | |
| 02 | - | - | - | - | - | 3 | | |
| 03 | - | - | - | - | 1 | 2 | | |
| 04 | - | - | - | 1 | 1 | 3 | | |
| 05 | - | - | - | 1 | 1 | 3 | | |
| 06 | - | - | - | - | - | 4 | | |
| 07 | - | - | - | - | 1 | 3 | | |
| 08 | - | - | - | - | 1 | 3 | | |
| 09 | - | - | - | 1 | 1 | 2 | | |
| 10 | - | - | - | - | 1 | 2 | | |
| 11 | - | - | - | - | 1 | 1 | | |
| 12 | - | - | - | 1 | 1 | 1 | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | 1 | 1 | 1 | 1 | 3 | | |
| 23 | - | - | - | - | - | 2 | | |
| MEAN | - | 0 | 0 | 0 | 1 | 2 | | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KOBE AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES | | | | | | | | |
|---|----------------|-------|-------|-------|-------|-------|---|---|
| TIME (UTC) | VISIBILITY (m) | | | | | | | |
| | <400 | <1500 | <1600 | <2400 | <3200 | <5000 | - | - |
| 00 | - | - | - | - | - | 1 | | |
| 01 | - | - | - | - | - | 2 | | |
| 02 | - | - | - | - | 1 | 2 | | |
| 03 | - | - | - | - | - | 2 | | |
| 04 | - | - | - | - | - | 2 | | |
| 05 | - | - | - | - | 1 | 2 | | |
| 06 | - | - | - | - | 1 | 3 | | |
| 07 | - | - | - | - | 1 | 3 | | |
| 08 | - | - | - | 1 | 1 | 1 | | |
| 09 | - | - | - | - | 1 | 2 | | |
| 10 | - | - | - | - | - | 5 | | |
| 11 | - | - | - | 1 | 1 | 1 | | |
| 12 | - | - | - | - | 1 | 2 | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | - | 1 | 2 | | |
| 23 | - | - | - | - | - | 1 | | |
| MEAN | - | - | - | 0 | 1 | 2 | | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KOBE AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES | | | | | | | | |
|---|----------------|-------|-------|-------|-------|-------|---|---|
| TIME (UTC) | VISIBILITY (m) | | | | | | | |
| | <400 | <1500 | <1600 | <2400 | <3200 | <5000 | - | - |
| 00 | - | - | - | - | 3 | 5 | | |
| 01 | - | - | - | 1 | 3 | 4 | | |
| 02 | - | - | - | - | 1 | 3 | | |
| 03 | - | - | - | - | 1 | 3 | | |
| 04 | - | - | - | 1 | 1 | 3 | | |
| 05 | - | - | - | - | 1 | 2 | | |
| 06 | - | - | - | - | 1 | 1 | | |
| 07 | - | - | - | - | 1 | 1 | | |
| 08 | - | - | - | - | 1 | 2 | | |
| 09 | - | - | - | - | 1 | 1 | | |
| 10 | - | - | - | - | 1 | 1 | | |
| 11 | - | - | - | - | 1 | 1 | | |
| 12 | - | - | - | - | 1 | 1 | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | 1 | 2 | 3 | | |
| 23 | - | - | - | 1 | 1 | 3 | | |
| MEAN | - | - | - | 0 | 1 | 2 | | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KOBE AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES | | | | | | | | |
|---|----------------|-------|-------|-------|-------|-------|---|---|
| TIME (UTC) | VISIBILITY (m) | | | | | | | |
| | <400 | <1500 | <1600 | <2400 | <3200 | <5000 | - | - |
| 00 | - | - | - | 1 | 1 | 1 | | |
| 01 | - | 1 | 1 | 1 | 1 | 1 | | |
| 02 | - | 1 | 1 | 1 | 1 | 1 | | |
| 03 | - | 1 | 1 | 1 | 1 | 2 | | |
| 04 | - | - | - | - | - | 1 | | |
| 05 | - | - | - | - | - | - | | |
| 06 | - | - | - | - | - | 1 | | |
| 07 | - | - | - | - | - | - | | |
| 08 | - | - | - | - | - | - | | |
| 09 | - | - | - | - | - | 1 | | |
| 10 | - | - | - | - | 1 | 1 | | |
| 11 | - | - | - | - | - | - | | |
| 12 | - | - | - | - | - | - | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | - | - | 2 | | |
| 23 | - | - | - | - | - | 2 | | |
| MEAN | - | 0 | 0 | 0 | 0 | 1 | | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KOBE AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES | | | | | | | | |
|---|----------------|-------|-------|-------|-------|-------|---|---|
| TIME (UTC) | VISIBILITY (m) | | | | | | | |
| | <400 | <1500 | <1600 | <2400 | <3200 | <5000 | - | - |
| 00 | - | - | - | - | - | 1 | | |
| 01 | - | - | - | 1 | 1 | 1 | | |
| 02 | - | - | - | - | - | 1 | | |
| 03 | - | - | - | - | - | 1 | | |
| 04 | - | - | - | - | - | 1 | | |
| 05 | - | 1 | 1 | 1 | 1 | 2 | | |
| 06 | - | - | - | - | - | 1 | | |
| 07 | - | - | - | - | - | 2 | | |
| 08 | - | - | - | 1 | 1 | 1 | | |
| 09 | - | - | - | - | - | 1 | | |
| 10 | - | - | - | - | - | 1 | | |
| 11 | - | - | - | - | - | - | | |
| 12 | - | - | - | - | - | - | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | - | - | 1 | | |
| 23 | - | - | - | - | 1 | 1 | | |
| MEAN | - | 0 | 0 | 0 | 0 | 1 | | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KOBE AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES | | | | | | | | |
|---|----------------|-------|-------|-------|-------|-------|---|---|
| TIME (UTC) | VISIBILITY (m) | | | | | | | |
| | <400 | <1500 | <1600 | <2400 | <3200 | <5000 | - | - |
| 00 | - | - | - | - | - | - | | |
| 01 | - | - | - | - | - | 1 | | |
| 02 | - | - | - | - | - | - | | |
| 03 | - | - | - | - | - | - | | |
| 04 | - | - | - | - | - | 1 | | |
| 05 | - | - | - | - | 1 | 1 | | |
| 06 | - | - | - | - | 1 | 1 | | |
| 07 | - | - | - | - | 1 | 1 | | |
| 08 | - | - | 1 | 1 | 1 | 1 | | |
| 09 | - | - | - | - | 1 | 1 | | |
| 10 | - | - | - | - | - | - | | |
| 11 | - | - | - | - | - | 1 | | |
| 12 | - | - | - | - | - | - | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | - | - | 1 | | |
| 23 | - | - | - | - | 1 | 1 | | |
| MEAN | - | - | 0 | 0 | 0 | 1 | | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KOBE AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES | | | | | | | | |
|---|----------------|-------|-------|-------|-------|-------|---|---|
| TIME (UTC) | VISIBILITY (m) | | | | | | | |
| | <400 | <1500 | <1600 | <2400 | <3200 | <5000 | - | - |
| 00 | - | - | - | - | - | 1 | | |
| 01 | - | - | - | - | - | 2 | | |
| 02 | - | - | - | - | - | 1 | | |
| 03 | - | - | - | - | - | 1 | | |
| 04 | - | - | - | - | - | 1 | | |
| 05 | - | - | - | - | - | 2 | | |
| 06 | - | - | - | - | - | 3 | | |
| 07 | - | - | - | - | 1 | 1 | | |
| 08 | - | - | - | - | 1 | 1 | | |
| 09 | - | - | - | - | - | 1 | | |
| 10 | - | - | - | - | - | - | | |
| 11 | - | - | - | - | - | 1 | | |
| 12 | - | - | - | - | - | - | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | - | 1 | 2 | | |
| 23 | - | - | - | - | - | 2 | | |
| MEAN | - | - | - | - | 0 | 1 | | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KOBE AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES | | | | | | | | |
|---|----------------|-------|-------|-------|-------|-------|---|---|
| TIME (UTC) | VISIBILITY (m) | | | | | | | |
| | <400 | <1500 | <1600 | <2400 | <3200 | <5000 | - | - |
| 00 | - | - | - | - | 1 | 1 | | |
| 01 | - | - | - | - | - | - | | |
| 02 | - | - | - | - | - | - | | |
| 03 | - | - | - | - | - | - | | |
| 04 | - | - | - | - | - | 1 | | |
| 05 | - | - | - | - | - | 1 | | |
| 06 | - | - | - | - | - | - | | |
| 07 | - | - | - | - | - | - | | |
| 08 | - | - | - | - | - | 1 | | |
| 09 | - | - | - | - | - | 1 | | |
| 10 | - | - | - | - | - | 1 | | |
| 11 | - | - | - | - | - | 1 | | |
| 12 | - | - | - | - | - | 1 | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | - | - | - | 1 | 1 | | |
| 23 | - | - | - | - | - | - | | |
| MEAN | - | - | - | - | 0 | 0 | | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KOBE AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES | | | | | | | | |
|---|----------------|-------|-------|-------|-------|-------|---|---|
| TIME (UTC) | VISIBILITY (m) | | | | | | | |
| | <400 | <1500 | <1600 | <2400 | <3200 | <5000 | - | - |
| 00 | - | - | - | 0 | 1 | 2 | | |
| 01 | - | 0 | 0 | 0 | 1 | 2 | | |
| 02 | - | 0 | 0 | 0 | 1 | 2 | | |
| 03 | - | 0 | 0 | 0 | 0 | 2 | | |
| 04 | - | 0 | 0 | 0 | 0 | 2 | | |
| 05 | - | 0 | 0 | 0 | 1 | 2 | | |
| 06 | - | - | 0 | 0 | 1 | 2 | | |
| 07 | - | - | - | 0 | 1 | 2 | | |
| 08 | - | - | 0 | 0 | 1 | 2 | | |
| 09 | - | 0 | 0 | 0 | 1 | 1 | | |
| 10 | - | - | - | - | 0 | 1 | | |
| 11 | - | 0 | 0 | 0 | 0 | 1 | | |
| 12 | - | - | - | 0 | 0 | 1 | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | - | 0 | 0 | 0 | 1 | 2 | | |
| 23 | - | - | - | 0 | 0 | 2 | | |
| MEAN | - | 0 | 0 | 0 | 1 | 2 | | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KOBE AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

| TIME (UTC) | Hs (ft) | | | | | | |
|---------------|---------|------|------|------|-------|-------|---|
| | <100 | <200 | <500 | <600 | <1000 | <1500 | - |
| 00 | - | - | - | - | - | - | |
| 01 | - | - | - | - | 1 | 1 | |
| 02 | - | - | - | - | 1 | 1 | |
| 03 | - | - | - | - | - | 1 | |
| 04 | - | - | - | - | - | 1 | |
| 05 | - | - | - | - | 1 | 2 | |
| 06 | - | - | - | - | 1 | 1 | |
| 07 | - | - | - | - | 1 | 1 | |
| 08 | - | - | - | - | - | - | |
| 09 | - | - | - | - | - | - | |
| 10 | - | - | - | - | - | - | |
| 11 | - | - | - | - | - | - | |
| 12 | - | - | - | - | - | - | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | - | - | - | - | 1 | 1 | |
| 23 | - | - | - | - | 1 | 1 | |
| MEAN | - | - | - | - | 0 | 1 | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KOBE AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

| TIME (UTC) | Hs (ft) | | | | | | |
|---------------|---------|------|------|------|-------|-------|---|
| | <100 | <200 | <500 | <600 | <1000 | <1500 | - |
| 00 | - | - | - | - | 1 | 2 | |
| 01 | - | - | - | 1 | 2 | 4 | |
| 02 | - | - | - | - | 3 | 4 | |
| 03 | - | - | - | 1 | 4 | 5 | |
| 04 | - | - | - | - | 1 | 2 | |
| 05 | - | - | - | 1 | 1 | 2 | |
| 06 | - | - | - | 1 | 1 | 1 | |
| 07 | - | - | - | - | - | - | |
| 08 | - | - | - | - | - | 1 | |
| 09 | - | - | - | - | 1 | 1 | |
| 10 | - | - | - | - | - | - | |
| 11 | - | - | - | - | 1 | 1 | |
| 12 | - | - | - | - | 1 | 2 | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | - | - | - | - | 1 | 3 | |
| 23 | - | - | - | - | 2 | 2 | |
| MEAN | - | - | - | 0 | 1 | 2 | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KOBE AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

| TIME (UTC) | Hs (ft) | | | | | | |
|---------------|---------|------|------|------|-------|-------|---|
| | <100 | <200 | <500 | <600 | <1000 | <1500 | - |
| 00 | - | - | - | 1 | 1 | 1 | |
| 01 | - | - | - | 1 | 2 | 2 | |
| 02 | - | - | 1 | 1 | 2 | 2 | |
| 03 | - | - | 1 | 1 | 2 | 2 | |
| 04 | - | - | - | - | 1 | 2 | |
| 05 | - | - | - | - | 1 | 3 | |
| 06 | - | - | 1 | 1 | 2 | 3 | |
| 07 | - | - | - | - | 3 | 3 | |
| 08 | - | - | - | - | 1 | 2 | |
| 09 | - | - | - | - | 1 | 2 | |
| 10 | - | - | 1 | 1 | 1 | 1 | |
| 11 | - | - | 1 | 1 | 2 | 2 | |
| 12 | - | - | 1 | 1 | 2 | 3 | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | - | - | - | 1 | 1 | 1 | |
| 23 | - | - | 1 | 1 | 1 | 2 | |
| MEAN | - | - | 0 | 1 | 1 | 2 | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KOBE AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

| TIME (UTC) | Hs (ft) | | | | | | |
|---------------|---------|------|------|------|-------|-------|---|
| | <100 | <200 | <500 | <600 | <1000 | <1500 | - |
| 00 | - | - | - | - | - | 1 | |
| 01 | - | - | - | 1 | 1 | 1 | |
| 02 | - | - | - | 1 | 1 | 1 | |
| 03 | - | - | - | - | - | 1 | |
| 04 | - | - | - | - | - | - | |
| 05 | - | - | - | - | - | 1 | |
| 06 | - | - | - | - | - | 1 | |
| 07 | - | - | - | - | 2 | 2 | |
| 08 | - | - | - | 1 | 2 | 3 | |
| 09 | - | - | 1 | 1 | 1 | 1 | |
| 10 | - | - | 1 | 1 | 2 | 2 | |
| 11 | - | - | 1 | 1 | 2 | 3 | |
| 12 | - | - | - | - | 1 | 1 | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | - | - | - | - | - | - | |
| 23 | - | - | - | - | - | - | |
| MEAN | - | - | 0 | 0 | 1 | 1 | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KOBE AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

| TIME (UTC) | Hs (ft) | | | | | | |
|---------------|---------|------|------|------|-------|-------|---|
| | <100 | <200 | <500 | <600 | <1000 | <1500 | - |
| 00 | - | - | - | - | 1 | 1 | |
| 01 | - | - | - | - | 1 | 1 | |
| 02 | - | - | - | - | 1 | 1 | |
| 03 | - | - | - | - | 1 | 1 | |
| 04 | - | - | - | - | 1 | 1 | |
| 05 | - | - | - | 1 | 1 | 1 | |
| 06 | - | - | - | - | 1 | 1 | |
| 07 | - | - | - | - | - | 1 | |
| 08 | - | - | - | - | 1 | 3 | |
| 09 | - | - | - | 1 | 1 | 2 | |
| 10 | - | - | - | - | 1 | 2 | |
| 11 | - | - | - | - | 1 | 2 | |
| 12 | - | - | - | - | 1 | 1 | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | - | - | - | - | 1 | 1 | |
| 23 | - | - | - | - | 1 | 1 | |
| MEAN | - | - | - | 0 | 1 | 1 | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KOBE AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | |
|---|---------|------|------|------|-------|-------|---|
| TIME (UTC) | Hs (ft) | | | | | | |
| | <100 | <200 | <500 | <600 | <1000 | <1500 | - |
| 00 | - | - | 1 | 1 | 1 | 3 | |
| 01 | - | - | - | - | 1 | 2 | |
| 02 | - | - | - | - | 1 | 1 | |
| 03 | - | - | - | 1 | 1 | 1 | |
| 04 | - | - | - | - | - | 1 | |
| 05 | - | - | - | - | - | - | |
| 06 | - | - | - | - | - | 1 | |
| 07 | - | - | - | - | 1 | 1 | |
| 08 | - | - | 1 | 1 | 1 | 1 | |
| 09 | - | - | - | - | - | 1 | |
| 10 | - | - | 1 | 1 | 1 | 1 | |
| 11 | - | - | - | - | - | 1 | |
| 12 | - | - | - | - | 1 | 3 | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | - | - | - | 1 | 2 | 4 | |
| 23 | - | - | 1 | 1 | 1 | 2 | |
| MEAN | - | - | 0 | 0 | 1 | 1 | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KOBE AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

| TIME (UTC) | Hs (ft) | | | | | | |
|---------------|---------|------|------|------|-------|-------|---|
| | <100 | <200 | <500 | <600 | <1000 | <1500 | - |
| 00 | - | - | - | 1 | 2 | 6 | |
| 01 | - | - | - | 1 | 3 | 5 | |
| 02 | - | - | - | - | 1 | 5 | |
| 03 | - | - | - | - | 1 | 3 | |
| 04 | - | - | 1 | 1 | 3 | 3 | |
| 05 | - | - | - | - | 1 | 2 | |
| 06 | - | - | - | - | 1 | 1 | |
| 07 | - | - | - | - | 1 | 2 | |
| 08 | - | - | - | - | - | - | |
| 09 | - | - | - | - | - | 1 | |
| 10 | - | - | - | - | - | 1 | |
| 11 | - | - | - | - | - | 1 | |
| 12 | - | - | - | - | 1 | 1 | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | - | - | - | - | 1 | 4 | |
| 23 | - | - | - | - | 2 | 5 | |
| MEAN | - | - | 0 | 0 | 1 | 3 | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KOBE AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

| TIME (UTC) | Hs (ft) | | | | | | |
|---------------|---------|------|------|------|-------|-------|---|
| | <100 | <200 | <500 | <600 | <1000 | <1500 | - |
| 00 | - | - | - | - | - | 1 | |
| 01 | - | - | - | - | - | 1 | |
| 02 | - | - | - | 1 | 1 | 1 | |
| 03 | - | - | 1 | 1 | 1 | 1 | |
| 04 | - | - | - | - | - | 1 | |
| 05 | - | - | - | - | - | 1 | |
| 06 | - | - | - | - | - | - | |
| 07 | - | - | - | - | - | - | |
| 08 | - | - | - | - | - | - | |
| 09 | - | - | - | - | - | - | |
| 10 | - | - | - | - | - | 1 | |
| 11 | - | - | - | - | 1 | 1 | |
| 12 | - | - | - | - | - | - | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | - | - | - | 1 | 1 | 1 | |
| 23 | - | - | - | - | - | 1 | |
| MEAN | - | - | 0 | 0 | 0 | 1 | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KOBE AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

| TIME (UTC) | Hs (ft) | | | | | | |
|---------------|---------|------|------|------|-------|-------|---|
| | <100 | <200 | <500 | <600 | <1000 | <1500 | - |
| 00 | - | - | - | - | - | 1 | |
| 01 | - | - | - | - | - | 1 | |
| 02 | - | - | - | - | 1 | 1 | |
| 03 | - | - | - | - | - | - | |
| 04 | - | - | - | - | - | - | |
| 05 | - | - | - | - | - | - | |
| 06 | - | - | - | - | - | - | |
| 07 | - | - | - | - | 1 | 1 | |
| 08 | - | - | - | - | - | 1 | |
| 09 | - | - | - | - | - | 1 | |
| 10 | - | - | - | - | - | - | |
| 11 | - | - | - | - | - | - | |
| 12 | - | - | - | - | 1 | 1 | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | - | - | - | - | - | 1 | |
| 23 | - | - | - | - | - | 1 | |
| MEAN | - | - | - | - | 0 | 0 | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KOBE AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | |
|---|---------|------|------|------|-------|-------|---|
| TIME (UTC) | Hs (ft) | | | | | | |
| | <100 | <200 | <500 | <600 | <1000 | <1500 | - |
| 00 | - | - | - | - | - | 1 | |
| 01 | - | - | - | - | - | - | |
| 02 | - | - | - | - | - | - | |
| 03 | - | - | - | - | - | - | |
| 04 | - | - | - | - | - | - | |
| 05 | - | - | - | - | - | - | |
| 06 | - | - | - | - | - | - | |
| 07 | - | - | - | - | - | - | |
| 08 | - | - | - | - | 1 | 1 | |
| 09 | - | - | - | - | - | - | |
| 10 | - | - | - | - | - | - | |
| 11 | - | - | - | - | - | - | |
| 12 | - | - | - | - | 1 | 1 | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | - | - | - | - | - | 1 | |
| 23 | - | - | - | - | - | 1 | |
| MEAN | - | - | - | - | 0 | 0 | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KOBE AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

| TIME (UTC) | Hs (ft) | | | | | | |
|---------------|---------|------|------|------|-------|-------|---|
| | <100 | <200 | <500 | <600 | <1000 | <1500 | - |
| 00 | - | - | - | - | 1 | 2 | |
| 01 | - | - | - | - | - | 2 | |
| 02 | - | - | - | - | 1 | 1 | |
| 03 | - | - | - | - | 1 | 1 | |
| 04 | - | - | - | - | 1 | 2 | |
| 05 | - | - | - | - | - | 2 | |
| 06 | - | - | - | - | - | 1 | |
| 07 | - | - | - | - | 1 | 2 | |
| 08 | - | - | - | - | 1 | 1 | |
| 09 | - | - | - | - | 1 | 1 | |
| 10 | - | - | - | - | 1 | 1 | |
| 11 | - | - | - | - | - | 1 | |
| 12 | - | - | - | - | 1 | 1 | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | - | - | - | - | 1 | 2 | |
| 23 | - | - | - | - | 1 | 3 | |
| MEAN | - | - | - | - | 1 | 1 | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KOBE AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

| TIME (UTC) | Hs (ft) | | | | | | |
|---------------|---------|------|------|------|-------|-------|---|
| | <100 | <200 | <500 | <600 | <1000 | <1500 | - |
| 00 | - | - | - | - | 2 | 2 | |
| 01 | - | - | - | - | - | - | |
| 02 | - | - | - | - | - | - | |
| 03 | - | - | - | - | - | 1 | |
| 04 | - | - | - | - | - | 1 | |
| 05 | - | - | - | - | - | 1 | |
| 06 | - | - | - | - | - | - | |
| 07 | - | - | - | - | - | - | |
| 08 | - | - | - | - | - | - | |
| 09 | - | - | - | - | - | - | |
| 10 | - | - | - | - | - | - | |
| 11 | - | - | - | - | - | - | |
| 12 | - | - | - | - | - | - | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | - | - | - | - | - | - | |
| 23 | - | - | - | 1 | 1 | 1 | |
| MEAN | - | - | - | 0 | 0 | 0 | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KOBE AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18ft

| FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES | | | | | | | |
|---|---------|------|------|------|-------|-------|---|
| TIME (UTC) | Hs (ft) | | | | | | |
| | <100 | <200 | <500 | <600 | <1000 | <1500 | - |
| 00 | - | - | 0 | 0 | 1 | 2 | |
| 01 | - | - | - | 0 | 1 | 2 | |
| 02 | - | - | 0 | 0 | 1 | 2 | |
| 03 | - | - | 0 | 0 | 1 | 1 | |
| 04 | - | - | 0 | 0 | 0 | 1 | |
| 05 | - | - | - | 0 | 0 | 1 | |
| 06 | - | - | 0 | 0 | 0 | 1 | |
| 07 | - | - | - | - | 1 | 1 | |
| 08 | - | - | 0 | 0 | 0 | 1 | |
| 09 | - | - | 0 | 0 | 0 | 1 | |
| 10 | - | - | 0 | 0 | 0 | 1 | |
| 11 | - | - | 0 | 0 | 0 | 1 | |
| 12 | - | - | 0 | 0 | 1 | 1 | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | - | - | - | 0 | 1 | 2 | |
| 23 | - | - | 0 | 0 | 1 | 2 | |
| MEAN | - | - | 0 | 0 | 1 | 1 | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KOBE AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES | | | | | | | | | | | | |
|---|-----------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| WIND DIRECTION | WIND SPEED (kt) | | | | | | | | | | | |
| | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | 41-45 | 46-50 | >50 | TOTAL |
| CALM | | | | | | | | | | | | 0) |
| VARIABLE | 3) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 3) |
| [35-36-01] | 2) | 3) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 7) |
| [02-03-04] | 3) | 3) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 6) |
| [05-06-07] | 4) | 8) | 4) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 17) |
| [08-09-10] | 1) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 2) |
| [11-12-13] | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 1) |
| [14-15-16] | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 1) |
| [17-18-19] | 1) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 1) |
| [20-21-22] | 1) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 3) |
| [23-24-25] | 1) | 2) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 5) |
| [26-27-28] | 2) | 6) | 5) | 3) | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 18) |
| [29-30-31] | 3) | 11) | 8) | 3) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 26) |
| [32-33-34] | 3) | 5) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 10) |
| TOTAL | 25) | 41) | 23) | 7) | 3) | 1) | 0) | 0) | 0) | 0) | 0) | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KOBE AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES | | | | | | | | | | | | |
|---|-----------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| WIND DIRECTION | WIND SPEED (kt) | | | | | | | | | | | |
| | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | 41-45 | 46-50 | >50 | TOTAL |
| CALM | | | | | | | | | | | | 0) |
| VARIABLE | 4) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 4) |
| [35-36-01] | 1) | 3) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 8) |
| [02-03-04] | 3) | 3) | 3) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 9) |
| [05-06-07] | 4) | 10) | 7) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 21) |
| [08-09-10] | 2) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 4) |
| [11-12-13] | 1) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 2) |
| [14-15-16] | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 1) |
| [17-18-19] | 1) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 2) |
| [20-21-22] | 1) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 2) |
| [23-24-25] | 1) | 3) | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 7) |
| [26-27-28] | 2) | 4) | 5) | 3) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 15) |
| [29-30-31] | 2) | 7) | 4) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 16) |
| [32-33-34] | 3) | 5) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 10) |
| TOTAL | 25) | 39) | 25) | 8) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KOBE AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES | | | | | | | | | | | | |
|---|-----------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| WIND DIRECTION | WIND SPEED (kt) | | | | | | | | | | | |
| | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | 41-45 | 46-50 | >50 | TOTAL |
| CALM | | | | | | | | | | | | 0) |
| VARIABLE | 4) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 4) |
| [35-36-01] | 1) | 2) | 3) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 7) |
| [02-03-04] | 2) | 3) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 6) |
| [05-06-07] | 4) | 12) | 7) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 24) |
| [08-09-10] | 2) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 3) |
| [11-12-13] | 1) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 2) |
| [14-15-16] | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 1) |
| [17-18-19] | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 3) |
| [20-21-22] | 2) | 3) | 1) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 7) |
| [23-24-25] | 3) | 5) | 3) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 11) |
| [26-27-28] | 3) | 4) | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 12) |
| [29-30-31] | 3) | 4) | 1) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 10) |
| [32-33-34] | 3) | 4) | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 10) |
| TOTAL | 30) | 42) | 21) | 6) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KOBE AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

| WIND DIRECTION | WIND SPEED (kt) | | | | | | | | | | | TOTAL |
|-------------------|-----------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | 41-45 | 46-50 | >50 | |
| CALM | | | | | | | | | | | | 0 |
| VARIABLE | 4 | 0 | - | - | - | - | - | - | - | - | - | 4 |
| [35-36-01] | 1 | 1 | 1 | 0 | - | - | - | - | - | - | - | 4 |
| [02-03-04] | 2 | 3 | 1 | 0 | 0 | - | - | - | - | - | - | 6 |
| [05-06-07] | 3 | 12 | 8 | 2 | 0 | 0 | - | - | - | - | - | 26 |
| [08-09-10] | 2 | 3 | 0 | 0 | - | - | - | - | - | - | - | 5 |
| [11-12-13] | 2 | 1 | 0 | 0 | - | - | - | - | - | - | - | 3 |
| [14-15-16] | 1 | 0 | 0 | 0 | - | - | - | - | - | - | - | 2 |
| [17-18-19] | 1 | 1 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 4 |
| [20-21-22] | 2 | 3 | 2 | 1 | 0 | 0 | 0 | 0 | - | - | - | 8 |
| [23-24-25] | 3 | 7 | 3 | 0 | - | 0 | 0 | 0 | - | - | - | 14 |
| [26-27-28] | 4 | 6 | 2 | 1 | 1 | 0 | 0 | - | 0 | 0 | - | 14 |
| [29-30-31] | 2 | 2 | 1 | 0 | 0 | 0 | - | - | - | - | - | 6 |
| [32-33-34] | 2 | 2 | 1 | 0 | - | - | - | - | - | - | - | 5 |
| TOTAL | 31 | 41 | 19 | 6 | 1 | 1 | 0 | 0 | 0 | 0 | - | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KOBE AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES | | | | | | | | | | | | |
|---|-----------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| WIND DIRECTION | WIND SPEED (kt) | | | | | | | | | | | |
| | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | 41-45 | 46-50 | >50 | TOTAL |
| CALM | | | | | | | | | | | | 0 |
| VARIABLE | 5 | 0 | - | - | - | - | - | - | - | - | - | 5 |
| [35-36-01] | 1 | 1 | 1 | 0 | 0 | - | - | - | - | - | - | 4 |
| [02-03-04] | 2 | 2 | 1 | 0 | 0 | - | - | - | - | - | - | 5 |
| [05-06-07] | 3 | 10 | 4 | 1 | 0 | 0 | - | - | - | - | - | 19 |
| [08-09-10] | 2 | 2 | 0 | 0 | - | - | - | - | - | - | - | 5 |
| [11-12-13] | 2 | 1 | 0 | - | - | - | - | - | - | - | - | 3 |
| [14-15-16] | 1 | 0 | 0 | 0 | - | - | - | - | - | - | - | 2 |
| [17-18-19] | 2 | 1 | 1 | 0 | 0 | - | 0 | - | - | - | - | 4 |
| [20-21-22] | 3 | 5 | 3 | 1 | 0 | 0 | 0 | - | - | - | - | 12 |
| [23-24-25] | 5 | 10 | 3 | 0 | 0 | - | - | - | - | - | - | 18 |
| [26-27-28] | 4 | 8 | 1 | 1 | 0 | 0 | - | - | - | - | - | 14 |
| [29-30-31] | 3 | 1 | 0 | 0 | - | - | - | - | - | - | - | 5 |
| [32-33-34] | 2 | 2 | 1 | 0 | - | - | - | - | - | - | - | 5 |
| TOTAL | 36 | 43 | 15 | 5 | 1 | 0 | 0 | - | - | - | - | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KOBE AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES | | | | | | | | | | | | |
|---|-----------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| WIND DIRECTION | WIND SPEED (kt) | | | | | | | | | | | TOTAL |
| | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | 41-45 | 46-50 | >50 | |
| CALM | | | | | | | | | | | | 1) |
| VARIABLE | 4) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 4) |
| [35-36-01] | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 2) |
| [02-03-04] | 1) | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 5) |
| [05-06-07] | 3) | 10) | 8) | 4) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 26) |
| [08-09-10] | 2) | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 4) |
| [11-12-13] | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 3) |
| [14-15-16] | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 2) |
| [17-18-19] | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 3) |
| [20-21-22] | 3) | 5) | 3) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 12) |
| [23-24-25] | 5) | 12) | 3) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 20) |
| [26-27-28] | 5) | 5) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 11) |
| [29-30-31] | 3) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 4) |
| [32-33-34] | 1) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 3) |
| TOTAL | 34) | 40) | 18) | 6) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KOBE AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES | | | | | | | | | | | | |
|---|-----------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| WIND DIRECTION | WIND SPEED (kt) | | | | | | | | | | | TOTAL |
| | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | 41-45 | 46-50 | >50 | |
| CALM | | | | | | | | | | | | 1 |
| VARIABLE | 4 | - | - | - | - | - | - | - | - | - | - | 4 |
| [35-36-01] | 1 | 0 | 0 | 0 | - | - | - | - | - | - | - | 1 |
| [02-03-04] | 1 | 1 | 0 | 0 | - | - | - | - | - | - | - | 2 |
| [05-06-07] | 2 | 5 | 3 | 0 | 0 | 0 | 0 | - | - | - | - | 11 |
| [08-09-10] | 1 | 1 | 0 | - | - | - | - | - | - | - | - | 2 |
| [11-12-13] | 2 | 0 | - | - | - | - | - | - | - | - | - | 2 |
| [14-15-16] | 1 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | 2 |
| [17-18-19] | 2 | 2 | 1 | 0 | 0 | 0 | 0 | - | - | - | - | 5 |
| [20-21-22] | 3 | 8 | 6 | 3 | 1 | 0 | 0 | - | - | - | - | 22 |
| [23-24-25] | 7 | 15 | 5 | 1 | - | - | - | - | - | - | - | 27 |
| [26-27-28] | 6 | 8 | 2 | 0 | - | - | - | - | - | - | - | 16 |
| [29-30-31] | 3 | 1 | 0 | - | - | - | - | - | - | - | - | 4 |
| [32-33-34] | 1 | 0 | 0 | - | 0 | - | - | - | - | - | - | 1 |
| TOTAL | 33 | 42 | 17 | 5 | 2 | 1 | 0 | - | - | - | - | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KOBE AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES | | | | | | | | | | | | |
|---|-----------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| WIND DIRECTION | WIND SPEED (kt) | | | | | | | | | | | TOTAL |
| | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | 41-45 | 46-50 | >50 | |
| CALM | | | | | | | | | | | | 1 |
| VARIABLE | 4 | - | - | - | - | - | - | - | - | - | - | 4 |
| [35-36-01] | 1 | 0 | 0 | - | - | - | - | - | - | - | - | 1 |
| [02-03-04] | 1 | 1 | 1 | 0 | 0 | - | - | - | - | - | - | 3 |
| [05-06-07] | 3 | 10 | 4 | 1 | 1 | 0 | - | - | - | - | - | 18 |
| [08-09-10] | 2 | 2 | 0 | 0 | - | - | - | - | - | - | - | 4 |
| [11-12-13] | 2 | 1 | 0 | 0 | - | - | - | - | - | - | - | 3 |
| [14-15-16] | 2 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | 2 |
| [17-18-19] | 2 | 2 | 1 | 1 | 0 | 0 | 0 | - | - | - | 0 | 7 |
| [20-21-22] | 3 | 7 | 6 | 4 | 1 | 0 | 0 | - | - | 0 | - | 21 |
| [23-24-25] | 5 | 11 | 5 | 1 | 0 | - | - | - | - | - | - | 21 |
| [26-27-28] | 4 | 5 | 2 | 0 | 0 | - | - | - | - | - | - | 10 |
| [29-30-31] | 2 | 1 | 0 | 0 | - | - | - | - | - | - | - | 3 |
| [32-33-34] | 1 | 0 | 0 | 0 | - | - | - | - | - | - | - | 1 |
| TOTAL | 31 | 40 | 19 | 7 | 2 | 0 | 0 | - | - | 0 | 0 | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KOBE AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES | | | | | | | | | | | | |
|---|-----------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| WIND DIRECTION | WIND SPEED (kt) | | | | | | | | | | | TOTAL |
| | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | 41-45 | 46-50 | >50 | |
| CALM | | | | | | | | | | | | 1 |
| VARIABLE | 4 | 0 | - | - | - | - | - | - | - | - | - | 5 |
| [35-36-01] | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | - | - | - | 3 |
| [02-03-04] | 2 | 5 | 2 | 0 | 0 | 0 | - | - | - | - | - | 9 |
| [05-06-07] | 4 | 18 | 8 | 1 | 0 | - | - | - | - | - | - | 32 |
| [08-09-10] | 2 | 3 | 1 | 0 | - | - | - | - | - | - | - | 6 |
| [11-12-13] | 2 | 1 | 0 | - | 0 | - | - | - | - | - | - | 3 |
| [14-15-16] | 2 | 1 | 0 | 0 | - | - | - | - | - | - | - | 3 |
| [17-18-19] | 2 | 1 | 0 | 0 | 0 | - | - | - | - | - | - | 4 |
| [20-21-22] | 2 | 4 | 2 | 1 | 0 | - | - | - | - | - | - | 9 |
| [23-24-25] | 2 | 6 | 2 | 0 | - | - | - | - | - | - | - | 10 |
| [26-27-28] | 3 | 3 | 1 | 0 | - | - | - | - | - | - | - | 7 |
| [29-30-31] | 2 | 2 | 0 | 0 | 0 | - | - | - | - | - | - | 4 |
| [32-33-34] | 2 | 2 | 1 | 0 | 0 | - | - | - | - | - | - | 4 |
| TOTAL | 30 | 48 | 17 | 3 | 1 | 0 | 0 | 0 | - | - | - | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KOBE AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES | | | | | | | | | | | | |
|---|-----------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| WIND DIRECTION | WIND SPEED (kt) | | | | | | | | | | | |
| | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | 41-45 | 46-50 | >50 | TOTAL |
| CALM | | | | | | | | | | | | 0) |
| VARIABLE | 4) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 4) |
| [35-36-01] | 2) | 3) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 8) |
| [02-03-04] | 3) | 5) | 3) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 12) |
| [05-06-07] | 4) | 18) | 12) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 37) |
| [08-09-10] | 1) | 3) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 4) |
| [11-12-13] | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 2) |
| [14-15-16] | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 2) |
| [17-18-19] | 1) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 3) |
| [20-21-22] | 2) | 1) | 0) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 5) |
| [23-24-25] | 2) | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 4) |
| [26-27-28] | 2) | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 6) |
| [29-30-31] | 1) | 3) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 5) |
| [32-33-34] | 2) | 4) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 7) |
| TOTAL | 27) | 43) | 23) | 4) | 2) | 1) | 0) | 0) | 0) | 0) | 0) | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KOBE AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

| WIND DIRECTION | WIND SPEED (kt) | | | | | | | | | | | TOTAL |
|-------------------|-----------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | 41-45 | 46-50 | >50 | |
| CALM | | | | | | | | | | | | 0) |
| VARIABLE | 4) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 4) |
| [35-36-01] | 2) | 3) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 7) |
| [02-03-04] | 3) | 5) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 10) |
| [05-06-07] | 5) | 17) | 8) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 32) |
| [08-09-10] | 2) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 4) |
| [11-12-13] | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 2) |
| [14-15-16] | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 1) |
| [17-18-19] | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 1) |
| [20-21-22] | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 1) |
| [23-24-25] | 1) | 1) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 3) |
| [26-27-28] | 1) | 3) | 2) | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 10) |
| [29-30-31] | 2) | 6) | 5) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 16) |
| [32-33-34] | 2) | 4) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 8) |
| TOTAL | 27) | 44) | 21) | 6) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KOBE AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

| WIND DIRECTION | WIND SPEED (kt) | | | | | | | | | | | TOTAL |
|-------------------|-----------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | 41-45 | 46-50 | >50 | |
| CALM | | | | | | | | | | | | 0 |
| VARIABLE | 3 | 0 | - | - | - | - | - | - | - | - | - | 3 |
| [35-36-01] | 2 | 3 | 1 | 0 | - | - | - | - | - | - | - | 6 |
| [02-03-04] | 2 | 3 | 1 | 0 | 0 | - | - | - | - | - | - | 6 |
| [05-06-07] | 3 | 10 | 5 | 1 | 0 | - | - | - | - | - | - | 20 |
| [08-09-10] | 1 | 2 | 0 | - | - | - | - | - | - | - | - | 3 |
| [11-12-13] | 1 | 0 | - | - | - | - | - | - | - | - | - | 1 |
| [14-15-16] | 1 | 0 | 0 | - | - | - | - | - | - | - | - | 1 |
| [17-18-19] | 1 | 1 | 0 | 0 | 0 | 0 | - | 0 | - | - | - | 1 |
| [20-21-22] | 1 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | 2 |
| [23-24-25] | 1 | 1 | 1 | 0 | 0 | 0 | - | - | - | - | - | 3 |
| [26-27-28] | 1 | 5 | 5 | 4 | 2 | 0 | 0 | - | - | - | - | 18 |
| [29-30-31] | 3 | 10 | 9 | 4 | 1 | 0 | - | - | - | - | - | 26 |
| [32-33-34] | 2 | 5 | 2 | 0 | 0 | - | - | - | - | - | - | 10 |
| TOTAL | 21 | 40 | 24 | 11 | 4 | 1 | 0 | 0 | - | - | - | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KOBE AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES | | | | | | | | | | | | |
|---|-----------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| WIND DIRECTION | WIND SPEED (kt) | | | | | | | | | | | TOTAL |
| | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | 41-45 | 46-50 | >50 | |
| CALM | | | | | | | | | | | | 0) |
| VARIABLE | 4) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 4) |
| [35-36-01] | 1) | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 5) |
| [02-03-04] | 2) | 3) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 7) |
| [05-06-07] | 3) | 12) | 6) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 23) |
| [08-09-10] | 2) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 4) |
| [11-12-13] | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 2) |
| [14-15-16] | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 2) |
| [17-18-19] | 1) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 3) |
| [20-21-22] | 2) | 3) | 2) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 9) |
| [23-24-25] | 3) | 6) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 12) |
| [26-27-28] | 3) | 5) | 2) | 1) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 13) |
| [29-30-31] | 3) | 4) | 3) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 10) |
| [32-33-34] | 2) | 3) | 1) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 6) |
| TOTAL | 29) | 42) | 20) | 6) | 2) | 0) | 0) | 0) | 0) | 0) | 0) | |

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KOBE AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES | | | | | | | | | | | | |
|--|-----------------|------------------|-----------------|---------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----|
| TIME (UTC) | TEMPERATURE () | | | | | | | | | | | |
| | <-15 | -15 to -10 | -10 to -5 | -5 to 0 | 0 to 5 | 5 to 10 | 10 to 15 | 15 to 20 | 20 to 25 | 25 to 30 | 30 to 35 | 35 |
| 00 | - | - | - | 1 | 40 | 57 | 3 | - | - | - | - | - |
| 01 | - | - | - | 1 | 21 | 73 | 5 | - | - | - | - | - |
| 02 | - | - | - | - | 15 | 77 | 8 | - | - | - | - | - |
| 03 | - | - | - | - | 8 | 81 | 10 | - | - | - | - | - |
| 04 | - | - | - | 1 | 6 | 79 | 14 | - | - | - | - | - |
| 05 | - | - | - | 1 | 6 | 77 | 16 | - | - | - | - | - |
| 06 | - | - | - | 1 | 5 | 79 | 16 | - | - | - | - | - |
| 07 | - | - | - | 1 | 8 | 79 | 12 | - | - | - | - | - |
| 08 | - | - | - | 1 | 18 | 74 | 8 | - | - | - | - | - |
| 09 | - | - | - | 1 | 24 | 68 | 7 | - | - | - | - | - |
| 10 | - | - | - | 1 | 30 | 65 | 4 | - | - | - | - | - |
| 11 | - | - | - | 1 | 32 | 65 | 3 | - | - | - | - | - |
| 12 | - | - | - | 1 | 38 | 58 | 3 | - | - | - | - | - |
| 13 | - | - | - | 1 | 46 | 51 | 1 | - | - | - | - | - |
| 14 | 0) | 0) | 0) | 1) | 49) | 49) | 1) | 0) | 0) | 0) | 0) | 0) |
| 15 | 0) | 0) | 0) | 1) | 51) | 47) | 0) | 0) | 0) | 0) | 0) | 0) |
| 16 | 0) | 0) | 0) | 2) | 55) | 42) | 1) | 0) | 0) | 0) | 0) | 0) |
| 17 | 0) | 0) | 0) | 3) | 56) | 40) | 1) | 0) | 0) | 0) | 0) | 0) |
| 18 | - | - | - | 3 | 60 | 35 | 1 | - | - | - | - | - |
| 19 | - | - | - | 3 | 62 | 34 | 1 | - | - | - | - | - |
| 20 | - | - | - | 5 | 65 | 30 | 1 | - | - | - | - | - |
| 21 | - | - | - | 6 | 61 | 33 | 1 | - | - | - | - | - |
| 22 | - | - | - | 6 | 66 | 27 | 1 | - | - | - | - | - |
| 23 | - | - | - | 1 | 57 | 41 | 1 | - | - | - | - | - |
| MEAN | 0) | 0) | 0) | 2) | 37) | 57) | 5) | 0) | 0) | 0) | 0) | 0) |

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KOBE AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES | | | | | | | | | | | | |
|--|-----------------|------------------|-----------------|---------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----|
| TIME (UTC) | TEMPERATURE () | | | | | | | | | | | |
| | <-15 | -15 to -10 | -10 to -5 | -5 to 0 | 0 to 5 | 5 to 10 | 10 to 15 | 15 to 20 | 20 to 25 | 25 to 30 | 30 to 35 | 35 |
| 00 | - | - | - | - | 44 | 49 | 7 | 1 | - | - | - | - |
| 01 | - | - | - | - | 24 | 68 | 8 | 1 | - | - | - | - |
| 02 | - | - | - | - | 18 | 73 | 8 | 1 | - | - | - | - |
| 03 | - | - | - | - | 15 | 69 | 14 | 1 | - | - | - | - |
| 04 | - | - | - | - | 10 | 71 | 18 | 1 | - | - | - | - |
| 05 | - | - | - | - | 11 | 67 | 19 | 3 | - | - | - | - |
| 06 | - | - | - | - | 11 | 67 | 20 | 2 | - | - | - | - |
| 07 | - | - | - | - | 14 | 66 | 19 | 1 | - | - | - | - |
| 08 | - | - | - | 1 | 16 | 68 | 15 | - | - | - | - | - |
| 09 | - | - | - | - | 26 | 61 | 13 | - | - | - | - | - |
| 10 | - | - | - | 1 | 33 | 54 | 13 | - | - | - | - | - |
| 11 | - | - | - | 1 | 38 | 51 | 11 | - | - | - | - | - |
| 12 | - | - | - | 1 | 42 | 49 | 8 | - | - | - | - | - |
| 13 | - | - | - | 1 | 53 | 38 | 8 | - | - | - | - | - |
| 14 | 0) | 0) | 0) | 1) | 53) | 38) | 8) | 0) | 0) | 0) | 0) | 0) |
| 15 | 0) | 0) | 0) | 1) | 55) | 37) | 6) | 1) | 0) | 0) | 0) | 0) |
| 16 | 0) | 0) | 0) | 3) | 57) | 34) | 5) | 1) | 0) | 0) | 0) | 0) |
| 17 | 0) | 0) | 0) | 4) | 56) | 35) | 4) | 1) | 0) | 0) | 0) | 0) |
| 18 | 0) | 0) | 0) | 4) | 57) | 35) | 4) | 0) | 0) | 0) | 0) | 0) |
| 19 | 0) | 0) | 0) | 4) | 61) | 32) | 4) | 0) | 0) | 0) | 0) | 0) |
| 20 | - | - | - | 4 | 61 | 30 | 4 | - | - | - | - | - |
| 21 | - | - | - | 4 | 61 | 31 | 4 | 1 | - | - | - | - |
| 22 | - | - | - | 5 | 60 | 29 | 6 | - | - | - | - | - |
| 23 | - | - | - | 1 | 56 | 35 | 8 | - | - | - | - | - |
| MEAN | 0) | 0) | 0) | 1) | 39) | 49) | 10) | 1) | 0) | 0) | 0) | 0) |

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KOBE AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES | | | | | | | | | | | | |
|--|-----------------|------------------|-----------------|---------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----|
| TIME (UTC) | TEMPERATURE () | | | | | | | | | | | |
| | <-15 | -15 to -10 | -10 to -5 | -5 to 0 | 0 to 5 | 5 to 10 | 10 to 15 | 15 to 20 | 20 to 25 | 25 to 30 | 30 to 35 | 35 |
| 00 | - | - | - | - | 9 | 52 | 35 | 5 | - | - | - | - |
| 01 | - | - | - | - | 2 | 54 | 38 | 6 | - | - | - | - |
| 02 | - | - | - | - | 1 | 44 | 48 | 7 | - | - | - | - |
| 03 | - | - | - | - | 2 | 37 | 52 | 9 | - | - | - | - |
| 04 | - | - | - | - | 1 | 33 | 52 | 14 | - | - | - | - |
| 05 | - | - | - | - | 1 | 31 | 54 | 14 | - | - | - | - |
| 06 | - | - | - | - | 2 | 30 | 55 | 13 | 1 | - | - | - |
| 07 | - | - | - | - | 1 | 31 | 54 | 14 | - | - | - | - |
| 08 | - | - | - | - | 2 | 38 | 50 | 10 | - | - | - | - |
| 09 | - | - | - | - | 5 | 40 | 49 | 6 | - | - | - | - |
| 10 | - | - | - | - | 5 | 45 | 46 | 3 | - | - | - | - |
| 11 | - | - | - | - | 10 | 46 | 41 | 3 | - | - | - | - |
| 12 | - | - | - | - | 10 | 46 | 41 | 2 | - | - | - | - |
| 13 | - | - | - | - | 15 | 46 | 37 | 2 | - | - | - | - |
| 14 | 0) | 0) | 0) | 0) | 18) | 46) | 34) | 2) | 0) | 0) | 0) | 0) |
| 15 | 0) | 0) | 0) | 0) | 19) | 49) | 31) | 2) | 0) | 0) | 0) | 0) |
| 16 | - | - | - | - | 21 | 50 | 28 | 1 | - | - | - | - |
| 17 | - | - | - | - | 23 | 50 | 25 | 1 | - | - | - | - |
| 18 | - | - | - | 1 | 25 | 47 | 27 | 1 | - | - | - | - |
| 19 | - | - | - | 1 | 26 | 48 | 23 | 2 | - | - | - | - |
| 20 | - | - | - | 1 | 30 | 46 | 21 | 2 | - | - | - | - |
| 21 | - | - | - | - | 34 | 43 | 23 | 1 | - | - | - | - |
| 22 | - | - | - | - | 25 | 50 | 23 | 2 | - | - | - | - |
| 23 | - | - | - | - | 15 | 52 | 32 | 2 | - | - | - | - |
| MEAN | 0) | 0) | 0) | 0) | 13) | 44) | 38) | 5) | 0) | 0) | 0) | 0) |

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KOBE AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES | | | | | | | | | | | | |
|--|-----------------|------------------|-----------------|---------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----|
| TIME (UTC) | TEMPERATURE () | | | | | | | | | | | |
| | <-15 | -15 to -10 | -10 to -5 | -5 to 0 | 0 to 5 | 5 to 10 | 10 to 15 | 15 to 20 | 20 to 25 | 25 to 30 | 30 to 35 | 35 |
| 00 | - | - | - | - | - | 9 | 49 | 41 | 1 | - | - | - |
| 01 | - | - | - | - | - | 7 | 45 | 47 | 1 | - | - | - |
| 02 | - | - | - | - | - | 5 | 34 | 56 | 5 | - | - | - |
| 03 | - | - | - | - | - | 4 | 33 | 58 | 5 | - | - | - |
| 04 | - | - | - | - | - | 4 | 28 | 59 | 9 | - | - | - |
| 05 | - | - | - | - | - | 1 | 31 | 61 | 7 | - | - | - |
| 06 | - | - | - | - | - | 3 | 26 | 65 | 6 | - | - | - |
| 07 | - | - | - | - | - | 3 | 27 | 65 | 5 | - | - | - |
| 08 | - | - | - | - | - | 3 | 29 | 65 | 2 | - | - | - |
| 09 | - | - | - | - | - | 6 | 32 | 60 | 2 | - | - | - |
| 10 | - | - | - | - | - | 9 | 38 | 53 | 1 | - | - | - |
| 11 | - | - | - | - | - | 10 | 39 | 51 | - | - | - | - |
| 12 | - | - | - | - | - | 11 | 47 | 42 | - | - | - | - |
| 13 | - | - | - | - | - | 13 | 45 | 43 | - | - | - | - |
| 14 | - | - | - | - | - | 13 | 52 | 35 | - | - | - | - |
| 15 | - | - | - | - | 1 | 14 | 51 | 35 | - | - | - | - |
| 16 | - | - | - | - | 1 | 17 | 54 | 27 | - | - | - | - |
| 17 | - | - | - | - | 1 | 20 | 56 | 23 | - | - | - | - |
| 18 | - | - | - | - | 1 | 25 | 54 | 21 | - | - | - | - |
| 19 | - | - | - | - | 1 | 25 | 53 | 21 | - | - | - | - |
| 20 | - | - | - | - | 2 | 24 | 56 | 18 | - | - | - | - |
| 21 | - | - | - | - | 1 | 24 | 55 | 20 | - | - | - | - |
| 22 | - | - | - | - | - | 18 | 56 | 26 | - | - | - | - |
| 23 | - | - | - | - | - | 14 | 53 | 33 | - | - | - | - |
| MEAN | - | - | - | - | 0 | 12 | 43 | 43 | 2 | - | - | - |

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KOBE AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES | | | | | | | | | | | | |
|--|-----------------|------------------|-----------------|---------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----|
| TIME (UTC) | TEMPERATURE () | | | | | | | | | | | |
| | <-15 | -15 to -10 | -10 to -5 | -5 to 0 | 0 to 5 | 5 to 10 | 10 to 15 | 15 to 20 | 20 to 25 | 25 to 30 | 30 to 35 | 35 |
| 00 | - | - | - | - | - | - | 6 | 55 | 39 | - | - | - |
| 01 | - | - | - | - | - | - | 6 | 49 | 45 | 1 | - | - |
| 02 | - | - | - | - | - | - | 1 | 48 | 49 | 2 | - | - |
| 03 | - | - | - | - | - | - | 1 | 38 | 59 | 2 | - | - |
| 04 | - | - | - | - | - | - | 1 | 34 | 63 | 2 | - | - |
| 05 | - | - | - | - | - | - | - | 32 | 66 | 2 | - | - |
| 06 | - | - | - | - | - | - | 1 | 28 | 68 | 3 | - | - |
| 07 | - | - | - | - | - | - | 2 | 32 | 64 | 3 | - | - |
| 08 | - | - | - | - | - | - | 2 | 42 | 52 | 5 | - | - |
| 09 | - | - | - | - | - | - | 3 | 49 | 45 | 4 | - | - |
| 10 | - | - | - | - | - | - | 5 | 61 | 33 | 1 | - | - |
| 11 | - | - | - | - | - | - | 5 | 66 | 30 | - | - | - |
| 12 | - | - | - | - | - | - | 6 | 70 | 24 | - | - | - |
| 13 | - | - | - | - | - | 1 | 8 | 70 | 21 | - | - | - |
| 14 | - | - | - | - | - | 1 | 10 | 70 | 19 | - | - | - |
| 15 | - | - | - | - | - | 1 | 11 | 71 | 17 | - | - | - |
| 16 | - | - | - | - | - | 1 | 12 | 75 | 11 | - | - | - |
| 17 | - | - | - | - | - | 1 | 17 | 72 | 10 | - | - | - |
| 18 | - | - | - | - | - | 3 | 16 | 72 | 9 | - | - | - |
| 19 | - | - | - | - | - | 1 | 21 | 69 | 9 | - | - | - |
| 20 | - | - | - | - | - | 3 | 23 | 68 | 7 | - | - | - |
| 21 | - | - | - | - | - | 1 | 21 | 68 | 10 | - | - | - |
| 22 | - | - | - | - | - | 1 | 12 | 71 | 16 | - | - | - |
| 23 | - | - | - | - | - | - | 9 | 65 | 26 | - | - | - |
| MEAN | - | - | - | - | - | 0 | 8 | 57 | 33 | 1 | - | - |

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KOBE AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES | | | | | | | | | | | | |
|--|-----------------|------------------|-----------------|---------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----|
| TIME (UTC) | TEMPERATURE () | | | | | | | | | | | |
| | <-15 | -15 to -10 | -10 to -5 | -5 to 0 | 0 to 5 | 5 to 10 | 10 to 15 | 15 to 20 | 20 to 25 | 25 to 30 | 30 to 35 | 35 |
| 00 | - | - | - | - | - | - | - | 5 | 86 | 9 | - | - |
| 01 | - | - | - | - | - | - | - | 5 | 82 | 13 | - | - |
| 02 | - | - | - | - | - | - | - | 3 | 77 | 21 | - | - |
| 03 | - | - | - | - | - | - | - | 2 | 75 | 23 | - | - |
| 04 | - | - | - | - | - | - | - | 2 | 71 | 27 | - | - |
| 05 | - | - | - | - | - | - | - | 2 | 69 | 29 | - | - |
| 06 | - | - | - | - | - | - | - | 2 | 70 | 28 | - | - |
| 07 | - | - | - | - | - | - | - | 3 | 75 | 22 | - | - |
| 08 | - | - | - | - | - | - | - | 3 | 81 | 15 | 1 | - |
| 09 | - | - | - | - | - | - | - | 3 | 87 | 9 | 1 | - |
| 10 | - | - | - | - | - | - | - | 5 | 91 | 4 | - | - |
| 11 | - | - | - | - | - | - | - | 9 | 88 | 3 | - | - |
| 12 | - | - | - | - | - | - | - | 9 | 89 | 3 | - | - |
| 13 | - | - | - | - | - | - | - | 12 | 87 | 1 | - | - |
| 14 | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 16) | 83) | 1) | 0) | 0) |
| 15 | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 18) | 80) | 2) | 0) | 0) |
| 16 | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 20) | 79) | 1) | 0) | 0) |
| 17 | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 22) | 78) | 0) | 0) | 0) |
| 18 | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 27) | 73) | 0) | 0) | 0) |
| 19 | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 25) | 75) | 0) | 0) | 0) |
| 20 | - | - | - | - | - | - | 1 | 29 | 70 | - | - | - |
| 21 | - | - | - | - | - | - | - | 21 | 79 | - | - | - |
| 22 | - | - | - | - | - | - | - | 12 | 87 | 1 | - | - |
| 23 | - | - | - | - | - | - | - | 5 | 91 | 3 | - | - |
| MEAN | 0) | 0) | 0) | 0) | 0) | 0) | 0) | 11) | 80) | 9) | 0) | 0) |

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KOBE AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES | | | | | | | | | | | | |
|--|-----------------|------------------|-----------------|---------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----|
| TIME (UTC) | TEMPERATURE () | | | | | | | | | | | |
| | <-15 | -15 to -10 | -10 to -5 | -5 to 0 | 0 to 5 | 5 to 10 | 10 to 15 | 15 to 20 | 20 to 25 | 25 to 30 | 30 to 35 | 35 |
| 00 | - | - | - | - | - | - | - | - | 23 | 75 | 2 | - |
| 01 | - | - | - | - | - | - | - | - | 19 | 77 | 5 | - |
| 02 | - | - | - | - | - | - | - | - | 17 | 78 | 5 | - |
| 03 | - | - | - | - | - | - | - | - | 15 | 78 | 7 | - |
| 04 | - | - | - | - | - | - | - | - | 12 | 77 | 11 | - |
| 05 | - | - | - | - | - | - | - | - | 12 | 79 | 9 | 1 |
| 06 | - | - | - | - | - | - | - | - | 13 | 76 | 10 | 1 |
| 07 | - | - | - | - | - | - | - | - | 14 | 78 | 7 | 1 |
| 08 | - | - | - | - | - | - | - | - | 17 | 77 | 6 | - |
| 09 | - | - | - | - | - | - | - | - | 21 | 74 | 5 | - |
| 10 | - | - | - | - | - | - | - | - | 22 | 77 | 1 | - |
| 11 | - | - | - | - | - | - | - | - | 26 | 74 | - | - |
| 12 | - | - | - | - | - | - | - | - | 31 | 69 | - | - |
| 13 | - | - | - | - | - | - | - | - | 31 | 69 | - | - |
| 14 | - | - | - | - | - | - | - | - | 35 | 65 | - | - |
| 15 | - | - | - | - | - | - | - | - | 37 | 63 | - | - |
| 16 | - | - | - | - | - | - | - | 1 | 42 | 57 | - | - |
| 17 | - | - | - | - | - | - | - | - | 43 | 57 | - | - |
| 18 | - | - | - | - | - | - | - | - | 46 | 54 | - | - |
| 19 | - | - | - | - | - | - | - | - | 50 | 50 | - | - |
| 20 | - | - | - | - | - | - | - | - | 55 | 45 | - | - |
| 21 | - | - | - | - | - | - | - | - | 43 | 57 | - | - |
| 22 | - | - | - | - | - | - | - | - | 38 | 62 | - | - |
| 23 | - | - | - | - | - | - | - | - | 28 | 71 | 1 | - |
| MEAN | - | - | - | - | - | - | - | 0 | 29 | 68 | 3 | 0 |

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KOBE AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES | | | | | | | | | | | | |
|--|-----------------|------------------|-----------------|---------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----|
| TIME (UTC) | TEMPERATURE () | | | | | | | | | | | |
| | <-15 | -15 to -10 | -10 to -5 | -5 to 0 | 0 to 5 | 5 to 10 | 10 to 15 | 15 to 20 | 20 to 25 | 25 to 30 | 30 to 35 | 35 |
| 00 | - | - | - | - | - | - | - | - | 5 | 79 | 17 | - |
| 01 | - | - | - | - | - | - | - | - | 5 | 63 | 33 | - |
| 02 | - | - | - | - | - | - | - | - | 3 | 56 | 41 | - |
| 03 | - | - | - | - | - | - | - | - | 3 | 49 | 48 | - |
| 04 | - | - | - | - | - | - | - | - | 2 | 46 | 50 | 1 |
| 05 | - | - | - | - | - | - | - | - | 2 | 50 | 47 | 1 |
| 06 | - | - | - | - | - | - | - | - | 2 | 51 | 46 | 1 |
| 07 | - | - | - | - | - | - | - | - | 2 | 64 | 33 | 1 |
| 08 | - | - | - | - | - | - | - | - | 3 | 73 | 23 | 1 |
| 09 | - | - | - | - | - | - | - | - | 5 | 80 | 15 | - |
| 10 | - | - | - | - | - | - | - | - | 5 | 85 | 10 | - |
| 11 | - | - | - | - | - | - | - | - | 5 | 86 | 8 | - |
| 12 | - | - | - | - | - | - | - | - | 6 | 90 | 5 | - |
| 13 | - | - | - | - | - | - | - | - | 6 | 91 | 3 | - |
| 14 | - | - | - | - | - | - | - | - | 6 | 92 | 1 | - |
| 15 | - | - | - | - | - | - | - | - | 10 | 90 | 1 | - |
| 16 | - | - | - | - | - | - | - | - | 10 | 89 | 1 | - |
| 17 | - | - | - | - | - | - | - | - | 14 | 86 | - | - |
| 18 | - | - | - | - | - | - | - | - | 15 | 85 | - | - |
| 19 | - | - | - | - | - | - | - | - | 17 | 83 | - | - |
| 20 | - | - | - | - | - | - | - | - | 15 | 85 | - | - |
| 21 | - | - | - | - | - | - | - | - | 15 | 85 | - | - |
| 22 | - | - | - | - | - | - | - | - | 11 | 88 | 1 | - |
| 23 | - | - | - | - | - | - | - | - | 6 | 90 | 4 | - |
| MEAN | - | - | - | - | - | - | - | - | 7 | 76 | 16 | 0 |

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KOBE AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES | | | | | | | | | | | | |
|--|-----------------|------------------|-----------------|---------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----|
| TIME (UTC) | TEMPERATURE () | | | | | | | | | | | |
| | <-15 | -15 to -10 | -10 to -5 | -5 to 0 | 0 to 5 | 5 to 10 | 10 to 15 | 15 to 20 | 20 to 25 | 25 to 30 | 30 to 35 | 35 |
| 00 | - | - | - | - | - | - | - | - | 55 | 44 | 1 | - |
| 01 | - | - | - | - | - | - | - | - | 44 | 53 | 3 | - |
| 02 | - | - | - | - | - | - | - | 1 | 36 | 59 | 5 | - |
| 03 | - | - | - | - | - | - | - | - | 29 | 65 | 5 | - |
| 04 | - | - | - | - | - | - | - | - | 24 | 72 | 4 | - |
| 05 | - | - | - | - | - | - | - | - | 23 | 73 | 4 | - |
| 06 | - | - | - | - | - | - | - | - | 20 | 76 | 4 | - |
| 07 | - | - | - | - | - | - | - | - | 21 | 75 | 4 | - |
| 08 | - | - | - | - | - | - | - | - | 31 | 68 | 1 | - |
| 09 | - | - | - | - | - | - | - | - | 41 | 58 | 1 | - |
| 10 | - | - | - | - | - | - | - | - | 53 | 47 | - | - |
| 11 | - | - | - | - | - | - | - | - | 54 | 46 | - | - |
| 12 | - | - | - | - | - | - | - | 1 | 59 | 41 | - | - |
| 13 | - | - | - | - | - | - | - | 1 | 67 | 32 | - | - |
| 14 | - | - | - | - | - | - | - | 3 | 67 | 30 | - | - |
| 15 | - | - | - | - | - | - | - | 3 | 68 | 29 | - | - |
| 16 | - | - | - | - | - | - | - | 3 | 68 | 29 | - | - |
| 17 | - | - | - | - | - | - | - | 7 | 67 | 25 | - | - |
| 18 | - | - | - | - | - | - | - | 9 | 69 | 23 | - | - |
| 19 | - | - | - | - | - | - | - | 11 | 66 | 23 | - | - |
| 20 | - | - | - | - | - | - | - | 14 | 67 | 19 | - | - |
| 21 | - | - | - | - | - | - | - | 17 | 62 | 21 | - | - |
| 22 | - | - | - | - | - | - | - | 5 | 69 | 26 | - | - |
| 23 | - | - | - | - | - | - | - | 1 | 67 | 31 | 1 | - |
| MEAN | - | - | - | - | - | - | - | 3 | 51 | 44 | 1 | - |

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KOBE AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES | | | | | | | | | | | | |
|--|-----------------|------------------|-----------------|---------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----|
| TIME (UTC) | TEMPERATURE () | | | | | | | | | | | |
| | <-15 | -15 to -10 | -10 to -5 | -5 to 0 | 0 to 5 | 5 to 10 | 10 to 15 | 15 to 20 | 20 to 25 | 25 to 30 | 30 to 35 | 35 |
| 00 | - | - | - | - | - | - | 2 | 52 | 40 | 6 | - | - |
| 01 | - | - | - | - | - | - | 2 | 41 | 49 | 8 | - | - |
| 02 | - | - | - | - | - | - | 1 | 32 | 58 | 10 | - | - |
| 03 | - | - | - | - | - | - | 1 | 27 | 58 | 14 | - | - |
| 04 | - | - | - | - | - | - | - | 26 | 58 | 15 | 1 | - |
| 05 | - | - | - | - | - | - | 1 | 26 | 55 | 17 | 1 | - |
| 06 | - | - | - | - | - | - | - | 26 | 58 | 14 | 1 | - |
| 07 | - | - | - | - | - | - | - | 29 | 55 | 16 | - | - |
| 08 | - | - | - | - | - | - | - | 41 | 48 | 12 | - | - |
| 09 | - | - | - | - | - | - | 1 | 47 | 43 | 8 | - | - |
| 10 | - | - | - | - | - | - | 3 | 50 | 39 | 7 | - | - |
| 11 | - | - | - | - | - | - | 4 | 51 | 39 | 6 | - | - |
| 12 | - | - | - | - | - | - | 5 | 53 | 37 | 5 | - | - |
| 13 | - | - | - | - | - | - | 5 | 56 | 35 | 3 | - | - |
| 14 | 0) | 0) | 0) | 0) | 0) | 0) | 9) | 55) | 32) | 3) | 0) | 0) |
| 15 | 0) | 0) | 0) | 0) | 0) | 0) | 13) | 56) | 28) | 3) | 0) | 0) |
| 16 | 0) | 0) | 0) | 0) | 0) | 0) | 12) | 54) | 31) | 3) | 0) | 0) |
| 17 | 0) | 0) | 0) | 0) | 0) | 0) | 14) | 54) | 31) | 1) | 0) | 0) |
| 18 | 0) | 0) | 0) | 0) | 0) | 0) | 16) | 54) | 28) | 2) | 0) | 0) |
| 19 | 0) | 0) | 0) | 0) | 0) | 0) | 16) | 56) | 27) | 1) | 0) | 0) |
| 20 | - | - | - | - | - | - | 19 | 54 | 25 | 1 | - | - |
| 21 | - | - | - | - | - | - | 21 | 54 | 24 | 1 | - | - |
| 22 | - | - | - | - | - | - | 15 | 59 | 25 | 1 | - | - |
| 23 | - | - | - | - | - | - | 8 | 57 | 32 | 3 | - | - |
| MEAN | 0) | 0) | 0) | 0) | 0) | 0) | 7) | 46) | 40) | 7) | 0) | 0) |

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KOBE AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES | | | | | | | | | | | | |
|--|-----------------|------------------|-----------------|---------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----|
| TIME (UTC) | TEMPERATURE () | | | | | | | | | | | |
| | <-15 | -15 to -10 | -10 to -5 | -5 to 0 | 0 to 5 | 5 to 10 | 10 to 15 | 15 to 20 | 20 to 25 | 25 to 30 | 30 to 35 | 35 |
| 00 | - | - | - | - | - | 10 | 51 | 39 | 1 | - | - | - |
| 01 | - | - | - | - | - | 4 | 50 | 43 | 3 | - | - | - |
| 02 | - | - | - | - | - | 2 | 45 | 49 | 4 | - | - | - |
| 03 | - | - | - | - | - | 1 | 41 | 53 | 5 | - | - | - |
| 04 | - | - | - | - | - | 1 | 36 | 55 | 7 | - | - | - |
| 05 | - | - | - | - | - | 2 | 33 | 58 | 7 | - | - | - |
| 06 | - | - | - | - | - | 1 | 33 | 58 | 7 | - | - | - |
| 07 | - | - | - | - | - | 3 | 41 | 52 | 5 | - | - | - |
| 08 | - | - | - | - | - | 3 | 47 | 49 | 1 | - | - | - |
| 09 | - | - | - | - | - | 6 | 47 | 47 | 1 | - | - | - |
| 10 | - | - | - | - | - | 9 | 49 | 41 | 1 | - | - | - |
| 11 | - | - | - | - | - | 12 | 49 | 37 | 1 | - | - | - |
| 12 | - | - | - | - | - | 15 | 49 | 36 | 1 | - | - | - |
| 13 | - | - | - | - | - | 19 | 49 | 32 | - | - | - | - |
| 14 | 0) | 0) | 0) | 0) | 0) | 21) | 50) | 29) | 0) | 0) | 0) | 0) |
| 15 | 0) | 0) | 0) | 0) | 1) | 19) | 54) | 26) | 0) | 0) | 0) | 0) |
| 16 | 0) | 0) | 0) | 0) | 1) | 21) | 52) | 26) | 0) | 0) | 0) | 0) |
| 17 | 0) | 0) | 0) | 0) | 1) | 23) | 52) | 23) | 0) | 0) | 0) | 0) |
| 18 | 0) | 0) | 0) | 0) | 1) | 23) | 52) | 24) | 0) | 0) | 0) | 0) |
| 19 | 0) | 0) | 0) | 0) | 1) | 25) | 53) | 21) | 0) | 0) | 0) | 0) |
| 20 | 0) | 0) | 0) | 0) | 1) | 28) | 51) | 20) | 0) | 0) | 0) | 0) |
| 21 | - | - | - | - | 2 | 26 | 53 | 19 | - | - | - | - |
| 22 | - | - | - | - | 1 | 26 | 53 | 19 | - | - | - | - |
| 23 | - | - | - | - | - | 22 | 51 | 27 | - | - | - | - |
| MEAN | 0) | 0) | 0) | 0) | 0) | 13) | 47) | 37) | 2) | 0) | 0) | 0) |

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KOBE AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES | | | | | | | | | | | | |
|--|-----------------|------------------|-----------------|---------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----|
| TIME (UTC) | TEMPERATURE () | | | | | | | | | | | |
| | <-15 | -15 to -10 | -10 to -5 | -5 to 0 | 0 to 5 | 5 to 10 | 10 to 15 | 15 to 20 | 20 to 25 | 25 to 30 | 30 to 35 | 35 |
| 00 | - | - | - | - | 14 | 57 | 26 | 2 | - | - | - | - |
| 01 | - | - | - | - | 8 | 59 | 31 | 3 | - | - | - | - |
| 02 | - | - | - | - | 4 | 53 | 41 | 3 | - | - | - | - |
| 03 | - | - | - | - | 2 | 50 | 41 | 7 | - | - | - | - |
| 04 | - | - | - | - | 1 | 46 | 45 | 8 | - | - | - | - |
| 05 | - | - | - | - | 2 | 44 | 48 | 6 | - | - | - | - |
| 06 | - | - | - | - | 2 | 47 | 45 | 6 | - | - | - | - |
| 07 | - | - | - | - | 5 | 50 | 41 | 5 | - | - | - | - |
| 08 | - | - | - | - | 8 | 55 | 34 | 3 | - | - | - | - |
| 09 | - | - | - | - | 10 | 57 | 31 | 3 | - | - | - | - |
| 10 | - | - | - | - | 12 | 57 | 29 | 2 | - | - | - | - |
| 11 | - | - | - | - | 14 | 54 | 31 | 1 | - | - | - | - |
| 12 | - | - | - | - | 18 | 55 | 25 | 1 | - | - | - | - |
| 13 | - | - | - | - | 19 | 55 | 25 | 1 | - | - | - | - |
| 14 | - | - | - | - | 22 | 57 | 21 | - | - | - | - | - |
| 15 | - | - | - | - | 27 | 56 | 17 | - | - | - | - | - |
| 16 | - | - | - | - | 27 | 54 | 19 | 1 | - | - | - | - |
| 17 | - | - | - | - | 27 | 57 | 15 | 1 | - | - | - | - |
| 18 | - | - | - | - | 28 | 56 | 15 | 1 | - | - | - | - |
| 19 | - | - | - | - | 31 | 54 | 15 | 1 | - | - | - | - |
| 20 | - | - | - | 1 | 35 | 48 | 15 | 1 | - | - | - | - |
| 21 | - | - | - | 1 | 35 | 48 | 15 | 1 | 1 | - | - | - |
| 22 | - | - | - | 1 | 37 | 48 | 14 | 1 | - | - | - | - |
| 23 | - | - | - | - | 26 | 54 | 20 | 1 | - | - | - | - |
| MEAN | - | - | - | 0 | 17 | 53 | 27 | 2 | 0 | - | - | - |

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KOBE AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES | | | | | | | | | | | | |
|--|-----------------|------------------|-----------------|---------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----|
| TIME (UTC) | TEMPERATURE () | | | | | | | | | | | |
| | <-15 | -15 to -10 | -10 to -5 | -5 to 0 | 0 to 5 | 5 to 10 | 10 to 15 | 15 to 20 | 20 to 25 | 25 to 30 | 30 to 35 | 35 |
| 00 | - | - | - | 0 | 9 | 19 | 15 | 17 | 21 | 18 | 2 | - |
| 01 | - | - | - | 0 | 4 | 22 | 15 | 16 | 21 | 18 | 3 | - |
| 02 | - | - | - | - | 3 | 21 | 16 | 17 | 21 | 19 | 4 | - |
| 03 | - | - | - | - | 2 | 20 | 16 | 16 | 21 | 19 | 5 | - |
| 04 | - | - | - | 0 | 1 | 19 | 16 | 17 | 21 | 20 | 6 | 0 |
| 05 | - | - | - | 0 | 2 | 18 | 17 | 17 | 20 | 21 | 5 | 0 |
| 06 | - | - | - | 0 | 2 | 19 | 16 | 17 | 21 | 21 | 5 | 0 |
| 07 | - | - | - | 0 | 2 | 19 | 16 | 17 | 20 | 22 | 4 | 0 |
| 08 | - | - | - | 0 | 4 | 20 | 15 | 18 | 19 | 21 | 3 | 0 |
| 09 | - | - | - | 0 | 5 | 20 | 15 | 18 | 20 | 20 | 2 | - |
| 10 | - | - | - | 0 | 7 | 20 | 15 | 18 | 20 | 19 | 1 | - |
| 11 | - | - | - | 0 | 8 | 20 | 15 | 18 | 20 | 18 | 1 | - |
| 12 | - | - | - | 0 | 9 | 20 | 15 | 18 | 20 | 17 | 0 | - |
| 13 | - | - | - | 0 | 11 | 19 | 15 | 18 | 21 | 17 | 0 | - |
| 14 | 0) | 0) | 0) | 0) | 11) | 19) | 15) | 18) | 20) | 16) | 0) | 0) |
| 15 | 0) | 0) | 0) | 0) | 13) | 19) | 15) | 18) | 20) | 16) | 0) | 0) |
| 16 | 0) | 0) | 0) | 0) | 13) | 18) | 15) | 17) | 20) | 15) | 0) | 0) |
| 17 | 0) | 0) | 0) | 1) | 14) | 19) | 15) | 17) | 20) | 14) | 0) | 0) |
| 18 | 0) | 0) | 0) | 1) | 14) | 19) | 15) | 17) | 20) | 14) | 0) | 0) |
| 19 | 0) | 0) | 0) | 1) | 15) | 18) | 15) | 17) | 20) | 13) | 0) | 0) |
| 20 | 0) | 0) | 0) | 1) | 16) | 17) | 16) | 17) | 20) | 13) | 0) | 0) |
| 21 | - | - | - | 1 | 16 | 17 | 16 | 17 | 19 | 14 | - | - |
| 22 | - | - | - | 1 | 16 | 17 | 15 | 16 | 20 | 15 | 0 | - |
| 23 | - | - | - | 0 | 13 | 18 | 15 | 16 | 21 | 17 | 0 | - |
| MEAN | 0) | 0) | 0) | 0) | 9) | 19) | 16) | 17) | 20) | 17) | 2) | 0) |

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KOBE AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| MONTHLY MEAN | | | | | | | | | | | | | |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|
| | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANN |
| Daily mean air temperature(°C) | 5.8 | 5.9 | 9.3 | 14.1 | 18.7 | 22.3 | 26.0 | 27.9 | 24.6 | 19.8 | 13.9 | 8.2 | 16.4 |
| Daily maximum air temperature(°C) | 9.2 | 9.2 | 12.9 | 17.7 | 22.5 | 25.4 | 28.6 | 31.1 | 27.7 | 23.2 | 17.1 | 11.6 | 19.7 |
| Daily minimum air temperature(°C) | 2.2 | 2.3 | 5.3 | 10.3 | 15.1 | 19.9 | 24.0 | 25.5 | 21.8 | 16.4 | 10.6 | 4.7 | 13.2 |
| MONTHLY TOTAL | | | | | | | | | | | | | |
| | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANN |
| Precipitation (mm) | 40.3 | 54.7 | 88.3 | 80.2 | 74.5 | 171.6 | 144.9 | 128.0 | 148.5 | 90.2 | 67.1 | 70.6) | 1169.8) |
| Snow fall(cm) | 0 | 0 | 0 | - | - | - | 0 | 0 | - | - | - | 0 | 0 |
| EXTREMES | | | | | | | | | | | | | |
| | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANN |
| Daily minimum air pressure(hPa) | 993.5 | 999.7 | 992.8 | 982.7 | 993.4 | 979.0 | 987.7 | 979.5 | 982.3 | 984.1 | 998.0 | 990.9 | 979.0 |
| Daily maximum air temperature(°C) | 14.9 | 19.3 | 20.9 | 23.2 | 30.2 | 34.5 | 36.2 | 36.8* | 33.6 | 31.5 | 22.4 | 21.0 | 36.8* |
| Daily minimum air temperature(°C) | -3.6 | -3.4 | -1.5 | 1.9 | 7.0 | 14.2 | 19.7* | 20.5 | 16.3 | 9.5 | 3.3 | -1.4 | -3.6 |
| Daily precipitation(mm) | 38.0 | 68.5 | 38.5 | 39.5 | 50.0 | 75.0 | 200.0 | 171.0 | 84.0 | 77.0 | 49.5 | 73.5 | 200.0 |
| Daily max.one-hour precipitation(mm) | 11.5 | 13.0 | 13.5 | 36.0 | 22.0 | 35.0 | 27.0 | 67.5 | 45.5 | 20.0 | 20.0 | 37.5 | 67.5 |
| Daily max.ten-minute precipitation(mm) | 3.0 | 7.5 | 6.0 | 22.5 | 5.5* | 11.0 | 14.0 | 16.5 | 20.0 | 10.5 | 7.5* | 13.0 | 22.5 |
| Daily totals of snowfall(cm) | 0 * | 0 * | 0 * | - | - | - | × | × | - | - | - | 0 * | 0 * |
| Daily maximum of snow cover(cm) | | | | | | | | | | | | | |
| Daily maximum wind speed(kt) | 34 | 34 | 34 | 57 | 35 | 35 | 39 | 60 | 39 | 41 * | 32 | 42 | 60 |
| with wind direction(36DIR.) | 28 | 27 | 20 | 27 | 20 | 3 | 19 | 18 | 36 | 20 | 20 | 19 | 18 |
| Daily maximum peak gust(kt) | 44 * | 43 | 41 | 66 | 44 * | 48 | 46 | 79 | 53 | 52 | 40 | 52 | 79 |
| with wind direction(36DIR.) | 29 | 28 | 20 | 18 | 19 | 5 | 19 | 18 | 36 | 20 | 26 | 19 | 18 |

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KOBE AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS | | | | | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|------|------|-------|--------|
| | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANN |
| Daily minimum air temperature < 0.0°C | 4.4 | 6.0 | 1.0 | - | - | - | - | - | - | - | - | 0.4 | 11.8 |
| 25.0°C | - | - | - | - | - | - | 8.4 | 20.8 | 3.0 | - | - | - | 32.2 |
| Daily mean air temperature < 0.0°C | 0.2 | - | - | - | - | - | - | - | - | - | - | - | 0.2 |
| 25.0°C | - | - | - | - | - | 0.6 | 23.6 | 29.6 | 12.6 | 1.4 | - | - | 67.8 |
| Daily maximum air temperature < 0.0°C | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 25.0°C | - | - | - | - | 4.0 | 17.6 | 29.2 | 31.0 | 27.6 | 9.0 | - | - | 118.4 |
| 30.0°C | - | - | - | - | 0.2 | 0.8 | 7.8 | 22.6 | 5.0 | 0.4 | - | - | 36.8 |
| Daily precipitation 0.0mm | 20.0 | 20.0 | 21.6 | 26.0 | 28.0 | 28.2 | 29.8 | 27.2 | 26.8 | 27.8 | 25.2 | 21.8) | 308.3) |
| 1.0mm | 3.8 | 6.2 | 7.4 | 8.8 | 7.6 | 9.6 | 8.0 | 7.4 | 9.4 | 5.8 | 7.0 | 6.0) | 89.5) |
| 5.0mm | 2.2 | 3.2 | 5.8 | 4.4 | 5.2 | 7.0 | 5.2 | 4.8 | 7.4 | 3.8 | 4.8 | 3.8) | 59.3) |
| 10.0mm | 1.4 | 1.8 | 3.6 | 2.4 | 2.2 | 5.2 | 3.6 | 2.8 | 5.0 | 3.6 | 2.4 | 2.3) | 37.5) |
| 30.0mm | 0.2 | 0.2 | 0.6 | 0.8 | 0.4 | 2.2 | 1.0 | 0.6 | 1.2 | 0.6 | 0.4 | 0.5) | 9.0) |
| 50.0mm | - | 0.2 | - | - | 0.2 | 1.0 | 0.6 | 0.6 | 0.4 | 0.4 | - | 0.3) | 3.0) |
| 70.0mm | - | - | - | - | - | 0.2 | 0.2 | 0.4 | 0.2 | 0.2 | - | 0.3) | 1.0) |
| 100.0mm | - | - | - | - | - | - | 0.2 | 0.4 | - | - | - | 0.0) | 0.8) |

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KOBE AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS | | | | | | | | | | | | | | |
|---|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|
| | | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANN |
| Daily total depth of snowfall | 0cm | 4.6 | 4.0 | 1.6 | - | - | - | - | - | - | - | - | 1.2 | 11.4 |
| | 5cm | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 10cm | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 20cm | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 50cm | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 100cm | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Daily max.depth of snow cover | 0cm | | | | | | | | | | | | | |
| | 5cm | | | | | | | | | | | | | |
| | 10cm | | | | | | | | | | | | | |
| | 20cm | | | | | | | | | | | | | |
| | 50cm | | | | | | | | | | | | | |
| | 100cm | | | | | | | | | | | | | |
| Daily maximum wind speed | 200cm | | | | | | | | | | | | | |
| | 20kt | 8.4 | 8.6 | 7.2 | 7.4 | 6.4 | 5.6 | 6.4 | 7.2 | 4.2 | 5.8 | 6.8 | 12.0 | 86.0 |
| | 30kt | 1.6 | 0.6 | 1.0 | 1.4 | 0.6 | 0.8 | 1.2 | 0.8 | 1.0 | 1.6 | 0.6 | 1.4 | 12.6 |
| | 40kt | - | - | - | 0.2 | - | - | - | 0.2 | - | 0.4 | - | 0.2 | 1.0 |
| | 50kt | - | - | - | 0.2 | - | - | - | 0.2 | - | - | - | - | 0.4 |

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KOBE AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

AIR PRESSURE (hPa) AT SPECIFIED TIMES

| TIME (UTC) | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANN |
|---------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 00 | 1020.5 | 1020.4 | 1018.3 | 1015.0 | 1012.0 | 1007.8 | 1008.8 | 1008.2 | 1012.5 | 1017.1 | 1019.1 | 1019.7 | 1014.9 |
| 01 | 1020.5 | 1020.3 | 1018.1 | 1015.0 | 1011.9 | 1007.8 | 1008.8 | 1008.1 | 1012.5 | 1017.0 | 1019.0 | 1019.8 | 1014.9 |
| 02 | 1020.1 | 1020.0 | 1017.7 | 1014.6 | 1011.6 | 1007.6 | 1008.6 | 1007.8 | 1012.1 | 1016.6 | 1018.5 | 1019.3 | 1014.5 |
| 03 | 1019.1 | 1019.3 | 1017.2 | 1014.0 | 1011.1 | 1007.3 | 1008.3 | 1007.4 | 1011.6 | 1015.9 | 1017.7 | 1018.4 | 1013.9 |
| 04 | 1018.4 | 1018.5 | 1016.4 | 1013.4 | 1010.6 | 1006.9 | 1007.9 | 1007.0 | 1011.0 | 1015.2 | 1017.0 | 1017.7 | 1013.4 |
| 05 | 1018.1 | 1018.0 | 1015.8 | 1012.9 | 1010.2 | 1006.6 | 1007.6 | 1006.6 | 1010.6 | 1014.8 | 1016.7 | 1017.4 | 1012.9 |
| 06 | 1018.2 | 1018.0 | 1015.6 | 1012.5 | 1009.8 | 1006.4 | 1007.3 | 1006.2 | 1010.4 | 1014.8 | 1016.8 | 1017.5 | 1012.8 |
| 07 | 1018.4 | 1018.1 | 1015.5 | 1012.3 | 1009.6 | 1006.1 | 1007.1 | 1006.2 | 1010.4 | 1014.8 | 1017.1 | 1017.8 | 1012.8 |
| 08 | 1018.7 | 1018.3 | 1015.6 | 1012.5 | 1009.6 | 1006.1 | 1007.1 | 1006.3 | 1010.7 | 1015.0 | 1017.3 | 1018.1 | 1012.9 |
| 09 | 1019.1 | 1018.7 | 1016.1 | 1012.7 | 1009.7 | 1006.3 | 1007.3 | 1006.4 | 1011.0 | 1015.3 | 1017.7 | 1018.6 | 1013.2 |
| 10 | 1019.5 | 1019.1 | 1016.5 | 1013.2 | 1010.2 | 1006.7 | 1007.6 | 1006.9 | 1011.4 | 1015.7 | 1018.0 | 1018.9 | 1013.6 |
| 11 | 1019.7 | 1019.4 | 1017.0 | 1013.8 | 1010.6 | 1007.0 | 1007.9 | 1007.4 | 1012.0 | 1016.0 | 1018.2 | 1019.1 | 1014.0 |
| 12 | 1019.8 | 1019.7 | 1017.5 | 1014.3 | 1011.1 | 1007.4 | 1008.4 | 1007.8 | 1012.2 | 1016.2 | 1018.4 | 1019.2 | 1014.3 |
| 13 | 1019.8 | 1019.8 | 1017.7 | 1014.4 | 1011.4 | 1007.6 | 1008.6 | 1007.8 | 1012.2 | 1016.3 | 1018.4 | 1019.2 | 1014.4 |
| 14 | 1019.8 | 1019.6 | 1017.6 | 1014.3 | 1011.4 | 1007.6 | 1008.5 | 1007.9 | 1012.1 | 1016.2 | 1018.4 | 1019.2 | 1014.4 |
| 15 | 1019.6 | 1019.6 | 1017.6 | 1014.3 | 1011.2 | 1007.4 | 1008.4 | 1007.7 | 1012.0 | 1016.1 | 1018.3 | 1019.0 | 1014.3 |
| 16 | 1019.3 | 1019.7 | 1017.6 | 1014.3 | 1011.1 | 1007.2 | 1008.1 | 1007.5 | 1011.7 | 1015.9 | 1018.3 | 1018.8 | 1014.1 |
| 17 | 1019.4 | 1019.6 | 1017.5 | 1014.1 | 1010.9 | 1007.1 | 1008.0 | 1007.3 | 1011.6 | 1015.7 | 1018.2 | 1018.8 | 1014.0 |
| 18 | 1019.3 | 1019.4 | 1017.2 | 1014.0 | 1010.9 | 1007.0 | 1007.9 | 1007.2 | 1011.5 | 1015.6 | 1018.1 | 1018.7 | 1013.9 |
| 19 | 1019.1 | 1019.2 | 1017.1 | 1014.0 | 1010.9 | 1007.1 | 1008.0 | 1007.3 | 1011.4 | 1015.6 | 1018.0 | 1018.5 | 1013.9 |
| 20 | 1019.2 | 1019.3 | 1017.4 | 1014.1 | 1011.1 | 1007.3 | 1008.2 | 1007.4 | 1011.6 | 1015.8 | 1018.0 | 1018.5 | 1014.0 |
| 21 | 1019.5 | 1019.6 | 1017.6 | 1014.5 | 1011.5 | 1007.5 | 1008.4 | 1007.8 | 1011.9 | 1016.1 | 1018.2 | 1018.8 | 1014.3 |
| 22 | 1019.9 | 1019.8 | 1017.9 | 1014.8 | 1011.8 | 1007.7 | 1008.7 | 1008.0 | 1012.2 | 1016.5 | 1018.6 | 1019.1 | 1014.6 |
| 23 | 1020.2 | 1020.3 | 1018.2 | 1014.9 | 1012.0 | 1007.9 | 1008.8 | 1008.1 | 1012.4 | 1016.9 | 1019.0 | 1019.4 | 1014.8 |
| MEAN | 1019.4 | 1019.3 | 1017.1 | 1013.9 | 1010.9 | 1007.1 | 1008.1 | 1007.3 | 1011.6 | 1015.9 | 1018.0 | 1018.7 | 1014.0 |

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KOBE AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

AIR TEMPERATURE () AT SPECIFIED TIMES

| TIME (UTC) | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANN |
|---------------|-----|-----|------|------|------|------|------|------|------|------|------|------|------|
| 00 | 5.6 | 5.6 | 9.3 | 14.2 | 19.1 | 22.7 | 26.3 | 28.3 | 24.8 | 19.9 | 13.8 | 8.2 | 16.5 |
| 01 | 6.5 | 6.4 | 9.9 | 14.8 | 19.7 | 23.1 | 26.7 | 28.9 | 25.4 | 20.6 | 14.6 | 9.0 | 17.2 |
| 02 | 7.2 | 7.1 | 10.5 | 15.3 | 20.2 | 23.5 | 27.2 | 29.4 | 25.9 | 21.4 | 15.3 | 9.6 | 17.7 |
| 03 | 7.7 | 7.5 | 11.0 | 15.7 | 20.5 | 23.8 | 27.4 | 29.6 | 26.2 | 21.8 | 15.8 | 10.1 | 18.1 |
| 04 | 8.0 | 7.8 | 11.3 | 16.2 | 20.8 | 23.9 | 27.6 | 29.7 | 26.4 | 22.0 | 16.0 | 10.3 | 18.3 |
| 05 | 8.1 | 8.1 | 11.5 | 16.3 | 20.9 | 24.0 | 27.7 | 29.7 | 26.5 | 22.2 | 16.1 | 10.4 | 18.5 |
| 06 | 8.1 | 8.2 | 11.5 | 16.2 | 20.8 | 23.8 | 27.5 | 29.7 | 26.4 | 22.1 | 16.0 | 10.2 | 18.4 |
| 07 | 7.8 | 7.9 | 11.5 | 16.1 | 20.6 | 23.6 | 27.3 | 29.4 | 26.3 | 21.9 | 15.5 | 9.8 | 18.1 |
| 08 | 7.0 | 7.3 | 11.1 | 15.7 | 20.3 | 23.3 | 27.0 | 28.9 | 25.9 | 21.1 | 14.7 | 9.1 | 17.6 |
| 09 | 6.5 | 6.7 | 10.4 | 15.1 | 19.8 | 22.9 | 26.6 | 28.4 | 25.3 | 20.5 | 14.4 | 8.6 | 17.1 |
| 10 | 6.2 | 6.4 | 9.9 | 14.6 | 19.2 | 22.4 | 26.0 | 27.9 | 24.8 | 20.0 | 14.0 | 8.3 | 16.6 |
| 11 | 5.9 | 6.0 | 9.6 | 14.4 | 18.9 | 22.1 | 25.8 | 27.7 | 24.6 | 19.8 | 13.8 | 8.1 | 16.3 |
| 12 | 5.5 | 5.7 | 9.2 | 14.0 | 18.5 | 21.9 | 25.6 | 27.4 | 24.3 | 19.5 | 13.5 | 7.8 | 16.1 |
| 13 | 5.2 | 5.4 | 9.0 | 13.7 | 18.2 | 21.7 | 25.5 | 27.2 | 24.0 | 19.3 | 13.2 | 7.6 | 15.8 |
| 14 | 5.0 | 5.2 | 8.6 | 13.4 | 17.9 | 21.6 | 25.3 | 27.0 | 23.7 | 19.0 | 13.0 | 7.4 | 15.6 |
| 15 | 4.7 | 4.9 | 8.3 | 13.2 | 17.6 | 21.4 | 25.2 | 26.9 | 23.5 | 18.7 | 12.8 | 7.1 | 15.4 |
| 16 | 4.6 | 4.6 | 8.0 | 12.8 | 17.2 | 21.2 | 25.0 | 26.7 | 23.5 | 18.7 | 12.8 | 7.1 | 15.2 |
| 17 | 4.5 | 4.6 | 7.7 | 12.6 | 17.0 | 21.0 | 24.9 | 26.6 | 23.2 | 18.4 | 12.5 | 6.9 | 15.0 |
| 18 | 4.3 | 4.4 | 7.5 | 12.2 | 16.8 | 20.9 | 24.8 | 26.5 | 23.0 | 18.2 | 12.4 | 6.9 | 14.8 |
| 19 | 4.1 | 4.2 | 7.3 | 12.0 | 16.6 | 20.8 | 24.7 | 26.3 | 22.9 | 18.0 | 12.2 | 6.7 | 14.6 |
| 20 | 4.0 | 4.1 | 7.0 | 11.8 | 16.4 | 20.7 | 24.6 | 26.2 | 22.7 | 17.8 | 12.1 | 6.7 | 14.5 |
| 21 | 3.8 | 3.9 | 6.9 | 11.8 | 16.9 | 21.0 | 24.9 | 26.4 | 22.7 | 17.7 | 11.9 | 6.5 | 14.5 |
| 22 | 3.7 | 4.0 | 7.4 | 12.7 | 17.6 | 21.6 | 25.4 | 27.1 | 23.3 | 18.2 | 12.0 | 6.4 | 15.0 |
| 23 | 4.5 | 4.8 | 8.4 | 13.4 | 18.4 | 22.2 | 25.8 | 27.7 | 24.1 | 19.1 | 12.9 | 7.2 | 15.7 |
| MEAN | 5.8 | 5.9 | 9.3 | 14.1 | 18.7 | 22.3 | 26.0 | 27.9 | 24.6 | 19.8 | 13.8 | 8.2 | 16.4 |

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KOBE AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

VAPOR PRESSURE (hPa) AT SPECIFIED TIMES

| TIME (UTC) | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANN |
|---------------|-----|-----|-----|------|------|------|------|------|------|------|------|-----|------|
| 00 | 6.1 | 6.2 | 7.9 | 11.3 | 15.4 | 21.0 | 27.9 | 28.8 | 23.0 | 16.1 | 11.4 | 7.8 | 15.3 |
| 01 | 6.1 | 6.3 | 8.1 | 11.5 | 15.7 | 21.1 | 28.1 | 29.2 | 23.2 | 16.1 | 11.4 | 7.8 | 15.4 |
| 02 | 6.2 | 6.3 | 8.2 | 11.8 | 16.1 | 21.4 | 28.5 | 29.6 | 23.3 | 16.3 | 11.4 | 7.8 | 15.6 |
| 03 | 6.3 | 6.3 | 8.4 | 11.8 | 16.2 | 21.5 | 28.7 | 29.8 | 23.6 | 16.4 | 11.5 | 7.8 | 15.7 |
| 04 | 6.3 | 6.4 | 8.5 | 11.9 | 16.3 | 21.8 | 28.8 | 29.9 | 23.8 | 16.5 | 11.5 | 7.8 | 15.8 |
| 05 | 6.3 | 6.4 | 8.6 | 12.0 | 16.5 | 21.8 | 29.1 | 30.1 | 23.8 | 16.6 | 11.4 | 7.7 | 15.9 |
| 06 | 6.3 | 6.4 | 8.6 | 12.1 | 16.5 | 21.8 | 29.0 | 30.2 | 24.0 | 16.5 | 11.4 | 7.6 | 15.9 |
| 07 | 6.2 | 6.3 | 8.6 | 12.1 | 16.5 | 21.7 | 28.9 | 30.3 | 23.8 | 16.3 | 11.3 | 7.5 | 15.8 |
| 08 | 6.1 | 6.3 | 8.5 | 12.0 | 16.5 | 21.6 | 28.7 | 30.2 | 23.5 | 16.1 | 11.1 | 7.4 | 15.7 |
| 09 | 6.1 | 6.3 | 8.4 | 11.9 | 16.1 | 21.6 | 28.6 | 29.9 | 23.2 | 16.1 | 11.0 | 7.4 | 15.6 |
| 10 | 6.0 | 6.2 | 8.4 | 11.9 | 16.1 | 21.6 | 28.5 | 29.9 | 23.2 | 16.1 | 11.0 | 7.3 | 15.5 |
| 11 | 6.0 | 6.3 | 8.3 | 11.8 | 16.2 | 21.6 | 28.5 | 29.5 | 22.9 | 16.1 | 10.9 | 7.4 | 15.4 |
| 12 | 6.0 | 6.3 | 8.3 | 11.8 | 16.2 | 21.6 | 28.3 | 29.4 | 22.8 | 15.9 | 10.9 | 7.4 | 15.4 |
| 13 | 6.0 | 6.2 | 8.2 | 11.7 | 15.9 | 21.5 | 28.2 | 29.4 | 22.7 | 15.9 | 10.9 | 7.4 | 15.3 |
| 14 | 6.0 | 6.1 | 8.1 | 11.7 | 15.8 | 21.3 | 28.1 | 29.3 | 22.6 | 15.9 | 10.9 | 7.4 | 15.3 |
| 15 | 6.0 | 6.1 | 8.0 | 11.6 | 15.6 | 21.3 | 27.9 | 29.2 | 22.6 | 15.8 | 10.9 | 7.4 | 15.2 |
| 16 | 6.0 | 6.1 | 7.8 | 11.2 | 15.4 | 20.9 | 27.6 | 29.0 | 22.9 | 16.0 | 11.0 | 7.5 | 15.1 |
| 17 | 6.0 | 6.1 | 7.8 | 11.1 | 15.2 | 20.8 | 27.5 | 28.9 | 22.8 | 15.9 | 11.0 | 7.5 | 15.0 |
| 18 | 5.9 | 6.1 | 7.8 | 11.0 | 15.1 | 20.6 | 27.4 | 28.8 | 22.7 | 15.9 | 11.0 | 7.5 | 15.0 |
| 19 | 5.9 | 6.0 | 7.7 | 11.0 | 15.0 | 20.6 | 27.3 | 28.6 | 22.5 | 15.9 | 11.0 | 7.5 | 14.9 |
| 20 | 5.9 | 6.1 | 7.7 | 10.9 | 14.9 | 20.4 | 27.2 | 28.5 | 22.5 | 15.9 | 11.0 | 7.6 | 14.9 |
| 21 | 5.9 | 6.1 | 7.6 | 10.9 | 15.1 | 20.6 | 27.5 | 28.6 | 22.5 | 15.8 | 11.0 | 7.6 | 14.9 |
| 22 | 5.9 | 6.1 | 7.8 | 11.1 | 15.1 | 20.5 | 27.5 | 28.7 | 22.8 | 15.9 | 11.1 | 7.6 | 15.0 |
| 23 | 6.0 | 6.2 | 7.9 | 11.2 | 15.2 | 20.8 | 27.7 | 28.7 | 22.9 | 16.0 | 11.3 | 7.7 | 15.1 |
| MEAN | 6.0 | 6.2 | 8.1 | 11.6 | 15.8 | 21.2 | 28.2 | 29.4 | 23.1 | 16.1 | 11.2 | 7.6 | 15.4 |

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KOBE AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

| TIME (UTC) | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANN |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 00 | 66 | 67 | 65 | 68 | 69 | 76 | 82 | 75 | 73 | 68 | 70 | 69 | 70 |
| 01 | 62 | 64 | 64 | 67 | 68 | 75 | 80 | 74 | 71 | 65 | 67 | 66 | 68 |
| 02 | 60 | 61 | 63 | 67 | 67 | 73 | 79 | 73 | 69 | 63 | 64 | 64 | 67 |
| 03 | 59 | 59 | 62 | 65 | 67 | 73 | 79 | 72 | 69 | 62 | 62 | 61 | 66 |
| 04 | 58 | 58 | 61 | 63 | 66 | 74 | 79 | 72 | 69 | 61 | 62 | 60 | 65 |
| 05 | 57 | 57 | 62 | 64 | 66 | 73 | 79 | 73 | 69 | 61 | 61 | 59 | 65 |
| 06 | 57 | 57 | 62 | 65 | 67 | 74 | 79 | 73 | 70 | 61 | 61 | 59 | 65 |
| 07 | 58 | 57 | 61 | 65 | 68 | 75 | 80 | 74 | 70 | 61 | 62 | 60 | 66 |
| 08 | 60 | 59 | 63 | 66 | 69 | 76 | 81 | 76 | 70 | 63 | 64 | 62 | 68 |
| 09 | 62 | 62 | 65 | 68 | 70 | 77 | 82 | 78 | 72 | 65 | 65 | 64 | 69 |
| 10 | 62 | 62 | 65 | 70 | 72 | 80 | 85 | 80 | 73 | 67 | 67 | 65 | 71 |
| 11 | 63 | 64 | 67 | 70 | 74 | 81 | 86 | 80 | 73 | 68 | 67 | 66 | 72 |
| 12 | 65 | 66 | 68 | 72 | 75 | 82 | 86 | 81 | 74 | 68 | 68 | 67 | 73 |
| 13 | 66 | 66 | 68 | 73 | 75 | 83 | 86 | 82 | 75 | 69 | 70 | 68 | 74 |
| 14 | 67 | 67 | 69 | 74 | 76 | 83 | 87 | 82 | 76 | 70 | 71 | 70 | 74 |
| 15 | 68 | 68 | 70 | 74 | 76 | 83 | 87 | 83 | 77 | 71 | 72 | 71 | 75 |
| 16 | 69 | 69 | 70 | 74 | 77 | 83 | 87 | 83 | 78 | 72 | 72 | 72 | 76 |
| 17 | 69 | 69 | 71 | 74 | 77 | 83 | 87 | 83 | 79 | 73 | 74 | 73 | 76 |
| 18 | 70 | 70 | 72 | 75 | 77 | 83 | 87 | 83 | 80 | 74 | 75 | 73 | 77 |
| 19 | 71 | 71 | 72 | 75 | 78 | 83 | 87 | 84 | 80 | 75 | 75 | 74 | 77 |
| 20 | 71 | 71 | 73 | 76 | 78 | 83 | 88 | 83 | 80 | 76 | 76 | 75 | 78 |
| 21 | 71 | 72 | 73 | 76 | 77 | 82 | 87 | 83 | 81 | 76 | 76 | 75 | 77 |
| 22 | 72 | 72 | 72 | 73 | 74 | 79 | 85 | 80 | 79 | 75 | 76 | 76 | 76 |
| 23 | 70 | 70 | 68 | 71 | 70 | 78 | 83 | 77 | 76 | 71 | 74 | 73 | 73 |
| MEAN | 65 | 65 | 67 | 70 | 72 | 79 | 84 | 79 | 74 | 68 | 69 | 68 | 72 |

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KOBE AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

| TIME (UTC) | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANN |
|---------------|------|-----|------|------|------|------|------|------|------|------|------|------|-----|
| 00 | 29 | 5 | 6 | 5 | 6 * | 5 | 23 | 7 | 7 | 6 * | 6 | 28 | 6 |
| 01 | 29 | 7 * | 6 | 6 | 5 | 6 * | 20 * | 21 | 7 | 6 | 6 | 28 | 6 |
| 02 | 28 | 26 | 25 | 6 | 25 * | 5 | 22 | 23 | 13 * | 5 | 5 | 27 | 5 |
| 03 | 27 | 26 | 25 | 25 | 24 | 23 | 23 | 24 | 21 | 5 | 5 | 27 | 24 |
| 04 | 26 | 26 | 25 | 25 * | 24 | 23 | 24 | 24 | 23 | 5 | 26 | 27 | 24 |
| 05 | 26 | 25 | 26 | 26 | 24 * | 24 | 22 | 24 | 24 | 22 | 26 | 27 | 26 |
| 06 | 26 | 25 | 25 | 25 | 23 | 24 * | 22 | 22 | 23 | 26 | 27 | 28 | 26 |
| 07 | 26 | 26 | 25 | 25 | 22 | 24 | 21 | 23 | 24 * | 26 | 27 * | 27 | 26 |
| 08 | 27 | 26 | 26 | 26 | 22 | 24 | 22 | 22 | 23 | 27 * | 28 * | 28 | 26 |
| 09 | 30 | 25 | 26 | 25 | 25 * | 23 | 22 | 22 | 27 | 3 | 6 | 29 | 25 |
| 10 | 29 | 3 * | 28 * | 26 | 26 | 22 | 22 | 22 | 3 | 5 | 5 | 29 | 5 |
| 11 | 30 | 5 | 5 | 5 | 25 | 5 | 21 | 22 * | 6 | 5 | 5 | 31 | 5 |
| 12 | 29 | 5 | 6 | 6 | 6 | 5 | 23 | 22 | 6 | 5 | 5 | 29 | 5 |
| 13 | 29 | 5 | 7 | 5 | 6 | 5 | 24 | 23 | 6 | 5 | 5 | 30 | 6 |
| 14 | 29) | 6) | 6) | 5 | 6 | 5) | 23 | 22 | 6 | 6) | 6) | 6 | 6) |
| 15 | 6) | 6) | 6) | 6 | 5 | 5) | 26 | 6 | 6 | 6) | 6) | 29 | 6) |
| 16 | 30) | 6) | 6 | 5 | 6 | 5) | 6 | 5 | 6 | 5) | 6) | 6 | 6) |
| 17 | 30) | 6) | 6 | 5 | 6 | 5) | 26 | 5 | 6 | 5) | 6) | 6 | 6) |
| 18 | 6 | 6) | 5 | 6 * | 6 | 5) | 27 | 5 | 6 | 6) | 6) | 30 | 6) |
| 19 | 6 | 6) | 6 | 6 * | 6 | 5) | 5 | 5 | 5 | 6) | 6) | 30 | 6) |
| 20 | 29 | 6 | 5 | 6 | 6 | 5 | 6 * | 6 | 5 | 6 | 6) | 6 | 6) |
| 21 | 31 | 6 | 6 | 6 | 6 | 5 | 6 | 6 | 6 | 6 | 6 | 31 * | 6 |
| 22 | 29 | 6 | 6 | 6 | 5 | 5 | 6 | 6 | 5 | 6 | 6 | 6 | 6 |
| 23 | 29 | 5 | 6 | 6 | 6 | 6 * | 24 | 6 | 6 | 6 | 6 | 6 | 6 |
| ALL | 29) | 6) | 6) | 5 | 6 | 5) | 23 | 22 | 6 | 6) | 6) | 29 | 6) |

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KOBE AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

WIND SPEED(kt) AT SPECIFIED TIMES

| TIME (UTC) | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANN |
|---------------|------|------|-----|------|-----|-----|------|------|-----|-----|-----|------|------|
| 00 | 8.7 | 9.0 | 8.8 | 8.3 | 6.9 | 8.0 | 7.3 | 7.4 | 7.9 | 8.6 | 8.7 | 9.6 | 8.3 |
| 01 | 8.8 | 9.2 | 8.8 | 8.2 | 6.3 | 7.8 | 7.3 | 7.3 | 7.7 | 8.3 | 8.8 | 10.0 | 8.2 |
| 02 | 9.2 | 9.8 | 9.0 | 8.8 | 7.2 | 7.9 | 7.7 | 7.9 | 7.2 | 8.0 | 8.8 | 10.1 | 8.5 |
| 03 | 9.9 | 10.3 | 9.1 | 9.0 | 7.5 | 8.3 | 8.5 | 9.1 | 7.4 | 7.9 | 9.1 | 10.8 | 8.9 |
| 04 | 10.4 | 10.6 | 9.4 | 9.6 | 8.6 | 8.8 | 9.0 | 10.0 | 8.0 | 7.8 | 9.3 | 10.9 | 9.4 |
| 05 | 10.8 | 10.8 | 9.2 | 10.1 | 9.0 | 9.4 | 9.9 | 10.5 | 8.3 | 8.3 | 9.2 | 10.9 | 9.7 |
| 06 | 10.6 | 10.8 | 9.3 | 10.3 | 9.1 | 9.6 | 10.5 | 11.2 | 8.9 | 8.5 | 9.2 | 10.2 | 9.8 |
| 07 | 10.8 | 10.0 | 9.4 | 10.5 | 9.6 | 9.7 | 11.1 | 11.4 | 8.9 | 8.9 | 9.4 | 10.6 | 10.0 |
| 08 | 9.8 | 9.6 | 9.1 | 10.2 | 9.7 | 9.7 | 11.1 | 11.3 | 9.0 | 9.2 | 8.7 | 10.2 | 9.8 |
| 09 | 9.1 | 9.4 | 9.0 | 9.7 | 9.4 | 9.2 | 10.3 | 11.1 | 8.4 | 9.2 | 8.5 | 9.8 | 9.4 |
| 10 | 8.8 | 9.0 | 8.1 | 9.2 | 8.8 | 9.0 | 10.0 | 10.1 | 7.8 | 9.0 | 8.2 | 10.0 | 9.0 |
| 11 | 8.9 | 8.5 | 7.7 | 8.8 | 8.1 | 8.4 | 9.3 | 9.2 | 8.0 | 8.7 | 8.4 | 10.0 | 8.7 |
| 12 | 8.9 | 8.9 | 7.7 | 7.7 | 8.2 | 8.0 | 8.1 | 8.2 | 7.8 | 8.7 | 8.6 | 9.9 | 8.4 |
| 13 | 8.5 | 8.9 | 7.7 | 7.4 | 7.6 | 7.8 | 7.9 | 7.6 | 7.8 | 9.1 | 8.7 | 10.2 | 8.3 |
| 14 | 8.8 | 8.6 | 7.9 | 7.3 | 6.6 | 7.3 | 7.1 | 7.2 | 7.5 | 8.8 | 8.6 | 9.9 | 8.0 |
| 15 | 8.9 | 8.4 | 7.8 | 7.7 | 6.3 | 7.3 | 7.1 | 6.9 | 7.1 | 8.5 | 8.6 | 9.7 | 7.9 |
| 16 | 8.9 | 8.3 | 7.8 | 7.4 | 6.5 | 6.8 | 6.9 | 6.9 | 7.2 | 8.5 | 8.4 | 9.6 | 7.8 |
| 17 | 9.1 | 8.5 | 7.9 | 7.3 | 6.4 | 6.6 | 6.6 | 6.9 | 7.1 | 8.6 | 8.2 | 9.4 | 7.7 |
| 18 | 9.1 | 8.5 | 7.8 | 7.4 | 6.6 | 6.8 | 6.8 | 7.0 | 7.3 | 8.5 | 8.1 | 9.6 | 7.8 |
| 19 | 9.1 | 8.4 | 7.8 | 7.6 | 6.5 | 6.7 | 6.8 | 6.9 | 7.4 | 8.6 | 8.2 | 9.2 | 7.8 |
| 20 | 8.9 | 8.2 | 7.9 | 7.4 | 6.5 | 6.9 | 6.3 | 6.7 | 7.4 | 8.8 | 8.2 | 9.3 | 7.7 |
| 21 | 8.8 | 8.4 | 8.2 | 7.8 | 6.5 | 7.3 | 6.3 | 7.0 | 7.4 | 8.9 | 8.1 | 9.4 | 7.8 |
| 22 | 8.5 | 8.3 | 8.2 | 8.0 | 6.9 | 7.8 | 6.8 | 7.4 | 7.6 | 8.9 | 8.4 | 9.3 | 8.0 |
| 23 | 8.4 | 8.5 | 8.3 | 8.3 | 6.9 | 7.9 | 6.9 | 7.5 | 7.9 | 8.9 | 8.4 | 9.4 | 8.1 |
| MEAN | 9.2 | 9.1 | 8.4 | 8.5 | 7.5 | 8.0 | 8.2 | 8.5 | 7.8 | 8.6 | 8.6 | 9.9 | 8.5 |

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KOBE AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE () | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|
| DAY | JAN | | | FEB | | | MAR | | | APR | | |
| | MEAN | MAX. | MIN. | MEAN | MAX. | MIN. | MEAN | MAX. | MIN. | MEAN | MAX. | MIN. |
| 01 | 6.5 | 10.1 | 2.9 | 5.7 | 8.9 | 2.3 | 7.5 | 10.9 | 3.9 | 12.1 | 15.7 | 8.2 |
| 02 | 6.4 | 10.0 | 2.8 | 5.7 | 8.9 | 2.3 | 7.7 | 11.1 | 4.1 | 12.2 | 15.8 | 8.4 |
| 03 | 6.4 | 10.0 | 2.7 | 5.7 | 8.9 | 2.3 | 7.8 | 11.3 | 4.2 | 12.3 | 15.9 | 8.5 |
| 04 | 6.3 | 9.9 | 2.6 | 5.6 | 8.8 | 2.2 | 7.9 | 11.4 | 4.3 | 12.4 | 16.0 | 8.6 |
| 05 | 6.2 | 9.8 | 2.6 | 5.6 | 8.8 | 2.2 | 8.0 | 11.6 | 4.3 | 12.4 | 16.1 | 8.6 |
| 06 | 6.1 | 9.8 | 2.5 | 5.5 | 8.8 | 2.1 | 8.1 | 11.7 | 4.3 | 12.5 | 16.1 | 8.7 |
| 07 | 6.1 | 9.7 | 2.5 | 5.5 | 8.7 | 2.0 | 8.1 | 11.8 | 4.3 | 12.5 | 16.1 | 8.7 |
| 08 | 6.0 | 9.6 | 2.5 | 5.4 | 8.7 | 2.0 | 8.1 | 11.9 | 4.3 | 12.6 | 16.2 | 8.7 |
| 09 | 6.0 | 9.5 | 2.4 | 5.4 | 8.7 | 1.9 | 8.2 | 12.0 | 4.2 | 12.7 | 16.3 | 8.8 |
| 10 | 5.9 | 9.5 | 2.4 | 5.4 | 8.7 | 1.9 | 8.2 | 12.0 | 4.2 | 12.8 | 16.4 | 8.9 |
| 11 | 5.9 | 9.4 | 2.4 | 5.4 | 8.7 | 1.9 | 8.3 | 12.1 | 4.3 | 12.9 | 16.6 | 9.0 |
| 12 | 5.8 | 9.3 | 2.4 | 5.4 | 8.8 | 1.8 | 8.4 | 12.2 | 4.3 | 13.1 | 16.8 | 9.2 |
| 13 | 5.8 | 9.3 | 2.4 | 5.5 | 8.8 | 1.9 | 8.5 | 12.4 | 4.4 | 13.3 | 17.0 | 9.4 |
| 14 | 5.8 | 9.2 | 2.4 | 5.5 | 8.9 | 1.9 | 8.7 | 12.5 | 4.6 | 13.5 | 17.2 | 9.6 |
| 15 | 5.7 | 9.1 | 2.4 | 5.6 | 8.9 | 1.9 | 8.9 | 12.7 | 4.7 | 13.8 | 17.5 | 9.8 |
| 16 | 5.7 | 9.1 | 2.4 | 5.6 | 9.0 | 2.0 | 9.1 | 12.9 | 4.9 | 14.0 | 17.7 | 10.0 |
| 17 | 5.7 | 9.0 | 2.3 | 5.7 | 9.0 | 2.0 | 9.3 | 13.0 | 5.1 | 14.2 | 17.9 | 10.3 |
| 18 | 5.6 | 9.0 | 2.3 | 5.8 | 9.1 | 2.1 | 9.5 | 13.2 | 5.3 | 14.4 | 18.1 | 10.5 |
| 19 | 5.6 | 9.0 | 2.2 | 5.9 | 9.2 | 2.2 | 9.6 | 13.3 | 5.5 | 14.6 | 18.3 | 10.8 |
| 20 | 5.6 | 8.9 | 2.2 | 6.0 | 9.3 | 2.3 | 9.8 | 13.5 | 5.7 | 14.8 | 18.5 | 11.0 |
| 21 | 5.6 | 8.9 | 2.1 | 6.1 | 9.4 | 2.4 | 9.9 | 13.6 | 5.8 | 15.0 | 18.7 | 11.2 |
| 22 | 5.5 | 8.9 | 2.1 | 6.2 | 9.5 | 2.6 | 10.0 | 13.7 | 6.0 | 15.2 | 18.9 | 11.4 |
| 23 | 5.5 | 8.9 | 2.0 | 6.4 | 9.7 | 2.7 | 10.2 | 13.8 | 6.1 | 15.4 | 19.1 | 11.6 |
| 24 | 5.6 | 8.9 | 2.0 | 6.6 | 9.8 | 2.9 | 10.3 | 13.9 | 6.3 | 15.6 | 19.2 | 11.8 |
| 25 | 5.6 | 8.9 | 2.0 | 6.8 | 10.0 | 3.1 | 10.5 | 14.1 | 6.5 | 15.8 | 19.4 | 12.0 |
| 26 | 5.6 | 8.9 | 2.0 | 7.0 | 10.2 | 3.4 | 10.7 | 14.3 | 6.7 | 16.0 | 19.6 | 12.2 |
| 27 | 5.6 | 8.9 | 2.1 | 7.1 | 10.4 | 3.6 | 10.9 | 14.5 | 6.9 | 16.2 | 19.8 | 12.4 |
| 28 | 5.7 | 8.9 | 2.1 | 7.3 | 10.6 | 3.7 | 11.2 | 14.8 | 7.2 | 16.3 | 19.9 | 12.6 |
| 29 | 5.7 | 8.9 | 2.2 | 7.4 | 10.8 | 3.8 | 11.4 | 15.0 | 7.5 | 16.5 | 20.1 | 12.8 |
| 30 | 5.7 | 9.0 | 2.2 | | | | 11.6 | 15.3 | 7.8 | 16.6 | 20.2 | 12.9 |
| 31 | 5.7 | 8.9 | 2.3 | | | | 11.9 | 15.5 | 8.0 | | | |

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KOBE AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE () | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|
| DAY | MAY | | | JUN | | | JUL | | | AUG | | |
| | MEAN | MAX. | MIN. | MEAN | MAX. | MIN. | MEAN | MAX. | MIN. | MEAN | MAX. | MIN. |
| 01 | 16.7 | 20.3 | 13.0 | 21.0 | 24.5 | 17.9 | 23.7 | 26.3 | 21.6 | 27.9 | 31.2 | 25.6 |
| 02 | 16.8 | 20.4 | 13.1 | 21.1 | 24.6 | 18.0 | 23.9 | 26.4 | 21.8 | 28.0 | 31.3 | 25.7 |
| 03 | 16.9 | 20.5 | 13.2 | 21.2 | 24.7 | 18.1 | 24.1 | 26.6 | 22.0 | 28.1 | 31.4 | 25.7 |
| 04 | 17.0 | 20.6 | 13.3 | 21.3 | 24.8 | 18.3 | 24.2 | 26.7 | 22.2 | 28.1 | 31.4 | 25.7 |
| 05 | 17.0 | 20.7 | 13.3 | 21.4 | 24.9 | 18.5 | 24.4 | 26.9 | 22.5 | 28.2 | 31.4 | 25.8 |
| 06 | 17.1 | 20.8 | 13.4 | 21.5 | 24.9 | 18.7 | 24.6 | 27.1 | 22.7 | 28.2 | 31.4 | 25.8 |
| 07 | 17.2 | 20.9 | 13.4 | 21.6 | 25.1 | 18.8 | 24.8 | 27.3 | 22.9 | 28.2 | 31.4 | 25.8 |
| 08 | 17.3 | 21.0 | 13.5 | 21.8 | 25.2 | 19.0 | 25.0 | 27.5 | 23.1 | 28.2 | 31.3 | 25.7 |
| 09 | 17.4 | 21.1 | 13.6 | 21.9 | 25.3 | 19.2 | 25.2 | 27.6 | 23.3 | 28.2 | 31.3 | 25.7 |
| 10 | 17.5 | 21.3 | 13.7 | 22.1 | 25.4 | 19.4 | 25.4 | 27.8 | 23.4 | 28.2 | 31.3 | 25.7 |
| 11 | 17.6 | 21.5 | 13.9 | 22.2 | 25.5 | 19.6 | 25.5 | 28.0 | 23.6 | 28.2 | 31.2 | 25.7 |
| 12 | 17.8 | 21.7 | 14.0 | 22.3 | 25.5 | 19.8 | 25.7 | 28.2 | 23.7 | 28.2 | 31.2 | 25.7 |
| 13 | 18.0 | 21.9 | 14.2 | 22.4 | 25.6 | 19.9 | 25.8 | 28.4 | 23.8 | 28.2 | 31.2 | 25.7 |
| 14 | 18.2 | 22.1 | 14.4 | 22.5 | 25.6 | 20.0 | 26.0 | 28.5 | 23.9 | 28.2 | 31.2 | 25.7 |
| 15 | 18.4 | 22.3 | 14.6 | 22.5 | 25.6 | 20.1 | 26.1 | 28.6 | 24.0 | 28.2 | 31.2 | 25.8 |
| 16 | 18.6 | 22.5 | 14.8 | 22.6 | 25.5 | 20.2 | 26.2 | 28.8 | 24.1 | 28.2 | 31.2 | 25.8 |
| 17 | 18.8 | 22.7 | 15.1 | 22.6 | 25.5 | 20.3 | 26.3 | 28.9 | 24.2 | 28.2 | 31.3 | 25.8 |
| 18 | 19.0 | 22.9 | 15.3 | 22.6 | 25.4 | 20.3 | 26.4 | 29.0 | 24.3 | 28.2 | 31.3 | 25.8 |
| 19 | 19.2 | 23.1 | 15.5 | 22.6 | 25.4 | 20.4 | 26.5 | 29.1 | 24.3 | 28.1 | 31.3 | 25.7 |
| 20 | 19.4 | 23.3 | 15.7 | 22.6 | 25.4 | 20.4 | 26.5 | 29.2 | 24.4 | 28.1 | 31.3 | 25.7 |
| 21 | 19.6 | 23.4 | 15.9 | 22.7 | 25.4 | 20.5 | 26.6 | 29.3 | 24.5 | 28.0 | 31.2 | 25.6 |
| 22 | 19.8 | 23.6 | 16.1 | 22.7 | 25.4 | 20.5 | 26.7 | 29.5 | 24.6 | 27.9 | 31.2 | 25.5 |
| 23 | 19.9 | 23.7 | 16.3 | 22.8 | 25.5 | 20.6 | 26.9 | 29.6 | 24.7 | 27.8 | 31.1 | 25.3 |
| 24 | 20.1 | 23.8 | 16.5 | 22.9 | 25.5 | 20.7 | 27.0 | 29.8 | 24.8 | 27.6 | 30.9 | 25.2 |
| 25 | 20.3 | 24.0 | 16.7 | 22.9 | 25.6 | 20.8 | 27.1 | 30.0 | 24.9 | 27.5 | 30.7 | 25.0 |
| 26 | 20.4 | 24.1 | 16.9 | 23.1 | 25.7 | 20.9 | 27.2 | 30.1 | 25.0 | 27.3 | 30.5 | 24.8 |
| 27 | 20.5 | 24.2 | 17.1 | 23.2 | 25.8 | 21.0 | 27.4 | 30.3 | 25.2 | 27.1 | 30.3 | 24.6 |
| 28 | 20.7 | 24.3 | 17.3 | 23.3 | 26.0 | 21.1 | 27.5 | 30.6 | 25.3 | 26.9 | 30.1 | 24.4 |
| 29 | 20.8 | 24.3 | 17.4 | 23.4 | 26.1 | 21.3 | 27.6 | 30.7 | 25.4 | 26.7 | 29.9 | 24.2 |
| 30 | 20.8 | 24.4 | 17.6 | 23.6 | 26.2 | 21.4 | 27.7 | 30.9 | 25.5 | 26.5 | 29.6 | 24.1 |
| 31 | 20.9 | 24.5 | 17.7 | | | | 27.9 | 31.1 | 25.6 | 26.4 | 29.4 | 23.9 |

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KOBE AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 38.0'N, LONGITUDE: 135° 13.4'E, ELEVATION ABOVE MSL: 18 ft

| DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE () | | | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|
| DAY | SEP | | | OCT | | | NOV | | | DEC | | |
| | MEAN | MAX. | MIN. | MEAN | MAX. | MIN. | MEAN | MAX. | MIN. | MEAN | MAX. | MIN. |
| 01 | 26.2 | 29.2 | 23.8 | 23.0 | 26.4 | 19.9 | 16.3 | 19.6 | 12.9 | 10.6 | 14.1 | 7.0 |
| 02 | 26.1 | 29.1 | 23.6 | 22.9 | 26.3 | 19.7 | 16.1 | 19.5 | 12.8 | 10.4 | 13.9 | 6.7 |
| 03 | 25.9 | 28.9 | 23.5 | 22.7 | 26.1 | 19.5 | 16.0 | 19.3 | 12.6 | 10.1 | 13.7 | 6.4 |
| 04 | 25.8 | 28.8 | 23.3 | 22.5 | 25.9 | 19.3 | 15.8 | 19.1 | 12.5 | 9.9 | 13.5 | 6.2 |
| 05 | 25.7 | 28.6 | 23.2 | 22.3 | 25.8 | 19.1 | 15.7 | 19.0 | 12.4 | 9.7 | 13.3 | 6.0 |
| 06 | 25.6 | 28.5 | 23.1 | 22.1 | 25.6 | 18.9 | 15.5 | 18.8 | 12.3 | 9.5 | 13.1 | 5.8 |
| 07 | 25.5 | 28.4 | 22.9 | 21.9 | 25.3 | 18.6 | 15.4 | 18.7 | 12.1 | 9.3 | 12.9 | 5.6 |
| 08 | 25.5 | 28.3 | 22.8 | 21.6 | 25.1 | 18.3 | 15.2 | 18.5 | 12.0 | 9.1 | 12.7 | 5.5 |
| 09 | 25.4 | 28.3 | 22.7 | 21.4 | 24.8 | 18.0 | 15.0 | 18.3 | 11.8 | 8.9 | 12.5 | 5.3 |
| 10 | 25.3 | 28.2 | 22.5 | 21.1 | 24.6 | 17.7 | 14.9 | 18.2 | 11.6 | 8.8 | 12.3 | 5.2 |
| 11 | 25.2 | 28.1 | 22.4 | 20.8 | 24.3 | 17.4 | 14.7 | 18.0 | 11.4 | 8.6 | 12.1 | 5.1 |
| 12 | 25.1 | 28.0 | 22.2 | 20.6 | 24.0 | 17.2 | 14.5 | 17.8 | 11.2 | 8.5 | 11.9 | 5.0 |
| 13 | 24.9 | 27.9 | 22.1 | 20.3 | 23.7 | 16.9 | 14.3 | 17.6 | 11.0 | 8.3 | 11.8 | 4.9 |
| 14 | 24.8 | 27.8 | 22.0 | 20.1 | 23.5 | 16.7 | 14.1 | 17.4 | 10.8 | 8.2 | 11.6 | 4.8 |
| 15 | 24.6 | 27.7 | 21.8 | 19.8 | 23.2 | 16.4 | 13.9 | 17.2 | 10.6 | 8.1 | 11.5 | 4.7 |
| 16 | 24.5 | 27.5 | 21.7 | 19.6 | 23.0 | 16.2 | 13.7 | 17.1 | 10.5 | 7.9 | 11.3 | 4.6 |
| 17 | 24.4 | 27.4 | 21.5 | 19.4 | 22.8 | 16.0 | 13.6 | 16.9 | 10.3 | 7.9 | 11.2 | 4.5 |
| 18 | 24.2 | 27.3 | 21.4 | 19.3 | 22.6 | 15.9 | 13.4 | 16.8 | 10.2 | 7.8 | 11.1 | 4.5 |
| 19 | 24.1 | 27.2 | 21.3 | 19.1 | 22.4 | 15.7 | 13.3 | 16.6 | 10.1 | 7.7 | 11.0 | 4.4 |
| 20 | 24.0 | 27.2 | 21.1 | 18.9 | 22.2 | 15.5 | 13.1 | 16.5 | 9.9 | 7.6 | 10.9 | 4.4 |
| 21 | 23.9 | 27.1 | 21.0 | 18.7 | 22.0 | 15.3 | 13.0 | 16.3 | 9.8 | 7.6 | 10.9 | 4.3 |
| 22 | 23.8 | 27.1 | 20.9 | 18.5 | 21.9 | 15.1 | 12.8 | 16.1 | 9.6 | 7.5 | 10.8 | 4.2 |
| 23 | 23.7 | 27.0 | 20.8 | 18.3 | 21.7 | 14.9 | 12.6 | 15.9 | 9.4 | 7.4 | 10.7 | 4.1 |
| 24 | 23.7 | 27.0 | 20.7 | 18.1 | 21.5 | 14.6 | 12.4 | 15.7 | 9.1 | 7.3 | 10.7 | 4.0 |
| 25 | 23.6 | 26.9 | 20.6 | 17.9 | 21.2 | 14.4 | 12.2 | 15.5 | 8.9 | 7.2 | 10.6 | 3.9 |
| 26 | 23.5 | 26.9 | 20.5 | 17.6 | 21.0 | 14.1 | 11.9 | 15.3 | 8.6 | 7.1 | 10.5 | 3.7 |
| 27 | 23.4 | 26.8 | 20.4 | 17.4 | 20.7 | 13.9 | 11.7 | 15.0 | 8.3 | 7.0 | 10.4 | 3.6 |
| 28 | 23.4 | 26.7 | 20.3 | 17.1 | 20.5 | 13.6 | 11.4 | 14.8 | 7.9 | 6.9 | 10.4 | 3.4 |
| 29 | 23.3 | 26.6 | 20.1 | 16.9 | 20.3 | 13.4 | 11.1 | 14.5 | 7.6 | 6.8 | 10.3 | 3.3 |
| 30 | 23.2 | 26.5 | 20.0 | 16.7 | 20.0 | 13.2 | 10.9 | 14.3 | 7.3 | 6.7 | 10.2 | 3.1 |
| 31 | | | | 16.5 | 19.8 | 13.0 | | | | 6.6 | 10.1 | 3.0 |