

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OBIHIRO AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft****NUMBER OF FORWARD SCATTER: RWY35**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<600	<1000	<600	<1000	<1500
00	—	—	1	1	5	5	9	11
01	—	1	2	3	5	5	8	10
02	—	—	1	1	3	2	7	8
03	—	1	1	1	3	1	5	7
04	—	1	1	1	3	2	5	7
05	—	—	—	1	3	2	5	6
06	—	—	—	1	5	4	5	6
07	—	—	—	—	3	2	5	6
08	—	—	—	—	2	1	4	6
09	—	—	—	—	1	1	4	6
10	—	—	—	—	3	3	5	6
11	—	—	—	—	3	2	5	6
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	1	2	6	3	9	10
MEAN	—	0	0	1	3	2	6	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: OBIHIRO AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft
NUMBER OF FORWARD SCATTER: RWY35

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<600	<1000	<600	<1000	<1500
00	—	1	2	4	8	6	10	13
01	—	1	2	4	7	6	8	11
02	1)	1)	1)	1)	4)	1	6	11
03	1	1	1	1	5	3	7	10
04	—	—	—	1	5	2	7	8
05	—	—	—	1	6	4	7	8
06	—	—	1	3	6	4	8	10
07	—	—	—	1	6	4	6	9
08	—	—	—	1	7	4	8	10
09	—	1	1	2	7	6	9	12
10	1	1	1	1	6	6	11	11
11	—	1	1	2	8	5	10	11
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	2	6	8	6	11	15
MEAN	0)	0)	1)	2)	6)	4	8	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: OBIHIRO AIRPORT MONTH: MAR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft
NUMBER OF FORWARD SCATTER: RWY35

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<600	<1000	<600	<1000	<1500
00	1	2	5	7	13	9	14	19
01	—	—	2	5	9	6	12	17
02	0)	0)	1)	2)	8)	5	10	14
03	—	—	—	3	9	5	10	12
04	—	—	1	1	9	4	10	12
05	0)	0)	1)	2)	5)	3	9	10
06	0)	0)	1)	1)	5)	3	8	11
07	0)	1)	2)	3)	8)	5	10	14
08	—	1	2	4	9	6	11	14
09	—	—	—	3	8	5	11	14
10	—	—	1	1	9	5	12	17
11	—	1	1	5	9	7	12	17
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	2	2	3	8	14	10	15	17
MEAN	0)	0)	1)	4)	9)	6	11	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OBIHIRO AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft****NUMBER OF FORWARD SCATTER: RWY35**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<600	<1000	<600	<1000	<1500
00	—	1	4	11	18	12	18	21
01	—	—	1	7	13	8	15	18
02	—	—	1	7	11	7	13	16
03	—	—	3	5	10	5	11	15
04	—	—	1	5	9	5	12	15
05	—	—	1	3	10	3	11	14
06	—	—	3	4	10	5	11	17
07	—	—	2	5	8	5	10	15
08	—	1	3	7	11	7	14	18
09	—	—	2	9	13	13	15	19
10	—	—	7	12	16	13	17	21
11	—	1	8	13	19	16	21	22
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	2	11	15	21	18	23	25
MEAN	0	0	4	8	13	9	15	18

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OBIHIRO AIRPORT MONTH: MAY****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft****NUMBER OF FORWARD SCATTER: RWY35**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<600	<1000	<600	<1000	<1500
00	—	—	3	10	20	11	21	24
01	—	—	1	5	17	5	17	23
02	—	—	1	3	13	3	14	19
03	—	—	1	3	8	3	9	15
04	—	—	1	3	8	3	10	15
05	—	—	1	3	6	3	8	15
06	—	—	—	2	8	3	9	13
07	—	—	1	2	8	3	10	14
08	—	—	1	5	8	5	10	12
09	—	—	1	3	8	5	10	14
10	—	—	3	6	10	6	12	15
11	—	—	3	7	14	8	15	18
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	6	13	23	14	25	28
MEAN	—	—	2	5	12	5	13	17

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OBIHIRO AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft****NUMBER OF FORWARD SCATTER: RWY35**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<600	<1000	<600	<1000	<1500
00	—	—	2	11	35	11	36	50
01	—	—	1	6	25	6	26	39
02	—	—	—	5	20	5	21	31
03	0)	0)	1)	5)	17)	5	19	27
04	—	—	—	5	18	5	19	27
05	0)	0)	0)	7)	17)	7	17	26
06	0)	0)	1)	5)	18)	5	19	23
07	—	—	1	5	21	5	21	27
08	—	—	1	9	25	9	25	30
09	—	—	2	13	28	13	28	32
10	—	—	6	17	33	17	33	35
11	—	—	13	24	38	25	39	45
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	5	20	43	21	45	53
MEAN	0)	0)	2)	10)	26)	10	27	34

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: OBIHIRO AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft
NUMBER OF FORWARD SCATTER: RWY35

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<600	<1000	<600	<1000	<1500
00	—	—	2	8	37	9	36	47
01	—	—	1	5	23	5	23	39
02	0)	0)	0)	3)	18)	4	19	31
03	0)	0)	0)	1)	14)	3	16	26
04	0)	0)	1)	2)	12)	2	12	21
05	—	—	1	2	11	2	12	19
06	—	—	1	6	14	5	14	21
07	—	—	1	5	13	5	14	22
08	—	—	1	6	17	6	17	26
09	—	—	—	7	21	7	21	30
10	—	—	2	15	30	15	30	35
11	—	—	8	25	36	25	37	41
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	1	10	26	47	26	47	55
MEAN	0)	0)	2)	8)	22)	9	23	32

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OBIHIRO AIRPORT **MONTH:** AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 42° 44.0'N, **LONGITUDE:** 143° 13.0'E, **ELEVATION ABOVE MSL:** 490ft

NUMBER OF FORWARD SCATTER: RWY35

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<600	<1000	<600	<1000	<1500
00	—	—	3	14	33	14	35	46
01	—	—	2	7	21	7	23	35
02	—	—	1	6	17	6	17	28
03	—	—	1	5	15	5	15	26
04	—	—	—	3	13	3	14	22
05	—	—	1	3	13	3	14	21
06	—	—	—	5	14	5	14	21
07	—	—	3	8	17	8	17	26
08	—	—	3	8	17	8	17	26
09	—	—	5	11	21	10	21	26
10	—	—	8	15	26	16	26	32
11	0)	1)	10)	20)	31)	20	32	37
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	1	9	23	45	23	46	53
MEAN	0)	0)	3)	10)	22)	10	22	31

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OBIHIRO AIRPORT MONTH: SEP****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft****NUMBER OF FORWARD SCATTER: RWY35**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<600	<1000	<600	<1000	<1500
00	0)	0)	3)	12)	27)	12)	28)	33)
01	0)	0)	1)	7)	20)	7)	20)	27)
02	0)	0)	2)	8)	17)	7)	16)	24)
03	0)	0)	1)	8)	16)	8)	16)	22)
04	0)	0)	1)	5)	14)	5)	14)	20)
05	0)	0)	0)	5)	12)	5)	12)	15)
06	0)	0)	0)	3)	14)	3)	14)	18)
07	0)	0)	0)	5)	14)	5)	14)	18)
08	0)	0)	1)	5)	14)	5)	14)	20)
09	0)	0)	3)	4)	10)	4)	12)	20)
10	0)	1)	6)	11)	18)	11)	18)	27)
11	1)	1)	5)	11)	23)	12)	22)	29)
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	0)	0)	8)	20)	31)	21)	31)	35)
MEAN	0)	0)	2)	8)	18)	8)	18)	24)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OBIHIRO AIRPORT **MONTH:** OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 42° 44.0'N, **LONGITUDE:** 143° 13.0'E, **ELEVATION ABOVE MSL:** 490ft

NUMBER OF FORWARD SCATTER: RWY35

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<600	<1000	<600	<1000	<1500
00	—	1	2	4	6	5	7	9
01	—	—	1	6	8	6	8	11
02	—	—	1	4	6	4	6	10
03	—	—	3	4	6	4	6	7
04	—	—	3	5	5	5	6	9
05	—	—	1	1	4	2	5	6
06	—	—	1	3	7	3	7	7
07	—	—	2	3	6	3	6	7
08	—	—	3	4	6	4	6	9
09	—	—	3	3	6	3	7	10
10	—	—	3	3	5	3	6	10
11	—	1	4	4	7	4	9	13
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	1	3	5	6	5	7	11
MEAN	0	0	2	4	6	4	7	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OBIHIRO AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft****NUMBER OF FORWARD SCATTER: RWY35**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<600	<1000	<600	<1000	<1500
00	1)	1)	3)	3)	9)	7	14	18
01	1	1	5	8	13	9	15	16
02	1)	1)	5)	7)	12)	9	13	15
03	0)	1)	3)	5)	9)	5	11	15
04	—	—	5	5	9	6	11	13
05	1)	1)	5)	6)	10)	7	11	13
06	0)	0)	3)	5)	8)	5	9	13
07	0)	0)	3)	5)	9)	7	11	12
08	—	—	1	3	5	4	8	12
09	—	—	2	4	9	5	9	12
10	—	1	3	5	9	6	9	13
11	—	—	3	5	8	6	11	16
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1)	2)	3)	5)	11)	7	15	17
MEAN	0)	1)	4)	5)	9)	7	11	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OBIHIRO AIRPORT MONTH: DEC****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft****NUMBER OF FORWARD SCATTER: RWY35**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<600	<1000	<600	<1000	<1500
00	—	—	1	3	6	5	10	12
01	—	—	3	5	8	7	12	15
02	0)	1)	2)	6)	12)	9	15	18
03	0)	0)	2)	5)	11)	7	13	16
04	1	1	3	3	9	5	11	15
05	0)	1)	3)	5)	6)	6	10	14
06	0)	0)	0)	3)	7)	4	10	12
07	—	—	1	2	6	3	11	14
08	—	—	—	4	8	5	10	14
09	1	1	3	6	8	6	11	12
10	—	1	2	3	4	5	10	12
11	—	1	1	3	5	5	8	10
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	2	3	5	3	8	12
MEAN	0)	0)	2)	4)	7)	5	11	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OBIHIRO AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft****NUMBER OF FORWARD SCATTER: RWY35**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<600	<1000	<600	<1000	<1500
00	0)	0)	3)	7)	18)	9)	20)	25)
01	0)	0)	2)	5)	14)	6)	16)	22)
02	0)	0)	1)	4)	12)	5)	13)	19)
03	0)	0)	1)	4)	10)	4)	12)	17)
04	0)	0)	1)	3)	10)	4)	11)	15)
05	0)	0)	1)	3)	9)	4)	10)	14)
06	0)	0)	1)	3)	10)	4)	11)	14)
07	0)	0)	1)	4)	10)	5)	11)	15)
08	0)	0)	1)	4)	11)	5)	12)	16)
09	0)	0)	2)	5)	12)	6)	13)	17)
10	0)	0)	3)	7)	14)	9)	16)	20)
11	0)	0)	5)	10)	17)	11)	18)	22)
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	0)	1)	5)	12)	22)	13)	24)	28)
MEAN	0)	0)	2)	6)	13)	7)	14)	19)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OBIHIRO AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	—	—	3	4	5	6	7	10
01	1	1	1	4	5	7	7	10
02	—	1	1	2	3	5	7	8
03	1	1	1	1	1	3	5	6
04	—	1	1	2	2	3	5	6
05	—	—	1	1	2	2	5	5
06	—	—	2	3	3	3	5	6
07	—	—	1	2	2	3	4	5
08	—	—	1	1	1	3	3	5
09	—	—	1	1	1	3	3	5
10	—	—	1	3	3	4	4	5
11	—	—	2	2	2	3	3	5
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	1	2	4	6	8	8
MEAN	0	0	1	2	3	4	5	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OBIHIRO AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	1	1	2	4	7	8	9	12
01	1	1	4	4	5	6	7	10
02	1	1	1	1	1	4	6	11
03	1	1	1	2	2	4	6	7
04	1	1	1	1	2	4	6	6
05	—	1	2	3	4	6	6	6
06	1	1	2	4	4	6	7	9
07	—	1	4	4	4	6	6	8
08	—	2	3	4	5	7	8	8
09	1	1	4	6	6	9	9	11
10	—	2	3	5	6	8	10	10
11	2	2	2	5	6	8	8	9
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	2	4	5	5	8	10	13
MEAN	1	1	2	4	4	7	8	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OBIHIRO AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	1	2	5	6	6	7	8	12
01	—	1	3	5	5	6	9	12
02	—	—	1	3	3	6	9	10
03	—	—	1	3	6	7	7	10
04	—	—	1	3	4	6	7	9
05	—	1	1	1	2	5	7	8
06	—	—	1	2	2	3	6	8
07	—	—	3	4	5	6	8	10
08	—	—	3	5	5	8	8	9
09	—	—	2	4	4	8	10	10
10	—	—	2	4	5	7	8	13
11	—	1	3	5	6	8	10	15
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	2	2	6	7	8	8	10	15
MEAN	0	0	2	4	5	7	8	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OBIHIRO AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	—	—	1	3	3	5	5	9
01	—	—	1	2	2	4	5	9
02	—	—	—	—	1	2	5	7
03	—	1	1	2	2	3	3	5
04	—	—	—	1	2	4	7	7
05	—	—	1	1	1	5	6	8
06	—	—	1	2	2	5	5	9
07	—	1	2	2	2	3	5	9
08	1	1	2	2	3	5	7	11
09	—	1	4	6	7	9	10	13
10	1	3	5	6	7	10	12	18
11	1	5	7	9	11	11	14	18
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	1	4	7	8	13	16	19
MEAN	0	1	2	3	4	6	8	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OBIHIRO AIRPORT **MONTH:** MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 42° 44.0'N, **LONGITUDE:** 143° 13.0'E, **ELEVATION ABOVE MSL:** 490ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	—	—	1	1	1	2	4	7
01	—	—	1	1	1	2	2	6
02	—	—	—	—	—	2	2	5
03	—	—	—	—	1	1	1	5
04	—	—	—	—	1	2	2	5
05	—	—	—	—	—	1	3	6
06	—	1	1	1	1	2	3	4
07	—	—	1	1	1	3	5	6
08	—	—	2	3	3	5	6	7
09	—	—	1	2	3	4	6	8
10	—	—	1	2	3	5	6	9
11	—	—	1	2	3	4	5	10
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	2	3	4	8	11	14
MEAN	—	0	1	1	2	3	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OBIHIRO AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	—	—	1	1	3	3	5	11
01	—	—	—	1	1	2	5	9
02	—	—	—	—	—	1	3	10
03	—	—	—	—	1	4	7	9
04	—	—	—	—	—	1	5	8
05	—	—	—	—	—	1	1	6
06	—	—	—	—	—	1	3	7
07	—	—	—	—	—	3	3	7
08	—	—	—	—	—	4	5	11
09	—	—	—	1	1	4	5	11
10	—	—	1	1	2	7	9	15
11	—	—	2	2	3	8	13	26
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	1	1	1	5	6	10	18
MEAN	—	0	0	1	1	3	6	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OBIHIRO AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	—	—	1	1	1	3	5	8
01	—	—	1	1	1	3	3	5
02	—	—	1	1	1	1	1	5
03	—	—	1	1	1	2	3	6
04	—	—	—	—	—	—	—	4
05	—	—	—	—	—	1	3	5
06	—	—	—	—	—	3	4	5
07	—	—	—	1	1	2	3	3
08	—	—	—	—	1	2	2	5
09	—	—	—	—	1	1	3	6
10	—	—	—	1	2	3	6	12
11	—	—	1	2	3	6	14	20
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	1	1	1	1	6	8	15
MEAN	—	0	0	1	1	2	4	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OBIHIRO AIRPORT MONTH: AUG****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	—	—	1	1	1	3	5	13
01	—	—	—	—	1	3	5	8
02	—	—	—	—	—	1	3	7
03	—	—	—	—	—	3	3	6
04	—	—	—	—	—	2	5	6
05	—	—	—	1	1	4	5	6
06	—	—	1	1	1	1	4	6
07	—	—	—	1	1	3	5	7
08	—	—	—	1	1	4	6	10
09	—	—	—	1	2	7	8	11
10	—	1	2	3	3	7	9	17
11	—	1	2	4	5	8	12	19
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	—	1	2	8	14	21
MEAN	—	0	0	1	1	4	7	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OBIHIRO AIRPORT MONTH: SEP****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	0)	0)	0)	1)	1)	3)	7)	12)
01	0)	0)	0)	0)	0)	2)	5)	8)
02	0)	0)	0)	0)	0)	1)	3)	7)
03	0)	0)	0)	0)	0)	4)	5)	9)
04	0)	0)	0)	0)	0)	3)	5)	7)
05	0)	0)	0)	0)	0)	3)	5)	8)
06	0)	0)	0)	0)	0)	3)	6)	8)
07	0)	0)	0)	0)	0)	2)	2)	7)
08	0)	0)	0)	0)	1)	3)	5)	11)
09	0)	0)	0)	0)	1)	4)	6)	10)
10	0)	0)	0)	1)	1)	4)	5)	12)
11	1)	1)	3)	3)	3)	5)	10)	16)
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	0)	0)	1)	2)	2)	8)	14)	20)
MEAN	0)	0)	0)	0)	1)	4)	6)	11)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OBIHIRO AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	1	1	1	1	1	2	4	7
01	—	—	—	1	1	2	5	8
02	—	—	—	—	—	1	3	5
03	—	—	1	1	1	2	3	5
04	—	—	1	1	1	2	5	6
05	—	—	1	1	1	2	5	5
06	—	—	—	—	1	2	4	5
07	—	—	—	—	1	2	3	5
08	—	—	—	1	2	2	3	6
09	—	—	—	1	2	3	4	6
10	—	—	1	1	2	3	5	8
11	1	1	2	2	3	4	6	10
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	1	2	2	2	2	3	8
MEAN	0	0	1	1	1	2	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OBIHIRO AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	1	1	2	6	8	9	11	13
01	1	1	1	6	7	9	11	13
02	1	1	3	5	5	7	8	12
03	1	1	2	3	3	5	7	9
04	1	1	2	3	3	5	7	8
05	1	1	2	3	4	5	7	8
06	—	—	1	3	5	5	6	8
07	—	1	2	5	5	6	7	9
08	—	—	1	1	3	3	5	9
09	—	—	1	3	3	5	7	11
10	—	1	1	2	3	7	7	12
11	—	1	1	3	5	8	9	15
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	3	3	6	7	9	11	13
MEAN	0	1	2	4	5	6	8	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OBIHIRO AIRPORT MONTH: DEC****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	—	—	3	4	5	8	8	10
01	1	1	3	5	6	8	10	11
02	1	1	5	6	10	12	13	15
03	1	1	3	5	8	10	10	13
04	1	1	3	4	5	10	10	12
05	—	1	3	5	5	8	9	12
06	—	1	2	3	5	8	9	10
07	1	1	2	3	5	6	8	12
08	—	1	1	3	4	6	6	10
09	—	1	3	5	6	7	8	9
10	—	2	4	5	5	5	8	11
11	1	1	2	3	3	5	6	8
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	1	1	1	2	6	6	11
MEAN	0	1	3	4	5	8	9	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OBIHIRO AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	0)	0)	2)	3)	3)	5)	7)	10)
01	0)	0)	1)	2)	3)	4)	6)	9)
02	0)	0)	1)	1)	2)	4)	5)	8)
03	0)	0)	1)	1)	2)	4)	5)	7)
04	0)	0)	1)	1)	2)	4)	5)	7)
05	0)	0)	1)	1)	2)	4)	5)	7)
06	0)	0)	1)	1)	2)	3)	5)	7)
07	0)	0)	1)	2)	2)	4)	5)	7)
08	0)	0)	1)	2)	2)	4)	5)	9)
09	0)	0)	1)	2)	3)	5)	7)	9)
10	0)	1)	2)	3)	3)	6)	7)	12)
11	0)	1)	2)	3)	4)	6)	9)	14)
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1)	1)	2)	3)	4)	7)	10)	14)
MEAN	0)	0)	1)	2)	3)	5)	6)	9)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OBIHIRO AIRPORT **MONTH:** JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 42° 44.0'N, **LONGITUDE:** 143° 13.0'E, **ELEVATION ABOVE MSL:** 490ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	1	1	1	5	6
01	—	—	1	1	2	4	6
02	—	—	—	—	—	2	5
03	—	—	—	—	—	3	5
04	—	—	1	1	1	3	5
05	—	—	—	1	1	3	4
06	—	—	—	1	1	3	5
07	—	—	—	—	—	3	3
08	—	—	—	—	—	2	3
09	—	—	—	—	—	1	3
10	—	—	—	—	—	3	4
11	—	—	—	—	—	2	3
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	1	1	1	5	7
MEAN	—	—	0	0	1	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OBIHIRO AIRPORT **MONTH:** FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 42° 44.0'N, **LONGITUDE:** 143° 13.0'E, **ELEVATION ABOVE MSL:** 490ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	1	1	1	6	7
01	—	1	1	1	3	4	4
02	—	—	—	—	—	3	6
03	—	—	—	1	1	4	6
04	—	—	—	1	1	4	7
05	—	—	—	1	1	5	6
06	—	—	—	—	1	4	5
07	—	—	—	1	1	4	5
08	—	—	—	—	—	4	6
09	—	—	—	—	1	4	6
10	—	—	—	—	1	5	6
11	—	—	—	—	1	6	8
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	—	1	1	2	4
MEAN	—	0	0	0	1	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OBIHIRO AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	2	3	5	10	14
01	—	—	1	2	5	8	12
02	—	—	1	1	2	6	11
03	—	—	—	1	3	8	10
04	—	—	1	1	1	8	9
05	—	—	1	2	2	5	8
06	—	—	1	1	1	3	7
07	—	1	2	3	3	6	9
08	—	1	1	3	3	8	12
09	—	—	—	1	2	7	11
10	—	—	1	1	1	9	12
11	—	—	1	1	4	6	10
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	1	2	4	9	11
MEAN	—	0	1	2	3	7	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: OBIHIRO AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	1	4	9	11	17	19
01	—	—	1	5	7	12	15
02	—	—	1	5	7	11	15
03	—	—	2	2	4	9	13
04	—	—	1	3	5	9	13
05	—	—	1	2	3	10	13
06	—	—	2	3	3	9	13
07	—	—	2	3	3	7	11
08	—	—	1	3	5	9	11
09	—	—	2	6	9	11	14
10	—	—	7	7	8	12	15
11	—	1	6	8	10	15	16
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	1	9	12	14	18	21
MEAN	—	0	3	5	7	11	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: OBIHIRO AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	3	7	10	20	23
01	—	—	1	3	5	17	22
02	—	—	1	1	3	13	18
03	—	—	1	1	3	8	14
04	—	—	1	1	3	8	14
05	—	—	1	1	3	6	14
06	—	—	—	1	2	7	12
07	—	—	1	1	2	8	12
08	—	—	1	3	4	8	10
09	—	—	1	3	3	8	10
10	—	—	3	3	6	10	13
11	—	—	3	3	7	14	16
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	6	9	12	23	25
MEAN	—	—	2	3	5	11	16

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OBIHIRO AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	2	5	11	35	49
01	—	—	1	1	6	25	39
02	—	—	—	1	5	20	31
03	—	—	1	2	5	17	27
04	—	—	—	1	5	18	25
05	—	—	—	1	7	17	24
06	—	—	1	1	5	18	22
07	—	—	1	3	5	21	26
08	—	—	1	3	9	25	29
09	—	—	2	5	13	28	32
10	—	—	5	11	17	32	34
11	—	—	12	21	23	36	43
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	5	12	20	43	51
MEAN	—	—	2	5	10	26	33

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OBIHIRO AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	2	6	8	35	45
01	—	—	1	2	4	23	38
02	—	—	—	1	3	18	30
03	—	—	—	1	2	14	25
04	—	—	1	1	2	12	20
05	—	—	1	1	2	11	19
06	—	—	1	2	5	13	19
07	—	—	1	2	5	12	21
08	—	—	1	3	6	17	26
09	—	—	—	3	7	21	29
10	—	—	2	9	15	30	35
11	—	—	8	17	25	35	40
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	9	16	25	46	54
MEAN	—	—	2	5	8	22	31

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OBIHIRO AIRPORT MONTH: AUG****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	3	8	14	33	43
01	—	—	2	4	7	21	34
02	—	—	1	2	6	17	26
03	—	—	1	2	5	15	25
04	—	—	—	2	3	13	21
05	—	—	1	3	3	13	20
06	—	—	—	2	4	12	20
07	—	—	3	6	8	17	24
08	—	—	3	6	8	17	25
09	—	—	5	5	10	21	26
10	—	—	8	10	15	25	30
11	—	—	9	14	18	29	34
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	1	9	14	23	45	52
MEAN	—	0	3	6	9	21	29

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OBIHIRO AIRPORT MONTH: SEP****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	0)	0)	3)	8)	12)	27)	33)
01	0)	0)	1)	3)	7)	20)	27)
02	0)	0)	2)	4)	7)	16)	24)
03	0)	0)	1)	5)	8)	16)	21)
04	0)	0)	1)	3)	5)	14)	18)
05	0)	0)	0)	2)	5)	12)	14)
06	0)	0)	0)	1)	3)	14)	16)
07	0)	0)	0)	1)	5)	14)	18)
08	0)	0)	1)	3)	5)	14)	18)
09	0)	0)	3)	3)	4)	10)	18)
10	0)	0)	5)	7)	11)	18)	25)
11	0)	0)	4)	5)	10)	20)	24)
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	0)	0)	8)	16)	20)	30)	33)
MEAN	0)	0)	2)	5)	8)	17)	22)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OBIHIRO AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	1	3	3	6	6
01	—	—	1	4	6	8	9
02	—	—	1	3	4	6	9
03	—	—	2	3	3	5	6
04	—	—	3	3	4	5	8
05	—	—	1	1	1	3	5
06	—	—	1	2	3	7	7
07	—	—	2	3	3	6	6
08	—	—	3	3	4	6	8
09	—	—	3	3	3	6	10
10	—	—	3	3	3	5	8
11	—	—	2	2	2	5	8
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	1	1	3	4	5	6
MEAN	—	0	2	3	3	6	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OBIHIRO AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	2	2	3	7	11
01	—	—	5	6	7	11	12
02	—	—	4	5	6	9	10
03	—	—	2	3	3	7	11
04	—	—	4	5	5	9	12
05	—	—	4	5	5	9	11
06	—	—	3	4	4	7	9
07	—	—	4	5	5	9	9
08	—	—	1	2	3	5	9
09	—	—	1	3	3	7	9
10	—	—	3	3	5	7	9
11	—	—	3	3	5	7	10
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	1	1	3	8	11
MEAN	—	—	3	4	4	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OBIHIRO AIRPORT MONTH: DEC****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	1	2	3	5	10
01	—	—	2	3	3	6	10
02	—	—	1	2	4	8	9
03	—	—	1	2	3	8	10
04	—	—	2	2	2	7	10
05	—	—	1	1	3	5	8
06	—	—	—	1	1	5	9
07	—	—	—	1	1	5	8
08	—	—	—	1	3	6	10
09	—	—	1	1	3	6	7
10	—	—	1	2	3	3	5
11	—	—	1	1	3	4	5
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	1	1	2	4	8
MEAN	—	—	1	1	3	6	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OBIHIRO AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	0)	0)	2)	5)	7)	17)	22)
01	0)	0)	2)	3)	5)	13)	19)
02	0)	0)	1)	2)	4)	11)	16)
03	0)	0)	1)	2)	3)	10)	14)
04	0)	0)	1)	2)	3)	9)	13)
05	0)	0)	1)	2)	3)	8)	12)
06	0)	0)	1)	2)	3)	9)	12)
07	0)	0)	1)	2)	3)	9)	13)
08	0)	0)	1)	3)	4)	10)	14)
09	0)	0)	1)	3)	5)	11)	14)
10	0)	0)	3)	5)	7)	13)	16)
11	0)	0)	4)	6)	9)	15)	18)
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	0)	0)	4)	7)	11)	20)	24)
MEAN	0)	0)	2)	3)	5)	12)	16)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OBIHIRO AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												9
VARIABLE	37	0	—	—	—	—	—	—	—	—	—	37
[35-36-01]	5	2	1	0	—	—	—	—	—	—	—	7
[02-03-04]	1	0	—	—	—	—	—	—	—	—	—	1
[05-06-07]	1	—	—	—	—	—	—	—	—	—	—	1
[08-09-10]	0	—	—	—	—	—	—	—	—	—	—	0
[11-12-13]	1	0	—	—	—	—	—	—	—	—	—	1
[14-15-16]	4	0	0	—	—	—	—	—	—	—	—	4
[17-18-19]	2	0	—	—	—	—	—	—	—	—	—	3
[20-21-22]	2	—	—	—	—	—	—	—	—	—	—	2
[23-24-25]	2	0	—	—	—	—	—	—	—	—	—	2
[26-27-28]	2	0	0	—	—	—	—	—	—	—	—	3
[29-30-31]	5	3	0	—	—	—	—	—	—	—	—	8
[32-33-34]	9	8	4	1	0	0	—	—	—	—	—	23
TOTAL	71	14	5	1	0	0	—	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OBIHIRO AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												8
VARIABLE	34	0	—	—	—	—	—	—	—	—	—	34
[35-36-01]	5	2	1	0	—	—	—	—	—	—	—	7
[02-03-04]	2	1	—	—	—	—	—	—	—	—	—	2
[05-06-07]	1	—	—	—	—	—	—	—	—	—	—	1
[08-09-10]	0	—	—	—	—	—	—	—	—	—	—	0
[11-12-13]	1	0	—	—	—	—	—	—	—	—	—	2
[14-15-16]	5	1	0	—	—	—	—	—	—	—	—	6
[17-18-19]	3	0	—	—	—	—	—	—	—	—	—	4
[20-21-22]	1	—	—	—	—	—	—	—	—	—	—	1
[23-24-25]	1	—	—	—	—	—	—	—	—	—	—	1
[26-27-28]	2	1	0	—	—	—	—	—	—	—	—	3
[29-30-31]	6	2	1	0	—	—	—	—	—	—	—	9
[32-33-34]	9	6	4	3	0	0	—	—	—	—	—	23
TOTAL	70	13	6	3	0	0	—	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: OBIHIRO AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												4
VARIABLE	35	0	—	—	—	—	—	—	—	—	—	35
[35-36-01]	3	2	1	0	0	—	—	—	—	—	—	6
[02-03-04]	1	0	0	—	—	—	—	—	—	—	—	2
[05-06-07]	1	0	—	—	—	—	—	—	—	—	—	1
[08-09-10]	1	0	0	0	—	—	—	—	—	—	—	1
[11-12-13]	2	1	0	0	—	—	—	—	—	—	—	3
[14-15-16]	6	2	1	—	—	—	—	—	—	—	—	9
[17-18-19]	5	1	0	—	—	—	—	—	—	—	—	6
[20-21-22]	1	0	—	—	—	—	—	—	—	—	—	1
[23-24-25]	1	0	—	—	—	—	—	—	—	—	—	1
[26-27-28]	1	1	0	—	—	—	—	—	—	—	—	2
[29-30-31]	4	2	0	0	—	—	—	—	—	—	—	7
[32-33-34]	8	7	4	2	0	0	—	—	—	—	—	21
TOTAL	71	16	6	2	0	0	—	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OBIHIRO AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												4
VARIABLE	30	1	—	—	—	—	—	—	—	—	—	31
[35-36-01]	3	2	1	0	0	—	—	—	—	—	—	5
[02-03-04]	1	0	0	0	—	—	—	—	—	—	—	2
[05-06-07]	1	0	0	—	—	—	—	—	—	—	—	1
[08-09-10]	1	0	—	0	—	—	—	—	—	—	—	2
[11-12-13]	3	1	0	—	0	0	—	—	—	—	—	5
[14-15-16]	7	6	3	0	—	—	—	—	—	—	—	17
[17-18-19]	4	2	0	—	—	—	—	—	—	—	—	6
[20-21-22]	1	0	—	—	—	—	—	—	—	—	—	1
[23-24-25]	1	1	—	—	—	—	—	—	—	—	—	2
[26-27-28]	1	1	0	—	—	—	—	—	—	—	—	2
[29-30-31]	3	2	1	0	—	—	—	—	—	—	—	6
[32-33-34]	5	5	4	3	1	0	—	—	—	—	—	18
TOTAL	61	21	9	4	1	0	—	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OBIHIRO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												3
VARIABLE	30	1	—	—	—	—	—	—	—	—	—	31
[35-36-01]	4	3	1	0	0	—	—	—	—	—	—	8
[02-03-04]	2	1	1	—	—	—	—	—	—	—	—	4
[05-06-07]	2	0	0	—	—	—	—	—	—	—	—	2
[08-09-10]	2	1	0	—	—	—	—	—	—	—	—	3
[11-12-13]	4	2	0	—	—	—	—	—	—	—	—	6
[14-15-16]	7	9	3	0	—	—	—	—	—	—	—	19
[17-18-19]	4	2	0	—	—	—	—	—	—	—	—	6
[20-21-22]	1	0	—	—	—	—	—	—	—	—	—	1
[23-24-25]	1	0	—	—	—	—	—	—	—	—	—	1
[26-27-28]	0	0	—	—	—	—	—	—	—	—	—	1
[29-30-31]	2	1	0	0	—	—	—	—	—	—	—	4
[32-33-34]	5	3	2	1	0	—	—	—	—	—	—	11
TOTAL	63	24	8	2	0	—	—	—	—	—	—	

LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												4
VARIABLE	30	0	—	—	—	—	—	—	—	—	—	30
[35-36-01]	3	1	0	0	—	—	—	—	—	—	—	4
[02-03-04]	2	1	0	—	—	—	—	—	—	—	—	3
[05-06-07]	2	0	0	—	—	—	—	—	—	—	—	3
[08-09-10]	3	1	—	—	—	—	—	—	—	—	—	4
[11-12-13]	8	3	0	—	—	—	—	—	—	—	—	11
[14-15-16]	15	14	2	0	—	—	—	—	—	—	—	31
[17-18-19]	4	1	—	—	—	—	—	—	—	—	—	5
[20-21-22]	0	—	—	—	—	—	—	—	—	—	—	0
[23-24-25]	—	—	—	—	—	—	—	—	—	—	—	—
[26-27-28]	0	—	—	—	—	—	—	—	—	—	—	0
[29-30-31]	1	—	—	—	—	—	—	—	—	—	—	1
[32-33-34]	3	1	1	0	0	—	—	—	—	—	—	5
TOTAL	70	22	3	1	0	—	—	—	—	—	—	

LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OBIHIRO AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												5
VARIABLE	36	0	—	0	—	—	—	—	—	—	—	36
[35-36-01]	3	1	0	—	—	—	—	—	—	—	—	5
[02-03-04]	2	1	—	—	—	—	—	—	—	—	—	3
[05-06-07]	1	0	—	—	—	—	—	—	—	—	—	1
[08-09-10]	3	1	0	0	—	—	—	—	—	—	—	4
[11-12-13]	7	2	0	0	0	0	—	—	—	—	—	9
[14-15-16]	12	11	1	0	0	—	—	—	—	—	—	24
[17-18-19]	4	1	0	—	—	—	—	—	—	—	—	5
[20-21-22]	0	—	—	—	—	—	—	—	—	—	—	0
[23-24-25]	0	—	—	—	—	—	—	—	—	—	—	0
[26-27-28]	0	—	—	—	—	—	—	—	—	—	—	0
[29-30-31]	1	0	—	—	—	—	—	—	—	—	—	1
[32-33-34]	5	1	0	0	0	—	—	—	—	—	—	7
TOTAL	74	18	2	1	0	0	—	—	—	—	—	

LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OBIHIRO AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												7
VARIABLE	41	1	—	—	—	—	—	—	—	—	—	42
[35-36-01]	3	2	1	0	0	—	—	—	—	—	—	6
[02-03-04]	1	1	0	—	—	—	—	—	—	—	—	2
[05-06-07]	1	—	—	—	—	—	—	—	—	—	—	1
[08-09-10]	1	0	—	—	—	—	—	—	—	—	—	1
[11-12-13]	2	1	0	0	—	—	—	—	—	—	—	3
[14-15-16]	6	3	0	0	0	—	—	—	—	—	—	10
[17-18-19]	3	0	0	—	—	—	—	—	—	—	—	3
[20-21-22]	0	—	—	—	—	—	—	—	—	—	—	0
[23-24-25]	0	—	—	—	—	—	—	—	—	—	—	0
[26-27-28]	0	0	—	—	—	—	—	—	—	—	—	0
[29-30-31]	4	3	0	0	—	—	—	—	—	—	—	7
[32-33-34]	6	6	4	2	0	0	—	—	—	—	—	18
TOTAL	69	16	5	2	0	0	—	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: OBIHIRO AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												6
VARIABLE	41	0	0	—	—	—	—	—	—	—	—	42
[35-36-01]	4	2	1	0	—	0	—	—	—	—	—	8
[02-03-04]	2	1	0	—	—	—	—	—	—	—	—	2
[05-06-07]	1	0	—	—	—	—	—	—	—	—	—	1
[08-09-10]	1	0	0	—	—	—	—	—	—	—	—	1
[11-12-13]	1	0	0	—	—	—	—	—	—	—	—	2
[14-15-16]	5	1	0	0	—	—	—	—	—	—	—	6
[17-18-19]	2	0	—	—	—	—	—	—	—	—	—	3
[20-21-22]	1	0	—	—	—	—	—	—	—	—	—	1
[23-24-25]	1	0	—	—	—	—	—	—	—	—	—	1
[26-27-28]	1	0	0	—	—	—	—	—	—	—	—	1
[29-30-31]	5	2	0	—	—	—	—	—	—	—	—	7
[32-33-34]	9	7	2	1	0	—	—	—	—	—	—	19
TOTAL	75	14	4	1	0	0	—	—	—	—	—	

LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												7
VARIABLE	42	1	—	—	—	—	—	—	—	—	—	43
[35-36-01]	3	2	0	—	—	—	—	—	—	—	—	6
[02-03-04]	1	1	0	—	—	—	—	—	—	—	—	2
[05-06-07]	1	0	—	—	—	—	—	—	—	—	—	1
[08-09-10]	1	0	—	—	—	—	—	—	—	—	—	1
[11-12-13]	1	—	—	—	—	—	—	—	—	—	—	1
[14-15-16]	4	0	—	0	—	—	—	—	—	—	—	5
[17-18-19]	2	0	—	—	—	—	—	—	—	—	—	2
[20-21-22]	2	0	—	—	—	—	—	—	—	—	—	2
[23-24-25]	2	0	—	—	—	—	—	—	—	—	—	2
[26-27-28]	1	1	—	—	—	—	—	—	—	—	—	3
[29-30-31]	6	4	0	—	—	—	—	—	—	—	—	10
[32-33-34]	9	5	2	1	0	—	—	—	—	—	—	17
TOTAL	75	14	3	1	0	—	—	—	—	—	—	

LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OBIHIRO AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	16	32	34	18	1	—	—	—	—	—	—	—
01	3	28	40	28	1	—	—	—	—	—	—	—
02	—	15	45	34	6	—	—	—	—	—	—	—
03	—	7	45	41	7	—	—	—	—	—	—	—
04	—	3	43	46	8	—	—	—	—	—	—	—
05	—	2	42	48	8	—	—	—	—	—	—	—
06	—	2	44	47	7	—	—	—	—	—	—	—
07	—	6	50	43	2	—	—	—	—	—	—	—
08	—	17	46	37	1	—	—	—	—	—	—	—
09	2	30	39	29	1	—	—	—	—	—	—	—
10	5	37	35	23	—	—	—	—	—	—	—	—
11	14	37	26	23	—	—	—	—	—	—	—	—
12	21	35	26	17	1	—	—	—	—	—	—	—
13	29	32	25	14	—	—	—	—	—	—	—	—
14	31	30	23	17	—	—	—	—	—	—	—	—
15	36	28	22	14	—	—	—	—	—	—	—	—
16	35	32	19	14	—	—	—	—	—	—	—	—
17	39	30	19	12	—	—	—	—	—	—	—	—
18	43	26	17	14	—	—	—	—	—	—	—	—
19	39	26	21	13	—	—	—	—	—	—	—	—
20	41	25	20	15	—	—	—	—	—	—	—	—
21	43	23	20	14	—	—	—	—	—	—	—	—
22	44	23	21	12	—	—	—	—	—	—	—	—
23	36	24	26	14	1	—	—	—	—	—	—	—
MEAN	20	23	31	24	2	—	—	—	—	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OBIHIRO AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	7	29	34	26	4	—	—	—	—	—	—	—
01	3	15	44	33	5	—	—	—	—	—	—	—
02	—	11	42	38	9	—	—	—	—	—	—	—
03	—	5	37	47	11	1	—	—	—	—	—	—
04	—	3	27	56	13	1	—	—	—	—	—	—
05	—	1	25	57	15	1	—	—	—	—	—	—
06	—	1	30	53	15	1	—	—	—	—	—	—
07	—	1	36	50	13	—	—	—	—	—	—	—
08	—	5	45	42	8	—	—	—	—	—	—	—
09	1	13	49	32	6	—	—	—	—	—	—	—
10	1	21	46	30	3	—	—	—	—	—	—	—
11	4	29	40	25	3	—	—	—	—	—	—	—
12	5	37	32	23	4	—	—	—	—	—	—	—
13	13	32	33	21	1	—	—	—	—	—	—	—
14	14	34	28	23	1	—	—	—	—	—	—	—
15	19	33	25	22	1	—	—	—	—	—	—	—
16	25	30	23	20	1	—	—	—	—	—	—	—
17	28	30	24	18	1	—	—	—	—	—	—	—
18	33	24	25	18	1	—	—	—	—	—	—	—
19	37	20	28	14	1	—	—	—	—	—	—	—
20	37	22	27	14	1	—	—	—	—	—	—	—
21	36	23	23	17	1	—	—	—	—	—	—	—
22	39	24	20	17	1	—	—	—	—	—	—	—
23	27	29	21	21	2	—	—	—	—	—	—	—
MEAN	14	20	32	30	5	0	—	—	—	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OBIHIRO AIRPORT MONTH: MAR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	3	19	46	27	5	—	—	—	—	—	—
01	—	1	9	45	38	6	1	—	—	—	—	—
02	—	—	5	40	44	8	3	—	—	—	—	—
03	—	—	3	39	45	10	3	—	—	—	—	—
04	—	—	2	30	51	14	3	—	—	—	—	—
05	—	—	1	30	52	13	3	—	—	—	—	—
06	—	—	1	32	48	15	3	—	—	—	—	—
07	—	—	3	33	46	14	4	—	—	—	—	—
08	—	—	6	41	39	12	3	—	—	—	—	—
09	—	—	10	48	29	12	1	—	—	—	—	—
10	—	1	12	50	26	10	—	—	—	—	—	—
11	—	1	15	54	23	6	1	—	—	—	—	—
12	—	2	19	51	24	4	1	—	—	—	—	—
13	—	4	25	49	17	5	1	—	—	—	—	—
14	1	4	25	51	16	3	1	—	—	—	—	—
15	—	7	31	45	15	1	1	—	—	—	—	—
16	1	11	30	45	12	1	—	—	—	—	—	—
17	2	13	28	45	12	1	—	—	—	—	—	—
18	3	12	34	40	11	1	—	—	—	—	—	—
19	5	15	31	38	10	1	—	—	—	—	—	—
20	6	12	34	37	10	1	—	—	—	—	—	—
21	5	15	36	33	11	—	—	—	—	—	—	—
22	5	12	28	41	14	—	—	—	—	—	—	—
23	1	5	25	49	19	1	—	—	—	—	—	—
MEAN	1	5	18	42	27	6	1	—	—	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OBIHIRO AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	5	43	35	12	5	1	—	—	—
01	—	—	—	1	37	37	17	6	2	—	—	—
02	—	—	—	1	31	37	21	7	3	1	—	—
03	—	—	—	1	27	37	22	9	3	1	—	—
04	—	—	—	1	24	35	27	10	3	1	—	—
05	—	—	—	1	22	38	25	10	4	1	—	—
06	—	—	—	1	25	38	24	8	4	1	—	—
07	—	—	—	1	27	36	26	6	4	1	—	—
08	—	—	—	1	29	44	17	6	2	1	—	—
09	—	—	—	5	37	37	15	5	1	—	—	—
10	—	—	—	7	49	30	11	3	—	—	—	—
11	—	—	—	7	55	28	7	3	—	—	—	—
12	—	—	—	9	61	22	7	1	—	—	—	—
13	—	—	—	14	59	21	5	1	—	—	—	—
14	—	—	1	17	60	18	3	1	—	—	—	—
15	—	—	1	23	57	15	2	1	—	—	—	—
16	—	—	3	27	54	14	2	1	—	—	—	—
17	—	—	3	27	54	13	3	—	—	—	—	—
18	—	—	3	29	54	12	2	—	—	—	—	—
19	—	—	5	29	53	10	3	—	—	—	—	—
20	—	—	5	32	51	11	1	—	—	—	—	—
21	—	—	5	25	52	16	1	—	—	—	—	—
22	—	—	1	17	53	24	4	1	—	—	—	—
23	—	—	—	11	49	29	9	2	—	—	—	—
MEAN	—	—	1	12	44	27	11	4	1	0	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OBIHIRO AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	3	25	39	25	7	1	—	—
01	—	—	—	—	3	19	34	33	10	1	—	—
02	—	—	—	—	2	17	30	35	14	3	—	—
03	—	—	—	—	1	15	23	37	20	5	—	—
04	—	—	—	—	1	14	20	38	20	6	—	—
05	—	—	—	—	1	14	23	34	21	7	—	—
06	—	—	—	—	2	12	34	30	15	7	—	—
07	—	—	—	—	2	14	33	31	16	5	—	—
08	—	—	—	—	2	16	39	28	10	4	—	—
09	—	—	—	—	3	20	43	23	8	2	—	—
10	—	—	—	—	5	30	42	16	6	1	—	—
11	—	—	—	—	8	37	39	12	3	—	—	—
12	—	—	—	1	10	43	39	7	1	—	—	—
13	—	—	—	—	12	48	37	3	—	—	—	—
14	—	—	—	1	15	53	28	3	—	—	—	—
15	—	—	—	—	16	58	23	3	—	—	—	—
16	—	—	—	1	21	58	20	1	—	—	—	—
17	—	—	—	2	26	52	19	1	—	—	—	—
18	—	—	—	2	29	52	17	—	—	—	—	—
19	—	—	—	2	29	55	14	—	—	—	—	—
20	—	—	—	2	25	57	16	—	—	—	—	—
21	—	—	—	—	17	52	30	1	1	—	—	—
22	—	—	—	—	12	39	41	6	1	—	—	—
23	—	—	—	—	5	35	45	13	3	—	—	—
MEAN	—	—	—	0	10	35	30	16	6	2	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OBIHIRO AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	7	44	39	10	1	—	—
01	—	—	—	—	—	5	33	39	21	1	—	—
02	—	—	—	—	—	3	27	39	25	6	—	—
03	—	—	—	—	—	3	27	36	26	7	1	—
04	—	—	—	—	—	3	26	35	27	8	1	—
05	—	—	—	—	—	3	25	38	24	9	1	—
06	—	—	—	—	—	3	26	41	22	8	1	—
07	—	—	—	—	—	3	29	44	16	7	1	—
08	—	—	—	—	—	5	33	43	15	3	1	—
09	—	—	—	—	—	7	43	35	13	2	—	—
10	—	—	—	—	—	9	53	31	7	—	—	—
11	—	—	—	—	—	11	63	25	2	—	—	—
12	—	—	—	—	—	14	68	17	1	—	—	—
13	—	—	—	—	—	15	73	12	—	—	—	—
14	—	—	—	—	—	17	74	9	—	—	—	—
15	—	—	—	—	—	23	69	8	—	—	—	—
16	—	—	—	—	—	26	69	5	—	—	—	—
17	—	—	—	—	1	29	67	3	—	—	—	—
18	—	—	—	—	1	30	67	3	—	—	—	—
19	—	—	—	—	1	32	64	3	—	—	—	—
20	—	—	—	—	1	27	69	3	—	—	—	—
21	—	—	—	—	—	19	71	10	—	—	—	—
22	—	—	—	—	—	13	62	23	1	—	—	—
23	—	—	—	—	—	9	52	33	5	—	—	—
MEAN	—	—	—	—	0	13	51	24	9	2	0	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OBIHIRO AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	8	51	34	7	—	—
01	—	—	—	—	—	—	4	41	42	12	1	—
02	—	—	—	—	—	—	1	33	47	17	2	—
03	—	—	—	—	—	—	3	28	45	23	3	—
04	—	—	—	—	—	—	2	24	43	27	4	—
05	—	—	—	—	—	—	2	28	41	25	5	—
06	—	—	—	—	—	—	2	32	41	19	6	—
07	—	—	—	—	—	—	2	33	43	18	4	—
08	—	—	—	—	—	—	2	39	42	16	1	—
09	—	—	—	—	—	—	5	51	34	11	—	—
10	—	—	—	—	—	—	10	57	23	9	—	—
11	—	—	—	—	—	—	14	61	20	5	—	—
12	—	—	—	—	—	—	20	63	15	2	—	—
13	0)	0)	0)	0)	0)	0)	24)	63)	13)	1)	0)	0)
14	0)	0)	0)	0)	0)	0)	25)	64)	11)	1)	0)	0)
15	0)	0)	0)	0)	0)	2)	23)	67)	7)	1)	0)	0)
16	0)	0)	0)	0)	0)	2)	29)	63)	5)	0)	0)	0)
17	0)	0)	0)	0)	0)	1)	36)	59)	3)	0)	0)	0)
18	0)	0)	0)	0)	0)	2)	38)	58)	2)	0)	0)	0)
19	0)	0)	0)	0)	0)	3)	41)	54)	3)	0)	0)	0)
20	0)	0)	0)	0)	0)	1)	36)	60)	3)	0)	0)	0)
21	0)	0)	0)	0)	0)	1)	31)	62)	7)	0)	0)	0)
22	—	—	—	—	—	—	23	61	16	—	—	—
23	—	—	—	—	—	—	12	59	25	4	—	—
MEAN	0)	0)	0)	0)	0)	0)	16)	50)	24)	8)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OBIHIRO AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	3	42	46	9	—	—
01	—	—	—	—	—	—	1	34	49	16	1	—
02	—	—	—	—	—	—	1	23	54	21	1	—
03	—	—	—	—	—	—	1	16	57	21	5	—
04	—	—	—	—	—	—	1	16	54	23	6	—
05	—	—	—	—	—	—	1	14	55	24	6	—
06	—	—	—	—	—	—	1	15	57	21	6	—
07	—	—	—	—	—	—	1	21	55	19	5	—
08	—	—	—	—	—	—	1	28	54	15	1	—
09	—	—	—	—	—	—	2	36	52	10	1	—
10	—	—	—	—	—	—	2	50	43	5	—	—
11	—	—	—	—	—	—	4	58	35	3	—	—
12	—	—	—	—	—	—	5	64	28	3	—	—
13	0)	0)	0)	0)	0)	0)	11)	62)	25)	2)	0)	0)
14	—	—	—	—	—	—	13	63	23	1	—	—
15	—	—	—	—	—	—	15	63	21	1	—	—
16	—	—	—	—	—	1	15	65	19	—	—	—
17	—	—	—	—	—	1	18	64	17	—	—	—
18	—	—	—	—	—	3	19	63	15	1	—	—
19	—	—	—	—	—	2	22	60	16	—	—	—
20	—	—	—	—	—	3	22	61	15	—	—	—
21	—	—	—	—	—	—	17	63	19	1	—	—
22	—	—	—	—	—	—	12	55	32	1	—	—
23	—	—	—	—	—	—	5	55	37	3	—	—
MEAN	0)	0)	0)	0)	0)	0)	8)	45)	37)	8)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: OBIHIRO AIRPORT MONTH: SEP****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	0)	0)	0)	0)	29)	53)	17)	1)	0)	0)
01	0)	0)	0)	0)	0)	0)	13)	56)	29)	3)	0)	0)
02	0)	0)	0)	0)	0)	0)	10)	50)	34)	6)	0)	0)
03	0)	0)	0)	0)	0)	0)	7)	46)	37)	10)	0)	0)
04	0)	0)	0)	0)	0)	0)	6)	45)	38)	11)	0)	0)
05	0)	0)	0)	0)	0)	0)	5)	46)	35)	14)	0)	0)
06	0)	0)	0)	0)	0)	0)	7)	48)	33)	12)	0)	0)
07	0)	0)	0)	0)	0)	0)	8)	54)	32)	6)	0)	0)
08	0)	0)	0)	0)	0)	0)	17)	53)	28)	2)	0)	0)
09	0)	0)	0)	0)	0)	1)	30)	48)	21)	0)	0)	0)
10	0)	0)	0)	0)	0)	2)	38)	46)	14)	0)	0)	0)
11	0)	0)	0)	0)	0)	2)	42)	46)	10)	0)	0)	0)
12	0)	0)	0)	0)	0)	4)	44)	43)	9)	0)	0)	0)
13	0)	0)	0)	0)	0)	8)	46)	40)	6)	0)	0)	0)
14	0)	0)	0)	0)	0)	14)	43)	37)	7)	0)	0)	0)
15	0)	0)	0)	0)	0)	14)	47)	32)	7)	0)	0)	0)
16	0)	0)	0)	0)	1)	16)	45)	31)	8)	0)	0)	0)
17	0)	0)	0)	0)	1)	18)	44)	29)	7)	0)	0)	0)
18	0)	0)	0)	0)	3)	19)	44)	27)	7)	0)	0)	0)
19	0)	0)	0)	0)	1)	22)	42)	27)	7)	0)	0)	0)
20	0)	0)	0)	0)	2)	24)	40)	28)	5)	0)	0)	0)
21	0)	0)	0)	0)	1)	22)	43)	27)	7)	0)	0)	0)
22	0)	0)	0)	0)	0)	10)	47)	33)	10)	0)	0)	0)
23	0)	0)	0)	0)	0)	1)	43)	43)	13)	0)	0)	0)
MEAN	0)	0)	0)	0)	0)	7)	31)	41)	17)	3)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OBIHIRO AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	6	42	42	9	1	—	—	—
01	—	—	—	—	2	34	45	17	2	—	—	—
02	—	—	—	—	1	23	46	26	3	—	—	—
03	—	—	—	—	1	19	45	30	5	—	—	—
04	—	—	—	—	1	16	48	30	5	—	—	—
05	—	—	—	—	1	16	49	28	5	—	—	—
06	—	—	—	—	3	15	50	28	3	—	—	—
07	—	—	—	—	4	28	48	20	1	—	—	—
08	—	—	—	—	8	37	43	12	—	—	—	—
09	—	—	—	1	10	45	39	6	—	—	—	—
10	—	—	—	—	17	46	32	6	—	—	—	—
11	—	—	—	—	22	48	27	3	—	—	—	—
12	—	—	—	1	25	48	25	2	—	—	—	—
13	—	—	—	3	30	44	21	3	—	—	—	—
14	—	—	—	5	33	45	17	1	—	—	—	—
15	—	—	—	5	37	41	14	3	—	—	—	—
16	—	—	—	8	39	37	14	3	—	—	—	—
17	—	—	—	8	41	36	12	3	—	—	—	—
18	—	—	—	10	40	37	12	2	—	—	—	—
19	—	—	—	11	40	34	13	2	—	—	—	—
20	—	—	—	10	45	32	12	2	—	—	—	—
21	—	—	—	11	46	29	11	2	1	—	—	—
22	—	—	—	4	39	39	15	4	—	—	—	—
23	—	—	—	—	17	52	26	5	—	—	—	—
MEAN	—	—	—	3	21	35	29	10	1	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OBIHIRO AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	5	21	44	27	3	—	—	—	—	—
01	—	—	1	18	42	27	11	—	—	—	—	—
02	—	—	—	15	39	30	15	1	—	—	—	—
03	—	—	—	12	37	32	18	1	—	—	—	—
04	—	—	—	9	35	35	18	2	—	—	—	—
05	—	—	—	11	36	35	17	2	—	—	—	—
06	—	—	—	11	39	31	17	1	—	—	—	—
07	—	—	1	15	46	26	11	1	—	—	—	—
08	—	—	2	24	39	28	7	—	—	—	—	—
09	—	—	3	31	35	29	3	—	—	—	—	—
10	—	1	5	34	37	21	3	—	—	—	—	—
11	—	—	6	32	39	21	2	—	—	—	—	—
12	—	—	5	39	38	16	2	—	—	—	—	—
13	0)	1)	7)	40)	37)	13)	2)	0)	0)	0)	0)	0)
14	—	1	10	40	36	11	1	—	—	—	—	—
15	—	2	11	39	35	13	1	—	—	—	—	—
16	—	4	10	37	33	15	1	—	—	—	—	—
17	—	3	13	35	34	15	—	—	—	—	—	—
18	—	3	14	39	27	15	1	—	—	—	—	—
19	—	4	14	39	29	13	1	—	—	—	—	—
20	—	3	18	39	28	12	1	—	—	—	—	—
21	—	6	16	39	26	12	1	—	—	—	—	—
22	—	7	10	40	31	11	1	—	—	—	—	—
23	—	1	11	29	41	17	1	—	—	—	—	—
MEAN	0)	2)	7)	29)	36)	21)	6)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OBIHIRO AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	3	17	31	37	12	1	—	—	—	—	—	—
01	—	8	28	41	23	1	—	—	—	—	—	—
02	—	3	19	50	26	1	—	—	—	—	—	—
03	—	1	15	47	35	1	—	—	—	—	—	—
04	—	1	15	47	35	2	—	—	—	—	—	—
05	—	—	15	49	34	3	—	—	—	—	—	—
06	—	—	14	54	30	2	—	—	—	—	—	—
07	—	3	22	55	19	1	—	—	—	—	—	—
08	—	6	29	50	14	1	—	—	—	—	—	—
09	1	8	37	43	10	1	—	—	—	—	—	—
10	3	11	39	39	8	—	—	—	—	—	—	—
11	5	15	38	35	7	—	—	—	—	—	—	—
12	6	16	41	30	7	—	—	—	—	—	—	—
13	6	21	36	30	6	1	—	—	—	—	—	—
14	8	23	34	30	6	—	—	—	—	—	—	—
15	9	26	31	27	6	1	—	—	—	—	—	—
16	13	23	30	26	8	1	—	—	—	—	—	—
17	12	25	28	28	8	—	—	—	—	—	—	—
18	13	23	31	25	7	1	—	—	—	—	—	—
19	15	23	28	25	8	—	—	—	—	—	—	—
20	14	28	25	23	9	1	—	—	—	—	—	—
21	18	23	26	25	8	—	—	—	—	—	—	—
22	15	27	25	26	6	—	—	—	—	—	—	—
23	13	18	28	34	6	1	—	—	—	—	—	—
MEAN	6	15	28	37	14	1	—	—	—	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: OBIHIRO AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	2)	7)	10)	13)	12)	12)	15)	19)	10)	2)	0)	0)
01	0)	4)	10)	14)	13)	11)	13)	19)	13)	3)	0)	0)
02	0)	2)	9)	15)	13)	10)	13)	18)	15)	4)	0)	0)
03	0)	1)	8)	16)	14)	10)	12)	17)	16)	6)	1)	0)
04	0)	0)	7)	16)	14)	10)	13)	17)	16)	6)	1)	0)
05	0)	0)	7)	16)	14)	10)	13)	17)	15)	7)	1)	0)
06	0)	0)	7)	16)	14)	10)	14)	17)	15)	6)	1)	0)
07	0)	1)	9)	16)	13)	10)	13)	17)	14)	5)	1)	0)
08	0)	2)	11)	16)	12)	12)	14)	17)	13)	3)	0)	0)
09	0)	4)	11)	16)	11)	13)	15)	17)	11)	2)	0)	0)
10	1)	6)	11)	15)	12)	12)	16)	18)	8)	1)	0)	0)
11	2)	7)	10)	15)	13)	13)	16)	17)	6)	1)	0)	0)
12	3)	7)	10)	14)	14)	13)	17)	17)	4)	0)	0)	0)
13	4)	7)	11)	14)	13)	13)	18)	15)	4)	0)	0)	0)
14	5)	8)	10)	15)	14)	13)	17)	15)	3)	0)	0)	0)
15	5)	8)	10)	15)	14)	14)	16)	15)	3)	0)	0)	0)
16	6)	8)	10)	15)	14)	14)	16)	14)	3)	0)	0)	0)
17	7)	8)	10)	15)	15)	14)	16)	13)	2)	0)	0)	0)
18	8)	7)	10)	15)	14)	14)	16)	13)	2)	0)	0)	0)
19	8)	7)	11)	14)	14)	14)	17)	12)	2)	0)	0)	0)
20	8)	7)	11)	14)	14)	14)	16)	13)	2)	0)	0)	0)
21	8)	7)	11)	14)	14)	13)	17)	14)	3)	0)	0)	0)
22	8)	8)	9)	13)	13)	11)	17)	15)	5)	0)	0)	0)
23	6)	6)	9)	13)	12)	12)	16)	18)	7)	1)	0)	0)
MEAN	3)	5)	10)	15)	13)	12)	15)	16)	8)	2)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OBIHIRO AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft**

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	-9.4	-8.0	-2.1	4.9	11.3	14.2	18.7	19.9	16.3	8.7	1.8	-5.6	5.9
Daily maximum air temperature(°C)	-3.3	-2.3	2.9	10.6	17.9	19.6	24.0	24.6	21.2	14.7	6.9	-0.1	11.4
Daily minimum air temperature(°C)	-17.2	-15.7	-8.6	-0.8	5.1	9.9	14.6	16.0	11.8	2.5	-3.7	-12.3	0.1
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)					82.1	88.9	83.8	175.5	112.8	97.7			
Snow fall(cm)	55	77	62	16	3	—	—	—	—	4	39	73	330
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	962.7	968.2	959.2	949.2	970.6	972.6	974.9	964.8	975.1	960.5	968.5*	957.6	949.2
Daily maximum air temperature(°C)	4.0	7.4	14.5	29.2	30.2	32.8	33.7	35.8	29.9	23.6	19.1	8.2	35.8
Daily minimum air temperature(°C)	-26.7	-25.7	-21.4	-10.0	-3.4	1.3	4.7	5.7	1.8	-4.7	-14.6	-23.7	-26.7
Daily precipitation(mm)					126.0	38.5	46.5	105.5	90.0	63.0			
Daily max.one-hour precipitation(mm)					11.5	11.5	10.0	29.5	20.0	13.5			
Daily max.ten-minute precipitation(mm)					5.0	3.5	5.0	10.5	10.5	5.0			
Daily totals of snowfall(cm)	42	58	30	26	14	—	—	—	—	20	35	45	58
Daily maximum of snow cover(cm)	79	108	115	78	9	—	—	—	—	10	65	69	115
Daily maximum wind speed(kt)	29	28	28	34	28	23 *	23	35	21 *	29	28	26	35
with wind direction(36DIR.)	33	33	34	33	34	35	34	11	32	34	35	34	11
Daily maximum peak gust(kt)	41	42	37 *	45	42	31	29	49	31	41	35	34 *	49
with wind direction(36DIR.)	33	32	34	12	33	34	34	12	35	33	35	31	12

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OBIHIRO AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft**

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	31.0	28.4	29.8	18.0	1.2	—	—	—	—	9.2	23.6	30.8	172.0
≥ 25.0°C	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily mean air temperature < 0.0°C	31.0	28.2	22.8	1.4	—	—	—	—	—	—	11.0	28.2	122.6
≥ 25.0°C	—	—	—	—	—	—	1.0	0.4	—	—	—	—	1.4
Daily maximum air temperature < 0.0°C	26.6	21.8	7.4	0.2	—	—	—	—	—	—	1.2	15.0	72.2
≥ 25.0°C	—	—	—	0.2	3.4	4.0	12.8	12.4	5.4	—	—	—	38.2
≥ 30.0°C	—	—	—	—	0.2	0.4	2.6	2.0	—	—	—	—	5.2
Daily precipitation ≥ 0.0mm					15.4	17.6	17.4	18.8	17.0	12.8			
≥ 1.0mm					7.4	8.8	7.6	11.8	9.0	7.0			
≥ 5.0mm					3.0	4.4	4.4	7.2	5.6	4.0			
≥ 10.0mm					1.8	2.8	2.6	5.2	3.8	2.6			
≥ 30.0mm					0.6	0.6	0.8	1.4	1.0	1.0			
≥ 50.0mm					0.2	—	—	0.6	0.4	0.4			
≥ 70.0mm					0.2	—	—	0.4	0.4	—			
≥ 100.0mm					0.2	—	—	0.2	—	—			

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OBIHIRO AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft****AIR PRESSURE (hPa) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	994.2	995.7	994.6	994.3	992.4	993.0	992.1	992.8	997.7	997.2	997.1	993.6	994.6
01	994.0	995.5	994.2	994.0	992.2	992.9	991.9	992.6	997.5	996.9	996.9	993.4	994.3
02	993.4	995.1	993.7	993.5	991.8	992.6	991.6	992.3	997.0	996.5	996.3	992.7	993.9
03	992.7	994.4	993.2	993.0	991.4	992.2	991.3	992.0	996.5	995.8	995.7	991.9	993.4
04	992.3	994.0	992.7	992.7	991.1	991.9	991.0	991.7	996.1	995.4	995.4	991.6	993.0
05	992.4	993.8	992.4	992.4	990.8	991.8	990.8	991.5	995.9	995.4	995.4	991.6	992.8
06	992.7	994.0	992.5	992.3	990.7	991.7	990.7	991.5	995.9	995.5	995.7	991.9	992.9
07	993.0	994.2	992.6	992.5	990.9	991.7	990.7	991.5	996.0	995.7	995.9	992.1	993.0
08	993.3	994.5	992.9	992.7	991.1	991.8	990.8	991.6	996.2	996.0	996.2	992.4	993.3
09	993.7	994.9	993.3	993.0	991.5	992.2	991.1	991.9	996.5	996.4	996.5	992.5	993.6
10	993.9	995.2	993.8	993.6	992.0	992.5	991.4	992.3	997.0	996.7	996.6	992.7	994.0
11	994.0	995.3	994.0	994.1	992.5	993.0	991.9	992.8	997.3	996.9	996.7	992.8	994.3
12	994.0	995.4	994.2	994.2	992.8	993.3	992.1	992.9	997.3	996.9	996.8	992.8	994.4
13	994.0	995.3	994.3	994.2	992.7	993.3	992.3	992.9	997.3	997.0	996.7	992.8	994.4
14	993.9	995.2	994.2	994.2	992.7	993.2	992.2	992.9	997.2	996.8	996.6	992.7	994.3
15	993.7	995.2	994.2	994.1	992.5	993.1	992.0	992.8	997.1	996.7	996.4	992.4	994.2
16	993.5	995.1	994.4	993.8	992.5	992.8	991.9	992.4	997.0	996.7	996.5	992.6	994.1
17	993.7	995.1	994.2	993.8	992.4	992.6	991.8	992.3	996.9	996.5	996.5	992.9	994.0
18	993.5	994.9	994.0	993.8	992.3	992.6	991.8	992.2	996.9	996.5	996.4	992.7	994.0
19	993.3	995.0	994.1	993.9	992.3	992.8	991.9	992.3	997.1	996.6	996.5	992.7	994.1
20	993.4	995.1	994.3	994.1	992.5	993.0	992.1	992.6	997.3	996.8	996.5	992.8	994.2
21	993.6	995.2	994.4	994.3	992.7	993.1	992.1	992.7	997.6	996.9	996.7	993.0	994.3
22	993.8	995.6	994.6	994.4	992.8	993.2	992.2	992.8	997.6	997.1	997.0	993.3	994.5
23	994.1	995.8	994.7	994.3	992.7	993.2	992.2	992.8	997.7	997.3	997.3	993.5	994.6
MEAN	993.5	995.0	993.8	993.6	992.1	992.7	991.7	992.4	996.9	996.5	996.4	992.6	993.9

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OBIHIRO AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft****AIR TEMPERATURE (°C) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	-9.9	-8.2	-1.8	5.9	12.7	15.3	19.5	20.5	17.2	10.4	2.6	-5.4	6.6
01	-7.6	-6.4	-0.6	7.1	14.1	16.5	20.6	21.6	18.3	11.7	3.8	-3.7	7.9
02	-6.0	-5.1	0.4	8.1	15.1	17.4	21.6	22.4	19.2	12.7	4.8	-2.5	9.0
03	-5.0	-4.2	1.1	8.9	15.9	18.1	22.3	23.0	19.8	13.3	5.3	-1.7	9.7
04	-4.4	-3.4	1.5	9.2	16.4	18.3	22.7	23.4	20.1	13.5	5.7	-1.4	10.1
05	-4.2	-3.1	1.7	9.2	16.3	18.2	22.7	23.5	20.2	13.4	5.7	-1.3	10.2
06	-4.3	-3.2	1.7	8.9	16.0	17.9	22.4	23.2	19.8	12.9	5.3	-1.7	9.9
07	-5.4	-3.7	1.4	8.3	15.4	17.3	21.9	22.6	19.2	11.9	4.2	-2.9	9.2
08	-6.7	-4.8	0.6	7.6	14.5	16.5	21.1	21.9	18.2	10.5	3.1	-4.2	8.2
09	-7.7	-6.0	-0.3	6.3	13.3	15.5	20.1	20.9	17.1	9.4	2.3	-4.9	7.1
10	-8.7	-7.0	-1.0	5.2	11.8	14.3	18.9	19.9	16.3	8.8	1.8	-5.5	6.2
11	-9.7	-7.9	-1.5	4.4	10.7	13.3	18.0	19.4	15.7	8.0	1.4	-6.1	5.5
12	-10.5	-8.6	-2.0	3.8	9.9	12.7	17.5	18.9	15.2	7.4	0.9	-6.5	4.9
13	-11.2	-9.3	-2.7	3.3	9.1	12.3	17.0	18.4	14.8	6.8	0.5	-7.1	4.3
14	-11.6	-9.8	-3.2	2.9	8.4	11.9	16.7	18.1	14.4	6.3	0.1	-7.6	3.9
15	-12.0	-10.2	-3.9	2.4	8.0	11.6	16.3	17.8	14.1	6.0	-0.1	-7.8	3.5
16	-12.4	-10.6	-4.6	1.8	7.4	11.3	15.8	17.7	14.0	5.9	-0.1	-7.7	3.2
17	-12.6	-11.0	-5.0	1.6	7.0	11.0	15.6	17.4	13.8	5.7	-0.3	-7.8	3.0
18	-12.9	-11.4	-5.4	1.3	6.7	10.9	15.4	17.3	13.5	5.3	-0.6	-7.9	2.7
19	-12.7	-11.8	-5.7	1.1	6.5	10.8	15.3	17.1	13.3	5.2	-0.8	-8.0	2.5
20	-12.8	-11.9	-6.1	0.9	6.7	11.1	15.5	17.0	13.1	4.9	-1.0	-8.3	2.4
21	-13.0	-12.0	-6.2	1.7	8.2	11.9	16.2	17.6	13.4	4.8	-1.1	-8.3	2.8
22	-12.9	-12.2	-5.3	3.2	9.6	13.0	17.3	18.5	14.7	6.3	-0.8	-8.5	3.6
23	-12.1	-10.6	-3.4	4.6	11.1	14.1	18.4	19.4	15.9	8.6	0.8	-7.5	5.0
MEAN	-9.4	-8.0	-2.1	4.9	11.3	14.2	18.7	19.9	16.3	8.7	1.8	-5.6	5.9

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME:** OBIHIRO AIRPORT **PERIOD OF RECORD:** 2012-2016**LATITUDE:** 42° 44.0'N, **LONGITUDE:** 143° 13.0'E, **ELEVATION ABOVE MSL:** 490 ft**VAPOR PRESSURE (hPa) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	2.1	2.4	3.7	5.7	9.5	13.6	18.2	19.8	15.9	8.7	5.6	3.0	9.0
01	2.3	2.5	3.7	5.8	9.6	13.7	18.3	20.1	16.0	8.7	5.6	3.2	9.1
02	2.4	2.6	3.7	5.7	9.5	13.9	18.5	20.3	16.1	8.7	5.6	3.3	9.2
03	2.5	2.6	3.8	5.8	9.4	14.0	18.6	20.4	16.0	8.6	5.6	3.3	9.2
04	2.4	2.7	3.8	5.7	9.4	14.0	18.6	20.5	15.9	8.5	5.7	3.4	9.2
05	2.5	2.7	3.9	5.8	9.4	14.0	18.5	20.5	16.0	8.6	5.7	3.4	9.2
06	2.6	2.8	4.0	5.8	9.2	14.0	18.5	20.5	16.2	8.6	5.7	3.4	9.3
07	2.6	2.8	4.1	5.9	9.1	13.9	18.4	20.5	16.2	8.8	5.8	3.4	9.3
08	2.5	2.8	4.1	5.9	9.2	13.7	18.3	20.4	16.3	8.9	5.8	3.3	9.3
09	2.4	2.7	4.1	5.9	9.1	13.6	18.2	20.2	16.2	8.8	5.7	3.2	9.2
10	2.3	2.7	4.0	5.8	9.1	13.3	18.0	20.0	16.1	8.7	5.6	3.2	9.1
11	2.2	2.6	4.0	5.8	9.0	13.2	17.7	19.8	16.0	8.6	5.5	3.1	9.0
12	2.1	2.5	3.9	5.8	9.0	13.0	17.6	19.6	15.8	8.5	5.5	3.1	8.9
13	2.0	2.4	3.8	5.8	9.0	12.9	17.4	19.4	15.6	8.3	5.4	3.0	8.8
14	2.0	2.3	3.8	5.8	9.0	12.7	17.3	19.3	15.4	8.2	5.3	2.9	8.7
15	1.9	2.3	3.7	5.7	9.0	12.6	17.2	19.0	15.2	8.0	5.2	2.9	8.6
16	1.9	2.2	3.6	5.5	8.8	12.3	16.8	19.0	15.2	8.1	5.3	2.9	8.5
17	1.9	2.2	3.5	5.5	8.7	12.2	16.7	18.8	15.1	8.0	5.2	2.9	8.4
18	1.8	2.2	3.5	5.4	8.6	12.2	16.5	18.7	14.9	7.9	5.2	2.8	8.3
19	1.9	2.1	3.3	5.4	8.5	12.1	16.5	18.6	14.7	7.8	5.0	2.8	8.2
20	1.9	2.1	3.3	5.4	8.6	12.3	16.7	18.5	14.5	7.7	5.0	2.7	8.2
21	1.9	2.1	3.3	5.5	9.0	12.7	17.0	18.9	14.7	7.7	5.0	2.7	8.4
22	1.8	2.1	3.4	5.7	9.2	13.0	17.5	19.4	15.3	8.2	5.0	2.7	8.6
23	2.0	2.2	3.6	5.7	9.4	13.4	17.9	19.7	15.7	8.6	5.3	2.8	8.8
MEAN	2.2	2.4	3.7	5.7	9.1	13.2	17.7	19.7	15.6	8.4	5.4	3.0	8.9

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OBIHIRO AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft**

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES													
TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	69	68	66	63	66	79	80	82	80	68	73	70	72
01	63	63	62	58	62	74	76	78	76	63	68	66	68
02	59	59	59	54	58	71	72	75	72	58	64	63	64
03	57	57	57	53	54	69	70	73	69	56	62	60	61
04	54	55	56	51	53	68	69	72	68	55	61	60	60
05	55	55	56	52	53	68	68	72	68	56	61	60	60
06	56	56	58	53	54	69	69	73	70	57	63	62	62
07	60	58	61	56	55	72	71	75	73	62	68	67	65
08	64	63	65	59	58	74	74	78	77	68	72	71	69
09	68	67	68	63	61	78	78	82	82	72	75	73	72
10	71	70	70	67	67	82	82	85	85	75	77	75	76
11	72	73	71	70	71	86	85	87	87	78	78	77	78
12	74	73	72	72	74	88	88	89	89	79	80	77	80
13	74	74	74	74	78	89	89	90	90	81	82	78	81
14	74	75	76	76	81	90	90	91	92	82	82	79	82
15	75	75	77	78	83	91	91	92	92	83	83	78	83
16	75	75	78	79	84	91	93	93	92	84	82	78	84
17	76	76	78	79	85	92	93	93	93	84	82	78	84
18	76	77	79	79	86	92	93	94	93	85	83	78	85
19	75	77	79	80	86	93	94	94	93	85	83	77	85
20	75	77	79	81	86	92	94	94	93	86	83	77	85
21	75	77	80	79	82	90	91	93	92	85	83	77	84
22	75	77	77	74	77	86	88	90	89	83	83	78	81
23	74	74	72	68	72	83	84	86	85	75	79	75	77
MEAN	69	69	70	67	70	82	83	85	83	73	75	72	75

AERODROME CLIMATOLOGICAL SUMMARY
AERODROME: OBIHIRO AIRPORT
PERIOD OF RECORD: 2012-2016
LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft
MOST FREQUENT WIND DIRECTION (36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	32	33	34	32	35 *	14	13	15	34)	33	34	34	34)
01	34	34	34	32	15	15 *	15	14	33)	33 *	35	34	34)
02	34	34	34	33	16	15	13	16	15)	33	33	34	34)
03	34	34	34	16	15 *	15	15	15	13)	33	34	34	34)
04	33	34	33 *	33	16	15	16	16	15)	33	33	33	33)
05	34	33	34	16	15	15	16	16	15)	32	34	33	15)
06	35	33	34	33	15	16	16	16	16)	33	33	34	16)
07	33	33	33	15	16	15	16	16	16)	16	34	33 *	16)
08	32	33	33	16	15	15	16	16	16)	17	34	31	16)
09	33	33	33	15	17	16	16	16	16)	33	32	34	16)
10	32	31	33	16 *	16	16	16	16	14)	32	33	31	16)
11	32 *	33	33	33 *	14	16	16	16	16)	33 *	32 *	34	16)
12	33	33	33	16	15	15 *	15	16	33)	33	32	33	33)
13	32	32	33	32	15	16	16)	15	16)	33	33	33	33)
14	33	32	32	15 *	16	16	16)	15	15)	32	33	33	33)
15	33	32	32	15	15	15	15)	13	33)	33	33 *	32 *	15)
16	33	32	33	32	16	16	15)	16	34)	34	33	32 *	33)
17	32	32	33	32	33 *	16	16)	16	33)	34 *	32	32	32)
18	32	32	33	32	33	16	16)	15 *	32)	33	33	32	32)
19	32	33	32	33 *	16	15	16)	11	32)	31	33	32	32)
20	32	33	32	31	16 *	16	15)	34 *	32)	33	33 *	33 *	33)
21	32	32	15	17	34 *	15	15	15	33)	33	33	32	33)
22	32	32	33	33	35 *	15	13	34 *	34)	33	32	33	33)
23	33	33	33	33	34	15	15	34 *	33)	34	33	32	33)
ALL	32	33	33	33	15	15	16)	16	16)	33	33	33	33)

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OBIHIRO AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft****WIND SPEED (kt) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	3.3	3.9	4.2	5.4	4.5	3.6	3.1	3.6	3.4	4.6	3.5	3.1	3.9
01	3.8	4.5	4.7	6.1	5.1	4.1	3.6	3.8	3.8	5.0	4.2	3.6	4.4
02	4.5	5.1	4.9	7.2	5.9	4.7	4.0	4.4	4.2	5.5	4.6	4.2	4.9
03	5.2	5.2	5.4	7.8	6.9	5.3	5.0	4.8	4.6	6.0	5.0	4.6	5.5
04	5.3	5.8	5.6	8.2	7.7	6.2	5.6	5.2	4.9	6.2	4.9	4.9	5.9
05	5.4	5.7	6.1	8.5	8.4	6.7	6.2	5.5	5.3	6.4	5.0	4.8	6.2
06	5.2	5.6	6.0	8.6	8.6	7.0	6.6	6.2	6.3	6.2	5.0	4.4	6.3
07	4.5	5.1	6.2	8.3	8.1	7.3	6.5	6.3	5.8	5.5	4.4	3.6	6.0
08	4.0	4.3	5.7	7.6	7.5	6.8	6.2	5.6	5.0	4.3	4.2	3.1	5.4
09	3.7	4.1	4.8	6.2	6.5	6.0	5.4	4.8	3.7	3.9	3.5	3.1	4.6
10	3.3	4.0	4.4	5.6	5.2	4.8	4.6	4.3	3.4	3.6	3.6	3.1	4.2
11	3.4	3.9	4.3	5.0	4.1	3.9	3.7	3.7	3.0	3.3	2.7	2.9	3.7
12	3.2	3.6	4.0	4.3	3.9	3.4	3.3	3.3	2.7	3.1	2.9	2.9	3.4
13	2.9	3.4	3.7	4.1	3.3	3.2	2.9	2.9	2.5	2.8	3.0	2.6	3.1
14	3.0	3.4	3.4	3.7	3.1	2.8	2.5	2.6	2.2	2.9	2.5	2.5	2.9
15	2.9	3.5	3.5	3.5	3.0	2.5	2.5	2.4	2.1	2.9	2.6	2.3	2.8
16	2.8	3.3	3.2	3.3	3.0	2.3	2.3	2.1	2.1	2.9	2.8	2.4	2.7
17	2.8	3.1	3.2	3.4	2.9	2.3	2.2	2.1	1.9	2.7	2.9	2.4	2.7
18	2.7	3.2	3.1	3.2	2.6	2.2	2.1	2.1	1.9	2.7	2.9	2.7	2.6
19	2.9	3.4	3.0	3.2	2.7	2.1	2.1	2.2	1.8	2.9	2.8	2.8	2.7
20	2.9	3.2	2.9	3.2	2.4	2.4	2.1	2.2	1.9	2.8	2.6	2.9	2.6
21	2.7	3.1	2.7	3.4	2.9	2.5	2.3	2.5	1.8	2.8	2.7	2.9	2.7
22	2.7	3.0	3.0	4.0	3.6	3.0	2.6	2.8	2.1	3.2	2.7	2.8	3.0
23	3.0	3.4	3.6	4.9	4.0	3.3	2.8	3.0	2.9	3.9	3.2	2.9	3.4
MEAN	3.6	4.0	4.3	5.4	4.8	4.1	3.8	3.7	3.3	4.0	3.5	3.2	4.0

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OBIHIRO AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	-8.4	-2.4	-16.0	-9.4	-3.3	-17.2	-6.1	-0.5	-13.8	1.7	6.8	-3.8
02	-8.5	-2.4	-16.1	-9.4	-3.4	-17.2	-5.9	-0.4	-13.4	1.9	6.9	-3.5
03	-8.5	-2.5	-16.2	-9.4	-3.4	-17.1	-5.5	-0.2	-12.9	2.1	7.0	-3.3
04	-8.7	-2.6	-16.3	-9.4	-3.3	-17.1	-5.2	0.0	-12.4	2.3	7.2	-3.0
05	-8.8	-2.7	-16.4	-9.3	-3.3	-17.0	-4.9	0.1	-11.9	2.5	7.4	-2.8
06	-9.0	-2.8	-16.6	-9.2	-3.3	-16.8	-4.6	0.3	-11.4	2.6	7.6	-2.6
07	-9.2	-2.9	-16.8	-9.1	-3.2	-16.7	-4.3	0.5	-11.0	2.8	7.8	-2.5
08	-9.4	-3.1	-17.0	-8.9	-3.1	-16.5	-4.0	0.8	-10.6	3.0	8.0	-2.3
09	-9.6	-3.2	-17.3	-8.8	-3.0	-16.3	-3.8	1.0	-10.3	3.2	8.3	-2.1
10	-9.8	-3.4	-17.5	-8.5	-2.9	-16.0	-3.5	1.3	-10.0	3.4	8.5	-2.0
11	-10.0	-3.6	-17.6	-8.3	-2.7	-15.7	-3.2	1.5	-9.7	3.5	8.8	-1.8
12	-10.1	-3.7	-17.8	-8.0	-2.6	-15.4	-3.0	1.8	-9.5	3.7	9.0	-1.6
13	-10.2	-3.8	-17.9	-7.8	-2.4	-15.1	-2.8	2.0	-9.3	3.9	9.3	-1.4
14	-10.3	-3.9	-18.0	-7.6	-2.3	-14.9	-2.6	2.3	-9.1	4.1	9.5	-1.2
15	-10.3	-4.0	-18.0	-7.4	-2.1	-14.6	-2.3	2.5	-8.9	4.3	9.8	-1.0
16	-10.3	-4.0	-17.9	-7.3	-2.0	-14.5	-2.1	2.7	-8.7	4.5	10.1	-0.8
17	-10.2	-3.9	-17.8	-7.1	-1.8	-14.4	-1.9	2.9	-8.4	4.8	10.5	-0.6
18	-10.1	-3.9	-17.7	-7.0	-1.7	-14.3	-1.7	3.1	-8.2	5.1	10.9	-0.4
19	-9.9	-3.8	-17.5	-7.0	-1.6	-14.4	-1.5	3.3	-8.0	5.4	11.3	-0.2
20	-9.7	-3.7	-17.4	-7.0	-1.5	-14.5	-1.3	3.5	-7.7	5.8	11.9	0.0
21	-9.6	-3.5	-17.2	-7.0	-1.4	-14.6	-1.1	3.8	-7.5	6.2	12.4	0.2
22	-9.4	-3.4	-17.1	-7.0	-1.3	-14.7	-0.9	4.1	-7.2	6.6	13.0	0.5
23	-9.3	-3.3	-17.0	-7.0	-1.2	-14.8	-0.6	4.4	-7.0	7.1	13.5	0.7
24	-9.2	-3.3	-17.0	-6.9	-1.1	-14.8	-0.4	4.7	-6.7	7.5	14.1	1.0
25	-9.1	-3.2	-17.0	-6.8	-1.0	-14.8	-0.1	5.0	-6.4	7.8	14.5	1.3
26	-9.1	-3.2	-17.0	-6.7	-0.9	-14.7	0.2	5.4	-6.0	8.2	14.9	1.6
27	-9.1	-3.2	-17.1	-6.6	-0.8	-14.4	0.5	5.7	-5.7	8.5	15.2	1.8
28	-9.2	-3.2	-17.1	-6.4	-0.7	-14.2	0.7	5.9	-5.3	8.7	15.5	2.1
29	-9.2	-3.2	-17.2	-6.2	-0.6	-14.0	1.0	6.2	-4.9	8.9	15.7	2.4
30	-9.3	-3.3	-17.2				1.3	6.4	-4.6	9.1	15.8	2.6
31	-9.3	-3.3	-17.2				1.5	6.6	-4.2			

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OBIHIRO AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	9.3	15.9	2.8	13.8	20.5	7.8	16.3	22.2	11.9	20.7	25.6	16.6
02	9.4	16.0	3.0	13.8	20.5	8.0	16.5	22.5	12.2	20.8	25.6	16.6
03	9.5	16.0	3.2	13.8	20.4	8.1	16.7	22.8	12.4	20.8	25.6	16.6
04	9.6	16.0	3.3	13.8	20.3	8.3	17.0	23.0	12.6	20.7	25.6	16.7
05	9.7	16.1	3.4	13.8	20.1	8.5	17.2	23.3	12.8	20.7	25.4	16.7
06	9.8	16.1	3.5	13.9	20.0	8.7	17.4	23.5	13.0	20.6	25.3	16.7
07	9.8	16.1	3.6	13.9	19.8	9.0	17.6	23.7	13.2	20.5	25.2	16.7
08	9.9	16.1	3.7	13.8	19.5	9.2	17.8	23.9	13.4	20.4	25.0	16.7
09	10.0	16.2	3.7	13.8	19.3	9.4	18.0	24.0	13.5	20.3	24.9	16.7
10	10.0	16.3	3.8	13.8	19.1	9.6	18.2	24.2	13.6	20.2	24.7	16.7
11	10.1	16.4	3.9	13.9	18.9	9.9	18.4	24.2	13.8	20.2	24.6	16.7
12	10.2	16.5	4.1	13.9	18.8	10.1	18.5	24.2	13.9	20.1	24.6	16.6
13	10.3	16.6	4.2	13.9	18.6	10.3	18.5	24.2	14.0	20.1	24.5	16.6
14	10.5	16.8	4.3	14.0	18.5	10.4	18.6	24.1	14.1	20.1	24.5	16.6
15	10.6	17.0	4.5	14.0	18.4	10.6	18.6	24.0	14.2	20.1	24.6	16.5
16	10.8	17.3	4.7	14.0	18.4	10.7	18.6	23.9	14.3	20.0	24.6	16.5
17	11.0	17.5	4.8	14.1	18.4	10.8	18.6	23.8	14.4	20.0	24.6	16.4
18	11.2	17.8	5.0	14.1	18.5	10.8	18.6	23.6	14.6	20.0	24.6	16.3
19	11.4	18.2	5.2	14.2	18.6	10.9	18.6	23.6	14.7	20.0	24.6	16.2
20	11.7	18.5	5.4	14.3	18.8	10.9	18.6	23.5	14.9	19.9	24.6	16.1
21	11.9	18.8	5.6	14.3	19.0	10.9	18.7	23.5	15.1	19.8	24.5	15.9
22	12.2	19.1	5.8	14.5	19.3	10.9	18.8	23.6	15.2	19.7	24.5	15.7
23	12.4	19.4	6.0	14.6	19.6	10.8	19.0	23.7	15.4	19.6	24.4	15.5
24	12.6	19.6	6.2	14.7	19.9	10.9	19.2	23.9	15.6	19.4	24.3	15.4
25	12.8	19.9	6.4	14.9	20.3	10.9	19.4	24.1	15.8	19.3	24.1	15.2
26	13.0	20.0	6.6	15.1	20.6	11.0	19.6	24.3	16.0	19.2	24.0	15.1
27	13.2	20.2	6.8	15.3	21.0	11.1	19.9	24.6	16.2	19.0	23.9	14.9
28	13.4	20.3	7.0	15.6	21.3	11.3	20.1	24.9	16.3	18.9	23.7	14.8
29	13.5	20.4	7.2	15.8	21.6	11.5	20.3	25.1	16.4	18.8	23.6	14.8
30	13.6	20.5	7.4	16.0	22.0	11.7	20.5	25.3	16.5	18.7	23.5	14.8
31	13.7	20.6	7.6				20.6	25.5	16.5	18.6	23.4	14.7

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OBIHIRO AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 42° 44.0'N, LONGITUDE: 143° 13.0'E, ELEVATION ABOVE MSL: 490 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	18.6	23.2	14.7	12.7	18.1	7.3	5.4	11.1	-0.7	-2.1	2.8	-7.9
02	18.5	23.1	14.7	12.4	17.9	6.9	5.2	10.8	-0.8	-2.4	2.6	-8.2
03	18.4	23.0	14.7	12.2	17.6	6.6	5.0	10.5	-1.0	-2.6	2.4	-8.5
04	18.3	22.8	14.7	11.9	17.4	6.2	4.8	10.2	-1.1	-2.9	2.2	-8.8
05	18.2	22.7	14.6	11.6	17.2	5.8	4.6	9.9	-1.2	-3.2	2.0	-9.1
06	18.1	22.5	14.5	11.3	16.9	5.4	4.3	9.5	-1.4	-3.4	1.8	-9.4
07	18.0	22.4	14.4	11.0	16.7	5.0	4.0	9.2	-1.5	-3.7	1.6	-9.8
08	17.8	22.3	14.2	10.7	16.4	4.6	3.8	8.8	-1.7	-4.0	1.3	-10.2
09	17.7	22.2	14.0	10.4	16.2	4.2	3.5	8.5	-1.9	-4.3	1.1	-10.5
10	17.5	22.1	13.7	10.1	16.0	3.9	3.3	8.2	-2.0	-4.6	0.8	-10.9
11	17.4	22.0	13.4	9.8	15.7	3.5	3.0	7.9	-2.2	-4.8	0.6	-11.2
12	17.2	21.9	13.1	9.5	15.5	3.2	2.8	7.6	-2.4	-5.0	0.4	-11.5
13	17.0	21.8	12.7	9.2	15.3	2.8	2.5	7.3	-2.6	-5.2	0.3	-11.7
14	16.8	21.7	12.3	8.9	15.1	2.5	2.3	7.1	-2.9	-5.3	0.1	-11.9
15	16.6	21.7	11.9	8.7	14.8	2.2	2.1	6.9	-3.1	-5.5	0.0	-12.2
16	16.4	21.6	11.6	8.4	14.6	1.9	1.8	6.7	-3.4	-5.6	-0.2	-12.4
17	16.2	21.4	11.2	8.2	14.4	1.7	1.6	6.5	-3.7	-5.8	-0.3	-12.6
18	15.9	21.3	10.8	7.9	14.1	1.4	1.3	6.3	-4.0	-5.9	-0.4	-12.8
19	15.6	21.1	10.4	7.7	13.9	1.2	1.0	6.1	-4.3	-6.1	-0.6	-13.0
20	15.4	20.9	10.1	7.5	13.7	1.0	0.7	5.8	-4.6	-6.3	-0.7	-13.3
21	15.1	20.7	9.8	7.3	13.4	0.9	0.4	5.5	-5.0	-6.5	-0.9	-13.6
22	14.9	20.4	9.6	7.1	13.2	0.7	0.1	5.2	-5.3	-6.8	-1.1	-14.0
23	14.6	20.2	9.3	6.9	13.0	0.6	-0.2	4.9	-5.7	-7.0	-1.3	-14.3
24	14.4	19.9	9.1	6.7	12.7	0.4	-0.5	4.6	-6.0	-7.3	-1.5	-14.6
25	14.1	19.6	8.9	6.5	12.5	0.3	-0.7	4.3	-6.3	-7.5	-1.7	-14.9
26	13.9	19.3	8.6	6.4	12.3	0.1	-1.0	4.0	-6.6	-7.7	-1.9	-15.2
27	13.7	19.1	8.4	6.2	12.1	0.0	-1.3	3.7	-6.9	-7.9	-2.0	-15.4
28	13.4	18.8	8.2	6.1	12.0	-0.1	-1.5	3.4	-7.2	-8.0	-2.1	-15.6
29	13.2	18.6	7.9	5.9	11.8	-0.3	-1.7	3.2	-7.4	-8.1	-2.2	-15.8
30	13.0	18.4	7.6	5.8	11.5	-0.4	-1.9	3.0	-7.6	-8.2	-2.3	-15.9
31				5.6	11.3	-0.5				-8.3	-2.3	-16.0