

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	1	1	3	5	8	11
01	-	-	-	-	2	2	7	10
02	-	-	-	1	1	3	6	8
03	-	-	1	1	2	5	8	11
04	-	-	-	-	1	2	10	12
05	-	-	-	-	3	6	12	12
06	-	-	-	-	3	3	7	10
07	-	-	-	-	1	3	7	14
08	-	-	-	-	1	5	10	11
09	-	-	-	-	1	4	8	11
10	-	-	-	-	1	3	10	14
11	-	-	-	1	2	5	12	17
12	-	-	-	-	1	3	8	13
13	-	-	1	1	3	5	8	12
14	-	-	1	1	2	6	12	17
15	-	-	1	1	1	7	13	16
16	-	-	1	1	4	10	15	21
17	-	1	1	1	3	7	15	19
18	-	-	1	1	5	10	15	16
19	0)	0)	0)	1)	3)	8	12	15
20	0)	0)	0)	1)	4)	6	10	13
21	0)	0)	1)	1)	4)	7	12	15
22	-	-	-	-	4	5	9	12
23	-	1	1	2	4	6	10	10
MEAN	0)	0)	0)	1)	2)	5	10	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	1	1	1	2	5	9	13
01	-	-	-	1	2	4	11	15
02	-	-	-	-	2	3	8	13
03	-	-	-	-	2	4	8	10
04	-	-	-	-	2	6	8	9
05	0)	0)	0)	1)	4)	7	13	15
06	-	-	-	-	3	8	14	16
07	-	-	-	1	2	6	14	18
08	-	-	-	1	2	6	15	19
09	-	-	-	-	1	5	10	17
10	-	-	1	1	1	4	8	11
11	-	-	-	1	1	4	9	16
12	-	-	1	1	1	6	11	15
13	-	-	-	-	1	6	11	14
14	-	-	1	1	1	5	11	15
15	-	-	1	1	2	7	14	18
16	-	-	1	1	2	6	12	15
17	0)	0)	0)	1)	3)	6	10	15
18	-	1	2	3	4	7	13	16
19	-	-	1	2	3	6	13	16
20	-	-	-	3	4	9	12	17
21	0)	0)	1)	4)	5)	8	15	20
22	0)	1)	1)	1)	5)	7	15	17
23	-	1	1	1	4	8	13	14
MEAN	0)	0)	0)	1)	2)	6	12	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	1	1	6	8	13	17
01	0)	0)	1)	1)	5)	7	10	14
02	-	-	-	1	3	8	13	15
03	-	-	-	-	5	7	10	19
04	-	-	-	-	5	6	14	21
05	-	-	-	1	5	8	14	19
06	0)	0)	0)	1)	3)	6	16	21
07	-	-	-	1	5	7	16	19
08	-	-	-	-	5	9	16	19
09	-	-	-	1	5	8	13	17
10	-	-	-	1	2	5	15	19
11	-	-	1	1	6	9	14	17
12	-	1	1	1	5	9	14	19
13	-	1	1	2	4	8	14	19
14	-	1	1	3	6	8	15	20
15	-	1	1	3	6	10	14	19
16	-	1	2	3	6	10	15	20
17	-	1	1	2	6	10	15	19
18	-	-	2	5	7	9	15	23
19	0)	1)	3)	5)	8)	9	14	23
20	0)	1)	3)	5)	9)	10	18	23
21	0)	3)	3)	3)	7)	10	14	21
22	-	3	3	4	8	11	18	21
23	-	1	2	3	6	8	16	20
MEAN	0)	1)	1)	2)	6)	8	14	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	1	7	7	12	19
01	-	-	-	-	5	5	13	17
02	-	-	-	-	6	6	13	15
03	-	-	-	-	4	5	11	15
04	-	-	-	-	5	5	9	13
05	-	-	-	-	4	4	9	11
06	-	-	-	-	5	5	6	11
07	-	-	-	-	4	4	7	12
08	-	-	-	-	5	5	12	14
09	-	-	-	1	7	7	12	13
10	-	-	-	3	7	8	12	17
11	0)	0)	0)	1)	8)	9	15	17
12	-	-	-	1	11	12	15	18
13	-	-	-	3	10	11	17	19
14	-	-	-	5	12	13	15	19
15	-	-	-	3	11	13	17	19
16	-	-	1	3	11	13	17	19
17	-	-	-	4	9	12	17	21
18	-	-	-	4	9	12	17	21
19	-	1	1	7	11	13	16	23
20	-	1	2	7	12	13	19	22
21	-	1	3	9	13	14	19	23
22	-	-	1	3	7	9	17	21
23	-	-	-	1	8	8	17	21
MEAN	0)	0)	0)	2)	8)	9	14	18

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	3	14	14	19	27
01	-	-	-	1	8	9	15	21
02	-	-	-	1	8	8	11	15
03	-	-	-	1	6	6	11	16
04	-	-	-	-	6	6	9	13
05	-	-	-	-	4	4	8	12
06	-	-	-	1	3	3	5	9
07	-	-	-	-	3	3	6	10
08	-	-	-	1	5	5	11	14
09	-	-	-	1	9	9	12	15
10	-	-	-	1	9	10	14	16
11	-	-	1	1	8	10	17	21
12	-	-	-	1	8	10	16	21
13	-	-	-	1	10	11	16	22
14	-	-	-	5	13	14	19	25
15	-	-	1	2	13	17	22	28
16	-	-	2	6	17	19	28	35
17	-	-	2	7	15	19	29	37
18	0)	0)	2)	7)	16)	19	28	37
19	0)	0)	2)	7)	17)	22	32	39
20	0)	1)	1)	4)	17)	21	30	37
21	0)	1)	1)	6)	18)	22	32	42
22	-	-	1	5	15	19	25	36
23	-	-	1	2	16	17	26	32
MEAN	0)	0)	1)	3)	11)	12	18	24

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	1	17	17	35	42
01	0)	0)	0)	0)	9)	9	29	38
02	-	-	-	1	10	10	22	34
03	-	-	-	1	9	9	19	27
04	-	-	1	1	8	8	17	24
05	0)	0)	0)	1)	7)	7	17	27
06	0)	0)	0)	0)	7)	7	19	27
07	-	-	-	1	9	9	19	28
08	-	-	1	1	12	12	24	31
09	-	-	-	2	17	18	34	43
10	-	-	-	4	23	25	39	47
11	-	-	1	6	25	28	43	48
12	-	-	1	9	28	33	46	53
13	-	-	-	9	27	33	47	55
14	-	-	1	7	31	35	48	59
15	0)	1)	3)	11)	33)	35	43	55
16	0)	1)	3)	13)	27)	29	41	53
17	0)	1)	2)	11)	28)	30	41	53
18	0)	1)	1)	11)	30)	33	44	55
19	0)	1)	2)	7)	24)	31	45	57
20	0)	1)	3)	10)	32)	34	44	55
21	0)	1)	1)	7)	27)	31	47	57
22	-	-	1	7	27	30	45	55
23	-	-	-	1	24	25	41	53
MEAN	0)	0)	1)	5)	20)	22	35	45

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	x	x	x	x	x	18	31	39
01	x	x	x	x	x	14	25	32
02	x	x	x	x	x	10	24	30
03	x	x	x	x	x	9	21	30
04	x	x	x	x	x	9	19	27
05	x	x	x	x	x	7	14	23
06	x	x	x	x	x	6	18	29
07	x	x	x	x	x	10	18	29
08	x	x	x	x	x	10	23	31
09	x	x	x	x	x	14	26	35
10	x	x	x	x	x	19	33	45
11	x	x	x	x	x	25	39	47
12	x	x	x	x	x	26	41	50
13	x	x	x	x	x	25	40	52
14	x	x	x	x	x	30	45	54
15	x	x	x	x	x	32	43	55
16	x	x	x	x	x	35	46	57
17	x	x	x	x	x	39	49	63
18	x	x	x	x	x	38	52	65
19	x	x	x	x	x	37	50	61
20	x	x	x	x	x	39	50	61
21	x	x	x	x	x	38	46	57
22	x	x	x	x	x	34	48	60
23	x	x	x	x	x	25	44	55
MEAN	x	x	x	x	x	23	35	45

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	x	x	x	x	x	12	21	35
01	x	x	x	x	x	12	20	26
02	x	x	x	x	x	8	15	23
03	x	x	x	x	x	7	14	21
04	x	x	x	x	x	6	13	21
05	x	x	x	x	x	5	11	19
06	x	x	x	x	x	5	14	20
07	x	x	x	x	x	10	17	24
08	x	x	x	x	x	10	19	23
09	x	x	x	x	x	12	22	29
10	x	x	x	x	x	16	25	33
11	x	x	x	x	x	15	22	31
12	x	x	x	x	x	17	25	31
13	x	x	x	x	x	17	25	32
14	x	x	x	x	x	19	25	34
15	x	x	x	x	x	16	23	31
16	x	x	x	x	x	17	27	34
17	x	x	x	x	x	19	28	39
18	x	x	x	x	x	21	28	41
19	x	x	x	x	x	22	31	43
20	x	x	x	x	x	23	35	45
21	x	x	x	x	x	23	32	46
22	x	x	x	x	x	21	34	43
23	x	x	x	x	x	15	32	44
MEAN	x	x	x	x	x	15	23	32

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	x	x	x	x	x	4	11	15
01	x	x	x	x	x	3	9	15
02	x	x	x	x	x	2	7	13
03	x	x	x	x	x	3	9	11
04	x	x	x	x	x	3	8	11
05	x	x	x	x	x	3	5	8
06	x	x	x	x	x	5	6	8
07	x	x	x	x	x	5	7	11
08	x	x	x	x	x	3	5	8
09	x	x	x	x	x	2	6	10
10	x	x	x	x	x	3	10	13
11	x	x	x	x	x	5	7	11
12	x	x	x	x	x	5	9	13
13	x	x	x	x	x	4	11	15
14	x	x	x	x	x	7	9	11
15	x	x	x	x	x	7	13	16
16	x	x	x	x	x	9	13	16
17	x	x	x	x	x	8	15	20
18	x	x	x	x	x	7	16	20
19	x	x	x	x	x	9	15	19
20	x	x	x	x	x	11	16	22
21	x	x	x	x	x	11	19	25
22	x	x	x	x	x	8	15	21
23	x	x	x	x	x	4	11	17
MEAN	x	x	x	x	x	5	11	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	x	x	x	x	x	1	1	1
01	x	x	x	x	x	1	2	3
02	x	x	x	x	x	1	4	6
03	x	x	x	x	x	2	4	5
04	x	x	x	x	x	1	4	5
05	x	x	x	x	x	2	4	5
06	x	x	x	x	x	1	3	5
07	x	x	x	x	x	1	1	4
08	x	x	x	x	x	1	2	3
09	x	x	x	x	x	-	2	3
10	x	x	x	x	x	1	2	5
11	x	x	x	x	x	1	2	5
12	x	x	x	x	x	3	4	5
13	x	x	x	x	x	3	5	7
14	x	x	x	x	x	2	5	6
15	x	x	x	x	x	1	5	8
16	x	x	x	x	x	3	5	6
17	x	x	x	x	x	2	3	6
18	x	x	x	x	x	2	5	7
19	x	x	x	x	x	4	6	10
20	x	x	x	x	x	3	3	6
21	x	x	x	x	x	3	6	7
22	x	x	x	x	x	2	6	6
23	x	x	x	x	x	-	2	5
MEAN	x	x	x	x	x	2	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	x	x	x	x	x	5	8	12
01	x	x	x	x	x	3	7	9
02	x	x	x	x	x	5	7	9
03	x	x	x	x	x	5	5	7
04	x	x	x	x	x	5	6	7
05	x	x	x	x	x	4	7	9
06	x	x	x	x	x	4	7	8
07	x	x	x	x	x	3	5	8
08	x	x	x	x	x	4	5	8
09	x	x	x	x	x	4	6	9
10	x	x	x	x	x	3	6	11
11	x	x	x	x	x	3	5	7
12	x	x	x	x	x	3	4	8
13	x	x	x	x	x	4	7	11
14	x	x	x	x	x	5	9	9
15	x	x	x	x	x	5	9	10
16	x	x	x	x	x	8	9	11
17	x	x	x	x	x	5	9	10
18	x	x	x	x	x	6	8	9
19	x	x	x	x	x	5	6	9
20	x	x	x	x	x	6	9	10
21	x	x	x	x	x	6	9	10
22	x	x	x	x	x	6	11	13
23	x	x	x	x	x	5	7	12
MEAN	x	x	x	x	x	5	7	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	0)	0)	0)	0)	2)	8	15	17
01	0)	0)	0)	0)	3)	5	9	16
02	0)	0)	0)	0)	3)	8	12	15
03	0)	0)	0)	0)	3)	6	10	13
04	0)	0)	0)	0)	1)	6	12	14
05	0)	0)	0)	0)	0)	3	8	14
06	0)	0)	0)	0)	1)	3	5	10
07	0)	0)	0)	0)	0)	3	6	9
08	0)	0)	0)	0)	1)	4	6	9
09	0)	0)	0)	0)	2)	4	6	10
10	0)	0)	0)	0)	1)	3	5	8
11	0)	0)	0)	1)	3)	4	7	10
12	0)	0)	0)	0)	2)	4	8	11
13	0)	0)	0)	0)	2)	4	6	10
14	0)	0)	0)	0)	1)	1	5	7
15	0)	0)	0)	0)	1)	4	6	8
16	0)	1)	1)	1)	1)	3	7	10
17	0)	0)	0)	0)	1)	1	5	9
18	0)	0)	1)	1)	2)	2	6	12
19	0)	0)	0)	0)	2)	3	9	12
20	0)	1)	2)	3)	3)	5	7	12
21	0)	1)	2)	2)	5)	6	10	14
22	0)	0)	0)	1)	3)	7	11	15
23	0)	1)	2)	2)	3)	9	13	17
MEAN	0)	0)	0)	0)	2)	4	8	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	0)	0)	0)	1)	8)	9	15	21
01	0)	0)	0)	1)	6)	6	13	18
02	0)	0)	0)	0)	5)	6	12	16
03	0)	0)	0)	0)	5)	6	11	16
04	0)	0)	0)	0)	4)	5	11	15
05	0)	0)	0)	0)	4)	5	10	15
06	0)	0)	0)	0)	3)	5	10	14
07	0)	0)	0)	0)	4)	5	10	15
08	0)	0)	0)	1)	5)	6	12	16
09	0)	0)	0)	1)	6)	7	13	18
10	0)	0)	0)	2)	7)	8	15	20
11	0)	0)	0)	2)	8)	10	16	21
12	0)	0)	1)	2)	9)	11	17	22
13	0)	0)	0)	3)	9)	11	17	22
14	0)	0)	0)	3)	11)	12	18	23
15	0)	0)	1)	4)	11)	13	18	24
16	0)	0)	1)	4)	12)	14	20	25
17	0)	0)	1)	5)	11)	13	20	26
18	0)	0)	1)	5)	12)	14	21	27
19	0)	0)	1)	5)	12)	14	21	27
20	0)	1)	2)	5)	13)	15	21	27
21	0)	1)	2)	5)	13)	15	22	28
22	0)	0)	1)	3)	11)	13	21	27
23	0)	0)	1)	2)	10)	11	19	25
MEAN	0)	0)	1)	2)	8)	10	16	21

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY19R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	1	1	1	4	5	8	11
01	-	-	-	-	2	2	7	10
02	-	-	1	1	1	3	6	8
03	-	-	1	1	3	5	8	11
04	-	-	-	-	1	2	10	12
05	-	-	-	-	3	6	12	12
06	-	-	-	1	3	3	7	10
07	-	-	-	-	1	3	7	14
08	-	-	-	-	1	5	10	11
09	-	-	-	-	1	4	8	11
10	-	-	-	-	1	3	10	14
11	-	-	-	1	3	5	12	17
12	-	-	-	1	3	3	8	13
13	-	-	1	1	3	5	8	12
14	-	1	1	3	5	6	12	17
15	-	1	2	2	3	7	13	16
16	-	1	3	3	5	10	15	21
17	-	-	1	1	4	7	15	19
18	-	1	1	1	5	10	15	16
19	0)	0)	0)	1)	3)	8	12	15
20	0)	0)	0)	1)	4)	6	10	13
21	0)	0)	1)	1)	4)	7	12	15
22	-	-	-	1	5	5	9	12
23	-	1	2	2	5	6	10	10
MEAN	0)	0)	1)	1)	3)	5	10	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY19R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	1	1	1	4	5	9	13
01	-	-	-	1	3	4	11	15
02	-	-	-	1	2	3	8	13
03	-	-	-	-	3	4	8	10
04	-	-	-	-	2	6	8	9
05	-	-	-	1	4	7	13	15
06	-	-	1	1	5	8	14	16
07	-	-	-	1	2	6	14	18
08	-	-	-	1	2	6	15	19
09	-	-	-	-	1	5	10	17
10	-	1	1	1	1	4	8	11
11	-	1	1	1	1	4	9	16
12	-	1	1	1	1	6	11	15
13	-	-	-	-	1	6	11	14
14	-	1	1	1	2	5	11	15
15	-	-	1	1	4	7	14	18
16	-	-	1	1	2	6	12	15
17	0)	0)	1)	1)	3)	6	10	15
18	-	1	2	3	4	7	13	16
19	-	-	1	2	4	6	13	16
20	-	1	1	4	6	9	12	17
21	-	1	1	4	6	8	15	20
22	-	1	2	3	6	7	15	17
23	-	1	1	1	5	8	13	14
MEAN	0)	0)	1)	1)	3)	6	12	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY19R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	1	7	8	13	17
01	-	-	1	1	5	7	10	14
02	0)	0)	0)	1)	4)	8	13	15
03	0)	0)	0)	0)	5)	7	10	19
04	-	-	-	1	5	6	14	21
05	0)	0)	0)	1)	5)	8	14	19
06	0)	0)	0)	1)	3)	6	16	21
07	-	-	-	1	5	7	16	19
08	-	-	-	-	6	9	16	19
09	-	-	-	1	5	8	13	17
10	-	-	-	1	3	5	15	19
11	-	-	1	1	6	9	14	17
12	-	1	1	2	5	9	14	19
13	-	1	1	2	4	8	14	19
14	-	-	1	3	6	8	15	20
15	-	1	3	3	6	10	14	19
16	-	1	2	3	6	10	15	20
17	-	1	1	2	6	10	15	19
18	-	1	2	4	6	9	15	23
19	0)	1)	3)	5)	9)	9	14	23
20	0)	1)	5)	6)	10)	10	18	23
21	0)	3)	3)	4)	8)	10	14	21
22	-	3	5	5	9	11	18	21
23	-	2	3	4	8	8	16	20
MEAN	0)	1)	1)	2)	6)	8	14	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY19R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	1	7	7	12	19
01	-	-	-	-	5	5	13	17
02	-	-	-	-	6	6	13	15
03	-	-	-	-	4	5	11	15
04	-	-	-	-	5	5	9	13
05	-	-	-	-	4	4	9	11
06	-	-	-	-	5	5	6	11
07	-	-	-	-	4	4	7	12
08	-	-	-	-	5	5	12	14
09	-	-	-	1	7	7	12	13
10	-	-	-	3	7	8	12	17
11	0)	0)	0)	1)	8)	9	15	17
12	-	-	-	1	10	12	15	18
13	-	-	-	3	10	11	17	19
14	-	-	-	5	12	13	15	19
15	-	-	-	4	11	13	17	19
16	-	-	1	3	11	13	17	19
17	-	-	-	4	11	12	17	21
18	-	-	-	5	11	12	17	21
19	-	1	1	7	12	13	16	23
20	-	3	4	7	13	13	19	22
21	-	3	5	8	13	14	19	23
22	-	1	1	3	7	9	17	21
23	-	-	-	1	8	8	17	21
MEAN	0)	0)	0)	2)	8)	9	14	18

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY19R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	3	14	14	19	27
01	-	-	-	1	8	9	15	21
02	-	-	-	1	8	8	11	15
03	-	-	-	1	6	6	11	16
04	-	-	-	-	6	6	9	13
05	-	-	-	-	4	4	8	12
06	-	-	-	1	3	3	5	9
07	-	-	-	-	3	3	6	10
08	-	-	-	1	5	5	11	14
09	-	-	-	1	9	9	12	15
10	-	-	-	1	9	10	14	16
11	-	-	1	2	8	10	17	21
12	-	-	-	1	8	10	16	21
13	-	-	-	1	9	11	16	22
14	-	-	-	5	12	14	19	25
15	-	-	1	2	14	17	22	28
16	-	-	2	6	17	19	28	35
17	-	1	2	7	15	19	29	37
18	0)	1)	3)	7)	16)	19	28	37
19	0)	0)	2)	7)	19)	22	32	39
20	0)	1)	2)	5)	17)	21	30	37
21	0)	1)	1)	5)	18)	22	32	42
22	-	-	1	5	15	19	25	36
23	-	-	1	2	15	17	26	32
MEAN	0)	0)	1)	3)	11)	12	18	24

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY19R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	1	17	17	35	42
01	-	-	-	-	10	9	29	38
02	0)	0)	0)	1)	10)	10	22	34
03	-	-	-	1	9	9	19	27
04	-	-	1	1	8	8	17	24
05	0)	0)	0)	1)	7)	7	17	27
06	0)	0)	0)	0)	7)	7	19	27
07	-	-	-	1	9	9	19	28
08	-	-	1	1	12	12	24	31
09	-	-	-	2	17	18	34	43
10	-	-	-	4	23	25	39	47
11	-	-	1	6	25	28	43	48
12	-	-	1	9	27	33	46	53
13	-	-	-	8	27	33	47	55
14	-	-	1	7	30	35	48	59
15	0)	1)	3)	11)	32)	35	43	55
16	0)	2)	4)	13)	27)	29	41	53
17	0)	1)	4)	12)	27)	30	41	53
18	0)	1)	3)	13)	30)	33	44	55
19	0)	1)	3)	7)	24)	31	45	57
20	0)	1)	3)	9)	30)	34	44	55
21	0)	1)	1)	7)	28)	31	47	57
22	-	-	1	5	27	30	45	55
23	-	-	-	1	24	25	41	53
MEAN	0)	0)	1)	5)	20)	22	35	45

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY19R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	x	x	x	x	x	18	31	39
01	x	x	x	x	x	14	25	32
02	x	x	x	x	x	10	24	30
03	x	x	x	x	x	9	21	30
04	x	x	x	x	x	9	19	27
05	x	x	x	x	x	7	14	23
06	x	x	x	x	x	6	18	29
07	x	x	x	x	x	10	18	29
08	x	x	x	x	x	10	23	31
09	x	x	x	x	x	14	26	35
10	x	x	x	x	x	19	33	45
11	x	x	x	x	x	25	39	47
12	x	x	x	x	x	26	41	50
13	x	x	x	x	x	25	40	52
14	x	x	x	x	x	30	45	54
15	x	x	x	x	x	32	43	55
16	x	x	x	x	x	35	46	57
17	x	x	x	x	x	39	49	63
18	x	x	x	x	x	38	52	65
19	x	x	x	x	x	37	50	61
20	x	x	x	x	x	39	50	61
21	x	x	x	x	x	38	46	57
22	x	x	x	x	x	34	48	60
23	x	x	x	x	x	25	44	55
MEAN	x	x	x	x	x	23	35	45

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY19R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	x	x	x	x	x	12	21	35
01	x	x	x	x	x	12	20	26
02	x	x	x	x	x	8	15	23
03	x	x	x	x	x	7	14	21
04	x	x	x	x	x	6	13	21
05	x	x	x	x	x	5	11	19
06	x	x	x	x	x	5	14	20
07	x	x	x	x	x	10	17	24
08	x	x	x	x	x	10	19	23
09	x	x	x	x	x	12	22	29
10	x	x	x	x	x	16	25	33
11	x	x	x	x	x	15	22	31
12	x	x	x	x	x	17	25	31
13	x	x	x	x	x	17	25	32
14	x	x	x	x	x	19	25	34
15	x	x	x	x	x	16	23	31
16	x	x	x	x	x	17	27	34
17	x	x	x	x	x	19	28	39
18	x	x	x	x	x	21	28	41
19	x	x	x	x	x	22	31	43
20	x	x	x	x	x	23	35	45
21	x	x	x	x	x	23	32	46
22	x	x	x	x	x	21	34	43
23	x	x	x	x	x	15	32	44
MEAN	x	x	x	x	x	15	23	32

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY19R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	x	x	x	x	x	4	11	15
01	x	x	x	x	x	3	9	15
02	x	x	x	x	x	2	7	13
03	x	x	x	x	x	3	9	11
04	x	x	x	x	x	3	8	11
05	x	x	x	x	x	3	5	8
06	x	x	x	x	x	5	6	8
07	x	x	x	x	x	5	7	11
08	x	x	x	x	x	3	5	8
09	x	x	x	x	x	2	6	10
10	x	x	x	x	x	3	10	13
11	x	x	x	x	x	5	7	11
12	x	x	x	x	x	5	9	13
13	x	x	x	x	x	4	11	15
14	x	x	x	x	x	7	9	11
15	x	x	x	x	x	7	13	16
16	x	x	x	x	x	9	13	16
17	x	x	x	x	x	8	15	20
18	x	x	x	x	x	7	16	20
19	x	x	x	x	x	9	15	19
20	x	x	x	x	x	11	16	22
21	x	x	x	x	x	11	19	25
22	x	x	x	x	x	8	15	21
23	x	x	x	x	x	4	11	17
MEAN	x	x	x	x	x	5	11	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY19R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	x	x	x	x	x	1	1	1
01	x	x	x	x	x	1	2	3
02	x	x	x	x	x	1	4	6
03	x	x	x	x	x	2	4	5
04	x	x	x	x	x	1	4	5
05	x	x	x	x	x	2	4	5
06	x	x	x	x	x	1	3	5
07	x	x	x	x	x	1	1	4
08	x	x	x	x	x	1	2	3
09	x	x	x	x	x	-	2	3
10	x	x	x	x	x	1	2	5
11	x	x	x	x	x	1	2	5
12	x	x	x	x	x	3	4	5
13	x	x	x	x	x	3	5	7
14	x	x	x	x	x	2	5	6
15	x	x	x	x	x	1	5	8
16	x	x	x	x	x	3	5	6
17	x	x	x	x	x	2	3	6
18	x	x	x	x	x	2	5	7
19	x	x	x	x	x	4	6	10
20	x	x	x	x	x	3	3	6
21	x	x	x	x	x	3	6	7
22	x	x	x	x	x	2	6	6
23	x	x	x	x	x	-	2	5
MEAN	x	x	x	x	x	2	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY19R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	x	x	x	x	x	5	8	12
01	x	x	x	x	x	3	7	9
02	x	x	x	x	x	5	7	9
03	x	x	x	x	x	5	5	7
04	x	x	x	x	x	5	6	7
05	x	x	x	x	x	4	7	9
06	x	x	x	x	x	4	7	8
07	x	x	x	x	x	3	5	8
08	x	x	x	x	x	4	5	8
09	x	x	x	x	x	4	6	9
10	x	x	x	x	x	3	6	11
11	x	x	x	x	x	3	5	7
12	x	x	x	x	x	3	4	8
13	x	x	x	x	x	4	7	11
14	x	x	x	x	x	5	9	9
15	x	x	x	x	x	5	9	10
16	x	x	x	x	x	8	9	11
17	x	x	x	x	x	5	9	10
18	x	x	x	x	x	6	8	9
19	x	x	x	x	x	5	6	9
20	x	x	x	x	x	6	9	10
21	x	x	x	x	x	6	9	10
22	x	x	x	x	x	6	11	13
23	x	x	x	x	x	5	7	12
MEAN	x	x	x	x	x	5	7	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY19R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	0)	0)	0)	0)	3)	8	15	17
01	0)	0)	0)	0)	3)	5	9	16
02	0)	0)	0)	1)	6)	8	12	15
03	0)	0)	0)	0)	3)	6	10	13
04	0)	0)	0)	0)	4)	6	12	14
05	0)	0)	0)	1)	4)	3	8	14
06	0)	0)	0)	1)	2)	3	5	10
07	0)	0)	0)	0)	1)	3	6	9
08	0)	0)	0)	0)	1)	4	6	9
09	0)	0)	0)	0)	3)	4	6	10
10	0)	0)	0)	1)	1)	3	5	8
11	0)	0)	1)	1)	3)	4	7	10
12	0)	0)	1)	1)	3)	4	8	11
13	0)	0)	0)	1)	3)	4	6	10
14	0)	0)	0)	0)	1)	1	5	7
15	0)	0)	0)	0)	1)	4	6	8
16	0)	1)	1)	1)	2)	3	7	10
17	0)	0)	1)	1)	2)	1	5	9
18	0)	0)	1)	1)	2)	2	6	12
19	0)	0)	0)	1)	2)	3	9	12
20	0)	1)	2)	3)	4)	5	7	12
21	0)	1)	1)	2)	5)	6	10	14
22	0)	1)	1)	2)	3)	7	11	15
23	0)	1)	2)	2)	5)	9	13	17
MEAN	0)	0)	0)	1)	3)	4	8	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY19R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	0)	0)	0)	1)	8)	9	15	21
01	0)	0)	0)	1)	6)	6	13	18
02	0)	0)	0)	0)	5)	6	12	16
03	0)	0)	0)	0)	5)	6	11	16
04	0)	0)	0)	0)	4)	5	11	15
05	0)	0)	0)	0)	4)	5	10	15
06	0)	0)	0)	1)	4)	5	10	14
07	0)	0)	0)	0)	4)	5	10	15
08	0)	0)	0)	1)	5)	6	12	16
09	0)	0)	0)	1)	6)	7	13	18
10	0)	0)	0)	2)	7)	8	15	20
11	0)	0)	1)	2)	8)	10	16	21
12	0)	0)	1)	3)	9)	11	17	22
13	0)	0)	0)	2)	9)	11	17	22
14	0)	0)	1)	3)	11)	12	18	23
15	0)	0)	1)	4)	11)	13	18	24
16	0)	1)	1)	4)	12)	14	20	25
17	0)	0)	1)	5)	12)	13	20	26
18	0)	0)	2)	5)	13)	14	21	27
19	0)	1)	2)	5)	12)	14	21	27
20	0)	1)	2)	5)	13)	15	21	27
21	0)	1)	2)	5)	13)	15	22	28
22	0)	1)	1)	3)	11)	13	21	27
23	0)	1)	1)	2)	10)	11	19	25
MEAN	0)	0)	1)	2)	9)	10	16	21

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	1	1	3	5	8	11
01	-	-	-	-	2	2	7	10
02	-	-	-	1	1	3	6	8
03	-	-	1	1	2	5	8	11
04	-	-	-	-	1	2	10	12
05	-	-	-	-	2	6	12	12
06	-	-	-	-	2	3	7	10
07	-	-	-	-	1	3	7	14
08	-	-	-	1	1	5	10	11
09	-	-	-	-	1	4	8	11
10	-	-	-	-	1	3	10	14
11	-	-	-	-	1	5	12	17
12	-	-	1	1	1	3	8	13
13	-	-	1	1	3	5	8	12
14	-	-	1	1	2	6	12	17
15	-	-	1	1	1	7	13	16
16	-	-	1	1	3	10	15	21
17	-	1	1	1	3	7	15	19
18	-	-	1	1	5	10	15	16
19	-	-	1	1	3	8	12	15
20	-	-	-	1	3	6	10	13
21	-	-	1	1	4	7	12	15
22	0)	0)	0)	0)	3)	5	9	12
23	-	-	1	1	3	6	10	10
MEAN	0)	0)	0)	1)	2)	5	10	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	1	2	5	9	13
01	-	-	-	1	2	4	11	15
02	-	-	-	-	2	3	8	13
03	-	-	-	-	2	4	8	10
04	-	-	-	-	2	6	8	9
05	-	-	-	1	4	7	13	15
06	-	-	-	-	4	8	14	16
07	-	-	-	1	2	6	14	18
08	-	-	-	1	2	6	15	19
09	-	-	-	-	1	5	10	17
10	-	-	-	1	1	4	8	11
11	-	-	1	1	1	4	9	16
12	-	1	1	1	1	6	11	15
13	-	-	-	1	1	6	11	14
14	-	1	1	1	1	5	11	15
15	-	-	1	1	3	7	14	18
16	-	-	1	1	2	6	12	15
17	0)	0)	0)	0)	2)	6	10	15
18	-	1	2	3	4	7	13	16
19	0)	0)	1)	2)	3)	6	13	16
20	0)	0)	0)	3)	4)	9	12	17
21	-	-	1	4	5	8	15	20
22	-	1	1	1	4	7	15	17
23	0)	0)	0)	1)	4)	8	13	14
MEAN	0)	0)	0)	1)	2)	6	12	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	1	6	8	13	17
01	0)	0)	1)	1)	5)	7	10	14
02	-	-	-	1	3	8	13	15
03	0)	0)	0)	0)	5)	7	10	19
04	-	-	-	-	5	6	14	21
05	0)	0)	0)	1)	5)	8	14	19
06	-	-	-	1	3	6	16	21
07	-	-	-	1	5	7	16	19
08	-	-	-	-	5	9	16	19
09	-	-	-	1	5	8	13	17
10	-	-	-	1	2	5	15	19
11	-	1	1	1	6	9	14	17
12	-	1	1	1	5	9	14	19
13	-	1	1	2	4	8	14	19
14	-	1	1	2	6	8	15	20
15	0)	1)	1)	2)	6)	10	14	19
16	0)	1)	1)	3)	6)	10	15	20
17	0)	0)	1)	2)	5)	10	15	19
18	0)	0)	2)	3)	7)	9	15	23
19	0)	1)	3)	4)	7)	9	14	23
20	0)	1)	2)	4)	8)	10	18	23
21	0)	3)	3)	3)	7)	10	14	21
22	-	3	3	4	8	11	18	21
23	-	1	2	3	7	8	16	20
MEAN	0)	1)	1)	2)	5)	8	14	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	1	7	7	12	19
01	-	-	-	-	5	5	13	17
02	-	-	-	-	6	6	13	15
03	-	-	-	-	4	5	11	15
04	-	-	-	-	5	5	9	13
05	-	-	-	-	4	4	9	11
06	-	-	-	-	5	5	6	11
07	-	-	-	-	4	4	7	12
08	-	-	-	-	5	5	12	14
09	-	-	-	1	7	7	12	13
10	-	-	-	3	7	8	12	17
11	-	-	-	1	8	9	15	17
12	-	-	-	1	11	12	15	18
13	-	-	-	3	10	11	17	19
14	0)	0)	0)	5)	11)	13	15	19
15	0)	0)	1)	3)	11)	13	17	19
16	0)	1)	1)	3)	11)	13	17	19
17	0)	0)	0)	4)	10)	12	17	21
18	0)	0)	0)	3)	9)	12	17	21
19	0)	0)	1)	7)	11)	13	16	23
20	0)	0)	2)	6)	12)	13	19	22
21	-	1	3	8	13	14	19	23
22	-	-	1	3	9	9	17	21
23	-	-	-	1	8	8	17	21
MEAN	0)	0)	0)	2)	8)	9	14	18

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	3	14	14	19	27
01	-	-	-	1	8	9	15	21
02	-	-	-	1	8	8	11	15
03	-	-	-	1	6	6	11	16
04	-	-	-	-	6	6	9	13
05	-	-	-	-	4	4	8	12
06	-	-	-	1	3	3	5	9
07	-	-	-	-	3	3	6	10
08	-	-	-	1	5	5	11	14
09	-	-	-	1	9	9	12	15
10	-	-	-	1	9	10	14	16
11	-	-	1	1	8	10	17	21
12	-	-	-	2	8	10	16	21
13	-	-	-	1	9	11	16	22
14	-	-	-	5	13	14	19	25
15	-	-	1	2	14	17	22	28
16	-	-	2	6	17	19	28	35
17	-	-	2	7	15	19	29	37
18	-	-	2	6	16	19	28	37
19	-	-	2	6	18	22	32	39
20	-	1	1	5	17	21	30	37
21	-	1	1	6	19	22	32	42
22	-	-	1	5	15	19	25	36
23	-	-	1	2	15	17	26	32
MEAN	-	0	1	3	11	12	18	24

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	1	17	17	35	42
01	-	-	-	-	9	9	29	38
02	0)	0)	0)	1)	10)	10	22	34
03	-	-	-	1	9	9	19	27
04	-	-	1	1	8	8	17	24
05	0)	0)	0)	1)	7)	7	17	27
06	-	-	-	-	7	7	19	27
07	-	-	-	1	9	9	19	28
08	-	-	1	1	12	12	24	31
09	-	-	-	2	17	18	34	43
10	-	-	-	4	23	25	39	47
11	-	-	1	6	25	28	43	48
12	-	-	1	9	28	33	46	53
13	-	-	-	9	27	33	47	55
14	-	-	1	8	31	35	48	59
15	-	1	3	13	34	35	43	55
16	-	1	3	13	27	29	41	53
17	-	-	2	11	27	30	41	53
18	-	-	1	11	31	33	44	55
19	0)	1)	1)	7)	23)	31	45	57
20	0)	1)	3)	10)	30)	34	44	55
21	0)	1)	1)	6)	29)	31	47	57
22	-	-	1	7	27	30	45	55
23	-	-	-	1	24	25	41	53
MEAN	0)	0)	1)	5)	21)	22	35	45

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	2	5	18	18	31	39
01	-	-	-	1	14	14	25	32
02	-	-	-	-	10	10	24	30
03	-	-	-	-	8	9	21	30
04	-	-	-	1	8	9	19	27
05	-	-	-	-	7	7	14	23
06	-	-	-	1	6	6	18	29
07	-	-	-	1	10	10	18	29
08	-	-	-	1	10	10	23	31
09	-	-	-	1	13	14	26	35
10	-	-	-	3	18	19	33	45
11	-	-	2	8	23	25	39	47
12	-	-	3	6	23	26	41	50
13	-	-	2	6	23	25	40	52
14	0)	0)	1)	8)	27)	30	45	54
15	0)	1)	1)	11)	29)	32	43	55
16	0)	0)	3)	12)	32)	35	46	57
17	0)	0)	0)	12)	35)	39	49	63
18	0)	1)	2)	14)	34)	38	52	65
19	0)	1)	4)	15)	33)	37	50	61
20	0)	3)	6)	17)	36)	39	50	61
21	-	2	3	15	35	38	46	57
22	-	-	2	6	31	34	48	60
23	-	-	1	6	25	25	44	55
MEAN	0)	0)	1)	6)	21)	23	35	45

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	2	12	12	21	35
01	-	-	-	1	12	12	20	26
02	-	-	-	1	8	8	15	23
03	-	-	-	-	6	7	14	21
04	-	-	-	-	6	6	13	21
05	-	-	-	-	5	5	11	19
06	-	-	-	1	5	5	14	20
07	-	-	-	1	10	10	17	24
08	-	-	1	2	10	10	19	23
09	-	-	-	1	11	12	22	29
10	-	-	1	4	14	16	25	33
11	-	-	1	3	12	15	22	31
12	-	-	3	6	15	17	25	31
13	-	-	1	5	15	17	25	32
14	0)	0)	1)	2)	17)	19	25	34
15	0)	0)	2)	5)	15)	16	23	31
16	0)	0)	1)	5)	16)	17	27	34
17	0)	0)	1)	9)	19)	19	28	39
18	0)	0)	3)	5)	18)	21	28	41
19	0)	1)	3)	8)	22)	22	31	43
20	0)	0)	1)	7)	23)	23	35	45
21	0)	1)	1)	3)	20)	23	32	46
22	-	-	1	3	19	21	34	43
23	-	-	1	4	15	15	32	44
MEAN	0)	0)	1)	3)	14)	15	23	32

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	1	4	4	11	15
01	0)	0)	0)	1)	3)	3	9	15
02	0)	0)	0)	0)	2)	2	7	13
03	-	-	-	-	3	3	9	11
04	-	-	-	1	3	3	8	11
05	0)	0)	0)	0)	3)	3	5	8
06	-	-	-	1	5	5	6	8
07	-	-	-	-	5	5	7	11
08	-	-	-	-	3	3	5	8
09	-	-	-	1	2	2	6	10
10	-	-	-	-	3	3	10	13
11	-	-	-	-	5	5	7	11
12	-	-	-	1	4	5	9	13
13	-	-	-	-	3	4	11	15
14	-	-	-	2	7	7	9	11
15	-	-	-	2	5	7	13	16
16	-	-	-	2	9	9	13	16
17	-	-	1	1	7	8	15	20
18	0)	0)	1)	2)	7)	7	16	20
19	0)	0)	2)	3)	10)	9	15	19
20	0)	0)	2)	5)	12)	11	16	22
21	0)	2)	2)	4)	12)	11	19	25
22	-	-	-	2	7	8	15	21
23	-	-	-	1	5	4	11	17
MEAN	0)	0)	0)	1)	5)	5	11	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	-	1	1	1	1
01	-	-	-	-	1	1	2	3
02	-	-	-	-	1	1	4	6
03	-	-	-	-	2	2	4	5
04	-	-	-	-	1	1	4	5
05	-	-	-	-	1	2	4	5
06	-	-	-	-	1	1	3	5
07	-	-	-	-	1	1	1	4
08	-	-	-	-	1	1	2	3
09	-	-	-	-	-	-	2	3
10	-	-	-	-	1	1	2	5
11	-	-	-	-	1	1	2	5
12	-	-	-	-	3	3	4	5
13	-	-	-	-	3	3	5	7
14	-	-	-	-	2	2	5	6
15	-	-	-	-	3	1	5	8
16	-	1	1	1	4	3	5	6
17	-	-	1	1	3	2	3	6
18	-	1	1	1	3	2	5	7
19	0)	1)	1)	1)	3)	4	6	10
20	0)	1)	1)	1)	2)	3	3	6
21	0)	1)	3)	3)	3)	3	6	7
22	-	1	1	3	3	2	6	6
23	-	-	-	-	-	-	2	5
MEAN	0)	0)	0)	0)	2)	2	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	-	5	5	8	12
01	-	-	-	-	3	3	7	9
02	0)	0)	0)	0)	3)	5	7	9
03	0)	0)	0)	0)	3)	5	5	7
04	-	-	-	1	3	5	6	7
05	0)	0)	0)	1)	3)	4	7	9
06	0)	0)	0)	1)	4)	4	7	8
07	-	-	-	-	3	3	5	8
08	-	-	-	1	4	4	5	8
09	-	-	-	1	5	4	6	9
10	-	-	-	1	4	3	6	11
11	-	1	1	1	3	3	5	7
12	-	1	1	1	3	3	4	8
13	-	1	1	2	5	4	7	11
14	-	-	-	1	4	5	9	9
15	-	-	1	2	5	5	9	10
16	-	-	-	-	6	8	9	11
17	-	1	1	2	6	5	9	10
18	0)	0)	2)	2)	5)	6	8	9
19	0)	0)	1)	2)	5)	5	6	9
20	0)	0)	1)	2)	6)	6	9	10
21	0)	0)	0)	0)	5)	6	9	10
22	-	-	1	1	4	6	11	13
23	-	-	1	1	3	5	7	12
MEAN	0)	0)	0)	1)	4)	5	7	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	-	1	2	8	15	17
01	0)	0)	0)	0)	3)	5	9	16
02	0)	0)	0)	0)	3)	8	12	15
03	-	-	-	-	3	6	10	13
04	-	-	-	-	1	6	12	14
05	-	-	-	-	-	3	8	14
06	0)	0)	0)	0)	1)	3	5	10
07	-	-	-	-	-	3	6	9
08	-	-	-	-	1	4	6	9
09	-	-	-	-	2	4	6	10
10	-	-	-	-	1	3	5	8
11	-	-	-	-	2	4	7	10
12	-	-	-	-	2	4	8	11
13	-	-	-	-	2	4	6	10
14	0)	0)	0)	0)	1)	1	5	7
15	0)	0)	0)	0)	1)	4	6	8
16	0)	0)	0)	0)	1)	3	7	10
17	0)	0)	0)	0)	1)	1	5	9
18	0)	0)	1)	1)	2)	2	6	12
19	0)	0)	0)	0)	3)	3	9	12
20	0)	1)	2)	3)	3)	5	7	12
21	0)	1)	2)	2)	5)	6	10	14
22	-	-	1	2	3	7	11	15
23	-	1	1	1	3	9	13	17
MEAN	0)	0)	0)	0)	2)	4	8	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NEW CHITOSE AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

NUMBER OF FORWARD SCATTER: RWY01R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<300	<600	<600	<1000	<1500
00	-	-	0	1	8	9	15	21
01	0)	0)	0)	1)	6)	6	13	18
02	0)	0)	0)	0)	5)	6	12	16
03	0)	0)	0)	0)	4)	6	11	16
04	-	-	0	0	4	5	11	15
05	0)	0)	0)	0)	4)	5	10	15
06	0)	0)	0)	0)	4)	5	10	14
07	-	-	-	0	4	5	10	15
08	-	-	0	1	5	6	12	16
09	-	-	-	1	6	7	13	18
10	-	-	0	1	7	8	15	20
11	-	0	1	2	8	10	16	21
12	-	0	1	3	9	11	17	22
13	-	0	0	3	9	11	17	22
14	0)	0)	0)	3)	10)	12	18	23
15	0)	0)	1)	3)	11)	13	18	24
16	0)	0)	1)	4)	11)	14	20	25
17	0)	0)	1)	4)	11)	13	20	26
18	0)	0)	1)	4)	12)	14	21	27
19	0)	0)	2)	5)	12)	14	21	27
20	0)	1)	2)	5)	13)	15	21	27
21	0)	1)	2)	5)	13)	15	22	28
22	0)	0)	1)	3)	11)	13	21	27
23	0)	0)	1)	2)	9)	11	19	25
MEAN	0)	0)	1)	2)	8)	10	16	21

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NEW CHITOSE AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	3	3	5	6	9			
01	1	1	3	5	8			
02	3	4	5	5	6			
03	4	6	8	8	10			
04	1	2	6	9	12			
05	6	6	8	12	12			
06	3	3	5	6	8			
07	2	2	5	6	13			
08	4	4	5	8	9			
09	3	3	5	6	8			
10	3	4	7	9	12			
11	5	5	7	10	16			
12	3	4	6	8	12			
13	3	4	5	6	10			
14	6	7	9	12	17			
15	6	8	9	12	15			
16	8	10	12	15	19			
17	6	7	10	13	15			
18	6	7	8	12	14			
19	6	8	9	10	13			
20	4	5	6	9	12			
21	5	5	6	10	12			
22	3	3	6	8	10			
23	5	5	6	7	9			
MEAN	4	5	7	9	12			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NEW CHITOSE AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	4	5	7	8	11			
01	3	4	6	9	13			
02	1	3	6	7	10			
03	3	3	4	6	9			
04	4	4	5	6	9			
05	4	6	8	12	14			
06	6	6	10	12	15			
07	4	5	8	11	16			
08	5	5	11	12	17			
09	4	4	8	8	14			
10	4	4	5	7	8			
11	4	4	8	8	14			
12	5	6	7	9	12			
13	5	5	8	9	11			
14	4	6	7	9	13			
15	6	7	9	12	15			
16	4	5	7	9	12			
17	6	7	9	9	12			
18	5	6	9	12	13			
19	4	6	9	12	15			
20	6	7	8	9	13			
21	7	8	11	13	17			
22	6	8	12	13	15			
23	7	8	12	13	13			
MEAN	5	5	8	10	13			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NEW CHITOSE AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	5	5	6	8	14			
01	3	3	6	6	10			
02	5	5	8	10	13			
03	3	3	6	6	13			
04	3	4	7	10	15			
05	4	5	8	10	15			
06	5	5	8	12	15			
07	5	6	8	11	14			
08	5	6	8	12	14			
09	4	5	7	8	12			
10	3	5	7	9	13			
11	3	5	10	11	13			
12	6	7	8	10	17			
13	6	7	9	10	17			
14	5	6	9	12	17			
15	6	8	9	13	17			
16	6	8	9	13	17			
17	7	7	11	14	15			
18	6	7	11	12	18			
19	6	6	8	10	17			
20	6	6	12	14	17			
21	7	7	8	10	16			
22	8	9	12	14	18			
23	6	8	8	12	15			
MEAN	5	6	8	11	15			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NEW CHITOSE AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	1	2	4	6			
01	1	1	3	3	5			
02	-	-	1	3	5			
03	1	1	2	3	6			
04	1	1	1	2	5			
05	-	-	1	3	7			
06	-	-	1	1	5			
07	-	-	-	3	7			
08	-	-	1	3	6			
09	1	1	3	4	8			
10	2	2	3	4	11			
11	3	3	3	6	11			
12	3	3	5	7	10			
13	3	4	6	7	11			
14	4	4	7	8	11			
15	5	6	8	9	12			
16	5	5	6	8	11			
17	5	7	8	9	11			
18	7	8	9	9	12			
19	7	7	9	10	13			
20	7	7	9	9	13			
21	7	7	11	12	15			
22	4	4	6	7	9			
23	1	2	4	4	8			
MEAN	3	3	5	6	9			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NEW CHITOSE AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	3	3	4	5	7			
01	1	1	3	4	5			
02	-	-	1	1	5			
03	-	-	1	1	3			
04	-	-	-	1	3			
05	-	-	-	1	3			
06	-	1	1	2	3			
07	-	-	1	2	3			
08	1	1	1	2	4			
09	1	1	1	2	8			
10	1	2	4	5	8			
11	4	4	4	5	8			
12	4	4	4	5	10			
13	4	4	4	6	8			
14	4	5	5	7	12			
15	6	6	8	8	14			
16	8	9	9	12	16			
17	8	9	12	17	19			
18	8	10	11	15	19			
19	8	10	12	15	25			
20	11	12	15	19	27			
21	8	9	13	17	25			
22	5	6	10	12	20			
23	3	3	5	8	14			
MEAN	4	4	5	7	11			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NEW CHITOSE AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	1	2	6	11			
01	-	-	3	5	9			
02	-	-	1	4	7			
03	-	-	2	3	7			
04	1	1	2	3	5			
05	-	-	1	3	6			
06	-	-	-	1	7			
07	-	-	1	5	7			
08	1	1	3	3	10			
09	2	2	3	6	14			
10	3	4	7	12	19			
11	7	7	8	14	22			
12	9	9	14	20	27			
13	9	9	15	22	27			
14	11	11	19	23	30			
15	10	11	17	21	28			
16	9	10	14	20	25			
17	13	13	19	21	28			
18	12	13	17	25	31			
19	14	15	19	23	35			
20	13	13	18	25	33			
21	11	11	15	19	30			
22	8	8	11	16	22			
23	1	1	4	9	16			
MEAN	6	6	9	13	19			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NEW CHITOSE AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	2	2	5	5	12			
01	1	1	2	3	8			
02	1	1	1	1	7			
03	1	1	2	2	9			
04	1	1	2	3	5			
05	-	-	1	1	3			
06	-	-	-	1	5			
07	-	-	1	3	6			
08	1	1	1	3	8			
09	1	1	3	5	12			
10	2	3	5	10	19			
11	5	6	11	15	25			
12	6	7	11	15	22			
13	8	8	12	16	23			
14	7	8	12	17	25			
15	8	9	13	22	30			
16	10	10	17	24	34			
17	13	14	18	26	38			
18	13	15	21	25	39			
19	12	13	20	30	42			
20	15	16	23	30	43			
21	10	11	17	27	38			
22	7	8	12	15	26			
23	3	3	6	10	17			
MEAN	5	6	9	13	21			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NEW CHITOSE AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	1	4	6	10			
01	2	2	3	5	10			
02	1	1	1	3	7			
03	1	1	1	3	6			
04	-	-	1	3	7			
05	-	-	1	1	5			
06	1	1	2	3	5			
07	1	1	2	4	8			
08	1	2	3	3	8			
09	1	3	4	7	11			
10	3	3	6	8	14			
11	4	4	5	7	14			
12	2	3	6	8	16			
13	4	4	6	9	17			
14	5	5	6	10	19			
15	5	5	8	12	15			
16	5	5	8	11	17			
17	3	3	7	13	21			
18	5	6	8	14	21			
19	6	6	8	15	20			
20	6	7	10	15	26			
21	5	5	9	14	27			
22	6	7	7	10	21			
23	3	3	6	8	14			
MEAN	3	3	5	8	14			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NEW CHITOSE AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	-	-	1	3	5			
01	-	-	1	1	3			
02	-	-	1	1	3			
03	1	1	1	1	1			
04	1	1	1	1	2			
05	-	-	1	1	3			
06	1	1	1	2	5			
07	-	-	1	1	4			
08	-	-	-	-	2			
09	-	-	1	1	2			
10	1	1	1	1	2			
11	1	1	1	1	2			
12	1	1	1	2	3			
13	1	1	2	3	5			
14	1	1	3	5	6			
15	2	2	3	5	7			
16	1	1	4	5	7			
17	3	3	3	6	9			
18	3	3	4	5	8			
19	3	4	5	6	9			
20	5	5	7	7	11			
21	4	5	6	8	14			
22	3	3	4	6	10			
23	-	1	1	2	5			
MEAN	1	1	2	3	5			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NEW CHITOSE AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	-	-	-	-	1			
01	-	-	-	-	1			
02	-	-	-	1	2			
03	-	-	-	-	1			
04	-	-	-	-	1			
05	1	1	1	1	2			
06	-	-	-	-	2			
07	-	-	-	-	1			
08	-	-	-	-	-			
09	-	-	-	1	1			
10	-	-	1	1	2			
11	1	1	1	1	3			
12	1	1	1	1	3			
13	-	-	1	2	3			
14	-	-	1	3	4			
15	1	1	2	2	5			
16	1	1	2	3	5			
17	1	1	1	1	5			
18	1	1	1	3	6			
19	2	2	3	4	6			
20	2	2	3	3	6			
21	3	3	5	5	6			
22	2	3	3	4	5			
23	-	1	1	1	3			
MEAN	1	1	1	1	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NEW CHITOSE AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	1	4	5	9			
01	1	2	2	3	7			
02	1	1	2	3	4			
03	2	2	2	3	3			
04	2	3	4	4	5			
05	2	2	4	4	6			
06	1	1	2	4	7			
07	-	-	1	3	5			
08	-	-	1	3	5			
09	-	1	1	2	4			
10	-	-	1	2	5			
11	-	-	1	3	3			
12	1	1	1	2	5			
13	1	1	1	3	7			
14	1	1	3	4	7			
15	2	3	4	7	8			
16	3	3	4	6	8			
17	2	2	4	7	7			
18	3	3	4	6	7			
19	2	2	2	5	7			
20	3	3	6	6	7			
21	4	5	5	5	8			
22	3	3	5	6	9			
23	3	3	3	5	8			
MEAN	2	2	3	4	6			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NEW CHITOSE AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	6	7	11	14	17			
01	3	3	9	9	15			
02	6	6	8	10	14			
03	5	5	6	10	12			
04	5	6	8	10	13			
05	3	4	5	7	10			
06	3	3	3	4	6			
07	3	4	5	6	8			
08	4	5	5	6	7			
09	3	3	4	4	7			
10	3	3	3	3	6			
11	2	3	3	7	9			
12	3	3	5	8	10			
13	2	3	5	6	9			
14	-	1	1	3	6			
15	3	3	4	5	6			
16	3	4	5	6	9			
17	1	2	3	3	8			
18	1	1	2	3	8			
19	1	3	5	7	10			
20	3	3	5	5	10			
21	5	5	6	9	13			
22	6	7	9	10	14			
23	9	9	12	12	16			
MEAN	3	4	6	7	10			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NEW CHITOSE AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	2	2	4	6	9			
01	1	2	3	4	8			
02	1	2	3	4	7			
03	2	2	3	4	7			
04	1	2	3	4	7			
05	2	2	3	5	7			
06	2	2	3	4	7			
07	1	1	3	4	8			
08	2	2	3	5	7			
09	2	2	3	4	8			
10	2	3	4	6	10			
11	3	4	5	7	12			
12	4	4	6	8	12			
13	4	4	6	8	12			
14	4	5	7	9	14			
15	5	6	8	11	14			
16	5	6	8	11	15			
17	6	6	9	12	16			
18	6	7	9	12	16			
19	6	7	9	12	18			
20	7	7	10	13	18			
21	6	7	9	12	19			
22	5	6	8	10	15			
23	3	4	6	7	12			
MEAN	3	4	6	8	12			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NEW CHITOSE AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	1	1	1	3	4	5
01	-	-	-	1	1	3	5
02	-	-	-	-	-	2	3
03	-	-	-	1	1	3	3
04	-	-	-	1	1	5	6
05	-	-	-	-	1	4	4
06	-	-	-	-	1	3	4
07	-	-	-	1	1	3	5
08	-	-	-	-	1	3	4
09	-	-	-	1	1	3	6
10	-	-	-	1	1	2	3
11	-	-	-	1	1	3	6
12	-	-	-	1	1	2	3
13	-	1	1	1	3	3	5
14	-	1	1	1	1	3	3
15	-	1	1	1	1	3	6
16	-	1	1	3	3	5	8
17	-	1	1	2	2	4	8
18	-	1	1	3	4	6	7
19	-	-	1	1	2	5	6
20	-	-	1	2	3	3	5
21	-	1	1	3	4	7	10
22	-	-	-	1	2	3	5
23	-	1	1	2	2	4	4
MEAN	-	0	0	1	2	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NEW CHITOSE AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	1	1	6
01	-	-	-	1	1	3	6
02	-	-	-	1	1	2	6
03	-	-	-	1	1	4	6
04	-	-	-	2	2	3	3
05	-	-	-	1	3	5	6
06	-	-	-	2	2	6	8
07	-	-	1	1	2	6	8
08	-	-	1	1	1	6	8
09	-	-	-	1	1	3	8
10	-	-	-	-	-	1	4
11	-	-	-	-	-	1	5
12	-	-	-	-	1	2	4
13	-	-	-	1	1	3	6
14	-	-	-	1	1	4	7
15	-	-	-	1	1	3	6
16	-	1	1	1	2	4	7
17	-	-	-	1	1	2	6
18	-	1	1	3	3	3	7
19	-	-	1	1	2	4	7
20	-	-	3	3	4	5	8
21	-	1	3	4	4	6	11
22	-	-	-	1	2	4	9
23	-	-	-	1	1	3	5
MEAN	-	0	0	1	2	3	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NEW CHITOSE AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	4	5	8	10
01	-	1	1	3	5	6	8
02	-	-	1	3	3	7	10
03	-	-	-	4	5	8	13
04	-	-	-	3	3	8	10
05	-	-	1	2	4	9	12
06	-	-	1	1	3	10	14
07	-	-	1	1	5	10	12
08	-	-	-	2	5	8	12
09	-	-	1	2	5	7	11
10	-	-	1	1	2	8	13
11	-	1	1	5	6	8	14
12	-	-	1	3	3	6	10
13	-	1	2	3	4	7	10
14	-	-	1	5	5	8	10
15	-	-	-	3	3	5	7
16	-	1	1	3	4	7	10
17	-	-	-	3	3	5	9
18	-	-	1	1	3	5	8
19	-	-	-	1	3	5	8
20	-	1	2	5	5	9	12
21	-	-	-	1	3	6	10
22	-	1	1	3	4	7	10
23	-	-	-	1	3	6	10
MEAN	-	0	1	2	4	7	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NEW CHITOSE AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	3	7	12	18
01	-	-	-	3	5	12	17
02	-	-	-	5	6	10	12
03	-	-	-	2	4	10	13
04	-	-	-	1	5	8	11
05	-	-	-	3	4	7	9
06	-	-	-	3	5	6	9
07	-	-	-	3	4	7	9
08	-	-	-	3	5	10	12
09	-	-	1	5	7	11	13
10	-	-	3	4	7	11	14
11	-	-	1	5	7	12	15
12	-	-	1	6	9	12	15
13	-	-	3	8	9	15	16
14	-	-	4	9	11	13	16
15	-	-	3	8	9	13	14
16	-	-	2	7	10	14	16
17	-	-	3	6	7	13	17
18	-	-	3	5	6	11	14
19	-	1	5	7	8	11	18
20	-	1	3	7	9	13	17
21	-	1	3	7	8	14	17
22	-	-	2	5	5	15	17
23	-	-	1	5	8	17	21
MEAN	-	0	2	5	7	12	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NEW CHITOSE AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	3	10	14	19	26
01	-	-	1	6	8	15	20
02	-	-	1	7	8	11	15
03	-	-	1	5	6	11	16
04	-	-	-	5	6	9	13
05	-	-	-	3	4	8	12
06	-	-	1	1	3	5	8
07	-	-	-	2	3	6	9
08	-	-	1	4	5	11	14
09	-	-	1	8	9	12	14
10	-	-	1	6	9	12	14
11	-	1	1	4	7	14	17
12	-	-	1	6	7	13	17
13	-	-	1	6	8	13	18
14	-	-	4	8	11	16	21
15	-	1	2	10	12	16	23
16	-	2	6	12	15	23	30
17	-	1	6	12	12	22	28
18	-	1	5	11	14	22	28
19	-	2	6	12	16	24	30
20	-	-	3	11	13	18	24
21	-	1	5	14	16	25	32
22	-	1	4	11	14	20	28
23	-	1	2	12	15	24	29
MEAN	-	0	2	8	10	15	20

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NEW CHITOSE AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	11	17	35	42
01	-	-	-	9	9	29	38
02	-	-	1	6	10	21	34
03	-	-	1	7	9	18	26
04	-	1	1	5	8	17	24
05	-	-	1	3	7	16	27
06	-	-	-	4	7	19	25
07	-	-	1	6	9	19	28
08	-	1	1	9	12	24	31
09	-	-	2	13	16	33	41
10	-	-	4	20	23	38	45
11	-	1	6	21	24	39	43
12	-	1	9	21	25	38	45
13	-	-	7	22	25	38	45
14	-	-	5	22	26	37	48
15	-	1	8	23	26	33	45
16	-	1	9	19	22	33	45
17	-	1	5	15	19	30	42
18	-	-	9	19	24	34	45
19	-	-	4	15	19	31	41
20	-	-	5	19	23	31	41
21	-	-	3	21	23	39	49
22	-	1	5	22	25	40	49
23	-	-	1	19	24	40	52
MEAN	-	0	4	15	18	30	40

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NEW CHITOSE AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	2	5	14	18	31	39
01	-	-	1	10	14	24	31
02	-	-	-	8	10	23	28
03	-	-	-	6	8	21	28
04	-	-	1	4	8	19	26
05	-	-	-	5	7	14	23
06	-	-	1	3	6	18	28
07	-	-	1	5	10	18	27
08	-	-	1	9	10	23	30
09	-	-	1	10	13	25	33
10	-	-	3	14	18	31	40
11	-	2	8	18	23	35	42
12	-	3	6	18	21	36	43
13	-	1	5	16	17	33	43
14	-	1	7	17	23	37	46
15	-	-	8	19	25	35	47
16	-	1	8	21	25	35	45
17	-	-	8	25	28	36	48
18	-	1	10	22	27	40	48
19	-	-	11	24	26	37	46
20	-	1	8	24	27	37	45
21	-	1	10	25	30	37	46
22	-	1	5	23	28	43	52
23	-	1	6	19	24	43	52
MEAN	-	1	5	15	19	31	39

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NEW CHITOSE AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	2	10	12	21	34
01	-	-	1	9	12	20	26
02	-	-	1	8	8	15	21
03	-	-	-	5	6	14	20
04	-	-	-	6	6	13	19
05	-	-	-	3	5	11	17
06	-	-	1	3	5	14	19
07	-	-	1	6	10	17	22
08	-	1	2	8	10	19	22
09	-	-	1	8	11	20	26
10	-	1	4	10	14	23	30
11	-	1	3	8	12	19	26
12	-	3	6	14	15	23	28
13	-	1	5	13	15	22	28
14	-	1	2	13	15	20	28
15	-	2	4	10	13	19	26
16	-	1	3	10	14	23	29
17	-	1	7	14	17	25	35
18	-	3	5	13	17	24	34
19	-	2	6	16	18	26	36
20	-	-	5	13	18	28	35
21	-	1	3	15	19	26	35
22	-	-	3	13	17	30	35
23	-	1	4	12	15	31	41
MEAN	-	1	3	10	13	21	28

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NEW CHITOSE AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	3	4	10	13
01	-	-	1	2	3	8	14
02	-	-	-	2	2	7	11
03	-	-	-	2	3	7	11
04	-	-	1	2	3	8	11
05	-	-	-	3	3	5	7
06	-	-	1	2	5	6	7
07	-	-	-	2	5	7	10
08	-	-	-	2	3	5	8
09	-	-	1	1	2	6	10
10	-	-	-	3	3	9	13
11	-	-	-	3	4	6	11
12	-	-	1	1	4	8	13
13	-	-	-	2	3	8	12
14	-	-	2	4	6	7	9
15	-	-	2	5	5	10	13
16	-	-	1	5	7	11	13
17	-	1	1	3	5	12	17
18	-	1	1	2	5	13	16
19	-	1	2	6	8	13	17
20	-	1	2	6	9	13	19
21	-	-	1	5	9	15	20
22	-	-	1	5	6	13	18
23	-	-	1	3	4	10	15
MEAN	-	0	1	3	5	9	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NEW CHITOSE AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	1	1	1
01	-	-	-	1	1	2	3
02	-	-	-	1	1	4	5
03	-	-	-	1	2	4	5
04	-	-	-	1	1	4	5
05	-	-	-	-	1	4	5
06	-	-	-	-	1	3	4
07	-	-	-	1	1	1	3
08	-	-	-	1	1	2	3
09	-	-	-	-	-	1	2
10	-	-	-	-	1	2	4
11	-	-	-	-	1	2	4
12	-	-	-	1	3	3	3
13	-	-	-	3	3	4	5
14	-	-	-	2	2	3	4
15	-	-	-	1	1	3	5
16	-	-	1	3	3	4	4
17	-	-	-	1	1	3	3
18	-	-	-	1	1	2	3
19	-	-	1	3	3	3	5
20	-	-	-	1	1	1	2
21	-	-	-	-	-	1	1
22	-	-	1	1	1	3	4
23	-	-	-	-	-	1	3
MEAN	-	-	0	1	1	3	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NEW CHITOSE AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	2	4	5	7
01	-	-	-	3	3	7	7
02	-	-	-	2	3	5	6
03	-	-	-	1	3	3	5
04	-	-	1	3	3	4	5
05	-	-	1	2	3	5	8
06	-	-	-	2	3	4	5
07	-	-	-	2	3	3	5
08	-	-	1	4	4	5	7
09	-	-	1	3	4	6	7
10	-	-	-	3	3	5	7
11	-	-	-	3	3	4	5
12	-	-	-	1	2	3	5
13	-	-	1	3	3	5	7
14	-	-	1	2	3	6	7
15	-	1	1	3	4	6	8
16	-	-	-	4	5	6	7
17	-	1	1	4	5	7	8
18	-	1	1	3	4	6	7
19	-	1	1	3	3	4	5
20	-	1	1	3	4	6	6
21	-	-	-	3	3	4	6
22	-	-	-	3	3	5	8
23	-	-	-	1	3	5	7
MEAN	-	0	0	3	3	5	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NEW CHITOSE AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	1	5	6
01	-	-	-	1	2	3	6
02	-	-	-	1	3	6	8
03	-	-	-	1	1	4	6
04	-	-	-	-	1	3	3
05	-	-	-	-	-	1	6
06	-	-	-	-	-	1	5
07	-	-	-	-	-	1	3
08	-	-	-	-	1	3	5
09	-	-	-	1	1	3	5
10	-	-	-	1	1	3	4
11	-	-	-	1	2	3	5
12	-	-	-	1	2	2	5
13	-	-	-	1	2	4	6
14	-	-	-	1	1	3	3
15	-	-	-	1	1	2	5
16	-	-	-	-	1	3	5
17	-	-	-	1	1	1	4
18	-	1	1	1	2	4	6
19	-	-	-	1	1	3	5
20	-	1	2	3	3	5	6
21	-	1	1	3	3	4	7
22	-	-	-	1	1	1	3
23	-	-	1	1	2	5	5
MEAN	-	0	0	1	1	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NEW CHITOSE AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	0	1	5	7	13	17
01	-	0	0	4	5	11	15
02	-	-	0	4	5	10	13
03	-	-	0	3	4	9	13
04	-	0	0	3	4	8	11
05	-	-	0	2	3	8	11
06	-	-	0	2	3	8	11
07	-	-	0	3	4	8	12
08	-	0	1	4	5	10	13
09	-	-	1	4	6	11	15
10	-	0	1	5	7	12	16
11	-	0	2	6	7	12	16
12	-	1	2	6	8	12	16
13	-	0	2	7	8	13	17
14	-	0	2	7	9	13	17
15	-	0	2	7	9	12	17
16	-	1	3	7	9	14	18
17	-	0	3	7	9	13	19
18	-	1	3	7	9	14	19
19	-	1	3	8	9	14	19
20	-	0	3	8	10	14	18
21	-	0	3	8	10	15	20
22	-	0	2	7	9	15	20
23	-	0	1	6	8	16	20
MEAN	-	0	2	5	7	12	16

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NEW CHITOSE AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												2
VARIABLE	16	0	-	-	-	-	-	-	-	-	-	16
[35-36-01]	6	7	3	1	0	-	-	-	-	-	-	17
[02-03-04]	3	1	0	-	-	-	-	-	-	-	-	3
[05-06-07]	1	0	-	0	-	-	-	-	-	-	-	2
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	1
[11-12-13]	3	1	0	-	-	-	-	-	-	-	-	4
[14-15-16]	4	2	1	0	0	0	-	-	-	-	-	7
[17-18-19]	4	2	0	0	-	-	-	-	-	-	-	7
[20-21-22]	3	1	0	0	-	-	-	-	-	-	-	5
[23-24-25]	2	2	1	0	-	-	-	-	-	-	-	5
[26-27-28]	1	1	1	0	-	-	-	-	-	-	-	3
[29-30-31]	2	2	1	0	0	-	-	-	-	-	-	6
[32-33-34]	7	8	4	1	1	0	-	-	-	-	-	21
TOTAL	56	26	11	4	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NEW CHITOSE AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	12	0	-	-	-	-	-	-	-	-	-	12
[35-36-01]	5	7	4	1	0	0	-	-	-	-	-	17
[02-03-04]	2	1	0	-	-	-	-	-	-	-	-	3
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	2	0	-	-	-	-	-	-	-	-	-	2
[11-12-13]	3	1	0	0	-	0	-	-	-	-	-	4
[14-15-16]	5	4	2	1	0	0	0	-	-	-	-	13
[17-18-19]	4	3	2	0	-	-	-	-	-	-	-	9
[20-21-22]	2	2	0	0	-	-	-	-	-	-	-	5
[23-24-25]	2	1	1	0	-	-	-	-	-	-	-	4
[26-27-28]	1	1	1	0	-	-	-	-	-	-	-	3
[29-30-31]	1	1	1	0	0	-	-	-	-	-	-	4
[32-33-34]	5	7	4	2	2	0	0	-	-	-	-	22
TOTAL	45	29	16	6	2	1	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NEW CHITOSE AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	8	0	0	-	-	-	-	-	-	-	-	8
[35-36-01]	4	7	5	2	0	-	-	-	-	-	-	19
[02-03-04]	2	1	0	-	-	-	-	-	-	-	-	3
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	1
[11-12-13]	3	2	0	0	-	-	-	-	-	-	-	5
[14-15-16]	5	7	5	2	0	0	-	-	-	-	-	19
[17-18-19]	4	4	5	1	0	-	-	-	-	-	-	15
[20-21-22]	2	1	1	0	0	-	-	-	-	-	-	4
[23-24-25]	1	1	0	0	-	-	-	-	-	-	-	3
[26-27-28]	1	1	1	0	-	-	-	-	-	-	-	2
[29-30-31]	1	1	1	0	-	-	-	-	-	-	-	3
[32-33-34]	4	5	4	2	1	1	0	0	-	-	-	17
TOTAL	37	30	21	8	2	1	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NEW CHITOSE AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	5	0	0	-	-	-	-	-	-	-	-	5
[35-36-01]	3	6	4	2	1	0	-	-	-	-	-	16
[02-03-04]	1	1	0	-	-	-	-	-	-	-	-	2
[05-06-07]	1	0	0	-	-	-	-	-	-	-	-	1
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	1
[11-12-13]	2	1	0	0	-	-	-	-	-	-	-	4
[14-15-16]	4	7	5	3	1	0	0	-	-	-	-	20
[17-18-19]	3	6	9	3	0	0	-	-	-	-	-	22
[20-21-22]	2	2	1	0	0	-	-	-	-	-	-	6
[23-24-25]	1	1	0	0	0	-	-	-	-	-	-	3
[26-27-28]	1	1	1	0	0	-	-	-	-	-	-	3
[29-30-31]	1	1	1	0	0	-	-	-	-	-	-	3
[32-33-34]	3	3	2	2	2	1	0	-	-	-	-	14
TOTAL	29	29	23	12	5	1	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NEW CHITOSE AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	4	0	-	-	-	-	-	-	-	-	-	4
[35-36-01]	3	7	6	3	1	0	-	-	-	-	-	19
[02-03-04]	1	1	0	0	-	-	-	-	-	-	-	2
[05-06-07]	0	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	1
[11-12-13]	1	1	0	-	-	-	-	-	-	-	-	3
[14-15-16]	4	7	5	2	1	0	-	-	-	-	-	19
[17-18-19]	3	8	14	5	0	0	-	-	-	-	-	31
[20-21-22]	2	2	1	0	-	-	-	-	-	-	-	5
[23-24-25]	1	1	0	0	-	-	-	-	-	-	-	2
[26-27-28]	1	0	0	0	0	-	-	-	-	-	-	1
[29-30-31]	1	0	0	0	0	0	-	-	-	-	-	2
[32-33-34]	2	3	3	2	1	0	0	-	-	-	-	11
TOTAL	23	30	29	13	3	1	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NEW CHITOSE AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	5	-	-	-	-	-	-	-	-	-	-	5
[35-36-01]	3	7	5	1	0	-	-	-	-	-	-	16
[02-03-04]	1	0	-	-	-	-	-	-	-	-	-	1
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	0	0	-	-	-	-	-	-	-	-	-	0
[11-12-13]	2	1	-	-	-	-	-	-	-	-	-	3
[14-15-16]	5	12	6	1	0	0	-	-	-	-	-	25
[17-18-19]	5	14	14	2	0	-	-	-	-	-	-	35
[20-21-22]	2	3	1	-	-	-	-	-	-	-	-	6
[23-24-25]	1	0	-	-	-	-	-	-	-	-	-	1
[26-27-28]	0	0	-	-	-	-	-	-	-	-	-	0
[29-30-31]	0	0	-	-	-	-	-	-	-	-	-	0
[32-33-34]	1	2	2	1	0	0	-	-	-	-	-	7
TOTAL	27	39	28	5	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NEW CHITOSE AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	4	-	-	-	-	-	-	-	-	-	-	4
[35-36-01]	3	5	2	0	0	-	-	-	-	-	-	11
[02-03-04]	1	0	-	-	-	-	-	-	-	-	-	1
[05-06-07]	0	0	-	-	-	-	-	-	-	-	-	0
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	1
[11-12-13]	3	1	0	-	-	-	-	-	-	-	-	3
[14-15-16]	6	17	6	2	0	0	-	-	-	-	-	31
[17-18-19]	4	17	13	2	0	-	-	-	-	-	-	35
[20-21-22]	2	4	1	0	-	-	-	-	-	-	-	6
[23-24-25]	1	0	-	-	-	-	-	-	-	-	-	1
[26-27-28]	0	0	-	-	-	-	-	-	-	-	-	0
[29-30-31]	0	0	-	-	-	-	-	-	-	-	-	0
[32-33-34]	1	1	1	1	0	0	-	-	-	-	-	4
TOTAL	26	45	23	5	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NEW CHITOSE AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	6	-	-	-	-	-	-	-	-	-	-	6
[35-36-01]	5	7	2	0	0	-	-	-	-	-	-	14
[02-03-04]	2	1	0	-	-	-	-	-	-	-	-	3
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	1
[11-12-13]	4	1	0	0	0	-	-	-	-	-	-	5
[14-15-16]	6	14	6	1	0	0	0	-	-	-	-	28
[17-18-19]	3	12	9	1	-	-	-	-	-	-	-	25
[20-21-22]	2	2	1	0	-	-	-	-	-	-	-	5
[23-24-25]	1	0	0	0	-	-	-	-	-	-	-	1
[26-27-28]	0	0	0	-	-	-	-	-	-	-	-	1
[29-30-31]	1	0	0	-	-	-	-	-	-	-	-	1
[32-33-34]	2	3	1	1	0	-	-	-	-	-	-	8
TOTAL	34	41	20	3	0	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NEW CHITOSE AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	11	0	0	-	-	-	-	-	-	-	-	11
[35-36-01]	7	6	2	1	-	-	-	-	-	-	-	16
[02-03-04]	2	1	0	-	-	-	-	-	-	-	-	3
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	2
[11-12-13]	4	2	0	0	-	-	-	-	-	-	-	7
[14-15-16]	5	9	5	1	0	-	-	-	-	-	-	21
[17-18-19]	3	7	5	1	0	-	-	-	-	-	-	16
[20-21-22]	2	2	1	-	-	-	-	-	-	-	-	4
[23-24-25]	1	0	0	0	-	-	-	-	-	-	-	1
[26-27-28]	0	0	0	0	-	-	-	-	-	-	-	1
[29-30-31]	2	1	0	0	-	-	-	-	-	-	-	3
[32-33-34]	5	5	2	1	0	-	-	-	-	-	-	13
TOTAL	45	34	16	4	1	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NEW CHITOSE AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	13	0	-	-	-	-	-	-	-	-	-	13
[35-36-01]	4	5	3	1	0	0	0	-	-	-	-	13
[02-03-04]	2	1	0	-	-	-	-	-	-	-	-	2
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	2
[11-12-13]	3	2	1	0	0	-	-	-	-	-	-	6
[14-15-16]	5	5	3	1	1	0	0	-	-	-	-	16
[17-18-19]	4	4	3	1	0	-	-	-	-	-	-	12
[20-21-22]	2	2	1	0	0	-	-	-	-	-	-	5
[23-24-25]	2	2	1	0	0	-	-	-	-	-	-	5
[26-27-28]	1	1	0	0	0	0	-	-	-	-	-	3
[29-30-31]	1	2	1	0	0	-	-	-	-	-	-	5
[32-33-34]	5	5	3	2	1	0	0	0	-	-	-	16
TOTAL	45	28	17	6	2	1	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NEW CHITOSE AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	11	0	-	-	-	-	-	-	-	-	-	11
[35-36-01]	6	7	3	2	0	-	-	-	-	-	-	17
[02-03-04]	2	0	0	-	-	-	-	-	-	-	-	3
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	2	0	0	-	-	-	-	-	-	-	-	2
[11-12-13]	3	2	0	0	0	-	-	-	-	-	-	5
[14-15-16]	5	4	2	1	0	0	-	-	-	-	-	13
[17-18-19]	4	3	2	1	0	-	-	-	-	-	-	10
[20-21-22]	2	2	1	0	0	-	-	-	-	-	-	5
[23-24-25]	1	1	1	1	0	-	-	-	-	-	-	4
[26-27-28]	1	1	0	0	0	-	-	-	-	-	-	3
[29-30-31]	2	2	1	0	-	-	-	-	-	-	-	5
[32-33-34]	5	8	4	2	0	0	-	-	-	-	-	20
TOTAL	46	31	14	7	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NEW CHITOSE AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												2
VARIABLE	14	0	-	-	-	-	-	-	-	-	-	14
[35-36-01]	6	5	3	1	0	-	-	-	-	-	-	16
[02-03-04]	3	0	0	-	-	-	-	-	-	-	-	3
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	2
[08-09-10]	2	0	-	-	-	-	-	-	-	-	-	2
[11-12-13]	3	2	0	0	0	-	-	-	-	-	-	5
[14-15-16]	5	2	1	1	1	-	-	-	-	-	-	10
[17-18-19]	5	2	1	0	0	0	-	-	-	-	-	7
[20-21-22]	2	3	1	0	-	-	0	-	-	-	-	6
[23-24-25]	3	3	2	1	0	-	-	-	-	-	-	9
[26-27-28]	1	1	1	0	0	-	-	-	-	-	-	3
[29-30-31]	2	2	1	0	-	-	-	-	-	-	-	4
[32-33-34]	6	5	4	1	1	0	-	-	-	-	-	17
TOTAL	52	26	14	5	2	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NEW CHITOSE AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	9	0	0	-	-	-	-	-	-	-	-	9
[35-36-01]	5	6	3	1	0	0	0	-	-	-	-	16
[02-03-04]	2	1	0	0	-	-	-	-	-	-	-	2
[05-06-07]	1	0	0	0	-	-	-	-	-	-	-	1
[08-09-10]	1	0	0	-	-	-	-	-	-	-	-	1
[11-12-13]	3	1	0	0	0	0	-	-	-	-	-	4
[14-15-16]	5	7	4	1	0	0	0	-	-	-	-	19
[17-18-19]	4	7	6	1	0	0	-	-	-	-	-	19
[20-21-22]	2	2	1	0	0	-	0	-	-	-	-	5
[23-24-25]	1	1	1	0	0	-	-	-	-	-	-	3
[26-27-28]	1	1	0	0	0	0	-	-	-	-	-	2
[29-30-31]	1	1	1	0	0	0	-	-	-	-	-	3
[32-33-34]	4	5	3	2	1	0	0	0	-	-	-	14
TOTAL	39	32	19	6	2	0	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NEW CHITOSE AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	8	26	33	27	6	-	-	-	-	-	-	-
01	-	14	42	35	8	-	-	-	-	-	-	-
02	-	1	35	52	12	-	-	-	-	-	-	-
03	-	-	19	63	17	1	-	-	-	-	-	-
04	-	-	21	59	19	1	-	-	-	-	-	-
05	-	-	21	57	21	1	-	-	-	-	-	-
06	-	-	26	56	18	-	-	-	-	-	-	-
07	-	-	32	53	15	-	-	-	-	-	-	-
08	-	3	43	44	10	-	-	-	-	-	-	-
09	-	8	42	42	8	-	-	-	-	-	-	-
10	1	11	47	35	6	-	-	-	-	-	-	-
11	4	16	43	32	5	-	-	-	-	-	-	-
12	6	23	38	27	5	-	-	-	-	-	-	-
13	11	23	37	25	5	-	-	-	-	-	-	-
14	12	31	30	22	5	-	-	-	-	-	-	-
15	17	27	33	19	4	-	-	-	-	-	-	-
16	17	28	30	21	5	-	-	-	-	-	-	-
17	18	26	29	22	5	-	-	-	-	-	-	-
18	19	30	25	23	3	-	-	-	-	-	-	-
19	21	26	28	22	2	-	-	-	-	-	-	-
20	26	23	26	21	3	-	-	-	-	-	-	-
21	28	23	25	19	5	-	-	-	-	-	-	-
22	29	23	25	19	4	-	-	-	-	-	-	-
23	22	28	23	22	5	-	-	-	-	-	-	-
MEAN	10	16	31	34	8	0	-	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NEW CHITOSE AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	2	13	39	32	12	1	-	-	-	-	-	-
01	1	4	29	51	15	1	-	-	-	-	-	-
02	-	2	18	54	25	1	-	-	-	-	-	-
03	-	1	14	56	27	2	-	-	-	-	-	-
04	-	1	15	54	28	2	-	-	-	-	-	-
05	-	-	14	56	27	2	-	-	-	-	-	-
06	-	-	15	55	27	3	-	-	-	-	-	-
07	-	-	20	52	27	1	-	-	-	-	-	-
08	-	1	28	49	23	-	-	-	-	-	-	-
09	-	1	37	46	16	-	-	-	-	-	-	-
10	-	5	40	39	15	-	-	-	-	-	-	-
11	1	11	39	35	14	-	-	-	-	-	-	-
12	2	11	39	35	12	-	-	-	-	-	-	-
13	1	20	35	33	10	-	-	-	-	-	-	-
14	6	23	32	28	11	-	-	-	-	-	-	-
15	8	23	29	28	11	-	-	-	-	-	-	-
16	11	24	30	23	11	-	-	-	-	-	-	-
17	14	25	27	24	10	-	-	-	-	-	-	-
18	18	26	25	22	9	-	-	-	-	-	-	-
19	22	25	25	20	8	-	-	-	-	-	-	-
20	20	24	30	18	9	-	-	-	-	-	-	-
21	23	23	30	17	8	-	-	-	-	-	-	-
22	19	28	27	17	8	-	-	-	-	-	-	-
23	12	25	28	25	10	-	-	-	-	-	-	-
MEAN	7	13	28	36	16	1	-	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NEW CHITOSE AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	8	34	46	12	-	-	-	-	-	-
01	-	-	1	30	54	14	1	-	-	-	-	-
02	-	-	1	27	49	19	3	-	-	-	-	-
03	-	-	1	23	51	21	5	-	-	-	-	-
04	-	-	1	25	50	20	5	-	-	-	-	-
05	-	-	1	26	50	19	5	-	-	-	-	-
06	-	-	1	26	48	21	4	-	-	-	-	-
07	-	-	1	30	47	18	3	-	-	-	-	-
08	-	-	3	31	50	15	2	-	-	-	-	-
09	-	-	3	39	45	12	-	-	-	-	-	-
10	-	-	8	43	40	10	-	-	-	-	-	-
11	-	-	8	48	38	6	-	-	-	-	-	-
12	-	1	12	48	34	5	-	-	-	-	-	-
13	-	1	17	45	32	5	-	-	-	-	-	-
14	-	3	19	45	28	5	-	-	-	-	-	-
15	-	3	19	45	28	4	-	-	-	-	-	-
16	1	5	21	44	27	3	-	-	-	-	-	-
17	1	5	21	45	25	3	-	-	-	-	-	-
18	-	6	23	43	25	2	-	-	-	-	-	-
19	1	6	25	46	21	1	-	-	-	-	-	-
20	1	8	26	43	21	2	-	-	-	-	-	-
21	1	9	25	43	21	3	-	-	-	-	-	-
22	-	6	17	46	26	4	-	-	-	-	-	-
23	-	1	10	45	36	7	-	-	-	-	-	-
MEAN	0	2	11	38	37	10	1	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NEW CHITOSE AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	22	57	15	5	-	-	-	-
01	-	-	-	1	15	51	25	7	1	-	-	-
02	-	-	-	-	15	47	27	9	1	-	-	-
03	-	-	-	1	12	47	29	9	1	-	-	-
04	-	-	-	1	12	45	31	9	1	-	-	-
05	-	-	-	1	11	45	32	9	1	-	-	-
06	-	-	-	1	12	51	25	9	3	-	-	-
07	-	-	-	1	15	53	24	5	2	-	-	-
08	-	-	-	2	19	56	19	4	-	-	-	-
09	-	-	-	2	28	56	13	1	-	-	-	-
10	-	-	-	4	37	49	9	1	-	-	-	-
11	-	-	-	7	43	44	7	-	-	-	-	-
12	-	-	-	7	49	38	7	-	-	-	-	-
13	-	-	-	11	47	37	5	-	-	-	-	-
14	-	-	-	14	49	33	3	-	-	-	-	-
15	-	-	-	21	47	29	3	-	-	-	-	-
16	-	-	1	24	46	27	2	-	-	-	-	-
17	-	-	3	24	49	23	2	-	-	-	-	-
18	-	-	3	24	49	22	1	-	-	-	-	-
19	-	-	4	22	52	20	2	-	-	-	-	-
20	-	-	6	21	52	19	2	-	-	-	-	-
21	-	-	3	20	51	24	2	-	-	-	-	-
22	-	-	-	10	47	37	7	-	-	-	-	-
23	-	-	-	5	36	47	11	2	-	-	-	-
MEAN	-	-	1	9	34	40	13	3	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: NEW CHITOSE AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	2	14	57	26	1	-	-	-
01	-	-	-	-	-	11	48	36	5	-	-	-
02	-	-	-	-	-	10	43	40	7	-	-	-
03	-	-	-	-	-	10	35	43	12	-	-	-
04	-	-	-	-	-	11	32	45	12	1	-	-
05	-	-	-	-	-	10	35	43	12	1	-	-
06	-	-	-	-	-	10	37	44	9	-	-	-
07	-	-	-	-	-	13	39	43	6	-	-	-
08	-	-	-	-	-	18	45	35	3	-	-	-
09	-	-	-	-	2	19	57	23	-	-	-	-
10	-	-	-	-	2	31	56	11	-	-	-	-
11	-	-	-	-	3	36	59	3	-	-	-	-
12	-	-	-	-	5	45	48	1	-	-	-	-
13	-	-	-	-	6	54	39	1	-	-	-	-
14	-	-	-	-	8	57	32	2	-	-	-	-
15	-	-	-	-	9	61	30	1	-	-	-	-
16	-	-	-	-	13	60	26	1	-	-	-	-
17	-	-	-	1	14	60	24	1	-	-	-	-
18	-	-	-	1	15	59	24	1	-	-	-	-
19	-	-	-	1	15	59	25	-	-	-	-	-
20	-	-	-	1	17	57	25	-	-	-	-	-
21	-	-	-	-	9	58	32	1	-	-	-	-
22	-	-	-	-	5	35	56	5	-	-	-	-
23	-	-	-	-	2	23	60	15	-	-	-	-
MEAN	-	-	-	0	5	34	40	17	3	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NEW CHITOSE AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	1	29	61	9	-	-	-
01	-	-	-	-	-	1	21	59	17	1	-	-
02	-	-	-	-	-	-	18	56	23	3	-	-
03	-	-	-	-	-	-	13	54	29	3	-	-
04	-	-	-	-	-	-	13	49	35	3	-	-
05	-	-	-	-	-	-	16	48	33	3	-	-
06	-	-	-	-	-	-	17	55	26	3	-	-
07	-	-	-	-	-	-	19	61	17	2	-	-
08	-	-	-	-	-	1	26	63	9	1	-	-
09	-	-	-	-	-	2	40	55	3	-	-	-
10	-	-	-	-	-	3	50	45	1	-	-	-
11	-	-	-	-	-	5	60	35	-	-	-	-
12	-	-	-	-	-	5	65	29	-	-	-	-
13	-	-	-	-	-	5	71	24	-	-	-	-
14	-	-	-	-	-	6	73	21	-	-	-	-
15	-	-	-	-	-	9	73	19	-	-	-	-
16	-	-	-	-	1	9	76	15	-	-	-	-
17	-	-	-	-	-	13	71	17	-	-	-	-
18	-	-	-	-	1	15	71	14	-	-	-	-
19	-	-	-	-	1	14	71	14	-	-	-	-
20	-	-	-	-	-	11	74	15	-	-	-	-
21	-	-	-	-	-	6	70	24	-	-	-	-
22	-	-	-	-	-	3	53	43	1	-	-	-
23	-	-	-	-	-	2	39	56	3	-	-	-
MEAN	-	-	-	-	0	5	47	39	9	1	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: NEW CHITOSE AIRPORT MONTH: JUL
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	42	54	3	-	-
01	-	-	-	-	-	-	1	34	57	8	-	-
02	-	-	-	-	-	-	-	26	59	14	-	-
03	-	-	-	-	-	-	-	26	53	21	-	-
04	-	-	-	-	-	-	-	23	55	21	1	-
05	-	-	-	-	-	-	-	21	58	20	1	-
06	-	-	-	-	-	-	-	27	53	19	1	-
07	-	-	-	-	-	-	1	32	50	17	-	-
08	-	-	-	-	-	-	1	46	41	12	-	-
09	-	-	-	-	-	-	1	55	40	4	-	-
10	-	-	-	-	-	-	3	64	32	1	-	-
11	-	-	-	-	-	-	6	67	27	-	-	-
12	-	-	-	-	-	-	10	64	26	-	-	-
13	-	-	-	-	-	-	12	66	23	-	-	-
14	-	-	-	-	-	-	14	65	21	-	-	-
15	-	-	-	-	-	-	12	69	19	-	-	-
16	-	-	-	-	-	-	15	68	17	-	-	-
17	-	-	-	-	-	1	15	70	14	-	-	-
18	-	-	-	-	-	1	19	66	15	-	-	-
19	-	-	-	-	-	1	19	66	14	-	-	-
20	-	-	-	-	-	1	19	66	14	-	-	-
21	-	-	-	-	-	-	10	72	17	-	-	-
22	-	-	-	-	-	-	3	67	30	-	-	-
23	-	-	-	-	-	-	1	55	44	-	-	-
MEAN	-	-	-	-	-	0	7	53	35	6	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NEW CHITOSE AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	14	74	12	-	-
01	-	-	-	-	-	-	-	9	66	25	-	-
02	-	-	-	-	-	-	-	4	65	30	1	-
03	-	-	-	-	-	-	-	5	59	36	-	-
04	-	-	-	-	-	-	-	5	55	39	1	-
05	-	-	-	-	-	-	-	5	57	35	2	-
06	-	-	-	-	-	-	-	8	65	27	1	-
07	-	-	-	-	-	-	-	7	70	23	-	-
08	-	-	-	-	-	-	-	11	74	15	-	-
09	-	-	-	-	-	-	-	18	74	8	-	-
10	-	-	-	-	-	-	-	28	70	2	-	-
11	-	-	-	-	-	-	1	34	66	-	-	-
12	-	-	-	-	-	-	1	37	62	-	-	-
13	-	-	-	-	-	-	2	45	54	-	-	-
14	-	-	-	-	-	-	4	48	48	-	-	-
15	-	-	-	-	-	-	6	48	46	-	-	-
16	-	-	-	-	-	-	6	48	46	-	-	-
17	-	-	-	-	-	-	8	48	44	-	-	-
18	-	-	-	-	-	-	9	45	46	-	-	-
19	-	-	-	-	-	-	9	50	41	-	-	-
20	-	-	-	-	-	-	10	48	43	-	-	-
21	-	-	-	-	-	-	9	47	44	-	-	-
22	-	-	-	-	-	-	1	41	58	-	-	-
23	-	-	-	-	-	-	-	23	72	5	-	-
MEAN	-	-	-	-	-	-	3	28	58	11	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NEW CHITOSE AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	8	49	37	6	-	-
01	-	-	-	-	-	-	5	39	48	8	-	-
02	-	-	-	-	-	-	3	31	55	11	-	-
03	-	-	-	-	-	-	3	27	55	15	-	-
04	-	-	-	-	-	-	1	25	59	15	-	-
05	-	-	-	-	-	-	2	29	53	15	-	-
06	-	-	-	-	-	-	2	37	47	14	-	-
07	-	-	-	-	-	-	3	40	49	8	-	-
08	-	-	-	-	-	-	5	49	44	2	-	-
09	-	-	-	-	-	-	9	61	30	-	-	-
10	-	-	-	-	-	-	15	61	24	-	-	-
11	-	-	-	-	-	1	19	60	20	-	-	-
12	-	-	-	-	-	3	23	54	21	-	-	-
13	-	-	-	-	-	5	25	51	19	-	-	-
14	-	-	-	-	-	8	25	50	17	-	-	-
15	-	-	-	-	-	11	23	51	15	-	-	-
16	-	-	-	-	1	12	25	45	17	-	-	-
17	-	-	-	-	1	12	28	43	16	-	-	-
18	-	-	-	-	1	14	30	39	15	-	-	-
19	-	-	-	-	1	17	29	36	17	-	-	-
20	-	-	-	-	1	17	31	37	13	-	-	-
21	-	-	-	-	2	15	29	37	17	-	-	-
22	-	-	-	-	-	7	29	43	21	1	-	-
23	-	-	-	-	-	1	21	49	27	3	-	-
MEAN	-	-	-	-	0	5	16	43	31	4	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NEW CHITOSE AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	3	29	48	19	-	-	-	-
01	-	-	-	-	1	17	51	27	3	-	-	-
02	-	-	-	-	2	14	46	34	4	-	-	-
03	-	-	-	-	1	11	45	39	4	-	-	-
04	-	-	-	-	1	14	40	39	5	-	-	-
05	-	-	-	-	2	13	42	37	6	-	-	-
06	-	-	-	-	2	14	46	34	5	-	-	-
07	-	-	-	-	3	18	49	27	3	-	-	-
08	-	-	-	-	5	26	50	18	1	-	-	-
09	-	-	-	-	7	33	45	15	-	-	-	-
10	-	-	-	-	12	35	40	12	-	-	-	-
11	-	-	-	-	14	46	30	10	-	-	-	-
12	-	-	-	1	20	46	24	8	-	-	-	-
13	-	-	-	2	21	45	25	7	1	-	-	-
14	-	-	-	3	25	43	22	7	1	-	-	-
15	-	-	-	5	28	41	21	6	-	-	-	-
16	-	-	-	6	28	38	21	6	-	-	-	-
17	-	-	-	6	31	37	19	6	-	-	-	-
18	-	-	-	6	32	35	20	6	-	-	-	-
19	-	-	-	6	31	37	20	6	-	-	-	-
20	-	-	-	6	34	34	19	6	-	-	-	-
21	-	-	-	7	35	31	21	6	-	-	-	-
22	-	-	-	4	28	34	27	6	-	-	-	-
23	-	-	-	-	13	40	35	12	-	-	-	-
MEAN	-	-	-	2	16	31	34	16	1	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NEW CHITOSE AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	1	13	47	28	11	1	-	-	-	-
01	-	-	-	8	37	37	17	1	-	-	-	-
02	-	-	-	5	37	35	22	2	-	-	-	-
03	-	-	-	5	33	32	29	1	-	-	-	-
04	-	-	-	4	31	33	31	1	-	-	-	-
05	-	-	-	6	31	35	28	1	-	-	-	-
06	-	-	-	7	33	33	26	1	-	-	-	-
07	-	-	1	9	38	29	23	-	-	-	-	-
08	-	-	1	13	42	29	14	-	-	-	-	-
09	-	-	1	17	40	29	12	-	-	-	-	-
10	-	-	3	19	40	29	9	-	-	-	-	-
11	-	-	3	27	37	28	5	1	-	-	-	-
12	-	-	3	27	39	24	6	1	-	-	-	-
13	-	-	3	30	37	25	5	1	-	-	-	-
14	-	1	3	36	35	20	5	1	-	-	-	-
15	-	1	5	32	37	19	5	1	-	-	-	-
16	-	2	5	30	35	22	5	-	-	-	-	-
17	-	1	7	30	35	22	5	-	-	-	-	-
18	-	1	8	34	31	21	5	-	-	-	-	-
19	-	1	7	35	35	17	5	-	-	-	-	-
20	-	1	8	35	34	19	3	-	-	-	-	-
21	-	1	9	35	33	19	3	-	-	-	-	-
22	-	1	9	31	35	21	3	-	-	-	-	-
23	-	-	5	24	39	28	4	-	-	-	-	-
MEAN	-	0	3	21	36	26	12	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NEW CHITOSE AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	1	6	24	41	22	6	-	-	-	-	-	-
01	-	2	16	43	32	7	-	-	-	-	-	-
02	-	-	9	46	34	11	1	-	-	-	-	-
03	-	-	5	47	32	15	1	-	-	-	-	-
04	-	-	5	43	37	15	1	-	-	-	-	-
05	-	-	5	45	34	15	1	-	-	-	-	-
06	-	-	6	45	35	13	1	-	-	-	-	-
07	-	-	8	52	30	10	-	-	-	-	-	-
08	-	1	15	52	25	6	1	-	-	-	-	-
09	-	2	21	50	22	5	1	-	-	-	-	-
10	-	5	23	50	19	4	1	-	-	-	-	-
11	1	5	25	48	17	3	1	-	-	-	-	-
12	1	6	27	46	15	5	-	-	-	-	-	-
13	1	8	28	42	17	4	-	-	-	-	-	-
14	2	12	26	41	17	3	-	-	-	-	-	-
15	2	12	31	35	17	3	-	-	-	-	-	-
16	3	14	28	35	16	4	-	-	-	-	-	-
17	4	13	33	32	15	4	-	-	-	-	-	-
18	4	14	31	30	19	3	-	-	-	-	-	-
19	3	15	32	30	17	3	-	-	-	-	-	-
20	4	16	30	32	15	3	-	-	-	-	-	-
21	6	16	26	36	12	4	-	-	-	-	-	-
22	6	20	22	37	12	4	-	-	-	-	-	-
23	3	10	27	41	14	5	-	-	-	-	-	-
MEAN	2	7	21	42	22	6	0	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NEW CHITOSE AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	1	4	9	12	13	12	14	18	15	2	-	-
01	0	2	7	14	13	12	14	18	17	4	-	-
02	-	0	5	15	14	11	14	17	18	5	0	-
03	-	0	3	16	14	12	14	17	18	6	-	-
04	-	0	3	15	15	12	13	16	19	7	0	-
05	-	-	3	16	15	12	13	16	19	6	0	-
06	-	-	4	16	15	12	13	18	17	5	0	-
07	-	-	5	16	15	12	13	18	17	4	-	-
08	-	0	7	16	14	13	14	19	14	2	-	-
09	-	1	9	16	14	13	15	19	12	1	-	-
10	0	2	10	16	14	14	15	19	11	0	-	-
11	0	3	10	16	14	14	16	17	10	-	-	-
12	1	3	10	16	15	14	15	16	9	-	-	-
13	1	4	10	16	15	15	15	16	8	-	-	-
14	2	6	9	16	15	15	15	16	7	-	-	-
15	2	5	10	15	15	15	14	16	7	-	-	-
16	3	6	10	15	15	15	15	15	7	-	-	-
17	3	6	10	15	15	15	14	16	6	-	-	-
18	3	6	10	15	15	14	15	14	6	-	-	-
19	4	6	10	15	15	14	15	15	6	-	-	-
20	4	6	10	15	16	14	15	14	6	-	-	-
21	5	6	10	15	15	13	15	16	7	-	-	-
22	4	7	8	14	14	12	15	17	9	0	-	-
23	3	5	8	13	13	13	14	18	12	1	-	-
MEAN	2	3	8	15	15	13	14	17	11	2	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NEW CHITOSE AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	-6.9	-5.5	-0.4	5.7	11.4	15.2	19.5	21.4	18.0	10.0	3.5	-2.8	7.4
Daily maximum air temperature(°C)	-1.5	-0.6	4.0	11.2	17.1	20.0	23.9	25.6	22.9	15.5	8.4	1.8	12.4
Daily minimum air temperature(°C)	-14.0	-12.5	-5.9	0.2	6.3	11.6	16.3	18.0	13.4	3.9	-1.8	-8.7	2.2
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	19.5	22.8	36.4	68.9	87.6	105.1	88.5	171.1	189.2	83.0	90.7	54.3	1017.1
Snow fall(cm)	60	59	48	3	×	-	-	-	-	×	17	52	×
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	981.2	980.1	977.2	966.4	987.4	985.6	989.9	987.0	991.6	974.3	982.3	979.2	966.4
Daily maximum air temperature(°C)	6.1	7.6	14.8	23.7	26.4	28.7	31.6	31.1	29.7	23.3	17.2	12.2	31.6
Daily minimum air temperature(°C)	-24.5	-23.9	-19.9	-8.4	-1.6*	3.6	8.1	9.7	2.6	-4.1	-12.8	-22.7	-24.5
Daily precipitation(mm)	9.0	16.0	63.5	38.0	64.0	71.5	64.5	83.0	204.5	48.0	52.0	47.5	204.5
Daily max.one-hour precipitation(mm)	3.5	5.0	9.5	9.5	12.0	22.0	16.0	24.5	92.0	13.5	9.5	21.5	92.0
Daily max.ten-minute precipitation(mm)	1.0*	1.5	2.5	2.0	4.5	7.5	10.0	10.5	19.0	8.0*	7.5	9.0	19.0
Daily totals of snowfall(cm)	28	17	23	3 *	0 *	-	-	-	-	2	14	20 *	28
Daily maximum of snow cover(cm)	66	73 *	73 *	10	0 *	-	-	-	-	2	23	35 *	73 *
Daily maximum wind speed(kt)	35	35 *	46	39	35	27 *	28 *	36	27 *	39	40	43	46
with wind direction(36DIR.)	18	33	31	33	33	32	15	14	16	33	32	21	31
Daily maximum peak gust(kt)	43	49	56	51	50	37 *	42	56	36	52	50	52	56 *
with wind direction(36DIR.)	17	13	30	33	16	13	16	14	15	33	33	21	14

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NEW CHITOSE AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	31.0	27.8	28.2	13.8	0.4	-	-	-	-	6.0	20.4	29.4	157.0
25.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
Daily mean air temperature < 0.0°C	29.6	25.6	18.0	0.8	-	-	-	-	-	-	6.2	24.4	104.6
25.0°C	-	-	-	-	-	-	-	1.0	0.2	-	-	-	1.2
Daily maximum air temperature < 0.0°C	21.6	17.4	4.2	-	-	-	-	-	-	-	0.8	11.0	55.0
25.0°C	-	-	-	-	0.4	1.6	11.0	20.2	7.4	-	-	-	40.6
30.0°C	-	-	-	-	-	-	0.6	1.4	-	-	-	-	2.0
Daily precipitation 0.0mm	28.6	24.6	25.6	19.6	20.4	21.6	22.0	23.6	21.6	21.8	22.2	27.4	279.0
1.0mm	6.6	6.0	7.2	8.6	9.4	8.4	8.0	10.6	10.0	9.0	11.0	7.8	102.6
5.0mm	1.0	1.4	1.8	4.0	5.0	4.8	5.0	7.0	6.4	5.0	5.8	3.6	50.8
10.0mm	-	0.2	0.4	1.8	3.6	3.2	2.8	5.0	4.6	3.0	3.2	1.4	29.2
30.0mm	-	-	0.2	0.4	0.2	0.8	0.8	2.0	1.8	0.2	0.2	0.2	6.8
50.0mm	-	-	0.2	-	0.2	0.6	0.2	0.8	0.4	-	0.2	-	2.6
70.0mm	-	-	-	-	-	0.2	-	0.2	0.4	-	-	-	0.8
100.0mm	-	-	-	-	-	-	-	-	0.4	-	-	-	0.4

AERODROME: NEW CHITOSE AIRPORT PERIOD OF RECORD: 2012-2016
LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NEW CHITOSE AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1011.7	1012.7	1011.0	1010.3	1008.1	1007.7	1006.7	1007.2	1012.2	1013.4	1013.3	1010.6	1010.4
01	1011.6	1012.6	1010.7	1010.1	1008.0	1007.6	1006.6	1007.0	1011.9	1013.1	1013.2	1010.4	1010.2
02	1011.0	1012.3	1010.4	1009.8	1007.7	1007.4	1006.4	1006.8	1011.5	1012.7	1012.7	1009.7	1009.9
03	1010.3	1011.7	1010.1	1009.5	1007.4	1007.1	1006.1	1006.6	1011.2	1012.2	1012.2	1009.1	1009.5
04	1009.9	1011.2	1009.6	1009.3	1007.1	1006.8	1005.9	1006.4	1010.8	1011.7	1011.9	1008.7	1009.1
05	1010.0	1011.1	1009.5	1009.0	1006.8	1006.7	1005.7	1006.1	1010.6	1011.6	1011.9	1008.7	1009.0
06	1010.3	1011.3	1009.5	1008.8	1006.7	1006.7	1005.6	1006.0	1010.6	1011.8	1012.2	1009.0	1009.0
07	1010.7	1011.5	1009.6	1008.9	1006.8	1006.7	1005.6	1006.1	1010.8	1012.0	1012.4	1009.2	1009.2
08	1011.0	1011.7	1009.9	1009.1	1006.9	1006.8	1005.7	1006.2	1011.0	1012.2	1012.6	1009.6	1009.4
09	1011.3	1012.1	1010.3	1009.3	1007.2	1007.1	1005.9	1006.4	1011.2	1012.7	1012.9	1009.8	1009.7
10	1011.5	1012.3	1010.6	1009.8	1007.5	1007.4	1006.2	1006.8	1011.7	1012.8	1013.0	1010.0	1010.0
11	1011.5	1012.5	1010.9	1010.3	1007.9	1007.7	1006.6	1007.2	1012.0	1012.9	1013.1	1010.0	1010.2
12	1011.6	1012.6	1011.1	1010.4	1008.2	1008.0	1006.8	1007.3	1012.1	1013.1	1013.3	1010.1	1010.4
13	1011.6	1012.6	1011.1	1010.4	1008.1	1008.0	1006.8	1007.3	1012.1	1013.1	1013.2	1010.0	1010.4
14	1011.5	1012.5	1011.0	1010.5	1008.0	1008.0	1006.7	1007.2	1011.9	1012.9	1013.1	1009.9	1010.3
15	1011.3	1012.4	1010.9	1010.4	1007.9	1007.8	1006.5	1007.1	1011.9	1012.8	1012.9	1009.8	1010.1
16	1010.9	1012.4	1011.1	1010.2	1007.8	1007.5	1006.4	1006.7	1011.6	1012.7	1012.9	1009.9	1010.0
17	1011.2	1012.3	1010.8	1010.0	1007.7	1007.4	1006.2	1006.6	1011.5	1012.6	1013.0	1010.1	1010.0
18	1011.0	1012.2	1010.7	1010.0	1007.7	1007.3	1006.2	1006.5	1011.5	1012.5	1012.8	1010.0	1009.9
19	1010.9	1012.2	1010.7	1010.0	1007.7	1007.5	1006.4	1006.5	1011.6	1012.6	1012.8	1009.9	1009.9
20	1010.9	1012.2	1010.7	1010.1	1007.9	1007.6	1006.5	1006.8	1011.7	1012.8	1012.9	1010.0	1010.0
21	1011.1	1012.3	1010.9	1010.3	1008.1	1007.8	1006.7	1007.0	1012.0	1012.9	1013.0	1010.1	1010.2
22	1011.3	1012.6	1011.0	1010.4	1008.2	1007.8	1006.8	1007.1	1012.1	1013.3	1013.2	1010.3	1010.3
23	1011.6	1012.8	1011.0	1010.3	1008.2	1007.8	1006.8	1007.1	1012.1	1013.4	1013.4	1010.5	1010.4
MEAN	1011.1	1012.2	1010.6	1009.9	1007.7	1007.4	1006.3	1006.7	1011.6	1012.7	1012.8	1009.8	1009.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NEW CHITOSE AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	-7.7	-5.5	0.6	7.6	13.0	16.4	20.5	22.6	19.5	11.7	4.2	-2.8	8.3
01	-5.2	-3.5	1.6	8.6	14.0	17.3	21.3	23.3	20.5	13.1	5.6	-1.2	9.6
02	-3.5	-2.4	2.2	9.1	14.7	17.9	22.0	23.9	21.2	13.8	6.5	0.0	10.4
03	-2.7	-1.8	2.5	9.4	15.3	18.4	22.3	24.3	21.5	14.1	7.0	0.6	10.9
04	-2.5	-1.7	2.6	9.5	15.4	18.7	22.6	24.3	21.7	14.3	7.1	0.7	11.1
05	-2.5	-1.6	2.6	9.5	15.4	18.5	22.5	24.3	21.7	14.1	6.9	0.7	11.0
06	-2.8	-1.8	2.4	9.1	15.1	18.1	22.1	23.9	21.2	13.7	6.5	0.2	10.6
07	-3.6	-2.4	2.0	8.5	14.5	17.4	21.6	23.4	20.6	13.0	5.6	-0.6	10.0
08	-4.4	-3.1	1.5	7.6	13.5	16.4	20.9	22.7	19.7	11.7	4.6	-1.4	9.1
09	-5.2	-3.9	0.7	6.5	12.4	15.5	20.0	21.9	18.5	10.6	4.1	-2.0	8.3
10	-5.8	-4.4	0.0	5.7	11.2	14.6	19.1	21.1	17.9	9.9	3.6	-2.5	7.6
11	-6.6	-5.1	-0.5	5.1	10.4	14.1	18.6	20.7	17.3	9.1	3.1	-2.9	7.0
12	-7.4	-5.6	-1.0	4.6	9.8	13.8	18.2	20.4	16.9	8.6	2.6	-3.4	6.5
13	-7.9	-6.1	-1.4	4.2	9.3	13.5	18.1	20.0	16.5	8.2	2.4	-3.7	6.1
14	-8.7	-6.8	-1.9	3.7	9.0	13.3	17.8	19.7	16.0	7.8	1.8	-4.2	5.6
15	-9.2	-7.3	-2.1	3.3	8.6	13.2	17.7	19.5	15.7	7.4	1.7	-4.5	5.3
16	-9.3	-7.8	-2.5	2.8	8.2	12.8	17.3	19.5	15.7	7.4	1.7	-4.6	5.1
17	-9.4	-8.2	-2.8	2.4	8.1	12.7	17.3	19.3	15.4	7.1	1.6	-4.7	4.9
18	-9.7	-8.6	-2.9	2.2	7.9	12.6	17.1	19.2	15.2	6.9	1.4	-4.8	4.7
19	-9.9	-9.0	-3.2	2.0	7.7	12.5	17.0	19.1	14.9	6.7	1.3	-5.0	4.5
20	-10.1	-9.2	-3.3	1.8	7.9	12.8	17.2	19.0	14.7	6.5	1.1	-5.2	4.4
21	-10.4	-9.5	-3.5	2.6	9.0	13.6	17.8	19.5	15.0	6.4	0.9	-5.2	4.7
22	-10.6	-9.5	-2.5	4.4	10.4	14.5	18.6	20.4	16.3	7.5	1.1	-5.4	5.4
23	-9.8	-7.9	-0.8	6.1	11.8	15.5	19.5	21.5	18.0	9.8	2.6	-4.4	6.8
MEAN	-6.9	-5.5	-0.4	5.7	11.4	15.2	19.5	21.4	18.0	10.0	3.5	-2.8	7.4

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NEW CHITOSE AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	2.8	3.1	4.6	6.3	10.0	14.5	19.2	22.2	17.9	10.0	6.6	4.2	10.1
01	3.0	3.2	4.5	6.1	9.9	14.5	19.2	22.1	17.6	9.8	6.6	4.4	10.1
02	3.1	3.2	4.6	6.1	9.9	14.5	19.1	22.1	17.3	9.6	6.5	4.4	10.0
03	3.1	3.3	4.6	6.0	9.9	14.5	19.0	22.1	17.2	9.6	6.5	4.3	10.0
04	3.1	3.3	4.6	6.1	9.7	14.7	19.2	21.9	17.0	9.6	6.5	4.4	10.0
05	3.2	3.4	4.6	6.1	9.5	14.6	19.1	21.8	17.0	9.5	6.5	4.4	10.0
06	3.2	3.4	4.6	6.2	9.5	14.4	19.0	21.7	17.2	9.6	6.5	4.3	10.0
07	3.2	3.5	4.6	6.2	9.4	14.3	18.8	21.7	17.4	9.7	6.5	4.4	10.0
08	3.2	3.5	4.6	6.3	9.5	14.2	18.7	21.6	17.7	9.9	6.6	4.3	10.0
09	3.2	3.4	4.6	6.3	9.6	14.1	18.7	21.7	17.9	9.9	6.6	4.3	10.0
10	3.1	3.3	4.6	6.5	9.7	14.1	18.8	21.7	17.9	9.9	6.5	4.2	10.0
11	3.1	3.3	4.6	6.5	9.7	14.2	18.8	21.7	17.8	9.8	6.5	4.1	10.0
12	3.0	3.3	4.6	6.5	9.8	14.2	18.8	21.6	17.6	9.7	6.4	4.1	10.0
13	2.9	3.2	4.5	6.5	9.9	14.2	18.8	21.5	17.4	9.6	6.3	4.0	9.9
14	2.8	3.1	4.5	6.5	9.9	14.1	18.8	21.3	17.2	9.5	6.3	3.9	9.8
15	2.8	3.1	4.4	6.4	9.8	14.0	18.8	21.1	17.0	9.4	6.2	3.8	9.7
16	2.8	3.0	4.3	6.2	9.7	13.7	18.5	21.1	17.0	9.5	6.3	3.9	9.7
17	2.7	3.0	4.3	6.2	9.7	13.7	18.5	21.1	16.9	9.5	6.2	3.8	9.6
18	2.7	2.9	4.3	6.2	9.7	13.6	18.3	20.9	16.7	9.4	6.1	3.8	9.6
19	2.6	2.8	4.2	6.1	9.6	13.6	18.3	20.8	16.4	9.3	6.1	3.8	9.5
20	2.6	2.8	4.2	6.1	9.8	13.7	18.4	20.8	16.2	9.3	6.1	3.8	9.5
21	2.6	2.7	4.2	6.3	10.0	14.1	18.7	21.3	16.5	9.2	6.0	3.7	9.6
22	2.5	2.7	4.3	6.5	10.2	14.3	19.0	21.8	17.2	9.6	6.1	3.8	9.8
23	2.6	2.9	4.5	6.5	10.1	14.3	19.1	22.1	17.8	10.0	6.4	3.9	10.0
MEAN	2.9	3.1	4.5	6.3	9.8	14.2	18.8	21.6	17.2	9.6	6.4	4.1	9.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NEW CHITOSE AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	77	73	70	60	67	77	79	81	78	70	77	80	74
01	71	65	65	55	63	74	76	77	72	63	69	75	69
02	63	61	63	53	60	71	73	74	68	60	65	69	65
03	60	59	62	52	58	69	71	73	67	58	62	65	63
04	59	59	62	53	56	69	71	72	65	57	61	66	63
05	60	60	62	53	56	70	71	72	66	58	62	66	63
06	63	62	63	55	57	71	72	73	68	60	64	67	65
07	66	64	64	57	58	73	74	76	71	63	69	71	67
08	71	68	67	61	63	76	76	78	76	69	74	74	71
09	73	71	71	65	67	80	80	82	82	74	76	77	75
10	76	72	73	69	73	85	84	86	86	78	78	78	79
11	79	76	77	73	77	87	87	88	88	81	81	80	81
12	80	77	78	74	80	89	89	90	89	83	82	81	83
13	81	78	79	77	83	90	90	91	90	84	83	82	84
14	83	80	81	79	85	91	91	92	92	86	86	83	86
15	83	81	81	80	86	92	92	92	92	87	86	83	86
16	84	82	82	81	87	92	92	92	93	89	87	84	87
17	84	82	82	83	88	92	93	93	94	90	86	84	88
18	84	82	83	83	88	92	93	93	94	90	87	85	88
19	83	83	83	84	90	92	93	93	94	90	87	85	88
20	82	82	84	84	89	92	93	93	94	91	88	85	88
21	83	82	85	83	86	89	91	92	94	91	89	85	87
22	82	82	82	77	80	86	88	90	91	89	88	86	85
23	81	79	76	68	73	82	84	86	85	81	84	83	80
MEAN	76	73	74	69	74	83	83	84	83	77	78	78	78

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NEW CHITOSE AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	34	35	35	16	18	17	17	16	15	34	34	35	16
01	34	34	16	17	17	17	17	16	18	18	33	34	17
02	35	35	35 *	17	18	18	17	18	17	15	34 *	35 *	17
03	34	34	34	18	18	18 *	18	18	17 *	17	35	34	18
04	35	35 *	34	18	17	18	17	17	17	34 *	35 *	34	17
05	34	35	35	17	17	17	18	17	18	34	35	35	17
06	35	35	35	17	17	17	17	17	17	35	35	35	17
07	35	34	35	18	17	17	18	18	15	15	35	34	35
08	34	34	35	18 *	17	18	18	16	35	34	35	35	35
09	33	33 *	36	17	18	17	17	17 *	16	14	35 *	36	36
10	34	34	34	15	36	16	17	15	15	14	34 *	34	15
11	36	34	35	16	35	16	15	16	15	35	34 *	34	15
12	34 *	33 *	35 *	35 *	16 *	16	15	16	15	15	34	34	16
13	34	34	35 *	16 *	16	16	16	16	14 *	16	34 *	35 *	16
14	34	34	15	15	35 *	16	16	16	13	34	34	35	16
15	34	34	34	16 *	17 *	16	16	16	15	33	34	35	15
16	34	34	17 *	17	16	16	16	15	35	34	33	35	16
17	34	34	14	16	35	16	16	16	14	34	34 *	34	16
18	34	34	15	15	16	16 *	17	16	14	35	34	35 *	34
19	34	35	16	35	35	15	16 *	16	35	35	35	35 *	35
20	34	35	15	16	18	16	16	16	34	35	33	34	16
21	35 *	35	15	16	17	16	16	16	34 *	34	34 *	34	34
22	35	34	35	16 *	17 *	17	16	17	34	34	34	34	17
23	34	15	14 *	17	17	17	16 *	16	14 *	34	34 *	34	17
ALL	34	34	35	17	17	17	17	16	15	34	34	34	17

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NEW CHITOSE AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	5.3	7.0	8.7	11.3	11.6	9.5	8.5	8.3	7.1	7.6	7.3	6.6	8.2
01	6.2	8.2	9.5	12.5	12.7	10.1	9.2	8.9	8.2	9.1	8.4	7.1	9.2
02	7.4	9.3	10.7	13.3	13.0	10.6	9.8	9.6	9.2	10.2	9.4	8.2	10.1
03	7.8	10.5	11.5	13.6	13.6	11.0	10.5	10.1	9.9	10.9	10.1	8.6	10.7
04	8.8	10.3	11.9	13.7	13.9	11.4	11.5	10.5	10.2	11.5	10.4	9.2	11.1
05	9.0	10.9	11.8	13.4	13.9	11.9	11.6	10.5	10.7	11.8	10.2	9.1	11.2
06	8.9	10.7	12.0	13.4	14.0	11.9	11.3	10.6	10.3	11.3	9.7	8.8	11.1
07	7.8	9.9	11.5	13.2	13.4	11.4	10.9	10.3	9.9	9.8	8.7	7.9	10.4
08	6.4	8.6	10.2	12.3	12.5	11.1	10.5	9.6	8.3	8.4	7.2	7.0	9.3
09	5.8	7.4	9.0	10.6	11.0	10.2	9.7	8.3	6.9	7.1	6.6	6.5	8.3
10	5.7	6.8	7.9	9.3	9.3	8.7	8.6	7.3	5.9	6.9	6.2	6.3	7.4
11	5.2	6.9	7.1	8.6	8.7	8.0	7.7	6.9	5.5	6.8	5.9	5.9	6.9
12	5.5	6.7	7.0	8.3	8.0	7.5	7.3	6.7	5.5	6.5	5.9	5.8	6.7
13	5.2	6.7	6.9	8.2	8.0	7.3	7.1	6.1	5.5	6.3	5.9	5.7	6.6
14	5.2	6.3	6.7	7.7	7.8	6.9	6.8	5.9	5.2	5.6	5.7	5.7	6.3
15	5.3	6.1	6.8	7.3	7.4	6.4	6.4	5.7	5.1	5.7	5.6	5.8	6.1
16	5.1	5.8	6.5	7.2	7.6	6.1	6.4	5.9	4.9	5.6	5.7	5.7	6.1
17	5.1	6.0	6.7	7.0	7.7	6.0	6.3	5.9	4.8	5.2	5.4	5.6	6.0
18	5.0	6.1	6.5	7.1	7.7	5.9	5.9	5.6	4.9	5.3	5.5	5.6	5.9
19	5.0	5.7	6.1	7.0	7.4	6.0	6.0	5.5	4.8	5.4	5.6	5.3	5.8
20	5.2	5.5	6.4	6.8	7.6	6.3	6.2	5.7	5.0	5.2	5.6	5.5	5.9
21	4.9	5.6	6.4	7.4	8.1	6.9	6.5	5.9	4.4	5.4	5.9	5.6	6.1
22	4.8	5.7	6.6	8.4	9.2	7.8	7.3	6.5	5.2	5.3	5.9	5.3	6.5
23	5.1	6.1	7.6	9.8	10.6	8.7	8.0	7.4	6.2	6.4	6.4	5.9	7.4
MEAN	6.1	7.5	8.4	9.9	10.2	8.7	8.3	7.7	6.8	7.5	7.1	6.6	7.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NEW CHITOSE AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	-5.1	-0.3	-11.8	-6.5	-1.4	-13.6	-3.7	0.9	-10.0	3.0	8.0	-2.4
02	-5.2	-0.3	-11.9	-6.5	-1.4	-13.6	-3.4	1.1	-9.6	3.2	8.2	-2.2
03	-5.3	-0.4	-12.0	-6.5	-1.4	-13.6	-3.2	1.3	-9.2	3.3	8.4	-2.0
04	-5.5	-0.5	-12.2	-6.5	-1.4	-13.5	-2.9	1.4	-8.8	3.5	8.6	-1.9
05	-5.7	-0.7	-12.5	-6.5	-1.4	-13.5	-2.7	1.6	-8.5	3.6	8.7	-1.8
06	-6.0	-0.9	-12.8	-6.5	-1.4	-13.4	-2.4	1.7	-8.1	3.7	8.9	-1.7
07	-6.3	-1.1	-13.2	-6.4	-1.3	-13.3	-2.2	1.9	-7.8	3.8	9.0	-1.6
08	-6.6	-1.3	-13.6	-6.3	-1.2	-13.1	-2.0	2.1	-7.5	3.9	9.1	-1.5
09	-6.9	-1.5	-14.0	-6.1	-1.2	-13.0	-1.8	2.3	-7.3	4.1	9.3	-1.3
10	-7.2	-1.7	-14.4	-6.0	-1.1	-12.8	-1.6	2.5	-7.0	4.2	9.4	-1.2
11	-7.5	-1.9	-14.7	-5.8	-1.0	-12.6	-1.4	2.7	-6.8	4.3	9.6	-1.0
12	-7.8	-2.0	-15.1	-5.7	-0.9	-12.4	-1.2	2.9	-6.6	4.5	9.7	-0.8
13	-8.0	-2.1	-15.4	-5.5	-0.8	-12.2	-1.0	3.1	-6.5	4.7	9.9	-0.6
14	-8.1	-2.2	-15.6	-5.4	-0.7	-12.1	-0.8	3.4	-6.3	4.9	10.2	-0.3
15	-8.2	-2.2	-15.7	-5.3	-0.6	-12.0	-0.6	3.6	-6.1	5.1	10.4	-0.1
16	-8.2	-2.2	-15.7	-5.1	-0.5	-11.9	-0.5	3.8	-5.9	5.4	10.7	0.2
17	-8.1	-2.2	-15.7	-5.0	-0.4	-11.8	-0.3	4.0	-5.8	5.7	11.1	0.4
18	-8.0	-2.1	-15.6	-5.0	-0.3	-11.8	-0.1	4.2	-5.7	6.0	11.5	0.7
19	-7.8	-2.0	-15.4	-4.9	-0.2	-11.8	0.0	4.4	-5.5	6.3	11.9	0.9
20	-7.6	-1.9	-15.1	-4.9	-0.2	-11.8	0.2	4.6	-5.4	6.7	12.4	1.2
21	-7.4	-1.7	-14.9	-4.8	-0.1	-11.7	0.3	4.8	-5.2	7.0	12.8	1.4
22	-7.2	-1.6	-14.6	-4.8	0.0	-11.7	0.5	5.0	-5.1	7.4	13.3	1.7
23	-7.0	-1.5	-14.4	-4.7	0.1	-11.6	0.7	5.3	-4.9	7.7	13.7	2.0
24	-6.8	-1.4	-14.1	-4.6	0.2	-11.5	0.9	5.6	-4.6	8.0	14.0	2.2
25	-6.7	-1.3	-14.0	-4.5	0.4	-11.3	1.2	5.9	-4.4	8.2	14.3	2.5
26	-6.5	-1.3	-13.8	-4.3	0.5	-11.0	1.4	6.2	-4.1	8.5	14.6	2.8
27	-6.5	-1.2	-13.7	-4.1	0.6	-10.7	1.7	6.6	-3.8	8.7	14.7	3.1
28	-6.4	-1.2	-13.7	-3.9	0.8	-10.4	2.0	6.9	-3.4	8.8	14.9	3.3
29	-6.4	-1.2	-13.6	-3.8	0.9	-10.2	2.3	7.2	-3.1	9.0	15.0	3.6
30	-6.5	-1.3	-13.6				2.5	7.5	-2.9	9.1	15.1	3.8
31	-6.5	-1.3	-13.6				2.8	7.8	-2.6			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NEW CHITOSE AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	9.3	15.1	4.0	13.7	19.6	9.1	17.2	22.1	13.7	21.8	25.9	18.8
02	9.4	15.2	4.2	13.8	19.7	9.3	17.4	22.3	13.9	21.8	26.0	18.8
03	9.5	15.3	4.4	13.9	19.7	9.5	17.6	22.5	14.1	21.9	26.1	18.9
04	9.7	15.4	4.5	14.1	19.8	9.7	17.8	22.7	14.3	21.9	26.1	18.9
05	9.8	15.5	4.7	14.2	19.8	10.0	18.0	22.9	14.5	22.0	26.1	18.9
06	9.9	15.6	4.8	14.3	19.8	10.3	18.2	23.1	14.7	22.0	26.1	18.8
07	10.0	15.7	4.8	14.4	19.8	10.5	18.4	23.3	14.9	21.9	26.1	18.8
08	10.1	15.8	4.9	14.5	19.8	10.8	18.6	23.5	15.0	21.9	26.0	18.8
09	10.2	15.9	5.0	14.6	19.7	11.1	18.8	23.7	15.2	21.9	26.0	18.8
10	10.3	16.0	5.0	14.7	19.7	11.3	18.9	23.8	15.3	21.9	25.9	18.7
11	10.4	16.1	5.1	14.8	19.6	11.6	19.1	23.9	15.4	21.8	25.9	18.7
12	10.5	16.2	5.2	14.9	19.6	11.8	19.2	24.0	15.5	21.8	25.8	18.7
13	10.6	16.3	5.3	15.0	19.5	12.0	19.2	24.0	15.6	21.8	25.8	18.7
14	10.7	16.4	5.4	15.1	19.5	12.1	19.3	24.0	15.7	21.7	25.7	18.6
15	10.8	16.5	5.5	15.2	19.5	12.2	19.3	24.0	15.8	21.7	25.7	18.6
16	11.0	16.7	5.7	15.3	19.5	12.3	19.3	23.9	15.9	21.6	25.6	18.5
17	11.1	16.9	5.8	15.3	19.5	12.4	19.4	23.8	16.0	21.6	25.5	18.5
18	11.3	17.1	6.1	15.4	19.6	12.4	19.4	23.7	16.1	21.5	25.5	18.4
19	11.5	17.4	6.3	15.5	19.7	12.5	19.4	23.7	16.2	21.4	25.4	18.2
20	11.7	17.6	6.5	15.6	19.9	12.5	19.5	23.7	16.4	21.3	25.4	18.1
21	11.9	17.8	6.8	15.7	20.0	12.5	19.6	23.7	16.6	21.2	25.3	17.9
22	12.1	18.1	7.0	15.8	20.2	12.6	19.8	23.8	16.9	21.0	25.3	17.7
23	12.3	18.3	7.3	15.9	20.5	12.6	20.0	23.9	17.1	20.9	25.2	17.5
24	12.5	18.5	7.5	16.1	20.7	12.7	20.2	24.1	17.4	20.8	25.2	17.2
25	12.7	18.7	7.7	16.2	20.9	12.8	20.4	24.3	17.6	20.7	25.1	17.0
26	12.9	18.8	8.0	16.3	21.1	12.9	20.6	24.6	17.9	20.6	25.1	16.8
27	13.1	19.0	8.2	16.5	21.3	13.0	20.9	24.8	18.1	20.5	25.0	16.7
28	13.2	19.1	8.3	16.7	21.5	13.2	21.1	25.1	18.3	20.4	25.0	16.5
29	13.3	19.2	8.5	16.8	21.8	13.4	21.3	25.3	18.5	20.4	24.9	16.4
30	13.5	19.4	8.7	17.0	22.0	13.6	21.5	25.5	18.6	20.3	24.8	16.4
31	13.6	19.5	8.9				21.6	25.7	18.7	20.3	24.8	16.4

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NEW CHITOSE AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 46.5'N, LONGITUDE: 141° 41.6'E, ELEVATION ABOVE MSL: 70 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	20.3	24.7	16.3	14.2	19.7	8.7	6.8	11.8	1.2	0.1	4.8	-5.1
02	20.2	24.6	16.3	13.9	19.4	8.3	6.6	11.6	1.1	-0.1	4.6	-5.3
03	20.2	24.5	16.3	13.6	19.1	7.9	6.5	11.3	1.0	-0.3	4.4	-5.6
04	20.1	24.4	16.2	13.3	18.7	7.5	6.3	11.1	1.0	-0.6	4.1	-5.8
05	20.0	24.3	16.2	12.9	18.4	7.1	6.1	10.9	0.9	-0.8	3.9	-6.2
06	19.9	24.2	16.1	12.6	18.1	6.7	5.9	10.7	0.7	-1.1	3.6	-6.5
07	19.8	24.2	15.9	12.3	17.8	6.3	5.7	10.4	0.6	-1.4	3.3	-6.8
08	19.7	24.1	15.7	11.9	17.5	5.9	5.5	10.2	0.4	-1.6	3.1	-7.1
09	19.5	24.0	15.5	11.6	17.2	5.5	5.3	10.0	0.2	-1.9	2.8	-7.5
10	19.3	23.9	15.3	11.3	16.9	5.2	5.1	9.8	0.0	-2.1	2.6	-7.8
11	19.1	23.8	15.0	11.0	16.6	4.8	4.9	9.6	-0.2	-2.3	2.4	-8.1
12	18.9	23.7	14.7	10.7	16.4	4.4	4.7	9.4	-0.4	-2.4	2.2	-8.2
13	18.7	23.5	14.3	10.4	16.1	4.1	4.5	9.2	-0.7	-2.5	2.1	-8.4
14	18.5	23.4	14.0	10.2	15.9	3.8	4.2	9.0	-1.0	-2.6	2.0	-8.5
15	18.2	23.2	13.6	9.9	15.7	3.5	4.0	8.8	-1.3	-2.8	1.8	-8.6
16	17.9	23.1	13.2	9.6	15.5	3.2	3.7	8.5	-1.6	-2.9	1.7	-8.8
17	17.7	22.9	12.8	9.4	15.2	2.9	3.4	8.2	-1.9	-3.0	1.5	-8.9
18	17.4	22.8	12.5	9.2	15.0	2.7	3.1	7.9	-2.2	-3.1	1.4	-9.1
19	17.2	22.6	12.1	9.0	14.7	2.5	2.7	7.6	-2.6	-3.3	1.2	-9.3
20	16.9	22.4	11.8	8.7	14.5	2.3	2.4	7.3	-3.0	-3.5	1.0	-9.5
21	16.7	22.2	11.5	8.6	14.2	2.2	2.1	6.9	-3.3	-3.7	0.8	-9.7
22	16.5	22.0	11.2	8.4	14.0	2.0	1.8	6.6	-3.7	-3.9	0.6	-10.0
23	16.3	21.8	11.0	8.2	13.8	1.9	1.5	6.4	-4.0	-4.1	0.4	-10.3
24	16.0	21.6	10.7	8.0	13.5	1.8	1.2	6.1	-4.2	-4.3	0.2	-10.6
25	15.8	21.4	10.5	7.9	13.3	1.7	1.0	5.9	-4.4	-4.4	0.1	-10.8
26	15.6	21.1	10.2	7.7	13.1	1.6	0.8	5.7	-4.6	-4.6	-0.1	-11.1
27	15.4	20.9	10.0	7.6	12.8	1.5	0.7	5.5	-4.7	-4.7	-0.1	-11.2
28	15.1	20.6	9.7	7.4	12.6	1.5	0.5	5.3	-4.8	-4.8	-0.2	-11.4
29	14.8	20.3	9.4	7.3	12.4	1.4	0.4	5.1	-4.9	-4.8	-0.2	-11.5
30	14.6	20.0	9.0	7.1	12.2	1.3	0.3	5.0	-5.0	-4.9	-0.2	-11.6
31				7.0	12.0	1.3				-5.0	-0.3	-11.7