

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUSHIRO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	2	3	5	7	8
01	-	-	1	3	4	5	6	8
02	-	-	1	2	3	6	10	10
03	-	-	-	3	3	6	8	8
04	-	1	1	4	4	5	5	8
05	0)	1)	1)	2)	2)	3	5	7
06	-	-	1	2	3	3	7	7
07	-	-	1	3	3	4	6	7
08	-	-	1	3	3	4	5	5
09	-	-	1	3	3	3	5	5
10	-	-	-	2	3	3	5	6
11	-	-	-	1	2	3	6	8
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	5	7	8
23	-	-	-	1	1	5	8	9
MEAN	0)	0)	1)	2)	3)	4	6	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUSHIRO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	2	4	4	6	7	10
01	-	-	1	1	4	5	7	10
02	-	1	1	2	3	6	9	12
03	-	-	-	3	4	6	8	10
04	-	-	-	1	3	4	8	9
05	-	-	-	1	4	6	9	11
06	-	-	1	1	3	8	10	11
07	-	-	-	2	3	7	11	11
08	-	-	-	2	3	8	11	12
09	-	-	-	2	5	7	10	12
10	-	-	-	1	5	8	11	12
11	-	-	-	1	4	6	12	14
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	2	4	6	7	10	13
23	-	1	1	4	4	5	7	10
MEAN	-	0	1	2	4	6	9	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUSHIRO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	2	6	7	12	18	21
01	0)	0)	1)	4)	5)	12	17	21
02	0)	0)	0)	2)	7)	10	15	17
03	0)	0)	1)	2)	6)	10	14	17
04	-	1	2	4	5	9	14	18
05	-	-	1	5	6	11	14	17
06	0)	0)	3)	6)	8)	14	19	21
07	-	-	3	9	10	17	19	21
08	-	-	-	7	10	12	19	19
09	-	-	2	6	8	12	17	19
10	-	1	3	8	9	12	15	17
11	-	1	2	8	9	13	17	19
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	5	7	10	14	16	21	23
23	-	4	5	8	9	12	18	22
MEAN	0)	1)	2)	6)	8)	12	17	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUSHIRO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	3	10	15	20	28	30
01	-	1	3	9	13	17	21	25
02	-	1	3	9	12	13	19	22
03	-	-	3	8	12	14	21	21
04	-	1	3	7	11	13	18	20
05	-	-	3	5	11	15	20	21
06	-	1	3	11	15	17	21	22
07	-	1	3	13	17	20	23	27
08	-	-	3	11	15	23	27	29
09	-	-	1	14	20	24	28	29
10	-	-	6	15	21	23	28	29
11	-	-	5	14	19	24	29	31
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	3	8	15	22	24	31	33
23	-	1	5	17	20	23	27	31
MEAN	-	1	4	11	16	19	24	26

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUSHIRO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	3	16	24	26	33	35
01	-	-	1	9	15	20	27	28
02	-	-	1	8	14	15	21	25
03	-	-	3	10	13	15	18	21
04	-	-	1	11	12	14	17	20
05	-	-	2	8	14	17	19	19
06	-	-	3	12	15	18	21	23
07	-	1	4	13	18	21	23	26
08	-	-	3	15	19	22	26	27
09	-	-	5	10	16	21	26	26
10	-	-	3	13	20	26	30	32
11	-	-	3	16	24	26	29	30
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	2	11	25	32	40	45	48
23	-	2	7	25	28	32	37	40
MEAN	-	0	4	14	19	22	26	29

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUSHIRO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	0)	1)	5)	28)	35)	43	49	53
01	0)	1)	1)	19)	25)	29	45	48
02	0)	0)	1)	18)	23)	25	38	43
03	0)	0)	1)	16)	20)	26	36	41
04	0)	0)	1)	16)	20)	29	36	40
05	0)	0)	1)	18)	23)	27	36	41
06	0)	0)	4)	22)	30)	36	45	48
07	0)	0)	8)	28)	35)	41	44	48
08	0)	0)	5)	26)	36)	43	49	54
09	-	-	8	29	37	49	53	56
10	0)	1)	10)	34)	47)	54	59	63
11	0)	1)	11)	36)	46)	53	62	64
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	6	15	47	52	55	63	67
23	-	3	15	37	45	50	59	65
MEAN	0)	1)	6)	27)	34)	40	48	52

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUSHIRO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	7	25	35	42	57	62
01	-	1	3	23	30	32	44	53
02	-	-	4	15	22	25	37	45
03	-	-	3	15	20	25	35	44
04	-	-	4	17	25	29	38	40
05	-	1	2	16	23	26	36	42
06	-	-	4	21	26	32	39	43
07	-	-	5	23	28	34	39	44
08	-	-	5	19	26	33	43	50
09	-	-	10	28	32	37	49	56
10	-	1	12	26	35	43	55	58
11	-	-	6	28	40	48	59	63
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	3	17	50	55	66	74	77
23	-	1	10	38	48	54	67	69
MEAN	-	0	7	25	32	38	48	53

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUSHIRO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	4	23	34	39	56	60
01	-	-	7	21	24	30	43	55
02	-	-	3	14	20	25	35	44
03	-	1	4	14	20	23	30	39
04	-	-	3	9	15	21	31	38
05	-	-	4	14	20	24	32	39
06	-	-	6	19	21	28	35	41
07	-	-	7	19	26	32	37	42
08	-	1	8	21	27	34	39	43
09	-	-	6	23	29	36	45	48
10	-	-	8	26	34	39	48	51
11	-	1	10	27	37	41	48	54
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	8	20	46	50	57	63	68
23	-	3	10	34	42	50	59	63
MEAN	-	1	7	22	29	34	43	49

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUSHIRO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	0)	1)	3)	18)	25)	27	33	37
01	0)	0)	1)	17)	24)	26	31	37
02	0)	0)	2)	12)	17)	19	27	33
03	0)	0)	2)	8)	12)	15	23	27
04	0)	0)	2)	9)	12)	13	21	23
05	0)	0)	4)	9)	12)	15	25	27
06	0)	0)	1)	7)	12)	15	19	23
07	0)	0)	0)	8)	15)	16	23	27
08	0)	0)	6)	18)	22)	22	28	29
09	0)	0)	2)	15)	20)	24	29	33
10	0)	0)	5)	22)	27)	27	34	38
11	0)	2)	8)	18)	24)	25	33	38
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	2)	10)	22)	28)	29	37	43
23	0)	1)	4)	25)	32)	31	38	42
MEAN	0)	0)	3)	15)	20)	22	29	33

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUSHIRO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	x	x	x	x	x	6	10	12
01	x	x	x	x	x	6	10	12
02	x	x	x	x	x	3	5	8
03	x	x	x	x	x	4	7	8
04	x	x	x	x	x	5	8	8
05	x	x	x	x	x	5	7	9
06	x	x	x	x	x	6	8	8
07	x	x	x	x	x	6	9	10
08	x	x	x	x	x	6	10	10
09	x	x	x	x	x	6	10	10
10	x	x	x	x	x	6	8	11
11	x	x	x	x	x	8	11	12
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	13	13	15
23	x	x	x	x	x	11	12	14
MEAN	x	x	x	x	x	7	9	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUSHIRO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	x	x	x	x	x	7	12	14
01	x	x	x	x	x	7	12	17
02	x	x	x	x	x	8	11	16
03	x	x	x	x	x	7	11	14
04	x	x	x	x	x	7	9	13
05	x	x	x	x	x	7	8	9
06	x	x	x	x	x	6	9	9
07	x	x	x	x	x	8	9	11
08	x	x	x	x	x	7	10	13
09	x	x	x	x	x	7	10	11
10	x	x	x	x	x	9	10	11
11	x	x	x	x	x	9	11	13
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	11	11	12
23	x	x	x	x	x	8	11	13
MEAN	x	x	x	x	x	8	10	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUSHIRO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	0)	0)	1)	3)	4)	7	10	13
01	0)	0)	2)	3)	5)	8	12	12
02	0)	0)	2)	5)	5)	7	11	12
03	0)	0)	0)	4)	6)	10	12	14
04	0)	0)	0)	2)	4)	8	11	13
05	0)	0)	1)	2)	4)	7	10	12
06	0)	1)	1)	2)	5)	6	10	10
07	0)	0)	2)	3)	4)	6	11	12
08	0)	0)	2)	4)	5)	6	9	10
09	0)	0)	1)	3)	4)	6	8	10
10	0)	0)	0)	4)	6)	7	8	10
11	0)	0)	0)	5)	6)	6	6	8
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	1)	2)	3)	5)	6	8	10
23	0)	0)	2)	2)	4)	6	10	11
MEAN	0)	0)	1)	3)	5)	7	10	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUSHIRO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<550	<800	<1200	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	0)	0)	3)	13)	18)	20	27	30
01	0)	0)	2)	10)	14)	16	23	27
02	0)	0)	2)	8)	12)	14	20	24
03	0)	0)	2)	8)	11)	13	19	22
04	0)	0)	2)	8)	11)	13	18	21
05	0)	0)	2)	8)	12)	14	18	21
06	0)	0)	3)	10)	14)	16	20	22
07	0)	0)	3)	12)	16)	18	21	24
08	0)	0)	3)	12)	16)	18	23	25
09	0)	0)	4)	13)	17)	19	24	26
10	0)	0)	5)	15)	20)	21	26	28
11	0)	0)	4)	15)	21)	22	27	30
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	3)	9)	22)	26)	28	32	35
23	0)	1)	6)	19)	23)	24	30	32
MEAN	0)	0)	3)	12)	16)	18	23	26

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUSHIRO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	5	5	6	7	7			
01	3	3	5	5	6			
02	5	5	6	6	7			
03	3	3	6	6	6			
04	3	3	4	4	6			
05	3	3	3	3	5			
06	1	2	4	5	5			
07	2	3	4	6	6			
08	3	3	5	5	5			
09	2	3	5	5	5			
10	3	3	3	5	6			
11	2	2	4	5	6			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	5	5	6	6	7			
23	5	5	6	8	8			
MEAN	3	3	5	5	6			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUSHIRO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	4	4	4	4	6			
01	4	4	4	4	6			
02	4	4	5	6	8			
03	4	4	5	6	6			
04	4	4	5	6	7			
05	6	6	6	7	8			
06	6	6	8	8	9			
07	6	6	8	9	9			
08	6	6	6	7	8			
09	4	4	7	8	8			
10	4	4	5	5	7			
11	3	3	5	6	8			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	5	5	7	8	11			
23	4	4	4	4	6			
MEAN	5	5	6	6	8			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUSHIRO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	8	8	8	10	12			
01	8	9	10	12	13			
02	6	6	8	8	12			
03	5	6	8	8	11			
04	5	7	8	10	12			
05	5	5	9	12	14			
06	7	8	13	15	16			
07	11	13	13	17	18			
08	9	10	14	16	16			
09	9	10	12	15	16			
10	8	8	10	12	14			
11	7	7	8	10	15			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	12	12	14	16	17			
23	9	10	10	12	14			
MEAN	8	9	10	12	14			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUSHIRO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	11	12	13	15	19			
01	8	9	11	13	15			
02	6	7	8	11	13			
03	8	9	10	11	13			
04	6	6	8	10	12			
05	6	6	7	8	12			
06	5	7	9	11	12			
07	8	8	11	11	17			
08	12	13	15	17	21			
09	11	14	17	21	25			
10	15	16	20	21	23			
11	17	18	21	22	24			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	17	18	19	20	25			
23	15	15	18	19	21			
MEAN	10	11	13	15	18			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KUSHIRO AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 14
 LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	10	11	15	17	22			
01	9	10	11	12	15			
02	9	10	11	11	13			
03	10	10	11	11	13			
04	9	10	10	12	14			
05	8	10	12	14	16			
06	8	9	11	12	15			
07	9	10	12	16	19			
08	12	14	17	17	20			
09	15	15	17	17	21			
10	17	17	19	23	25			
11	15	17	19	22	25			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	25	25	26	28	33			
23	17	18	22	24	28			
MEAN	12	13	15	17	20			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KUSHIRO AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 14
 LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	11	11	18	23	30			
01	5	7	11	16	21			
02	6	8	12	17	20			
03	7	8	12	13	19			
04	5	7	13	15	21			
05	9	9	13	17	20			
06	15	17	19	23	27			
07	21	21	24	27	33			
08	21	22	29	31	36			
09	26	28	36	41	41			
10	35	35	38	43	49			
11	31	33	39	45	47			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	30	33	38	43	49			
23	21	26	31	34	39			
MEAN	17	19	24	28	32			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUSHIRO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	15	16	22	26	30			
01	12	14	15	21	25			
02	11	12	13	17	19			
03	11	12	16	17	19			
04	11	13	15	17	22			
05	8	8	12	14	18			
06	14	15	17	19	26			
07	15	17	19	25	30			
08	17	19	23	25	32			
09	23	23	28	33	37			
10	32	32	36	39	41			
11	29	31	40	43	47			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	39	39	46	52	61			
23	20	24	29	34	40			
MEAN	18	20	24	27	32			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUSHIRO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	13	14	17	23	33			
01	13	14	16	20	23			
02	10	12	15	17	22			
03	10	12	14	15	19			
04	10	11	12	13	18			
05	11	12	15	18	19			
06	15	15	17	22	24			
07	19	19	21	23	26			
08	23	23	25	26	32			
09	24	26	28	32	36			
10	26	30	34	35	36			
11	28	30	34	37	41			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	31	34	43	46	52			
23	22	23	30	33	44			
MEAN	18	20	23	26	30			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUSHIRO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	7	8	9	11	19			
01	6	7	9	13	17			
02	5	7	9	11	15			
03	5	5	5	7	11			
04	6	7	7	12	13			
05	7	7	10	11	16			
06	6	7	9	11	15			
07	4	5	10	12	15			
08	8	9	15	17	21			
09	13	13	17	17	23			
10	11	11	17	23	25			
11	13	14	18	19	23			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	15	16	17	23	31			
23	11	12	13	18	23			
MEAN	8	9	12	15	19			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KUSHIRO AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 14
 LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	2	2	2	3	6			
01	1	2	3	3	6			
02	1	1	1	1	3			
03	1	1	1	3	5			
04	1	1	1	2	5			
05	1	2	2	3	4			
06	1	1	2	3	5			
07	2	2	3	3	5			
08	2	2	3	4	6			
09	4	4	4	5	6			
10	2	3	3	5	5			
11	3	3	4	6	6			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	5	5	5	7	10			
23	2	2	3	6	10			
MEAN	2	2	3	4	6			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KUSHIRO AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 14
 LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	2	3	5	5	7			
01	1	1	4	6	7			
02	1	2	4	5	5			
03	2	2	5	5	6			
04	1	3	4	4	7			
05	1	2	3	3	4			
06	3	3	3	3	5			
07	2	2	4	5	7			
08	1	2	2	4	7			
09	2	3	5	6	8			
10	3	3	5	5	8			
11	5	5	5	7	9			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	5	6	7	9	10			
23	3	4	7	7	7			
MEAN	2	3	4	5	7			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUSHIRO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	3	3	5	7	10			
01	5	5	6	8	8			
02	3	4	5	6	8			
03	4	5	6	8	12			
04	5	6	6	7	10			
05	3	3	4	6	8			
06	4	4	4	5	8			
07	3	4	4	6	8			
08	3	3	5	5	8			
09	3	3	4	5	7			
10	3	4	5	7	8			
11	3	3	5	5	7			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	4	5	5	5	8			
23	3	3	6	8	9			
MEAN	3	4	5	6	9			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KUSHIRO AIRPORT [ANNUAL]
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 14
 LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	8	8	10	13	17			
01	6	7	9	11	13			
02	6	6	8	10	12			
03	6	6	8	9	12			
04	5	7	8	9	12			
05	6	6	8	10	12			
06	7	8	10	11	14			
07	9	9	11	13	16			
08	10	11	13	15	18			
09	11	12	15	17	19			
10	13	14	16	19	21			
11	13	14	17	19	22			
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	16	17	19	22	26			
23	11	12	15	17	21			
MEAN	9	10	12	14	17			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUSHIRO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	2	3	4	6
01	-	1	1	3	3	5	5
02	-	-	1	3	4	6	7
03	-	-	3	3	4	6	6
04	-	1	3	3	3	5	6
05	-	-	1	1	1	4	5
06	-	-	1	2	2	3	4
07	-	-	2	2	2	2	3
08	-	1	3	3	3	3	4
09	-	1	2	2	2	2	2
10	-	-	2	2	2	3	3
11	-	-	1	1	1	3	4
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	1	5	5
23	-	-	1	1	1	5	6
MEAN	-	0	2	2	2	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUSHIRO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	1	1	3	6
01	-	-	-	1	1	4	6
02	-	-	-	1	3	5	6
03	-	-	2	3	4	5	6
04	-	-	1	1	1	4	5
05	-	-	1	1	1	4	5
06	-	1	1	2	3	5	6
07	-	-	1	1	2	4	5
08	-	-	1	2	3	6	6
09	-	-	1	4	4	6	7
10	-	-	1	4	5	8	8
11	-	-	1	4	4	8	10
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	2	2	4	6
23	-	-	1	1	1	3	4
MEAN	-	0	1	2	3	5	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUSHIRO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	3	4	6	12	14
01	-	1	3	3	6	10	14
02	-	-	2	5	6	10	12
03	-	-	1	4	5	7	11
04	-	1	3	3	5	10	13
05	-	1	4	5	7	10	12
06	-	1	5	6	9	13	14
07	-	3	8	9	13	15	16
08	-	-	5	6	8	14	14
09	-	1	5	6	6	10	12
10	-	1	6	6	8	10	11
11	-	1	5	6	7	11	12
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	4	6	8	8	12	14
23	-	2	5	6	6	12	14
MEAN	-	1	4	6	7	11	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUSHIRO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	7	9	11	20	22
01	-	2	7	10	12	15	19
02	-	2	9	11	11	17	20
03	-	1	5	9	9	16	17
04	-	1	5	8	9	15	17
05	-	1	3	7	10	15	15
06	-	1	9	12	14	17	19
07	-	2	10	12	15	19	22
08	-	3	9	13	15	19	21
09	-	1	9	11	14	18	19
10	-	4	9	12	13	17	17
11	-	3	9	11	12	17	19
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	7	11	11	18	19
23	-	1	9	10	12	17	20
MEAN	-	2	8	10	12	17	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUSHIRO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	13	19	20	26	28
01	-	1	7	10	14	20	21
02	-	1	5	7	8	13	17
03	-	1	6	8	9	12	15
04	-	1	7	7	8	11	14
05	-	1	8	10	11	12	13
06	-	1	10	12	14	16	18
07	-	3	11	14	15	17	20
08	-	3	12	15	15	19	19
09	-	5	8	10	11	15	16
10	-	3	8	10	12	16	17
11	-	1	10	14	14	15	17
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	5	14	17	22	26	28
23	-	3	16	18	21	25	27
MEAN	-	2	9	12	14	17	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUSHIRO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	4	26	32	40	46	49
01	-	-	17	22	27	42	45
02	-	1	15	19	23	35	41
03	-	1	15	18	23	33	37
04	-	1	15	19	27	34	37
05	-	1	17	21	25	33	38
06	-	4	21	28	32	41	43
07	-	8	25	32	34	37	41
08	-	5	23	31	33	39	43
09	-	8	26	30	35	39	42
10	-	9	27	33	36	40	44
11	-	9	25	31	35	42	44
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	5	32	35	37	45	48
23	-	9	30	37	40	49	54
MEAN	-	5	23	28	32	40	43

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUSHIRO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	5	22	30	34	48	54
01	-	2	19	24	25	37	46
02	-	3	12	18	19	32	39
03	-	3	14	17	21	30	39
04	-	3	15	21	25	34	36
05	-	1	14	19	22	32	37
06	-	3	19	23	27	35	38
07	-	5	19	23	27	31	34
08	-	4	15	20	22	31	37
09	-	10	22	25	26	36	42
10	-	10	21	25	26	37	40
11	-	5	21	27	31	39	41
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	12	40	44	48	54	55
23	-	8	34	39	45	57	59
MEAN	-	5	21	25	28	38	43

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUSHIRO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	3	21	28	32	49	52
01	-	6	19	22	25	37	50
02	-	3	13	16	19	28	37
03	-	3	10	15	17	25	33
04	-	2	7	10	15	25	31
05	-	3	11	16	18	25	32
06	-	4	13	15	19	26	31
07	-	6	15	19	21	26	30
08	-	8	16	19	21	25	28
09	-	6	17	19	21	29	31
10	-	6	16	17	20	27	30
11	-	4	15	18	19	25	29
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	9	34	35	40	42	46
23	-	6	27	34	39	48	50
MEAN	-	5	17	20	23	31	36

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUSHIRO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	15	19	23	29	33
01	-	1	13	18	22	27	33
02	-	1	7	12	15	23	29
03	-	1	5	9	11	19	23
04	-	1	7	9	10	17	19
05	-	4	8	9	12	22	25
06	-	1	5	8	10	14	17
07	-	-	6	11	13	19	23
08	-	4	14	17	19	25	25
09	-	1	10	13	16	22	25
10	-	1	13	18	19	26	29
11	-	5	13	16	19	25	31
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	5	14	17	20	27	30
23	-	1	18	23	25	32	35
MEAN	-	2	11	14	17	23	27

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUSHIRO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	3	3	5	8	10
01	-	1	3	5	5	10	12
02	-	-	2	3	3	5	8
03	-	-	3	4	4	7	8
04	-	-	3	4	5	8	8
05	-	1	3	4	4	6	8
06	-	-	3	5	5	7	7
07	-	-	4	5	6	8	9
08	-	1	5	6	6	9	9
09	-	1	3	5	6	8	8
10	-	1	5	6	6	8	10
11	-	2	5	6	8	11	12
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	5	7	9	9	10
23	-	-	6	9	10	11	12
MEAN	-	0	4	5	6	8	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUSHIRO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	3	5	7	11	14
01	-	-	3	5	7	11	15
02	-	1	3	5	8	11	15
03	-	1	3	5	7	11	14
04	-	1	2	3	6	9	11
05	-	-	3	4	6	7	8
06	-	-	3	3	5	9	9
07	-	-	3	5	6	7	9
08	-	-	2	4	6	9	11
09	-	1	3	4	6	8	9
10	-	1	5	6	7	9	9
11	-	2	6	6	8	10	11
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	5	5	7	9	9
23	-	-	3	5	6	9	11
MEAN	-	1	3	5	7	9	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUSHIRO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	3	4	6	7	8
01	-	2	4	4	5	8	9
02	-	1	3	3	5	6	8
03	-	-	3	6	8	10	11
04	-	1	3	3	5	8	9
05	-	1	1	3	5	8	9
06	-	1	2	5	5	8	8
07	-	1	4	5	6	10	10
08	-	1	5	5	6	8	8
09	-	1	3	5	5	6	8
10	-	-	4	5	5	6	8
11	-	-	3	3	5	5	5
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	3	3	4	6	8
23	-	1	2	3	5	5	5
MEAN	-	1	3	4	5	7	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUSHIRO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	10	13	16	22	25
01	-	1	8	11	13	19	23
02	-	1	6	9	10	16	20
03	-	1	6	8	10	15	18
04	-	1	6	8	10	15	17
05	-	1	6	9	10	15	17
06	-	1	8	10	12	16	18
07	-	2	9	11	13	16	19
08	-	3	9	12	13	17	19
09	-	3	9	11	13	17	18
10	-	3	10	12	13	17	19
11	-	3	9	12	14	17	20
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	4	13	16	18	22	23
23	-	3	13	15	18	23	25
MEAN	-	2	9	11	13	18	20

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUSHIRO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	6	0	-	-	-	-	-	-	-	-	-	6
[35-36-01]	5	4	2	1	0	0	-	-	-	-	-	12
[02-03-04]	3	2	1	0	-	-	-	-	-	-	-	6
[05-06-07]	2	1	0	0	-	-	-	-	-	-	-	3
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	2
[11-12-13]	1	0	0	-	-	-	-	-	-	-	-	1
[14-15-16]	1	1	0	0	0	0	-	-	-	-	-	2
[17-18-19]	1	2	0	0	0	-	-	-	-	-	-	3
[20-21-22]	2	3	0	0	0	-	-	-	-	-	-	5
[23-24-25]	3	5	1	0	-	-	-	-	-	-	-	9
[26-27-28]	3	6	3	0	-	-	-	-	-	-	-	12
[29-30-31]	5	5	1	0	-	-	-	-	-	-	-	10
[32-33-34]	11	15	2	1	0	0	-	-	-	-	-	30
TOTAL	43	42	10	4	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUSHIRO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	6	0	0	-	-	-	-	-	-	-	-	6
[35-36-01]	5	5	2	1	0	-	-	-	-	-	-	13
[02-03-04]	3	4	2	1	0	-	-	-	-	-	-	10
[05-06-07]	3	1	0	-	-	-	-	-	-	-	-	4
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	2
[11-12-13]	0	0	0	-	-	-	-	-	-	-	-	1
[14-15-16]	1	1	0	-	-	-	-	-	-	-	-	2
[17-18-19]	1	3	1	0	-	-	-	-	-	-	-	5
[20-21-22]	2	5	2	0	0	-	-	-	-	-	-	9
[23-24-25]	2	4	1	0	-	-	-	-	-	-	-	7
[26-27-28]	2	4	4	1	0	-	-	-	-	-	-	11
[29-30-31]	3	3	1	0	0	-	-	-	-	-	-	7
[32-33-34]	9	8	3	2	0	-	-	-	-	-	-	23
TOTAL	39	38	16	5	1	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUSHIRO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	7	0	-	-	-	-	-	-	-	-	-	7
[35-36-01]	5	3	2	1	0	0	-	-	-	-	-	11
[02-03-04]	4	4	1	1	0	-	-	-	-	-	-	10
[05-06-07]	3	2	0	0	-	-	-	-	-	-	-	6
[08-09-10]	1	1	0	-	-	-	-	-	-	-	-	2
[11-12-13]	1	0	0	0	-	-	-	-	-	-	-	1
[14-15-16]	1	2	1	0	-	-	-	-	-	-	-	4
[17-18-19]	2	3	2	0	-	-	-	-	-	-	-	7
[20-21-22]	3	7	4	1	0	-	-	-	-	-	-	16
[23-24-25]	3	5	2	0	-	-	-	-	-	-	-	10
[26-27-28]	2	2	2	1	0	-	-	-	-	-	-	7
[29-30-31]	2	2	1	0	0	-	-	-	-	-	-	5
[32-33-34]	7	4	1	1	0	-	-	-	-	-	-	13
TOTAL	41	36	16	5	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUSHIRO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	8	0	0	-	-	-	-	-	-	-	-	8
[35-36-01]	4	3	1	1	0	0	-	-	-	-	-	9
[02-03-04]	4	5	1	0	-	-	-	-	-	-	-	10
[05-06-07]	3	2	0	0	0	-	-	-	-	-	-	5
[08-09-10]	1	0	0	-	-	-	-	-	-	-	-	2
[11-12-13]	1	0	0	0	0	-	-	-	-	-	-	2
[14-15-16]	1	2	0	0	0	0	-	-	-	-	-	4
[17-18-19]	2	6	4	0	-	-	-	-	-	-	-	12
[20-21-22]	5	6	7	1	0	-	-	-	-	-	-	20
[23-24-25]	3	4	1	0	-	-	-	-	-	-	-	8
[26-27-28]	1	3	2	0	0	-	-	-	-	-	-	6
[29-30-31]	2	2	1	0	-	-	-	-	-	-	-	5
[32-33-34]	4	3	2	1	0	0	-	-	-	-	-	10
TOTAL	39	35	19	5	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUSHIRO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	11	0	0	-	-	-	-	-	-	-	-	12
[35-36-01]	3	2	1	1	0	0	-	-	-	-	-	8
[02-03-04]	4	6	2	1	0	-	-	-	-	-	-	13
[05-06-07]	4	2	1	-	-	-	-	-	-	-	-	6
[08-09-10]	2	0	0	-	-	-	-	-	-	-	-	2
[11-12-13]	1	0	0	0	-	-	-	-	-	-	-	2
[14-15-16]	2	2	1	0	-	-	-	-	-	-	-	5
[17-18-19]	4	8	4	0	0	-	-	-	-	-	-	16
[20-21-22]	6	7	6	1	-	-	-	-	-	-	-	20
[23-24-25]	2	2	1	0	-	-	-	-	-	-	-	4
[26-27-28]	1	1	1	0	0	-	-	-	-	-	-	3
[29-30-31]	1	1	1	0	0	-	-	-	-	-	-	3
[32-33-34]	3	1	0	0	-	-	-	-	-	-	-	5
TOTAL	44	33	17	4	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUSHIRO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	13	0	-	-	-	-	-	-	-	-	-	13
[35-36-01]	3	1	0	0	-	-	-	-	-	-	-	4
[02-03-04]	6	8	1	0	-	-	-	-	-	-	-	15
[05-06-07]	7	4	0	-	-	-	-	-	-	-	-	11
[08-09-10]	2	1	-	-	-	-	-	-	-	-	-	3
[11-12-13]	1	0	0	-	-	-	-	-	-	-	-	2
[14-15-16]	2	2	0	0	-	-	-	-	-	-	-	4
[17-18-19]	7	9	2	0	-	-	-	-	-	-	-	18
[20-21-22]	9	8	4	0	-	-	-	-	-	-	-	21
[23-24-25]	2	1	0	-	-	-	-	-	-	-	-	3
[26-27-28]	1	0	-	-	-	-	-	-	-	-	-	1
[29-30-31]	1	0	-	-	-	-	-	-	-	-	-	1
[32-33-34]	2	1	0	0	-	-	-	-	-	-	-	3
TOTAL	54	35	9	1	-	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUSHIRO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	15	0	-	-	-	-	-	-	-	-	-	15
[35-36-01]	3	1	0	0	-	-	-	-	-	-	-	5
[02-03-04]	7	5	0	0	-	-	-	-	-	-	-	12
[05-06-07]	7	3	0	-	-	-	-	-	-	-	-	9
[08-09-10]	2	0	-	-	-	-	-	-	-	-	-	3
[11-12-13]	1	0	0	-	-	-	-	-	-	-	-	2
[14-15-16]	3	2	1	0	-	-	-	-	-	-	-	6
[17-18-19]	6	9	2	0	-	-	-	-	-	-	-	18
[20-21-22]	9	9	3	0	-	-	-	-	-	-	-	22
[23-24-25]	3	0	0	0	-	-	-	-	-	-	-	3
[26-27-28]	1	0	0	-	-	-	-	-	-	-	-	1
[29-30-31]	1	0	0	-	-	-	-	-	-	-	-	1
[32-33-34]	2	0	0	-	-	-	-	-	-	-	-	3
TOTAL	59	32	7	1	-	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUSHIRO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	13	0	-	-	-	-	-	-	-	-	-	13
[35-36-01]	4	2	0	0	-	-	-	-	-	-	-	6
[02-03-04]	7	7	1	-	-	-	-	-	-	-	-	15
[05-06-07]	6	2	0	-	-	-	-	-	-	-	-	9
[08-09-10]	2	0	0	-	-	-	-	-	-	-	-	3
[11-12-13]	1	0	0	0	0	-	-	-	-	-	-	2
[14-15-16]	2	2	0	0	0	0	-	-	0	-	-	5
[17-18-19]	5	8	1	0	0	-	-	0	-	-	-	15
[20-21-22]	7	10	4	0	-	-	0	-	-	-	-	21
[23-24-25]	2	0	0	-	-	-	-	-	-	-	-	3
[26-27-28]	1	0	0	-	-	-	-	-	-	-	-	1
[29-30-31]	1	0	0	-	-	-	-	-	-	-	-	2
[32-33-34]	4	1	0	-	-	-	-	-	-	-	-	5
TOTAL	57	33	8	1	0	0	0	0	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUSHIRO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	11)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[35-36-01]	7)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[02-03-04]	8)	7)	1)	0)	0)	0)	0)	0)	0)	0)	0)	17)
[05-06-07]	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[08-09-10]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	2)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[20-21-22]	3)	7)	4)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[23-24-25]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[29-30-31]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[32-33-34]	9)	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	15)
TOTAL	55)	35)	8)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUSHIRO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	7)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[35-36-01]	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[02-03-04]	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[05-06-07]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[08-09-10]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[11-12-13]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[20-21-22]	3)	6)	4)	1)	0)	0)	0)	0)	0)	0)	0)	14)
[23-24-25]	3)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[26-27-28]	2)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[29-30-31]	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[32-33-34]	10)	7)	1)	0)	0)	0)	0)	0)	0)	0)	0)	19)
TOTAL	42)	38)	14)	4)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUSHIRO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	7)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[35-36-01]	5)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[02-03-04]	4)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[05-06-07]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[08-09-10]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[11-12-13]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[20-21-22]	3)	5)	2)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[23-24-25]	3)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[26-27-28]	2)	5)	3)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[29-30-31]	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[32-33-34]	10)	8)	1)	0)	0)	0)	0)	0)	0)	0)	0)	19)
TOTAL	43)	39)	13)	3)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUSHIRO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	6	0	0	-	-	-	-	-	-	-	-	6
[35-36-01]	4	4	1	1	-	-	-	-	-	-	-	11
[02-03-04]	3	3	2	0	-	-	-	-	-	-	-	8
[05-06-07]	2	0	0	-	-	-	-	-	-	-	-	2
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	1
[11-12-13]	0	0	0	0	0	-	-	-	-	-	-	1
[14-15-16]	1	0	0	0	0	0	-	-	-	-	-	1
[17-18-19]	1	1	0	0	0	0	-	-	-	-	-	2
[20-21-22]	2	2	0	0	-	-	-	-	-	-	-	5
[23-24-25]	4	6	2	0	0	-	-	-	-	-	-	12
[26-27-28]	3	6	4	1	0	0	-	-	-	-	-	15
[29-30-31]	5	4	1	0	-	-	-	-	-	-	-	11
[32-33-34]	11	11	1	0	-	-	-	-	-	-	-	24
TOTAL	43	39	13	3	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUSHIRO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	9)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[35-36-01]	4)	3)	1)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[02-03-04]	5)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[05-06-07]	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[08-09-10]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	3)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[20-21-22]	4)	6)	3)	1)	0)	0)	0)	0)	0)	0)	0)	15)
[23-24-25]	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[26-27-28]	2)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[29-30-31]	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[32-33-34]	7)	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	14)
TOTAL	47)	36)	13)	3)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUSHIRO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	15	48	30	6	-	-	-	-	-	-	-
01	-	3	44	41	12	-	-	-	-	-	-	-
02	-	-	34	51	15	1	-	-	-	-	-	-
03	-	-	21	59	19	1	-	-	-	-	-	-
04	-	-	15	62	22	1	-	-	-	-	-	-
05	-	-	14	65	21	1	-	-	-	-	-	-
06	-	-	18	65	17	1	-	-	-	-	-	-
07	-	-	27	63	10	-	-	-	-	-	-	-
08	-	1	41	50	8	-	-	-	-	-	-	-
09	-	5	46	43	6	-	-	-	-	-	-	-
10	-	6	49	39	6	-	-	-	-	-	-	-
11	-	11	50	34	5	-	-	-	-	-	-	-
12	-	20	47	29	4	-	-	-	-	-	-	-
13	-	26	45	27	2	-	-	-	-	-	-	-
14	-	31	41	27	1	-	-	-	-	-	-	-
15	1	34	39	23	3	-	-	-	-	-	-	-
16	1	35	39	23	2	-	-	-	-	-	-	-
17	1	34	41	21	3	-	-	-	-	-	-	-
18	3	37	37	21	3	-	-	-	-	-	-	-
19	3	35	39	19	3	-	-	-	-	-	-	-
20	4	38	35	20	3	-	-	-	-	-	-	-
21	5	37	36	20	2	-	-	-	-	-	-	-
22	3	41	34	21	1	-	-	-	-	-	-	-
23	2	30	40	26	2	-	-	-	-	-	-	-
MEAN	1	18	37	37	7	0	-	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUSHIRO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	7	48	39	6	1	-	-	-	-	-	-
01	-	1	35	54	10	1	-	-	-	-	-	-
02	-	-	23	61	14	1	-	-	-	-	-	-
03	-	-	13	62	23	2	-	-	-	-	-	-
04	-	-	12	59	27	2	-	-	-	-	-	-
05	-	-	10	63	25	2	-	-	-	-	-	-
06	-	-	14	65	19	1	-	-	-	-	-	-
07	-	-	20	65	14	1	-	-	-	-	-	-
08	-	1	30	60	10	-	-	-	-	-	-	-
09	-	1	35	57	7	-	-	-	-	-	-	-
10	-	5	37	51	6	1	-	-	-	-	-	-
11	-	6	44	42	7	1	-	-	-	-	-	-
12	-	9	44	41	5	1	-	-	-	-	-	-
13	-	15	44	36	6	-	-	-	-	-	-	-
14	1	19	42	33	6	-	-	-	-	-	-	-
15	1	23	38	33	5	-	-	-	-	-	-	-
16	2	23	42	28	4	-	-	-	-	-	-	-
17	2	26	42	25	6	-	-	-	-	-	-	-
18	3	26	42	25	4	-	-	-	-	-	-	-
19	4	27	39	26	4	-	-	-	-	-	-	-
20	4	28	38	27	3	-	-	-	-	-	-	-
21	6	32	33	27	3	-	-	-	-	-	-	-
22	5	30	37	25	3	-	-	-	-	-	-	-
23	1	22	41	32	4	-	-	-	-	-	-	-
MEAN	1	13	33	43	9	1	-	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUSHIRO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	4	50	39	6	1	-	-	-	-	-
01	-	-	2	41	45	10	1	-	-	-	-	-
02	-	-	-	38	49	11	2	-	-	-	-	-
03	-	-	1	28	57	11	3	-	-	-	-	-
04	-	-	-	29	55	12	3	-	-	-	-	-
05	-	-	-	30	55	12	3	-	-	-	-	-
06	-	-	-	35	51	11	3	-	-	-	-	-
07	-	-	-	41	48	10	1	-	-	-	-	-
08	-	-	-	50	39	10	1	-	-	-	-	-
09	-	-	3	56	33	7	1	-	-	-	-	-
10	-	-	6	61	29	3	1	-	-	-	-	-
11	-	-	9	60	26	4	1	-	-	-	-	-
12	-	-	14	55	27	5	-	-	-	-	-	-
13	-	-	17	52	26	5	-	-	-	-	-	-
14	-	1	18	54	25	3	-	-	-	-	-	-
15	-	1	19	52	26	2	-	-	-	-	-	-
16	-	2	25	50	22	1	-	-	-	-	-	-
17	-	3	26	51	19	1	-	-	-	-	-	-
18	-	2	31	46	20	1	-	-	-	-	-	-
19	-	4	30	47	18	1	-	-	-	-	-	-
20	-	3	35	43	18	1	-	-	-	-	-	-
21	-	3	32	46	19	-	-	-	-	-	-	-
22	-	3	24	50	20	3	-	-	-	-	-	-
23	-	1	11	55	28	5	-	-	-	-	-	-
MEAN	-	1	13	47	33	6	1	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUSHIRO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	3	39	43	11	3	1	-	-	-
01	-	-	-	1	34	49	11	3	1	-	-	-
02	-	-	-	1	32	48	13	5	1	-	-	-
03	-	-	-	1	28	53	13	3	1	-	-	-
04	-	-	-	1	30	50	12	5	1	-	-	-
05	-	-	-	1	33	47	12	6	-	-	-	-
06	-	-	-	2	35	45	11	5	1	-	-	-
07	-	-	-	2	42	43	10	3	1	-	-	-
08	-	-	-	3	50	35	11	1	-	-	-	-
09	-	-	-	5	59	26	9	1	-	-	-	-
10	-	-	-	9	63	22	6	1	-	-	-	-
11	-	-	-	11	63	21	4	1	-	-	-	-
12	-	-	-	12	65	19	3	1	-	-	-	-
13	-	-	-	14	62	21	2	1	-	-	-	-
14	-	-	-	16	61	20	3	-	-	-	-	-
15	-	-	1	19	58	21	2	-	-	-	-	-
16	-	-	1	20	57	21	1	-	-	-	-	-
17	-	-	1	26	55	17	1	-	-	-	-	-
18	-	-	1	26	57	16	1	-	-	-	-	-
19	-	-	2	29	56	12	1	-	-	-	-	-
20	-	-	1	28	57	13	1	-	-	-	-	-
21	-	-	1	17	63	17	1	-	-	-	-	-
22	-	-	-	10	61	25	3	1	-	-	-	-
23	-	-	-	6	51	33	9	2	-	-	-	-
MEAN	-	-	0	11	50	30	6	2	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUSHIRO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	6	32	41	19	2	-	-	-
01	-	-	-	-	3	28	46	20	3	-	-	-
02	-	-	-	-	3	26	47	21	3	-	-	-
03	-	-	-	-	2	26	45	21	6	-	-	-
04	-	-	-	-	1	24	48	21	5	1	-	-
05	-	-	-	-	3	26	48	17	6	-	-	-
06	-	-	-	-	5	28	46	17	5	-	-	-
07	-	-	-	-	6	28	47	15	4	-	-	-
08	-	-	-	-	6	39	43	9	3	-	-	-
09	-	-	-	-	9	47	37	5	2	-	-	-
10	-	-	-	-	12	56	26	5	1	-	-	-
11	-	-	-	-	15	58	22	5	-	-	-	-
12	-	-	-	-	16	58	22	4	-	-	-	-
13	-	-	-	-	18	61	17	3	-	-	-	-
14	-	-	-	-	17	64	16	2	1	-	-	-
15	-	-	-	-	23	62	14	1	1	-	-	-
16	-	-	-	-	26	63	12	-	-	-	-	-
17	-	-	-	1	29	61	10	-	-	-	-	-
18	-	-	-	1	31	57	10	-	-	-	-	-
19	-	-	-	1	34	54	12	-	-	-	-	-
20	-	-	-	-	26	63	11	-	-	-	-	-
21	-	-	-	-	19	60	20	1	-	-	-	-
22	-	-	-	-	12	56	28	4	-	-	-	-
23	-	-	-	-	9	43	35	12	-	-	-	-
MEAN	-	-	-	0	14	47	29	8	2	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUSHIRO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	9	57	29	5	-	-	-
01	-	-	-	-	-	7	49	38	5	1	-	-
02	-	-	-	-	-	7	45	39	7	1	-	-
03	-	-	-	-	-	7	43	42	9	-	-	-
04	-	-	-	-	-	5	43	45	6	-	-	-
05	-	-	-	-	-	5	45	45	5	-	-	-
06	-	-	-	-	-	7	49	42	2	-	-	-
07	-	-	-	-	-	8	58	33	1	-	-	-
08	-	-	-	-	-	12	61	27	1	-	-	-
09	-	-	-	-	-	15	67	17	1	-	-	-
10	-	-	-	-	-	22	69	9	-	-	-	-
11	-	-	-	-	1	23	69	7	-	-	-	-
12	-	-	-	-	-	27	67	7	-	-	-	-
13	-	-	-	-	1	31	62	7	-	-	-	-
14	-	-	-	-	1	29	65	6	-	-	-	-
15	-	-	-	-	1	33	61	5	-	-	-	-
16	-	-	-	-	2	35	61	2	-	-	-	-
17	-	-	-	-	3	39	57	2	-	-	-	-
18	-	-	-	-	3	39	55	3	-	-	-	-
19	-	-	-	-	3	36	59	2	-	-	-	-
20	-	-	-	-	1	36	60	3	-	-	-	-
21	-	-	-	-	-	29	65	6	-	-	-	-
22	-	-	-	-	-	21	65	13	1	-	-	-
23	-	-	-	-	-	15	59	25	2	-	-	-
MEAN	-	-	-	-	1	21	58	19	2	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUSHIRO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	10	68	18	4	-	-
01	-	-	-	-	-	-	6	60	30	4	1	-
02	-	-	-	-	-	-	3	54	35	7	-	-
03	-	-	-	-	-	-	5	57	33	6	-	-
04	-	-	-	-	-	-	5	53	38	5	-	-
05	-	-	-	-	-	-	6	55	33	5	1	-
06	-	-	-	-	-	-	7	59	30	4	-	-
07	-	-	-	-	-	-	9	63	25	3	-	-
08	-	-	-	-	-	-	17	61	21	1	-	-
09	-	-	-	-	-	-	26	59	14	1	-	-
10	-	-	-	-	-	-	32	56	11	1	-	-
11	-	-	-	-	-	-	35	57	7	1	-	-
12	-	-	-	-	-	1	37	54	8	-	-	-
13	-	-	-	-	-	-	39	54	6	-	-	-
14	-	-	-	-	-	-	40	55	5	-	-	-
15	-	-	-	-	-	1	41	54	5	-	-	-
16	-	-	-	-	-	1	45	53	1	-	-	-
17	-	-	-	-	-	3	46	49	2	-	-	-
18	-	-	-	-	-	3	47	50	1	-	-	-
19	-	-	-	-	-	3	48	47	1	-	-	-
20	-	-	-	-	-	3	47	48	1	-	-	-
21	-	-	-	-	-	1	39	55	4	-	-	-
22	-	-	-	-	-	1	32	59	9	-	-	-
23	-	-	-	-	-	-	21	63	14	2	-	-
MEAN	-	-	-	-	-	1	27	56	15	2	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUSHIRO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	3	48	45	5	-	-
01	-	-	-	-	-	-	1	36	56	6	-	-
02	-	-	-	-	-	-	1	28	61	10	-	-
03	-	-	-	-	-	-	-	32	59	9	1	-
04	-	-	-	-	-	-	1	28	61	9	1	-
05	-	-	-	-	-	-	-	32	60	8	1	-
06	-	-	-	-	-	-	-	39	54	6	1	-
07	-	-	-	-	-	-	-	45	52	3	1	-
08	-	-	-	-	-	-	3	53	41	3	-	-
09	-	-	-	-	-	-	3	65	31	1	-	-
10	-	-	-	-	-	-	6	67	26	1	-	-
11	-	-	-	-	-	-	8	70	21	1	-	-
12	-	-	-	-	-	-	12	70	18	-	-	-
13	-	-	-	-	-	-	15	68	17	-	-	-
14	-	-	-	-	-	-	16	66	18	-	-	-
15	-	-	-	-	-	-	19	67	14	-	-	-
16	-	-	-	-	-	-	19	64	17	-	-	-
17	-	-	-	-	-	-	20	66	14	-	-	-
18	-	-	-	-	-	1	20	66	14	-	-	-
19	-	-	-	-	-	2	22	62	14	-	-	-
20	-	-	-	-	-	1	23	65	12	-	-	-
21	-	-	-	-	-	-	20	63	17	-	-	-
22	-	-	-	-	-	-	14	59	27	-	-	-
23	-	-	-	-	-	-	6	56	36	1	-	-
MEAN	-	-	-	-	-	0	10	55	33	3	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUSHIRO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	17	60	23	-	-	-
01	-	-	-	-	-	-	11	57	29	3	-	-
02	-	-	-	-	-	-	7	58	33	3	-	-
03	-	-	-	-	-	-	5	55	34	5	-	-
04	-	-	-	-	-	-	5	57	33	5	-	-
05	-	-	-	-	-	-	7	57	31	5	-	-
06	-	-	-	-	-	-	10	59	29	2	-	-
07	-	-	-	-	-	-	12	61	27	-	-	-
08	-	-	-	-	-	-	19	64	17	-	-	-
09	-	-	-	-	-	-	35	52	13	-	-	-
10	-	-	-	-	-	1	39	48	11	-	-	-
11	-	-	-	-	-	3	42	47	9	-	-	-
12	-	-	-	-	-	5	45	43	7	-	-	-
13	-	-	-	-	-	7	45	43	5	-	-	-
14	-	-	-	-	-	9	45	40	6	-	-	-
15	-	-	-	-	-	9	49	37	5	-	-	-
16	-	-	-	-	-	9	47	37	7	-	-	-
17	-	-	-	-	-	13	44	36	7	-	-	-
18	-	-	-	-	-	13	47	34	7	-	-	-
19	-	-	-	-	-	14	48	31	7	-	-	-
20	-	-	-	-	-	16	49	28	7	-	-	-
21	-	-	-	-	-	11	48	36	5	-	-	-
22	-	-	-	-	-	2	47	44	7	-	-	-
23	-	-	-	-	-	-	33	52	15	-	-	-
MEAN	-	-	-	-	-	5	32	47	16	1	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUSHIRO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	2	29	50	18	1	-	-	-
01	-	-	-	-	1	23	48	26	2	-	-	-
02	-	-	-	-	1	15	48	32	5	-	-	-
03	-	-	-	-	1	12	50	33	5	-	-	-
04	-	-	-	-	1	11	52	32	5	-	-	-
05	-	-	-	-	1	12	54	30	4	-	-	-
06	-	-	-	-	1	18	48	30	3	-	-	-
07	-	-	-	-	3	25	50	23	-	-	-	-
08	-	-	-	-	3	34	55	8	-	-	-	-
09	-	-	-	-	6	39	46	8	-	-	-	-
10	-	-	-	-	8	43	45	5	-	-	-	-
11	-	-	-	-	11	46	39	5	-	-	-	-
12	-	-	-	1	14	45	36	5	-	-	-	-
13	0)	0)	0)	1)	19)	43)	32)	5)	0)	0)	0)	0)
14	0)	0)	0)	2)	22)	40)	33)	3)	0)	0)	0)	0)
15	0)	0)	0)	1)	26)	41)	28)	4)	0)	0)	0)	0)
16	0)	0)	0)	3)	25)	43)	25)	5)	0)	0)	0)	0)
17	0)	0)	0)	1)	30)	40)	23)	5)	0)	0)	0)	0)
18	0)	0)	0)	3)	32)	39)	21)	5)	0)	0)	0)	0)
19	0)	0)	0)	3)	32)	38)	22)	5)	0)	0)	0)	0)
20	0)	0)	0)	4)	30)	40)	23)	4)	0)	0)	0)	0)
21	0)	0)	0)	6)	30)	39)	20)	5)	0)	0)	0)	0)
22	-	-	-	1	23	43	28	6	-	-	-	-
23	-	-	-	-	9	39	41	10	1	-	-	-
MEAN	0)	0)	0)	1)	14)	33)	38)	13)	1)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUSHIRO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	1	16	41	29	13	1	-	-	-	-
01	-	-	-	8	43	31	17	1	-	-	-	-
02	-	-	-	6	35	39	19	1	1	-	-	-
03	-	-	-	3	34	38	23	2	-	-	-	-
04	-	-	-	3	33	37	25	2	-	-	-	-
05	-	-	-	3	37	35	24	1	-	-	-	-
06	-	-	-	3	38	39	19	1	-	-	-	-
07	-	-	1	5	44	42	8	-	-	-	-	-
08	-	-	1	10	47	37	5	-	-	-	-	-
09	-	-	1	15	43	37	4	-	-	-	-	-
10	-	-	1	22	39	34	4	-	-	-	-	-
11	-	-	1	23	41	29	5	-	-	-	-	-
12	-	-	1	29	39	28	4	-	-	-	-	-
13	0)	0)	1)	34)	34)	27)	4)	1)	0)	0)	0)	0)
14	0)	0)	2)	32)	35)	27)	4)	0)	0)	0)	0)	0)
15	0)	0)	2)	36)	33)	23)	5)	0)	0)	0)	0)	0)
16	0)	1)	1)	34)	36)	22)	7)	0)	0)	0)	0)	0)
17	0)	1)	3)	32)	36)	23)	5)	0)	0)	0)	0)	0)
18	0)	1)	3)	34)	36)	23)	4)	0)	0)	0)	0)	0)
19	-	1	4	34	35	21	5	-	-	-	-	-
20	-	1	5	33	38	18	5	-	-	-	-	-
21	-	1	5	35	39	17	4	-	-	-	-	-
22	-	1	5	33	35	23	3	-	-	-	-	-
23	-	-	3	25	40	26	7	-	-	-	-	-
MEAN	0)	0)	2)	21)	38)	29)	9)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUSHIRO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	1	2	22	46	26	3	-	-	-	-	-	-
01	-	1	12	46	37	5	-	-	-	-	-	-
02	-	-	5	46	43	6	1	-	-	-	-	-
03	-	-	5	39	48	8	1	-	-	-	-	-
04	-	-	3	38	48	10	1	-	-	-	-	-
05	-	-	4	39	47	10	1	-	-	-	-	-
06	-	-	5	44	43	8	-	-	-	-	-	-
07	-	-	7	50	38	5	-	-	-	-	-	-
08	-	-	11	55	29	5	-	-	-	-	-	-
09	-	1	12	56	26	5	-	-	-	-	-	-
10	-	2	17	59	17	5	-	-	-	-	-	-
11	-	2	23	52	20	3	-	-	-	-	-	-
12	-	4	28	49	16	3	-	-	-	-	-	-
13	0)	5)	28)	50)	14)	3)	0)	0)	0)	0)	0)	0)
14	0)	6)	29)	45)	17)	2)	0)	0)	0)	0)	0)	0)
15	1	7	31	46	12	3	-	-	-	-	-	-
16	1	8	30	46	14	3	-	-	-	-	-	-
17	1	8	32	45	13	3	-	-	-	-	-	-
18	1	8	33	43	12	3	-	-	-	-	-	-
19	-	10	35	41	12	3	-	-	-	-	-	-
20	1	9	35	39	14	2	-	-	-	-	-	-
21	1	8	36	40	13	1	-	-	-	-	-	-
22	1	10	36	37	15	1	-	-	-	-	-	-
23	1	6	30	43	17	3	-	-	-	-	-	-
MEAN	0)	4)	21)	46)	25)	4)	0)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUSHIRO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	0	2	10	15	14	13	17	20	8	1	-	-
01	-	0	8	16	15	13	16	20	11	1	0	-
02	-	-	5	17	16	13	16	20	12	2	-	-
03	-	-	3	16	18	13	16	20	12	2	0	-
04	-	-	3	16	18	13	16	20	13	2	0	-
05	-	-	2	17	18	12	17	20	12	2	0	-
06	-	-	3	18	17	13	16	21	10	1	0	-
07	-	-	5	19	17	13	16	20	9	1	0	-
08	-	0	7	19	16	14	18	19	7	0	-	-
09	-	1	8	19	16	15	19	17	5	0	-	-
10	-	1	9	20	15	16	19	16	4	0	-	-
11	-	2	10	19	16	16	19	16	3	0	-	-
12	-	3	11	18	15	16	19	15	3	-	-	-
13	0)	4)	11)	18)	15)	16)	18)	15)	2)	0)	0)	0)
14	0)	5)	11)	17)	15)	16)	19)	15)	3)	0)	0)	0)
15	0)	5)	11)	18)	15)	16)	18)	14)	2)	0)	0)	0)
16	0)	6)	11)	17)	16)	16)	18)	14)	2)	0)	0)	0)
17	0)	6)	12)	17)	16)	17)	17)	13)	2)	0)	0)	0)
18	1)	6)	12)	17)	16)	16)	17)	13)	2)	0)	0)	0)
19	1)	6)	12)	17)	16)	15)	18)	12)	2)	0)	0)	0)
20	1)	6)	13)	16)	16)	16)	18)	12)	2)	0)	0)	0)
21	1)	7)	12)	16)	16)	15)	18)	14)	2)	0)	0)	0)
22	1	7	11	15	14	15	18	16	4	-	-	-
23	0	5	10	16	13	14	18	19	6	0	-	-
MEAN	0)	3)	9)	17)	16)	15)	18)	17)	6)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUSHIRO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	-5.9	-5.1	-1.0	4.3	9.3	12.5	17.0	18.8	16.3	10.2	3.7	-2.3	6.5
Daily maximum air temperature(°C)	-1.4	-1.0	3.0	9.0	14.5	16.5	21.2	22.7	20.5	14.9	8.0	1.8	10.8
Daily minimum air temperature(°C)	-11.4	-10.5	-5.3	0.1	4.9	9.3	14.0	15.8	12.7	4.6	-0.9	-7.3	2.2
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)					120.5	127.5	124.9	214.8	166.9	152.4			
Snow fall(cm)	38	38	52	8	0	-	-	-	-	0	10	35	180
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	968.4	974.6	961.1	953.5	975.2	979.4	981.8	980.9	979.6	962.9	974.7	958.5	953.5
Daily maximum air temperature(°C)	5.9	8.2	14.2	24.1	25.7	25.6	30.7	31.6	28.0	23.2	21.0	10.8	31.6
Daily minimum air temperature(°C)	-18.9	-19.3	-14.1	-9.2	-1.7	1.4	7.5	8.2	4.6	-4.0	-13.4	-19.3	-19.3*
Daily precipitation(mm)					91.5	115.5	127.5	159.5	134.5	107.5			
Daily max.one-hour precipitation(mm)					28.5	18.0	23.0	39.0	43.5	22.5			
Daily max.ten-minute precipitation(mm)					7.5	4.5	5.5	10.5	14.0	5.5*			
Daily totals of snowfall(cm)	18	39	38	9	0 *	-	-	-	-	0 *	14	32	39
Daily maximum of snow cover(cm)	58	56	85	32 *	0 *	-	-	-	-	0 *	16	32	85
Daily maximum wind speed(kt)	28	27 *	30	28 *	28	22	21	47	24	39	36	30 *	47
with wind direction(36DIR.)	35	33	36	34	1	34	19	16	1	1	20	17	16
Daily maximum peak gust(kt)	40	42	49	44	47	33	31	64	38	59	58	45	64
with wind direction(36DIR.)	35	35	36	35	28	33	14	17	29	36	20	27	17

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUSHIRO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	31.0	28.2	28.4	15.8	0.8	-	-	-	-	3.2	17.6	30.0	155.0
25.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
Daily mean air temperature < 0.0°C	30.2	26.8	21.6	1.6	-	-	-	-	-	-	4.6	23.2	108.0
25.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
Daily maximum air temperature < 0.0°C	20.2	18.4	5.2	-	-	-	-	-	-	-	0.6	9.2	53.6
25.0°C	-	-	-	-	0.6	0.4	5.4	6.2	2.6	-	-	-	15.2
30.0°C	-	-	-	-	-	-	0.4	0.4	-	-	-	-	0.8
Daily precipitation 0.0mm					17.2	19.2	18.8	20.2	17.0	13.4			
1.0mm					9.4	9.2	7.6	11.2	9.4	7.8			
5.0mm					5.6	5.4	4.6	7.8	5.4	5.8			
10.0mm					3.4	3.4	3.0	5.6	3.8	4.2			
30.0mm					1.0	1.0	1.4	2.2	1.2	1.4			
50.0mm					0.4	0.4	0.8	0.8	0.8	0.6			
70.0mm					0.2	0.4	0.2	0.6	0.6	0.4			
100.0mm					-	0.2	0.2	0.4	0.6	0.2			

AERODROME: KUSHIRO AIRPORT PERIOD OF RECORD: 2012-2016
LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUSHIRO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1000.5	1002.1	1001.1	1000.9	999.1	999.7	998.6	999.2	1004.0	1003.3	1003.4	999.9	1001.0
01	1000.4	1001.9	1000.7	1000.7	998.9	999.7	998.6	999.1	1003.8	1002.9	1003.2	999.7	1000.8
02	999.7	1001.4	1000.3	1000.2	998.7	999.6	998.3	998.9	1003.4	1002.6	1002.6	998.9	1000.4
03	999.0	1000.8	999.7	999.8	998.4	999.3	998.1	998.7	1003.0	1002.0	1002.0	998.2	999.9
04	998.6	1000.3	999.1	999.6	998.2	999.1	997.9	998.4	1002.7	1001.6	1001.7	997.8	999.6
05	998.7	1000.2	998.9	999.3	998.0	999.0	997.7	998.3	1002.4	1001.6	1001.8	997.8	999.5
06	999.0	1000.5	998.9	999.2	997.9	998.9	997.7	998.3	1002.5	1001.8	1002.1	998.2	999.6
07	999.4	1000.7	999.1	999.4	998.0	998.9	997.6	998.4	1002.6	1002.0	1002.4	998.4	999.8
08	999.8	1001.1	999.5	999.6	998.2	999.0	997.7	998.4	1002.8	1002.4	1002.7	998.7	1000.0
09	1000.2	1001.5	999.9	999.9	998.5	999.3	998.0	998.7	1003.0	1002.8	1003.0	998.9	1000.3
10	1000.3	1001.7	1000.3	1000.4	999.0	999.6	998.2	999.1	1003.5	1003.1	1003.1	999.1	1000.6
11	1000.4	1001.8	1000.6	1000.8	999.5	1000.0	998.7	999.5	1003.8	1003.3	1003.2	999.1	1000.9
12	1000.5	1001.9	1000.8	1000.9	999.6	1000.3	998.8	999.5	1003.8	1003.3	1003.3	999.1	1001.0
13	1000.5	1001.9	1001.0	1000.9	999.5	1000.1	998.7	999.5	1003.7	1003.0	1003.1	999.2	1000.9
14	1000.4	1001.8	1000.9	1000.9	999.3	999.9	998.6	999.4	1003.5	1002.9	1003.0	999.1	1000.8
15	1000.2	1001.7	1000.9	1000.7	999.2	999.7	998.4	999.2	1003.4	1002.8	1002.7	998.9	1000.7
16	1000.0	1001.7	1001.0	1000.4	999.1	999.4	998.2	998.8	1003.3	1002.7	1002.8	999.0	1000.5
17	1000.1	1001.6	1000.8	1000.3	999.0	999.2	998.0	998.7	1003.2	1002.5	1002.8	999.2	1000.5
18	1000.0	1001.5	1000.7	1000.4	998.9	999.2	998.0	998.6	1003.2	1002.5	1002.8	999.0	1000.4
19	999.8	1001.6	1000.8	1000.5	998.9	999.3	998.2	998.7	1003.3	1002.7	1002.8	999.0	1000.5
20	999.8	1001.6	1001.0	1000.7	999.1	999.5	998.4	999.0	1003.5	1002.8	1002.9	999.1	1000.6
21	1000.0	1001.7	1001.2	1000.9	999.2	999.7	998.6	999.0	1003.8	1002.9	1003.0	999.4	1000.8
22	1000.3	1002.2	1001.3	1001.1	999.3	999.9	998.7	999.2	1003.9	1003.3	1003.4	999.7	1001.0
23	1000.5	1002.3	1001.3	1001.0	999.2	999.8	998.7	999.1	1004.0	1003.4	1003.6	999.8	1001.1
MEAN	999.9	1001.5	1000.4	1000.3	998.9	999.5	998.3	998.9	1003.3	1002.7	1002.8	999.0	1000.5

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUSHIRO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	-6.2	-5.1	-0.2	5.9	11.3	13.9	18.2	19.9	17.7	11.8	4.4	-2.3	7.5
01	-4.6	-3.6	0.7	6.6	11.9	14.7	19.0	20.7	18.6	12.9	5.6	-1.0	8.5
02	-3.4	-2.7	1.3	7.0	12.2	15.0	19.5	21.2	19.1	13.6	6.3	0.0	9.1
03	-2.6	-2.1	1.7	7.2	12.5	15.1	19.5	21.4	19.3	13.8	6.8	0.5	9.4
04	-2.2	-1.8	1.7	7.2	12.6	15.1	19.5	21.4	19.4	13.8	6.9	0.8	9.6
05	-2.1	-1.8	1.7	7.0	12.3	15.0	19.4	21.2	19.2	13.6	6.7	0.8	9.4
06	-2.4	-2.1	1.5	6.7	12.1	14.5	19.0	20.8	18.6	13.1	6.1	0.3	9.0
07	-3.3	-2.7	1.1	6.0	11.4	14.0	18.5	20.3	18.1	12.1	5.1	-0.6	8.3
08	-4.2	-3.6	0.5	5.3	10.6	13.2	17.9	19.7	17.2	10.9	4.4	-1.2	7.6
09	-4.8	-4.1	-0.3	4.4	9.7	12.6	17.2	19.0	16.4	10.2	4.0	-1.5	6.9
10	-5.3	-4.6	-0.8	3.8	8.9	12.0	16.6	18.5	16.0	9.7	3.6	-2.1	6.4
11	-5.9	-4.9	-1.1	3.4	8.5	11.6	16.2	18.1	15.6	9.2	3.2	-2.4	6.0
12	-6.5	-5.3	-1.3	3.2	8.1	11.3	16.1	17.8	15.2	8.8	3.0	-2.9	5.6
13	-7.0	-5.9	-1.7	3.0	7.8	11.1	15.8	17.7	15.0	8.5	2.6	-3.4	5.3
14	-7.4	-6.3	-1.9	2.9	7.5	11.0	15.6	17.5	14.8	8.2	2.5	-3.7	5.0
15	-7.8	-6.6	-2.2	2.5	7.3	10.8	15.5	17.3	14.5	7.9	2.3	-3.9	4.8
16	-8.0	-7.0	-2.7	2.2	6.8	10.6	15.2	17.2	14.5	7.8	2.3	-3.9	4.6
17	-8.1	-7.3	-3.0	2.0	6.5	10.4	15.1	17.2	14.3	7.5	2.1	-4.1	4.4
18	-8.2	-7.6	-3.2	1.8	6.4	10.3	14.9	17.0	14.2	7.3	1.9	-4.1	4.2
19	-8.3	-7.7	-3.4	1.6	6.2	10.2	14.8	16.9	14.0	7.2	1.7	-4.4	4.1
20	-8.6	-7.9	-3.5	1.5	6.6	10.5	15.0	16.9	13.9	7.0	1.5	-4.5	4.0
21	-8.6	-8.0	-3.6	2.3	7.5	11.2	15.5	17.4	14.3	7.0	1.4	-4.5	4.3
22	-8.6	-7.9	-2.8	3.6	8.9	12.0	16.3	18.1	15.3	8.4	1.7	-4.4	5.0
23	-7.8	-6.7	-1.5	5.0	10.2	13.0	17.3	18.9	16.5	10.2	3.0	-3.6	6.2
MEAN	-5.9	-5.1	-1.0	4.3	9.3	12.5	17.0	18.9	16.3	10.0	3.7	-2.3	6.5

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUSHIRO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	2.6	2.8	4.2	5.9	9.4	13.1	17.7	19.8	16.4	9.4	6.0	3.6	9.2
01	2.7	2.9	4.1	6.0	9.4	13.2	17.9	20.0	16.5	9.3	6.0	3.7	9.3
02	2.7	2.9	4.2	5.9	9.3	13.2	18.0	20.0	16.6	9.2	6.0	3.7	9.3
03	2.8	3.0	4.3	6.0	9.3	13.2	17.9	20.0	16.6	9.2	6.0	3.7	9.4
04	2.8	3.0	4.3	6.0	9.3	13.2	17.8	20.0	16.6	9.2	6.0	3.8	9.3
05	2.8	3.0	4.3	6.0	9.2	13.2	17.7	19.8	16.5	9.1	6.0	3.8	9.3
06	2.8	3.0	4.3	6.0	9.1	13.0	17.6	19.8	16.5	9.1	6.0	3.8	9.3
07	2.7	3.0	4.3	6.0	9.0	12.9	17.3	19.7	16.3	9.2	5.9	3.7	9.2
08	2.6	2.9	4.3	6.0	8.9	12.7	17.2	19.4	16.1	9.1	5.9	3.7	9.1
09	2.6	2.9	4.2	5.8	8.8	12.6	16.9	19.1	15.8	9.0	5.8	3.6	8.9
10	2.6	2.9	4.1	5.8	8.7	12.4	16.6	18.9	15.7	9.0	5.8	3.6	8.8
11	2.6	2.8	4.1	5.8	8.6	12.3	16.6	18.7	15.6	8.9	5.8	3.5	8.8
12	2.5	2.8	4.1	5.7	8.6	12.2	16.5	18.5	15.5	8.7	5.8	3.5	8.7
13	2.5	2.8	4.0	5.7	8.6	12.1	16.5	18.4	15.3	8.7	5.7	3.4	8.6
14	2.4	2.7	4.0	5.7	8.5	12.1	16.4	18.4	15.2	8.6	5.7	3.4	8.6
15	2.4	2.7	3.9	5.6	8.5	12.0	16.4	18.2	15.1	8.6	5.6	3.4	8.5
16	2.3	2.6	3.8	5.5	8.3	11.8	16.2	18.3	15.1	8.7	5.6	3.4	8.5
17	2.3	2.6	3.8	5.5	8.3	11.8	16.1	18.2	15.0	8.7	5.5	3.3	8.4
18	2.3	2.6	3.7	5.4	8.2	11.7	16.0	18.2	14.9	8.7	5.6	3.3	8.4
19	2.3	2.5	3.7	5.4	8.2	11.7	15.9	18.1	14.8	8.6	5.6	3.3	8.3
20	2.3	2.5	3.7	5.4	8.6	12.0	16.2	18.1	14.7	8.5	5.5	3.3	8.4
21	2.3	2.5	3.7	5.6	8.9	12.3	16.7	18.7	15.2	8.6	5.4	3.2	8.6
22	2.3	2.6	3.9	5.8	9.2	12.7	17.1	19.2	15.7	9.2	5.6	3.3	8.9
23	2.5	2.7	4.0	5.8	9.3	12.9	17.6	19.5	16.2	9.4	5.9	3.5	9.1
MEAN	2.5	2.8	4.0	5.8	8.8	12.5	16.9	19.0	15.7	8.9	5.8	3.5	8.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUSHIRO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	67	65	67	65	71	83	85	85	80	66	69	67	72
01	61	60	64	63	69	79	82	82	76	60	64	62	68
02	56	57	62	61	67	78	79	80	75	58	61	58	66
03	54	56	61	60	66	77	79	79	73	57	59	57	65
04	52	55	62	61	65	77	79	79	73	57	58	56	64
05	52	55	62	61	66	78	79	79	74	57	58	56	65
06	53	55	63	63	66	79	80	81	76	59	61	58	66
07	55	57	64	65	68	81	81	82	78	63	64	59	68
08	57	59	67	68	71	83	84	84	81	68	67	61	71
09	59	62	69	71	74	86	86	86	83	70	67	63	73
10	61	63	70	73	77	88	88	88	85	71	69	64	74
11	63	63	71	74	78	89	89	89	86	73	71	65	76
12	64	65	72	75	79	90	90	90	87	73	72	66	77
13	65	66	73	75	81	90	90	90	88	75	73	68	78
14	65	67	73	75	81	91	92	91	88	76	72	69	78
15	66	68	73	76	82	92	92	91	89	77	73	70	79
16	66	68	73	76	84	92	93	92	89	78	73	70	79
17	66	69	74	76	84	92	93	92	89	79	73	69	80
18	67	69	74	77	85	92	93	92	90	80	74	70	80
19	67	69	74	77	85	93	94	92	90	80	75	70	80
20	68	70	74	78	87	93	94	93	90	80	76	70	81
21	67	70	76	77	85	92	94	93	91	81	76	70	81
22	67	72	76	73	81	90	92	92	89	79	78	70	80
23	69	70	71	68	75	86	89	88	85	72	74	72	77
MEAN	62	64	69	70	76	86	87	87	84	70	69	65	74

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUSHIRO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	33	33	21 *	20	20 *	19	19	19	4	22	3	33	19
01	34	34	21 *	19	19	19	17	19	21	21 *	1 *	26	19
02	2	2	16	20	20	17	19	20	19	26	3	2	19
03	34 *	21 *	21	20 *	19	17	20	20	20	20	21	26 *	20
04	16	18 *	20 *	20	20	19	20	20	19	20 *	20	26	20
05	27	20	20	20	20	20	20	19 *	19	20	19 *	27	20
06	28	20	20 *	20	20	20	20	20	20	20 *	20	27 *	20
07	27 *	21 *	20	20	20	20	20	20	21	21	21	26	20
08	22 *	22	21	21	20 *	20	20	20	20	21	22	25	20
09	25	21	21	22	20	20	21	21	21	23 *	23	24	21
10	26	5	21	22	21	19	20	20 *	3	24	33	32 *	21
11	33	24 *	23 *	21	21	21	20	20 *	3	32	33	33	21
12	33	32	2	23 *	20	21	21	20	3	32	35	33	33
13	32	32	36	21	22	22	22 *	20	35)	32)	32)	31	32)
14	32	33 *	36	20	1	3	20	3 *	33	32)	33)	32	32)
15	33	32	34	33	20 *	20	3	3	34 *	32)	32	32	32)
16	33 *	32	32	33	2 *	3	5 *	2	32	32)	33 *	32	32)
17	32	32	33	34	2 *	3	4 *	2	33	32)	32	32	32)
18	32	33	32	32	32 *	3 *	3	33	32	32)	32	32	32)
19	32	33	32	33	20	4	4	3	32	32)	33	33	32)
20	32	33	32	32	20	3	3	1	32	32)	32	32	32)
21	32	32	33 *	34	4 *	4 *	4	3	32	32)	33	33	32)
22	32	32	23	21	3	3	4	3	2 *	33	32	32	33
23	33	33	36	21 *	3 *	4	20	3 *	4	3	34	32	33
ALL	32	33	21	20	20	20	20	20	3)	32)	33)	32	20)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUSHIRO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.4	6.6	6.9	8.1	7.4	5.9	5.1	5.4	5.2	7.1	6.5	6.4	6.4
01	6.4	7.3	7.9	9.4	8.7	6.8	6.2	6.1	6.2	8.6	7.1	6.8	7.3
02	7.2	8.4	9.3	10.3	10.1	7.9	7.0	6.8	7.0	9.6	8.2	8.0	8.3
03	7.9	9.2	10.0	11.0	10.8	8.5	8.2	7.7	7.9	10.2	8.8	8.3	9.1
04	9.0	10.2	10.6	11.4	11.1	8.7	8.6	8.1	8.6	10.7	9.2	8.9	9.6
05	9.2	10.0	10.3	11.2	10.7	8.9	8.5	8.2	8.6	10.3	9.2	8.7	9.5
06	8.7	9.8	10.2	10.8	10.4	8.6	8.2	8.1	8.2	9.8	8.7	7.8	9.1
07	7.3	9.0	9.6	9.9	9.7	7.9	7.5	7.6	7.2	8.3	7.1	7.1	8.2
08	6.6	7.7	8.7	8.9	8.3	7.0	6.5	6.7	5.9	7.0	6.6	6.7	7.2
09	5.9	6.6	7.3	7.3	7.0	5.9	5.6	5.7	5.0	6.6	6.5	6.5	6.3
10	6.2	6.7	7.0	6.6	6.0	5.1	4.9	5.4	4.7	5.9	6.0	6.3	5.9
11	6.1	6.6	6.4	6.2	5.3	4.7	4.4	4.8	4.8	6.0	6.0	6.5	5.7
12	6.4	6.4	6.5	6.0	5.3	4.6	4.1	4.5	4.9	6.1	6.1	6.7	5.6
13	6.2	6.5	6.3	5.8	5.1	4.1	4.0	4.3	4.9	6.2	6.1	6.5	5.5
14	6.2	6.5	6.3	5.7	5.0	4.0	3.9	4.4	5.0	6.2	6.4	6.4	5.5
15	6.3	6.5	6.0	5.5	5.2	3.8	3.8	4.4	4.7	6.3	6.7	6.3	5.5
16	6.4	6.4	6.3	5.5	5.2	3.8	3.6	4.2	4.9	6.2	6.7	6.4	5.5
17	6.4	6.5	6.3	5.8	4.9	3.9	3.5	4.3	5.0	6.2	6.3	6.2	5.5
18	6.2	6.4	5.9	5.5	4.9	4.1	3.6	4.1	4.8	6.1	6.3	6.5	5.4
19	6.5	6.6	5.9	5.7	4.7	4.0	3.7	4.4	5.0	6.1	6.3	6.3	5.4
20	6.5	6.4	5.8	5.5	4.4	4.0	3.8	4.2	5.3	5.8	6.0	6.5	5.3
21	6.5	6.2	5.6	5.4	4.8	4.0	3.9	4.1	4.8	5.9	6.2	6.6	5.3
22	6.4	6.3	5.7	5.9	5.3	4.4	4.0	4.3	4.9	5.8	5.9	6.6	5.5
23	6.5	6.4	6.2	6.7	6.4	5.2	4.3	4.9	4.7	6.0	6.1	6.5	5.8
MEAN	6.8	7.3	7.4	7.5	7.0	5.7	5.3	5.5	5.8	7.2	6.9	6.9	6.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUSHIRO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	-5.0	-0.5	-10.6	-5.9	-1.5	-11.3	-3.9	0.2	-9.2	2.0	6.1	-2.0
02	-5.0	-0.5	-10.6	-5.9	-1.5	-11.3	-3.7	0.4	-8.9	2.1	6.2	-1.9
03	-5.1	-0.6	-10.7	-5.9	-1.5	-11.3	-3.5	0.5	-8.6	2.3	6.4	-1.7
04	-5.2	-0.6	-10.8	-5.9	-1.5	-11.2	-3.2	0.7	-8.2	2.4	6.5	-1.6
05	-5.3	-0.7	-10.9	-5.8	-1.5	-11.1	-3.0	0.9	-7.8	2.5	6.6	-1.5
06	-5.4	-0.9	-11.1	-5.7	-1.5	-11.0	-2.8	1.1	-7.5	2.6	6.8	-1.3
07	-5.6	-1.0	-11.2	-5.6	-1.4	-10.9	-2.6	1.2	-7.2	2.7	6.9	-1.2
08	-5.8	-1.2	-11.4	-5.5	-1.4	-10.8	-2.4	1.4	-6.9	2.9	7.0	-1.1
09	-6.0	-1.3	-11.6	-5.4	-1.3	-10.7	-2.2	1.6	-6.6	3.0	7.2	-1.0
10	-6.2	-1.5	-11.8	-5.3	-1.2	-10.5	-2.0	1.8	-6.3	3.1	7.3	-0.9
11	-6.4	-1.7	-11.9	-5.2	-1.1	-10.4	-1.8	2.0	-6.1	3.2	7.5	-0.8
12	-6.5	-1.8	-12.1	-5.1	-1.0	-10.2	-1.6	2.2	-6.0	3.3	7.6	-0.7
13	-6.6	-2.0	-12.2	-5.0	-1.0	-10.1	-1.5	2.4	-5.8	3.4	7.8	-0.5
14	-6.7	-2.1	-12.2	-4.9	-0.9	-10.0	-1.3	2.6	-5.6	3.6	8.0	-0.4
15	-6.7	-2.1	-12.2	-4.8	-0.8	-9.9	-1.1	2.8	-5.5	3.7	8.2	-0.3
16	-6.7	-2.1	-12.1	-4.7	-0.8	-9.8	-1.0	2.9	-5.3	3.9	8.5	-0.1
17	-6.6	-2.1	-12.0	-4.7	-0.7	-9.7	-0.9	3.1	-5.2	4.2	8.8	0.1
18	-6.5	-2.0	-11.9	-4.7	-0.7	-9.7	-0.7	3.2	-5.0	4.4	9.2	0.3
19	-6.4	-1.9	-11.7	-4.6	-0.6	-9.7	-0.6	3.4	-4.9	4.7	9.6	0.5
20	-6.2	-1.8	-11.5	-4.6	-0.6	-9.8	-0.4	3.5	-4.7	5.0	10.0	0.7
21	-6.1	-1.7	-11.4	-4.6	-0.6	-9.8	-0.3	3.7	-4.5	5.4	10.4	1.0
22	-5.9	-1.6	-11.2	-4.6	-0.5	-9.9	-0.1	3.9	-4.4	5.7	10.8	1.2
23	-5.8	-1.5	-11.1	-4.6	-0.5	-9.9	0.0	4.0	-4.2	6.0	11.2	1.5
24	-5.7	-1.4	-11.1	-4.5	-0.4	-9.9	0.2	4.3	-4.0	6.3	11.6	1.7
25	-5.7	-1.4	-11.1	-4.5	-0.3	-9.9	0.5	4.5	-3.7	6.6	11.9	2.0
26	-5.7	-1.3	-11.1	-4.4	-0.2	-9.8	0.7	4.8	-3.5	6.8	12.1	2.2
27	-5.7	-1.3	-11.1	-4.2	-0.1	-9.7	0.9	5.0	-3.2	7.0	12.3	2.4
28	-5.7	-1.3	-11.2	-4.1	0.0	-9.5	1.2	5.3	-3.0	7.1	12.5	2.6
29	-5.8	-1.4	-11.2	-4.0	0.1	-9.3	1.4	5.5	-2.7	7.3	12.6	2.8
30	-5.8	-1.4	-11.3				1.6	5.7	-2.5	7.4	12.7	3.0
31	-5.9	-1.5	-11.3				1.8	5.9	-2.3			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUSHIRO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	7.5	12.7	3.1	11.2	16.1	7.2	14.5	18.7	11.4	19.1	23.3	16.2
02	7.7	12.8	3.3	11.3	16.1	7.4	14.8	19.0	11.7	19.2	23.3	16.2
03	7.8	12.9	3.4	11.4	16.2	7.5	15.1	19.3	11.9	19.2	23.3	16.2
04	7.9	13.0	3.6	11.5	16.2	7.7	15.3	19.6	12.1	19.2	23.3	16.3
05	8.0	13.1	3.7	11.6	16.2	7.9	15.5	19.8	12.3	19.2	23.2	16.3
06	8.1	13.2	3.8	11.7	16.2	8.1	15.8	20.1	12.5	19.2	23.1	16.3
07	8.2	13.3	3.9	11.9	16.2	8.3	16.0	20.4	12.7	19.1	22.9	16.3
08	8.3	13.4	4.0	12.0	16.3	8.6	16.1	20.6	12.8	19.1	22.8	16.4
09	8.4	13.6	4.1	12.1	16.3	8.8	16.3	20.8	13.0	19.0	22.7	16.4
10	8.5	13.7	4.1	12.2	16.3	9.0	16.5	21.0	13.1	19.0	22.6	16.4
11	8.6	13.8	4.2	12.3	16.3	9.2	16.6	21.1	13.2	19.0	22.5	16.4
12	8.7	13.9	4.3	12.4	16.3	9.4	16.7	21.2	13.4	18.9	22.4	16.4
13	8.8	14.0	4.4	12.5	16.3	9.6	16.7	21.2	13.5	18.9	22.3	16.5
14	8.9	14.2	4.4	12.5	16.3	9.8	16.8	21.3	13.6	18.9	22.3	16.5
15	9.0	14.3	4.5	12.6	16.3	9.9	16.8	21.3	13.7	18.9	22.3	16.5
16	9.1	14.5	4.6	12.6	16.3	10.0	16.9	21.2	13.8	18.9	22.4	16.4
17	9.2	14.7	4.7	12.7	16.3	10.0	16.9	21.2	13.9	18.9	22.4	16.4
18	9.4	14.9	4.8	12.7	16.4	10.1	16.9	21.2	14.0	18.9	22.5	16.3
19	9.5	15.1	5.0	12.7	16.4	10.1	17.0	21.2	14.1	18.9	22.6	16.2
20	9.7	15.3	5.1	12.7	16.5	10.1	17.1	21.2	14.3	18.9	22.6	16.0
21	9.9	15.4	5.3	12.8	16.6	10.1	17.2	21.3	14.4	18.8	22.7	15.9
22	10.0	15.6	5.4	12.9	16.7	10.0	17.3	21.4	14.6	18.7	22.7	15.7
23	10.2	15.7	5.6	12.9	16.8	10.1	17.5	21.5	14.8	18.7	22.7	15.5
24	10.3	15.8	5.8	13.1	17.0	10.1	17.7	21.7	15.0	18.6	22.6	15.4
25	10.5	15.9	6.0	13.2	17.2	10.2	17.9	21.9	15.2	18.5	22.6	15.2
26	10.6	16.0	6.2	13.4	17.4	10.3	18.1	22.2	15.4	18.4	22.5	15.1
27	10.7	16.0	6.4	13.6	17.6	10.5	18.3	22.4	15.6	18.3	22.4	15.0
28	10.8	16.1	6.5	13.8	17.9	10.7	18.5	22.6	15.7	18.2	22.3	14.9
29	10.9	16.1	6.7	14.1	18.2	10.9	18.7	22.9	15.9	18.2	22.1	14.8
30	11.0	16.1	6.9	14.3	18.4	11.2	18.9	23.0	16.0	18.1	22.0	14.8
31	11.1	16.1	7.0				19.0	23.2	16.1	18.1	21.9	14.8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUSHIRO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 2.5'N, LONGITUDE: 144° 11.6'E, ELEVATION ABOVE MSL: 311 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	18.0	21.8	14.8	13.6	18.0	9.0	7.1	11.5	2.0	0.4	4.7	-4.4
02	18.0	21.8	14.8	13.3	17.8	8.8	6.9	11.3	1.9	0.2	4.5	-4.5
03	17.9	21.7	14.8	13.1	17.6	8.4	6.7	11.1	1.8	0.1	4.3	-4.7
04	17.9	21.6	14.8	12.9	17.4	8.1	6.5	10.9	1.8	-0.1	4.1	-4.9
05	17.8	21.5	14.8	12.6	17.2	7.7	6.3	10.6	1.7	-0.3	3.9	-5.1
06	17.7	21.4	14.7	12.3	17.0	7.4	6.0	10.4	1.5	-0.5	3.7	-5.2
07	17.6	21.4	14.6	12.1	16.8	7.0	5.8	10.1	1.4	-0.7	3.5	-5.4
08	17.5	21.3	14.5	11.8	16.6	6.7	5.6	9.9	1.2	-0.9	3.2	-5.6
09	17.4	21.2	14.4	11.6	16.4	6.3	5.3	9.6	1.0	-1.1	3.0	-5.8
10	17.3	21.2	14.2	11.3	16.2	6.0	5.1	9.4	0.8	-1.3	2.7	-6.0
11	17.2	21.1	14.0	11.1	16.0	5.7	4.9	9.2	0.6	-1.4	2.5	-6.1
12	17.1	21.0	13.7	10.8	15.8	5.4	4.6	8.9	0.4	-1.5	2.4	-6.2
13	16.9	21.0	13.5	10.6	15.6	5.1	4.4	8.7	0.1	-1.7	2.2	-6.3
14	16.8	20.9	13.2	10.4	15.4	4.8	4.1	8.5	-0.1	-1.8	2.0	-6.5
15	16.6	20.8	12.9	10.1	15.2	4.5	3.9	8.2	-0.4	-2.0	1.9	-6.6
16	16.4	20.7	12.6	9.9	15.0	4.2	3.6	8.0	-0.7	-2.1	1.7	-6.8
17	16.2	20.6	12.2	9.7	14.7	4.0	3.4	7.7	-1.0	-2.3	1.5	-7.0
18	16.0	20.5	11.9	9.5	14.5	3.7	3.1	7.4	-1.4	-2.5	1.4	-7.3
19	15.8	20.4	11.7	9.3	14.2	3.4	2.8	7.1	-1.7	-2.7	1.2	-7.6
20	15.6	20.2	11.4	9.1	14.0	3.2	2.5	6.8	-2.1	-3.0	1.0	-7.9
21	15.4	20.0	11.1	8.9	13.7	3.0	2.2	6.5	-2.4	-3.2	0.8	-8.2
22	15.2	19.8	10.9	8.7	13.5	2.7	1.9	6.2	-2.7	-3.5	0.6	-8.6
23	15.0	19.6	10.7	8.5	13.3	2.6	1.7	6.0	-3.0	-3.8	0.3	-8.9
24	14.8	19.4	10.5	8.3	13.0	2.4	1.5	5.7	-3.3	-4.0	0.2	-9.3
25	14.7	19.2	10.3	8.2	12.8	2.3	1.3	5.5	-3.5	-4.2	0.0	-9.6
26	14.5	19.0	10.1	8.0	12.6	2.2	1.1	5.3	-3.7	-4.4	-0.1	-9.8
27	14.3	18.8	10.0	7.9	12.4	2.2	0.9	5.1	-3.9	-4.6	-0.2	-10.0
28	14.2	18.6	9.8	7.7	12.2	2.1	0.8	5.0	-4.0	-4.7	-0.3	-10.2
29	14.0	18.4	9.6	7.6	12.1	2.1	0.7	4.9	-4.1	-4.8	-0.4	-10.3
30	13.8	18.2	9.3	7.4	11.9	2.0	0.5	4.8	-4.3	-4.8	-0.4	-10.4
31				7.2	11.7	2.0				-4.9	-0.5	-10.5