

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TSUSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	1
01						1	1	3
02						1	1	1
03						1	1	2
04						-	1	4
05						-	2	3
06						1	1	3
07						1	1	3
08						1	2	3
09						-	2	3
10						1	1	2
11						1	1	3
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						-	-	1
MEAN						0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TSUSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	2	7
01						-	3	6
02						1	4	7
03						1	5	6
04						1	3	6
05						1	4	6
06						1	4	5
07						1	2	3
08						1	1	1
09						-	2	4
10						1	2	6
11						2	4	7
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						-	2	4
MEAN						1	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TSUSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	3	8
01						1	3	8
02						1	3	8
03						2	4	7
04						2	3	5
05						2	4	6
06						3	4	6
07						3	5	8
08						4	6	8
09						3	5	8
10						3	6	10
11						3	6	9
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						2	5	12
MEAN						2	4	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TSUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						4	12	16
01						4	10	14
02						3	9	15
03						2	9	15
04						3	9	12
05						3	7	13
06						2	9	12
07						3	7	11
08						3	6	13
09						2	7	11
10						3	9	13
11						4	11	14
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						5	12	16
MEAN						3	9	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TSUSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						4	10	16
01						4	8	12
02						4	7	10
03						4	6	11
04						3	6	10
05						3	6	10
06						4	8	10
07						3	6	10
08						2	6	9
09						3	7	8
10						4	8	12
11						5	9	12
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						5	14	17
MEAN						4	8	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TSUSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						13	27	43
01						10	18	33
02						5	15	34
03						7	16	28
04						8	13	25
05						5	13	27
06						8	15	25
07						7	19	25
08						9	17	25
09						9	17	27
10						9	20	33
11						9	24	36
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						11	25	39
MEAN						9	18	31

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TSUSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						7	12	16
01						8	14	17
02						7	12	17
03						8	14	17
04						6	10	15
05						5	12	17
06						4	10	14
07						5	8	14
08						6	10	17
09						9	11	17
10						8	12	17
11						6	14	19
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						8	14	17
MEAN						7	12	17

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TSUSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	4	9
01						1	4	9
02						1	3	5
03						1	3	5
04						1	3	6
05						1	4	6
06						1	3	6
07						1	4	6
08						1	5	6
09						2	6	8
10						1	6	10
11						3	6	8
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						1	5	9
MEAN						1	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TSUSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						3	8	10
01						2	6	11
02						3	5	11
03						1	3	9
04						1	4	9
05						1	4	7
06						2	5	9
07						1	2	6
08						1	5	9
09						1	5	9
10						2	5	7
11						1	5	7
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						3	11	11
MEAN						2	5	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TSUSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	1	6
01						-	3	6
02						1	3	7
03						1	2	8
04						1	3	6
05						1	3	5
06						1	3	6
07						-	1	6
08						-	3	6
09						1	1	7
10						1	3	6
11						1	3	6
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						1	3	6
MEAN						1	2	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TSUSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	2	3
01						-	2	3
02						-	2	3
03						1	2	2
04						1	3	4
05						2	3	3
06						1	3	4
07						1	3	6
08						1	3	5
09						2	3	5
10						1	1	4
11						-	1	3
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						-	2	3
MEAN						1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TSUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	2	3
01						-	2	3
02						-	1	3
03						-	1	1
04						-	1	3
05						1	2	4
06						-	2	3
07						-	2	3
08						1	2	3
09						1	2	4
10						1	2	3
11						-	2	2
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						-	2	4
MEAN						0	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TSUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						3	7	11
01						3	6	10
02						2	5	10
03						2	5	9
04						2	5	9
05						2	5	9
06						2	5	9
07						2	5	8
08						3	5	9
09						3	6	9
10						3	6	10
11						3	7	11
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						3	8	12
MEAN						3	6	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TSUSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	1	1	1
01	-	1	1	1	1	1	1	3
02	-	-	-	-	-	1	1	1
03	-	-	-	-	-	1	1	1
04	-	-	-	-	-	1	1	3
05	-	-	-	-	-	-	1	2
06	-	-	-	-	-	-	1	2
07	-	-	-	-	-	-	1	1
08	-	-	-	-	-	-	1	1
09	-	-	-	-	-	-	1	1
10	-	-	-	-	-	-	1	1
11	-	-	-	-	-	-	1	2
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	-	-	-	-	1
MEAN	-	0	0	0	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TSUSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	1	2
01	-	-	-	-	-	-	1	2
02	-	-	-	-	-	1	1	4
03	-	-	-	1	1	1	2	3
04	-	-	-	-	-	1	1	2
05	-	-	-	-	-	1	2	3
06	-	-	1	1	1	1	2	3
07	-	-	-	-	-	1	1	2
08	-	-	-	-	-	1	1	1
09	-	-	-	-	-	-	1	3
10	-	-	-	-	-	-	1	4
11	-	-	-	-	-	1	3	6
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	-	-	-	1	1
MEAN	-	-	0	0	0	1	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TSUSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	2	3
01	-	-	-	1	1	1	1	4
02	-	-	-	-	-	1	1	2
03	-	-	-	-	-	1	1	2
04	-	-	-	-	-	1	1	3
05	-	-	-	1	1	3	3	3
06	-	-	-	-	-	1	3	5
07	-	1	1	1	1	2	4	6
08	-	1	1	2	3	3	4	5
09	-	1	1	1	2	3	4	5
10	-	1	1	1	1	3	4	5
11	-	1	1	1	1	2	3	6
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	1	1	1	1	1	3	5
MEAN	0	0	0	1	1	2	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TSUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	2	5	8
01	-	-	-	1	1	1	5	7
02	-	-	-	-	-	-	5	9
03	-	1	1	1	1	1	2	5
04	-	1	1	1	1	1	3	6
05	1	1	1	1	1	1	3	5
06	-	1	1	1	1	2	3	4
07	-	1	1	1	2	2	3	3
08	-	1	1	2	2	3	3	6
09	-	1	1	1	1	2	3	5
10	-	-	-	1	1	2	4	5
11	-	-	-	1	1	2	5	8
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	-	-	2	5	8
MEAN	0	0	0	1	1	2	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TSUSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	1	1	1	3	5	10
01	-	-	1	1	1	3	5	6
02	-	-	-	1	1	3	5	6
03	-	-	-	1	1	1	3	7
04	-	1	1	1	1	1	3	5
05	1	1	1	1	1	1	3	6
06	1	1	1	1	1	1	4	6
07	1	1	1	1	1	2	3	6
08	1	1	1	1	1	2	2	4
09	1	1	1	1	1	2	2	4
10	1	1	1	2	2	2	3	6
11	1	1	1	1	1	3	6	8
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	1	1	1	3	9	10
MEAN	0	1	1	1	1	2	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TSUSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1200	<1500	<1600	<2400	<3200	<5000
00	1	1	1	2	2	3	7	15
01	1	2	2	2	2	4	6	10
02	1	1	1	1	1	3	6	9
03	-	1	1	1	1	1	5	9
04	1	1	1	2	2	3	6	9
05	1	1	1	2	2	3	5	6
06	-	1	1	1	1	1	3	7
07	-	1	1	1	1	1	4	7
08	1	1	1	1	1	1	3	10
09	1	1	1	2	2	3	5	7
10	-	1	1	1	2	3	7	10
11	-	1	1	1	1	3	5	10
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	2	2	2	2	4	9	15
MEAN	0	1	1	1	2	3	5	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TSUSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1200	<1500	<1600	<2400	<3200	<5000
00	1	3	3	3	3	5	6	10
01	1	3	3	3	3	3	6	9
02	1	2	2	3	3	3	3	7
03	-	2	2	3	3	4	7	8
04	-	-	-	-	-	1	2	5
05	-	-	-	-	-	1	2	5
06	-	1	1	1	1	2	2	5
07	-	1	1	1	1	1	4	5
08	1	2	2	2	2	2	4	6
09	1	2	3	3	3	3	5	8
10	1	1	2	3	3	3	4	9
11	1	1	1	1	2	4	9	11
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	3	3	3	3	5	7	8
MEAN	1	2	2	2	2	3	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TSUSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	1	1	1	2	4
01	-	-	-	-	-	-	1	1
02	-	-	-	-	-	1	1	1
03	-	-	-	-	-	-	2	3
04	-	-	-	-	-	-	1	1
05	-	-	-	-	-	1	2	3
06	-	-	-	-	-	-	1	3
07	-	-	-	-	-	-	-	-
08	-	-	-	-	-	-	1	1
09	-	-	-	-	-	1	1	2
10	-	-	-	-	-	1	1	1
11	-	-	-	-	-	-	1	2
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	-	-	1	2	5
MEAN	-	-	-	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TSUSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	2	3	3
01	-	-	1	1	1	1	1	3
02	-	-	-	-	-	-	2	3
03	-	-	-	-	-	-	1	2
04	-	-	-	1	1	1	1	3
05	-	-	-	-	-	1	2	3
06	-	-	-	-	-	1	2	2
07	-	-	-	-	-	-	1	2
08	-	-	-	-	-	1	1	1
09	-	-	1	1	1	1	2	2
10	-	-	-	-	-	2	2	3
11	-	-	-	-	-	1	2	4
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	1	1	1	1	2	3	5
MEAN	-	0	0	0	0	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TSUSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	1	1
01	-	-	-	-	-	-	1	2
02	-	-	-	-	-	-	1	3
03	-	-	-	-	-	-	1	3
04	-	-	-	-	-	-	1	3
05	-	-	-	-	-	-	1	2
06	-	-	-	-	-	-	2	2
07	-	-	-	-	-	-	-	2
08	-	-	-	-	-	1	1	2
09	-	-	-	-	-	1	1	3
10	-	-	-	-	-	-	1	3
11	-	-	-	-	-	1	1	5
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	1	1	1	1	2	3
MEAN	-	-	0	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TSUSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	-
01	-	-	-	-	-	1	1	1
02	-	-	-	-	-	-	-	-
03	-	-	-	-	-	-	-	1
04	-	-	-	-	-	-	1	2
05	-	-	-	-	-	1	1	2
06	-	-	-	-	-	1	1	1
07	-	-	-	-	-	1	1	2
08	-	-	-	-	-	-	1	2
09	-	-	-	-	-	-	1	2
10	-	-	-	-	-	-	-	1
11	-	-	-	-	-	-	-	1
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	-	-	-	1	2
MEAN	-	-	-	-	-	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TSUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	1	1	1
01	-	-	-	-	-	-	1	2
02	-	-	-	-	-	-	-	1
03	-	-	-	-	-	-	1	1
04	-	-	-	-	-	-	-	1
05	-	-	-	-	-	-	-	3
06	-	-	-	-	-	1	1	2
07	-	-	-	-	-	-	1	1
08	-	-	-	-	-	-	1	1
09	-	-	-	-	-	-	-	1
10	-	-	-	-	-	-	1	1
11	-	-	-	-	-	-	-	1
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	-	-	1	1	2
MEAN	-	-	-	-	-	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TSUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1200	<1500	<1600	<2400	<3200	<5000
00	0	0	0	1	1	1	3	5
01	0	0	1	1	1	1	2	4
02	0	0	0	0	0	1	2	4
03	-	0	0	0	0	1	2	4
04	0	0	0	0	0	1	2	3
05	0	0	0	0	0	1	2	4
06	0	0	0	0	0	1	2	3
07	0	0	0	0	0	1	2	3
08	0	0	0	1	1	1	2	4
09	0	0	1	1	1	1	2	4
10	0	0	0	1	1	1	2	4
11	0	0	0	0	1	1	3	5
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	0	0	1	1	1	2	4	5
MEAN	0	0	0	1	1	1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TSUSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<900	<1000	<1500
00	-	-	-	-	-	-	-
01	-	-	-	1	1	1	1
02	-	-	1	1	1	1	1
03	-	-	-	1	1	1	2
04	-	-	-	-	1	1	2
05	-	-	-	-	1	1	3
06	-	-	1	1	1	1	3
07	-	-	1	1	1	1	3
08	-	-	-	1	2	2	3
09	-	-	-	-	1	2	3
10	-	-	-	1	1	1	2
11	-	-	-	1	1	1	2
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	-	-	-	1
MEAN	-	-	0	0	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TSUSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<900	<1000	<1500
00	-	-	-	1	1	1	5
01	-	-	-	-	2	2	4
02	-	-	1	1	3	4	6
03	-	-	1	1	4	4	6
04	-	-	1	1	2	3	6
05	-	-	1	1	3	4	6
06	-	-	1	1	4	4	5
07	-	-	1	1	2	2	3
08	-	-	1	1	1	1	1
09	-	-	-	-	2	2	2
10	-	-	-	1	2	2	5
11	-	-	-	2	3	3	6
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	-	1	1	3
MEAN	-	-	0	1	2	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TSUSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<900	<1000	<1500
00	-	-	1	1	3	3	6
01	-	-	1	1	3	3	6
02	-	-	1	1	2	2	7
03	-	-	1	2	3	4	6
04	-	-	1	2	3	3	5
05	-	1	2	2	3	3	5
06	-	-	1	3	3	3	5
07	-	-	1	2	3	4	6
08	-	1	3	3	5	5	7
09	-	-	2	2	3	3	6
10	-	-	1	3	4	5	8
11	-	-	1	2	4	5	6
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	1	1	2	3	9
MEAN	-	0	1	2	3	3	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TSUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<900	<1000	<1500
00	-	-	3	4	11	11	14
01	-	-	3	4	7	8	11
02	-	-	2	3	7	7	13
03	-	-	1	1	7	9	14
04	-	-	1	3	5	8	11
05	-	-	1	2	5	6	11
06	-	-	1	2	5	8	11
07	-	-	1	2	5	6	11
08	-	-	1	1	5	6	11
09	-	-	-	1	5	6	10
10	-	-	1	2	6	8	12
11	-	-	2	3	6	9	11
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	3	5	10	10	13
MEAN	-	-	1	3	6	8	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TSUSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<900	<1000	<1500
00	-	-	3	3	6	8	12
01	-	-	1	3	4	5	9
02	-	-	3	4	5	5	8
03	-	1	4	4	5	5	7
04	-	-	2	2	5	5	8
05	-	-	1	3	5	5	7
06	-	-	1	4	6	6	8
07	-	-	-	3	6	6	9
08	-	-	-	2	6	6	8
09	-	1	1	3	6	7	8
10	-	1	1	4	6	7	10
11	-	1	3	5	6	7	10
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	1	5	5	8	10	12
MEAN	-	0	2	3	6	6	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TSUSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<900	<1000	<1500
00	-	1	7	11	20	23	39
01	-	1	4	9	13	15	30
02	-	1	3	5	10	12	31
03	-	1	5	7	13	15	27
04	-	1	4	7	11	12	24
05	-	-	3	4	9	10	25
06	-	1	3	7	12	14	25
07	-	1	6	7	17	19	25
08	-	1	5	9	15	17	24
09	-	1	5	7	15	17	27
10	-	1	5	9	16	18	31
11	-	3	7	9	20	23	35
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	3	8	11	18	23	36
MEAN	-	1	5	8	15	17	29

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TSUSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<900	<1000	<1500
00	-	2	4	6	10	10	14
01	-	2	5	6	11	11	15
02	-	-	4	5	10	10	14
03	-	1	6	7	10	12	15
04	-	1	3	6	8	10	15
05	-	1	4	5	9	12	17
06	-	1	3	4	6	9	14
07	-	1	3	5	7	7	12
08	-	1	4	5	8	8	14
09	-	1	6	7	9	9	15
10	-	2	5	6	9	10	15
11	-	2	6	6	8	11	17
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	2	4	6	11	12	15
MEAN	-	1	4	6	9	10	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TSUSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<900	<1000	<1500
00	-	-	1	1	3	3	8
01	-	-	1	1	2	3	8
02	-	-	-	1	1	3	5
03	-	-	1	1	2	3	4
04	-	-	-	1	1	2	5
05	-	-	1	1	2	2	4
06	-	-	-	1	2	3	5
07	-	-	1	1	3	4	6
08	-	-	1	1	2	4	6
09	-	-	1	2	3	5	8
10	-	-	1	1	4	6	10
11	-	-	1	3	4	6	8
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	1	3	3	8
MEAN	-	-	0	1	2	3	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TSUSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<900	<1000	<1500
00	-	-	1	3	6	6	9
01	-	-	-	1	4	5	10
02	-	-	1	3	4	5	11
03	-	-	-	1	3	3	9
04	-	-	1	1	3	3	9
05	-	-	1	1	3	3	7
06	-	-	-	2	4	4	9
07	-	-	1	1	2	2	5
08	-	-	1	1	4	4	9
09	-	-	-	1	3	3	7
10	-	-	2	2	4	4	7
11	-	-	1	1	5	5	7
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	1	1	3	9	9	10
MEAN	-	0	1	2	4	4	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TSUSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<900	<1000	<1500
00	-	-	1	1	1	1	5
01	-	-	-	-	2	2	5
02	-	-	1	1	2	2	6
03	-	-	1	1	1	1	6
04	-	-	1	1	2	3	6
05	-	-	1	1	2	2	5
06	-	1	1	1	3	3	6
07	-	-	-	-	1	1	5
08	-	-	-	-	2	2	5
09	-	-	1	1	1	1	6
10	-	-	1	1	2	3	4
11	-	-	1	1	1	2	5
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	1	1	2	5
MEAN	-	0	0	1	2	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TSUSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<900	<1000	<1500
00	-	-	-	-	2	2	3
01	-	-	-	-	1	1	3
02	-	-	-	-	2	2	3
03	-	-	-	1	2	2	2
04	-	-	-	1	2	3	3
05	-	-	1	2	2	3	3
06	-	-	-	1	3	3	4
07	-	-	-	1	3	3	5
08	-	-	-	1	3	3	5
09	-	-	1	2	2	3	5
10	-	-	-	1	1	1	3
11	-	-	-	-	1	1	3
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	-	1	1	2
MEAN	-	-	0	1	2	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TSUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<900	<1000	<1500
00	-	-	-	-	1	1	2
01	-	-	-	-	1	1	1
02	-	-	-	-	1	1	2
03	-	-	-	-	1	1	1
04	-	-	-	-	-	1	2
05	-	-	-	1	2	2	3
06	-	-	-	-	1	2	3
07	-	-	-	-	1	1	2
08	-	-	-	1	2	2	3
09	-	-	1	1	2	2	3
10	-	-	-	1	1	2	3
11	-	-	-	-	2	2	2
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	-	1	1	2
MEAN	-	-	0	0	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TSUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<900	<1000	<1500
00	-	0	2	3	5	6	10
01	-	0	1	2	4	5	9
02	-	0	1	2	4	4	9
03	-	0	2	2	4	5	8
04	-	0	1	2	3	4	8
05	-	0	1	2	4	4	8
06	-	0	1	2	4	5	8
07	-	0	1	2	4	5	8
08	-	0	1	2	5	5	8
09	-	0	1	2	4	5	8
10	-	0	1	3	5	6	9
11	-	0	2	3	5	6	9
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	1	2	3	5	6	10
MEAN	-	0	1	2	4	5	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TSUSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	5	1	0	-	-	-	-	-	-	-	-	7
[35-36-01]	6	4	0	-	-	-	-	-	-	-	-	11
[02-03-04]	4	5	2	0	-	-	-	-	-	-	-	11
[05-06-07]	2	1	0	-	-	-	-	-	-	-	-	3
[08-09-10]	1	1	0	-	-	-	-	-	-	-	-	2
[11-12-13]	0	1	0	-	-	-	-	-	-	-	-	1
[14-15-16]	0	1	0	-	-	-	-	-	-	-	-	1
[17-18-19]	0	1	0	0	-	-	-	-	-	-	-	1
[20-21-22]	2	0	0	0	-	-	-	-	-	-	-	2
[23-24-25]	3	1	0	0	-	-	-	-	-	-	-	4
[26-27-28]	4	6	3	1	0	-	-	-	-	-	-	14
[29-30-31]	5	7	6	2	1	0	-	-	-	-	-	20
[32-33-34]	5	11	6	1	0	-	-	-	-	-	-	23
TOTAL	37	40	18	5	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TSUSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	7)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[35-36-01]	6)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[02-03-04]	3)	5)	4)	1)	0)	0)	0)	0)	0)	0)	0)	14)
[05-06-07]	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[08-09-10]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	4)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[29-30-31]	4)	5)	5)	1)	0)	0)	0)	0)	0)	0)	0)	15)
[32-33-34]	6)	8)	5)	0)	0)	0)	0)	0)	0)	0)	0)	19)
TOTAL	40)	35)	20)	4)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TSUSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	8	2	0	-	-	-	-	-	-	-	-	10
[35-36-01]	4	2	0	-	-	-	-	-	-	-	-	5
[02-03-04]	3	9	4	0	-	-	-	-	-	-	-	17
[05-06-07]	2	3	0	-	-	-	-	-	-	-	-	6
[08-09-10]	1	1	-	-	-	-	-	-	-	-	-	2
[11-12-13]	1	1	0	0	-	-	-	-	-	-	-	2
[14-15-16]	1	2	0	0	-	-	-	-	-	-	-	4
[17-18-19]	2	2	2	1	1	0	-	-	-	-	-	7
[20-21-22]	3	1	0	0	-	-	-	-	-	-	-	4
[23-24-25]	3	4	2	1	0	0	-	-	-	-	-	10
[26-27-28]	4	4	1	1	0	-	-	-	-	-	-	10
[29-30-31]	4	5	3	1	0	-	-	-	-	-	-	12
[32-33-34]	4	5	2	0	-	-	-	-	-	-	-	11
TOTAL	39	41	15	4	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TSUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	9)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[35-36-01]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[02-03-04]	4)	9)	6)	1)	0)	0)	0)	0)	0)	0)	0)	19)
[05-06-07]	2)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[08-09-10]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[17-18-19]	2)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[20-21-22]	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	2)	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[26-27-28]	3)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[29-30-31]	3)	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[32-33-34]	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
TOTAL	38)	38)	19)	4)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TSUSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	14)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[35-36-01]	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	5)	6)	4)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[05-06-07]	3)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[08-09-10]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	5)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[17-18-19]	3)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[20-21-22]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[23-24-25]	1)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[26-27-28]	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[29-30-31]	5)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[32-33-34]	6)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
TOTAL	52)	34)	10)	3)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TSUSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	16)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	18)
[35-36-01]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	7)	15)	6)	0)	0)	0)	0)	0)	0)	0)	0)	28)
[05-06-07]	5)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[08-09-10]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[11-12-13]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	4)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[17-18-19]	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[20-21-22]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[23-24-25]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[26-27-28]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[29-30-31]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
TOTAL	52)	37)	10)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TSUSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	12)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[35-36-01]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	4)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[05-06-07]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[08-09-10]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	5)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[17-18-19]	4)	6)	4)	1)	0)	0)	0)	0)	0)	0)	0)	15)
[20-21-22]	4)	4)	1)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[23-24-25]	5)	9)	2)	0)	0)	0)	0)	0)	0)	0)	0)	17)
[26-27-28]	3)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[29-30-31]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[32-33-34]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
TOTAL	48)	39)	10)	2)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TSUSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	12	1	0	0	-	-	-	-	-	-	-	14
[35-36-01]	2	0	0	0	-	-	-	-	-	-	-	2
[02-03-04]	4	10	5	1	0	0	-	-	-	-	-	20
[05-06-07]	4	5	1	0	-	-	-	-	-	-	-	10
[08-09-10]	1	1	1	0	-	-	-	-	-	-	-	4
[11-12-13]	1	1	0	0	0	-	-	-	-	-	-	2
[14-15-16]	3	3	0	0	0	0	-	-	-	-	-	7
[17-18-19]	3	4	2	0	0	0	-	-	-	-	-	10
[20-21-22]	3	2	0	-	-	-	-	-	-	-	-	5
[23-24-25]	4	4	1	0	0	-	-	-	-	-	-	9
[26-27-28]	4	2	0	0	-	-	-	-	-	-	-	6
[29-30-31]	4	2	0	0	-	-	-	-	-	-	-	7
[32-33-34]	3	1	0	0	0	-	-	-	-	-	-	5
TOTAL	47	37	12	2	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TSUSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	9)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[35-36-01]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	7)	18)	9)	2)	0)	0)	0)	0)	0)	0)	0)	37)
[05-06-07]	6)	8)	1)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[08-09-10]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[29-30-31]	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[32-33-34]	6)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
TOTAL	46)	39)	12)	2)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TSUSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	7	2	0	-	-	-	-	-	-	-	-	9
[35-36-01]	4	2	0	-	-	-	-	-	-	-	-	6
[02-03-04]	6	12	9	3	0	0	0	-	-	-	-	29
[05-06-07]	5	7	1	0	-	-	-	-	-	-	-	13
[08-09-10]	1	2	0	-	0	0	-	-	-	-	-	3
[11-12-13]	0	1	0	-	0	-	-	0	-	-	-	1
[14-15-16]	0	1	0	-	-	0	-	-	-	0	-	1
[17-18-19]	1	1	1	0	-	-	-	0	-	-	-	2
[20-21-22]	1	0	0	0	0	-	-	-	-	-	-	2
[23-24-25]	1	1	0	0	0	-	-	-	-	-	-	2
[26-27-28]	3	2	1	0	-	-	-	-	-	-	-	6
[29-30-31]	7	4	1	0	-	0	-	-	0	-	-	12
[32-33-34]	7	4	1	0	-	-	-	-	-	-	-	12
TOTAL	43	38	14	4	0	0	0	0	0	0	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TSUSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[35-36-01]	5)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[02-03-04]	3)	5)	2)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[05-06-07]	3)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[08-09-10]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	5)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	13)
[29-30-31]	7)	7)	4)	2)	0)	0)	0)	0)	0)	0)	0)	20)
[32-33-34]	8)	8)	2)	0)	0)	0)	0)	0)	0)	0)	0)	18)
TOTAL	45)	36)	14)	4)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TSUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	6	1	0	0	-	-	-	-	-	-	-	7
[35-36-01]	5	3	0	-	-	-	-	-	-	-	-	8
[02-03-04]	3	3	1	0	-	-	-	-	-	-	-	7
[05-06-07]	2	2	0	-	-	-	-	-	-	-	-	3
[08-09-10]	1	1	0	-	-	-	-	-	-	-	-	2
[11-12-13]	0	0	0	-	-	-	-	-	-	-	-	1
[14-15-16]	0	1	0	0	-	-	-	-	-	-	-	1
[17-18-19]	1	1	0	0	0	0	-	-	-	-	-	3
[20-21-22]	1	0	0	0	-	-	-	-	-	-	-	1
[23-24-25]	2	1	0	-	-	-	-	-	-	-	-	3
[26-27-28]	5	6	4	2	0	-	-	-	-	-	-	16
[29-30-31]	5	8	8	4	0	-	-	-	-	-	-	25
[32-33-34]	6	9	6	1	0	-	-	-	-	-	-	22
TOTAL	36	36	20	7	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TSUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	9)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[35-36-01]	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[02-03-04]	4)	8)	5)	1)	0)	0)	0)	0)	0)	0)	0)	18)
[05-06-07]	3)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[08-09-10]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	2)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[20-21-22]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[23-24-25]	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[26-27-28]	4)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[29-30-31]	4)	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[32-33-34]	5)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	12)
TOTAL	44)	37)	14)	4)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TSUSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	6	43	44	8	-	-	-	-	-
01	-	-	-	5	35	46	13	1	-	-	-	-
02	-	-	1	1	32	50	15	1	-	-	-	-
03	-	-	1	2	28	54	15	1	-	-	-	-
04	-	-	1	2	26	54	17	1	-	-	-	-
05	-	-	1	1	23	59	15	1	-	-	-	-
06	-	-	1	1	23	60	15	1	-	-	-	-
07	-	-	-	1	23	62	13	1	-	-	-	-
08	-	-	-	1	30	56	12	1	-	-	-	-
09	-	-	-	5	33	52	11	-	-	-	-	-
10	-	-	-	5	38	48	9	-	-	-	-	-
11	-	-	-	5	38	50	8	-	-	-	-	-
12	-	-	-	5	41	46	8	-	-	-	-	-
13	-	-	-	6	39	46	8	-	-	-	-	-
14	-	-	-	6	41	46	6	-	-	-	-	-
15	-	-	-	7	40	46	6	-	-	-	-	-
16	-	-	-	7	45	41	6	-	-	-	-	-
17	-	-	-	8	44	43	5	-	-	-	-	-
18	-	-	-	8	46	42	5	-	-	-	-	-
19	-	-	-	7	52	37	4	-	-	-	-	-
20	-	-	-	8	49	39	3	-	-	-	-	-
21	-	-	-	9	49	37	5	-	-	-	-	-
22	-	-	-	10	49	36	5	-	-	-	-	-
23	-	-	1	9	47	38	5	-	-	-	-	-
MEAN	-	-	0	5	38	47	9	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TSUSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	1	5	38	44	11	1	-	-	-	-
01	-	-	1	4	27	52	15	1	-	-	-	-
02	-	-	-	5	25	51	17	2	-	-	-	-
03	-	-	-	4	23	52	19	2	-	-	-	-
04	-	-	-	4	18	56	18	3	-	-	-	-
05	-	-	-	4	18	58	17	4	-	-	-	-
06	-	-	-	3	18	61	15	3	-	-	-	-
07	-	-	-	2	21	60	13	4	-	-	-	-
08	-	-	-	2	24	59	13	1	-	-	-	-
09	-	-	-	2	35	52	10	1	-	-	-	-
10	-	-	-	3	35	52	9	1	-	-	-	-
11	-	-	-	2	39	49	10	1	-	-	-	-
12	0)	0)	0)	4)	40)	48)	8)	1)	0)	0)	0)	0)
13	0)	0)	0)	4)	38)	51)	6)	1)	0)	0)	0)	0)
14	0)	0)	0)	6)	39)	48)	8)	0)	0)	0)	0)	0)
15	0)	0)	0)	6)	38)	48)	8)	0)	0)	0)	0)	0)
16	0)	0)	0)	6)	40)	48)	7)	0)	0)	0)	0)	0)
17	-	-	-	5	43	44	8	-	-	-	-	-
18	-	-	-	6	44	42	8	-	-	-	-	-
19	-	-	-	6	46	40	8	-	-	-	-	-
20	-	-	1	6	46	39	8	-	-	-	-	-
21	-	-	1	7	48	37	7	1	-	-	-	-
22	-	-	1	8	49	34	8	1	-	-	-	-
23	-	-	1	6	46	37	8	1	-	-	-	-
MEAN	0)	0)	0)	5)	35)	48)	11)	1)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TSUSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	8	39	49	3	-	-	-	-
01	-	-	-	1	5	39	45	11	-	-	-	-
02	-	-	-	-	4	34	45	17	-	-	-	-
03	-	-	-	-	3	32	45	21	-	-	-	-
04	-	-	-	-	3	31	42	25	-	-	-	-
05	-	-	-	-	3	29	45	23	-	-	-	-
06	-	-	-	-	2	30	47	21	-	-	-	-
07	-	-	-	-	2	34	46	19	-	-	-	-
08	-	-	-	-	3	39	41	17	-	-	-	-
09	-	-	-	-	6	44	39	12	-	-	-	-
10	-	-	-	-	8	48	36	8	-	-	-	-
11	-	-	-	-	11	46	36	6	-	-	-	-
12	-	-	-	-	10	51	34	5	-	-	-	-
13	-	-	-	-	10	52	34	5	-	-	-	-
14	-	-	-	-	12	49	33	6	-	-	-	-
15	-	-	-	-	12	50	31	6	-	-	-	-
16	-	-	-	1	15	46	34	4	-	-	-	-
17	-	-	-	1	15	50	30	4	-	-	-	-
18	-	-	-	1	15	52	29	4	-	-	-	-
19	-	-	-	2	17	49	26	6	-	-	-	-
20	-	-	-	2	15	52	25	6	-	-	-	-
21	-	-	-	2	18	49	25	6	-	-	-	-
22	-	-	-	2	16	50	28	5	-	-	-	-
23	-	-	-	2	12	45	39	3	-	-	-	-
MEAN	-	-	-	1	9	43	37	10	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TSUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	7	51	40	1	-	-	-
01	-	-	-	-	-	5	47	46	2	-	-	-
02	-	-	-	-	-	6	38	51	5	-	-	-
03	-	-	-	-	-	5	33	54	8	-	-	-
04	-	-	-	-	-	4	35	52	9	-	-	-
05	-	-	-	-	-	3	34	51	12	-	-	-
06	-	-	-	-	-	3	35	53	9	-	-	-
07	-	-	-	-	-	3	39	50	9	-	-	-
08	-	-	-	-	-	4	39	52	5	-	-	-
09	-	-	-	-	-	6	48	42	4	-	-	-
10	-	-	-	-	-	11	55	34	-	-	-	-
11	-	-	-	-	-	11	65	24	-	-	-	-
12	-	-	-	-	-	13	68	19	-	-	-	-
13	-	-	-	-	-	13	65	22	-	-	-	-
14	-	-	-	-	-	13	65	21	1	-	-	-
15	-	-	-	-	-	14	66	19	1	-	-	-
16	-	-	-	-	-	17	63	21	-	-	-	-
17	-	-	-	-	1	18	61	21	-	-	-	-
18	-	-	-	-	1	19	63	17	-	-	-	-
19	-	-	-	-	-	23	61	15	1	-	-	-
20	-	-	-	-	1	21	63	15	-	-	-	-
21	-	-	-	-	1	19	64	16	-	-	-	-
22	-	-	-	-	-	19	65	16	-	-	-	-
23	-	-	-	-	-	10	63	27	-	-	-	-
MEAN	-	-	-	-	0	11	54	32	3	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TSUSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	8	59	32	-	-	-
01	-	-	-	-	-	-	6	50	43	1	-	-
02	-	-	-	-	-	-	5	43	52	1	-	-
03	-	-	-	-	-	-	3	39	54	3	-	-
04	-	-	-	-	-	-	3	35	57	5	-	-
05	-	-	-	-	-	-	3	32	60	5	-	-
06	-	-	-	-	-	-	3	35	57	5	-	-
07	-	-	-	-	-	-	4	37	52	6	-	-
08	-	-	-	-	-	-	5	42	50	3	-	-
09	-	-	-	-	-	-	6	53	40	1	-	-
10	-	-	-	-	-	-	14	61	25	-	-	-
11	-	-	-	-	-	-	15	70	15	-	-	-
12	-	-	-	-	-	-	17	72	11	-	-	-
13	-	-	-	-	-	-	19	72	10	-	-	-
14	-	-	-	-	-	-	19	70	10	-	-	-
15	0)	0)	0)	0)	0)	1)	21)	71)	7)	0)	0)	0)
16	0)	0)	0)	0)	0)	1)	23)	71)	6)	0)	0)	0)
17	-	-	-	-	-	1	26	70	4	-	-	-
18	-	-	-	-	-	1	28	67	3	-	-	-
19	-	-	-	-	-	1	33	65	2	-	-	-
20	-	-	-	-	-	1	36	61	2	-	-	-
21	-	-	-	-	-	1	34	63	3	-	-	-
22	-	-	-	-	-	1	21	74	5	-	-	-
23	-	-	-	-	-	-	12	72	15	-	-	-
MEAN	0)	0)	0)	0)	0)	0)	15)	58)	26)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TSUSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	25	74	1	-	-
01	-	-	-	-	-	-	-	20	77	3	-	-
02	-	-	-	-	-	-	1	16	81	3	-	-
03	-	-	-	-	-	-	1	14	80	5	-	-
04	-	-	-	-	-	-	1	14	79	7	-	-
05	-	-	-	-	-	-	-	13	75	11	-	-
06	-	-	-	-	-	-	-	12	78	10	-	-
07	-	-	-	-	-	-	-	15	77	7	-	-
08	-	-	-	-	-	-	-	17	78	5	-	-
09	-	-	-	-	-	-	-	25	71	3	-	-
10	-	-	-	-	-	-	-	33	67	1	-	-
11	-	-	-	-	-	-	-	43	56	1	-	-
12	-	-	-	-	-	-	1	45	53	1	-	-
13	-	-	-	-	-	-	1	51	47	1	-	-
14	-	-	-	-	-	-	1	51	48	-	-	-
15	-	-	-	-	-	-	1	56	43	-	-	-
16	-	-	-	-	-	-	1	61	38	-	-	-
17	-	-	-	-	-	-	1	62	37	-	-	-
18	-	-	-	-	-	-	2	64	33	1	-	-
19	-	-	-	-	-	-	1	65	35	-	-	-
20	-	-	-	-	-	-	1	68	31	-	-	-
21	-	-	-	-	-	-	1	65	34	-	-	-
22	-	-	-	-	-	-	1	50	49	-	-	-
23	-	-	-	-	-	-	-	35	65	1	-	-
MEAN	-	-	-	-	-	-	0	38	59	2	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TSUSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	0)	0)	0)	0)	0)	0)	0)	3)	40)	58)	0)	0)
01	-	-	-	-	-	-	-	2	35	61	2	-
02	-	-	-	-	-	-	-	1	30	59	9	-
03	-	-	-	-	-	-	-	2	30	56	12	-
04	-	-	-	-	-	-	-	1	25	62	12	-
05	-	-	-	-	-	-	-	1	26	54	19	-
06	-	-	-	-	-	-	-	1	25	55	19	-
07	-	-	-	-	-	-	-	1	27	60	12	-
08	-	-	-	-	-	-	-	2	31	59	8	-
09	-	-	-	-	-	-	-	1	37	59	3	-
10	-	-	-	-	-	-	-	3	41	57	-	-
11	-	-	-	-	-	-	-	3	47	50	-	-
12	-	-	-	-	-	-	-	5	48	47	-	-
13	-	-	-	-	-	-	-	6	45	49	-	-
14	-	-	-	-	-	-	-	6	47	47	-	-
15	-	-	-	-	-	-	-	6	52	43	-	-
16	0)	0)	0)	0)	0)	0)	0)	6)	54)	40)	0)	0)
17	-	-	-	-	-	-	-	6	55	39	-	-
18	-	-	-	-	-	-	-	8	57	35	-	-
19	-	-	-	-	-	-	-	8	58	34	-	-
20	-	-	-	-	-	-	-	9	57	34	-	-
21	-	-	-	-	-	-	-	8	58	34	-	-
22	-	-	-	-	-	-	-	4	55	41	-	-
23	-	-	-	-	-	-	-	3	48	49	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	4)	43)	49)	4)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TSUSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	26	65	9	-
01	-	-	-	-	-	-	-	-	19	63	17	-
02	-	-	-	-	-	-	-	-	19	57	25	-
03	-	-	-	-	-	-	-	-	14	55	30	-
04	-	-	-	-	-	-	-	-	16	50	34	-
05	-	-	-	-	-	-	-	-	15	48	37	-
06	-	-	-	-	-	-	-	-	16	48	35	-
07	-	-	-	-	-	-	-	-	17	55	26	1
08	-	-	-	-	-	-	-	-	20	59	21	-
09	-	-	-	-	-	-	-	-	28	59	14	-
10	-	-	-	-	-	-	-	1	30	66	3	-
11	-	-	-	-	-	-	-	1	34	66	-	-
12	-	-	-	-	-	-	-	1	35	65	-	-
13	-	-	-	-	-	-	-	1	37	63	-	-
14	-	-	-	-	-	-	-	1	42	57	-	-
15	-	-	-	-	-	-	-	1	41	58	-	-
16	-	-	-	-	-	-	-	1	39	60	-	-
17	-	-	-	-	-	-	-	1	38	61	-	-
18	-	-	-	-	-	-	-	1	38	61	-	-
19	-	-	-	-	-	-	-	1	40	59	-	-
20	-	-	-	-	-	-	-	-	43	57	-	-
21	-	-	-	-	-	-	-	-	43	57	-	-
22	-	-	-	-	-	-	-	-	34	66	-	-
23	-	-	-	-	-	-	-	-	32	66	3	-
MEAN	-	-	-	-	-	-	-	0	30	59	11	0

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TSUSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	4	77	19	-	-
01	-	-	-	-	-	-	-	3	69	28	-	-
02	-	-	-	-	-	-	-	3	65	32	-	-
03	-	-	-	-	-	-	-	1	63	36	-	-
04	-	-	-	-	-	-	-	3	60	37	-	-
05	-	-	-	-	-	-	-	4	63	33	-	-
06	-	-	-	-	-	-	-	4	64	32	-	-
07	-	-	-	-	-	-	-	3	69	28	-	-
08	-	-	-	-	-	-	-	5	73	22	-	-
09	-	-	-	-	-	-	-	5	81	14	-	-
10	-	-	-	-	-	-	-	12	84	4	-	-
11	-	-	-	-	-	-	-	13	84	3	-	-
12	0)	0)	0)	0)	0)	0)	0)	14)	82)	4)	0)	0)
13	0)	0)	0)	0)	0)	0)	0)	15)	82)	3)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	17)	81)	3)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	16)	81)	3)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	17)	81)	2)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	21)	77)	2)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	21)	78)	1)	0)	0)
19	-	-	-	-	-	-	-	22	77	1	-	-
20	-	-	-	-	-	-	-	23	76	1	-	-
21	-	-	-	-	-	-	-	25	74	1	-	-
22	-	-	-	-	-	-	-	21	77	3	-	-
23	-	-	-	-	-	-	-	10	83	7	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	12)	75)	13)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TSUSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	4	61	33	2	-	-
01	-	-	-	-	-	-	1	50	46	2	-	-
02	-	-	-	-	-	-	1	42	54	3	-	-
03	-	-	-	-	-	-	1	38	58	3	-	-
04	-	-	-	-	-	-	2	39	55	4	-	-
05	-	-	-	-	-	-	2	39	56	3	-	-
06	-	-	-	-	-	-	1	41	56	2	-	-
07	-	-	-	-	-	-	2	50	46	2	-	-
08	-	-	-	-	-	-	4	63	32	1	-	-
09	-	-	-	-	-	-	6	73	21	1	-	-
10	-	-	-	-	-	-	12	69	19	-	-	-
11	-	-	-	-	-	-	16	65	19	-	-	-
12	-	-	-	-	-	-	17	65	18	-	-	-
13	-	-	-	-	-	1	15	67	17	-	-	-
14	-	-	-	-	-	1	15	67	17	-	-	-
15	-	-	-	-	-	1	20	63	16	-	-	-
16	-	-	-	-	-	-	17	67	15	-	-	-
17	-	-	-	-	-	-	21	63	15	-	-	-
18	-	-	-	-	-	-	23	60	17	-	-	-
19	-	-	-	-	-	1	24	60	15	-	-	-
20	-	-	-	-	-	1	23	64	13	-	-	-
21	-	-	-	-	-	1	25	61	14	-	-	-
22	-	-	-	-	-	1	26	58	14	1	-	-
23	-	-	-	-	-	-	14	65	20	1	-	-
MEAN	-	-	-	-	-	0	12	58	29	1	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TSUSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	1	21	43	33	1	-	-	-
01	-	-	-	-	1	18	37	45	-	-	-	-
02	-	-	-	-	-	15	36	48	1	-	-	-
03	-	-	-	-	-	13	37	48	2	-	-	-
04	-	-	-	-	-	11	40	47	3	-	-	-
05	-	-	-	-	-	9	42	47	1	-	-	-
06	-	-	-	-	-	10	41	48	1	-	-	-
07	-	-	-	-	-	12	43	45	-	-	-	-
08	-	-	-	-	-	16	46	38	-	-	-	-
09	-	-	-	-	1	21	46	31	1	-	-	-
10	-	-	-	-	1	23	50	25	1	-	-	-
11	-	-	-	-	1	25	47	27	-	-	-	-
12	0)	0)	0)	0)	1)	26)	45)	27)	1)	0)	0)	0)
13	0)	0)	0)	0)	3)	26)	45)	26)	1)	0)	0)	0)
14	0)	0)	0)	0)	3)	25)	47)	25)	0)	0)	0)	0)
15	0)	0)	0)	0)	3)	28)	45)	24)	1)	0)	0)	0)
16	0)	0)	0)	0)	3)	28)	45)	23)	0)	0)	0)	0)
17	0)	0)	0)	0)	1)	30)	46)	22)	0)	0)	0)	0)
18	0)	0)	0)	0)	2)	30)	47)	22)	0)	0)	0)	0)
19	0)	0)	0)	0)	2)	30)	47)	21)	0)	0)	0)	0)
20	0)	0)	0)	0)	2)	33)	45)	20)	0)	0)	0)	0)
21	-	-	-	-	3	31	46	19	-	-	-	-
22	-	-	-	-	3	31	47	20	-	-	-	-
23	-	-	-	-	2	28	42	27	1	-	-	-
MEAN	0)	0)	0)	0)	1)	23)	44)	32)	1)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TSUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	30	43	26	-	-	-	-	-
01	-	-	-	1	23	46	30	1	-	-	-	-
02	-	-	-	1	17	48	33	1	-	-	-	-
03	-	-	-	1	17	43	35	3	-	-	-	-
04	-	-	-	-	17	43	38	2	-	-	-	-
05	-	-	-	-	16	46	35	3	-	-	-	-
06	-	-	-	-	17	47	34	2	-	-	-	-
07	-	-	-	-	17	46	35	1	-	-	-	-
08	-	-	-	-	21	48	30	1	-	-	-	-
09	-	-	-	-	26	46	26	1	-	-	-	-
10	-	-	-	1	27	47	25	1	-	-	-	-
11	-	-	-	1	28	46	24	1	-	-	-	-
12	-	-	-	2	29	45	23	1	-	-	-	-
13	-	-	-	3	32	41	23	1	-	-	-	-
14	-	-	-	2	30	46	19	2	-	-	-	-
15	-	-	-	3	32	47	17	1	-	-	-	-
16	-	-	-	1	31	50	17	1	-	-	-	-
17	-	-	-	3	33	46	17	1	-	-	-	-
18	-	-	-	3	32	47	18	1	-	-	-	-
19	-	-	-	3	35	45	17	1	-	-	-	-
20	-	-	-	3	34	45	17	1	-	-	-	-
21	-	-	-	2	35	46	16	1	-	-	-	-
22	-	-	-	3	35	44	18	1	-	-	-	-
23	-	-	-	3	35	43	19	-	-	-	-	-
MEAN	-	-	-	1	27	46	25	1	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TSUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	0)	0)	0)	1)	10)	16)	17)	19)	24)	12)	1)	0)
01	-	-	0	1	7	17	16	19	24	13	2	-
02	-	-	0	1	6	17	16	19	26	13	3	-
03	-	-	0	1	6	16	16	19	26	13	4	-
04	-	-	0	0	5	16	16	18	25	14	4	-
05	-	-	0	0	5	17	16	18	26	13	5	-
06	-	-	0	0	5	17	16	18	26	13	5	-
07	-	-	-	0	5	18	16	19	25	13	3	0
08	-	-	-	0	6	18	16	20	24	13	2	-
09	-	-	-	1	8	18	16	21	24	12	1	-
10	-	-	-	1	9	19	17	21	22	11	0	-
11	-	-	-	1	10	19	18	21	21	10	-	-
12	0)	0)	0)	1)	10)	19)	18)	21)	21)	10)	0)	0)
13	0)	0)	0)	1)	10)	19)	18)	22)	20)	10)	0)	0)
14	0)	0)	0)	1)	10)	19)	18)	22)	21)	9)	0)	0)
15	0)	0)	0)	1)	10)	19)	18)	22)	20)	9)	0)	0)
16	0)	0)	0)	1)	11)	19)	18)	23)	19)	9)	0)	0)
17	0)	0)	0)	1)	11)	19)	18)	23)	19)	9)	0)	0)
18	0)	0)	0)	1)	12)	19)	19)	22)	19)	8)	0)	0)
19	0)	0)	0)	1)	13)	19)	18)	22)	19)	8)	0)	0)
20	0)	0)	0)	2)	12)	19)	18)	22)	19)	8)	0)	0)
21	-	-	0	2	13	18	19	22	19	8	-	-
22	-	-	0	2	13	18	18	21	19	9	-	-
23	-	-	0	2	12	17	17	20	22	10	0	-
MEAN	0)	0)	0)	1)	9)	18)	17)	21)	22)	11)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TSUSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	5.4	5.9	9.8	13.7	18.0	20.6	25.1	26.4	22.4	18.4	12.9	7.4	15.5
Daily maximum air temperature(°C)	8.0	8.7	13.2	17.3	22.0	23.3	28.1	29.6	25.2	21.3	15.6	10.1	18.5
Daily minimum air temperature(°C)	2.7	3.1	6.5	10.5	14.4	18.5	22.8	24.0	20.1	15.6	9.8	4.5	12.7
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	57.8	78.8	142.8	203.7	149.5	195.7	208.2	263.8	260.0	131.9	117.6	74.3	1884.1
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	997.3	995.4*	990.0	982.4	988.7	984.2	981.3	978.8	979.0	973.8	993.3	995.5*	973.8
Daily maximum air temperature(°C)	18.0	18.6	21.2	24.8	29.7	29.1	32.6*	35.7	31.2	29.5	21.4	18.0*	35.7
Daily minimum air temperature(°C)	-6.3	-6.4	-2.1	3.8	7.1	13.8	16.8	18.9	15.5	8.3	1.3	-2.4	-6.4
Daily precipitation(mm)	34.5	50.0	122.0	115.0	116.5	129.5	117.0	119.5	136.0	104.0	67.0	41.0	136.0
Daily max.one-hour precipitation(mm)	10.0	12.0	27.0	34.5	27.0	23.5	52.5	68.0	93.5	45.5	30.0	14.0	93.5
Daily max.ten-minute precipitation(mm)	6.0	8.0	7.5	14.0	11.0	8.0	21.5	27.5	29.0	16.0	14.0	3.0*	29.0
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)	0	0	-	0	-	-	×	-	×	-	0	0	0 *
Daily maximum wind speed(kt)	28	25	31	36	26 *	24	27	32	45	52	32	31	52
with wind direction(36DIR.)	30	18	19	25	25	24	19	17	17	15	18	19	15
Daily maximum peak gust(kt)	46	40	51	57 *	48	41	43	60	65	77	46	47	77
with wind direction(36DIR.)	30	4	24	24	29	25	20	4	16	15	17	19	15

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TSUSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	6.0	4.4	0.6	-	-	-	-	-	-	-	-	2.2	13.2
25.0°C	-	-	-	-	-	-	7.2	11.4	-	-	-	-	18.6
Daily mean air temperature < 0.0°C	0.8	1.2	-	-	-	-	-	-	-	-	-	0.2	2.2
25.0°C	-	-	-	-	-	-	16.0	22.0	1.8	0.2	-	-	40.0
Daily maximum air temperature < 0.0°C	0.4	0.2	-	-	-	-	-	-	-	-	-	-	0.6
25.0°C	-	-	-	-	4.6	6.2	26.0	29.2	15.4	2.0	-	-	83.4
30.0°C	-	-	-	-	-	-	10.4	16.2	0.2	-	-	-	26.8
Daily precipitation 0.0mm	11.2	13.4	11.2	12.2	8.8	14.2	15.0	13.2	12.0	9.4	13.0	12.2	145.8
1.0mm	6.0	7.8	7.6	9.4	6.0	10.2	9.0	9.0	8.8	6.2	8.0	6.4	94.4
5.0mm	3.4	5.0	5.0	6.4	4.8	6.4	5.6	7.0	6.0	4.2	4.4	4.2	62.4
10.0mm	2.0	2.4	3.8	5.0	4.0	4.8	4.4	5.6	5.0	2.6	3.6	2.0	45.2
30.0mm	0.2	0.6	1.6	2.6	2.0	1.8	3.2	3.4	3.2	1.4	1.4	1.0	22.4
50.0mm	-	0.2	0.4	1.4	0.8	0.8	1.2	2.0	2.0	0.8	0.4	-	10.0
70.0mm	-	-	0.4	0.4	0.4	0.6	0.6	1.4	1.2	0.6	-	-	5.6
100.0mm	-	-	0.2	0.2	0.4	0.2	0.2	0.2	0.6	0.4	-	-	2.4

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TSUSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily max.depth of snow cover	0cm	0.2	0.2	-	0.2	-	-	-	-	0.0)	-	0.2	0.2	1.3)
	5cm	-	-	-	-	-	-	-	-	0.0)	-	-	-	0.0)
	10cm	-	-	-	-	-	-	-	-	0.0)	-	-	-	0.0)
	20cm	-	-	-	-	-	-	-	-	0.0)	-	-	-	0.0)
	50cm	-	-	-	-	-	-	-	-	0.0)	-	-	-	0.0)
	100cm	-	-	-	-	-	-	-	-	0.0)	-	-	-	0.0)
Daily maximum wind speed	200cm	-	-	-	-	-	-	-	-	0.0)	-	-	-	0.0)
	20kt	5.4	2.8	4.4	5.2	3.2	1.2	2.2	2.2	1.6	3.4	4.2	6.4	42.2
	30kt	-	-	0.2	0.4	-	-	-	0.4	0.2	0.6	0.2	0.2	2.2
	40kt	-	-	-	-	-	-	-	-	0.2	0.4	-	-	0.6
	50kt	-	-	-	-	-	-	-	-	-	0.2	-	-	0.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TSUSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1015.6	1014.7	1012.0	1007.6	1004.5	1000.6	1001.0	1000.7	1005.8	1010.7	1013.0	1014.7	1008.4
01	1015.9	1014.8	1012.1	1007.8	1004.6	1000.6	1001.0	1000.8	1006.0	1010.7	1013.1	1015.0	1008.5
02	1015.7	1014.7	1011.9	1007.7	1004.5	1000.5	1001.0	1000.7	1005.8	1010.5	1012.8	1014.7	1008.4
03	1014.9	1014.2	1011.6	1007.3	1004.2	1000.4	1000.9	1000.5	1005.5	1010.1	1012.1	1013.9	1008.0
04	1014.1	1013.5	1011.0	1006.9	1003.9	1000.1	1000.6	1000.2	1005.1	1009.5	1011.4	1013.3	1007.5
05	1013.6	1013.0	1010.4	1006.5	1003.5	999.9	1000.4	1000.0	1004.8	1009.1	1011.1	1012.9	1007.1
06	1013.6	1012.8	1010.1	1006.1	1003.2	999.7	1000.1	999.7	1004.5	1009.0	1011.0	1012.8	1006.9
07	1013.7	1012.8	1010.0	1005.9	1003.0	999.5	1000.0	999.6	1004.5	1009.0	1011.1	1012.9	1006.8
08	1013.9	1012.9	1010.0	1005.8	1002.9	999.4	999.8	999.6	1004.7	1009.1	1011.4	1013.1	1006.9
09	1014.3	1013.1	1010.2	1005.9	1002.9	999.4	999.9	999.6	1004.9	1009.3	1011.6	1013.4	1007.0
10	1014.5	1013.4	1010.5	1006.2	1003.2	999.6	1000.1	999.9	1005.1	1009.7	1012.0	1013.7	1007.3
11	1014.7	1013.7	1010.9	1006.6	1003.6	999.9	1000.4	1000.2	1005.5	1009.9	1012.1	1013.8	1007.6
12	1014.8	1013.8	1011.2	1007.0	1004.0	1000.2	1000.7	1000.6	1005.9	1010.1	1012.3	1014.0	1007.9
13	1014.8	1013.9	1011.3	1007.2	1004.3	1000.5	1001.0	1000.7	1005.9	1010.3	1012.4	1014.0	1008.0
14	1014.8	1013.9	1011.3	1007.1	1004.3	1000.5	1000.9	1000.7	1005.8	1010.3	1012.3	1014.1	1008.0
15	1014.7	1013.8	1011.1	1007.1	1004.2	1000.3	1000.8	1000.6	1005.7	1010.1	1012.2	1014.0	1007.9
16	1014.5	1013.9	1011.2	1007.0	1004.0	1000.2	1000.4	1000.3	1005.2	1009.9	1012.1	1013.8	1007.7
17	1014.6	1013.9	1011.0	1006.7	1003.6	1000.0	1000.2	1000.1	1005.0	1009.8	1011.9	1013.8	1007.6
18	1014.6	1013.8	1010.8	1006.5	1003.6	999.8	1000.1	999.9	1004.8	1009.6	1011.8	1013.8	1007.4
19	1014.4	1013.5	1010.6	1006.5	1003.5	999.7	1000.0	999.9	1004.7	1009.5	1011.7	1013.5	1007.3
20	1014.4	1013.5	1010.7	1006.5	1003.6	999.9	1000.2	999.9	1004.8	1009.6	1011.7	1013.5	1007.4
21	1014.6	1013.7	1011.0	1006.8	1003.9	1000.1	1000.4	1000.1	1005.1	1009.8	1011.9	1013.7	1007.6
22	1014.9	1014.0	1011.2	1007.2	1004.2	1000.3	1000.7	1000.4	1005.4	1010.0	1012.2	1014.1	1007.9
23	1015.2	1014.4	1011.7	1007.4	1004.4	1000.6	1001.0	1000.6	1005.6	1010.5	1012.6	1014.4	1008.2
MEAN	1014.6	1013.8	1011.0	1006.8	1003.8	1000.1	1000.5	1000.2	1005.2	1009.8	1012.0	1013.8	1007.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TSUSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	5.1	5.8	10.0	14.2	18.7	21.0	25.4	27.0	23.2	19.0	13.1	7.2	15.8
01	5.8	6.4	10.5	14.8	19.3	21.4	25.9	27.5	23.7	19.7	13.8	7.8	16.4
02	6.3	6.8	11.1	15.2	19.8	21.7	26.3	27.9	24.0	20.2	14.3	8.4	16.8
03	6.6	7.2	11.4	15.5	20.2	22.0	26.6	28.0	24.2	20.3	14.4	8.7	17.1
04	6.8	7.3	11.7	15.7	20.4	22.1	26.7	28.2	24.2	20.3	14.5	8.8	17.3
05	7.0	7.4	11.9	15.9	20.7	22.2	26.9	28.4	24.0	20.3	14.5	8.8	17.3
06	6.9	7.4	11.8	15.7	20.6	22.0	26.9	28.3	23.9	20.1	14.3	8.7	17.2
07	6.7	7.2	11.6	15.5	20.4	21.9	26.6	28.1	23.7	19.7	14.0	8.5	17.0
08	6.3	6.8	11.1	15.1	19.9	21.6	26.3	27.6	23.2	19.2	13.4	8.0	16.5
09	5.7	6.3	10.5	14.5	19.2	21.1	25.8	27.0	22.6	18.4	12.8	7.5	16.0
10	5.4	6.0	9.8	13.6	18.2	20.6	25.1	26.3	22.1	18.0	12.5	7.3	15.4
11	5.3	5.7	9.6	13.2	17.5	20.2	24.6	25.8	21.8	17.7	12.4	7.2	15.1
12	5.2	5.6	9.4	13.0	17.1	20.1	24.4	25.6	21.8	17.6	12.3	7.1	14.9
13	5.1	5.5	9.3	12.9	17.0	19.9	24.4	25.4	21.7	17.6	12.1	6.9	14.8
14	5.0	5.4	9.2	12.8	16.8	19.9	24.2	25.3	21.6	17.4	12.0	6.9	14.7
15	5.0	5.3	9.1	12.7	16.7	19.7	24.2	25.2	21.5	17.3	11.9	6.7	14.6
16	4.7	5.2	8.8	12.4	16.4	19.5	24.0	25.3	21.5	17.4	11.9	6.8	14.5
17	4.7	5.1	8.6	12.4	16.2	19.4	23.9	25.2	21.4	17.3	11.9	6.7	14.4
18	4.6	5.1	8.5	12.2	16.1	19.4	23.8	25.2	21.3	17.2	11.8	6.6	14.3
19	4.5	5.0	8.4	12.1	15.9	19.3	23.7	25.1	21.3	17.1	11.7	6.5	14.2
20	4.4	4.8	8.3	12.0	15.7	19.3	23.7	25.0	21.2	17.1	11.7	6.4	14.1
21	4.3	4.8	8.1	11.9	15.7	19.4	23.7	25.0	21.2	17.1	11.6	6.3	14.1
22	4.2	4.7	8.2	12.4	16.5	19.9	24.2	25.5	21.5	17.2	11.6	6.3	14.3
23	4.3	5.0	9.0	13.3	17.7	20.5	24.8	26.3	22.3	18.1	12.2	6.4	15.0
MEAN	5.4	5.9	9.8	13.7	18.0	20.6	25.1	26.4	22.4	18.4	12.8	7.4	15.5

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TSUSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	5.8	6.3	8.5	11.6	15.6	21.3	27.7	28.5	22.4	16.2	10.9	6.9	15.1
01	5.8	6.3	8.3	11.3	15.6	21.3	27.8	28.2	22.4	15.9	10.7	6.9	15.1
02	5.7	6.2	8.4	11.3	15.5	21.3	27.8	28.2	22.4	15.8	10.6	6.8	15.0
03	5.8	6.2	8.4	11.3	15.5	21.3	27.7	28.1	22.3	15.8	10.5	6.8	15.0
04	5.7	6.2	8.3	11.1	15.4	21.1	27.8	28.2	22.2	15.8	10.6	6.8	15.0
05	5.7	6.1	8.2	10.9	15.3	21.1	27.7	28.2	22.2	15.7	10.6	6.8	14.9
06	5.6	6.1	8.2	10.9	15.0	21.1	27.7	28.1	22.1	15.7	10.5	6.7	14.8
07	5.6	6.1	8.1	10.9	15.0	20.9	27.7	27.7	21.8	15.5	10.4	6.7	14.7
08	5.5	6.1	8.1	10.9	14.9	20.8	27.6	27.7	21.7	15.4	10.3	6.6	14.6
09	5.5	6.0	8.2	11.0	14.8	20.7	27.3	27.7	21.4	15.2	10.3	6.7	14.6
10	5.5	6.1	8.3	11.1	14.8	20.7	27.0	27.5	21.3	15.2	10.3	6.6	14.5
11	5.5	6.1	8.3	11.1	14.7	20.6	27.0	27.6	21.3	15.2	10.3	6.6	14.6
12	5.5	6.1	8.3	11.2	14.8	20.6	27.1	27.7	21.4	15.2	10.4	6.5	14.6
13	5.6	6.1	8.4	11.2	14.6	20.6	27.2	27.7	21.4	15.1	10.4	6.5	14.6
14	5.5	6.1	8.4	11.2	14.6	20.7	27.1	27.6	21.4	15.1	10.4	6.5	14.6
15	5.6	6.1	8.4	11.1	14.5	20.7	27.1	27.6	21.5	15.2	10.3	6.4	14.5
16	5.5	6.1	8.4	11.1	14.6	20.4	26.9	27.7	21.6	15.4	10.5	6.6	14.6
17	5.6	6.1	8.4	11.2	14.7	20.4	26.9	27.8	21.6	15.4	10.5	6.6	14.6
18	5.6	6.1	8.4	11.1	14.7	20.4	26.8	27.9	21.6	15.4	10.5	6.6	14.6
19	5.6	6.1	8.3	11.1	14.8	20.5	26.7	27.9	21.6	15.3	10.4	6.6	14.6
20	5.6	6.1	8.3	11.1	14.9	20.5	26.7	27.9	21.5	15.3	10.4	6.6	14.6
21	5.6	6.1	8.3	11.2	15.1	20.8	27.0	27.9	21.5	15.3	10.3	6.6	14.6
22	5.6	6.1	8.4	11.5	15.7	21.2	27.6	28.6	22.1	15.5	10.4	6.6	14.9
23	5.6	6.2	8.5	11.7	15.8	21.4	27.6	28.7	22.5	16.1	10.7	6.7	15.1
MEAN	5.6	6.1	8.3	11.2	15.0	20.8	27.3	27.9	21.8	15.5	10.5	6.7	14.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TSUSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	63	65	66	70	72	85	85	80	79	72	69	65	72
01	60	61	63	66	70	84	83	77	76	68	65	61	70
02	58	59	61	65	68	82	82	76	75	66	63	59	68
03	56	58	60	64	66	81	80	75	74	65	62	57	66
04	56	58	58	62	65	80	79	74	74	65	62	57	66
05	55	57	57	61	63	79	79	73	74	65	62	56	65
06	54	57	57	61	63	80	78	73	74	66	62	57	65
07	55	57	57	62	64	80	79	73	74	66	63	57	66
08	55	58	59	64	65	81	81	75	76	68	64	58	67
09	57	60	62	66	67	83	82	78	78	70	67	60	69
10	58	62	65	70	71	85	85	80	80	72	68	61	71
11	59	63	66	72	73	87	87	83	81	73	69	61	73
12	59	63	67	74	75	88	88	84	81	74	69	61	73
13	60	64	68	74	75	88	89	85	82	74	70	62	74
14	60	64	69	75	76	89	89	85	83	74	70	61	75
15	62	64	69	75	76	90	89	86	83	75	71	62	75
16	62	65	70	76	78	90	90	86	83	76	72	63	76
17	62	65	70	76	79	90	90	87	84	76	72	63	76
18	63	66	71	76	80	90	91	87	85	77	72	64	77
19	64	66	72	76	82	91	91	87	85	77	72	64	77
20	64	67	72	77	83	91	91	88	85	76	72	65	78
21	64	67	72	78	84	92	91	88	85	76	72	66	78
22	64	67	73	78	83	91	91	88	86	77	72	65	78
23	65	67	70	75	78	88	88	84	83	76	72	66	76
MEAN	60	63	66	70	73	86	86	81	80	72	68	61	72

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TSUSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	34	33	4	5	4)	4	24 *	4	3	4	33	32	4)
01	33	32	3	4	15 *	5	19 *	4	5 *	5	33	32	4
02	32	32	4	4	14	4	14 *	4	4	4	4	32	4
03	32	31 *	4	4	14	4	19	4	4	4	4	29	4
04	32	32	4	14	15	4	4	4	4	4	29 *	28	4
05	33	32	4	4	14	4	24 *	4	4	4	28	29 *	4
06	28	4 *	4	4	14	4	19	4	4	4	29 *	28	4
07	31 *	4 *	4	4	4	4	19	4	4	4	28 *	29	4
08	29	4	4	4 *	4	4	24	4	4	4	28	29	4
09	28	3	4	4	4	4	25	4	4	4	29	29	4
10	29	3	4	3	4	4	25	4	4 *	4	28	29	4
11	29	29	4	4	4	4	3	4	4	4	28	28	4
12	28	4)	4	4)	4)	4	19	4	4)	4	30)	28	4)
13	29	26)	4 *	4	28)	4)	19	4	4)	4	29)	29	4)
14	28	35)	4	4	29)	4 *	19	4	4)	4	29)	29	4)
15	29	34)	4	4	29)	4	24	4	4)	4	30)	30 *	4)
16	28 *	29)	28	4	4)	3	23)	4	4)	4	30)	29 *	4)
17	34	33	29	3 *	4)	4	24	4	4)	4	29)	34	4)
18	32	32	33	3)	28)	4	23	4	3)	4	29)	29	4)
19	34	34	3	4)	29)	3	23	4	3	4	29)	29 *	4)
20	33	33	34 *	4)	3)	4	23	4	4 *	4	29)	28	4)
21	35	34	34	4)	31)	4	24	4	3	4	34	32	4)
22	32 *	34 *	34	4)	4)	4	23	4	4	4	34	34	4)
23	35	34	4	4	4)	4	19	4	4	4	33	29	4)
ALL	29	33)	4	4)	4)	4)	19)	4	4)	4	29)	29	4)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TSUSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	7.4	7.4	7.4	7.9	6.6	6.0	6.9	7.2	6.9	7.1	6.9	8.1	7.2
01	7.9	8.3	8.2	8.1	7.1	6.5	7.3	7.9	7.9	8.0	7.5	8.5	7.8
02	8.5	8.9	8.4	8.9	7.5	7.1	7.8	8.1	8.4	8.6	8.0	9.1	8.3
03	9.1	9.1	8.8	9.1	7.5	7.4	7.8	8.3	8.4	8.6	8.2	9.3	8.5
04	9.5	9.3	9.2	8.9	7.8	7.6	8.0	8.2	8.4	8.9	8.5	9.5	8.6
05	9.3	9.1	9.4	9.1	7.7	7.3	7.7	8.3	8.2	8.8	8.4	9.2	8.6
06	9.3	8.8	8.9	8.8	7.5	7.0	7.9	8.1	8.1	8.5	8.2	8.9	8.3
07	8.6	8.5	8.7	8.5	7.2	7.1	7.4	7.9	8.0	8.4	7.5	8.6	8.0
08	7.6	7.8	8.1	8.1	6.6	6.9	7.0	7.4	7.1	7.4	6.7	7.7	7.4
09	6.8	6.7	7.0	7.6	6.2	6.3	6.6	6.5	6.6	6.5	6.4	7.5	6.7
10	6.6	6.3	6.2	7.1	5.5	5.8	6.1	6.0	6.1	6.6	6.4	7.4	6.3
11	6.5	6.4	6.3	7.1	5.1	5.3	5.4	5.8	5.9	6.7	6.5	7.4	6.2
12	6.4	6.5	6.2	7.2	5.4	5.3	5.4	5.6	6.0	6.3	6.5	7.5	6.2
13	6.9	6.7	6.5	7.2	5.4	5.1	5.3	5.4	5.6	6.5	6.6	7.7	6.2
14	6.9	6.8	6.5	7.1	5.4	5.0	5.1	5.1	5.6	6.2	6.5	7.6	6.2
15	7.1	7.0	7.1	6.9	5.3	5.1	5.2	5.1	5.8	6.1	6.6	7.7	6.2
16	7.3	7.0	7.0	7.0	5.2	4.8	5.3	5.2	5.7	6.3	6.8	8.0	6.3
17	7.4	7.0	6.7	6.9	5.4	4.9	5.3	5.1	5.8	6.3	6.5	7.8	6.2
18	7.7	6.9	6.9	6.9	5.4	4.9	5.4	5.4	5.8	6.3	6.5	8.0	6.4
19	7.8	7.1	6.8	6.8	5.5	4.9	5.3	5.5	5.8	6.4	6.9	8.2	6.4
20	7.8	7.2	7.2	6.8	5.6	5.1	5.3	5.5	5.8	6.5	6.8	8.1	6.5
21	7.5	7.2	6.9	6.6	5.7	4.9	5.3	5.3	6.0	6.8	6.7	8.1	6.4
22	7.4	7.2	6.6	6.6	5.8	5.2	5.5	5.8	5.5	6.6	6.7	7.9	6.4
23	7.2	7.3	6.7	7.0	6.1	5.6	6.2	6.2	5.9	6.3	6.7	7.6	6.5
MEAN	7.7	7.5	7.4	7.6	6.2	5.9	6.3	6.5	6.6	7.1	7.0	8.1	7.0

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TSUSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	5.8	8.5	3.0	5.7	8.4	2.7	8.0	11.0	5.2	12.2	15.7	8.8
02	5.7	8.4	2.9	5.6	8.4	2.6	8.1	11.1	5.3	12.3	15.8	8.9
03	5.6	8.3	2.8	5.5	8.2	2.5	8.2	11.2	5.4	12.3	15.8	9.0
04	5.5	8.2	2.7	5.3	8.1	2.4	8.3	11.4	5.4	12.3	15.8	9.1
05	5.4	8.1	2.6	5.2	8.0	2.3	8.4	11.4	5.3	12.4	15.8	9.2
06	5.3	8.0	2.5	5.1	7.9	2.2	8.4	11.5	5.3	12.4	15.9	9.3
07	5.2	8.0	2.5	5.0	7.8	2.2	8.4	11.6	5.3	12.5	15.9	9.4
08	5.2	7.9	2.4	5.0	7.7	2.2	8.5	11.8	5.2	12.6	15.9	9.5
09	5.1	7.8	2.4	5.0	7.7	2.2	8.6	11.9	5.2	12.7	16.0	9.6
10	5.1	7.8	2.4	5.0	7.7	2.3	8.6	12.0	5.2	12.8	16.1	9.8
11	5.1	7.7	2.4	5.1	7.8	2.4	8.8	12.2	5.3	12.9	16.3	9.9
12	5.1	7.7	2.5	5.2	7.9	2.5	8.9	12.4	5.4	13.1	16.5	10.1
13	5.2	7.7	2.5	5.3	8.0	2.6	9.1	12.6	5.6	13.3	16.7	10.2
14	5.2	7.8	2.5	5.4	8.1	2.8	9.3	12.8	5.8	13.4	16.8	10.3
15	5.2	7.8	2.6	5.6	8.2	2.9	9.5	13.1	6.0	13.5	17.0	10.5
16	5.3	7.8	2.6	5.7	8.4	3.0	9.7	13.3	6.3	13.7	17.2	10.6
17	5.3	7.9	2.7	5.8	8.5	3.2	9.9	13.5	6.5	13.8	17.4	10.7
18	5.4	7.9	2.7	6.0	8.7	3.3	10.1	13.6	6.7	14.0	17.6	10.8
19	5.4	7.9	2.7	6.1	8.9	3.4	10.3	13.8	6.9	14.1	17.7	10.9
20	5.4	7.9	2.7	6.3	9.1	3.6	10.5	13.9	7.1	14.3	17.9	11.0
21	5.4	7.9	2.7	6.4	9.3	3.8	10.6	14.0	7.2	14.4	18.1	11.1
22	5.4	8.0	2.7	6.6	9.5	4.0	10.7	14.2	7.4	14.6	18.3	11.3
23	5.5	8.0	2.7	6.8	9.7	4.1	10.8	14.3	7.5	14.8	18.5	11.4
24	5.5	8.1	2.7	7.1	10.0	4.3	11.0	14.4	7.6	15.0	18.7	11.5
25	5.6	8.2	2.8	7.3	10.2	4.6	11.2	14.6	7.7	15.1	18.9	11.7
26	5.6	8.3	2.8	7.5	10.4	4.8	11.3	14.8	7.9	15.3	19.0	11.9
27	5.7	8.3	2.8	7.7	10.6	4.9	11.5	15.0	8.0	15.5	19.2	12.0
28	5.8	8.4	2.8	7.8	10.8	5.1	11.7	15.2	8.2	15.6	19.4	12.2
29	5.8	8.5	2.9	7.9	10.9	5.2	11.8	15.3	8.4	15.8	19.5	12.4
30	5.8	8.5	2.8				12.0	15.5	8.5	15.9	19.6	12.5
31	5.8	8.5	2.8				12.1	15.6	8.7			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TSUSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	16.1	19.8	12.6	19.7	23.2	16.7	22.6	25.3	20.5	27.4	30.7	24.9
02	16.2	19.9	12.7	19.7	23.1	16.8	22.8	25.5	20.7	27.4	30.8	25.0
03	16.3	20.0	12.9	19.7	23.0	16.9	23.0	25.7	20.9	27.4	30.8	25.0
04	16.4	20.1	13.0	19.7	22.9	17.1	23.2	25.9	21.1	27.4	30.8	24.9
05	16.5	20.2	13.1	19.7	22.8	17.2	23.4	26.1	21.3	27.4	30.8	24.9
06	16.6	20.4	13.2	19.8	22.8	17.4	23.6	26.3	21.4	27.3	30.8	24.8
07	16.7	20.5	13.3	19.9	22.8	17.6	23.7	26.5	21.6	27.3	30.7	24.8
08	16.8	20.6	13.4	20.0	22.9	17.7	23.9	26.7	21.7	27.2	30.7	24.7
09	16.9	20.7	13.5	20.1	23.0	17.9	24.0	26.8	21.9	27.2	30.7	24.6
10	17.0	20.9	13.6	20.3	23.1	18.1	24.1	26.9	22.0	27.1	30.6	24.5
11	17.2	21.0	13.7	20.4	23.2	18.3	24.2	27.1	22.1	27.1	30.6	24.5
12	17.3	21.1	13.9	20.5	23.3	18.4	24.3	27.2	22.2	27.0	30.5	24.4
13	17.4	21.3	14.0	20.7	23.4	18.6	24.4	27.3	22.3	27.0	30.4	24.4
14	17.5	21.4	14.1	20.8	23.5	18.7	24.5	27.4	22.3	26.9	30.3	24.3
15	17.7	21.6	14.2	20.9	23.6	18.8	24.6	27.5	22.4	26.9	30.2	24.3
16	17.8	21.8	14.3	20.9	23.7	18.8	24.7	27.7	22.5	26.8	30.1	24.3
17	18.0	22.0	14.4	21.0	23.7	18.9	24.8	27.8	22.7	26.7	30.0	24.2
18	18.2	22.2	14.5	21.0	23.7	18.9	25.0	28.0	22.8	26.6	29.8	24.2
19	18.3	22.3	14.6	21.0	23.7	19.0	25.2	28.2	22.9	26.5	29.7	24.1
20	18.5	22.5	14.7	21.1	23.7	19.0	25.4	28.4	23.1	26.4	29.5	24.0
21	18.7	22.7	14.9	21.1	23.7	19.1	25.6	28.7	23.3	26.2	29.3	23.9
22	18.8	22.9	15.1	21.1	23.7	19.1	25.8	28.9	23.5	26.1	29.0	23.8
23	19.0	23.1	15.3	21.2	23.8	19.2	26.1	29.2	23.7	25.9	28.8	23.6
24	19.2	23.2	15.5	21.3	23.9	19.3	26.3	29.5	23.9	25.7	28.6	23.4
25	19.3	23.3	15.6	21.4	24.0	19.4	26.5	29.7	24.1	25.5	28.3	23.2
26	19.4	23.4	15.8	21.5	24.1	19.5	26.7	29.9	24.3	25.2	28.1	23.0
27	19.5	23.5	16.0	21.7	24.3	19.7	26.9	30.1	24.5	25.0	27.8	22.8
28	19.6	23.5	16.2	21.9	24.5	19.9	27.0	30.3	24.6	24.8	27.6	22.6
29	19.7	23.5	16.3	22.1	24.8	20.1	27.2	30.5	24.7	24.6	27.4	22.3
30	19.7	23.4	16.4	22.3	25.0	20.3	27.3	30.6	24.8	24.4	27.2	22.1
31	19.7	23.3	16.6				27.3	30.7	24.9	24.2	27.0	21.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TSUSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 17.1'N, LONGITUDE: 129° 19.8'E, ELEVATION ABOVE MSL: 207 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	24.0	26.9	21.7	20.9	23.6	18.6	15.2	18.2	12.2	9.3	12.1	6.1
02	23.9	26.7	21.6	20.8	23.4	18.5	15.1	18.0	12.0	9.1	11.9	5.9
03	23.7	26.6	21.4	20.6	23.3	18.3	15.0	17.9	11.9	8.9	11.7	5.7
04	23.6	26.5	21.3	20.5	23.1	18.1	14.8	17.7	11.8	8.7	11.5	5.6
05	23.5	26.4	21.1	20.3	23.0	17.9	14.7	17.6	11.7	8.5	11.3	5.4
06	23.4	26.3	21.0	20.1	22.8	17.7	14.6	17.5	11.6	8.4	11.1	5.3
07	23.3	26.2	20.8	19.9	22.6	17.5	14.5	17.3	11.5	8.2	11.0	5.2
08	23.2	26.1	20.7	19.7	22.4	17.2	14.4	17.2	11.4	8.1	10.8	5.1
09	23.1	26.0	20.6	19.5	22.3	17.0	14.2	17.0	11.2	8.0	10.7	5.0
10	23.0	25.9	20.5	19.3	22.1	16.7	14.1	16.8	11.1	7.9	10.6	4.9
11	22.9	25.7	20.3	19.1	22.0	16.4	13.9	16.6	11.0	7.8	10.5	4.8
12	22.8	25.6	20.2	18.9	21.8	16.2	13.8	16.4	10.8	7.7	10.4	4.7
13	22.7	25.5	20.1	18.8	21.7	15.9	13.6	16.2	10.6	7.6	10.3	4.6
14	22.5	25.3	20.0	18.6	21.5	15.7	13.4	16.0	10.4	7.5	10.2	4.5
15	22.4	25.2	19.9	18.5	21.4	15.5	13.2	15.8	10.2	7.4	10.1	4.4
16	22.3	25.1	19.8	18.3	21.3	15.4	13.0	15.6	10.0	7.3	10.0	4.4
17	22.2	24.9	19.8	18.2	21.2	15.2	12.8	15.5	9.8	7.3	9.9	4.3
18	22.1	24.8	19.7	18.1	21.1	15.1	12.6	15.3	9.6	7.2	9.9	4.3
19	22.0	24.7	19.6	18.0	21.0	15.0	12.4	15.1	9.4	7.1	9.8	4.2
20	21.9	24.6	19.6	17.8	20.9	14.9	12.2	14.9	9.2	7.0	9.7	4.2
21	21.9	24.6	19.5	17.7	20.7	14.8	11.9	14.6	9.0	7.0	9.6	4.1
22	21.8	24.5	19.4	17.5	20.6	14.6	11.7	14.4	8.7	6.9	9.6	4.1
23	21.7	24.4	19.4	17.3	20.4	14.4	11.4	14.1	8.4	6.8	9.5	4.0
24	21.6	24.3	19.3	17.1	20.2	14.2	11.1	13.9	8.1	6.7	9.4	3.9
25	21.6	24.3	19.2	16.9	19.9	14.0	10.8	13.6	7.8	6.6	9.3	3.8
26	21.5	24.2	19.2	16.6	19.7	13.7	10.5	13.4	7.5	6.5	9.2	3.7
27	21.4	24.1	19.1	16.4	19.4	13.4	10.3	13.1	7.2	6.4	9.1	3.6
28	21.3	24.0	19.0	16.1	19.1	13.1	10.0	12.8	6.9	6.2	8.9	3.4
29	21.2	23.8	18.9	15.9	18.9	12.9	9.7	12.5	6.6	6.1	8.8	3.3
30	21.0	23.7	18.8	15.6	18.6	12.6	9.5	12.3	6.4	6.0	8.7	3.2
31				15.4	18.4	12.4				5.9	8.6	3.1