

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKUSHIRI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						6	15	20
01						5	12	17
02						8	15	18
03						7	14	17
04						9	14	16
05						4	10	14
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						7	13	17

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKUSHIRI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						6	11	15
01						5	11	13
02						3	11	12
03						8	16	17
04						6	13	15
05						7	10	11
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						6	12	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKUSHIRI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						3	10	15
01						6	13	14
02						3	12	15
03						3	11	15
04						4	12	14
05						3	10	14
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						4	11	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKUSHIRI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						5	11	14
01						5	12	15
02						4	11	15
03						5	11	15
04						5	8	14
05						5	7	15
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						5	10	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKUSHIRI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						10	18	21
01						8	15	21
02						9	18	25
03						8	14	20
04						5	12	18
05						9	14	22
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						8	15	21

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKUSHIRI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						9	17	25
01						7	14	23
02						7	15	21
03						7	16	21
04						5	11	18
05						5	13	19
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						7	14	21

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						18	25	35
01						18	23	32
02						16	25	33
03						18	27	33
04						19	27	34
05						21	28	36
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						18	26	34

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKUSHIRI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						2	6	12
01						1	5	12
02						3	5	13
03						3	5	8
04						2	5	8
05						3	7	10
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						2	5	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKUSHIRI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	1	2
01						1	1	1
02						-	1	5
03						-	2	4
04						-	-	2
05						-	1	1
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKUSHIRI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	1
01						-	-	-
02						-	-	1
03						-	-	1
04						-	1	2
05						1	2	3
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKUSHIRI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						3	3	5
01						1	2	4
02						-	1	2
03						2	2	4
04						1	1	4
05						1	3	4
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKUSHIRI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILT Y (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						4	10	12
01						3	6	11
02						2	6	10
03						4	9	12
04						3	7	10
05						5	11	14
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						3	8	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKUSHIRI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						6	11	15
01						5	10	13
02						5	10	14
03						5	11	14
04						5	9	13
05						5	10	14
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						5	10	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKUSHIRI AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	6	15	20					
01	5	12	17					
02	8	15	18					
03	7	14	17					
04	9	14	15					
05	4	10	14					
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	7	13	17					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKUSHIRI AIRPORT MONTH: FEB
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	5	9	13					
01	5	11	11					
02	3	10	12					
03	8	16	16					
04	5	12	13					
05	6	8	10					
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	5	11	13					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OKUSHIRI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	3	6	10					
01	6	10	10					
02	2	9	12					
03	-	7	12					
04	1	8	10					
05	2	7	8					
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	2	8	10					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKUSHIRI AIRPORT MONTH: APR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	2	5	6					
01	2	5	6					
02	2	4	5					
03	2	4	5					
04	3	5	7					
05	2	5	6					
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	2	5	6					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKUSHIRI AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	6	10	10					
01	3	5	7					
02	2	5	7					
03	3	5	8					
04	3	4	8					
05	3	5	8					
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	3	6	8					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKUSHIRI AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	3	7					
01	1	4	6					
02	1	3	5					
03	1	1	5					
04	1	3	5					
05	1	3	4					
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	3	5					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKUSHIRI AIRPORT MONTH: JUL
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	10	15	16					
01	10	14	15					
02	7	14	17					
03	5	12	17					
04	5	10	14					
05	5	11	14					
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	7	12	15					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKUSHIRI AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	-	1	1					
02	-	1	3					
03	1	3	3					
04	-	3	3					
05	1	3	3					
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	2	2					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKUSHIRI AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	2					
01	-	-	-					
02	-	-	2					
03	-	-	-					
04	-	-	-					
05	-	1	1					
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKUSHIRI AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	-	-	-					
02	-	-	1					
03	-	-	-					
04	-	-	-					
05	-	-	1					
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	0					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKUSHIRI AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1	2	3					
01	-	1	1					
02	-	-	-					
03	2	2	3					
04	-	1	1					
05	1	1	2					
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	1	2					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKUSHIRI AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	4	10	10					
01	3	6	8					
02	2	6	9					
03	4	8	10					
04	3	7	10					
05	5	11	12					
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	3	8	10					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKUSHIRI AIRPORT [ANNUAL]
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	3	6	8					
01	3	6	7					
02	2	6	8					
03	3	6	8					
04	2	6	7					
05	2	5	7					
06								
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	3	6	7					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: OKUSHIRI AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	2	3	5			
01	-	1	2	5			
02	-	2	4	6			
03	-	2	4	7			
04	-	3	4	7			
05	-	1	1	5			
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	2	3	6			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKUSHIRI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	4	6	8			
01	-	2	4	6			
02	-	3	4	4			
03	-	4	6	8			
04	-	2	4	6			
05	-	2	4	5			
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	3	4	6			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKUSHIRI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	1	5	7			
01	-	1	6	9			
02	-	1	6	8			
03	-	3	5	8			
04	-	3	6	9			
05	-	2	5	9			
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	2	5	8			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKUSHIRI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	5	9	13			
01	-	5	11	14			
02	-	4	11	15			
03	-	5	11	14			
04	-	5	7	13			
05	-	5	7	15			
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	5	9	14			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKUSHIRI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	10	17	19			
01	-	8	15	19			
02	-	9	17	24			
03	-	8	14	19			
04	-	5	10	15			
05	-	8	13	20			
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	8	14	19			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKUSHIRI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	9	17	24			
01	-	7	13	22			
02	-	7	15	20			
03	-	7	16	21			
04	-	5	11	17			
05	-	5	13	18			
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	7	14	20			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: OKUSHIRI AIRPORT MONTH: JUL
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	18	25	34			
01	-	17	23	31			
02	-	16	25	32			
03	-	18	25	32			
04	-	19	27	34			
05	-	21	27	36			
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	18	25	33			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: OKUSHIRI AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	2	6	12			
01	-	1	5	12			
02	-	3	5	12			
03	-	3	5	8			
04	-	2	5	8			
05	-	3	7	10			
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	2	5	10			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKUSHIRI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	1	1	2			
01	-	1	1	1			
02	-	-	1	3			
03	-	-	2	4			
04	-	-	-	2			
05	-	-	1	1			
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	1	2			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKUSHIRI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	1	1			
01	-	-	-	-			
02	-	-	-	1			
03	-	-	-	1			
04	-	-	1	2			
05	-	1	2	2			
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	1	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: OKUSHIRI AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 6
 LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	2	2	5			
01	-	1	2	3			
02	-	-	1	2			
03	-	1	2	3			
04	-	1	1	3			
05	-	1	1	3			
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	1	1	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKUSHIRI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	1	5			
01	-	1	3	7			
02	-	1	2	5			
03	-	1	5	7			
04	-	1	3	5			
05	-	1	4	6			
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	1	3	6			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKUSHIRI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 6

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	4	8	11			
01	-	4	7	11			
02	-	4	7	11			
03	-	4	8	11			
04	-	4	7	10			
05	-	4	7	11			
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	4	7	11			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKUSHIRI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[02-03-04]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[08-09-10]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[14-15-16]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[20-21-22]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	0)	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	0)	2)	4)	6)	4)	1)	1)	0)	0)	0)	0)	19)
[29-30-31]	0)	2)	9)	17)	13)	4)	1)	0)	0)	0)	0)	45)
[32-33-34]	1)	2)	4)	4)	1)	0)	0)	0)	0)	0)	0)	13)
TOTAL	8)	13)	22)	30)	20)	6)	2)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKUSHIRI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[02-03-04]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[08-09-10]	0)	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[11-12-13]	0)	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	0)	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[23-24-25]	0)	1)	3)	2)	1)	0)	0)	0)	0)	0)	0)	7)
[26-27-28]	0)	1)	5)	6)	4)	2)	0)	0)	0)	0)	0)	18)
[29-30-31]	0)	2)	6)	10)	11)	4)	1)	0)	0)	0)	0)	34)
[32-33-34]	1)	2)	4)	4)	2)	0)	0)	0)	0)	0)	0)	13)
TOTAL	7)	15)	25)	25)	18)	7)	2)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKUSHIRI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	2)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[02-03-04]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[05-06-07]	1)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[08-09-10]	0)	2)	2)	1)	1)	0)	0)	0)	0)	0)	0)	7)
[11-12-13]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	0)	2)	2)	1)	1)	0)	0)	0)	0)	0)	0)	6)
[23-24-25]	1)	3)	3)	3)	2)	1)	0)	0)	0)	0)	0)	13)
[26-27-28]	1)	3)	5)	5)	2)	1)	1)	0)	0)	0)	0)	18)
[29-30-31]	1)	4)	6)	5)	3)	1)	1)	0)	0)	0)	0)	20)
[32-33-34]	1)	3)	4)	3)	1)	0)	0)	0)	0)	0)	0)	13)
TOTAL	12)	24)	27)	20)	10)	4)	1)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKUSHIRI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	3	0	-	-	-	-	-	-	-	-	-	3
[35-36-01]	2	1	1	0	0	-	-	-	-	-	-	4
[02-03-04]	3	0	0	0	0	-	-	-	-	-	-	3
[05-06-07]	2	2	0	-	-	-	-	-	-	-	-	4
[08-09-10]	2	4	4	4	1	-	-	-	-	-	-	15
[11-12-13]	1	3	1	0	0	-	-	-	-	-	-	5
[14-15-16]	1	1	1	0	0	-	-	-	-	-	-	3
[17-18-19]	1	2	1	1	0	0	-	-	-	-	-	6
[20-21-22]	1	2	1	1	0	0	0	-	-	-	-	7
[23-24-25]	2	3	3	2	1	0	0	0	0	0	-	10
[26-27-28]	1	4	3	4	2	1	0	-	-	-	-	15
[29-30-31]	1	3	4	3	1	0	0	0	-	-	-	12
[32-33-34]	2	5	4	2	0	0	0	0	-	-	-	13
TOTAL	21	31	23	16	6	2	0	0	0	0	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKUSHIRI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[35-36-01]	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	3)
[02-03-04]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[05-06-07]	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[08-09-10]	4)	10)	5)	3)	0)	0)	0)	0)	0)	0)	0)	23)
[11-12-13]	2)	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[14-15-16]	2)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[17-18-19]	3)	3)	1)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[20-21-22]	2)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[23-24-25]	2)	3)	1)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[26-27-28]	2)	3)	1)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[29-30-31]	1)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[32-33-34]	1)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
TOTAL	31)	40)	17)	10)	2)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKUSHIRI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	6	0	-	-	-	-	-	-	-	-	-	6
[35-36-01]	2	1	0	0	-	-	-	-	-	-	-	3
[02-03-04]	3	0	0	0	-	-	-	-	-	-	-	3
[05-06-07]	4	3	2	0	-	-	-	-	-	-	-	8
[08-09-10]	3	10	12	4	1	0	-	-	-	-	-	30
[11-12-13]	2	2	0	0	0	-	-	-	-	-	-	5
[14-15-16]	1	1	0	0	-	-	-	-	-	-	-	3
[17-18-19]	3	1	0	0	-	0	-	-	-	-	-	4
[20-21-22]	3	1	0	0	0	0	-	-	-	-	-	5
[23-24-25]	3	2	0	0	0	0	-	-	-	-	-	6
[26-27-28]	1	3	1	0	0	0	-	-	-	-	-	5
[29-30-31]	2	4	1	0	0	0	-	-	-	-	-	8
[32-33-34]	3	7	3	1	0	-	-	-	-	-	-	13
TOTAL	35	36	20	6	2	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKUSHIRI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	5	-	-	-	-	-	-	-	-	-	-	5
[35-36-01]	2	0	0	-	0	-	-	-	-	-	-	2
[02-03-04]	3	0	0	-	-	-	-	-	-	-	-	3
[05-06-07]	3	2	1	-	-	-	-	-	-	-	-	5
[08-09-10]	3	9	12	3	0	-	-	-	-	-	-	27
[11-12-13]	3	3	1	0	-	-	-	-	-	-	-	7
[14-15-16]	3	3	1	0	0	-	-	-	-	-	-	6
[17-18-19]	4	3	1	0	0	0	-	-	-	-	-	8
[20-21-22]	4	4	1	1	0	-	-	-	-	-	-	9
[23-24-25]	3	4	2	0	0	-	-	-	-	-	-	9
[26-27-28]	2	3	1	0	-	-	-	-	-	-	-	6
[29-30-31]	2	3	1	0	-	-	-	-	-	-	-	6
[32-33-34]	2	4	2	0	0	-	-	-	-	-	-	8
TOTAL	37	37	21	5	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKUSHIRI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	5	0	-	-	-	-	-	-	-	-	-	5
[35-36-01]	3	2	0	0	-	-	-	-	-	-	-	5
[02-03-04]	7	1	0	-	-	-	-	-	-	-	-	8
[05-06-07]	4	3	0	0	0	-	-	-	-	-	-	7
[08-09-10]	2	10	7	2	1	0	-	-	-	-	-	23
[11-12-13]	1	3	1	0	0	-	-	-	-	-	-	5
[14-15-16]	1	2	0	0	-	-	0	-	-	-	-	3
[17-18-19]	2	3	1	0	0	0	0	0	-	-	-	7
[20-21-22]	2	2	2	1	0	0	-	-	-	-	-	7
[23-24-25]	3	3	1	1	0	0	-	-	-	-	-	8
[26-27-28]	2	3	1	0	0	-	-	-	-	-	-	6
[29-30-31]	2	3	2	0	-	-	-	-	-	-	-	7
[32-33-34]	3	4	2	0	-	-	-	-	-	-	-	9
TOTAL	35	38	18	6	2	0	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKUSHIRI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[35-36-01]	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[02-03-04]	9)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[05-06-07]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[08-09-10]	1)	7)	8)	2)	0)	0)	0)	0)	0)	0)	0)	18)
[11-12-13]	0)	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	2)	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[26-27-28]	1)	5)	3)	1)	0)	0)	0)	0)	0)	0)	0)	11)
[29-30-31]	2)	4)	3)	2)	1)	0)	0)	0)	0)	0)	0)	10)
[32-33-34]	2)	3)	3)	0)	0)	0)	0)	0)	0)	0)	0)	9)
TOTAL	30)	36)	25)	8)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKUSHIRI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												-
VARIABLE	2	0	-	-	-	-	-	-	-	-	-	2
[35-36-01]	2	4	2	0	0	0	-	-	-	-	-	7
[02-03-04]	5	2	0	0	-	-	-	-	-	-	-	7
[05-06-07]	1	1	0	-	-	-	-	-	-	-	-	2
[08-09-10]	0	2	3	1	-	-	-	-	-	-	-	7
[11-12-13]	0	1	1	1	0	0	-	-	-	-	-	3
[14-15-16]	0	0	0	0	0	0	-	-	-	-	-	2
[17-18-19]	0	1	1	0	0	0	0	-	-	-	-	2
[20-21-22]	0	3	2	1	0	0	0	-	-	-	-	7
[23-24-25]	1	3	3	2	1	1	0	0	-	-	-	10
[26-27-28]	1	3	6	5	2	1	0	0	0	-	-	18
[29-30-31]	1	4	5	6	4	2	0	-	-	-	-	22
[32-33-34]	1	3	4	2	1	0	0	-	-	-	-	11
TOTAL	13	26	27	19	10	4	1	0	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKUSHIRI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	3)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[02-03-04]	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[05-06-07]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[08-09-10]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	0)	1)	2)	1)	1)	0)	0)	0)	0)	0)	0)	5)
[23-24-25]	0)	2)	3)	1)	1)	1)	0)	0)	0)	0)	0)	9)
[26-27-28]	0)	3)	4)	5)	4)	1)	1)	1)	0)	0)	0)	18)
[29-30-31]	1)	3)	6)	8)	5)	2)	0)	0)	0)	0)	0)	24)
[32-33-34]	1)	3)	4)	2)	0)	0)	0)	0)	0)	0)	0)	12)
TOTAL	14)	22)	26)	19)	12)	4)	1)	1)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKUSHIRI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												-
VARIABLE	1	-	-	-	-	-	-	-	-	-	-	1
[35-36-01]	2	3	2	1	0	0	-	-	-	-	-	8
[02-03-04]	3	1	0	0	0	-	-	-	-	-	-	4
[05-06-07]	1	0	0	0	-	-	-	-	-	-	-	1
[08-09-10]	0	1	1	1	0	0	0	-	-	-	-	3
[11-12-13]	0	0	1	1	0	0	-	-	-	-	-	2
[14-15-16]	0	0	0	0	0	0	-	-	-	-	-	1
[17-18-19]	0	0	0	0	0	0	-	-	-	-	-	2
[20-21-22]	0	0	1	1	0	-	-	-	-	-	-	2
[23-24-25]	0	1	2	1	1	0	0	0	0	-	-	6
[26-27-28]	0	2	5	7	6	5	2	0	0	-	0	27
[29-30-31]	0	2	7	11	8	4	1	0	0	-	-	33
[32-33-34]	0	2	3	3	1	0	0	0	-	-	-	9
TOTAL	8	14	22	25	18	10	2	1	0	-	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKUSHIRI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[35-36-01]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[02-03-04]	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[08-09-10]	1)	5)	5)	2)	0)	0)	0)	0)	0)	0)	0)	14)
[11-12-13]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	1)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[23-24-25]	1)	2)	2)	1)	1)	0)	0)	0)	0)	0)	0)	8)
[26-27-28]	1)	3)	3)	3)	2)	1)	0)	0)	0)	0)	0)	14)
[29-30-31]	1)	3)	4)	5)	4)	1)	0)	0)	0)	0)	0)	19)
[32-33-34]	1)	3)	3)	2)	1)	0)	0)	0)	0)	0)	0)	11)
TOTAL	21)	28)	23)	16)	8)	3)	1)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKUSHIRI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	23	48	28	2	-	-	-	-	-	-
01	-	-	21	49	28	3	-	-	-	-	-	-
02	-	-	19	48	31	2	-	-	-	-	-	-
03	-	-	19	49	30	3	-	-	-	-	-	-
04	-	-	17	52	28	3	-	-	-	-	-	-
05	-	-	17	52	28	3	-	-	-	-	-	-
06	-	-	19	53	25	3	-	-	-	-	-	-
07	-	-	20	52	26	2	-	-	-	-	-	-
08	-	-	22	52	25	1	-	-	-	-	-	-
09	0)	0)	21)	55)	23)	1)	0)	0)	0)	0)	0)	0)
10	0)	0)	21)	53)	25)	1)	0)	0)	0)	0)	0)	0)
11	0)	0)	23)	51)	24)	1)	0)	0)	0)	0)	0)	0)
12	0)	0)	21)	54)	24)	1)	0)	0)	0)	0)	0)	0)
13	0)	0)	21)	54)	24)	1)	0)	0)	0)	0)	0)	0)
14	0)	0)	24)	51)	24)	1)	0)	0)	0)	0)	0)	0)
15	0)	0)	23)	56)	19)	1)	0)	0)	0)	0)	0)	0)
16	0)	0)	22)	55)	22)	1)	0)	0)	0)	0)	0)	0)
17	0)	0)	23)	53)	21)	2)	0)	0)	0)	0)	0)	0)
18	0)	0)	22)	56)	20)	2)	0)	0)	0)	0)	0)	0)
19	0)	0)	23)	53)	22)	2)	0)	0)	0)	0)	0)	0)
20	0)	0)	23)	51)	24)	1)	0)	0)	0)	0)	0)	0)
21	0)	0)	23)	54)	22)	1)	0)	0)	0)	0)	0)	0)
22	0)	0)	25)	55)	19)	1)	0)	0)	0)	0)	0)	0)
23	-	-	24	51	23	2	-	-	-	-	-	-
MEAN	0)	0)	22)	52)	24)	2)	0)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKUSHIRI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	14	54	27	6	-	-	-	-	-	-
01	-	-	13	49	32	6	-	-	-	-	-	-
02	-	-	13	48	34	6	-	-	-	-	-	-
03	-	-	12	49	33	6	-	-	-	-	-	-
04	-	-	13	48	33	6	-	-	-	-	-	-
05	-	-	13	45	36	6	-	-	-	-	-	-
06	0)	0)	16)	44)	35)	4)	0)	0)	0)	0)	0)	0)
07	-	-	15	45	35	4	-	-	-	-	-	-
08	-	-	19	43	35	4	-	-	-	-	-	-
09	-	-	16	48	32	4	-	-	-	-	-	-
10	-	-	19	46	31	4	-	-	-	-	-	-
11	-	-	16	48	32	4	-	-	-	-	-	-
12	-	-	17	48	32	3	-	-	-	-	-	-
13	-	-	17	48	32	3	-	-	-	-	-	-
14	-	-	14	51	32	4	-	-	-	-	-	-
15	-	-	16	47	32	4	-	-	-	-	-	-
16	-	-	17	50	29	4	-	-	-	-	-	-
17	-	-	19	49	28	4	-	-	-	-	-	-
18	-	-	18	48	31	4	-	-	-	-	-	-
19	-	-	22	49	27	3	-	-	-	-	-	-
20	-	-	17	51	30	3	-	-	-	-	-	-
21	-	-	20	49	27	4	-	-	-	-	-	-
22	-	-	20	51	25	4	-	-	-	-	-	-
23	-	-	16	53	27	4	-	-	-	-	-	-
MEAN	0)	0)	16)	48)	31)	4)	0)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKUSHIRI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	1	17	52	30	-	-	-	-	-	-
01	-	-	1	15	54	30	1	-	-	-	-	-
02	-	-	-	17	50	32	1	-	-	-	-	-
03	-	-	1	15	46	37	1	-	-	-	-	-
04	-	-	1	17	48	32	2	-	-	-	-	-
05	-	-	1	16	46	35	1	-	-	-	-	-
06	-	-	1	17	48	31	2	-	-	-	-	-
07	-	-	2	19	50	28	1	-	-	-	-	-
08	-	-	1	21	50	27	-	-	-	-	-	-
09	-	-	1	24	52	23	-	-	-	-	-	-
10	0)	0)	1)	25)	54)	20)	0)	0)	0)	0)	0)	0)
11	0)	0)	1)	25)	54)	19)	0)	0)	0)	0)	0)	0)
12	0)	0)	1)	29)	52)	18)	0)	0)	0)	0)	0)	0)
13	0)	0)	1)	28)	53)	19)	0)	0)	0)	0)	0)	0)
14	0)	0)	1)	27)	50)	22)	0)	0)	0)	0)	0)	0)
15	0)	0)	1)	29)	51)	18)	0)	0)	0)	0)	0)	0)
16	0)	0)	1)	30)	53)	17)	0)	0)	0)	0)	0)	0)
17	0)	0)	1)	27)	56)	16)	0)	0)	0)	0)	0)	0)
18	0)	0)	1)	25)	57)	16)	0)	0)	0)	0)	0)	0)
19	0)	0)	1)	27)	57)	16)	0)	0)	0)	0)	0)	0)
20	0)	0)	2)	27)	56)	15)	0)	0)	0)	0)	0)	0)
21	0)	0)	1)	26)	56)	16)	0)	0)	0)	0)	0)	0)
22	0)	0)	1)	23)	55)	21)	0)	0)	0)	0)	0)	0)
23	-	-	1	18	55	25	-	-	-	-	-	-
MEAN	0)	0)	1)	23)	52)	24)	0)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKUSHIRI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	13	69	17	-	-	-	-	-
01	-	-	-	1	10	67	22	1	-	-	-	-
02	-	-	-	-	10	65	24	1	-	-	-	-
03	-	-	-	-	11	58	30	1	-	-	-	-
04	-	-	-	-	10	57	32	-	1	-	-	-
05	-	-	-	-	12	58	28	1	1	-	-	-
06	-	-	-	-	10	64	25	-	1	-	-	-
07	-	-	-	-	13	65	21	1	1	-	-	-
08	-	-	-	-	18	65	15	1	1	-	-	-
09	-	-	-	1	23	65	11	1	-	-	-	-
10	-	-	-	2	28	61	9	1	-	-	-	-
11	-	-	-	1	30	61	7	-	-	-	-	-
12	-	-	-	1	31	62	5	1	-	-	-	-
13	-	-	-	1	29	64	5	-	-	-	-	-
14	-	-	-	1	31	61	7	-	-	-	-	-
15	-	-	-	1	33	60	6	-	-	-	-	-
16	-	-	-	2	37	57	4	-	-	-	-	-
17	-	-	-	1	39	57	3	-	-	-	-	-
18	-	-	-	2	36	58	4	-	-	-	-	-
19	-	-	-	1	37	59	3	-	-	-	-	-
20	-	-	-	1	39	55	5	-	-	-	-	-
21	-	-	-	2	30	61	7	-	-	-	-	-
22	-	-	-	-	21	69	10	-	-	-	-	-
23	-	-	-	-	17	68	15	-	-	-	-	-
MEAN	-	-	-	1	24	62	13	0	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKUSHIRI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	16	63	19	1	-	-	-
01	-	-	-	-	-	12	62	24	2	-	-	-
02	-	-	-	-	-	12	61	25	2	-	-	-
03	-	-	-	-	-	12	60	27	1	-	-	-
04	-	-	-	-	-	10	60	27	3	-	-	-
05	-	-	-	-	-	13	60	25	3	-	-	-
06	-	-	-	-	-	14	61	21	3	-	-	-
07	0)	0)	0)	0)	0)	16)	60)	21)	3)	0)	0)	0)
08	-	-	-	-	-	19	59	21	2	-	-	-
09	-	-	-	-	-	29	57	13	1	-	-	-
10	-	-	-	-	1	36	53	10	-	-	-	-
11	-	-	-	-	1	37	55	6	-	-	-	-
12	-	-	-	-	-	42	52	6	-	-	-	-
13	-	-	-	-	-	43	48	9	-	-	-	-
14	-	-	-	-	-	44	50	6	-	-	-	-
15	-	-	-	-	1	41	54	5	-	-	-	-
16	-	-	-	-	2	43	50	5	-	-	-	-
17	-	-	-	-	3	43	50	5	-	-	-	-
18	-	-	-	-	3	43	50	4	-	-	-	-
19	-	-	-	-	2	44	49	5	-	-	-	-
20	-	-	-	-	1	43	51	5	-	-	-	-
21	-	-	-	-	1	34	58	8	-	-	-	-
22	-	-	-	-	-	26	62	12	-	-	-	-
23	-	-	-	-	-	21	61	16	1	-	-	-
MEAN	0)	0)	0)	0)	1)	29)	56)	14)	1)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKUSHIRI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	23	65	12	-	-	-
01	-	-	-	-	-	-	17	67	16	-	-	-
02	-	-	-	-	-	-	17	65	17	1	-	-
03	-	-	-	-	-	-	11	66	21	1	-	-
04	-	-	-	-	-	-	13	68	17	1	-	-
05	-	-	-	-	-	-	13	66	20	1	-	-
06	0)	0)	0)	0)	0)	0)	14)	65)	20)	1)	0)	0)
07	0)	0)	0)	0)	0)	0)	18)	65)	17)	0)	0)	0)
08	0)	0)	0)	0)	0)	0)	24)	61)	16)	0)	0)	0)
09	0)	0)	0)	0)	0)	0)	25)	66)	9)	0)	0)	0)
10	0)	0)	0)	0)	0)	0)	33)	64)	3)	0)	0)	0)
11	0)	0)	0)	0)	0)	1)	39)	58)	3)	0)	0)	0)
12	0)	0)	0)	0)	0)	2)	42)	54)	2)	0)	0)	0)
13	0)	0)	0)	0)	0)	3)	45)	50)	2)	0)	0)	0)
14	0)	0)	0)	0)	0)	3)	48)	49)	1)	0)	0)	0)
15	0)	0)	0)	0)	0)	3)	47)	49)	1)	0)	0)	0)
16	0)	0)	0)	0)	0)	2)	52)	46)	0)	0)	0)	0)
17	0)	0)	0)	0)	0)	3)	52)	46)	0)	0)	0)	0)
18	0)	0)	0)	0)	0)	5)	50)	45)	1)	0)	0)	0)
19	0)	0)	0)	0)	0)	5)	50)	44)	0)	0)	0)	0)
20	0)	0)	0)	0)	0)	3)	50)	47)	0)	0)	0)	0)
21	0)	0)	0)	0)	0)	1)	41)	57)	1)	0)	0)	0)
22	0)	0)	0)	0)	0)	1)	35)	60)	5)	0)	0)	0)
23	0)	0)	0)	0)	0)	0)	26)	65)	9)	0)	0)	0)
MEAN	0)	0)	0)	0)	0)	1)	33)	58)	8)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKUSHIRI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	33	66	1	-	-
01	-	-	-	-	-	-	1	27	70	2	-	-
02	-	-	-	-	-	-	1	25	72	3	-	-
03	-	-	-	-	-	-	1	21	74	5	-	-
04	-	-	-	-	-	-	-	22	72	6	-	-
05	-	-	-	-	-	-	-	21	73	6	-	-
06	-	-	-	-	-	-	-	23	71	6	-	-
07	-	-	-	-	-	-	-	25	72	3	-	-
08	-	-	-	-	-	-	-	27	72	1	-	-
09	-	-	-	-	-	-	-	34	66	-	-	-
10	-	-	-	-	-	-	2	45	53	-	-	-
11	-	-	-	-	-	-	3	52	45	-	-	-
12	-	-	-	-	-	-	4	52	44	-	-	-
13	-	-	-	-	-	-	6	50	45	-	-	-
14	-	-	-	-	-	-	6	48	45	-	-	-
15	-	-	-	-	-	-	8	48	44	-	-	-
16	-	-	-	-	-	-	7	52	41	-	-	-
17	-	-	-	-	-	-	9	54	37	-	-	-
18	-	-	-	-	-	-	8	56	35	-	-	-
19	-	-	-	-	-	-	11	54	35	-	-	-
20	-	-	-	-	-	-	8	57	35	-	-	-
21	-	-	-	-	-	-	3	55	42	-	-	-
22	-	-	-	-	-	-	1	48	52	-	-	-
23	-	-	-	-	-	-	1	39	60	-	-	-
MEAN	-	-	-	-	-	-	3	40	55	1	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKUSHIRI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	1	79	21	-	-
01	-	-	-	-	-	-	-	1	70	29	-	-
02	-	-	-	-	-	-	-	1	61	38	-	-
03	-	-	-	-	-	-	-	-	64	36	-	-
04	-	-	-	-	-	-	-	1	58	41	-	-
05	-	-	-	-	-	-	-	1	60	39	-	-
06	-	-	-	-	-	-	-	2	65	33	-	-
07	-	-	-	-	-	-	-	1	68	31	-	-
08	-	-	-	-	-	-	-	3	74	23	-	-
09	-	-	-	-	-	-	-	7	79	14	-	-
10	-	-	-	-	-	-	-	14	77	9	-	-
11	-	-	-	-	-	-	-	19	74	8	-	-
12	-	-	-	-	-	-	-	21	71	8	-	-
13	-	-	-	-	-	-	-	23	70	7	-	-
14	-	-	-	-	-	-	-	26	69	5	-	-
15	-	-	-	-	-	-	-	26	67	6	-	-
16	-	-	-	-	-	-	-	26	67	6	-	-
17	-	-	-	-	-	-	-	25	71	4	-	-
18	-	-	-	-	-	-	-	24	73	3	-	-
19	-	-	-	-	-	-	-	25	72	3	-	-
20	-	-	-	-	-	-	-	23	74	3	-	-
21	-	-	-	-	-	-	-	17	78	5	-	-
22	-	-	-	-	-	-	-	9	84	7	-	-
23	-	-	-	-	-	-	-	1	85	14	-	-
MEAN	-	-	-	-	-	-	-	12	71	16	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKUSHIRI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	29	63	7	-	-
01	-	-	-	-	-	-	1	23	67	9	-	-
02	-	-	-	-	-	-	1	21	69	9	-	-
03	-	-	-	-	-	-	1	19	69	11	-	-
04	-	-	-	-	-	-	1	21	69	9	-	-
05	-	-	-	-	-	-	1	25	65	9	-	-
06	-	-	-	-	-	-	1	25	68	7	-	-
07	-	-	-	-	-	-	1	31	62	6	-	-
08	-	-	-	-	-	-	3	43	49	5	-	-
09	-	-	-	-	-	-	4	56	36	4	-	-
10	-	-	-	-	-	-	7	56	33	4	-	-
11	-	-	-	-	-	-	7	57	32	3	-	-
12	-	-	-	-	-	-	7	60	30	3	-	-
13	0)	0)	0)	0)	0)	0)	8)	60)	30)	3)	0)	0)
14	0)	0)	0)	0)	0)	0)	9)	61)	29)	1)	0)	0)
15	0)	0)	0)	0)	0)	0)	10)	58)	30)	2)	0)	0)
16	-	-	-	-	-	-	11	55	31	3	-	-
17	-	-	-	-	-	-	11	56	30	3	-	-
18	-	-	-	-	-	-	11	58	30	1	-	-
19	-	-	-	-	-	-	10	61	28	1	-	-
20	-	-	-	-	-	-	9	63	27	1	-	-
21	-	-	-	-	-	-	9	63	27	1	-	-
22	-	-	-	-	-	-	2	55	41	3	-	-
23	-	-	-	-	-	-	1	43	52	5	-	-
MEAN	0)	0)	0)	0)	0)	0)	5)	46)	45)	5)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKUSHIRI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	15	46	34	5	-	-	-
01	-	-	-	-	-	14	44	36	6	-	-	-
02	-	-	-	-	-	13	39	40	8	-	-	-
03	-	-	-	-	1	12	39	39	8	-	-	-
04	-	-	-	-	-	15	39	37	9	-	-	-
05	-	-	-	-	-	16	40	35	9	-	-	-
06	-	-	-	-	-	18	41	34	8	-	-	-
07	-	-	-	-	1	20	44	31	5	-	-	-
08	-	-	-	-	-	23	46	28	3	-	-	-
09	-	-	-	-	-	25	43	31	2	-	-	-
10	-	-	-	-	1	30	42	26	2	-	-	-
11	-	-	-	-	1	30	41	26	2	-	-	-
12	-	-	-	-	1	30	42	26	1	-	-	-
13	-	-	-	-	1	29	42	28	1	-	-	-
14	-	-	-	-	1	28	44	27	1	-	-	-
15	-	-	-	-	1	25	46	28	1	-	-	-
16	-	-	-	-	1	25	46	27	1	-	-	-
17	-	-	-	-	1	26	46	26	-	-	-	-
18	-	-	-	-	1	24	49	26	-	-	-	-
19	-	-	-	-	1	23	54	23	-	-	-	-
20	-	-	-	-	2	24	53	21	-	-	-	-
21	-	-	-	-	3	23	52	23	-	-	-	-
22	-	-	-	-	2	17	57	24	-	-	-	-
23	-	-	-	-	1	15	54	25	5	-	-	-
MEAN	-	-	-	-	1	22	45	29	3	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKUSHIRI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	5	28	39	29	-	-	-	-	-
01	-	-	-	3	29	37	29	3	-	-	-	-
02	-	-	-	4	26	33	35	2	-	-	-	-
03	-	-	-	5	25	32	35	3	-	-	-	-
04	-	-	-	5	25	33	34	3	-	-	-	-
05	-	-	1	4	26	37	30	3	-	-	-	-
06	-	-	-	5	29	35	29	2	-	-	-	-
07	-	-	-	5	33	35	26	1	-	-	-	-
08	-	-	1	5	35	35	24	1	-	-	-	-
09	-	-	1	5	35	37	21	2	-	-	-	-
10	-	-	1	3	39	34	21	2	-	-	-	-
11	-	-	-	5	37	35	21	1	-	-	-	-
12	0)	0)	0)	5)	34)	38)	22)	1)	0)	0)	0)	0)
13	0)	0)	0)	6)	33)	36)	25)	1)	0)	0)	0)	0)
14	-	-	-	5	36	34	23	1	-	-	-	-
15	-	-	-	4	37	35	23	1	-	-	-	-
16	-	-	-	4	34	35	25	1	-	-	-	-
17	-	-	-	5	36	34	25	-	-	-	-	-
18	-	-	-	4	34	38	23	1	-	-	-	-
19	-	-	-	4	35	37	24	1	-	-	-	-
20	-	-	-	5	35	39	22	-	-	-	-	-
21	-	-	-	4	36	39	21	-	-	-	-	-
22	-	-	-	4	37	37	22	-	-	-	-	-
23	-	-	-	3	35	40	21	-	-	-	-	-
MEAN	0)	0)	0)	4)	33)	36)	26)	1)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKUSHIRI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	5	39	34	21	3	-	-	-	-	-
01	-	1	3	38	34	22	3	-	-	-	-	-
02	-	-	4	37	34	23	3	-	-	-	-	-
03	-	-	3	37	37	20	3	-	-	-	-	-
04	-	1	3	37	35	21	3	-	-	-	-	-
05	-	-	5	37	35	21	3	-	-	-	-	-
06	-	-	5	35	39	20	2	-	-	-	-	-
07	-	-	6	37	40	16	1	-	-	-	-	-
08	-	1	4	41	39	14	1	-	-	-	-	-
09	-	1	5	35	41	16	1	-	-	-	-	-
10	-	1	5	36	42	15	1	-	-	-	-	-
11	-	1	5	37	43	13	1	-	-	-	-	-
12	-	1	4	36	44	15	1	-	-	-	-	-
13	-	-	5	34	48	13	1	-	-	-	-	-
14	-	-	6	36	44	14	1	-	-	-	-	-
15	-	-	7	33	48	12	1	-	-	-	-	-
16	-	-	6	34	45	13	1	-	-	-	-	-
17	-	-	6	36	45	11	2	-	-	-	-	-
18	-	-	6	34	46	12	1	-	-	-	-	-
19	-	-	5	38	43	12	1	-	-	-	-	-
20	-	-	5	40	39	14	2	-	-	-	-	-
21	-	-	6	39	39	15	1	-	-	-	-	-
22	-	-	5	41	39	14	2	-	-	-	-	-
23	-	-	4	41	37	15	3	-	-	-	-	-
MEAN	-	0	5	37	40	16	2	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKUSHIRI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	4	13	15	16	15	15	19	2	-	-
01	-	0	3	13	15	16	15	15	19	3	-	-
02	-	-	3	13	15	15	15	15	19	4	-	-
03	-	-	3	13	15	15	15	15	20	4	-	-
04	-	0	3	13	15	15	15	15	19	5	-	-
05	-	-	3	13	15	16	15	15	19	5	-	-
06	0)	0)	3)	13)	16)	16)	15)	14)	20)	4)	0)	0)
07	0)	0)	4)	13)	16)	16)	14)	15)	19)	3)	0)	0)
08	0)	0)	4)	13)	17)	16)	14)	15)	18)	2)	0)	0)
09	0)	0)	4)	14)	17)	17)	14)	17)	16)	1)	0)	0)
10	0)	0)	4)	14)	18)	17)	14)	18)	14)	1)	0)	0)
11	0)	0)	4)	14)	18)	17)	15)	18)	13)	1)	0)	0)
12	0)	0)	3)	14)	18)	18)	15)	19)	13)	1)	0)	0)
13	0)	0)	4)	14)	18)	18)	15)	18)	12)	1)	0)	0)
14	0)	0)	4)	14)	18)	17)	16)	18)	12)	1)	0)	0)
15	0)	0)	4)	14)	18)	17)	16)	18)	12)	1)	0)	0)
16	0)	0)	4)	14)	19)	16)	17)	18)	12)	1)	0)	0)
17	0)	0)	4)	14)	19)	16)	17)	18)	12)	1)	0)	0)
18	0)	0)	4)	14)	19)	17)	16)	18)	12)	0)	0)	0)
19	0)	0)	4)	14)	19)	17)	17)	18)	11)	0)	0)	0)
20	0)	0)	4)	14)	19)	16)	17)	18)	12)	0)	0)	0)
21	0)	0)	4)	14)	18)	16)	16)	19)	13)	0)	0)	0)
22	0)	0)	4)	14)	17)	16)	16)	17)	15)	1)	0)	0)
23	0)	0)	4)	14)	16)	16)	15)	16)	18)	2)	0)	0)
MEAN	0)	0)	4)	14)	17)	16)	15)	17)	15)	2)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKUSHIRI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	-2.3	-1.4	2.5	6.9	11.7	16.1	20.2	22.7	19.9	13.1	6.7	0.9	9.7
Daily maximum air temperature(°C)	0.1	1.0	5.1	10.0	14.9	19.3	22.9	25.7	22.9	16.1	9.5	3.5	12.6
Daily minimum air temperature(°C)	-4.6	-3.8	-0.4	3.5	8.6	13.1	17.8	20.0	16.7	9.9	3.6	-1.8	6.9
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	26.2	27.7	39.4	57.7	72.7	91.1	90.5	145.0	128.5	83.0	76.8	79.3	917.9
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	983.3	977.3	977.2	961.8	983.8	983.0	985.1	969.4	991.3	972.6	981.3	979.0	961.8
Daily maximum air temperature(°C)	8.8	9.8	12.4	22.4	23.4*	26.7	27.7	29.5*	29.8	23.6	16.7*	12.5	29.8
Daily minimum air temperature(°C)	-9.8	-9.3	-7.7	-2.4	2.9	5.7	10.4	15.4	10.5*	2.7	-5.6	-10.9	-10.9
Daily precipitation(mm)	9.5	15.0	34.0	58.5	37.0	58.0	48.5	99.5	89.5	40.0	38.0	58.5	99.5
Daily max.one-hour precipitation(mm)	5.5	7.5	6.5*	20.0	12.5	16.0	16.5	49.5	32.5	21.5	25.5	12.0	49.5
Daily max.ten-minute precipitation(mm)	1.5*	2.5	2.5	5.5	4.5	9.0	6.5	14.0	22.5	8.5	10.5	5.0	22.5
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)													
Daily maximum wind speed(kt)	47	47 *	50	49	34	30 *	29	42	30	45	55	55	55 *
with wind direction(36DIR.)	25	31 *	28	24	28	18	18	21	9	28	28	28	28
Daily maximum peak gust(kt)	58	65	64	63	46	42	44	59	46	58	69	71	71
with wind direction(36DIR.)	24	28	28	24	9	20	34	19	18	29	29	28	28

AERODROME: OKUSHIRI AIRPORT PERIOD OF RECORD: 2012-2016
LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKUSHIRI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily max.depth of snow cover	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily maximum wind speed	200cm													
	20kt	25.6	22.2	18.6	13.8	8.4	4.0	3.4	5.0	6.6	18.4	19.6	25.0	170.6
	30kt	6.8	6.8	4.6	2.6	0.6	0.4	-	0.4	0.2	5.4	6.4	9.0	43.2
	40kt	0.2	0.6	0.8	1.0	-	-	-	0.2	-	0.2	1.0	1.2	5.2
	50kt	-	-	0.2	-	-	-	-	-	-	-	0.2	0.2	0.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKUSHIRI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1009.6	1010.2	1008.3	1007.2	1004.4	1003.4	1002.7	1003.2	1008.3	1010.6	1010.6	1008.2	1007.2
01	1009.7	1010.2	1008.3	1007.3	1004.5	1003.5	1002.7	1003.2	1008.2	1010.4	1010.5	1008.2	1007.2
02	1009.4	1010.1	1008.1	1007.1	1004.4	1003.5	1002.7	1003.1	1008.0	1010.3	1010.2	1007.7	1007.1
03	1008.8	1009.7	1007.9	1006.8	1004.2	1003.2	1002.5	1002.9	1007.7	1009.9	1009.7	1007.1	1006.7
04	1008.4	1009.2	1007.5	1006.6	1004.0	1003.1	1002.3	1002.7	1007.4	1009.5	1009.4	1006.7	1006.4
05	1008.5	1009.1	1007.3	1006.3	1003.7	1002.9	1002.1	1002.5	1007.2	1009.3	1009.3	1006.7	1006.3
06	1008.7	1009.2	1007.3	1006.1	1003.5	1002.8	1002.0	1002.4	1007.2	1009.4	1009.5	1007.0	1006.3
07	1008.9	1009.3	1007.3	1006.1	1003.5	1002.7	1001.9	1002.4	1007.3	1009.5	1009.7	1007.2	1006.3
08	1009.2	1009.5	1007.4	1006.1	1003.4	1002.7	1001.8	1002.4	1007.4	1009.6	1009.9	1007.5	1006.4
09	1009.3	1009.8	1007.6	1006.2	1003.6	1002.8	1002.0	1002.4	1007.6	1009.9	1010.1	1007.7	1006.6
10	1009.5	1010.0	1007.9	1006.5	1003.8	1002.9	1002.1	1002.7	1007.9	1010.0	1010.1	1007.8	1006.8
11	1009.5	1010.1	1008.1	1007.0	1004.1	1003.2	1002.4	1003.1	1008.3	1010.1	1010.2	1007.8	1007.0
12	1009.5	1010.1	1008.2	1007.1	1004.4	1003.5	1002.7	1003.2	1008.2	1010.2	1010.2	1007.9	1007.1
13	1009.4	1010.1	1008.2	1007.0	1004.3	1003.5	1002.7	1003.1	1008.2	1010.2	1010.1	1007.9	1007.1
14	1009.3	1009.9	1008.2	1007.0	1004.2	1003.4	1002.6	1003.0	1008.1	1010.0	1010.0	1007.9	1007.0
15	1009.1	1009.8	1008.1	1006.9	1004.2	1003.2	1002.4	1002.9	1007.9	1009.9	1009.8	1007.7	1006.8
16	1008.7	1009.7	1008.1	1006.7	1004.0	1003.0	1002.2	1002.6	1007.6	1009.7	1009.9	1007.7	1006.6
17	1008.9	1009.7	1007.8	1006.6	1003.9	1002.9	1002.1	1002.4	1007.5	1009.6	1009.9	1007.9	1006.6
18	1008.8	1009.5	1007.5	1006.5	1003.8	1002.8	1002.0	1002.4	1007.4	1009.6	1009.8	1007.7	1006.5
19	1008.6	1009.4	1007.5	1006.5	1003.9	1003.0	1002.2	1002.4	1007.5	1009.6	1009.7	1007.5	1006.5
20	1008.7	1009.5	1007.6	1006.6	1004.0	1003.2	1002.4	1002.7	1007.6	1009.9	1009.8	1007.5	1006.6
21	1008.8	1009.5	1007.7	1006.8	1004.2	1003.2	1002.5	1002.9	1007.9	1009.9	1009.8	1007.6	1006.8
22	1009.1	1009.8	1007.9	1007.0	1004.3	1003.4	1002.7	1003.0	1008.0	1010.2	1010.2	1007.8	1007.0
23	1009.3	1010.1	1008.1	1007.1	1004.4	1003.5	1002.8	1003.1	1008.1	1010.5	1010.5	1008.0	1007.1
MEAN	1009.1	1009.7	1007.8	1006.7	1004.0	1003.1	1002.4	1002.8	1007.8	1009.9	1010.0	1007.6	1006.8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKUSHIRI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	-2.2	-1.3	2.9	7.8	12.6	16.9	20.7	23.6	21.0	13.9	7.1	1.2	10.4
01	-2.0	-1.0	3.2	8.2	13.1	17.3	21.1	24.1	21.4	14.2	7.4	1.4	10.7
02	-1.9	-0.8	3.5	8.4	13.3	17.7	21.4	24.3	21.7	14.3	7.6	1.5	10.9
03	-1.9	-0.8	3.6	8.7	13.4	17.9	21.6	24.5	21.8	14.4	7.7	1.5	11.0
04	-1.9	-0.8	3.6	8.8	13.5	18.0	21.7	24.6	21.7	14.4	7.6	1.5	11.1
05	-2.0	-0.9	3.5	8.6	13.3	18.0	21.7	24.5	21.6	14.3	7.4	1.3	10.9
06	-2.2	-1.1	3.3	8.3	13.1	17.8	21.6	24.2	21.4	13.9	7.2	1.2	10.7
07	-2.3	-1.2	3.0	8.0	12.9	17.5	21.3	24.0	21.0	13.5	6.9	0.9	10.4
08	-2.5	-1.5	2.6	7.5	12.4	17.0	21.0	23.5	20.4	13.1	6.5	0.8	10.1
09	-2.4	-1.5	2.2	6.9	11.9	16.5	20.6	22.9	19.7	12.8	6.5	0.8	9.7
10	-2.4	-1.5	2.1	6.4	11.3	15.8	20.1	22.3	19.3	12.5	6.4	0.8	9.4
11	-2.4	-1.4	2.0	6.2	11.0	15.3	19.7	22.0	19.0	12.5	6.4	0.7	9.3
12	-2.3	-1.5	2.0	6.1	10.8	15.1	19.5	21.8	18.9	12.5	6.4	0.7	9.2
13	-2.4	-1.4	1.9	6.1	10.7	15.0	19.4	21.7	18.8	12.5	6.4	0.7	9.1
14	-2.4	-1.4	2.0	6.0	10.7	15.0	19.3	21.6	18.6	12.5	6.3	0.6	9.1
15	-2.4	-1.4	1.9	5.9	10.5	14.9	19.2	21.5	18.6	12.5	6.2	0.7	9.0
16	-2.3	-1.5	1.8	5.6	10.4	14.6	19.0	21.5	18.7	12.7	6.4	0.7	9.0
17	-2.4	-1.5	1.9	5.7	10.3	14.5	18.9	21.3	18.7	12.6	6.3	0.8	8.9
18	-2.5	-1.6	1.8	5.6	10.3	14.4	18.9	21.3	18.7	12.4	6.2	0.8	8.9
19	-2.4	-1.7	1.7	5.5	10.3	14.3	18.8	21.3	18.6	12.3	6.3	0.8	8.8
20	-2.4	-1.7	1.7	5.5	10.4	14.6	18.9	21.3	18.6	12.2	6.2	0.8	8.8
21	-2.5	-1.7	1.7	5.9	11.0	15.3	19.4	21.8	18.8	12.1	6.1	0.8	9.0
22	-2.6	-1.7	2.0	6.8	11.6	15.9	19.9	22.6	19.7	12.7	6.1	0.8	9.5
23	-2.4	-1.5	2.5	7.4	12.1	16.4	20.3	23.1	20.4	13.5	6.7	0.8	9.9
MEAN	-2.3	-1.4	2.4	6.9	11.7	16.1	20.2	22.7	19.9	13.1	6.7	0.9	9.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKUSHIRI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	3.7	4.0	5.5	7.8	11.8	15.9	21.2	23.9	19.0	10.9	7.4	5.0	11.4
01	3.7	4.0	5.5	7.8	11.8	16.1	21.4	23.9	19.0	10.9	7.4	5.0	11.4
02	3.8	4.0	5.6	7.9	11.9	16.2	21.5	24.0	19.0	10.9	7.5	5.0	11.4
03	3.8	4.0	5.5	7.9	11.9	16.3	21.6	24.1	19.0	10.9	7.5	5.0	11.5
04	3.8	4.0	5.5	7.9	11.9	16.4	21.7	24.2	18.9	11.0	7.4	5.0	11.5
05	3.7	4.0	5.5	7.8	11.8	16.4	21.7	24.1	18.8	10.9	7.4	4.9	11.4
06	3.7	4.0	5.5	7.7	11.8	16.2	21.7	24.0	18.8	10.9	7.4	4.9	11.4
07	3.7	4.0	5.4	7.7	11.9	16.1	21.6	23.9	18.7	10.9	7.3	4.9	11.3
08	3.7	4.0	5.4	7.7	11.7	16.0	21.5	23.8	18.6	10.8	7.3	4.8	11.3
09	3.6	4.0	5.4	7.7	11.6	15.9	21.5	23.7	18.4	10.8	7.3	4.7	11.2
10	3.6	4.0	5.3	7.6	11.5	15.7	21.4	23.6	18.3	10.8	7.3	4.8	11.2
11	3.7	4.0	5.4	7.6	11.4	15.6	21.3	23.5	18.2	10.8	7.3	4.7	11.1
12	3.7	4.0	5.4	7.5	11.3	15.4	21.2	23.4	18.2	10.7	7.3	4.7	11.1
13	3.8	4.0	5.3	7.6	11.2	15.2	21.1	23.3	18.1	10.7	7.4	4.7	11.0
14	3.8	4.0	5.3	7.5	11.2	15.1	21.0	23.2	18.0	10.7	7.3	4.6	11.0
15	3.7	4.0	5.3	7.5	11.2	15.1	21.0	23.2	18.1	10.7	7.3	4.6	11.0
16	3.7	4.0	5.2	7.4	11.0	14.8	20.7	23.3	18.4	10.9	7.4	4.7	11.0
17	3.7	4.0	5.2	7.4	11.0	14.8	20.6	23.2	18.4	10.9	7.2	4.8	10.9
18	3.7	4.0	5.2	7.4	11.0	14.7	20.5	23.2	18.3	10.8	7.2	4.8	10.9
19	3.7	4.0	5.3	7.4	11.0	14.8	20.5	23.1	18.2	10.6	7.2	4.8	10.9
20	3.7	3.9	5.3	7.4	11.1	15.0	20.6	23.0	18.1	10.6	7.2	4.9	10.9
21	3.7	4.0	5.3	7.6	11.4	15.3	20.8	23.3	18.3	10.7	7.2	4.9	11.0
22	3.6	4.0	5.4	7.7	11.5	15.6	20.9	23.7	18.7	10.7	7.2	4.9	11.2
23	3.7	4.0	5.4	7.7	11.6	15.7	21.1	23.9	18.8	10.9	7.3	4.9	11.3
MEAN	3.7	4.0	5.4	7.6	11.5	15.6	21.2	23.6	18.5	10.8	7.3	4.8	11.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKUSHIRI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	70	69	70	72	80	83	86	81	75	66	70	72	75
01	69	67	69	71	79	81	85	80	73	65	68	71	73
02	69	67	68	70	78	80	85	79	72	64	68	69	73
03	69	67	68	69	77	80	84	78	72	64	68	70	72
04	70	68	67	69	77	79	83	78	72	64	68	70	72
05	68	68	68	69	77	79	84	78	72	65	68	70	72
06	70	68	68	69	78	80	84	79	73	66	68	70	73
07	70	69	69	71	80	80	85	80	74	67	69	71	74
08	70	70	70	73	81	82	86	82	76	68	71	70	75
09	69	70	72	75	83	84	88	84	79	70	71	70	76
10	69	70	72	78	85	87	90	87	80	71	72	70	78
11	70	70	73	78	86	89	92	88	81	71	72	70	79
12	69	71	73	78	87	89	92	89	81	71	72	70	79
13	71	69	72	78	86	88	93	89	82	71	73	70	78
14	71	70	72	79	87	88	92	89	82	71	73	70	79
15	70	70	72	79	87	89	93	90	82	71	73	69	79
16	71	70	72	79	87	89	93	90	83	71	73	70	79
17	71	70	72	79	88	89	93	90	83	72	72	71	79
18	71	70	72	80	87	89	93	91	83	72	72	70	79
19	70	71	74	79	87	90	93	90	83	72	72	70	80
20	71	70	74	80	87	90	93	90	83	72	73	71	79
21	70	71	74	80	86	88	92	88	83	73	73	72	79
22	71	70	73	76	84	86	89	86	80	71	73	73	78
23	70	69	72	74	82	84	88	84	77	68	71	72	76
MEAN	70	69	71	75	83	85	89	85	79	69	71	71	77

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKUSHIRI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	31	29	28	9	9	9	9	9	9	29	30	28	9
01	29	28	31	31 *	9	9	10	9	9	31	31 *	28	31
02	30	29	31	24	9	9	9	10	10	30	31	28	31
03	29	31	28	28 *	9	9	10	10	10	28	30	28	28
04	28	30	28	33	9	31	10	10	10 *	28	30 *	28	31
05	30	31	28	31	9	31	10	10	31	31	29 *	28	31
06	29	31)	28	30	17	9	10	31	31	31	31	28	31)
07	30	29 *	28	31	31)	33	31	10 *	28	28 *	30	28	31)
08	30	29	28	31	9	9	9	10	10	28	28	28	28
09	31)	29	31	33	8	9	10	10	10	28	28	29 *	28)
10	29)	29	31)	32	10	9 *	10	9	3	28	30	30	28)
11	31)	31	28)	28	8	8	9 *	9	3	28 *	31	29 *	31)
12	29)	29	29)	9	8	8	9	9	3	28	28)	30	31)
13	30)	31	28)	9 *	8	8	8	9	36)	29 *	28)	30	31)
14	30)	30	28)	8	8	8	9	9	3)	28	28	28 *	28)
15	31)	28	30)	9	8	8	8	8	3)	28	28	28	8)
16	31)	29 *	31)	32 *	8	8	9	8	2	31 *	30	31	31)
17	30)	31	28)	8	8	8	8 *	8	2	30 *	28	30	28)
18	30)	31	28)	8	8	9	8	8	2	31	28	30	31)
19	30)	29	29)	8	8	8	8	9	2	30 *	28	29	29)
20	29)	30	29)	9 *	8	8	8	9	2	30	29	28	28)
21	29)	30	29)	9	8	8	8	9	2 *	31	29	30 *	8)
22	31)	31	29)	8	9	9	9	9	9	30 *	31	29	9)
23	29	30	29	9	8	9	9	9	10	30	29	29	9
ALL	30)	31)	28)	9	8)	9	9	9	9)	28	28)	28	31)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKUSHIRI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	16.5	16.4	13.8	12.0	9.9	8.6	8.4	9.1	9.2	13.4	13.6	16.2	12.3
01	16.7	16.9	14.1	12.2	9.8	8.8	8.5	9.1	9.6	13.8	13.9	16.9	12.5
02	16.9	16.7	14.5	12.4	10.1	8.7	8.7	9.1	9.9	14.3	13.9	16.6	12.7
03	16.9	16.7	14.7	12.8	9.9	9.0	8.7	9.0	10.0	14.6	14.6	16.9	12.8
04	17.3	17.1	14.8	13.0	9.6	8.9	8.6	9.1	10.0	14.1	14.6	17.4	12.9
05	16.9	17.3	15.0	13.0	9.6	8.9	8.7	8.6	9.9	14.1	14.5	17.7	12.9
06	16.7	16.7	14.7	12.6	9.0	8.9	8.5	8.6	9.6	13.7	14.0	17.3	12.5
07	16.7	16.1	13.9	12.1	8.9	8.6	8.3	8.4	9.3	13.4	13.9	17.2	12.3
08	16.3	15.9	13.8	11.1	8.2	8.4	7.7	7.8	8.8	13.0	14.0	17.3	11.8
09	16.3	15.7	13.6	10.2	7.6	7.8	7.4	7.2	8.0	12.7	13.5	16.8	11.4
10	16.0	15.6	12.9	9.4	7.3	7.2	7.2	6.9	8.1	13.2	13.2	16.7	11.1
11	16.2	15.8	13.1	9.4	7.2	7.0	6.7	7.4	8.3	13.1	13.1	16.9	11.2
12	15.9	15.9	13.2	9.9	7.6	7.0	7.0	7.4	8.3	13.0	13.4	16.9	11.3
13	16.0	15.8	13.1	10.1	7.7	7.0	7.1	7.8	8.4	12.8	13.9	16.8	11.4
14	15.9	15.9	13.5	10.0	8.0	7.4	7.3	7.8	8.4	13.0	13.7	16.7	11.5
15	16.1	16.0	13.6	10.3	8.2	7.7	7.2	7.8	8.3	13.1	13.8	17.0	11.6
16	16.6	15.6	13.4	10.5	7.8	7.7	7.5	7.9	8.4	13.1	13.6	16.6	11.5
17	16.4	15.8	13.6	10.5	8.2	7.9	7.4	7.8	8.3	13.2	13.6	16.3	11.6
18	16.3	16.0	13.6	10.8	8.4	7.9	7.4	7.7	8.6	12.9	13.7	16.3	11.7
19	16.5	15.8	13.3	10.4	8.5	7.8	7.3	7.9	8.7	12.7	13.5	16.3	11.6
20	16.4	15.9	13.4	10.6	8.6	7.8	7.0	7.6	8.8	12.3	13.3	16.4	11.5
21	16.4	15.9	13.2	10.4	8.8	8.0	7.2	7.7	8.5	12.2	13.3	16.5	11.5
22	16.3	15.8	13.3	10.8	8.9	8.5	7.7	7.9	8.3	12.2	13.3	16.4	11.6
23	16.1	16.3	13.6	11.3	9.6	8.7	8.1	8.6	8.7	12.6	13.7	16.3	12.0
MEAN	16.4	16.1	13.7	11.1	8.6	8.1	7.8	8.1	8.9	13.2	13.7	16.8	11.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKUSHIRI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	-1.4	1.1	-3.8	-2.2	0.4	-4.5	0.2	2.5	-2.4	5.2	8.1	2.2
02	-1.5	0.9	-3.9	-2.2	0.3	-4.6	0.3	2.7	-2.4	5.3	8.2	2.2
03	-1.7	0.7	-4.0	-2.2	0.3	-4.6	0.5	2.8	-2.3	5.3	8.2	2.2
04	-1.9	0.5	-4.2	-2.2	0.2	-4.6	0.6	3.0	-2.2	5.4	8.3	2.2
05	-2.1	0.3	-4.4	-2.2	0.2	-4.6	0.7	3.1	-2.2	5.4	8.3	2.2
06	-2.3	0.1	-4.6	-2.2	0.2	-4.6	0.7	3.3	-2.1	5.5	8.4	2.2
07	-2.5	-0.1	-4.7	-2.2	0.2	-4.5	0.8	3.4	-2.1	5.5	8.4	2.1
08	-2.7	-0.3	-4.9	-2.1	0.2	-4.5	0.9	3.5	-2.0	5.6	8.5	2.1
09	-2.8	-0.5	-5.0	-2.0	0.3	-4.4	1.1	3.7	-1.8	5.7	8.6	2.1
10	-3.0	-0.7	-5.1	-1.9	0.4	-4.3	1.2	3.8	-1.7	5.8	8.8	2.2
11	-3.1	-0.9	-5.1	-1.9	0.5	-4.2	1.4	4.0	-1.5	5.9	8.9	2.2
12	-3.1	-1.0	-5.2	-1.8	0.6	-4.1	1.5	4.2	-1.3	6.0	9.1	2.4
13	-3.1	-1.0	-5.1	-1.6	0.7	-4.0	1.7	4.4	-1.1	6.2	9.3	2.5
14	-3.0	-1.0	-5.1	-1.5	0.8	-3.9	1.9	4.6	-0.9	6.3	9.4	2.7
15	-2.9	-0.9	-5.0	-1.4	1.0	-3.8	2.1	4.8	-0.7	6.5	9.6	2.9
16	-2.8	-0.7	-4.8	-1.3	1.1	-3.7	2.3	5.0	-0.5	6.7	9.8	3.1
17	-2.6	-0.6	-4.7	-1.2	1.2	-3.6	2.5	5.2	-0.4	6.9	10.0	3.4
18	-2.4	-0.4	-4.6	-1.1	1.3	-3.5	2.7	5.4	-0.2	7.1	10.2	3.7
19	-2.2	-0.2	-4.4	-1.0	1.4	-3.4	2.9	5.6	-0.1	7.3	10.4	3.9
20	-2.1	0.1	-4.3	-0.9	1.4	-3.3	3.0	5.8	0.1	7.5	10.6	4.2
21	-1.9	0.3	-4.2	-0.8	1.5	-3.2	3.2	5.9	0.2	7.7	10.8	4.5
22	-1.8	0.4	-4.2	-0.7	1.6	-3.1	3.3	6.1	0.3	8.0	11.1	4.7
23	-1.8	0.6	-4.2	-0.6	1.7	-3.0	3.5	6.3	0.5	8.3	11.4	5.0
24	-1.7	0.7	-4.2	-0.5	1.8	-2.9	3.7	6.5	0.7	8.5	11.6	5.2
25	-1.7	0.7	-4.2	-0.4	1.9	-2.8	3.9	6.7	0.9	8.8	11.9	5.5
26	-1.8	0.8	-4.3	-0.2	2.0	-2.7	4.1	7.0	1.1	9.0	12.2	5.7
27	-1.8	0.7	-4.3	-0.1	2.2	-2.6	4.4	7.2	1.3	9.3	12.5	5.9
28	-1.9	0.7	-4.3	0.1	2.3	-2.5	4.6	7.4	1.5	9.5	12.7	6.2
29	-2.0	0.7	-4.4	0.2	2.4	-2.4	4.8	7.6	1.7	9.7	12.9	6.4
30	-2.0	0.6	-4.5				4.9	7.8	1.9	9.9	13.1	6.6
31	-2.1	0.5	-4.5				5.1	8.0	2.1			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKUSHIRI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	10.0	13.3	6.7	14.3	17.7	11.1	18.2	21.2	15.2	22.5	25.1	20.4
02	10.2	13.4	6.9	14.5	17.9	11.2	18.3	21.3	15.4	22.6	25.3	20.4
03	10.3	13.5	7.0	14.6	18.1	11.3	18.5	21.5	15.6	22.7	25.4	20.4
04	10.3	13.5	7.1	14.8	18.2	11.5	18.6	21.6	15.7	22.8	25.5	20.4
05	10.4	13.6	7.2	15.0	18.4	11.7	18.7	21.7	15.9	22.9	25.6	20.4
06	10.4	13.6	7.3	15.1	18.6	11.9	18.8	21.8	16.0	22.9	25.7	20.4
07	10.4	13.6	7.4	15.3	18.7	12.1	18.9	21.9	16.1	22.9	25.8	20.4
08	10.4	13.7	7.4	15.5	18.8	12.3	19.0	22.0	16.2	23.0	25.8	20.4
09	10.5	13.7	7.5	15.6	18.9	12.6	19.1	22.1	16.3	23.0	25.8	20.4
10	10.5	13.8	7.5	15.8	19.0	12.8	19.3	22.2	16.5	23.0	25.9	20.4
11	10.6	13.8	7.6	15.9	19.1	13.0	19.4	22.3	16.6	23.0	25.9	20.4
12	10.7	13.9	7.7	16.0	19.2	13.2	19.5	22.5	16.8	23.0	25.9	20.4
13	10.8	14.0	7.7	16.1	19.2	13.4	19.6	22.6	16.9	23.0	25.9	20.4
14	10.9	14.2	7.8	16.2	19.3	13.5	19.8	22.7	17.1	23.0	25.9	20.4
15	11.0	14.3	7.9	16.2	19.3	13.6	19.9	22.8	17.3	23.0	25.9	20.4
16	11.2	14.5	8.0	16.2	19.3	13.7	20.0	22.9	17.4	23.0	25.9	20.4
17	11.4	14.7	8.2	16.3	19.3	13.7	20.2	23.0	17.6	23.0	25.8	20.4
18	11.6	14.9	8.3	16.3	19.3	13.8	20.3	23.1	17.8	22.9	25.8	20.4
19	11.8	15.1	8.5	16.3	19.3	13.8	20.4	23.2	18.0	22.9	25.8	20.3
20	12.0	15.4	8.7	16.4	19.4	13.8	20.6	23.3	18.3	22.8	25.7	20.2
21	12.2	15.6	8.9	16.4	19.5	13.9	20.7	23.4	18.5	22.7	25.6	20.1
22	12.5	15.8	9.2	16.5	19.6	13.9	20.9	23.5	18.8	22.7	25.6	20.0
23	12.7	16.0	9.4	16.7	19.7	14.0	21.0	23.6	19.0	22.6	25.5	19.9
24	12.9	16.3	9.6	16.8	19.8	14.1	21.2	23.7	19.2	22.5	25.5	19.8
25	13.1	16.5	9.9	17.0	20.0	14.2	21.4	23.8	19.5	22.4	25.4	19.7
26	13.3	16.7	10.1	17.2	20.2	14.3	21.6	24.0	19.7	22.3	25.4	19.6
27	13.5	16.8	10.3	17.4	20.5	14.5	21.8	24.2	19.9	22.3	25.3	19.5
28	13.7	17.0	10.5	17.6	20.7	14.7	21.9	24.4	20.0	22.2	25.2	19.5
29	13.9	17.2	10.7	17.8	20.8	14.8	22.1	24.6	20.1	22.2	25.2	19.4
30	14.0	17.4	10.8	18.0	21.0	15.0	22.3	24.8	20.2	22.1	25.1	19.4
31	14.2	17.6	10.9				22.4	25.0	20.3	22.1	25.0	19.3

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKUSHIRI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 42° 4.3'N, LONGITUDE: 139° 26.0'E, ELEVATION ABOVE MSL: 161 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	22.0	24.9	19.2	17.1	20.2	13.9	9.8	12.4	6.7	3.2	5.9	0.4
02	21.9	24.8	19.1	16.8	19.9	13.6	9.6	12.3	6.5	3.0	5.6	0.2
03	21.8	24.7	19.0	16.5	19.6	13.3	9.5	12.2	6.3	2.7	5.4	-0.1
04	21.6	24.5	18.8	16.2	19.3	13.0	9.3	12.0	6.1	2.5	5.1	-0.2
05	21.4	24.4	18.6	15.9	19.0	12.6	9.1	11.9	5.8	2.3	4.9	-0.4
06	21.3	24.2	18.4	15.6	18.7	12.3	8.9	11.7	5.6	2.1	4.6	-0.6
07	21.1	24.0	18.2	15.3	18.4	12.0	8.7	11.5	5.3	1.9	4.4	-0.7
08	20.9	23.8	17.9	15.0	18.1	11.7	8.5	11.3	5.1	1.7	4.2	-0.9
09	20.7	23.6	17.7	14.7	17.8	11.4	8.2	11.1	4.8	1.6	4.1	-1.0
10	20.5	23.5	17.5	14.5	17.5	11.1	8.0	10.9	4.6	1.4	3.9	-1.2
11	20.3	23.3	17.2	14.2	17.3	10.9	7.7	10.7	4.3	1.4	3.8	-1.3
12	20.2	23.2	17.0	13.9	17.0	10.6	7.5	10.4	4.1	1.3	3.8	-1.3
13	20.1	23.0	16.8	13.7	16.8	10.4	7.2	10.2	3.9	1.3	3.8	-1.4
14	19.9	22.9	16.6	13.5	16.5	10.2	7.0	9.9	3.7	1.2	3.7	-1.5
15	19.8	22.8	16.5	13.2	16.3	9.9	6.8	9.6	3.5	1.2	3.7	-1.6
16	19.7	22.7	16.3	13.0	16.0	9.7	6.5	9.4	3.3	1.1	3.6	-1.7
17	19.6	22.6	16.2	12.8	15.8	9.5	6.3	9.1	3.1	1.1	3.6	-1.8
18	19.4	22.4	16.0	12.6	15.5	9.4	6.0	8.8	2.9	1.0	3.5	-1.9
19	19.3	22.3	15.9	12.4	15.3	9.2	5.7	8.5	2.7	0.9	3.4	-2.0
20	19.2	22.2	15.7	12.2	15.0	9.0	5.5	8.2	2.5	0.8	3.3	-2.1
21	19.1	22.1	15.6	11.9	14.8	8.8	5.2	8.0	2.3	0.6	3.2	-2.3
22	18.9	22.0	15.5	11.7	14.5	8.6	5.0	7.7	2.1	0.4	3.0	-2.4
23	18.8	21.8	15.4	11.5	14.3	8.4	4.8	7.5	1.9	0.2	2.8	-2.6
24	18.6	21.7	15.2	11.3	14.0	8.2	4.6	7.3	1.7	0.0	2.5	-2.8
25	18.5	21.5	15.1	11.0	13.8	8.0	4.3	7.1	1.5	-0.2	2.3	-2.9
26	18.3	21.3	15.0	10.8	13.5	7.8	4.1	6.9	1.3	-0.4	2.1	-3.1
27	18.1	21.1	14.8	10.6	13.3	7.6	4.0	6.7	1.1	-0.6	1.9	-3.2
28	17.9	20.9	14.6	10.4	13.1	7.4	3.8	6.5	0.9	-0.8	1.7	-3.3
29	17.6	20.7	14.4	10.3	12.9	7.3	3.6	6.3	0.7	-0.9	1.6	-3.4
30	17.4	20.4	14.1	10.1	12.7	7.1	3.4	6.1	0.6	-1.1	1.4	-3.5
31				9.9	12.6	6.9				-1.2	1.2	-3.6