

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: RISHIRI AIRPORT **MONTH:** JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 7

LATITUDE: 43° 14.5'N, **LONGITUDE:** 141° 11.3'E, **ELEVATION ABOVE MSL:** 99ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						10)	16)	20)
01						6)	15)	18)
02						4)	14)	18)
03						6)	12)	17)
04						3)	11)	15)
05						3)	10)	14)
06						4)	11)	19)
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						5)	13)	17)

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						7)	13)	18)
01						3)	9)	13)
02						5)	11)	15)
03						8)	13)	16)
04						5)	12)	17)
05						3)	11)	17)
06						3)	8)	14)
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						5)	11)	16)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: RISHIRI AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 7****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft****NUMBER OF FORWARD SCATTER:**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1)	3)	5)
01						2)	7)	11)
02						3)	6)	11)
03						2)	7)	11)
04						3)	10)	13)
05						0)	9)	13)
06						3)	9)	11)
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						2)	7)	11)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: RISHIRI AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 7****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft****NUMBER OF FORWARD SCATTER:**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						3)	6)	12)
01						3)	7)	11)
02						1)	4)	10)
03						0)	6)	11)
04						1)	5)	10)
05						1)	3)	8)
06						1)	4)	11)
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1)	5)	11)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: RISHIRI AIRPORT **MONTH:** MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 7

LATITUDE: 43° 14.5'N, **LONGITUDE:** 141° 11.3'E, **ELEVATION ABOVE MSL:** 99ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						5	12	19
01						4	11	17
02						4	10	19
03						3	10	18
04						3	10	15
05						2	10	15
06						1	9	14
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						3	10	16

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: RISHIRI AIRPORT **MONTH:** JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 7

LATITUDE: 43° 14.5'N, **LONGITUDE:** 141° 11.3'E, **ELEVATION ABOVE MSL:** 99ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						7	17	24
01						9	15	23
02						7	16	20
03						7	14	19
04						5)	11)	15)
05						5	11	20
06						4	11	19
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						6)	14)	20)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: RISHIRI AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 7****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft****NUMBER OF FORWARD SCATTER:**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						6	17	22
01						5	17	23
02						6	14	25
03						5	12	23
04						5	14	19
05						3	14	20
06						4	14	21
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						5	14	22

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: RISHIRI AIRPORT **MONTH:** AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 7

LATITUDE: 43° 14.5'N, **LONGITUDE:** 141° 11.3'E, **ELEVATION ABOVE MSL:** 99ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						4	6	16
01						5	9	17
02						3	7	15
03						3	8	11
04						1	5	11
05						2	6	13
06						1	6	13
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						2	7	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: RISHIRI AIRPORT **MONTH:** SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 7

LATITUDE: 43° 14.5'N, **LONGITUDE:** 141° 11.3'E, **ELEVATION ABOVE MSL:** 99ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						2	7	9
01						2	5	8
02						1	5	9
03						1	3	5
04						1	3	5
05						1	3	5
06						—	2	7
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: RISHIRI AIRPORT **MONTH:** OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 7

LATITUDE: 43° 14.5'N, **LONGITUDE:** 141° 11.3'E, **ELEVATION ABOVE MSL:** 99ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1	1	3
01						1	1	3
02						1	1	2
03						—	1	2
04						—	1	1
05						—	—	1
06						—	—	1
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	2

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						2)	5)	6)
01						1)	5)	7)
02						4	5	8
03						2	6	11
04						2)	4)	8)
05						3)	9)	12)
06						3)	6)	11)
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						3)	6)	9)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: RISHIRI AIRPORT **MONTH:** DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 7

LATITUDE: 43° 14.5'N, **LONGITUDE:** 141° 11.3'E, **ELEVATION ABOVE MSL:** 99ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						4)	12)	17)
01						8)	12)	14)
02						6)	13)	18)
03						5)	11)	16)
04						6)	12)	16)
05						6)	12)	15)
06						1)	6)	9)
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						5)	11)	15)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: RISHIRI AIRPORT **[ANNUAL]**

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 7

LATITUDE: 43° 14.5'N, **LONGITUDE:** 141° 11.3'E, **ELEVATION ABOVE MSL:** 99ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						4)	10)	14)
01						4)	9)	14)
02						4)	9)	14)
03						3)	9)	13)
04						3)	8)	12)
05						2)	8)	13)
06						2)	7)	12)
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						3)	9)	13)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: RISHIRI AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 7****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	—	—	—	—	—
00	10)	18)	20)					
01	10)	19)	20)					
02	7)	16)	18)					
03	8)	15)	18)					
04	7)	15)	17)					
05	5)	11)	13)					
06	6)	13)	19)					
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	7)	15)	18)					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: RISHIRI AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 7****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	—	—	—	—	—
00	9)	15)	17)					
01	8)	12)	14)					
02	12)	16)	17)					
03	11)	15)	16)					
04	7)	14)	15)					
05	6)	13)	17)					
06	6)	10)	13)					
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	8)	14)	16)					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: RISHIRI AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 7****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	—	—	—	—	—
00	5)	7)	7)					
01	3)	8)	10)					
02	2)	5)	8)					
03	2)	7)	9)					
04	3)	10)	11)					
05	0)	7)	9)					
06	3)	7)	8)					
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	2)	7)	9)					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: RISHIRI AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 7****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	—	—	—	—	—
00	3)	6)	7)					
01	1)	3)	5)					
02	1)	3)	3)					
03	0)	4)	4)					
04	0)	3)	3)					
05	0)	3)	3)					
06	1)	3)	3)					
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1)	4)	4)					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: RISHIRI AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 7
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	—	—	—	—	—
00	—	3	3					
01	—	1	2					
02	—	1	1					
03	—	2	3					
04	—	3	3					
05	—	3	3					
06	—	2	3					
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	—	2	3					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: RISHIRI AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 7****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	—	—	—	—	—
00	1	5	5					
01	1	5	6					
02	1	4	5					
03	1	6	9					
04	1	5	7					
05	1	5	7					
06	1	3	5					
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	4	6					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: RISHIRI AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 7****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	—	—	—	—	—
00	1	5	7					
01	2	5	7					
02	1	4	6					
03	1	3	3					
04	1	4	5					
05	1	3	5					
06	1	6	8					
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	4	6					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: RISHIRI AIRPORT MONTH: AUG****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 7****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	—	—	—	—	—
00	1	3	5					
01	2	4	6					
02	1	3	3					
03	1	2	3					
04	—	1	1					
05	1	2	3					
06	—	1	2					
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	2	3					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: RISHIRI AIRPORT MONTH: SEP****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 7****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	—	—	—	—	—
00	1	1	2					
01	1	2	3					
02	1	2	3					
03	1	2	3					
04	1	1	2					
05	1	1	1					
06	—	1	2					
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	2	2					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: RISHIRI AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 7
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	—	—	—	—	—
00	1	1	1					
01	1	1	1					
02	1	1	1					
03	—	1	1					
04	—	1	1					
05	—	—	1					
06	—	—	1					
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	1	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: RISHIRI AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 7****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	—	—	—	—	—
00	4	8	8					
01	3	5	7					
02	3	5	6					
03	2	5	7					
04	3	4	6					
05	2	8	8					
06	3	7	9					
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	3	6	7					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: RISHIRI AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 7
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	—	—	—	—	—
00	9)	17)	19)					
01	11)	15)	16)					
02	8)	14)	16)					
03	7)	13)	15)					
04	9)	14)	16)					
05	7)	14)	15)					
06	5)	9)	10)					
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	8)	13)	15)					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: RISHIRI AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 7****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	—	—	—	—	—
00	4)	7)	8)					
01	3)	6)	8)					
02	3)	6)	7)					
03	3)	6)	7)					
04	2)	6)	7)					
05	2)	6)	7)					
06	2)	5)	7)					
07								
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	3)	6)	7)					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: RISHIRI AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 7
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	—	—	—
00	0)	8)	10)	16)			
01	0)	4)	6)	13)			
02	0)	3)	3)	12)			
03	0)	4)	8)	13)			
04	0)	2)	5)	10)			
05	0)	1)	3)	11)			
06	0)	2)	4)	11)			
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	4)	6)	12)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: RISHIRI AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 7
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	—	—	—
00	0)	4)	7)	15)			
01	0)	2)	6)	9)			
02	0)	2)	6)	13)			
03	0)	5)	8)	14)			
04	0)	4)	6)	16)			
05	0)	3)	5)	10)			
06	0)	2)	3)	8)			
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	3)	6)	12)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: RISHIRI AIRPORT **MONTH:** MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 7

LATITUDE: 43° 14.5'N, **LONGITUDE:** 141° 11.3'E, **ELEVATION ABOVE MSL:** 99ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	—	—	—
00	0)	1)	1)	4)			
01	0)	1)	2)	7)			
02	0)	2)	3)	8)			
03	0)	1)	3)	8)			
04	0)	1)	5)	8)			
05	0)	0)	4)	7)			
06	0)	1)	3)	9)			
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	1)	3)	7)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: RISHIRI AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 7
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	—	—	—
00	0)	3)	5)	12)			
01	0)	3)	5)	10)			
02	0)	1)	2)	10)			
03	0)	0)	4)	10)			
04	0)	1)	3)	9)			
05	0)	1)	3)	8)			
06	0)	1)	4)	11)			
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	1)	4)	10)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: RISHIRI AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 7
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	—	—	—
00	—	5	11	19			
01	—	4	11	17			
02	—	4	10	19			
03	—	3	10	17			
04	—	3	9	14			
05	—	2	9	15			
06	—	1	9	14			
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	3	10	16			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: RISHIRI AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 7
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	—	—	—
00	—	7	16	24			
01	—	9	15	22			
02	—	7	15	19			
03	—	7	13	19			
04	0)	5)	11)	15)			
05	—	5	9	19			
06	—	4	10	19			
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	6)	13)	20)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: RISHIRI AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 7
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	—	—	—
00	—	6	16	21			
01	—	5	17	22			
02	—	6	14	23			
03	—	5	12	23			
04	—	5	14	19			
05	—	3	13	19			
06	—	4	12	19			
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	5	14	21			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: RISHIRI AIRPORT MONTH: AUG****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 7****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	—	—	—
00	—	4	6	14			
01	—	5	8	15			
02	—	3	6	14			
03	—	3	8	11			
04	—	1	5	11			
05	—	2	6	12			
06	—	1	6	13			
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	2	7	13			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: RISHIRI AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 7
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	—	—	—
00	—	2	6	9			
01	—	2	4	8			
02	—	1	4	9			
03	—	1	3	5			
04	—	—	2	4			
05	—	—	2	4			
06	—	—	2	7			
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	1	3	6			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: RISHIRI AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 7
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	—	—	—
00	—	1	1	3			
01	—	1	1	3			
02	—	1	1	2			
03	—	—	1	2			
04	—	—	1	1			
05	—	—	—	1			
06	—	—	—	1			
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	0	1	2			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: RISHIRI AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 7
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	—	—	—
00	0)	1)	3)	5)			
01	0)	1)	3)	3)			
02	—	3	4	5			
03	—	1	3	7			
04	0)	1)	3)	5)			
05	0)	2)	3)	8)			
06	0)	2)	2)	8)			
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	2)	3)	6)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: RISHIRI AIRPORT **MONTH:** DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 7

LATITUDE: 43° 14.5'N, **LONGITUDE:** 141° 11.3'E, **ELEVATION ABOVE MSL:** 99ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	—	—	—
00	0)	3)	4)	10)			
01	0)	5)	5)	8)			
02	0)	2)	4)	10)			
03	0)	4)	4)	11)			
04	0)	3)	5)	12)			
05	0)	3)	4)	9)			
06	0)	0)	1)	5)			
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	3)	4)	10)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: RISHIRI AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 7
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	—	—	—
00	0)	4)	7)	13)			
01	0)	3)	7)	11)			
02	0)	3)	6)	12)			
03	0)	3)	6)	12)			
04	0)	2)	6)	10)			
05	0)	2)	5)	10)			
06	0)	2)	5)	10)			
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	3)	6)	11)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: RISHIRI AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[35-36-01]	1)	2)	3)	2)	0)	0)	0)	0)	0)	0)	0)	7)
[02-03-04]	1)	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[05-06-07]	1)	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[08-09-10]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[20-21-22]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	2)	1)	2)	2)	2)	0)	0)	0)	0)	0)	0)	8)
[26-27-28]	1)	5)	8)	3)	1)	0)	0)	0)	0)	0)	0)	17)
[29-30-31]	2)	9)	16)	2)	0)	0)	0)	0)	0)	0)	0)	29)
[32-33-34]	1)	4)	7)	0)	0)	0)	0)	0)	0)	0)	0)	13)
TOTAL	12)	29)	43)	11)	3)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: RISHIRI AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[35-36-01]	1)	4)	3)	3)	1)	0)	0)	0)	0)	0)	0)	11)
[02-03-04]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[05-06-07]	1)	4)	3)	1)	1)	0)	0)	0)	0)	0)	0)	9)
[08-09-10]	1)	4)	4)	3)	1)	1)	0)	0)	0)	0)	0)	13)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[17-18-19]	1)	0)	0)	1)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	1)	1)	2)	1)	2)	2)	0)	0)	0)	0)	0)	8)
[23-24-25]	1)	2)	3)	3)	1)	1)	0)	0)	0)	0)	0)	10)
[26-27-28]	1)	3)	8)	6)	2)	1)	0)	0)	0)	0)	0)	20)
[29-30-31]	0)	5)	5)	2)	0)	0)	0)	0)	0)	0)	0)	14)
[32-33-34]	0)	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
TOTAL	8)	29)	31)	20)	7)	4)	1)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: RISHIRI AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[02-03-04]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[05-06-07]	1)	3)	2)	1)	1)	0)	0)	0)	0)	0)	0)	7)
[08-09-10]	1)	3)	2)	2)	1)	0)	0)	0)	0)	0)	0)	9)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	5)
[20-21-22]	1)	2)	4)	5)	3)	1)	0)	0)	0)	0)	0)	17)
[23-24-25]	0)	3)	6)	4)	2)	0)	0)	0)	0)	0)	0)	15)
[26-27-28]	1)	5)	7)	3)	2)	0)	0)	0)	0)	0)	0)	18)
[29-30-31]	1)	5)	3)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[32-33-34]	1)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	7)
TOTAL	12)	30)	27)	17)	10)	3)	1)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: RISHIRI AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	0)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[02-03-04]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[05-06-07]	2)	4)	3)	2)	1)	1)	0)	0)	0)	0)	0)	12)
[08-09-10]	1)	3)	2)	3)	1)	1)	0)	0)	0)	0)	0)	11)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	5)
[20-21-22]	0)	2)	5)	9)	6)	3)	1)	0)	0)	0)	0)	26)
[23-24-25]	0)	2)	6)	4)	2)	0)	0)	0)	0)	0)	0)	15)
[26-27-28]	1)	3)	3)	2)	0)	0)	0)	0)	0)	0)	0)	9)
[29-30-31]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[32-33-34]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	12)	25)	26)	22)	11)	5)	1)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: RISHIRI AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	1	0	—	—	—	—	—	—	—	—	—	2
[35-36-01]	1	2	0	0	—	—	—	—	—	—	—	3
[02-03-04]	2	3	0	—	—	—	—	—	—	—	—	5
[05-06-07]	2	5	5	3	1	0	—	—	—	—	—	16
[08-09-10]	1	3	4	3	2	—	—	—	—	—	—	12
[11-12-13]	1	0	0	—	—	—	—	—	—	—	—	1
[14-15-16]	1	0	—	—	—	—	—	—	—	—	—	1
[17-18-19]	1	0	1	1	1	0	—	—	—	—	—	5
[20-21-22]	0	2	4	8	10	6	1	—	—	—	—	30
[23-24-25]	0	3	5	5	1	0	0	—	—	—	—	14
[26-27-28]	0	3	2	0	—	—	—	—	—	—	—	5
[29-30-31]	1	1	0	—	—	—	—	—	—	—	—	2
[32-33-34]	1	1	0	—	—	—	—	—	—	—	—	3
TOTAL	13	23	22	19	15	6	1	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: RISHIRI AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[35-36-01]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	5)	3)	0)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[05-06-07]	3)	9)	9)	3)	1)	0)	0)	0)	0)	0)	0)	25)
[08-09-10]	3)	3)	4)	4)	3)	0)	0)	0)	0)	0)	0)	17)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	0)	3)	4)	7)	5)	1)	0)	0)	0)	0)	0)	20)
[23-24-25]	1)	3)	4)	3)	1)	0)	0)	0)	0)	0)	0)	11)
[26-27-28]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[29-30-31]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[32-33-34]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
TOTAL	23)	26)	23)	18)	9)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: RISHIRI AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	2	0	—	—	—	—	—	—	—	—	—	3
[35-36-01]	1	1	0	—	—	—	—	—	—	—	—	2
[02-03-04]	5	4	0	—	—	—	—	—	—	—	—	9
[05-06-07]	6	10	5	2	1	—	—	—	—	—	—	24
[08-09-10]	2	3	3	2	1	—	—	—	—	—	—	11
[11-12-13]	1	0	—	—	—	—	—	—	—	—	—	1
[14-15-16]	2	0	—	—	—	—	—	—	—	—	—	2
[17-18-19]	1	1	0	0	0	—	—	—	—	—	—	3
[20-21-22]	1	2	7	10	5	2	1	—	—	—	—	27
[23-24-25]	1	3	4	1	0	0	—	—	—	—	—	9
[26-27-28]	2	3	0	0	—	—	—	—	—	—	—	6
[29-30-31]	1	0	—	—	—	—	—	—	—	—	—	1
[32-33-34]	2	0	—	—	—	—	—	—	—	—	—	2
TOTAL	27	27	20	16	7	2	1	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: RISHIRI AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	2	0	—	—	—	—	—	—	—	—	—	2
[35-36-01]	2	0	0	—	—	—	—	—	—	—	—	2
[02-03-04]	4	3	0	—	—	—	—	—	—	—	—	8
[05-06-07]	3	9	5	3	1	0	—	—	—	—	—	21
[08-09-10]	2	4	3	4	2	1	—	—	—	—	—	16
[11-12-13]	1	0	—	—	—	—	—	—	—	—	—	1
[14-15-16]	2	1	—	—	—	—	—	—	—	—	—	2
[17-18-19]	1	1	1	0	0	0	—	—	—	—	—	4
[20-21-22]	1	5	7	8	3	0	—	—	—	—	—	24
[23-24-25]	1	3	4	1	—	0	—	—	—	—	—	9
[26-27-28]	1	4	0	—	—	—	—	—	—	—	—	5
[29-30-31]	1	1	0	0	—	—	—	—	—	—	—	2
[32-33-34]	2	1	—	—	—	—	—	—	—	—	—	3
TOTAL	23	33	20	16	7	2	—	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: RISHIRI AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	2	—	—	—	—	—	—	—	—	—	—	2
[35-36-01]	2	3	—	—	—	—	—	—	—	—	—	5
[02-03-04]	4	2	0	0	—	—	—	—	—	—	—	6
[05-06-07]	2	5	4	1	0	—	—	—	—	—	—	12
[08-09-10]	2	4	8	5	3	0	—	—	—	—	—	23
[11-12-13]	1	0	—	0	—	—	—	—	—	—	—	2
[14-15-16]	1	2	—	—	—	—	—	—	—	—	—	3
[17-18-19]	1	1	1	—	—	—	—	—	—	—	—	3
[20-21-22]	0	4	8	3	2	1	—	—	—	—	—	18
[23-24-25]	1	4	5	1	1	0	—	—	—	—	—	11
[26-27-28]	1	4	2	0	0	0	—	—	—	—	—	8
[29-30-31]	1	1	1	—	—	—	—	—	—	—	—	4
[32-33-34]	2	1	1	—	—	—	—	—	—	—	—	4
TOTAL	20	31	29	12	6	2	—	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: RISHIRI AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[35-36-01]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[05-06-07]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[08-09-10]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	0)	3)	2)	5)	4)	2)	0)	0)	0)	0)	0)	16)
[23-24-25]	1)	4)	5)	5)	3)	1)	0)	0)	0)	0)	0)	19)
[26-27-28]	1)	5)	10)	6)	1)	0)	0)	0)	0)	0)	0)	24)
[29-30-31]	1)	3)	7)	5)	1)	0)	0)	0)	0)	0)	0)	17)
[32-33-34]	0)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	8)	24)	31)	23)	10)	3)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: RISHIRI AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[02-03-04]	1)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[05-06-07]	1)	2)	1)	0)	0)	1)	0)	0)	0)	0)	0)	6)
[08-09-10]	2)	4)	2)	2)	1)	0)	0)	0)	0)	0)	0)	12)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	1)	3)	1)	1)	1)	1)	0)	0)	0)	0)	0)	9)
[23-24-25]	0)	2)	4)	4)	2)	2)	1)	0)	0)	0)	0)	15)
[26-27-28]	1)	6)	9)	4)	1)	0)	0)	0)	0)	0)	0)	20)
[29-30-31]	2)	6)	8)	2)	1)	0)	0)	0)	0)	0)	0)	18)
[32-33-34]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
TOTAL	14)	30)	29)	15)	6)	3)	1)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: RISHIRI AIRPORT MONTH: DEC****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[35-36-01]	1)	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[02-03-04]	1)	3)	2)	1)	1)	0)	0)	0)	0)	0)	0)	8)
[05-06-07]	1)	1)	2)	1)	0)	0)	1)	0)	0)	0)	0)	6)
[08-09-10]	1)	1)	2)	1)	1)	1)	0)	0)	0)	0)	0)	7)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	0)	1)	0)	1)	1)	1)	0)	0)	0)	0)	0)	3)
[23-24-25]	1)	1)	4)	4)	3)	2)	0)	0)	0)	0)	0)	14)
[26-27-28]	1)	5)	10)	6)	2)	0)	0)	0)	0)	0)	0)	25)
[29-30-31]	1)	8)	6)	2)	0)	0)	0)	0)	0)	0)	0)	17)
[32-33-34]	1)	4)	3)	0)	0)	0)	0)	0)	0)	0)	0)	9)
TOTAL	10)	28)	34)	16)	8)	4)	1)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: RISHIRI AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[02-03-04]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[05-06-07]	2)	5)	4)	2)	1)	0)	0)	0)	0)	0)	0)	13)
[08-09-10]	1)	3)	3)	3)	1)	0)	0)	0)	0)	0)	0)	12)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	1)	2)	4)	5)	4)	2)	0)	0)	0)	0)	0)	17)
[23-24-25]	1)	3)	4)	3)	1)	1)	0)	0)	0)	0)	0)	13)
[26-27-28]	1)	4)	5)	2)	1)	0)	0)	0)	0)	0)	0)	13)
[29-30-31]	1)	3)	4)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[32-33-34]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	15)	28)	27)	17)	8)	3)	1)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: RISHIRI AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	1)	51)	39)	9)	0)	0)	0)	0)	0)	0)	0)
01	0)	2)	49)	41)	9)	0)	0)	0)	0)	0)	0)	0)
02	0)	1)	45)	44)	10)	0)	0)	0)	0)	0)	0)	0)
03	0)	2)	45)	45)	9)	0)	0)	0)	0)	0)	0)	0)
04	0)	1)	44)	45)	9)	1)	0)	0)	0)	0)	0)	0)
05	0)	1)	46)	45)	7)	0)	0)	0)	0)	0)	0)	0)
06	0)	2)	47)	43)	8)	0)	0)	0)	0)	0)	0)	0)
07												
08												
09												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
MEAN	0)	2)	47)	43)	9)	0)	0)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: RISHIRI AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	2)	41)	43)	14)	1)	0)	0)	0)	0)	0)	0)
01	0)	1)	40)	42)	17)	1)	0)	0)	0)	0)	0)	0)
02	0)	1)	38)	43)	17)	1)	0)	0)	0)	0)	0)	0)
03	0)	1)	39)	42)	17)	1)	0)	0)	0)	0)	0)	0)
04	0)	1)	40)	41)	17)	1)	0)	0)	0)	0)	0)	0)
05	0)	1)	37)	44)	16)	1)	0)	0)	0)	0)	0)	0)
06	0)	1)	37)	45)	17)	0)	0)	0)	0)	0)	0)	0)
07												
08												
09												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
MEAN	0)	1)	39)	43)	16)	1)	0)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: RISHIRI AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	12)	35)	42)	10)	1)	0)	0)	0)	0)	0)
01	0)	0)	9)	34)	45)	11)	1)	0)	0)	0)	0)	0)
02	0)	0)	7)	30)	50)	12)	1)	0)	0)	0)	0)	0)
03	0)	0)	5)	30)	51)	13)	1)	0)	0)	0)	0)	0)
04	0)	0)	5)	30)	49)	15)	1)	0)	0)	0)	0)	0)
05	0)	0)	7)	27)	51)	15)	1)	0)	0)	0)	0)	0)
06	0)	0)	5)	31)	50)	14)	0)	0)	0)	0)	0)	0)
07	×	×	×	×	×	×	×	×	×	×	×	×
08	×	×	×	×	×	×	×	×	×	×	×	×
09	×	×	×	×	×	×	×	×	×	×	×	×
10	×	×	×	×	×	×	×	×	×	×	×	×
11	×	×	×	×	×	×	×	×	×	×	×	×
12	×	×	×	×	×	×	×	×	×	×	×	×
13	×	×	×	×	×	×	×	×	×	×	×	×
14	×	×	×	×	×	×	×	×	×	×	×	×
15	×	×	×	×	×	×	×	×	×	×	×	×
16	×	×	×	×	×	×	×	×	×	×	×	×
17	×	×	×	×	×	×	×	×	×	×	×	×
18	×	×	×	×	×	×	×	×	×	×	×	×
19	×	×	×	×	×	×	×	×	×	×	×	×
20	×	×	×	×	×	×	×	×	×	×	×	×
21	×	×	×	×	×	×	×	×	×	×	×	×
22	×	×	×	×	×	×	×	×	×	×	×	×
23	×	×	×	×	×	×	×	×	×	×	×	×
MEAN	×	×	×	×	×	×	×	×	×	×	×	×

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: RISHIRI AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	0)	4)	41)	43)	10)	3)	0)	0)	0)	0)
01	0)	0)	0)	5)	36)	42)	14)	3)	0)	0)	0)	0)
02	0)	0)	0)	5)	32)	41)	18)	3)	0)	0)	0)	0)
03	0)	0)	0)	5)	32)	41)	18)	4)	0)	0)	0)	0)
04	0)	0)	0)	4)	32)	44)	17)	3)	1)	0)	0)	0)
05	0)	0)	0)	3)	34)	43)	15)	4)	1)	0)	0)	0)
06	0)	0)	0)	3)	34)	44)	15)	4)	0)	0)	0)	0)
07	×	×	×	×	×	×	×	×	×	×	×	×
08	×	×	×	×	×	×	×	×	×	×	×	×
09	×	×	×	×	×	×	×	×	×	×	×	×
10	×	×	×	×	×	×	×	×	×	×	×	×
11	×	×	×	×	×	×	×	×	×	×	×	×
12	×	×	×	×	×	×	×	×	×	×	×	×
13	×	×	×	×	×	×	×	×	×	×	×	×
14	×	×	×	×	×	×	×	×	×	×	×	×
15	×	×	×	×	×	×	×	×	×	×	×	×
16	×	×	×	×	×	×	×	×	×	×	×	×
17	×	×	×	×	×	×	×	×	×	×	×	×
18	×	×	×	×	×	×	×	×	×	×	×	×
19	×	×	×	×	×	×	×	×	×	×	×	×
20	×	×	×	×	×	×	×	×	×	×	×	×
21	×	×	×	×	×	×	×	×	×	×	×	×
22	×	×	×	×	×	×	×	×	×	×	×	×
23	×	×	×	×	×	×	×	×	×	×	×	×
MEAN	×	×	×	×	×	×	×	×	×	×	×	×

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: RISHIRI AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	9	34	31	23	3	—	—	—
01	—	—	—	—	6	35	34	21	4	—	—	—
02	—	—	—	—	5	32	39	19	5	—	—	—
03	—	—	—	—	4	34	35	21	5	1	—	—
04	—	—	—	—	5	32	38	19	6	1	—	—
05	—	—	—	—	4	33	37	20	6	—	—	—
06	—	—	—	—	5	32	39	20	5	—	—	—
07	×	×	×	×	×	×	×	×	×	×	×	×
08	×	×	×	×	×	×	×	×	×	×	×	×
09	×	×	×	×	×	×	×	×	×	×	×	×
10	×	×	×	×	×	×	×	×	×	×	×	×
11	×	×	×	×	×	×	×	×	×	×	×	×
12	×	×	×	×	×	×	×	×	×	×	×	×
13	×	×	×	×	×	×	×	×	×	×	×	×
14	×	×	×	×	×	×	×	×	×	×	×	×
15	×	×	×	×	×	×	×	×	×	×	×	×
16	×	×	×	×	×	×	×	×	×	×	×	×
17	×	×	×	×	×	×	×	×	×	×	×	×
18	×	×	×	×	×	×	×	×	×	×	×	×
19	×	×	×	×	×	×	×	×	×	×	×	×
20	×	×	×	×	×	×	×	×	×	×	×	×
21	×	×	×	×	×	×	×	×	×	×	×	×
22	×	×	×	×	×	×	×	×	×	×	×	×
23	×	×	×	×	×	×	×	×	×	×	×	×
MEAN	×	×	×	×	×	×	×	×	×	×	×	×

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: RISHIRI AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	6	47	34	12	1	—	—
01	—	—	—	—	—	5	41	41	12	1	—	—
02	—	—	—	—	—	5	35	45	13	2	—	—
03	—	—	—	—	—	5	36	41	15	3	—	—
04	—	—	—	—	—	5	35	43	16	2	—	—
05	—	—	—	—	—	5	35	42	15	2	—	—
06	—	—	—	—	—	5	37	43	13	1	—	—
07	×	×	×	×	×	×	×	×	×	×	×	×
08	×	×	×	×	×	×	×	×	×	×	×	×
09	×	×	×	×	×	×	×	×	×	×	×	×
10	×	×	×	×	×	×	×	×	×	×	×	×
11	×	×	×	×	×	×	×	×	×	×	×	×
12	×	×	×	×	×	×	×	×	×	×	×	×
13	×	×	×	×	×	×	×	×	×	×	×	×
14	×	×	×	×	×	×	×	×	×	×	×	×
15	×	×	×	×	×	×	×	×	×	×	×	×
16	×	×	×	×	×	×	×	×	×	×	×	×
17	×	×	×	×	×	×	×	×	×	×	×	×
18	×	×	×	×	×	×	×	×	×	×	×	×
19	×	×	×	×	×	×	×	×	×	×	×	×
20	×	×	×	×	×	×	×	×	×	×	×	×
21	×	×	×	×	×	×	×	×	×	×	×	×
22	×	×	×	×	×	×	×	×	×	×	×	×
23	×	×	×	×	×	×	×	×	×	×	×	×
MEAN	×	×	×	×	×	×	×	×	×	×	×	×

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: RISHIRI AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	9	37	52	1	—	—
01	—	—	—	—	—	—	7	34	55	4	—	—
02	—	—	—	—	—	—	6	31	57	6	—	—
03	—	—	—	—	—	—	5	29	60	6	—	—
04	—	—	—	—	—	—	6	25	62	6	—	—
05	—	—	—	—	—	—	4	32	58	6	—	—
06	—	—	—	—	—	—	5	30	58	7	—	—
07	×	×	×	×	×	×	×	×	×	×	×	×
08	×	×	×	×	×	×	×	×	×	×	×	×
09	×	×	×	×	×	×	×	×	×	×	×	×
10	×	×	×	×	×	×	×	×	×	×	×	×
11	×	×	×	×	×	×	×	×	×	×	×	×
12	×	×	×	×	×	×	×	×	×	×	×	×
13	×	×	×	×	×	×	×	×	×	×	×	×
14	×	×	×	×	×	×	×	×	×	×	×	×
15	×	×	×	×	×	×	×	×	×	×	×	×
16	×	×	×	×	×	×	×	×	×	×	×	×
17	×	×	×	×	×	×	×	×	×	×	×	×
18	×	×	×	×	×	×	×	×	×	×	×	×
19	×	×	×	×	×	×	×	×	×	×	×	×
20	×	×	×	×	×	×	×	×	×	×	×	×
21	×	×	×	×	×	×	×	×	×	×	×	×
22	×	×	×	×	×	×	×	×	×	×	×	×
23	×	×	×	×	×	×	×	×	×	×	×	×
MEAN	×	×	×	×	×	×	×	×	×	×	×	×

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: RISHIRI AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	26	66	8	—	—
01	—	—	—	—	—	—	—	23	66	11	—	—
02	—	—	—	—	—	—	—	19	62	19	—	—
03	—	—	—	—	—	—	—	15	63	21	—	—
04	—	—	—	—	—	—	—	17	63	21	—	—
05	—	—	—	—	—	—	—	15	65	20	—	—
06	—	—	—	—	—	—	1	19	65	15	—	—
07	×	×	×	×	×	×	×	×	×	×	×	×
08	×	×	×	×	×	×	×	×	×	×	×	×
09	×	×	×	×	×	×	×	×	×	×	×	×
10	×	×	×	×	×	×	×	×	×	×	×	×
11	×	×	×	×	×	×	×	×	×	×	×	×
12	×	×	×	×	×	×	×	×	×	×	×	×
13	×	×	×	×	×	×	×	×	×	×	×	×
14	×	×	×	×	×	×	×	×	×	×	×	×
15	×	×	×	×	×	×	×	×	×	×	×	×
16	×	×	×	×	×	×	×	×	×	×	×	×
17	×	×	×	×	×	×	×	×	×	×	×	×
18	×	×	×	×	×	×	×	×	×	×	×	×
19	×	×	×	×	×	×	×	×	×	×	×	×
20	×	×	×	×	×	×	×	×	×	×	×	×
21	×	×	×	×	×	×	×	×	×	×	×	×
22	×	×	×	×	×	×	×	×	×	×	×	×
23	×	×	×	×	×	×	×	×	×	×	×	×
MEAN	×	×	×	×	×	×	×	×	×	×	×	×

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: RISHIRI AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	9	51	37	3	—	—
01	—	—	—	—	—	1	5	49	43	3	—	—
02	—	—	—	—	—	1	5	46	45	3	—	—
03	—	—	—	—	—	1	3	47	45	4	—	—
04	—	—	—	—	—	1	4	43	48	4	—	—
05	—	—	—	—	—	1	4	46	46	3	—	—
06	—	—	—	—	—	1	4	53	41	2	—	—
07	×	×	×	×	×	×	×	×	×	×	×	×
08	×	×	×	×	×	×	×	×	×	×	×	×
09	×	×	×	×	×	×	×	×	×	×	×	×
10	×	×	×	×	×	×	×	×	×	×	×	×
11	×	×	×	×	×	×	×	×	×	×	×	×
12	×	×	×	×	×	×	×	×	×	×	×	×
13	×	×	×	×	×	×	×	×	×	×	×	×
14	×	×	×	×	×	×	×	×	×	×	×	×
15	×	×	×	×	×	×	×	×	×	×	×	×
16	×	×	×	×	×	×	×	×	×	×	×	×
17	×	×	×	×	×	×	×	×	×	×	×	×
18	×	×	×	×	×	×	×	×	×	×	×	×
19	×	×	×	×	×	×	×	×	×	×	×	×
20	×	×	×	×	×	×	×	×	×	×	×	×
21	×	×	×	×	×	×	×	×	×	×	×	×
22	×	×	×	×	×	×	×	×	×	×	×	×
23	×	×	×	×	×	×	×	×	×	×	×	×
MEAN	×	×	×	×	×	×	×	×	×	×	×	×

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: RISHIRI AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	7	25	44	25	—	—	—	—
01	—	—	—	—	6	21	45	28	1	—	—	—
02	—	—	—	—	7	19	41	30	2	—	—	—
03	—	—	—	—	5	23	37	32	3	—	—	—
04	—	—	—	—	5	23	41	29	3	—	—	—
05	—	—	—	—	5	25	41	25	3	—	—	—
06	—	—	—	—	4	27	43	25	1	—	—	—
07	×	×	×	×	×	×	×	×	×	×	×	×
08	×	×	×	×	×	×	×	×	×	×	×	×
09	×	×	×	×	×	×	×	×	×	×	×	×
10	×	×	×	×	×	×	×	×	×	×	×	×
11	×	×	×	×	×	×	×	×	×	×	×	×
12	×	×	×	×	×	×	×	×	×	×	×	×
13	×	×	×	×	×	×	×	×	×	×	×	×
14	×	×	×	×	×	×	×	×	×	×	×	×
15	×	×	×	×	×	×	×	×	×	×	×	×
16	×	×	×	×	×	×	×	×	×	×	×	×
17	×	×	×	×	×	×	×	×	×	×	×	×
18	×	×	×	×	×	×	×	×	×	×	×	×
19	×	×	×	×	×	×	×	×	×	×	×	×
20	×	×	×	×	×	×	×	×	×	×	×	×
21	×	×	×	×	×	×	×	×	×	×	×	×
22	×	×	×	×	×	×	×	×	×	×	×	×
23	×	×	×	×	×	×	×	×	×	×	×	×
MEAN	×	×	×	×	×	×	×	×	×	×	×	×

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: RISHIRI AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	1	18	39	30	12	—	—	—	—	—
01	—	—	1	15	42	29	13	—	—	—	—	—
02	—	—	1	16	38	30	14	1	—	—	—	—
03	—	—	1	15	37	32	14	—	—	—	—	—
04	—	—	1	15	37	33	13	—	—	—	—	—
05	—	1	—	17	37	31	14	—	—	—	—	—
06	—	—	1	18	39	31	12	—	—	—	—	—
07	×	×	×	×	×	×	×	×	×	×	×	×
08	×	×	×	×	×	×	×	×	×	×	×	×
09	×	×	×	×	×	×	×	×	×	×	×	×
10	×	×	×	×	×	×	×	×	×	×	×	×
11	×	×	×	×	×	×	×	×	×	×	×	×
12	×	×	×	×	×	×	×	×	×	×	×	×
13	×	×	×	×	×	×	×	×	×	×	×	×
14	×	×	×	×	×	×	×	×	×	×	×	×
15	×	×	×	×	×	×	×	×	×	×	×	×
16	×	×	×	×	×	×	×	×	×	×	×	×
17	×	×	×	×	×	×	×	×	×	×	×	×
18	×	×	×	×	×	×	×	×	×	×	×	×
19	×	×	×	×	×	×	×	×	×	×	×	×
20	×	×	×	×	×	×	×	×	×	×	×	×
21	×	×	×	×	×	×	×	×	×	×	×	×
22	×	×	×	×	×	×	×	×	×	×	×	×
23	×	×	×	×	×	×	×	×	×	×	×	×
MEAN	×	×	×	×	×	×	×	×	×	×	×	×

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: RISHIRI AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	1)	15)	49)	33)	3)	0)	0)	0)	0)	0)	0)
01	0)	1)	15)	44)	38)	3)	0)	0)	0)	0)	0)	0)
02	0)	1)	14)	46)	36)	4)	0)	0)	0)	0)	0)	0)
03	0)	1)	13)	46)	35)	5)	0)	0)	0)	0)	0)	0)
04	0)	0)	13)	45)	37)	5)	0)	0)	0)	0)	0)	0)
05	0)	0)	13)	47)	35)	5)	0)	0)	0)	0)	0)	0)
06	0)	1)	13)	47)	34)	5)	0)	0)	0)	0)	0)	0)
07	×	×	×	×	×	×	×	×	×	×	×	×
08	×	×	×	×	×	×	×	×	×	×	×	×
09	×	×	×	×	×	×	×	×	×	×	×	×
10	×	×	×	×	×	×	×	×	×	×	×	×
11	×	×	×	×	×	×	×	×	×	×	×	×
12	×	×	×	×	×	×	×	×	×	×	×	×
13	×	×	×	×	×	×	×	×	×	×	×	×
14	×	×	×	×	×	×	×	×	×	×	×	×
15	×	×	×	×	×	×	×	×	×	×	×	×
16	×	×	×	×	×	×	×	×	×	×	×	×
17	×	×	×	×	×	×	×	×	×	×	×	×
18	×	×	×	×	×	×	×	×	×	×	×	×
19	×	×	×	×	×	×	×	×	×	×	×	×
20	×	×	×	×	×	×	×	×	×	×	×	×
21	×	×	×	×	×	×	×	×	×	×	×	×
22	×	×	×	×	×	×	×	×	×	×	×	×
23	×	×	×	×	×	×	×	×	×	×	×	×
MEAN	×	×	×	×	×	×	×	×	×	×	×	×

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: RISHIRI AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 43° 14.5'N, LONGITUDE: 141° 11.3'E, ELEVATION ABOVE MSL: 99 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	10)	15)	16)	13)	14)	17)	14)	1)	0)	0)
01	0)	0)	9)	15)	16)	12)	13)	17)	15)	2)	0)	0)
02	0)	0)	9)	15)	16)	12)	13)	16)	16)	3)	0)	0)
03	0)	0)	8)	15)	16)	13)	13)	16)	16)	3)	0)	0)
04	0)	0)	8)	15)	16)	13)	13)	15)	17)	3)	0)	0)
05	0)	0)	8)	15)	16)	13)	13)	16)	16)	3)	0)	0)
06	0)	0)	8)	15)	16)	13)	13)	16)	16)	2)	0)	0)
07	×	×	×	×	×	×	×	×	×	×	×	×
08	×	×	×	×	×	×	×	×	×	×	×	×
09	×	×	×	×	×	×	×	×	×	×	×	×
10	×	×	×	×	×	×	×	×	×	×	×	×
11	×	×	×	×	×	×	×	×	×	×	×	×
12	×	×	×	×	×	×	×	×	×	×	×	×
13	×	×	×	×	×	×	×	×	×	×	×	×
14	×	×	×	×	×	×	×	×	×	×	×	×
15	×	×	×	×	×	×	×	×	×	×	×	×
16	×	×	×	×	×	×	×	×	×	×	×	×
17	×	×	×	×	×	×	×	×	×	×	×	×
18	×	×	×	×	×	×	×	×	×	×	×	×
19	×	×	×	×	×	×	×	×	×	×	×	×
20	×	×	×	×	×	×	×	×	×	×	×	×
21	×	×	×	×	×	×	×	×	×	×	×	×
22	×	×	×	×	×	×	×	×	×	×	×	×
23	×	×	×	×	×	×	×	×	×	×	×	×
MEAN	×	×	×	×	×	×	×	×	×	×	×	×

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE