

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: YAKUSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	-	-
01						-	-	1
02						-	-	1
03						-	1	1
04						-	-	1
05						-	1	2
06						-	2	3
07						-	1	3
08						-	-	2
09						-	-	2
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						-	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: YAKUSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	2	4
01						-	1	1
02						-	1	4
03						1	1	2
04						1	1	4
05						1	1	4
06						1	1	3
07						-	1	4
08						-	1	4
09						1	2	5
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: YAKUSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	4	7
01						1	3	6
02						-	2	6
03						-	2	5
04						-	1	5
05						-	-	3
06						-	1	3
07						-	1	3
08						-	1	2
09						-	2	4
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: YAKUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	4	6
01						-	3	5
02						-	3	6
03						-	3	7
04						-	5	5
05						-	4	9
06						1	6	9
07						1	5	9
08						1	5	9
09						1	3	6
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: YAKUSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	5	7
01						-	5	8
02						-	5	10
03						-	5	10
04						1	5	9
05						-	3	6
06						-	3	5
07						1	2	7
08						-	1	5
09						1	4	5
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: YAKUSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	7	19
01						2	7	17
02						1	8	18
03						1	7	17
04						1	9	17
05						1	7	15
06						-	5	13
07						-	6	11
08						-	7	11
09						1	7	17
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	7	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: YAKUSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	5	7
01						1	3	5
02						1	3	5
03						1	3	6
04						1	4	6
05						1	3	5
06						-	2	7
07						-	3	6
08						1	2	8
09						-	1	6
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: YAKUSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	1
01						-	-	-
02						-	1	1
03						-	1	1
04						-	1	1
05						-	1	1
06						-	-	1
07						-	1	1
08						1	1	2
09						1	2	3
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: YAKUSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	3
01						-	1	5
02						-	1	2
03						-	1	3
04						-	1	3
05						-	3	4
06						-	2	4
07						-	1	3
08						-	2	4
09						-	2	5
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						-	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: YAKUSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	3	6
01						-	2	6
02						-	3	7
03						-	3	6
04						-	2	5
05						-	1	4
06						-	3	4
07						-	2	3
08						-	2	3
09						-	1	4
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						-	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: YAKUSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	1
01						-	-	1
02						-	-	-
03						-	-	1
04						-	-	-
05						-	-	1
06						-	1	1
07						-	1	1
08						-	1	2
09						1	2	2
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: YAKUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	2
01						-	-	1
02						-	1	3
03						-	1	3
04						-	1	2
05						-	1	3
06						-	1	3
07						-	1	3
08						-	-	1
09						-	1	2
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						-	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: YAKUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						0	3	5
01						0	2	5
02						0	2	5
03						0	2	5
04						0	2	5
05						0	2	5
06						0	2	5
07						0	2	4
08						0	2	4
09						0	2	5
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: YAKUSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<1000	<1500	<3000	<3200	<5000	-	-	-
00	-	-	-	-	-			
01	-	-	-	-	1			
02	-	-	-	-	-			
03	-	-	-	1	1			
04	-	-	-	-	-			
05	-	-	1	1	1			
06	-	-	1	2	3			
07	-	-	1	1	1			
08	-	-	-	-	-			
09	-	-	-	-	1			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	-	0	0	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: YAKUSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1500	<3000	<3200	<5000	-	-	-
00	-	-	1	2	3			
01	-	-	1	1	1			
02	-	-	1	1	2			
03	-	-	1	1	1			
04	-	-	-	1	2			
05	-	-	1	1	4			
06	-	-	1	1	2			
07	-	-	1	1	2			
08	-	-	-	1	2			
09	-	-	-	2	2			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	-	1	1	2			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: YAKUSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1500	<3000	<3200	<5000	-	-	-
00	-	-	-	2	2			
01	-	-	1	1	2			
02	-	-	1	1	4			
03	-	-	1	1	2			
04	-	-	-	1	3			
05	-	-	-	-	1			
06	-	-	-	1	2			
07	-	-	-	1	1			
08	-	-	-	-	1			
09	-	-	-	1	2			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	-	0	1	2			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: YAKUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1500	<3000	<3200	<5000	-	-	-
00	-	-	1	2	2			
01	-	-	1	1	1			
02	-	-	-	1	1			
03	-	-	-	1	3			
04	-	-	1	3	3			
05	-	-	1	3	5			
06	1	1	1	3	4			
07	-	1	1	3	5			
08	-	1	2	4	4			
09	-	1	1	3	3			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	1	2	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: YAKUSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1500	<3000	<3200	<5000	-	-	-
00	-	-	1	3	5			
01	-	-	3	5	6			
02	-	-	1	3	6			
03	-	-	2	4	6			
04	-	-	1	4	6			
05	-	-	1	1	3			
06	-	-	1	1	3			
07	-	-	-	-	3			
08	-	-	-	-	3			
09	-	-	1	1	3			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	-	1	2	4			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: YAKUSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1500	<3000	<3200	<5000	-	-	-
00	1	1	5	6	11			
01	1	1	3	5	9			
02	-	-	3	5	11			
03	-	1	3	5	10			
04	-	1	4	8	11			
05	1	1	3	6	9			
06	-	-	2	3	8			
07	-	-	2	5	6			
08	-	-	1	4	7			
09	-	-	2	5	10			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	3	5	9			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: YAKUSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1500	<3000	<3200	<5000	-	-	-
00	-	-	1	2	3			
01	-	-	1	1	2			
02	-	-	1	1	1			
03	-	-	2	2	3			
04	-	-	3	3	4			
05	-	-	1	2	3			
06	-	-	1	1	4			
07	-	-	1	1	3			
08	-	1	1	1	3			
09	-	-	-	-	2			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	1	1	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: YAKUSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1500	<3000	<3200	<5000	-	-	-
00	-	-	1	1	1			
01	-	-	-	-	-			
02	-	-	1	1	1			
03	-	-	1	1	1			
04	-	-	-	1	1			
05	-	-	1	1	1			
06	-	-	-	-	1			
07	-	-	1	1	1			
08	1	1	1	1	1			
09	-	1	1	2	3			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	1	1	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: YAKUSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1500	<3000	<3200	<5000	-	-	-
00	-	-	-	1	2			
01	-	-	1	1	4			
02	-	-	1	1	2			
03	-	-	1	1	2			
04	-	-	-	1	2			
05	-	-	1	1	3			
06	-	-	1	1	3			
07	-	-	1	1	3			
08	-	-	1	1	4			
09	-	-	1	2	4			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	-	1	1	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: YAKUSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1500	<3000	<3200	<5000	-	-	-
00	-	-	1	3	3			
01	-	-	1	2	2			
02	-	-	1	3	3			
03	-	-	1	2	4			
04	-	-	2	2	4			
05	-	-	1	1	3			
06	-	-	1	1	4			
07	-	-	-	-	2			
08	-	-	-	1	1			
09	-	-	-	1	1			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	-	1	1	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: YAKUSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1500	<3000	<3200	<5000	-	-	-
00	-	-	-	1	1			
01	-	-	-	-	1			
02	-	-	-	-	-			
03	-	-	-	-	1			
04	-	-	-	-	-			
05	-	-	-	-	1			
06	-	-	-	1	1			
07	-	-	-	1	1			
08	-	-	-	-	1			
09	-	-	1	1	2			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	-	0	0	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: YAKUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1500	<3000	<3200	<5000	-	-	-
00	-	-	-	1	2			
01	-	-	-	-	1			
02	-	-	1	1	1			
03	-	-	-	1	1			
04	-	-	-	1	1			
05	-	-	-	1	3			
06	-	-	1	1	3			
07	-	-	-	-	1			
08	-	-	-	-	1			
09	-	-	-	1	1			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	-	0	1	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: YAKUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<1000	<1500	<3000	<3200	<5000	-	-	-
00	0	0	1	2	3			
01	0	0	1	1	2			
02	-	-	1	1	3			
03	-	0	1	2	3			
04	-	0	1	2	3			
05	0	0	1	1	3			
06	0	0	1	1	3			
07	-	0	0	1	2			
08	0	0	0	1	2			
09	-	0	1	2	3			
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	1	1	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: YAKUSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	-			
01	-	-	-	1			
02	-	-	-	1			
03	-	-	-	1			
04	-	-	-	1			
05	-	-	-	1			
06	-	-	1	2			
07	-	-	-	2			
08	-	-	-	2			
09	-	-	-	1			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	0	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: YAKUSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	1			
01	-	-	-	1			
02	-	-	1	2			
03	-	1	1	1			
04	-	1	1	2			
05	-	1	1	2			
06	-	1	1	2			
07	-	-	1	3			
08	-	-	-	2			
09	-	1	1	4			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	0	2			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: YAKUSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	2	6			
01	-	1	2	5			
02	-	-	1	5			
03	-	-	1	4			
04	-	-	1	3			
05	-	-	-	2			
06	-	-	-	1			
07	-	-	-	2			
08	-	-	1	2			
09	-	-	1	3			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	1	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: YAKUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	3	5			
01	-	-	2	5			
02	-	-	3	5			
03	-	-	3	5			
04	-	-	2	4			
05	-	-	1	7			
06	-	-	3	7			
07	-	-	2	8			
08	-	-	1	7			
09	-	-	1	5			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	2	6			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: YAKUSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	1	2	6			
01	-	-	1	4			
02	-	-	3	7			
03	-	-	3	8			
04	-	1	3	6			
05	-	-	2	5			
06	-	-	2	2			
07	-	1	2	5			
08	-	-	1	3			
09	-	1	4	5			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	2	5			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: YAKUSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	1	3	13			
01	-	1	3	13			
02	-	1	3	10			
03	-	1	4	14			
04	-	-	4	9			
05	-	-	3	9			
06	-	-	2	8			
07	-	-	3	7			
08	-	-	4	6			
09	-	1	4	12			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	3	10			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: YAKUSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	3	4			
01	-	1	2	5			
02	-	1	2	5			
03	-	1	2	5			
04	-	1	2	5			
05	-	1	2	3			
06	-	-	1	4			
07	-	-	1	4			
08	-	-	1	5			
09	-	-	1	5			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	2	4			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: YAKUSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	1			
01	-	-	-	-			
02	-	-	-	1			
03	-	-	-	1			
04	-	-	-	1			
05	-	-	-	1			
06	-	-	-	-			
07	-	-	-	-			
08	-	-	-	1			
09	-	-	-	1			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	-	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: YAKUSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	2			
01	-	-	-	3			
02	-	-	-	1			
03	-	-	-	1			
04	-	-	-	2			
05	-	-	1	3			
06	-	-	1	2			
07	-	-	1	2			
08	-	-	1	1			
09	-	-	-	1			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	0	2			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: YAKUSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	5			
01	-	-	1	5			
02	-	-	1	6			
03	-	-	1	5			
04	-	-	1	4			
05	-	-	1	3			
06	-	-	2	3			
07	-	-	2	3			
08	-	-	1	3			
09	-	-	-	4			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	1	4			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: YAKUSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	1			
01	-	-	-	-			
02	-	-	-	-			
03	-	-	-	-			
04	-	-	-	-			
05	-	-	-	-			
06	-	-	-	1			
07	-	-	-	1			
08	-	-	1	2			
09	-	1	1	2			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	0	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: YAKUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	1			
01	-	-	-	-			
02	-	-	-	2			
03	-	-	-	2			
04	-	-	-	2			
05	-	-	-	1			
06	-	-	-	2			
07	-	-	1	3			
08	-	-	-	1			
09	-	-	-	1			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	0	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: YAKUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	0	1	4			
01	-	0	1	3			
02	-	0	1	4			
03	-	0	1	4			
04	-	0	1	3			
05	-	0	1	3			
06	-	0	1	3			
07	-	0	1	3			
08	-	-	1	3			
09	-	0	1	4			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	1	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: YAKUSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												-
VARIABLE	2	0	-	-	-	-	-	-	-	-	-	2
[35-36-01]	1	2	2	3	1	0	0	-	-	-	-	9
[02-03-04]	0	1	1	1	0	0	0	-	-	-	-	4
[05-06-07]	0	1	1	1	0	0	-	-	-	-	-	3
[08-09-10]	0	1	1	0	-	-	-	-	-	-	-	1
[11-12-13]	0	0	0	0	-	-	-	-	-	-	-	1
[14-15-16]	0	0	0	0	-	-	-	-	-	-	-	1
[17-18-19]	1	1	1	0	-	-	-	-	-	-	-	3
[20-21-22]	2	2	0	0	0	-	-	-	-	-	-	4
[23-24-25]	5	2	-	0	-	-	-	-	-	-	-	6
[26-27-28]	3	12	1	0	0	-	-	-	-	-	-	17
[29-30-31]	1	7	10	5	3	1	0	-	-	-	-	27
[32-33-34]	1	3	6	6	3	1	0	-	-	-	-	20
TOTAL	16	32	24	17	8	2	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: YAKUSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[35-36-01]	0)	2)	2)	2)	1)	0)	0)	0)	0)	0)	0)	7)
[02-03-04]	0)	1)	1)	1)	1)	1)	0)	0)	0)	0)	0)	5)
[05-06-07]	0)	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	2)
[08-09-10]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	0)	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	1)	3)	3)	2)	0)	0)	0)	0)	0)	0)	0)	9)
[20-21-22]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[23-24-25]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	2)	10)	1)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[29-30-31]	0)	5)	10)	5)	4)	1)	0)	0)	0)	0)	0)	25)
[32-33-34]	0)	2)	7)	7)	3)	1)	0)	0)	0)	0)	0)	20)
TOTAL	13)	29)	27)	19)	8)	3)	1)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: YAKUSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	3	0	-	-	-	-	-	-	-	-	-	3
[35-36-01]	1	2	2	1	0	0	-	-	-	-	-	6
[02-03-04]	1	2	1	1	0	-	-	-	-	-	-	4
[05-06-07]	0	1	1	1	0	-	-	-	-	-	-	4
[08-09-10]	0	0	0	0	-	-	-	-	-	-	-	1
[11-12-13]	0	1	0	0	-	-	-	-	-	-	-	2
[14-15-16]	1	2	2	0	0	-	-	-	-	-	-	5
[17-18-19]	1	4	4	2	1	-	-	-	-	-	-	11
[20-21-22]	4	3	0	0	0	-	-	-	-	-	-	8
[23-24-25]	4	1	0	-	-	-	-	-	-	-	-	6
[26-27-28]	3	7	1	0	-	-	-	-	-	-	-	10
[29-30-31]	1	5	6	5	2	1	0	0	-	-	-	21
[32-33-34]	1	3	7	6	2	1	0	0	-	-	-	19
TOTAL	20	32	25	15	6	2	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: YAKUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	4	0	-	-	-	-	-	-	-	-	-	5
[35-36-01]	1	1	1	0	-	0	-	-	-	-	-	3
[02-03-04]	1	1	1	1	0	0	-	0	-	-	-	4
[05-06-07]	1	1	1	1	0	-	-	-	-	-	-	4
[08-09-10]	1	2	1	0	0	-	-	-	-	-	-	4
[11-12-13]	1	4	3	0	-	-	0	-	-	-	-	7
[14-15-16]	1	4	3	1	0	-	-	-	-	-	-	8
[17-18-19]	1	4	3	2	0	-	-	-	-	-	-	11
[20-21-22]	4	3	0	0	0	0	-	-	-	-	-	8
[23-24-25]	5	0	0	-	-	-	-	-	-	-	-	6
[26-27-28]	3	5	1	-	-	0	0	-	-	-	-	9
[29-30-31]	1	4	5	4	2	1	0	0	0	-	-	18
[32-33-34]	1	3	5	3	1	0	-	-	-	-	-	12
TOTAL	26	33	24	12	3	1	0	0	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: YAKUSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	6)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[35-36-01]	2)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[05-06-07]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[08-09-10]	1)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	1)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[14-15-16]	2)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[17-18-19]	3)	7)	3)	2)	0)	0)	0)	0)	0)	0)	0)	14)
[20-21-22]	6)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[23-24-25]	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[26-27-28]	3)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[29-30-31]	1)	5)	5)	2)	0)	0)	0)	0)	0)	0)	0)	14)
[32-33-34]	1)	3)	4)	1)	0)	0)	0)	0)	0)	0)	0)	10)
TOTAL	34)	40)	18)	7)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: YAKUSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	11	0	-	-	-	-	-	-	-	-	-	12
[35-36-01]	3	2	0	0	-	-	0	-	-	-	-	6
[02-03-04]	2	2	1	1	0	0	0	-	-	-	-	6
[05-06-07]	1	1	1	0	0	-	-	-	-	-	-	3
[08-09-10]	1	1	1	0	-	-	-	-	-	-	-	4
[11-12-13]	2	2	1	0	-	-	-	-	-	-	-	4
[14-15-16]	2	4	2	0	-	-	-	-	-	-	-	8
[17-18-19]	5	7	3	1	0	-	-	-	-	-	-	16
[20-21-22]	6	3	1	0	-	-	-	-	-	-	-	11
[23-24-25]	6	0	0	-	-	-	-	-	-	-	-	7
[26-27-28]	5	2	0	-	-	-	-	-	-	-	-	7
[29-30-31]	3	4	2	0	0	0	-	-	-	-	-	10
[32-33-34]	2	3	1	0	0	-	-	-	-	-	-	7
TOTAL	49	33	13	3	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: YAKUSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	10	0	0	-	-	-	-	-	-	-	-	11
[35-36-01]	2	2	0	0	-	-	-	-	-	-	-	4
[02-03-04]	2	2	0	0	0	-	-	-	-	-	-	4
[05-06-07]	2	2	0	0	-	-	-	-	-	-	-	4
[08-09-10]	3	2	0	0	-	-	-	-	-	-	-	4
[11-12-13]	2	3	1	1	0	-	-	-	-	-	-	6
[14-15-16]	2	6	2	1	0	0	-	-	-	-	-	12
[17-18-19]	4	9	4	1	0	0	-	-	-	-	-	19
[20-21-22]	10	4	0	0	-	0	0	-	-	-	-	14
[23-24-25]	7	0	0	-	-	-	-	-	-	-	-	7
[26-27-28]	4	1	0	0	0	0	-	-	-	-	-	5
[29-30-31]	1	2	0	0	0	-	-	-	-	-	-	4
[32-33-34]	1	2	1	0	-	-	-	-	-	-	-	4
TOTAL	50	35	10	3	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: YAKUSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	5	0	-	-	-	-	-	-	-	-	-	5
[35-36-01]	2	3	0	-	0	0	-	0	0	0	-	6
[02-03-04]	2	1	0	0	0	-	0	0	0	0	-	3
[05-06-07]	1	1	0	1	0	0	0	0	-	-	-	3
[08-09-10]	1	2	1	1	0	0	-	-	-	-	-	6
[11-12-13]	1	4	2	1	0	1	0	-	-	-	-	9
[14-15-16]	2	5	1	1	0	0	0	-	-	-	-	9
[17-18-19]	3	8	4	1	0	0	0	-	-	-	-	17
[20-21-22]	10	4	0	-	0	-	-	-	-	-	-	14
[23-24-25]	9	0	-	-	-	-	-	-	-	-	-	9
[26-27-28]	4	2	0	-	-	-	-	-	-	-	-	7
[29-30-31]	1	3	1	0	0	0	0	0	-	-	-	6
[32-33-34]	1	3	1	0	0	-	0	-	-	-	-	6
TOTAL	43	37	12	4	2	1	0	0	0	0	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: YAKUSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	6	0	-	-	-	-	-	-	-	-	-	6
[35-36-01]	2	2	1	0	0	0	0	0	-	-	-	5
[02-03-04]	2	3	4	2	0	0	0	0	-	-	-	11
[05-06-07]	1	2	3	1	0	0	0	-	-	-	-	8
[08-09-10]	1	1	1	0	0	-	0	-	-	-	-	4
[11-12-13]	2	2	2	0	0	0	0	-	-	-	-	6
[14-15-16]	2	4	1	0	0	0	-	-	-	-	-	8
[17-18-19]	3	5	2	0	0	0	0	0	-	-	-	11
[20-21-22]	10	4	0	-	-	-	-	-	-	-	-	13
[23-24-25]	8	1	-	-	-	-	-	-	-	-	-	9
[26-27-28]	5	4	0	0	0	-	-	-	-	-	-	9
[29-30-31]	1	2	1	1	1	0	0	-	-	-	-	7
[32-33-34]	1	2	1	0	0	-	-	-	-	-	-	5
TOTAL	43	33	15	6	2	1	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: YAKUSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	4	0	-	-	-	-	-	-	-	-	-	4
[35-36-01]	1	2	1	0	0	0	0	-	-	-	0	5
[02-03-04]	1	4	7	5	1	1	0	-	0	0	0	19
[05-06-07]	1	4	5	3	1	0	0	-	-	-	-	14
[08-09-10]	1	2	2	1	0	0	0	0	-	-	-	6
[11-12-13]	1	2	1	0	0	0	-	0	-	-	-	4
[14-15-16]	1	1	0	0	0	0	-	-	-	-	-	3
[17-18-19]	1	3	1	0	0	0	-	-	-	-	-	5
[20-21-22]	3	3	0	-	-	-	-	-	-	-	-	7
[23-24-25]	5	1	0	-	-	-	-	-	-	-	-	6
[26-27-28]	3	6	0	0	-	-	-	-	-	-	-	9
[29-30-31]	1	3	4	2	0	0	0	0	0	0	-	11
[32-33-34]	1	2	2	1	1	0	-	0	0	-	-	8
TOTAL	23	33	23	13	5	2	1	0	0	0	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: YAKUSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												-
VARIABLE	3	0	0	-	-	-	-	-	-	-	-	4
[35-36-01]	0	1	2	1	0	-	-	-	-	-	-	4
[02-03-04]	1	2	1	1	0	0	-	-	-	-	-	5
[05-06-07]	0	2	2	1	0	0	-	-	-	-	-	5
[08-09-10]	1	2	1	0	0	-	-	-	-	-	-	4
[11-12-13]	1	1	0	0	0	-	-	-	-	-	-	2
[14-15-16]	1	2	1	0	-	-	-	-	-	-	-	3
[17-18-19]	1	4	2	1	-	-	-	-	-	-	-	8
[20-21-22]	4	3	0	0	-	-	-	-	-	-	-	8
[23-24-25]	5	2	-	-	-	-	-	-	-	-	-	6
[26-27-28]	3	11	1	0	-	-	-	-	-	-	-	15
[29-30-31]	1	7	10	5	1	0	-	-	-	-	-	24
[32-33-34]	0	3	5	4	1	0	-	-	-	-	-	13
TOTAL	21	38	25	13	3	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: YAKUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	2	0	-	-	-	-	-	-	-	-	-	2
[35-36-01]	0	1	3	3	1	0	0	-	-	-	-	9
[02-03-04]	0	1	1	0	0	0	-	-	-	-	-	2
[05-06-07]	0	1	1	1	0	-	-	-	-	-	-	4
[08-09-10]	0	0	1	0	0	-	-	-	-	-	-	2
[11-12-13]	0	0	1	0	-	-	-	-	-	-	-	1
[14-15-16]	0	1	1	0	-	-	-	-	-	-	-	3
[17-18-19]	1	2	1	1	0	0	0	-	-	-	-	5
[20-21-22]	2	2	0	0	0	0	-	-	-	-	-	5
[23-24-25]	4	2	-	-	-	-	-	-	-	-	-	6
[26-27-28]	2	14	2	0	-	-	-	-	-	-	-	18
[29-30-31]	1	7	9	6	3	1	0	-	-	-	-	26
[32-33-34]	1	3	5	5	3	0	-	-	-	-	-	17
TOTAL	14	35	25	17	8	2	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: YAKUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[35-36-01]	1)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[02-03-04]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[05-06-07]	1)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[08-09-10]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[17-18-19]	2)	5)	3)	1)	0)	0)	0)	0)	0)	0)	0)	11)
[20-21-22]	5)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[23-24-25]	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[26-27-28]	3)	7)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[29-30-31]	1)	5)	5)	3)	1)	0)	0)	0)	0)	0)	0)	16)
[32-33-34]	1)	3)	4)	3)	1)	0)	0)	0)	0)	0)	0)	12)
TOTAL	29)	34)	20)	11)	4)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: YAKUSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	1	21	62	16	-	-	-	-
01	-	-	-	-	1	19	57	23	-	-	-	-
02	-	-	-	-	1	17	57	25	1	-	-	-
03	-	-	-	-	1	15	56	26	2	-	-	-
04	-	-	-	-	-	17	54	28	1	-	-	-
05	-	-	-	-	1	17	54	27	1	-	-	-
06	-	-	-	-	1	18	56	25	-	-	-	-
07	-	-	-	-	1	20	57	22	-	-	-	-
08	-	-	-	-	1	23	59	17	-	-	-	-
09	-	-	-	-	1	32	55	13	-	-	-	-
10	-	-	-	-	1	35	53	12	-	-	-	-
11	-	-	-	-	1	34	54	11	-	-	-	-
12	-	-	-	-	1	34	52	13	-	-	-	-
13	-	-	-	-	1	35	53	10	-	-	-	-
14	-	-	-	-	1	40	49	10	-	-	-	-
15	-	-	-	-	1	41	50	8	-	-	-	-
16	-	-	-	-	1	39	53	8	-	-	-	-
17	-	-	-	-	1	38	54	8	-	-	-	-
18	-	-	-	-	1	36	54	8	-	-	-	-
19	-	-	-	-	1	38	54	7	-	-	-	-
20	-	-	-	-	2	37	54	8	-	-	-	-
21	-	-	-	-	2	36	54	8	-	-	-	-
22	-	-	-	-	2	41	48	9	-	-	-	-
23	-	-	-	-	1	36	54	9	-	-	-	-
MEAN	-	-	-	-	1	30	54	15	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: YAKUSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	21	55	23	1	-	-	-
01	-	-	-	-	-	19	51	27	3	-	-	-
02	-	-	-	-	-	14	53	29	4	-	-	-
03	-	-	-	-	-	14	49	33	4	-	-	-
04	-	-	-	-	-	13	51	32	5	-	-	-
05	-	-	-	-	-	14	49	32	5	-	-	-
06	-	-	-	-	-	14	51	30	4	-	-	-
07	-	-	-	-	-	17	52	29	2	-	-	-
08	-	-	-	-	-	18	56	25	1	-	-	-
09	-	-	-	-	-	29	48	22	1	-	-	-
10	0)	0)	0)	0)	0)	31)	48)	21)	1)	0)	0)	0)
11	0)	0)	0)	0)	0)	33)	45)	21)	0)	0)	0)	0)
12	0)	0)	0)	0)	0)	36)	42)	22)	0)	0)	0)	0)
13	-	-	-	-	-	39	39	23	-	-	-	-
14	-	-	-	-	-	39	39	21	1	-	-	-
15	-	-	-	-	-	39	39	21	1	-	-	-
16	-	-	-	-	-	41	37	23	-	-	-	-
17	-	-	-	-	-	41	38	21	-	-	-	-
18	-	-	-	-	-	42	37	21	-	-	-	-
19	-	-	-	-	-	42	39	19	1	-	-	-
20	-	-	-	-	-	44	38	18	-	-	-	-
21	-	-	-	-	-	42	41	18	-	-	-	-
22	-	-	-	-	-	44	40	16	-	-	-	-
23	-	-	-	-	-	30	52	18	-	-	-	-
MEAN	0)	0)	0)	0)	0)	30)	45)	23)	1)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: YAKUSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	4	37	48	11	-	-	-
01	-	-	-	-	-	3	32	51	14	-	-	-
02	-	-	-	-	-	3	30	46	21	-	-	-
03	-	-	-	-	-	2	29	46	23	-	-	-
04	-	-	-	-	-	2	27	50	21	1	-	-
05	-	-	-	-	-	2	28	48	22	1	-	-
06	-	-	-	-	-	1	30	48	19	1	-	-
07	-	-	-	-	-	3	29	55	14	-	-	-
08	-	-	-	-	-	2	34	54	10	-	-	-
09	-	-	-	-	-	5	41	50	4	-	-	-
10	-	-	-	-	-	10	43	46	1	-	-	-
11	-	-	-	-	-	10	45	43	1	-	-	-
12	-	-	-	-	-	11	45	43	1	-	-	-
13	-	-	-	-	-	13	44	41	2	-	-	-
14	-	-	-	-	-	14	45	39	2	-	-	-
15	-	-	-	-	-	15	45	38	1	-	-	-
16	-	-	-	-	-	18	45	35	2	-	-	-
17	-	-	-	-	-	17	46	35	3	-	-	-
18	-	-	-	-	-	16	45	37	1	-	-	-
19	-	-	-	-	-	17	48	35	1	-	-	-
20	-	-	-	-	-	17	50	32	1	-	-	-
21	-	-	-	-	-	17	49	33	1	-	-	-
22	-	-	-	-	-	14	50	34	2	-	-	-
23	-	-	-	-	-	6	40	49	5	-	-	-
MEAN	-	-	-	-	-	9	40	43	8	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: YAKUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	5	53	41	1	-	-
01	-	-	-	-	-	-	5	43	51	1	-	-
02	-	-	-	-	-	-	3	39	58	1	-	-
03	-	-	-	-	-	-	1	41	55	2	-	-
04	-	-	-	-	-	-	1	43	54	2	-	-
05	-	-	-	-	-	-	3	42	54	1	-	-
06	-	-	-	-	-	-	4	41	52	3	-	-
07	-	-	-	-	-	-	6	43	48	3	-	-
08	-	-	-	-	-	-	6	51	41	1	-	-
09	-	-	-	-	-	-	9	63	29	-	-	-
10	0)	0)	0)	0)	0)	0)	13)	71)	15)	0)	0)	0)
11	-	-	-	-	-	-	19	66	15	-	-	-
12	-	-	-	-	-	-	21	67	12	-	-	-
13	-	-	-	-	-	1	25	61	13	-	-	-
14	-	-	-	-	-	1	27	59	13	-	-	-
15	-	-	-	-	-	1	27	58	14	-	-	-
16	-	-	-	-	-	-	32	55	13	-	-	-
17	-	-	-	-	-	1	30	58	11	-	-	-
18	-	-	-	-	-	1	30	60	9	-	-	-
19	-	-	-	-	-	-	31	58	11	-	-	-
20	-	-	-	-	-	-	33	58	9	-	-	-
21	-	-	-	-	-	1	33	59	8	-	-	-
22	-	-	-	-	-	-	21	65	14	-	-	-
23	-	-	-	-	-	-	11	56	33	-	-	-
MEAN	0)	0)	0)	0)	0)	0)	16)	55)	28)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: YAKUSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	16	81	3	-	-
01	-	-	-	-	-	-	-	14	81	5	-	-
02	-	-	-	-	-	-	-	10	75	14	-	-
03	-	-	-	-	-	-	-	8	74	18	-	-
04	-	-	-	-	-	-	-	10	73	17	-	-
05	-	-	-	-	-	-	-	10	71	19	-	-
06	-	-	-	-	-	-	-	11	71	18	-	-
07	-	-	-	-	-	-	-	10	78	12	-	-
08	-	-	-	-	-	-	-	11	82	7	-	-
09	-	-	-	-	-	-	-	16	82	2	-	-
10	0)	0)	0)	0)	0)	0)	0)	29)	71)	1)	0)	0)
11	0)	0)	0)	0)	0)	0)	0)	37)	63)	0)	0)	0)
12	-	-	-	-	-	-	1	46	53	-	-	-
13	-	-	-	-	-	-	1	49	50	-	-	-
14	-	-	-	-	-	-	1	51	48	-	-	-
15	-	-	-	-	-	-	3	50	47	-	-	-
16	-	-	-	-	-	-	4	54	43	-	-	-
17	-	-	-	-	-	-	5	59	37	-	-	-
18	-	-	-	-	-	-	5	57	38	-	-	-
19	-	-	-	-	-	-	6	57	37	-	-	-
20	-	-	-	-	-	-	6	59	35	-	-	-
21	-	-	-	-	-	-	4	56	40	-	-	-
22	-	-	-	-	-	-	-	35	64	1	-	-
23	-	-	-	-	-	-	-	20	79	1	-	-
MEAN	0)	0)	0)	0)	0)	0)	1)	32)	61)	5)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: YAKUSHIMA AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	65	35	1	-
01	-	-	-	-	-	-	-	1	61	37	1	-
02	-	-	-	-	-	-	-	1	55	41	3	-
03	-	-	-	-	-	-	-	1	55	40	4	-
04	-	-	-	-	-	-	-	2	54	40	4	-
05	-	-	-	-	-	-	-	2	53	41	5	-
06	-	-	-	-	-	-	-	2	55	37	5	-
07	-	-	-	-	-	-	-	3	59	36	1	-
08	-	-	-	-	-	-	-	3	63	33	1	-
09	-	-	-	-	-	-	-	4	65	31	1	-
10	-	-	-	-	-	-	-	4	73	23	-	-
11	-	-	-	-	-	-	-	3	77	20	-	-
12	-	-	-	-	-	-	-	5	79	15	-	-
13	-	-	-	-	-	-	-	6	80	14	-	-
14	-	-	-	-	-	-	-	6	83	11	-	-
15	-	-	-	-	-	-	-	7	82	11	-	-
16	-	-	-	-	-	-	-	10	81	9	-	-
17	-	-	-	-	-	-	-	11	80	9	-	-
18	-	-	-	-	-	-	-	11	81	7	-	-
19	-	-	-	-	-	-	-	13	79	8	-	-
20	-	-	-	-	-	-	-	13	79	9	-	-
21	-	-	-	-	-	-	-	7	83	11	-	-
22	-	-	-	-	-	-	-	1	77	22	-	-
23	-	-	-	-	-	-	-	1	72	27	1	-
MEAN	-	-	-	-	-	-	-	5	70	24	1	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: YAKUSHIMA AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	7	75	17	-
01	-	-	-	-	-	-	-	-	5	67	28	-
02	-	-	-	-	-	-	-	-	5	57	37	-
03	-	-	-	-	-	-	-	-	6	46	47	-
04	-	-	-	-	-	-	-	-	5	49	46	-
05	-	-	-	-	-	-	-	-	5	50	45	-
06	-	-	-	-	-	-	-	-	8	50	42	-
07	-	-	-	-	-	-	-	-	7	57	35	-
08	-	-	-	-	-	-	-	-	6	74	20	-
09	-	-	-	-	-	-	-	-	9	84	7	-
10	0)	0)	0)	0)	0)	0)	0)	0)	14)	86)	0)	0)
11	-	-	-	-	-	-	-	1	14	86	-	-
12	-	-	-	-	-	-	-	-	15	85	-	-
13	-	-	-	-	-	-	-	-	18	82	-	-
14	-	-	-	-	-	-	-	-	25	75	-	-
15	-	-	-	-	-	-	-	-	30	70	-	-
16	-	-	-	-	-	-	-	-	32	68	-	-
17	-	-	-	-	-	-	-	-	38	62	-	-
18	-	-	-	-	-	-	-	-	42	58	-	-
19	-	-	-	-	-	-	-	-	42	58	-	-
20	-	-	-	-	-	-	-	1	47	52	1	-
21	-	-	-	-	-	-	-	-	39	61	-	-
22	-	-	-	-	-	-	-	-	14	86	-	-
23	-	-	-	-	-	-	-	-	10	89	1	-
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	18)	68)	14)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: YAKUSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	3	78	19	-
01	-	-	-	-	-	-	-	-	2	67	31	-
02	-	-	-	-	-	-	-	-	2	55	43	-
03	-	-	-	-	-	-	-	-	1	51	48	-
04	-	-	-	-	-	-	-	-	2	50	48	-
05	-	-	-	-	-	-	-	-	1	50	48	-
06	-	-	-	-	-	-	-	-	1	55	44	-
07	-	-	-	-	-	-	-	-	1	68	32	-
08	-	-	-	-	-	-	-	-	1	78	21	-
09	-	-	-	-	-	-	-	-	1	89	10	-
10	-	-	-	-	-	-	-	-	5	95	1	-
11	-	-	-	-	-	-	-	-	8	92	-	-
12	-	-	-	-	-	-	-	-	12	88	-	-
13	-	-	-	-	-	-	-	-	13	87	-	-
14	-	-	-	-	-	-	-	-	14	86	-	-
15	-	-	-	-	-	-	-	-	21	79	-	-
16	-	-	-	-	-	-	-	-	23	77	-	-
17	0)	0)	0)	0)	0)	0)	0)	0)	24)	76)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	0)	26)	74)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	0)	31)	69)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	0)	36)	64)	0)	0)
21	0)	0)	0)	0)	0)	0)	0)	0)	29)	71)	0)	0)
22	0)	0)	0)	0)	0)	0)	0)	0)	6)	94)	0)	0)
23	0)	0)	0)	0)	0)	0)	0)	0)	1)	90)	9)	0)
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	11)	74)	15)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: YAKUSHIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	1	20	79	1	-
01	-	-	-	-	-	-	-	1	18	81	1	-
02	-	-	-	-	-	-	-	-	17	81	2	-
03	-	-	-	-	-	-	-	-	14	83	3	-
04	-	-	-	-	-	-	-	-	15	83	2	-
05	-	-	-	-	-	-	-	-	15	84	1	-
06	-	-	-	-	-	-	-	-	16	83	1	-
07	-	-	-	-	-	-	-	-	15	83	2	-
08	-	-	-	-	-	-	-	1	15	84	-	-
09	-	-	-	-	-	-	-	1	29	70	-	-
10	-	-	-	-	-	-	-	1	45	55	-	-
11	-	-	-	-	-	-	-	1	50	49	-	-
12	-	-	-	-	-	-	-	1	53	46	-	-
13	-	-	-	-	-	-	-	1	57	43	-	-
14	-	-	-	-	-	-	-	1	58	41	-	-
15	-	-	-	-	-	-	-	1	57	42	-	-
16	-	-	-	-	-	-	-	2	61	37	-	-
17	-	-	-	-	-	-	-	2	63	35	-	-
18	-	-	-	-	-	-	-	5	65	30	-	-
19	-	-	-	-	-	-	-	4	67	29	-	-
20	-	-	-	-	-	-	-	4	68	28	-	-
21	-	-	-	-	-	-	-	3	71	25	-	-
22	-	-	-	-	-	-	-	1	52	47	-	-
23	-	-	-	-	-	-	-	1	29	70	1	-
MEAN	-	-	-	-	-	-	-	1	40	58	1	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: YAKUSHIMA AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	6	72	21	-	-
01	-	-	-	-	-	-	-	5	67	28	-	-
02	-	-	-	-	-	-	-	3	63	34	-	-
03	-	-	-	-	-	-	-	3	60	37	1	-
04	-	-	-	-	-	-	-	2	63	35	-	-
05	-	-	-	-	-	-	-	2	61	37	-	-
06	-	-	-	-	-	-	-	2	66	31	1	-
07	-	-	-	-	-	-	-	2	71	26	1	-
08	-	-	-	-	-	-	-	8	71	21	-	-
09	-	-	-	-	-	-	-	15	67	17	-	-
10	-	-	-	-	-	-	-	19	66	15	-	-
11	-	-	-	-	-	-	1	20	66	14	-	-
12	-	-	-	-	-	-	1	22	67	10	-	-
13	0)	0)	0)	0)	0)	0)	1)	25)	65)	10)	0)	0)
14	0)	0)	0)	0)	0)	0)	1)	27)	62)	10)	0)	0)
15	0)	0)	0)	0)	0)	0)	1)	28)	61)	10)	0)	0)
16	0)	0)	0)	0)	0)	0)	1)	28)	62)	10)	0)	0)
17	0)	0)	0)	0)	0)	0)	1)	26)	62)	10)	0)	0)
18	-	-	-	-	-	-	2	25	65	8	-	-
19	-	-	-	-	-	-	3	25	66	6	-	-
20	-	-	-	-	-	-	3	27	65	6	-	-
21	-	-	-	-	-	-	2	24	69	5	-	-
22	-	-	-	-	-	-	1	26	67	6	-	-
23	-	-	-	-	-	-	-	13	71	16	-	-
MEAN	0)	0)	0)	0)	0)	0)	1)	16)	66)	18)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: YAKUSHIMA AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	9	50	41	-	-	-
01	-	-	-	-	-	-	8	43	48	1	-	-
02	-	-	-	-	-	1	6	43	49	1	-	-
03	-	-	-	-	-	-	8	40	51	1	-	-
04	-	-	-	-	-	-	7	43	50	1	-	-
05	-	-	-	-	-	1	6	45	48	1	-	-
06	-	-	-	-	-	1	7	46	45	1	-	-
07	-	-	-	-	-	1	8	50	41	-	-	-
08	-	-	-	-	-	1	17	49	33	-	-	-
09	-	-	-	-	-	1	16	53	30	-	-	-
10	-	-	-	-	-	2	16	59	23	-	-	-
11	-	-	-	-	-	1	18	58	23	-	-	-
12	-	-	-	-	-	1	18	57	23	-	-	-
13	-	-	-	-	-	1	21	59	19	-	-	-
14	-	-	-	-	-	1	20	59	20	-	-	-
15	-	-	-	-	-	2	20	61	17	-	-	-
16	-	-	-	-	-	2	18	63	17	-	-	-
17	-	-	-	-	-	1	17	64	17	-	-	-
18	-	-	-	-	-	2	20	62	16	-	-	-
19	-	-	-	-	-	2	20	62	16	-	-	-
20	-	-	-	-	-	2	19	61	18	-	-	-
21	-	-	-	-	-	2	21	62	15	-	-	-
22	-	-	-	-	-	1	21	61	17	-	-	-
23	-	-	-	-	-	1	13	56	30	-	-	-
MEAN	-	-	-	-	-	1	15	54	30	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: YAKUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	10	52	35	3	-	-	-
01	-	-	-	-	-	7	48	41	4	-	-	-
02	-	-	-	-	-	8	43	43	6	-	-	-
03	-	-	-	-	-	8	40	46	5	-	-	-
04	-	-	-	-	-	8	43	45	5	-	-	-
05	-	-	-	-	-	6	45	42	6	-	-	-
06	-	-	-	-	-	8	46	41	5	-	-	-
07	-	-	-	-	-	9	49	40	2	-	-	-
08	-	-	-	-	-	10	58	31	1	-	-	-
09	-	-	-	-	-	14	56	30	1	-	-	-
10	-	-	-	-	-	15	54	29	1	-	-	-
11	-	-	-	-	-	14	57	28	1	-	-	-
12	-	-	-	-	-	16	55	26	2	-	-	-
13	-	-	-	-	-	19	52	28	1	-	-	-
14	-	-	-	-	-	17	54	26	2	-	-	-
15	-	-	-	-	-	19	54	25	1	-	-	-
16	-	-	-	-	-	20	54	25	2	-	-	-
17	-	-	-	-	-	20	53	25	3	-	-	-
18	-	-	-	-	-	21	54	23	2	-	-	-
19	-	-	-	-	-	20	54	25	1	-	-	-
20	-	-	-	-	-	21	52	26	1	-	-	-
21	-	-	-	-	-	20	54	25	1	-	-	-
22	-	-	-	-	-	21	54	25	1	-	-	-
23	-	-	-	-	-	15	54	30	1	-	-	-
MEAN	-	-	-	-	-	14	51	32	2	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: YAKUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	0	5	18	21	29	24	3	-
01	-	-	-	-	0	4	17	21	30	24	5	-
02	-	-	-	-	0	4	16	20	30	24	7	-
03	-	-	-	-	0	3	15	20	29	23	9	-
04	-	-	-	-	-	3	15	21	29	23	8	-
05	-	-	-	-	0	3	15	21	29	24	8	-
06	-	-	-	-	0	3	16	21	29	23	8	-
07	-	-	-	-	0	4	17	21	28	24	6	-
08	-	-	-	-	0	4	19	21	27	25	4	-
09	-	-	-	-	0	7	19	22	27	25	1	-
10	0)	0)	0)	0)	0)	8)	19)	24)	26)	23)	0)	0)
11	0)	0)	0)	0)	0)	8)	20)	24)	26)	22)	0)	0)
12	0)	0)	0)	0)	0)	8)	19)	25)	27)	21)	0)	0)
13	0)	0)	0)	0)	0)	9)	20)	25)	27)	20)	0)	0)
14	0)	0)	0)	0)	0)	9)	20)	25)	27)	19)	0)	0)
15	0)	0)	0)	0)	0)	10)	20)	25)	28)	18)	0)	0)
16	0)	0)	0)	0)	0)	10)	20)	25)	28)	17)	0)	0)
17	0)	0)	0)	0)	0)	10)	20)	26)	28)	16)	0)	0)
18	0)	0)	0)	0)	0)	10)	21)	26)	29)	15)	0)	0)
19	0)	0)	0)	0)	0)	10)	21)	25)	29)	14)	0)	0)
20	0)	0)	0)	0)	0)	10)	21)	25)	30)	13)	0)	0)
21	0)	0)	0)	0)	0)	10)	21)	25)	30)	15)	0)	0)
22	0)	0)	0)	0)	0)	10)	19)	23)	26)	21)	0)	0)
23	0)	0)	0)	0)	0)	7)	19)	21)	28)	25)	1)	0)
MEAN	0)	0)	0)	0)	0)	7)	19)	23)	28)	21)	3)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: YAKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	11.6	12.2	14.9	18.1	20.9	23.5	27.1	27.6	25.4	22.6	18.0	13.6	19.6
Daily maximum air temperature(°C)	14.5	15.2	18.7	21.7	24.6	26.5	30.5	31.0	28.4	25.4	21.0	16.6	22.8
Daily minimum air temperature(°C)	8.6	9.1	11.6	14.8	17.6	21.2	24.1	24.7	22.6	19.8	15.1	10.6	16.7
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	243.7	350.2	380.4	468.7	370.7	907.1	432.7	234.9	472.9	275.6	320.7	330.9	4788.5
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	994.4	999.4	997.2	984.1	992.0	982.8	986.5	974.5	981.4	975.7	1001.3	994.5	974.5
Daily maximum air temperature(°C)	22.4	23.8	27.0	28.2	28.7	33.8	35.1	35.4	32.4	31.3	27.6	24.9	35.4
Daily minimum air temperature(°C)	1.0	4.7	6.1	8.7	11.9	17.1	19.4	20.8	17.3	13.5	7.2	4.7	1.0
Daily precipitation(mm)	134.0	187.5	334.5	185.5	131.0	339.0	251.0	96.0	244.0	184.5	86.0	148.0	339.0
Daily max.one-hour precipitation(mm)	33.5	52.0	101.0	49.0	70.0	69.5	56.5	45.5	56.5	57.0	44.0	55.0	101.0
Daily max.ten-minute precipitation(mm)	16.5	16.5	23.5	14.5	20.5	19.0*	22.0	13.5*	20.5	18.0	18.0	17.5	23.5
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)													
Daily maximum wind speed(kt)	41	41	39	44	35	39	39	55	43	66	31	39	66
with wind direction(36DIR.)	36	31	31	30	31	4	20	3	3	2	31	36	2
Daily maximum peak gust(kt)	53	53	52	62	47	45	58	67	64	85	42	54	85
with wind direction(36DIR.)	1	30	32	31	31	4	21	4	18	36	32	18	36

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: YAKUSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	-	-	-	-	-	0.6	7.4	13.6	2.4	0.6	-	-	24.6
Daily mean air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	-	-	-	-	-	6.4	28.2	30.2	19.8	4.4	-	-	89.0
Daily maximum air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	-	-	0.8	1.6	13.2	22.6	30.0	31.0	28.8	18.2	1.0	-	147.2
30.0°C	-	-	-	-	-	3.2	21.0	24.0	5.8	0.6	-	-	54.6
Daily precipitation 0.0mm	25.6	24.0	26.0	27.4	28.8	29.2	28.2	27.8	28.6	27.6	25.4	27.0	325.6
1.0mm	14.4	14.2	13.4	13.6	12.2	20.6	10.6	14.8	14.4	11.8	14.6	15.8	170.4
5.0mm	8.8	9.8	9.0	10.0	9.0	17.2	7.2	10.0	10.2	7.2	10.0	10.6	119.0
10.0mm	6.4	6.4	8.2	8.8	7.6	14.6	5.8	6.2	7.8	5.2	8.8	8.2	94.0
30.0mm	2.6	3.6	4.6	5.6	3.6	9.8	3.8	2.0	4.8	2.6	4.0	3.6	50.6
50.0mm	1.2	2.4	1.8	3.0	2.6	7.2	2.6	1.2	3.4	1.4	2.0	1.6	30.4
70.0mm	0.4	1.4	0.8	1.4	2.0	4.8	2.2	1.0	2.2	1.2	0.8	1.0	19.2
100.0mm	0.2	0.6	0.6	1.0	1.2	2.6	1.4	-	1.0	0.6	-	0.4	9.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: YAKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily max.depth of snow cover	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily maximum wind speed	200cm													
	20kt	18.8	18.0	15.0	11.0	6.6	4.8	3.0	4.6	7.4	11.8	13.8	19.2	134.0
	30kt	3.6	3.8	2.4	2.4	0.6	0.6	0.6	1.6	2.0	2.4	0.4	4.6	25.0
	40kt	0.2	0.2	-	0.2	-	-	-	0.8	0.2	0.6	-	-	2.2
	50kt	-	-	-	-	-	-	-	0.4	-	0.4	-	-	0.8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: YAKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1017.3	1016.1	1014.2	1010.5	1007.6	1003.3	1005.1	1003.7	1007.3	1011.3	1015.0	1016.8	1010.7
01	1017.6	1016.2	1014.3	1010.7	1007.6	1003.3	1005.2	1003.8	1007.4	1011.3	1015.1	1017.0	1010.8
02	1017.3	1016.0	1014.1	1010.6	1007.6	1003.3	1005.2	1003.7	1007.3	1011.0	1014.7	1016.6	1010.6
03	1016.4	1015.5	1013.7	1010.2	1007.3	1003.1	1005.0	1003.4	1006.8	1010.5	1014.0	1015.8	1010.2
04	1015.7	1014.7	1013.2	1009.8	1006.9	1002.8	1004.8	1003.1	1006.4	1009.9	1013.3	1015.1	1009.6
05	1015.2	1014.2	1012.6	1009.4	1006.6	1002.5	1004.6	1002.8	1006.0	1009.4	1012.9	1014.7	1009.2
06	1015.1	1014.0	1012.3	1008.9	1006.3	1002.3	1004.3	1002.5	1005.7	1009.3	1012.9	1014.6	1009.0
07	1015.3	1014.1	1012.2	1008.8	1006.1	1002.2	1004.1	1002.4	1005.7	1009.4	1013.1	1014.8	1009.0
08	1015.6	1014.3	1012.4	1008.8	1006.1	1002.1	1004.0	1002.4	1005.9	1009.7	1013.4	1015.1	1009.2
09	1015.9	1014.6	1012.7	1009.0	1006.3	1002.3	1004.1	1002.5	1006.0	1010.0	1013.7	1015.5	1009.4
10	1016.3	1015.0	1013.0	1009.3	1006.6	1002.6	1004.5	1002.9	1006.4	1010.4	1014.1	1015.8	1009.7
11	1016.6	1015.4	1013.5	1009.7	1007.0	1002.9	1004.7	1003.3	1006.8	1010.8	1014.4	1016.1	1010.1
12	1016.6	1015.6	1013.9	1010.2	1007.4	1003.2	1005.0	1003.6	1007.1	1011.1	1014.5	1016.3	1010.4
13	1016.7	1015.6	1013.9	1010.4	1007.6	1003.6	1005.3	1003.8	1007.1	1011.1	1014.6	1016.3	1010.5
14	1016.6	1015.5	1013.9	1010.3	1007.5	1003.5	1005.2	1003.7	1007.0	1011.0	1014.5	1016.2	1010.4
15	1016.5	1015.3	1013.7	1010.1	1007.3	1003.2	1005.0	1003.5	1006.8	1010.8	1014.2	1016.1	1010.2
16	1016.1	1015.3	1013.5	1010.0	1006.9	1002.8	1004.7	1003.1	1006.5	1010.5	1014.1	1015.8	1009.9
17	1016.1	1015.2	1013.3	1009.6	1006.6	1002.5	1004.4	1002.8	1006.3	1010.2	1013.9	1015.7	1009.7
18	1016.0	1014.9	1013.0	1009.3	1006.5	1002.4	1004.2	1002.7	1006.0	1010.0	1013.7	1015.5	1009.5
19	1015.7	1014.6	1012.6	1009.1	1006.4	1002.4	1004.2	1002.6	1005.9	1009.9	1013.5	1015.3	1009.3
20	1015.7	1014.7	1012.8	1009.2	1006.5	1002.4	1004.3	1002.7	1006.1	1010.0	1013.5	1015.2	1009.4
21	1016.0	1014.9	1013.1	1009.6	1006.8	1002.7	1004.5	1003.0	1006.3	1010.3	1013.8	1015.6	1009.7
22	1016.5	1015.4	1013.5	1009.9	1007.2	1002.9	1004.8	1003.3	1006.7	1010.6	1014.2	1016.0	1010.1
23	1016.8	1015.7	1014.0	1010.3	1007.5	1003.1	1005.0	1003.5	1007.0	1011.0	1014.6	1016.4	1010.4
MEAN	1016.2	1015.1	1013.3	1009.7	1006.9	1002.8	1004.7	1003.1	1006.5	1010.4	1014.0	1015.7	1009.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: YAKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	11.9	12.6	15.8	19.2	22.1	24.2	28.2	28.8	26.4	23.4	18.8	14.0	20.5
01	12.5	13.0	16.4	19.7	22.5	24.5	28.6	29.2	26.8	23.9	19.3	14.6	20.9
02	12.8	13.4	16.7	20.1	22.8	24.7	28.9	29.4	27.1	24.1	19.6	14.9	21.2
03	13.0	13.6	16.9	20.2	23.1	24.8	29.1	29.6	27.2	24.4	19.7	14.9	21.3
04	13.1	13.7	16.9	20.1	23.0	24.9	29.1	29.6	27.2	24.3	19.7	14.9	21.4
05	13.0	13.6	17.0	20.1	23.0	24.8	29.1	29.6	27.0	24.2	19.5	14.9	21.3
06	12.9	13.4	16.9	19.9	22.9	24.7	28.9	29.6	27.0	24.0	19.3	14.7	21.2
07	12.5	13.1	16.5	19.7	22.7	24.5	28.7	29.3	26.7	23.7	18.9	14.3	20.9
08	12.0	12.8	16.1	19.2	22.2	24.2	28.3	28.9	26.4	23.1	18.2	13.7	20.4
09	11.5	12.2	15.3	18.6	21.6	24.0	27.9	28.3	25.7	22.5	17.8	13.4	19.9
10	11.3	11.9	14.5	17.7	20.8	23.5	27.1	27.4	25.0	22.2	17.6	13.3	19.4
11	11.2	11.8	14.2	17.3	20.3	23.1	26.4	26.9	24.8	22.0	17.6	13.2	19.1
12	11.1	11.7	14.1	17.3	20.0	23.0	26.0	26.6	24.6	21.9	17.5	13.2	18.9
13	11.0	11.6	13.9	17.1	19.8	22.9	25.9	26.5	24.5	21.7	17.4	13.1	18.8
14	10.9	11.5	13.9	16.8	19.7	22.8	25.8	26.3	24.3	21.6	17.2	13.0	18.7
15	10.8	11.4	13.8	16.9	19.6	22.7	25.7	26.1	24.2	21.5	17.2	12.9	18.6
16	10.7	11.3	13.7	16.7	19.3	22.5	25.4	26.0	24.1	21.6	17.1	13.0	18.5
17	10.7	11.3	13.6	16.6	19.1	22.4	25.3	26.0	24.0	21.6	17.1	13.0	18.4
18	10.8	11.2	13.6	16.5	19.0	22.4	25.1	25.8	23.9	21.5	17.0	13.0	18.3
19	10.7	11.2	13.5	16.5	19.0	22.3	25.0	25.7	23.9	21.5	17.0	12.8	18.3
20	10.7	11.2	13.4	16.4	19.0	22.3	25.0	25.6	23.8	21.3	17.0	12.8	18.2
21	10.7	11.3	13.3	16.4	19.2	22.6	25.3	25.8	23.8	21.4	17.0	12.8	18.3
22	10.7	11.2	13.7	17.3	20.5	23.4	26.9	27.1	24.4	21.6	17.1	12.7	18.9
23	11.1	11.7	14.9	18.6	21.5	23.9	27.7	28.2	25.8	22.7	17.9	13.2	19.8
MEAN	11.6	12.1	14.9	18.1	20.9	23.5	27.1	27.6	25.4	22.6	18.0	13.6	19.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: YAKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	9.3	9.8	11.7	15.2	19.3	25.7	30.4	30.3	27.1	21.3	15.6	11.0	18.9
01	9.3	9.9	12.1)	15.2	19.3	25.8	30.5	30.6	27.2	21.3	15.5	11.0	19.1)
02	9.4	10.0	12.1)	15.2	19.3	25.9	30.4	30.6	27.2	21.3	15.5	11.1	19.1)
03	9.5	10.1	11.9)	15.2	19.3	26.0	30.5	30.5	27.3	21.2	15.4	11.1	19.1)
04	9.3	10.1	11.9)	15.3	19.3	26.1	30.5	30.6	27.3	21.3	15.4	11.0	19.1)
05	9.3	10.0	11.6	15.2	19.4	26.0	30.6	30.6	27.2	21.2	15.3	11.0	18.9
06	9.4	10.0	11.7	15.2	19.5	26.0	30.3	30.6	27.1	20.9	15.3	11.0	18.9
07	9.3	10.0)	11.8	15.2	19.5	26.0	30.3	30.4	26.9	20.9	15.2	11.0	19.0)
08	9.3	10.1)	11.6	15.2	19.5	25.9	30.2	30.6	26.9	20.8	15.2	11.0	19.0)
09	9.2	10.1)	11.8	15.1	19.5	26.0	30.2	30.5	27.0	20.8	15.1	10.9	19.0)
10	9.2	10.0)	11.7	15.2	19.4	25.9	30.2	30.5	26.8	20.6	15.0	10.8	18.9)
11	9.2	9.8)	11.4	15.0	19.0	25.6	29.9	30.0	26.7	20.6	14.9	10.6	18.7)
12	9.2	9.8)	11.4	14.9	18.6	25.4	29.6	29.8	26.5	20.5	14.7	10.6	18.6)
13	9.1	9.7)	11.7)	14.8	18.4	25.4	29.4	29.6	26.4	20.5	14.8	10.6	18.5)
14	9.3)	9.8)	11.7)	14.9	18.4	25.4	29.2	29.4	26.3	20.4	14.7	10.6	18.4)
15	9.2)	9.8)	11.3	14.9	18.3	25.2	29.1	29.2	26.3	20.5	14.7	10.6	18.4)
16	9.1	9.6)	11.2	14.7	18.2	24.9	28.9	29.2	26.3	20.5	14.9	10.7	18.3)
17	9.2)	9.7)	11.6)	14.7	18.0	24.9	28.8	29.1	26.2	20.5	14.9	10.7	18.3)
18	8.9	9.7)	11.6)	14.7	17.9	24.8	28.7	29.0	26.1	20.4	15.0	10.7	18.2)
19	9.1)	9.7)	11.6)	14.7	17.9	24.8	28.6	28.9	26.0	20.4	15.0	10.8	18.2)
20	9.1)	9.7)	11.6)	14.6	18.0	24.8	28.6	28.9	26.0	20.6	15.0	10.9	18.2)
21	9.2)	9.7)	11.6)	14.5	18.2	25.0	28.9	29.0	26.0	20.5	15.0	10.9	18.3)
22	9.0	9.7)	11.7)	15.0	18.9	25.5	29.9	29.9	26.6	20.8	15.1	10.8	18.7)
23	9.1)	9.9)	12.0)	15.2	19.2	25.6	30.4	30.2	27.0	21.3	15.4	10.9	18.9)
MEAN	9.3)	9.9)	11.8)	15.0	18.9	25.5	29.8	29.9	26.7	20.8	15.1	10.9	18.7)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: YAKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	65	65	64	67	73	85	80	77	79	73	70	67	72
01	63	64	63)	65	71	84	78	76	78	71	68	65	71)
02	62	63	62)	63	70	83	77	75	76	70	67	65	69)
03	62	63	60)	64	69	83	77	74	76	69	67	65	69)
04	61	63	60)	64	69	83	76	74	76	69	66	64	69)
05	61	64	59	64	69	84	77	74	76	69	67	64	69
06	62	63	60	65	70	84	77	74	76	69	67	65	70
07	63	64)	61	65	71	84	78	75	77	70	68	66	70)
08	65	66)	61	67	73	85	79	77	78	72	71	68	72)
09	67	68)	65	69	75	87	81	79	82	75	72	69	74)
10	68	69)	68	73	78	89	85	83	84	75	73	69	77)
11	67	68)	68	74	79	90	87	85	85	76	73	69	77)
12	68	68)	69	74	79	90	88	85	85	77	72	68	78)
13	68	68)	71)	74	79	91	88	85	86	77	73	69	77)
14	69)	69)	71)	75	79	91	88	86	86	78	73	69	78)
15	69)	70)	70	76	79	91	88	86	86	78	73	70	78)
16	69	69)	70	75	80	91	89	87	87	78	74	70	79)
17	69)	70)	73)	75	80	91	89	87	87	78	74	70	79)
18	67	69)	73)	76	80	91	90	88	88	78	75	70	79)
19	68)	69)	73)	75	80	91	90	87	88	78	75	71	79)
20	69)	70)	73)	76	81	91	90	88	88	80	75	72	79)
21	69)	70)	73)	76	81	91	90	88	88	79	76	71	79)
22	68	70)	73)	74	78	88	85	84	87	79	75	72	78)
23	67)	69)	68)	70	75	86	82	79	81	76	73	70	75)
MEAN	66)	67)	68)	71	76	88	84	81	82	75	72	68	75)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: YAKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	28 *	31	32	32	32	19	16	36	33	4 *	31	29	32
01	33	33	32 *	32	34	19	16 *	36 *	5	4	34	31	31
02	33	32	33	31	34	36	17 *	36 *	3	3 *	31	31	32
03	32	31	33	33 *	35	18	16	36	4 *	4	31	31	32
04	32	32	33	32	32	19	16	36	3	4	32	31	32
05	32	32	32	32	32	16	16	36	4	4 *	32	32	32
06	32	31	32	32	32	16	15 *	16	13 *	4	32	31	32
07	30	32	32	32	32 *	19	16 *	13	32	4 *	29	32	32
08	29 *	32	31	32	32	17	17	16	31	4	29	28	31
09	27	30 *	32	30	31	18	18	18	6 *	4	30	28	30
10	27	30)	31	31	19)	17	18	19	21	29	30	28	30)
11	29 *	32)	30	30	18)	19	20	20	20 *	28	28	29	29)
12	28 *	30)	30 *	30	29 *	20	20	22	21	28	29	27	28)
13	30	30	29	30	19	18	21	20	20	4 *	29	29	29
14	29	31	30 *	29	18	18 *	18 *	21	21	3	29	28	29 *
15	29	28	29	27	20	20	20	19	21	3	29	29	29
16	29	30	29	29	20	19 *	19	19 *	24	28	29	27	28 *
17	29	30	30	30	20	28	20	19	23	4	29	31 *	28
18	28 *	30	30	30	29	21	20	21	23	4	28	27	29
19	29	28	31	29	29	21	20 *	22	20	3	29	29	29
20	29	27	30	30	22	21 *	22	22	22	3	28	28	28
21	30 *	29	30 *	31	29	19	21	20	21 *	4	29	28	29
22	28	30 *	30	30	30	30	17	19	27 *	4	28 *	29	30
23	29	30	29	31	31	19	18	19	4	4	30	29	29
ALL	29	31)	32	31	18)	19	18	18	21 *	4	29	30	30)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: YAKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	12.1	12.6	11.0	10.2	8.7	7.0	7.0	8.0	8.2	11.6	10.4	11.6	9.9
01	12.3	12.7	11.5	10.5	8.6	7.2	7.1	8.4	8.5	11.4	10.4	11.9	10.0
02	11.9	12.7	12.0	10.8	8.8	7.5	7.6	8.6	8.7	11.5	10.7	11.9	10.2
03	12.3	13.1	12.0	11.3	8.9	7.5	7.5	8.8	8.7	11.6	10.5	12.3	10.4
04	12.4	13.1	11.9	11.4	9.4	7.6	7.8	9.0	8.5	11.8	10.4	12.3	10.5
05	12.4	13.7	12.0	11.2	9.1	7.6	7.8	8.8	8.5	11.4	10.3	12.4	10.4
06	12.5	13.6	11.8	11.0	8.8	7.2	7.5	8.6	8.3	11.5	10.2	12.3	10.3
07	12.3	13.5	11.7	10.8	8.9	7.0	7.1	8.4	8.5	11.5	10.3	12.6	10.2
08	11.9	13.0	11.5	10.7	8.7	6.9	7.0	8.4	8.2	11.0	10.2	12.3	10.0
09	12.0	13.2	11.1	10.2	8.3	6.5	6.4	7.9	8.1	10.8	10.1	12.6	9.7
10	11.7	13.1	11.2	9.5	7.4	6.3	6.3	7.2	7.8	10.6	10.2	12.6	9.5
11	11.7	12.7	11.0	9.3	7.4	6.1	6.0	7.1	7.8	9.9	10.1	12.4	9.3
12	11.9	12.8	10.9	9.5	7.3	6.1	6.0	7.0	7.9	10.1	9.9	12.2	9.3
13	11.8	12.5	10.7	9.2	7.3	6.4	6.1	7.4	7.8	10.2	9.9	11.7	9.2
14	11.4	12.2	10.8	8.9	7.4	6.1	6.1	7.2	7.4	9.6	9.7	11.6	9.1
15	10.9	12.5	10.7	8.9	7.3	6.0	6.3	7.0	7.2	9.8	9.7	11.1	8.9
16	11.1	12.2	10.9	8.7	7.5	6.0	6.3	7.4	7.3	9.9	9.5	10.9	9.0
17	11.4	12.0	10.5	9.1	7.4	5.9	6.0	7.4	7.1	10.1	9.5	11.2	9.0
18	11.4	12.0	10.7	9.4	7.4	6.2	6.0	6.8	6.8	10.2	9.7	11.2	9.0
19	11.4	11.9	10.5	9.7	7.7	6.4	6.2	7.1	7.2	10.7	9.9	11.1	9.1
20	11.8	11.9	10.4	9.8	7.7	6.2	6.1	7.0	7.6	10.9	9.8	11.2	9.2
21	11.9	12.4	10.3	9.8	7.8	6.1	6.0	7.1	7.6	11.4	9.8	11.7	9.4
22	12.0	12.5	10.7	9.8	7.4	6.3	6.2	6.7	7.4	11.8	9.7	11.7	9.4
23	12.1	12.3	10.7	10.1	8.0	6.9	6.7	7.2	7.0	11.3	10.0	11.3	9.5
MEAN	11.9	12.7	11.1	10.0	8.1	6.6	6.6	7.7	7.8	10.9	10.0	11.9	9.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: YAKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	12.1	15.2	9.0	11.9	15.0	8.9	13.8	17.1	10.7	16.9	20.7	13.4
02	12.0	15.1	9.0	11.9	15.0	8.9	13.9	17.2	10.8	17.0	20.9	13.5
03	11.9	15.0	9.0	11.9	15.0	8.9	14.0	17.4	10.9	17.1	20.9	13.7
04	11.9	14.9	9.0	11.8	14.9	8.8	14.0	17.4	10.9	17.2	21.0	13.7
05	11.9	14.7	9.0	11.7	14.8	8.7	14.0	17.5	10.9	17.2	21.0	13.8
06	11.8	14.6	9.1	11.6	14.7	8.6	14.0	17.5	10.9	17.2	21.0	13.8
07	11.8	14.5	9.1	11.6	14.6	8.6	14.0	17.6	10.9	17.2	21.0	13.8
08	11.8	14.4	9.1	11.5	14.6	8.5	14.0	17.6	10.9	17.2	21.0	13.8
09	11.7	14.3	9.1	11.5	14.6	8.5	14.0	17.7	10.9	17.3	21.0	13.8
10	11.7	14.2	9.1	11.6	14.6	8.5	14.1	17.8	10.8	17.3	21.0	13.9
11	11.6	14.2	9.0	11.6	14.6	8.5	14.2	17.9	10.9	17.4	21.1	13.9
12	11.6	14.1	9.0	11.6	14.7	8.6	14.3	18.1	10.9	17.5	21.2	14.0
13	11.5	14.1	8.9	11.7	14.8	8.6	14.4	18.3	11.1	17.6	21.3	14.1
14	11.5	14.1	8.7	11.8	14.9	8.7	14.6	18.5	11.2	17.8	21.4	14.3
15	11.4	14.1	8.6	11.9	15.0	8.8	14.8	18.7	11.3	17.9	21.5	14.4
16	11.4	14.1	8.5	12.0	15.0	8.9	15.0	18.9	11.5	18.1	21.6	14.6
17	11.3	14.1	8.3	12.1	15.1	9.0	15.1	19.0	11.6	18.2	21.7	14.8
18	11.3	14.2	8.2	12.2	15.2	9.1	15.3	19.2	11.7	18.4	21.8	15.0
19	11.3	14.2	8.1	12.3	15.3	9.2	15.4	19.3	11.9	18.5	21.9	15.1
20	11.2	14.2	8.0	12.4	15.5	9.3	15.5	19.3	11.9	18.6	22.0	15.3
21	11.2	14.2	8.0	12.5	15.6	9.5	15.5	19.4	12.0	18.7	22.1	15.4
22	11.2	14.3	8.0	12.7	15.8	9.6	15.6	19.4	12.0	18.8	22.1	15.6
23	11.2	14.3	8.0	12.8	16.0	9.8	15.6	19.4	12.1	18.9	22.2	15.7
24	11.3	14.4	8.1	13.0	16.2	9.9	15.7	19.5	12.1	18.9	22.3	15.8
25	11.3	14.5	8.2	13.2	16.4	10.1	15.8	19.5	12.2	19.0	22.4	15.8
26	11.5	14.6	8.3	13.3	16.6	10.3	15.9	19.7	12.3	19.1	22.6	15.9
27	11.6	14.7	8.5	13.5	16.8	10.4	16.0	19.8	12.5	19.1	22.7	15.9
28	11.7	14.8	8.6	13.6	16.9	10.6	16.2	20.0	12.6	19.2	22.8	16.0
29	11.8	14.9	8.8	13.7	17.0	10.7	16.4	20.2	12.8	19.3	23.0	16.0
30	11.9	15.0	8.9				16.6	20.4	13.0	19.4	23.1	16.1
31	11.9	15.0	8.9				16.8	20.6	13.2			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: YAKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	19.5	23.2	16.1	22.2	25.2	19.4	25.2	28.6	22.6	27.9	31.3	24.9
02	19.6	23.4	16.1	22.3	25.2	19.6	25.4	28.8	22.7	27.9	31.2	24.9
03	19.7	23.5	16.2	22.4	25.3	19.7	25.6	29.0	22.9	27.9	31.2	24.9
04	19.8	23.6	16.2	22.4	25.3	19.8	25.8	29.1	23.0	27.8	31.2	24.9
05	19.9	23.7	16.3	22.6	25.4	20.0	26.0	29.3	23.2	27.8	31.2	24.9
06	20.0	23.8	16.4	22.7	25.5	20.2	26.2	29.5	23.3	27.8	31.2	24.8
07	20.1	23.9	16.5	22.8	25.6	20.3	26.3	29.6	23.5	27.8	31.2	24.8
08	20.3	24.0	16.6	22.9	25.8	20.5	26.5	29.8	23.6	27.8	31.2	24.8
09	20.4	24.1	16.7	23.1	25.9	20.7	26.6	29.9	23.7	27.8	31.2	24.8
10	20.5	24.2	16.9	23.2	26.1	20.8	26.7	30.0	23.9	27.8	31.2	24.8
11	20.6	24.3	17.0	23.4	26.3	21.0	26.8	30.1	24.0	27.8	31.3	24.8
12	20.7	24.4	17.1	23.5	26.4	21.1	26.9	30.2	24.1	27.8	31.3	24.8
13	20.7	24.4	17.3	23.6	26.5	21.3	27.0	30.3	24.1	27.8	31.3	24.8
14	20.8	24.4	17.4	23.8	26.7	21.4	27.0	30.3	24.2	27.8	31.3	24.9
15	20.9	24.5	17.5	23.9	26.8	21.5	27.1	30.4	24.2	27.8	31.3	24.9
16	20.9	24.5	17.6	24.0	26.9	21.6	27.1	30.5	24.3	27.8	31.3	25.0
17	21.0	24.5	17.7	24.1	27.0	21.7	27.2	30.5	24.3	27.8	31.3	25.0
18	21.0	24.5	17.8	24.1	27.1	21.8	27.2	30.6	24.3	27.8	31.3	25.0
19	21.1	24.6	17.9	24.2	27.2	21.8	27.2	30.7	24.3	27.8	31.2	25.0
20	21.2	24.6	18.0	24.2	27.3	21.9	27.3	30.8	24.3	27.8	31.2	25.0
21	21.2	24.7	18.1	24.3	27.4	21.9	27.3	30.9	24.3	27.7	31.1	24.9
22	21.4	24.8	18.2	24.3	27.5	22.0	27.4	31.0	24.4	27.7	31.0	24.8
23	21.5	24.9	18.3	24.3	27.5	22.0	27.5	31.0	24.4	27.6	30.9	24.7
24	21.6	24.9	18.4	24.4	27.6	22.0	27.5	31.1	24.5	27.5	30.8	24.6
25	21.7	25.0	18.5	24.4	27.7	22.1	27.6	31.2	24.5	27.3	30.7	24.5
26	21.8	25.1	18.7	24.5	27.8	22.1	27.7	31.3	24.6	27.2	30.6	24.3
27	21.9	25.2	18.8	24.6	27.9	22.2	27.7	31.3	24.6	27.1	30.4	24.2
28	22.0	25.2	18.9	24.7	28.0	22.3	27.8	31.4	24.7	27.0	30.3	24.1
29	22.0	25.2	19.0	24.9	28.2	22.4	27.8	31.4	24.8	26.9	30.2	23.9
30	22.1	25.2	19.2	25.0	28.4	22.5	27.9	31.3	24.8	26.7	30.1	23.8
31	22.2	25.2	19.3				27.9	31.3	24.8	26.6	29.9	23.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: YAKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 30° 23.1'N, LONGITUDE: 130° 39.6'E, ELEVATION ABOVE MSL: 122 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	26.5	29.8	23.6	24.4	27.3	21.8	19.9	22.9	17.1	15.3	18.3	12.5
02	26.4	29.7	23.5	24.4	27.2	21.7	19.8	22.7	16.9	15.1	18.1	12.3
03	26.3	29.7	23.5	24.3	27.1	21.6	19.7	22.6	16.8	15.0	18.0	12.1
04	26.3	29.6	23.4	24.2	26.9	21.5	19.6	22.5	16.8	14.8	17.8	12.0
05	26.2	29.5	23.4	24.1	26.8	21.4	19.5	22.4	16.7	14.7	17.6	11.8
06	26.1	29.4	23.3	24.0	26.7	21.3	19.4	22.3	16.6	14.5	17.5	11.7
07	26.1	29.3	23.2	23.8	26.5	21.1	19.3	22.2	16.5	14.4	17.4	11.5
08	26.0	29.3	23.2	23.7	26.3	21.0	19.2	22.1	16.4	14.3	17.2	11.4
09	25.9	29.2	23.1	23.5	26.2	20.8	19.1	22.0	16.3	14.2	17.1	11.3
10	25.8	29.1	23.1	23.4	26.0	20.7	19.0	21.9	16.1	14.1	17.0	11.2
11	25.8	29.0	23.0	23.2	25.9	20.5	18.8	21.8	16.0	14.0	16.9	11.0
12	25.7	28.8	22.9	23.1	25.7	20.4	18.7	21.7	15.8	13.9	16.7	10.9
13	25.6	28.7	22.8	22.9	25.6	20.2	18.5	21.6	15.6	13.7	16.6	10.8
14	25.5	28.6	22.7	22.8	25.5	20.0	18.4	21.4	15.4	13.6	16.5	10.7
15	25.3	28.4	22.6	22.7	25.4	19.9	18.2	21.3	15.3	13.6	16.4	10.6
16	25.2	28.3	22.5	22.6	25.3	19.8	18.1	21.2	15.1	13.5	16.3	10.5
17	25.1	28.1	22.4	22.5	25.3	19.7	17.9	21.0	15.0	13.4	16.3	10.4
18	25.0	28.0	22.3	22.4	25.2	19.6	17.8	20.9	14.8	13.4	16.2	10.3
19	24.9	27.9	22.2	22.3	25.1	19.5	17.7	20.8	14.7	13.3	16.2	10.3
20	24.9	27.8	22.2	22.2	25.1	19.4	17.5	20.6	14.5	13.3	16.1	10.2
21	24.8	27.7	22.1	22.0	25.0	19.2	17.4	20.5	14.4	13.2	16.1	10.1
22	24.8	27.7	22.1	21.9	24.9	19.1	17.2	20.3	14.2	13.2	16.0	10.1
23	24.7	27.6	22.1	21.8	24.8	18.9	17.0	20.1	14.1	13.1	16.0	10.0
24	24.7	27.6	22.1	21.6	24.6	18.8	16.8	19.9	13.9	13.0	15.9	9.9
25	24.7	27.6	22.1	21.4	24.4	18.5	16.6	19.6	13.7	12.9	15.9	9.8
26	24.6	27.5	22.0	21.2	24.2	18.3	16.4	19.4	13.5	12.8	15.8	9.7
27	24.6	27.5	22.0	20.9	24.0	18.1	16.2	19.2	13.3	12.7	15.7	9.5
28	24.6	27.5	22.0	20.7	23.7	17.8	16.0	19.0	13.1	12.5	15.6	9.4
29	24.5	27.4	21.9	20.5	23.5	17.6	15.7	18.7	12.9	12.4	15.5	9.3
30	24.5	27.4	21.8	20.3	23.3	17.4	15.5	18.5	12.7	12.3	15.4	9.2
31				20.1	23.1	17.2				12.2	15.3	9.1