

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: KAGOSHIMA AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft****NUMBER OF FORWARD SCATTER: RWY34**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	<500	<500	<500	<600	<1000	<1500
00	×	×	×	×	×	1	4	5
01	×	×	×	×	×	1	2	4
02	×	×	×	×	×	1	2	3
03	×	×	×	×	×	1	4	6
04	×	×	×	×	×	2	4	5
05	×	×	×	×	×	1	2	3
06	×	×	×	×	×	1	1	2
07	×	×	×	×	×	—	1	3
08	×	×	×	×	×	1	2	4
09	×	×	×	×	×	—	3	5
10	×	×	×	×	×	1	3	3
11	×	×	×	×	×	1	2	3
12	×	×	×	×	×	—	2	4
13								
14								
15								
16								
17								
18								
19								
20								
21	×	×	×	×	×	1	2	5
22	×	×	×	×	×	1	3	4
23	×	×	×	×	×	2	5	6
MEAN	×	×	×	×	×	1	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: KAGOSHIMA AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft****NUMBER OF FORWARD SCATTER: RWY34**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	<500	<500	<500	<600	<1000	<1500
00	×	×	×	×	×	5	6	9
01	×	×	×	×	×	4	7	11
02	×	×	×	×	×	4	6	10
03	×	×	×	×	×	3	6	8
04	×	×	×	×	×	3	6	10
05	×	×	×	×	×	1	4	8
06	×	×	×	×	×	2	4	7
07	×	×	×	×	×	1	4	8
08	×	×	×	×	×	1	4	8
09	×	×	×	×	×	—	4	8
10	×	×	×	×	×	1	3	5
11	×	×	×	×	×	2	4	7
12	×	×	×	×	×	2	4	7
13								
14								
15								
16								
17								
18								
19								
20								
21	×	×	×	×	×	—	5	9
22	×	×	×	×	×	1	8	10
23	×	×	×	×	×	4	6	10
MEAN	×	×	×	×	×	2	5	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: KAGOSHIMA AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft****NUMBER OF FORWARD SCATTER: RWY34**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	<500	<500	<500	<600	<1000	<1500
00	×	×	×	×	×	2	8	14
01	×	×	×	×	×	3	6	13
02	×	×	×	×	×	1	5	11
03	×	×	×	×	×	1	5	10
04	×	×	×	×	×	1	6	10
05	×	×	×	×	×	1	5	7
06	×	×	×	×	×	1	5	9
07	×	×	×	×	×	1	5	9
08	×	×	×	×	×	—	5	10
09	×	×	×	×	×	2	5	8
10	×	×	×	×	×	1	7	8
11	×	×	×	×	×	3	7	9
12	×	×	×	×	×	2	5	7
13								
14								
15								
16								
17								
18								
19								
20								
21	×	×	×	×	×	3	8	12
22	×	×	×	×	×	2	5	12
23	×	×	×	×	×	3	6	13
MEAN	×	×	×	×	×	2	6	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: KAGOSHIMA AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft****NUMBER OF FORWARD SCATTER: RWY34**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	<500	<500	<500	<600	<1000	<1500
00	0)	0)	2)	2)	3)	3	11	13
01	—	—	2	2	2	4	8	13
02	—	—	2	2	2	3	7	11
03	—	—	2	2	2	2	6	7
04	—	—	1	1	1	1	7	7
05	—	—	1	1	1	1	5	9
06	—	—	1	1	1	1	6	10
07	—	—	1	1	1	1	7	9
08	—	—	1	1	1	2	7	10
09	—	—	1	1	1	1	6	8
10	—	—	1	1	1	1	4	7
11	—	—	2	2	2	2	6	7
12	—	—	2	2	2	3	7	9
13								
14								
15								
16								
17								
18								
19								
20								
21	3	3	5	5	5	8	15	19
22	2	2	3	3	3	5	10	13
23	—	—	1	1	1	4	11	14
MEAN	0)	0)	2)	2)	2)	3	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: KAGOSHIMA AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 16
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft
NUMBER OF FORWARD SCATTER: RWY34

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	<500	<500	<500	<600	<1000	<1500
00	—	—	2	2	2	3	9	12
01	0)	0)	3)	3)	3)	5	9	11
02	—	—	2	2	2	5	8	15
03	—	—	1	1	1	4	7	12
04	—	—	2	2	2	5	9	12
05	—	—	2	2	3	3	8	12
06	—	—	3	3	3	4	6	12
07	—	—	3	3	3	3	8	10
08	—	—	3	3	3	3	6	10
09	—	—	2	2	3	3	7	10
10	—	—	2	2	2	3	6	10
11	—	—	3	3	3	5	10	12
12	—	1	3	3	3	5	10	13
13								
14								
15								
16								
17								
18								
19								
20								
21	3	3	5	6	7	6	15	19
22	3	3	5	5	6	8	12	15
23	—	—	3	3	4	4	10	13
MEAN	0)	0)	3)	3)	3)	4	9	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: KAGOSHIMA AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft****NUMBER OF FORWARD SCATTER: RWY34**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	<500	<500	<500	<600	<1000	<1500
00	—	—	1	1	2	3	16	28
01	—	1	3	4	5	4	17	25
02	—	—	2	2	2	4	15	22
03	—	—	1	1	2	5	14	21
04	—	—	1	1	3	3	13	23
05	—	—	2	3	3	3	15	24
06	—	—	3	3	4	4	15	21
07	—	—	5	5	6	5	13	23
08	—	—	5	5	5	5	13	21
09	0)	0)	5)	5)	5)	9	14	27
10	0)	0)	8)	8)	8)	9	15	25
11	0)	0)	4)	5)	5)	6	13	22
12	—	—	4	4	4	7	15	25
13								
14								
15								
16								
17								
18								
19								
20								
21	3	3	5	5	5	10	26	41
22	2)	2)	4)	4)	5)	6	21	35
23	—	—	3	3	3	5	20	29
MEAN	0)	0)	4)	4)	4)	6	16	26

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: KAGOSHIMA AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft****NUMBER OF FORWARD SCATTER: RWY34**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	<500	<500	<500	<600	<1000	<1500
00	—	—	2	3	3	1	6	17
01	0)	0)	1)	1)	1)	1	8	13
02	0)	0)	1)	1)	1)	1	8	14
03	0)	0)	0)	0)	0)	—	8	14
04	—	—	1	1	1	1	7	10
05	—	—	1	1	1	1	5	8
06	—	—	1	1	2	1	8	12
07	—	—	2	2	2	1	5	10
08	—	—	1	1	1	3	8	12
09	—	—	1	1	1	2	7	11
10	0)	0)	2)	2)	2)	3	5	14
11	—	—	3	3	3	3	8	12
12	1	1	2	2	2	3	5	12
13								
14								
15								
16								
17								
18								
19								
20								
21	2	2	3	4	5	5	10	22
22	1	1	1	1	2	3	12	19
23	—	—	2	3	3	3	13	18
MEAN	0)	0)	1)	2)	2)	2	8	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: KAGOSHIMA AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 16
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft
NUMBER OF FORWARD SCATTER: RWY34

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	<500	<500	<500	<600	<1000	<1500
00	—	—	1	1	1	3	4	7
01	—	—	—	—	—	—	1	8
02	—	—	1	1	1	1	5	6
03	—	—	—	1	1	—	1	5
04	—	—	—	—	—	—	2	5
05	—	—	—	—	—	—	1	3
06	—	—	—	—	1	—	2	3
07	0)	0)	0)	1)	1)	1	2	3
08	—	—	—	—	—	—	1	3
09	—	—	1	1	1	1	2	5
10	—	—	1	1	1	1	5	5
11	—	—	1	1	1	1	1	4
12	—	—	1	2	2	1	3	5
13								
14								
15								
16								
17								
18								
19								
20								
21	5	5	6	6	6	8	12	17
22	2	2	3	3	5	3	5	12
23	—	—	1	1	1	2	4	8
MEAN	0)	0)	1)	1)	1)	1	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: KAGOSHIMA AIRPORT MONTH: SEP****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft****NUMBER OF FORWARD SCATTER: RWY34**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	<500	<500	<500	<600	<1000	<1500
00	×	×	×	×	×	1	3	8
01	×	×	×	×	×	1	3	8
02	×	×	×	×	×	—	2	7
03	×	×	×	×	×	—	—	4
04	×	×	×	×	×	1	1	3
05	×	×	×	×	×	1	2	5
06	×	×	×	×	×	1	1	5
07	×	×	×	×	×	—	1	3
08	×	×	×	×	×	—	—	5
09	×	×	×	×	×	—	1	2
10	×	×	×	×	×	—	2	4
11	×	×	×	×	×	—	3	5
12	×	×	×	×	×	—	2	3
13								
14								
15								
16								
17								
18								
19								
20								
21	×	×	×	×	×	4	10	13
22	×	×	×	×	×	4	8	15
23	×	×	×	×	×	5	7	11
MEAN	×	×	×	×	×	1	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: KAGOSHIMA AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft****NUMBER OF FORWARD SCATTER: RWY34**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	<500	<500	<500	<600	<1000	<1500
00	×	×	×	×	×	1	3	5
01	×	×	×	×	×	—	5	7
02	×	×	×	×	×	—	2	3
03	×	×	×	×	×	—	1	4
04	×	×	×	×	×	—	1	2
05	×	×	×	×	×	—	1	3
06	×	×	×	×	×	—	1	3
07	×	×	×	×	×	—	1	2
08	×	×	×	×	×	—	—	1
09	×	×	×	×	×	—	—	3
10	×	×	×	×	×	—	1	1
11	×	×	×	×	×	—	1	1
12	×	×	×	×	×	—	—	2
13								
14								
15								
16								
17								
18								
19								
20								
21	×	×	×	×	×	1	4	6
22	×	×	×	×	×	2	4	6
23	×	×	×	×	×	1	3	4
MEAN	×	×	×	×	×	0	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: KAGOSHIMA AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft****NUMBER OF FORWARD SCATTER: RWY34**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	<500	<500	<500	<600	<1000	<1500
00	×	×	×	×	×	—	3	4
01	×	×	×	×	×	—	1	3
02	×	×	×	×	×	1	2	3
03	×	×	×	×	×	1	3	4
04	×	×	×	×	×	1	1	4
05	×	×	×	×	×	—	—	2
06	×	×	×	×	×	—	1	1
07	×	×	×	×	×	—	—	1
08	×	×	×	×	×	1	1	3
09	×	×	×	×	×	1	1	3
10	×	×	×	×	×	—	2	5
11	×	×	×	×	×	—	2	3
12	×	×	×	×	×	1	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21	×	×	×	×	×	2	4	10
22	×	×	×	×	×	2	7	9
23	×	×	×	×	×	1	5	6
MEAN	×	×	×	×	×	1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: KAGOSHIMA AIRPORT MONTH: DEC****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft****NUMBER OF FORWARD SCATTER: RWY34**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	<500	<500	<500	<600	<1000	<1500
00	×	×	×	×	×	—	1	3
01	×	×	×	×	×	1	1	2
02	×	×	×	×	×	1	2	4
03	×	×	×	×	×	1	3	5
04	×	×	×	×	×	1	2	3
05	×	×	×	×	×	1	2	3
06	×	×	×	×	×	1	1	3
07	×	×	×	×	×	—	3	4
08	×	×	×	×	×	—	1	2
09	×	×	×	×	×	—	1	4
10	×	×	×	×	×	—	1	3
11	×	×	×	×	×	—	1	3
12	×	×	×	×	×	1	3	4
13								
14								
15								
16								
17								
18								
19								
20								
21	×	×	×	×	×	1	2	4
22	×	×	×	×	×	—	—	4
23	×	×	×	×	×	—	1	3
MEAN	×	×	×	×	×	0	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: KAGOSHIMA AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft****NUMBER OF FORWARD SCATTER: RWY34**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	<500	<500	<500	<600	<1000	<1500
00	×	×	×	×	×	2	6	10
01	×	×	×	×	×	2	6	10
02	×	×	×	×	×	2	5	9
03	×	×	×	×	×	1	5	8
04	×	×	×	×	×	2	5	8
05	×	×	×	×	×	1	4	7
06	×	×	×	×	×	1	4	7
07	×	×	×	×	×	1	4	7
08	×	×	×	×	×	1	4	7
09	×	×	×	×	×	2	4	8
10	×	×	×	×	×	2	4	7
11	×	×	×	×	×	2	5	7
12	×	×	×	×	×	2	5	8
13								
14								
15								
16								
17								
18								
19								
20								
21	×	×	×	×	×	4	9	15
22	×	×	×	×	×	3	8	13
23	×	×	×	×	×	3	8	11
MEAN	×	×	×	×	×	2	5	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: KAGOSHIMA AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	1	1	1	1	3	4
01	—	—	1	1	1	1	2	3
02	—	1	1	1	1	1	2	3
03	—	1	1	1	1	3	3	5
04	—	1	1	1	1	3	3	5
05	—	—	1	1	1	1	2	3
06	—	—	1	1	1	1	1	2
07	—	—	—	—	—	1	1	3
08	—	1	1	1	1	1	1	3
09	—	—	—	—	—	1	2	5
10	—	—	1	1	1	1	2	3
11	—	1	1	1	1	1	1	2
12	—	—	—	—	—	1	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21	—	1	1	1	1	1	2	4
22	1	1	1	1	1	3	3	3
23	1	2	2	2	2	3	5	5
MEAN	0	0	1	1	1	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: KAGOSHIMA AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	1	1	1	1	1	2	4	7
01	—	—	—	—	1	2	4	6
02	—	1	1	1	2	2	4	7
03	—	—	—	—	—	1	2	5
04	—	—	—	—	—	1	1	4
05	—	—	—	—	—	1	1	5
06	—	—	—	—	—	1	1	4
07	—	—	—	—	—	1	2	6
08	—	—	1	1	1	1	1	7
09	—	—	—	—	—	1	2	6
10	1	1	1	1	1	1	1	5
11	—	1	1	1	1	1	2	3
12	—	—	—	1	1	1	3	4
13								
14								
15								
16								
17								
18								
19								
20								
21	—	—	—	—	—	—	4	7
22	—	—	—	—	—	1	5	8
23	—	—	1	2	2	2	3	7
MEAN	0	0	0	0	1	1	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: KAGOSHIMA AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	1	1	1	1	1	1	4	10
01	—	—	—	—	—	2	3	10
02	—	—	—	—	—	1	1	5
03	—	—	—	—	—	—	1	5
04	—	—	—	—	—	—	1	5
05	—	—	—	—	—	—	—	4
06	—	—	—	—	—	—	3	6
07	—	—	—	—	—	—	1	8
08	—	—	—	—	—	1	3	6
09	—	1	1	1	1	1	3	6
10	—	—	1	1	1	2	4	6
11	1	1	1	1	1	2	4	6
12	—	—	—	—	—	3	3	6
13								
14								
15								
16								
17								
18								
19								
20								
21	1	1	2	2	2	3	8	10
22	—	1	1	1	1	3	4	10
23	1	1	1	1	1	1	3	9
MEAN	0	0	0	0	0	1	3	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: KAGOSHIMA AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	1	1	1	3	5	9
01	—	—	—	—	—	2	4	7
02	—	—	—	—	—	1	3	8
03	—	—	—	—	—	1	1	5
04	—	—	—	—	—	—	2	5
05	—	—	—	—	—	—	1	3
06	—	—	—	—	—	1	1	7
07	—	1	1	1	1	1	3	4
08	—	—	—	—	—	2	3	7
09	—	—	—	—	—	1	3	5
10	—	—	—	—	—	—	1	5
11	—	—	—	—	—	—	2	5
12	—	1	1	1	1	2	3	7
13								
14								
15								
16								
17								
18								
19								
20								
21	3	5	5	6	6	8	11	15
22	—	2	2	2	4	5	5	10
23	—	—	1	1	1	3	5	10
MEAN	0	1	1	1	1	2	3	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: KAGOSHIMA AIRPORT MONTH: MAY****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	—	—	—	1	3	8
01	—	—	—	—	—	1	4	8
02	—	—	—	—	—	1	4	8
03	—	—	—	—	—	1	3	8
04	—	—	—	—	—	3	5	9
05	—	—	1	1	1	1	5	9
06	—	—	—	—	—	3	3	8
07	—	—	—	—	—	1	4	6
08	—	—	1	1	1	2	4	7
09	—	—	—	1	1	1	4	6
10	—	1	1	1	1	1	3	6
11	—	—	—	1	1	2	4	6
12	—	1	1	1	1	2	4	7
13								
14								
15								
16								
17								
18								
19								
20								
21	4	5	5	5	5	6	10	15
22	3	4	5	5	5	6	9	12
23	—	—	—	—	—	1	3	9
MEAN	0	1	1	1	1	2	4	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: KAGOSHIMA AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 16
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	—	—	—	1	7	16
01	—	—	—	—	—	1	7	15
02	—	—	—	—	—	1	7	15
03	—	—	—	1	1	3	7	15
04	—	—	—	—	—	1	4	15
05	—	—	—	—	1	1	6	17
06	—	—	—	—	—	2	5	13
07	—	—	—	—	—	4	7	18
08	—	—	—	—	—	2	7	13
09	—	—	1	1	1	3	6	21
10	—	1	1	1	1	3	9	19
11	1	1	2	2	2	3	7	16
12	—	1	1	1	1	4	9	17
13								
14								
15								
16								
17								
18								
19								
20								
21	3	4	6	6	7	11	17	32
22	1	3	5	5	5	8	15	27
23	—	1	1	1	2	3	8	23
MEAN	0	1	1	1	1	3	8	18

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: KAGOSHIMA AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	1	1	1	3	3	7
01	—	1	1	1	1	1	1	6
02	—	—	—	—	—	1	1	8
03	—	—	—	—	—	—	3	7
04	—	—	—	—	—	—	1	5
05	—	—	—	—	—	1	1	4
06	—	—	—	—	—	—	4	8
07	—	—	—	—	—	—	3	6
08	—	—	—	—	—	—	3	8
09	—	—	—	1	1	1	3	8
10	—	—	—	—	—	1	2	7
11	—	—	—	—	—	—	3	8
12	—	—	1	1	1	1	2	5
13								
14								
15								
16								
17								
18								
19								
20								
21	1	3	3	3	3	3	6	12
22	—	1	1	1	1	1	6	10
23	—	—	—	—	—	3	6	9
MEAN	0	0	0	0	0	1	3	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: KAGOSHIMA AIRPORT MONTH: AUG****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	—	—	—	—	1	5
01	—	—	—	—	—	—	1	5
02	—	—	—	—	—	—	3	4
03	—	—	—	—	—	—	—	2
04	—	—	—	—	—	—	1	4
05	—	—	—	—	—	—	1	2
06	—	—	—	—	—	—	1	3
07	—	1	1	1	1	1	1	3
08	—	—	—	—	—	—	1	2
09	—	1	1	1	1	1	1	2
10	—	—	—	—	—	1	3	3
11	—	—	—	—	—	—	1	3
12	—	1	1	1	1	1	2	4
13								
14								
15								
16								
17								
18								
19								
20								
21	3	5	7	7	7	8	9	15
22	—	3	3	3	3	3	3	10
23	—	1	1	1	1	1	1	7
MEAN	0	1	1	1	1	1	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KAGOSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	1	1	1	1	3	7
01	—	—	—	—	—	—	1	5
02	—	—	—	—	—	—	1	4
03	—	—	—	—	—	—	—	3
04	—	—	—	—	—	—	1	3
05	—	—	—	—	—	—	2	4
06	—	—	—	—	—	—	1	4
07	—	—	—	—	—	—	—	1
08	—	—	—	—	—	—	—	5
09	—	—	—	—	—	—	1	2
10	—	—	—	—	—	1	1	2
11	—	—	—	—	—	1	1	3
12	—	—	—	—	—	1	1	2
13								
14								
15								
16								
17								
18								
19								
20								
21	1	3	3	3	3	5	9	13
22	1	3	3	3	3	3	7	13
23	—	2	3	3	4	6	6	9
MEAN	0	1	1	1	1	1	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: KAGOSHIMA AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 16
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	—	—	—	1	2	3
01	—	—	—	—	—	—	1	4
02	—	—	—	—	—	1	1	3
03	—	—	—	—	—	—	—	3
04	—	—	—	—	—	—	—	1
05	—	—	—	—	—	—	—	1
06	—	—	—	—	—	—	1	1
07	—	—	—	—	—	—	—	1
08	—	—	—	—	—	—	—	—
09	—	—	—	—	—	—	—	1
10	—	—	—	—	—	1	1	1
11	—	—	—	—	—	—	—	1
12	—	—	—	—	—	—	—	1
13								
14								
15								
16								
17								
18								
19								
20								
21	—	1	1	1	1	1	3	5
22	1	1	1	1	2	3	3	4
23	—	—	—	—	—	1	1	3
MEAN	0	0	0	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: KAGOSHIMA AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	—	—	—	1	1	3
01	—	—	—	—	—	—	—	1
02	—	—	—	—	—	1	1	2
03	—	—	—	—	—	1	1	2
04	—	—	—	—	—	—	—	1
05	—	—	—	—	—	—	—	1
06	—	—	—	—	—	1	1	1
07	—	—	—	—	—	—	—	—
08	—	—	—	—	—	—	—	2
09	—	—	1	1	1	1	1	3
10	—	—	—	—	—	1	2	4
11	—	—	—	—	—	1	1	3
12	1	1	1	1	1	1	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21	—	1	1	1	1	3	4	9
22	1	2	2	2	2	3	6	7
23	—	—	—	—	—	1	2	4
MEAN	0	0	0	0	0	1	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: KAGOSHIMA AIRPORT MONTH: DEC****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	—	—	—	1	1	3
01	—	—	—	—	—	1	1	1
02	—	—	—	—	—	—	1	2
03	—	1	1	1	1	2	3	3
04	—	—	—	—	—	—	1	3
05	—	—	—	—	—	—	2	2
06	—	—	—	—	—	—	1	3
07	—	—	—	—	—	—	1	1
08	—	—	—	—	—	—	—	2
09	—	—	—	—	—	—	—	4
10	—	—	—	—	—	—	—	3
11	—	—	—	—	—	—	1	3
12	—	—	—	—	—	1	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21	—	1	1	1	1	1	2	3
22	—	—	—	—	—	—	—	3
23	—	—	—	—	—	—	1	3
MEAN	—	0	0	0	0	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: KAGOSHIMA AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 16
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	0	0	0	0	0	1	3	7
01	—	0	0	0	0	1	2	6
02	—	0	0	0	0	1	2	6
03	—	0	0	0	0	1	2	5
04	—	0	0	0	0	1	2	5
05	—	—	0	0	0	0	2	4
06	—	—	0	0	0	1	2	5
07	—	0	0	0	0	1	2	5
08	—	0	0	0	0	1	2	5
09	—	0	0	0	0	1	2	6
10	0	0	0	0	0	1	2	5
11	0	0	0	0	0	1	2	5
12	0	0	0	0	0	1	3	5
13								
14								
15								
16								
17								
18								
19								
20								
21	1	2	3	3	3	4	7	12
22	1	2	2	2	2	3	5	10
23	0	1	1	1	1	2	4	8
MEAN	0	0	1	1	1	1	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: KAGOSHIMA AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	—	—	1	1	2
01	—	—	—	—	1	1	2
02	—	—	—	—	—	1	1
03	—	—	—	—	1	1	2
04	—	—	1	1	2	2	2
05	—	—	1	1	1	1	1
06	—	—	—	—	—	—	—
07	—	—	—	—	—	1	1
08	—	—	—	—	—	1	1
09	—	—	—	—	1	1	2
10	—	—	—	—	—	1	1
11	—	—	—	—	1	1	1
12	—	—	—	—	1	1	1
13							
14							
15							
16							
17							
18							
19							
20							
21	—	—	—	—	—	—	1
22	—	—	1	1	1	1	2
23	—	—	—	—	—	1	2
MEAN	—	—	0	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: KAGOSHIMA AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	1	4	4	5	6
01	—	—	1	4	6	6	8
02	—	—	3	4	4	4	7
03	—	—	3	3	4	6	7
04	—	—	1	3	4	6	8
05	—	—	1	1	2	4	5
06	—	—	1	2	3	3	4
07	—	—	1	1	1	3	4
08	—	—	1	1	3	4	5
09	—	—	—	—	—	2	4
10	—	—	1	1	1	2	2
11	—	—	1	1	2	2	5
12	—	—	1	1	2	2	4
13							
14							
15							
16							
17							
18							
19							
20							
21	—	—	—	—	—	2	4
22	—	—	—	1	1	4	6
23	—	—	1	3	4	5	6
MEAN	—	—	1	2	3	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: KAGOSHIMA AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	—	1	3	5	7
01	—	—	1	3	3	5	6
02	—	—	—	1	3	5	8
03	—	—	1	1	2	5	8
04	—	—	1	1	3	6	8
05	—	—	1	1	3	5	5
06	—	—	1	1	3	5	6
07	—	—	1	1	3	4	6
08	—	—	—	—	2	3	6
09	—	—	1	2	3	5	6
10	—	—	1	1	6	6	7
11	—	—	2	3	5	6	7
12	—	—	1	2	3	3	6
13							
14							
15							
16							
17							
18							
19							
20							
21	—	—	2	2	3	3	7
22	—	—	1	1	3	5	6
23	—	—	1	2	4	6	8
MEAN	—	—	1	1	3	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: KAGOSHIMA AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	2	3	7	9	11
01	—	—	2	4	5	7	12
02	—	—	2	3	6	7	11
03	—	—	2	2	5	6	6
04	—	—	1	1	3	6	7
05	—	—	1	1	3	5	7
06	—	—	1	1	4	6	7
07	—	—	1	1	4	6	9
08	—	—	1	2	5	6	8
09	—	—	1	1	3	5	7
10	—	—	1	1	3	4	5
11	—	—	2	2	5	6	7
12	—	—	2	3	6	7	7
13							
14							
15							
16							
17							
18							
19							
20							
21	—	1	3	4	8	9	12
22	—	—	1	3	6	7	9
23	—	—	1	4	6	9	11
MEAN	—	0	1	2	5	7	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: KAGOSHIMA AIRPORT MONTH: MAY****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	2	3	6	8	10
01	—	—	3	5	6	8	10
02	—	—	2	5	5	8	12
03	—	—	1	4	5	7	8
04	—	—	2	5	7	8	10
05	—	—	2	2	5	6	10
06	—	—	3	4	5	6	9
07	—	—	3	3	5	7	8
08	—	—	3	3	5	5	10
09	—	—	2	3	3	6	9
10	—	—	1	3	3	6	9
11	—	—	3	5	6	10	11
12	—	—	3	5	6	10	13
13							
14							
15							
16							
17							
18							
19							
20							
21	—	—	2	3	6	10	10
22	—	—	3	4	6	8	9
23	—	—	3	4	6	7	8
MEAN	—	—	2	4	5	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: KAGOSHIMA AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	1	3	9	13	20
01	—	—	3	4	10	13	21
02	—	—	2	4	7	13	19
03	—	—	1	4	11	13	19
04	—	—	1	3	6	11	16
05	—	—	2	2	6	12	19
06	—	—	3	4	9	13	19
07	—	—	5	5	7	12	17
08	—	—	4	5	8	11	17
09	—	—	6	9	11	14	19
10	—	—	9	9	11	14	18
11	—	—	5	5	7	11	13
12	—	—	4	6	9	13	18
13							
14							
15							
16							
17							
18							
19							
20							
21	—	—	1	5	11	17	24
22	—	—	1	2	10	15	21
23	—	—	2	3	12	17	22
MEAN	—	—	3	5	9	13	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: KAGOSHIMA AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	1	1	4	6	14
01	—	—	1	1	5	8	10
02	—	—	1	1	4	7	12
03	—	—	—	—	3	7	10
04	—	—	1	1	3	6	8
05	—	—	1	1	3	5	7
06	—	—	1	1	4	6	8
07	—	—	1	1	3	3	6
08	—	—	1	3	6	8	9
09	—	—	1	1	5	6	8
10	—	—	2	3	3	5	11
11	—	—	3	3	5	7	11
12	—	—	1	3	4	5	11
13							
14							
15							
16							
17							
18							
19							
20							
21	—	—	1	3	4	7	15
22	—	—	1	2	5	8	14
23	—	—	2	3	7	11	15
MEAN	—	—	1	2	4	7	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: KAGOSHIMA AIRPORT MONTH: AUG****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	1	3	3	3	5
01	—	—	—	—	1	1	6
02	—	—	1	1	2	2	5
03	—	—	—	—	1	1	3
04	—	—	—	—	—	1	3
05	—	—	—	—	—	—	1
06	—	—	—	—	1	1	2
07	—	—	—	—	—	1	1
08	—	—	—	—	—	—	1
09	—	—	1	1	1	1	4
10	—	—	1	1	1	3	3
11	—	—	—	1	1	1	2
12	—	—	1	1	1	1	3
13							
14							
15							
16							
17							
18							
19							
20							
21	—	—	1	2	3	5	6
22	—	—	1	1	2	2	3
23	—	—	—	1	3	3	4
MEAN	—	—	0	1	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: KAGOSHIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 16
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	1	1	1	1	3
01	—	—	1	1	1	2	4
02	—	—	—	—	—	1	5
03	—	—	—	—	—	—	1
04	—	—	1	1	1	1	1
05	—	—	1	1	1	1	1
06	—	—	1	1	1	1	1
07	—	—	—	—	1	1	1
08	—	—	—	—	—	—	1
09	—	—	—	—	—	—	1
10	—	—	—	—	—	1	2
11	—	—	—	—	1	1	3
12	—	—	—	—	—	1	1
13							
14							
15							
16							
17							
18							
19							
20							
21	—	—	1	1	2	2	4
22	—	—	2	3	3	3	6
23	—	—	1	3	3	4	6
MEAN	—	—	0	1	1	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: KAGOSHIMA AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	—	1	1	2	3
01	—	—	—	—	3	4	5
02	—	—	—	—	1	2	2
03	—	—	—	—	1	1	3
04	—	—	—	—	1	1	2
05	—	—	—	—	—	1	3
06	—	—	—	—	1	1	2
07	—	—	—	—	—	1	1
08	—	—	—	—	—	—	1
09	—	—	—	—	—	—	2
10	—	—	—	—	1	1	1
11	—	—	—	—	—	1	1
12	—	—	—	—	—	—	1
13							
14							
15							
16							
17							
18							
19							
20							
21	—	—	—	1	1	1	2
22	—	—	—	—	1	2	3
23	—	—	—	1	1	3	3
MEAN	—	—	—	0	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: KAGOSHIMA AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	—	—	1	2	3
01	—	—	—	—	—	1	2
02	—	—	—	1	1	1	1
03	—	—	1	1	1	2	3
04	—	—	1	1	1	1	3
05	—	—	—	—	—	—	1
06	—	—	—	—	—	—	1
07	—	—	—	—	—	—	1
08	—	—	—	1	1	1	2
09	—	—	—	—	—	1	1
10	—	—	—	—	—	—	1
11	—	—	—	—	—	1	1
12	—	—	1	1	1	1	1
13							
14							
15							
16							
17							
18							
19							
20							
21	—	—	—	1	1	1	3
22	—	—	—	—	1	4	5
23	—	—	—	1	1	3	4
MEAN	—	—	0	0	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: KAGOSHIMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 16
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	—	—	—	1	1
01	—	—	1	1	1	1	1
02	—	—	—	1	1	2	3
03	—	—	1	1	3	3	4
04	—	—	1	1	1	2	2
05	—	—	1	1	1	1	3
06	—	—	—	1	1	1	1
07	—	—	—	—	—	1	3
08	—	—	—	—	1	1	1
09	—	—	—	—	—	1	1
10	—	—	—	—	—	1	1
11	—	—	—	—	1	1	1
12	—	—	1	1	1	3	3
13							
14							
15							
16							
17							
18							
19							
20							
21	—	—	—	—	—	—	1
22	—	—	—	—	—	—	1
23	—	—	—	—	—	1	1
MEAN	—	—	0	0	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: KAGOSHIMA AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 16****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	1	2	3	5	7
01	—	—	1	2	3	5	7
02	—	—	1	2	3	4	7
03	—	—	1	1	3	4	6
04	—	—	1	1	3	4	6
05	—	—	1	1	2	3	5
06	—	—	1	1	3	4	5
07	—	—	1	1	2	3	5
08	—	—	1	1	2	3	5
09	—	—	1	1	2	3	5
10	—	—	1	2	2	4	5
11	—	—	1	2	3	4	5
12	—	—	1	2	3	4	6
13							
14							
15							
16							
17							
18							
19							
20							
21	—	0	1	2	3	5	7
22	—	—	1	1	3	5	7
23	—	—	1	2	4	6	8
MEAN	—	0	1	1	3	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: KAGOSHIMA AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	6	0	—	—	—	—	—	—	—	—	—	6
[35-36-01]	13	8	1	0	—	—	—	—	—	—	—	22
[02-03-04]	4	0	—	—	—	—	—	—	—	—	—	4
[05-06-07]	2	0	—	—	—	—	—	—	—	—	—	2
[08-09-10]	2	1	0	—	—	—	—	—	—	—	—	3
[11-12-13]	1	1	0	—	—	—	—	—	—	—	—	2
[14-15-16]	1	0	—	—	—	—	—	—	—	—	—	1
[17-18-19]	1	1	0	—	—	—	—	—	—	—	—	1
[20-21-22]	1	0	—	—	—	—	—	—	—	—	—	1
[23-24-25]	1	0	0	—	—	—	—	—	—	—	—	1
[26-27-28]	2	2	0	—	—	—	—	—	—	—	—	4
[29-30-31]	3	6	4	1	0	—	—	—	—	—	—	14
[32-33-34]	8	16	9	3	0	—	—	—	—	—	—	37
TOTAL	44	35	15	4	0	—	—	—	—	—	—	

LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	6)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[35-36-01]	11)	7)	1)	0)	0)	0)	0)	0)	0)	0)	0)	18)
[02-03-04]	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[05-06-07]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[08-09-10]	3)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[11-12-13]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[29-30-31]	2)	5)	3)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[32-33-34]	5)	14)	10)	4)	1)	0)	0)	0)	0)	0)	0)	33)
TOTAL	40)	37)	16)	5)	1)	0)	0)	0)	0)	0)	0)	

LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	8)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[35-36-01]	13)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	19)
[02-03-04]	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[05-06-07]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[08-09-10]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	3)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[14-15-16]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	1)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	1)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[29-30-31]	2)	5)	3)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[32-33-34]	6)	8)	6)	2)	1)	0)	0)	0)	0)	0)	0)	24)
TOTAL	48)	34)	13)	4)	1)	0)	0)	0)	0)	0)	0)	

LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: KAGOSHIMA AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	12	0	—	—	—	—	—	—	—	—	—	12
[35-36-01]	7	0	—	—	—	—	—	—	—	—	—	7
[02-03-04]	3	0	—	—	—	—	—	—	—	—	—	3
[05-06-07]	3	0	0	—	—	—	—	—	—	—	—	3
[08-09-10]	5	8	3	—	—	—	—	—	—	—	—	16
[11-12-13]	6	8	1	0	—	—	—	—	—	—	—	15
[14-15-16]	5	2	0	—	—	—	—	—	—	—	—	7
[17-18-19]	3	3	0	—	—	—	—	—	—	—	—	6
[20-21-22]	2	3	0	0	—	—	—	—	—	—	—	5
[23-24-25]	3	3	2	0	—	—	—	—	—	—	—	8
[26-27-28]	3	3	1	—	—	—	—	—	—	—	—	7
[29-30-31]	2	2	0	0	—	—	—	—	—	—	—	4
[32-33-34]	4	1	0	0	—	—	—	—	—	—	—	5
TOTAL	57	33	8	0	—	—	—	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: KAGOSHIMA AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	10)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[35-36-01]	7)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[02-03-04]	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[05-06-07]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[08-09-10]	5)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[11-12-13]	5)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[14-15-16]	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[17-18-19]	3)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[20-21-22]	3)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[23-24-25]	4)	6)	2)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[26-27-28]	4)	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[29-30-31]	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[32-33-34]	4)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
TOTAL	56)	35)	7)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: KAGOSHIMA AIRPORT MONTH: AUG****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	12	0	0	—	—	—	—	—	—	—	—	12
[35-36-01]	10	0	0	0	—	—	—	—	—	—	—	10
[02-03-04]	5	0	0	—	—	—	—	—	—	—	—	5
[05-06-07]	2	1	1	0	—	—	—	—	—	—	—	4
[08-09-10]	5	7	3	0	0	—	—	—	—	—	—	14
[11-12-13]	5	4	1	0	0	0	—	—	—	—	—	10
[14-15-16]	4	2	0	0	—	—	—	—	0	—	—	6
[17-18-19]	3	5	1	0	0	0	—	—	—	—	—	8
[20-21-22]	2	3	0	0	—	—	—	—	—	—	—	5
[23-24-25]	3	2	0	—	—	—	—	—	—	—	—	6
[26-27-28]	3	4	1	0	—	—	—	—	—	—	—	8
[29-30-31]	2	2	1	0	—	—	—	—	—	—	—	4
[32-33-34]	5	1	0	0	0	—	—	—	—	—	—	7
TOTAL	59	30	8	2	0	0	—	—	0	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: KAGOSHIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	12	0	—	—	—	—	—	—	—	—	—	12
[35-36-01]	15	2	0	0	0	—	0	—	—	—	—	17
[02-03-04]	7	0	0	0	—	—	—	—	—	—	—	8
[05-06-07]	5	1	0	—	—	—	—	—	—	—	—	6
[08-09-10]	7	9	1	—	—	—	—	—	—	—	—	17
[11-12-13]	5	5	1	0	0	—	—	—	—	—	—	11
[14-15-16]	3	2	0	0	0	—	—	—	—	—	—	5
[17-18-19]	2	2	0	0	0	—	—	—	—	—	—	5
[20-21-22]	2	2	0	—	—	—	—	—	—	—	—	3
[23-24-25]	1	1	—	—	—	—	—	—	—	—	—	3
[26-27-28]	1	1	0	—	—	—	—	—	—	—	—	3
[29-30-31]	1	1	0	0	—	—	—	—	—	—	—	2
[32-33-34]	4	2	1	1	0	—	0	—	—	—	—	8
TOTAL	66	27	5	1	0	—	0	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: KAGOSHIMA AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	9	—	0	0	—	—	—	—	—	—	—	9
[35-36-01]	18	6	1	0	0	0	—	—	—	—	—	25
[02-03-04]	6	0	0	—	—	—	—	—	—	—	—	7
[05-06-07]	3	1	1	0	—	—	—	—	—	—	—	6
[08-09-10]	5	7	3	1	0	—	0	—	—	—	—	15
[11-12-13]	4	3	0	0	0	—	—	—	—	—	—	7
[14-15-16]	3	1	0	—	—	—	—	—	—	—	—	4
[17-18-19]	2	1	0	0	—	—	—	—	—	—	—	4
[20-21-22]	1	1	0	—	—	—	—	—	—	—	—	2
[23-24-25]	1	1	0	—	—	—	—	—	—	—	—	2
[26-27-28]	1	1	0	—	—	—	—	—	—	—	—	2
[29-30-31]	1	2	1	0	0	—	—	—	—	—	—	4
[32-33-34]	4	5	3	1	0	0	—	—	—	—	—	13
TOTAL	58	29	9	3	1	0	0	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: KAGOSHIMA AIRPORT MONTH: DEC****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	6	0	—	—	—	—	—	—	—	—	—	6
[35-36-01]	13	8	1	0	—	—	—	—	—	—	—	21
[02-03-04]	4	0	—	—	—	—	—	—	—	—	—	4
[05-06-07]	2	0	0	—	—	—	—	—	—	—	—	2
[08-09-10]	3	2	0	—	—	—	—	—	—	—	—	5
[11-12-13]	2	2	0	—	—	—	—	—	—	—	—	4
[14-15-16]	1	0	0	—	—	—	—	—	—	—	—	1
[17-18-19]	1	0	0	—	—	—	—	—	—	—	—	1
[20-21-22]	1	0	0	—	—	—	—	—	—	—	—	1
[23-24-25]	1	0	0	—	—	—	—	—	—	—	—	1
[26-27-28]	2	1	0	—	—	—	—	—	—	—	—	3
[29-30-31]	3	5	4	1	0	—	—	—	—	—	—	14
[32-33-34]	7	17	10	3	0	—	—	—	—	—	—	37
TOTAL	44	35	15	5	0	—	—	—	—	—	—	

LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: KAGOSHIMA AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	5	54	34	8	—	—	—	—	—
01	—	—	—	1	33	54	12	—	—	—	—	—
02	—	—	—	1	15	57	26	—	—	—	—	—
03	—	—	—	1	11	55	31	3	—	—	—	—
04	—	—	—	1	11	46	37	5	—	—	—	—
05	—	—	—	1	8	47	38	6	—	—	—	—
06	—	—	—	1	12	44	38	5	—	—	—	—
07	—	—	—	1	12	46	35	5	—	—	—	—
08	—	—	—	1	18	52	27	2	—	—	—	—
09	—	—	—	1	37	45	15	1	—	—	—	—
10	—	—	—	6	39	42	12	—	—	—	—	—
11	—	—	—	7	48	32	13	—	—	—	—	—
12	—	—	—	8	52	30	10	—	—	—	—	—
13	—	—	1	13	50	28	8	—	—	—	—	—
14	—	—	1	15	54	22	8	—	—	—	—	—
15	—	—	1	17	56	17	9	—	—	—	—	—
16	—	—	1	19	53	20	7	—	—	—	—	—
17	—	—	1	20	56	16	7	—	—	—	—	—
18	—	—	1	23	52	17	7	—	—	—	—	—
19	—	—	1	25	50	18	6	—	—	—	—	—
20	—	—	1	26	49	19	5	—	—	—	—	—
21	—	—	1	25	50	19	5	—	—	—	—	—
22	—	—	1	25	49	21	5	—	—	—	—	—
23	—	—	1	19	52	24	5	—	—	—	—	—
MEAN	—	—	0	11	38	34	16	1	—	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: KAGOSHIMA AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	3	40	39	15	3	—	—	—	—
01	—	—	—	2	15	56	24	3	—	—	—	—
02	—	—	—	—	10	56	28	6	—	—	—	—
03	—	—	—	—	8	54	30	9	—	—	—	—
04	—	—	—	—	8	41	40	10	1	—	—	—
05	—	—	—	—	8	39	41	12	1	—	—	—
06	—	—	—	—	8	39	39	13	1	—	—	—
07	—	—	—	1	8	42	37	11	1	—	—	—
08	—	—	—	1	13	49	30	8	—	—	—	—
09	—	—	—	1	20	53	23	3	—	—	—	—
10	—	—	—	4	32	42	20	3	—	—	—	—
11	—	—	—	4	43	33	19	1	—	—	—	—
12	—	—	—	6	44	32	18	1	—	—	—	—
13	0)	0)	0)	8)	48)	24)	18)	1)	0)	0)	0)	0)
14	0)	0)	1)	10)	48)	26)	14)	1)	0)	0)	0)	0)
15	—	—	1	12	49	24	12	2	—	—	—	—
16	—	—	1	13	51	20	12	2	—	—	—	—
17	—	—	1	16	48	21	12	2	—	—	—	—
18	—	—	1	15	50	20	14	1	—	—	—	—
19	—	—	1	21	42	22	14	—	—	—	—	—
20	—	—	1	23	42	21	13	1	—	—	—	—
21	—	—	1	20	46	19	13	1	—	—	—	—
22	—	—	1	19	49	18	12	1	—	—	—	—
23	—	—	—	11	51	23	13	2	—	—	—	—
MEAN	0)	0)	0)	8)	33)	34)	21)	4)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: KAGOSHIMA AIRPORT MONTH: MAR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	7	40	37	15	—	—	—	—
01	—	—	—	—	2	30	44	25	—	—	—	—
02	—	—	—	—	1	21	43	33	1	—	—	—
03	—	—	—	—	1	14	42	39	5	—	—	—
04	—	—	—	—	1	8	45	40	6	—	—	—
05	—	—	—	—	1	8	41	41	8	—	—	—
06	—	—	—	—	1	10	43	37	10	—	—	—
07	—	—	—	—	1	11	41	39	8	—	—	—
08	—	—	—	—	2	15	41	37	5	—	—	—
09	—	—	—	—	3	25	44	29	—	—	—	—
10	—	—	—	—	7	32	43	18	—	—	—	—
11	—	—	—	1	13	35	39	13	—	—	—	—
12	—	—	—	1	18	34	37	10	—	—	—	—
13	—	—	—	1	20	37	32	10	—	—	—	—
14	0)	0)	0)	2)	23)	36)	33)	7)	0)	0)	0)	0)
15	0)	0)	0)	3)	24)	37)	30)	6)	0)	0)	0)	0)
16	0)	0)	0)	3)	28)	36)	27)	6)	0)	0)	0)	0)
17	0)	0)	0)	4)	30)	35)	24)	7)	0)	0)	0)	0)
18	0)	0)	0)	5)	32)	31)	25)	6)	0)	0)	0)	0)
19	—	—	—	6	35	28	25	6	—	—	—	—
20	—	—	—	7	36	27	23	6	—	—	—	—
21	—	—	—	5	38	28	23	6	—	—	—	—
22	—	—	—	7	34	30	23	6	—	—	—	—
23	—	—	—	1	21	39	32	8	—	—	—	—
MEAN	0)	0)	0)	2)	16)	27)	35)	19)	2)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: KAGOSHIMA AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	0)	0)	0)	5)	28)	63)	4)	0)	0)	0)
01	—	—	—	—	—	1	20	65	13	—	—	—
02	—	—	—	—	—	1	17	59	24	—	—	—
03	—	—	—	—	—	1	13	49	36	1	—	—
04	—	—	—	—	—	1	11	47	39	2	—	—
05	—	—	—	—	—	—	13	45	39	3	—	—
06	—	—	—	—	—	1	13	41	42	3	—	—
07	—	—	—	—	—	1	13	50	36	—	—	—
08	—	—	—	—	—	1	16	55	27	—	—	—
09	—	—	—	—	—	2	23	63	12	—	—	—
10	—	—	—	—	—	7	32	59	3	—	—	—
11	—	—	—	—	—	9	43	47	1	—	—	—
12	—	—	—	—	—	9	49	41	1	—	—	—
13	0)	0)	0)	0)	1)	15)	51)	34)	0)	0)	0)	0)
14	0)	0)	0)	0)	3)	18)	50)	29)	0)	0)	0)	0)
15	0)	0)	0)	0)	3)	20)	46)	30)	0)	0)	0)	0)
16	0)	0)	0)	0)	3)	24)	47)	26)	0)	0)	0)	0)
17	0)	0)	0)	0)	3)	30)	42)	25)	0)	0)	0)	0)
18	—	—	—	—	5	32	39	23	1	—	—	—
19	—	—	—	—	7	32	39	22	—	—	—	—
20	—	—	—	—	6	37	35	21	1	—	—	—
21	—	—	—	—	8	35	35	21	2	—	—	—
22	—	—	—	—	4	23	48	24	1	—	—	—
23	—	—	—	—	—	15	45	37	3	—	—	—
MEAN	0)	0)	0)	0)	2)	13)	32)	41)	12)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: KAGOSHIMA AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	5	50	45	—	—	—
01	—	—	—	—	—	—	3	28	64	6	—	—
02	—	—	—	—	—	—	2	21	67	10	—	—
03	—	—	—	—	—	—	1	21	59	19	—	—
04	—	—	—	—	—	—	1	16	56	27	—	—
05	—	—	—	—	—	—	1	15	52	33	—	—
06	—	—	—	—	—	—	1	16	55	28	—	—
07	—	—	—	—	—	—	1	15	59	25	—	—
08	—	—	—	—	—	—	—	18	69	13	—	—
09	—	—	—	—	—	—	1	27	66	6	—	—
10	—	—	—	—	—	—	4	46	50	—	—	—
11	—	—	—	—	—	—	6	64	30	—	—	—
12	—	—	—	—	—	—	12	69	19	—	—	—
13	—	—	—	—	—	1	17	66	15	—	—	—
14	—	—	—	—	—	3	26	62	9	—	—	—
15	—	—	—	—	—	3	33	55	10	—	—	—
16	—	—	—	—	—	4	36	52	8	—	—	—
17	—	—	—	—	—	5	39	50	6	—	—	—
18	—	—	—	—	—	6	43	45	6	—	—	—
19	—	—	—	—	—	8	46	40	6	—	—	—
20	—	—	—	—	—	9	43	42	6	—	—	—
21	—	—	—	—	—	8	40	46	5	—	—	—
22	—	—	—	—	—	3	26	62	9	—	—	—
23	—	—	—	—	—	—	10	69	21	—	—	—
MEAN	—	—	—	—	—	2	16	41	33	7	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: KAGOSHIMA AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	18	72	10	—	—
01	—	—	—	—	—	—	—	9	76	15	—	—
02	—	—	—	—	—	—	—	8	70	22	—	—
03	—	—	—	—	—	—	—	9	61	29	1	—
04	—	—	—	—	—	—	—	11	52	37	—	—
05	—	—	—	—	—	—	—	12	49	39	—	—
06	—	—	—	—	—	—	—	12	49	39	—	—
07	—	—	—	—	—	—	—	11	57	32	—	—
08	—	—	—	—	—	—	—	13	63	25	—	—
09	—	—	—	—	—	—	—	16	67	17	—	—
10	—	—	—	—	—	—	—	18	74	8	—	—
11	—	—	—	—	—	—	—	21	73	6	—	—
12	—	—	—	—	—	—	—	31	65	4	—	—
13	—	—	—	—	—	—	—	41	56	3	—	—
14	—	—	—	—	—	—	1	43	53	3	—	—
15	—	—	—	—	—	—	1	47	49	3	—	—
16	—	—	—	—	—	—	1	50	47	2	—	—
17	—	—	—	—	—	—	1	55	43	1	—	—
18	—	—	—	—	—	—	3	57	39	1	—	—
19	—	—	—	—	—	—	3	58	39	1	—	—
20	—	—	—	—	—	—	5	57	38	—	—	—
21	—	—	—	—	—	—	3	55	41	1	—	—
22	—	—	—	—	—	—	—	49	49	2	—	—
23	—	—	—	—	—	—	—	29	67	4	—	—
MEAN	—	—	—	—	—	—	1	30	56	13	0	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: KAGOSHIMA AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	1	26	72	—	—
01	—	—	—	—	—	—	—	1	21	76	2	—
02	—	—	—	—	—	—	—	1	16	68	14	—
03	—	—	—	—	—	—	—	1	14	55	30	—
04	—	—	—	—	—	—	—	2	10	49	39	—
05	—	—	—	—	—	—	—	3	10	51	37	—
06	—	—	—	—	—	—	—	3	14	45	39	—
07	—	—	—	—	—	—	—	2	14	50	34	—
08	—	—	—	—	—	—	—	2	17	55	25	—
09	—	—	—	—	—	—	—	2	22	68	8	—
10	—	—	—	—	—	—	—	3	26	72	—	—
11	—	—	—	—	—	—	—	3	30	67	—	—
12	—	—	—	—	—	—	—	3	41	56	—	—
13	0)	0)	0)	0)	0)	0)	0)	3)	57)	40)	0)	0)
14	—	—	—	—	—	—	—	3	66	31	—	—
15	—	—	—	—	—	—	—	5	72	24	—	—
16	—	—	—	—	—	—	—	5	78	17	—	—
17	—	—	—	—	—	—	—	6	76	17	—	—
18	—	—	—	—	—	—	—	7	77	15	—	—
19	—	—	—	—	—	—	—	7	79	14	—	—
20	—	—	—	—	—	—	—	8	81	12	—	—
21	—	—	—	—	—	—	—	7	77	16	—	—
22	—	—	—	—	—	—	—	4	70	26	—	—
23	—	—	—	—	—	—	—	3	41	56	—	—
MEAN	0)	0)	0)	0)	0)	0)	0)	4)	43)	44)	9)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KAGOSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	—	19	81	1	—
01	—	—	—	—	—	—	—	—	13	76	11	—
02	—	—	—	—	—	—	—	—	9	59	32	—
03	—	—	—	—	—	—	—	—	6	49	45	—
04	—	—	—	—	—	—	—	—	7	46	47	—
05	—	—	—	—	—	—	—	—	6	45	49	—
06	—	—	—	—	—	—	—	—	7	50	43	—
07	—	—	—	—	—	—	—	—	11	55	34	—
08	—	—	—	—	—	—	—	—	11	68	21	—
09	—	—	—	—	—	—	—	—	16	77	6	—
10	—	—	—	—	—	—	—	—	28	72	—	—
11	—	—	—	—	—	—	—	—	36	64	—	—
12	—	—	—	—	—	—	—	—	45	55	—	—
13	—	—	—	—	—	—	—	1	51	48	—	—
14	—	—	—	—	—	—	—	1	60	39	—	—
15	—	—	—	—	—	—	—	2	67	31	—	—
16	—	—	—	—	—	—	—	2	74	24	—	—
17	—	—	—	—	—	—	—	1	75	24	—	—
18	—	—	—	—	—	—	—	1	80	19	—	—
19	—	—	—	—	—	—	—	4	82	14	—	—
20	—	—	—	—	—	—	—	4	85	11	—	—
21	—	—	—	—	—	—	—	4	86	10	—	—
22	—	—	—	—	—	—	—	1	63	35	—	—
23	—	—	—	—	—	—	—	—	37	63	—	—
MEAN	—	—	—	—	—	—	—	1	41	47	12	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: KAGOSHIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	7	62	31	—	—
01	—	—	—	—	—	—	—	5	43	52	—	—
02	—	—	—	—	—	—	—	4	29	66	1	—
03	—	—	—	—	—	—	—	4	22	71	3	—
04	—	—	—	—	—	—	—	3	17	74	6	—
05	—	—	—	—	—	—	—	3	19	68	9	—
06	—	—	—	—	—	—	—	4	23	67	7	—
07	—	—	—	—	—	—	—	4	30	63	3	—
08	—	—	—	—	—	—	—	4	37	59	1	—
09	—	—	—	—	—	—	—	6	51	43	—	—
10	—	—	—	—	—	—	—	11	69	21	—	—
11	—	—	—	—	—	—	—	14	74	12	—	—
12	—	—	—	—	—	—	—	17	75	9	—	—
13	0)	0)	0)	0)	0)	0)	0)	24)	72)	4)	0)	0)
14	—	—	—	—	—	—	1	26	72	1	—	—
15	—	—	—	—	—	—	1	30	67	2	—	—
16	—	—	—	—	—	—	3	32	64	1	—	—
17	—	—	—	—	—	—	4	33	63	1	—	—
18	—	—	—	—	—	—	4	38	57	1	—	—
19	—	—	—	—	—	—	5	38	57	—	—	—
20	—	—	—	—	—	—	4	43	53	—	—	—
21	—	—	—	—	—	—	5	43	53	—	—	—
22	—	—	—	—	—	—	1	37	61	—	—	—
23	—	—	—	—	—	—	—	23	69	8	—	—
MEAN	0)	0)	0)	0)	0)	0)	1)	19)	52)	27)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KAGOSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	9	55	31	5	—	—
01	—	—	—	—	—	—	3	34	55	8	—	—
02	—	—	—	—	—	—	1	23	62	14	—	—
03	—	—	—	—	—	—	1	17	66	16	—	—
04	—	—	—	—	—	—	1	15	61	23	—	—
05	—	—	—	—	—	—	1	13	61	25	1	—
06	—	—	—	—	—	—	1	13	66	19	1	—
07	—	—	—	—	—	—	1	18	65	15	1	—
08	—	—	—	—	—	—	2	28	61	8	—	—
09	—	—	—	—	—	—	6	45	45	5	—	—
10	—	—	—	—	—	—	10	56	32	2	—	—
11	—	—	—	—	—	—	16	57	26	1	—	—
12	—	—	—	—	—	2	23	50	23	2	—	—
13	—	—	—	—	—	3	29	44	23	2	—	—
14	—	—	—	—	—	3	38	36	22	1	—	—
15	—	—	—	—	—	5	41	33	22	—	—	—
16	—	—	—	—	—	5	42	30	23	1	—	—
17	—	—	—	—	—	6	43	30	20	1	—	—
18	—	—	—	—	—	8	42	30	19	1	—	—
19	—	—	—	—	—	8	41	30	19	1	—	—
20	—	—	—	—	—	8	45	30	17	1	—	—
21	—	—	—	—	1	8	42	30	19	1	—	—
22	—	—	—	—	—	6	43	30	20	1	—	—
23	—	—	—	—	—	1	32	43	24	1	—	—
MEAN	—	—	—	—	0	3	21	33	37	6	0	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: KAGOSHIMA AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	1	25	41	32	2	—	—	—
01	—	—	—	—	—	12	36	47	5	—	—	—
02	—	—	—	—	—	7	33	48	11	—	—	—
03	—	—	—	—	—	5	30	50	15	—	—	—
04	—	—	—	—	—	5	25	51	19	—	—	—
05	—	—	—	—	—	6	23	50	21	—	—	—
06	—	—	—	—	—	7	23	50	20	—	—	—
07	—	—	—	—	—	7	31	49	13	—	—	—
08	—	—	—	—	1	12	35	47	5	—	—	—
09	—	—	—	—	2	21	35	39	3	—	—	—
10	—	—	—	—	3	24	42	29	2	—	—	—
11	—	—	—	—	4	27	43	25	1	—	—	—
12	—	—	—	—	4	32	41	23	1	—	—	—
13	—	—	—	—	7	32	39	23	—	—	—	—
14	—	—	—	—	10	32	37	21	—	—	—	—
15	—	—	—	—	9	33	38	19	1	—	—	—
16	—	—	—	—	12	33	35	19	1	—	—	—
17	—	—	—	1	12	33	34	19	1	—	—	—
18	—	—	—	1	12	33	37	17	—	—	—	—
19	—	—	—	1	11	39	33	17	—	—	—	—
20	—	—	—	—	15	35	32	18	—	—	—	—
21	—	—	—	1	15	35	32	17	—	—	—	—
22	—	—	—	1	15	35	31	18	—	—	—	—
23	—	—	—	—	6	31	41	21	—	—	—	—
MEAN	—	—	—	0	6	23	34	31	5	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: KAGOSHIMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	32	50	16	3	—	—	—	—
01	—	—	—	—	12	53	30	6	—	—	—	—
02	—	—	—	—	5	48	36	10	—	—	—	—
03	—	—	—	—	4	43	39	15	—	—	—	—
04	—	—	—	—	2	39	41	19	—	—	—	—
05	—	—	—	—	3	34	43	19	—	—	—	—
06	—	—	—	—	3	38	42	17	—	—	—	—
07	—	—	—	—	7	40	39	14	—	—	—	—
08	—	—	—	—	16	46	32	5	—	—	—	—
09	—	—	—	—	28	44	25	3	—	—	—	—
10	—	—	—	1	33	42	21	3	—	—	—	—
11	—	—	—	2	34	43	19	2	—	—	—	—
12	—	—	—	5	36	40	17	2	—	—	—	—
13	0)	0)	0)	5)	41)	38)	14)	2)	0)	0)	0)	0)
14	—	—	—	8	40	36	14	2	—	—	—	—
15	—	—	—	8	47	29	13	3	—	—	—	—
16	—	—	—	8	43	33	12	4	—	—	—	—
17	—	—	—	6	48	32	11	3	—	—	—	—
18	—	—	—	9	48	29	11	3	—	—	—	—
19	—	—	—	10	47	29	12	3	—	—	—	—
20	—	—	—	10	47	29	11	3	—	—	—	—
21	—	—	—	8	46	33	12	1	—	—	—	—
22	—	—	—	11	46	29	13	1	—	—	—	—
23	—	—	—	6	42	36	14	1	—	—	—	—
MEAN	0)	0)	0)	4)	30)	38)	22)	6)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: KAGOSHIMA AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	0)	1)	11)	16)	13)	21)	22)	17)	0)	0)
01	—	—	—	0	5	17	14	19	24	20	1	—
02	—	—	—	0	3	16	16	18	24	20	4	—
03	—	—	—	0	2	14	15	18	24	20	7	—
04	—	—	—	0	2	12	17	18	22	22	8	—
05	—	—	—	0	2	11	17	18	22	22	8	—
06	—	—	—	0	2	11	17	18	24	21	7	—
07	—	—	—	0	2	12	16	18	25	20	6	—
08	—	—	—	0	4	15	15	18	25	19	4	—
09	—	—	—	0	7	16	14	19	24	18	1	—
10	—	—	—	1	9	16	15	20	24	15	—	—
11	—	—	—	1	12	15	16	21	23	13	—	—
12	—	—	—	2	13	15	17	21	22	11	—	—
13	0)	0)	0)	2)	14)	15)	17)	21)	23)	8)	0)	0)
14	0)	0)	0)	3)	15)	14)	18)	19)	24)	6)	0)	0)
15	0)	0)	0)	3)	16)	14)	19)	19)	24)	5)	0)	0)
16	0)	0)	0)	4)	16)	14)	19)	19)	25)	4)	0)	0)
17	0)	0)	0)	4)	16)	15)	18)	19)	24)	4)	0)	0)
18	0)	0)	0)	4)	17)	15)	19)	19)	24)	3)	0)	0)
19	—	—	0	5	16	15	19	19	24	3	—	—
20	—	—	0	5	16	15	18	19	24	2	—	—
21	—	—	0	5	17	15	17	19	24	2	—	—
22	—	—	0	5	16	14	17	19	23	5	—	—
23	—	—	0	3	14	14	16	20	22	11	—	—
MEAN	0)	0)	0)	2)	10)	14)	17)	19)	23)	12)	2)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: KAGOSHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft**

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	5.3	6.5	10.4	14.8	18.8	21.5	25.4	26.0	23.0	18.6	12.8	7.3	15.9
Daily maximum air temperature(°C)	10.7	11.8	16.3	20.3	24.5	25.2	29.8	30.8	28.0	24.2	17.9	12.5	21.0
Daily minimum air temperature(°C)	0.2	1.4	4.7	9.4	13.2	18.4	22.0	22.4	19.0	13.5	7.8	2.2	11.2
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	80.3	148.1	173.5	197.0	214.2	759.7	476.0	237.2	259.6	115.4	139.7	107.0	2907.7
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	967.7	972.3	969.4	958.0	965.9	960.9	953.6	944.0	953.6	949.2	974.2	967.8	944.0
Daily maximum air temperature(°C)	18.8*	21.7	24.1*	27.1	31.1	30.3	33.7	35.4	32.2	31.0*	24.6*	20.2	35.4
Daily minimum air temperature(°C)	-10.7	-7.7	-3.9	0.9	5.4	12.6	17.1	15.2	12.0	4.4	-1.1	-4.1	-10.7
Daily precipitation(mm)	71.5	51.0	55.0	66.0	137.0	218.0	238.0	167.5	150.5	67.5	101.0	142.5	238.0
Daily max.one-hour precipitation(mm)	26.5	21.0	19.5	25.0	42.0	75.5	101.0	41.5	53.5	37.5	28.0	57.5	101.0
Daily max.ten-minute precipitation(mm)	10.0	8.5	9.5	10.5	10.5	20.0	27.0	18.5	14.5*	17.0	12.5	15.5	27.0
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)	10	0	—	—	—	—	—	—	—	—	—	1	10
Daily maximum wind speed(kt)	27	30	31	29	21	25	36	45	44	32	25	27 *	45
with wind direction(36DIR.)	33	33	32	31	23	23	27	15	34	10	28	29	15
Daily maximum peak gust(kt)	35	36	42	40	36	35	58	66	55	46	34	38	66
with wind direction(36DIR.)	33	32	32	28	23	23	25	16	33	35	32	32	16

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: KAGOSHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft**

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	16.4	12.2	4.2	—	—	—	—	—	—	—	0.6	9.0	42.4
≥ 25.0°C	—	—	—	—	—	—	0.8	1.0	—	—	—	—	1.8
Daily mean air temperature < 0.0°C	0.6	0.6	—	—	—	—	—	—	—	—	—	—	1.2
≥ 25.0°C	—	—	—	—	—	1.6	20.6	23.6	5.8	0.4	—	—	52.0
Daily maximum air temperature < 0.0°C	0.2	—	—	—	—	—	—	—	—	—	—	—	0.2
≥ 25.0°C	—	—	—	1.6	15.0	16.6	29.4	30.4	26.4	11.4	—	—	130.8
≥ 30.0°C	—	—	—	—	0.6	0.8	17.4	19.8	8.0	0.4	—	—	47.0
Daily precipitation ≥ 0.0mm	17.2	19.0	18.8	21.4	17.8	26.8	24.2	26.2	21.8	19.4	20.8	22.6	256.0
≥ 1.0mm	7.0	10.2	10.4	13.0	9.2	19.4	15.0	13.4	9.6	7.4	10.8	7.8	133.2
≥ 5.0mm	4.2	6.8	8.0	8.8	6.6	15.6	10.8	8.2	7.2	5.0	5.8	3.4	90.4
≥ 10.0mm	2.8	5.4	6.2	6.0	5.8	13.4	9.8	6.0	5.8	3.2	4.4	3.0	71.8
≥ 30.0mm	0.6	1.4	2.0	2.4	2.8	8.0	5.6	2.4	2.6	1.2	1.4	0.6	31.0
≥ 50.0mm	0.2	0.4	0.4	0.8	1.0	5.4	3.4	0.6	1.8	0.8	0.2	0.2	15.2
≥ 70.0mm	0.2	—	—	—	0.4	3.4	1.6	0.4	1.2	—	0.2	0.2	7.6
≥ 100.0mm	—	—	—	—	0.2	2.2	1.0	0.2	0.2	—	0.2	0.2	4.2

PERIOD OF RECORD: 2012-2016

LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: KAGOSHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft****AIR PRESSURE (hPa) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	989.5	988.4	986.7	983.1	980.7	976.7	978.9	977.7	981.1	984.9	987.8	989.0	983.7
01	989.7	988.4	986.7	983.3	980.7	976.7	978.9	977.7	981.1	984.8	987.8	989.2	983.8
02	989.4	988.2	986.4	983.1	980.4	976.6	978.8	977.5	980.9	984.5	987.5	988.8	983.5
03	988.4	987.6	985.9	982.6	980.1	976.4	978.6	977.2	980.5	984.0	986.7	988.1	983.0
04	987.6	986.8	985.2	982.2	979.7	976.1	978.2	976.8	980.0	983.2	986.1	987.3	982.4
05	987.1	986.2	984.5	981.7	979.3	975.8	977.9	976.5	979.5	982.8	985.6	986.9	982.0
06	987.1	986.0	984.2	981.3	978.9	975.6	977.7	976.2	979.3	982.6	985.6	986.9	981.8
07	987.3	986.1	984.2	981.1	978.8	975.4	977.6	976.2	979.3	982.8	985.8	987.1	981.8
08	987.6	986.3	984.5	981.3	978.8	975.3	977.5	976.2	979.5	983.0	986.1	987.4	982.0
09	988.0	986.8	984.9	981.5	979.1	975.6	977.7	976.4	979.8	983.4	986.5	987.8	982.3
10	988.4	987.2	985.4	982.0	979.5	975.9	978.1	976.8	980.1	983.9	986.9	988.2	982.7
11	988.7	987.5	985.8	982.5	980.0	976.2	978.4	977.2	980.7	984.3	987.1	988.4	983.1
12	988.8	987.8	986.3	983.0	980.5	976.6	978.8	977.6	981.0	984.5	987.3	988.6	983.4
13	988.9	987.8	986.4	983.3	980.8	976.9	979.0	977.8	981.0	984.7	987.4	988.6	983.5
14	988.8	987.8	986.4	983.2	980.8	976.9	979.0	977.7	980.9	984.6	987.3	988.7	983.5
15	988.7	987.6	986.2	983.0	980.5	976.6	978.8	977.5	980.7	984.4	987.2	988.5	983.3
16	988.4	987.7	986.1	982.9	980.3	976.4	978.5	977.2	980.4	984.1	987.0	988.2	983.1
17	988.4	987.6	985.9	982.5	980.0	976.1	978.3	977.0	980.2	984.0	986.9	988.1	982.9
18	988.3	987.3	985.6	982.2	979.8	975.9	978.1	976.8	980.0	983.8	986.7	988.0	982.7
19	988.1	987.1	985.3	982.2	979.8	975.9	978.1	976.7	979.8	983.6	986.5	987.8	982.6
20	988.0	987.0	985.4	982.2	979.8	976.0	978.2	976.8	980.0	983.7	986.5	987.8	982.6
21	988.3	987.3	985.7	982.4	980.1	976.2	978.4	977.1	980.3	984.0	986.7	988.0	982.9
22	988.7	987.7	986.0	982.8	980.4	976.4	978.6	977.4	980.6	984.3	987.0	988.4	983.2
23	989.0	988.0	986.4	983.1	980.6	976.7	978.8	977.6	980.9	984.7	987.5	988.7	983.5
MEAN	988.4	987.3	985.7	982.4	980.0	976.2	978.4	977.1	980.3	983.9	986.8	988.1	982.9

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: KAGOSHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft****AIR TEMPERATURE (°C) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	4.7	6.2	10.5	15.6	19.6	21.8	25.9	26.6	23.6	19.1	12.9	7.1	16.2
01	6.4	7.8	12.0	16.8	20.9	22.5	26.8	27.8	24.9	20.8	14.6	8.7	17.5
02	7.9	8.9	13.2	17.7	21.8	23.0	27.4	28.4	25.8	21.9	15.8	10.0	18.5
03	8.8	9.7	14.1	18.3	22.5	23.5	28.0	28.9	26.4	22.5	16.3	10.7	19.2
04	9.2	10.1	14.6	18.8	23.0	23.7	28.4	29.3	26.7	23.0	16.7	11.1	19.6
05	9.5	10.4	15.0	19.0	23.3	23.8	28.4	29.6	26.8	23.1	16.8	11.2	19.8
06	9.4	10.3	15.0	18.9	23.2	23.8	28.3	29.3	26.6	23.0	16.5	11.0	19.6
07	9.0	9.9	14.6	18.5	22.8	23.5	28.0	28.6	26.0	22.4	16.0	10.4	19.1
08	7.8	9.1	13.6	17.8	22.1	23.1	27.5	27.8	25.1	21.2	14.7	9.0	18.3
09	6.3	7.7	12.3	16.6	21.0	22.5	26.8	27.0	24.1	19.8	13.5	7.8	17.1
10	5.5	6.7	11.0	15.3	19.7	21.9	25.8	26.0	23.1	18.9	12.5	7.1	16.1
11	4.9	6.0	10.1	14.4	18.8	21.4	25.1	25.5	22.5	18.2	12.0	6.6	15.4
12	4.5	5.6	9.4	13.9	17.9	21.0	24.6	24.9	22.2	17.5	11.6	6.2	15.0
13	4.1	5.2	8.8	13.2	17.2	20.7	24.2	24.6	21.7	16.9	11.2	5.8	14.5
14	3.6	4.9	8.5	12.8	16.5	20.4	23.9	24.3	21.3	16.5	11.0	5.5	14.1
15	3.4	4.6	8.1	12.5	16.0	20.2	23.7	24.0	20.9	16.2	10.7	5.2	13.8
16	3.2	4.2	7.7	12.1	15.6	20.0	23.3	23.9	20.6	16.1	10.6	5.3	13.6
17	3.1	4.2	7.6	11.8	15.4	19.8	23.2	23.7	20.4	15.9	10.5	5.2	13.4
18	3.0	4.0	7.2	11.5	15.1	19.7	23.0	23.5	20.2	15.6	10.4	5.1	13.2
19	2.8	3.9	7.0	11.4	14.9	19.6	22.9	23.3	20.1	15.4	10.2	5.0	13.1
20	2.7	3.9	6.8	11.2	14.8	19.5	22.8	23.1	20.0	15.4	10.1	4.9	13.0
21	2.7	3.9	6.8	11.0	14.9	19.7	23.0	23.2	19.9	15.2	10.0	5.0	12.9
22	2.6	3.8	6.9	12.2	16.4	20.3	23.9	24.1	20.5	15.6	10.0	4.9	13.4
23	3.1	4.7	8.6	13.9	18.0	20.9	24.9	25.3	22.0	17.2	11.3	5.6	14.6
MEAN	5.3	6.5	10.4	14.8	18.8	21.5	25.4	26.0	23.0	18.6	12.8	7.3	15.9

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: KAGOSHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft****VAPOR PRESSURE (hPa) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.5	7.4	9.5	12.6	16.1	22.5	27.4	27.9	23.4	17.1	12.4	8.0	15.9
01	6.6	7.4	9.4	12.4	15.7	22.5	27.3	27.5	23.0	17.0	12.4	8.1	15.8
02	6.5	7.2	9.3	12.3	15.5	22.6	27.0	27.2	22.9	16.6	12.2	8.1	15.6
03	6.4	7.1	9.1	12.1	15.4	22.4	27.0	27.1	22.8	16.3	12.1	8.0	15.5
04	6.3	7.1	9.0	12.1	15.1	22.2	26.8	26.7	22.5	16.3	12.0	7.9	15.4
05	6.4	7.0	8.9	11.8	15.2	22.3	26.8	26.7	22.4	16.3	11.9	8.0	15.3
06	6.4	6.9	8.9	11.7	15.4	22.4	26.6	26.6	22.4	16.2	11.9	8.0	15.3
07	6.4	7.0	8.8	11.8	15.4	22.4	26.6	26.8	22.4	16.3	12.0	8.0	15.3
08	6.6	7.0	9.0	11.9	15.5	22.4	26.6	27.2	22.7	16.5	12.1	8.1	15.5
09	6.6	7.2	9.2	12.2	15.6	22.4	26.8	27.4	23.0	16.6	12.1	8.1	15.6
10	6.6	7.3	9.3	12.4	15.8	22.5	26.9	27.5	23.0	16.6	12.0	8.1	15.7
11	6.6	7.2	9.3	12.4	15.8	22.5	27.0	27.5	23.0	16.6	11.9	8.0	15.7
12	6.6	7.3	9.3	12.5	15.9	22.5	27.2	27.5	23.0	16.5	11.8	7.9	15.6
13	6.5	7.3	9.2	12.5	15.8	22.4	27.5	27.6	23.0	16.4	11.8	7.9	15.7
14	6.4	7.3	9.3	12.5	15.8	22.4	27.6	27.6	22.9	16.4	11.7	7.8	15.6
15	6.5	7.2	9.3	12.5	15.8	22.4	27.6	27.6	23.0	16.4	11.7	7.7	15.6
16	6.3	7.2	9.1	12.3	15.5	22.2	27.4	27.6	23.0	16.4	11.7	7.9	15.6
17	6.3	7.1	9.1	12.2	15.5	22.1	27.3	27.5	22.8	16.2	11.7	7.9	15.5
18	6.3	7.1	9.1	12.1	15.5	22.1	27.2	27.4	22.6	16.2	11.6	7.8	15.4
19	6.3	7.0	9.1	12.1	15.5	22.1	27.0	27.2	22.4	16.0	11.6	7.7	15.3
20	6.3	7.1	9.0	12.0	15.4	22.0	27.0	27.0	22.3	15.9	11.5	7.7	15.3
21	6.2	7.1	9.0	12.0	15.6	22.2	27.2	27.1	22.2	15.9	11.5	7.6	15.3
22	6.2	7.1	9.2	12.4	16.3	22.5	27.9	27.9	22.8	16.2	11.5	7.6	15.6
23	6.3	7.3	9.6	12.7	16.4	22.7	27.8	28.2	23.4	16.8	12.0	7.8	15.9
MEAN	6.4	7.2	9.2	12.2	15.6	22.4	27.1	27.3	22.8	16.4	11.9	7.9	15.6

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: KAGOSHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft****RELATIVE HUMIDITY (%) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	74	74	71	70	70	86	82	80	80	75	80	76	76
01	66	66	64	64	64	83	78	74	73	68	72	69	70
02	59	61	59	60	60	81	75	71	69	62	66	63	66
03	55	57	55	58	58	78	73	69	66	59	63	60	63
04	53	56	53	56	56	77	70	67	65	57	62	58	61
05	53	55	51	55	55	77	70	65	64	57	60	58	60
06	53	54	51	54	56	77	70	66	65	57	62	59	61
07	55	56	53	56	57	78	72	69	67	59	64	61	62
08	60	59	56	59	59	80	74	73	72	64	70	67	66
09	66	65	62	64	63	82	77	77	77	70	75	72	71
10	70	70	68	70	69	85	81	82	81	74	79	75	75
11	73	73	72	74	73	88	85	85	84	77	82	77	78
12	74	74	74	76	76	90	88	87	85	80	82	79	81
13	76	76	77	79	79	91	91	89	88	82	85	81	83
14	78	78	79	82	83	92	93	91	90	85	85	82	85
15	79	79	81	82	85	93	94	92	92	86	87	82	86
16	78	81	82	84	86	94	95	93	93	87	88	84	87
17	79	80	82	85	87	94	96	94	94	87	88	84	88
18	80	81	84	85	88	96	96	94	94	89	88	83	88
19	80	81	85	85	90	96	96	95	94	88	88	84	89
20	81	81	85	87	90	96	97	95	95	88	88	83	89
21	80	82	85	87	90	96	96	95	95	89	89	83	89
22	80	82	86	84	86	94	94	93	93	89	89	83	88
23	79	80	80	77	79	91	88	88	88	83	86	82	83
MEAN	70	71	71	72	73	87	85	83	82	76	78	74	77

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KAGOSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft

MOST FREQUENT WIND DIRECTION (36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	33	34	34	10)	10	10	12 *	11	9	36	34	35 *	35)
01	35	32	35	11	10	11	12	15	10	10	34	35	35
02	35	32	34	11	10	11	24	13	9	10 *	34	33	11
03	33	32	33	11	11	10	23 *	18	11	9	33	32	33
04	33	32	33	33 *	16	11	26	18	10	9 *	34	32	32
05	33	32	33	11	19	10	20	18	10	10	32	33	33
06	32	32	33	19	19	10	25 *	21	10 *	10	33	33	33
07	32	33	33	33	19	10	26	19	11	10	32	32	33
08	33	32	33	10	19 *	9	26	19	11	9	32	33	33
09	33	32	33	10	26 *	10	24	9	10	10	32	33	33
10	33	33	31	9	28 *	10	27	27	12	9 *	35	32	33
11	34 *	32	32	10	11	10 *	25	13	10	9	33 *	32	32
12	33	33	33	10	12	12	26	9	9	34 *	1	33	33
13	34	33)	35 *	10)	11	11	10)	10	10	36	1	32	34)
14	34	34)	35)	35)	35	10	11 *	9	10	36	36	34	35)
15	35 *	33	35)	34)	1	10	10 *	9 *	36	1	1	33 *	1)
16	33	1	35)	35)	1	10	34	36 *	1	1	36	36	1)
17	34	34 *	36)	36)	36 *	34 *	1	34	36	36	1	32	36)
18	33	33	35)	36	35	35	1 *	34 *	36	36	1	34	36)
19	34 *	36 *	36	1	1	36	36	36	36	1	1 *	35	36
20	34	34 *	36	1	36	36	36	36	36 *	1	36	34	36
21	33	34	1	1	36	1 *	35 *	34	36	36 *	1	33	1
22	34	32	1	36	36	1	36	36	36	36	36 *	34	36
23	34	33	36	35 *	1	10	11	1	36	36 *	1	34	36
ALL	33	32)	33)	10)	11	10	24)	9	9	36	33	33	33)

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: KAGOSHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft****WIND SPEED (kt) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.3	6.9	6.3	6.2	5.4	5.4	5.5	5.5	4.7	5.5	5.7	7.1	5.9
01	7.2	7.7	6.6	7.4	6.3	5.9	6.1	6.0	5.4	5.6	6.0	7.6	6.5
02	7.6	8.2	7.1	7.9	7.0	6.2	6.5	6.4	5.7	6.1	6.7	8.3	7.0
03	8.7	8.6	8.0	8.3	7.1	6.5	7.0	7.0	6.2	6.9	7.4	9.0	7.5
04	9.1	9.2	8.6	9.0	7.5	6.9	7.5	7.6	6.5	7.2	7.5	9.3	8.0
05	9.5	9.8	9.4	9.3	8.0	7.1	7.9	7.8	6.9	7.4	7.7	9.0	8.3
06	9.5	9.8	9.6	9.6	8.3	7.1	8.2	8.0	6.9	7.6	7.7	9.2	8.5
07	9.3	9.8	9.9	9.6	8.5	7.1	7.7	8.1	7.0	7.5	7.0	8.9	8.4
08	8.3	9.4	9.6	9.3	8.0	6.8	7.5	7.6	6.8	7.1	6.1	7.7	7.9
09	7.4	8.1	8.0	8.4	7.3	6.2	7.1	6.7	6.0	6.4	5.6	6.9	7.0
10	6.9	7.5	6.8	6.9	6.2	5.8	5.9	5.8	5.3	6.0	5.6	6.8	6.3
11	6.6	7.1	6.2	6.1	5.4	5.5	5.2	5.3	5.2	5.7	5.5	6.7	5.9
12	6.5	6.8	5.8	5.6	4.9	5.3	4.9	4.7	4.7	5.5	5.1	6.6	5.5
13	6.3	6.6	5.5	5.0	4.4	4.8	4.5	4.2	4.3	5.3	4.9	6.3	5.2
14	6.1	6.4	5.4	5.0	4.3	4.5	4.2	4.0	4.0	5.1	4.9	6.0	5.0
15	6.0	6.1	5.5	5.2	4.3	4.5	4.2	4.2	3.9	5.2	5.1	6.0	5.0
16	6.1	6.6	5.4	5.3	4.4	4.4	3.9	4.1	3.7	5.4	5.1	6.0	5.0
17	6.1	6.2	5.4	5.3	4.6	4.3	4.2	4.1	4.0	5.2	5.0	6.1	5.0
18	5.9	6.1	5.3	5.0	4.3	4.3	4.1	4.2	4.0	5.3	5.3	6.3	5.0
19	5.7	6.1	5.6	5.3	4.3	4.4	4.2	4.1	4.0	5.4	5.1	6.4	5.0
20	5.9	6.2	5.6	5.2	4.3	4.7	4.1	4.0	4.2	5.3	5.1	6.2	5.1
21	6.2	6.4	5.6	5.3	4.4	4.4	4.4	4.1	4.3	5.4	4.9	6.4	5.2
22	6.1	6.3	5.4	5.0	4.6	4.7	4.4	4.4	4.1	5.4	5.0	6.4	5.2
23	6.2	6.7	5.7	5.4	4.9	5.1	5.1	4.9	4.5	5.4	5.3	7.0	5.5
MEAN	7.1	7.4	6.8	6.7	5.8	5.5	5.6	5.5	5.1	6.0	5.8	7.2	6.2

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: KAGOSHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	5.8	11.4	0.6	6.1	11.5	0.8	8.5	14.1	3.2	13.2	18.8	7.5
02	5.7	11.2	0.5	6.1	11.5	0.9	8.7	14.3	3.4	13.4	18.9	7.7
03	5.6	11.1	0.5	6.1	11.5	0.9	8.8	14.5	3.5	13.5	19.0	7.9
04	5.5	11.0	0.4	6.0	11.4	0.9	8.9	14.6	3.5	13.6	19.1	8.0
05	5.4	10.8	0.4	5.9	11.3	0.9	9.0	14.7	3.6	13.6	19.1	8.1
06	5.4	10.7	0.3	5.8	11.2	0.9	9.0	14.8	3.6	13.7	19.1	8.1
07	5.3	10.6	0.3	5.8	11.1	0.9	9.0	14.8	3.6	13.7	19.2	8.2
08	5.2	10.5	0.2	5.8	11.1	0.9	9.1	14.9	3.6	13.7	19.2	8.2
09	5.2	10.4	0.2	5.8	11.0	0.9	9.1	15.0	3.6	13.8	19.3	8.3
10	5.1	10.3	0.2	5.8	11.0	1.0	9.2	15.1	3.6	13.9	19.4	8.4
11	5.1	10.3	0.1	5.9	11.0	1.1	9.3	15.3	3.6	14.0	19.6	8.5
12	5.1	10.2	0.1	5.9	11.1	1.1	9.5	15.5	3.8	14.2	19.8	8.6
13	5.0	10.2	0.1	6.0	11.2	1.2	9.7	15.7	3.9	14.4	19.9	8.8
14	5.0	10.2	0.1	6.1	11.2	1.3	9.9	15.9	4.2	14.5	20.1	8.9
15	5.1	10.2	0.1	6.2	11.3	1.4	10.2	16.2	4.4	14.7	20.3	9.1
16	5.1	10.2	0.0	6.3	11.4	1.4	10.5	16.4	4.6	14.9	20.5	9.3
17	5.1	10.3	0.0	6.4	11.5	1.5	10.7	16.6	4.9	15.1	20.7	9.5
18	5.1	10.3	0.0	6.5	11.7	1.5	10.9	16.8	5.1	15.2	20.8	9.7
19	5.1	10.3	0.0	6.6	11.9	1.6	11.1	17.0	5.2	15.4	20.9	9.8
20	5.1	10.4	-0.1	6.7	12.0	1.7	11.2	17.1	5.4	15.5	21.0	9.9
21	5.1	10.4	-0.1	6.9	12.3	1.7	11.3	17.3	5.4	15.6	21.1	10.1
22	5.1	10.4	-0.1	7.0	12.5	1.9	11.4	17.4	5.5	15.7	21.2	10.2
23	5.2	10.5	-0.1	7.2	12.7	2.0	11.5	17.5	5.5	15.7	21.3	10.3
24	5.3	10.6	0.0	7.5	13.0	2.2	11.6	17.6	5.6	15.8	21.3	10.3
25	5.4	10.8	0.1	7.7	13.2	2.4	11.7	17.7	5.7	15.9	21.4	10.4
26	5.5	10.9	0.2	7.9	13.5	2.6	11.9	17.8	5.9	16.0	21.5	10.5
27	5.6	11.1	0.3	8.1	13.7	2.8	12.1	18.0	6.1	16.1	21.6	10.6
28	5.8	11.2	0.4	8.3	13.9	3.0	12.3	18.2	6.4	16.2	21.7	10.6
29	5.9	11.3	0.5	8.4	14.0	3.1	12.5	18.4	6.6	16.3	21.9	10.7
30	6.0	11.4	0.7				12.8	18.5	6.9	16.4	22.0	10.8
31	6.1	11.5	0.7				13.0	18.7	7.2			

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: KAGOSHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	16.6	22.2	10.9	20.5	25.2	16.1	23.0	26.5	20.3	26.4	31.2	22.8
02	16.7	22.4	11.0	20.5	25.2	16.3	23.3	26.8	20.5	26.4	31.2	22.8
03	16.9	22.6	11.1	20.6	25.2	16.5	23.5	27.1	20.7	26.4	31.2	22.8
04	17.0	22.8	11.2	20.7	25.1	16.6	23.8	27.4	20.9	26.4	31.2	22.8
05	17.2	23.0	11.3	20.7	25.1	16.8	24.1	27.7	21.2	26.4	31.3	22.7
06	17.4	23.2	11.4	20.8	25.2	17.0	24.3	28.0	21.4	26.4	31.3	22.7
07	17.5	23.3	11.5	21.0	25.2	17.2	24.5	28.2	21.5	26.4	31.3	22.7
08	17.7	23.5	11.7	21.1	25.2	17.4	24.7	28.5	21.7	26.4	31.4	22.7
09	17.8	23.6	11.8	21.2	25.3	17.6	24.9	28.7	21.8	26.4	31.4	22.6
10	18.0	23.7	12.0	21.4	25.3	17.8	25.1	29.0	21.9	26.4	31.4	22.6
11	18.1	23.8	12.2	21.5	25.4	18.0	25.2	29.2	22.0	26.4	31.5	22.6
12	18.2	23.9	12.3	21.6	25.4	18.2	25.3	29.4	22.0	26.3	31.5	22.6
13	18.4	24.0	12.5	21.7	25.4	18.4	25.4	29.6	22.0	26.3	31.5	22.6
14	18.5	24.1	12.7	21.8	25.4	18.6	25.5	29.8	22.0	26.3	31.5	22.6
15	18.6	24.2	12.9	21.9	25.4	18.8	25.5	30.0	22.0	26.3	31.4	22.6
16	18.7	24.3	13.2	22.0	25.4	18.9	25.6	30.1	22.0	26.3	31.4	22.6
17	18.9	24.4	13.4	22.0	25.4	19.1	25.6	30.3	22.0	26.3	31.4	22.6
18	19.0	24.5	13.6	22.0	25.4	19.2	25.7	30.4	22.0	26.2	31.3	22.6
19	19.1	24.6	13.8	22.0	25.3	19.3	25.7	30.6	22.0	26.2	31.2	22.5
20	19.3	24.8	14.0	22.1	25.3	19.4	25.8	30.7	22.0	26.1	31.0	22.5
21	19.4	24.9	14.2	22.1	25.3	19.5	25.9	30.8	22.1	26.0	30.9	22.4
22	19.6	25.0	14.4	22.1	25.3	19.5	25.9	30.9	22.1	25.9	30.7	22.3
23	19.7	25.1	14.6	22.1	25.3	19.6	26.0	31.0	22.2	25.8	30.5	22.2
24	19.8	25.2	14.8	22.1	25.3	19.6	26.1	31.0	22.3	25.6	30.2	22.0
25	20.0	25.3	15.0	22.1	25.4	19.6	26.2	31.1	22.4	25.4	30.0	21.9
26	20.1	25.4	15.1	22.2	25.4	19.7	26.2	31.1	22.5	25.2	29.7	21.7
27	20.2	25.4	15.3	22.3	25.6	19.7	26.3	31.2	22.6	25.0	29.5	21.5
28	20.3	25.4	15.5	22.4	25.8	19.8	26.3	31.2	22.6	24.8	29.3	21.3
29	20.3	25.4	15.7	22.6	26.0	20.0	26.4	31.2	22.7	24.6	29.1	21.2
30	20.4	25.4	15.8	22.8	26.2	20.1	26.4	31.2	22.7	24.4	28.9	21.0
31	20.4	25.3	16.0				26.4	31.2	22.8	24.3	28.8	20.9

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: KAGOSHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 31° 48.2'N, LONGITUDE: 130° 43.2'E, ELEVATION ABOVE MSL: 892 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	24.2	28.8	20.7	21.5	26.7	16.9	15.1	20.7	10.0	9.1	14.3	4.0
02	24.1	28.8	20.6	21.4	26.5	16.7	14.9	20.5	9.8	8.9	14.1	3.7
03	24.1	28.8	20.5	21.2	26.4	16.5	14.8	20.3	9.6	8.6	13.9	3.4
04	24.0	28.9	20.4	21.0	26.2	16.2	14.6	20.1	9.5	8.4	13.7	3.2
05	24.0	28.9	20.3	20.8	26.1	15.9	14.5	20.0	9.4	8.2	13.5	3.0
06	24.0	29.0	20.2	20.6	25.8	15.6	14.4	19.8	9.3	8.1	13.4	2.9
07	24.0	29.0	20.1	20.3	25.6	15.3	14.3	19.6	9.2	8.0	13.3	2.7
08	23.9	29.1	20.0	20.1	25.4	15.0	14.2	19.5	9.2	7.9	13.1	2.6
09	23.9	29.0	19.8	19.8	25.2	14.7	14.1	19.3	9.1	7.8	13.0	2.6
10	23.8	28.9	19.7	19.6	25.0	14.4	13.9	19.1	9.1	7.7	12.9	2.5
11	23.7	28.8	19.6	19.3	24.8	14.1	13.8	18.9	9.0	7.6	12.8	2.5
12	23.5	28.6	19.4	19.1	24.6	13.8	13.6	18.6	8.9	7.5	12.7	2.4
13	23.4	28.5	19.3	18.9	24.4	13.6	13.5	18.4	8.7	7.5	12.6	2.4
14	23.2	28.2	19.1	18.7	24.2	13.4	13.3	18.2	8.6	7.4	12.5	2.3
15	23.0	28.0	19.0	18.5	24.1	13.2	13.1	18.1	8.4	7.3	12.4	2.3
16	22.8	27.8	18.8	18.4	24.0	13.1	12.9	17.9	8.3	7.2	12.3	2.3
17	22.7	27.6	18.6	18.3	23.9	13.0	12.8	17.8	8.1	7.2	12.3	2.2
18	22.5	27.5	18.5	18.2	23.8	12.9	12.6	17.6	8.0	7.2	12.2	2.2
19	22.4	27.3	18.4	18.1	23.7	12.8	12.4	17.4	7.8	7.1	12.2	2.1
20	22.3	27.2	18.2	18.0	23.6	12.7	12.2	17.3	7.5	7.1	12.2	2.0
21	22.2	27.1	18.1	17.9	23.5	12.6	12.0	17.1	7.3	7.0	12.2	2.0
22	22.2	27.1	18.0	17.8	23.3	12.5	11.8	16.9	7.0	6.9	12.2	1.9
23	22.1	27.1	17.9	17.6	23.2	12.4	11.6	16.6	6.7	6.9	12.1	1.8
24	22.1	27.1	17.8	17.4	22.9	12.2	11.3	16.3	6.4	6.8	12.1	1.7
25	22.1	27.0	17.7	17.1	22.7	11.9	11.0	16.0	6.0	6.7	12.1	1.5
26	22.0	27.0	17.6	16.8	22.4	11.7	10.7	15.7	5.7	6.6	12.0	1.4
27	22.0	27.0	17.5	16.5	22.1	11.4	10.4	15.4	5.3	6.4	11.9	1.2
28	21.9	26.9	17.4	16.2	21.8	11.1	10.1	15.1	4.9	6.3	11.8	1.1
29	21.8	26.9	17.3	15.9	21.5	10.8	9.7	14.8	4.6	6.1	11.7	1.0
30	21.7	26.8	17.1	15.6	21.2	10.5	9.4	14.6	4.3	6.0	11.6	0.8
31				15.4	20.9	10.2				5.9	11.5	0.7