

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAZAKI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	<1800	<1500	<3200	<5000
	<100	-	<200	<500	<600	<600	<1000	<1500
00	-	-	-	1	1	1	3	3
01	-	-	-	-	-	-	2	3
02	-	-	-	-	-	-	1	2
03	-	-	-	-	-	-	1	2
04	-	-	-	-	-	-	-	1
05	-	-	-	-	-	-	-	2
06	-	-	-	-	-	-	2	5
07	-	-	-	-	-	-	3	5
08	-	-	-	-	-	-	2	5
09	-	-	-	-	-	-	1	4
10	-	-	-	-	-	-	1	4
11	-	-	-	-	-	-	1	3
12	-	-	-	-	-	-	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	1	1
23	-	1	1	1	1	1	2	3
MEAN	-	0	0	0	0	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAZAKI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	<1800	<1500	<3200	<5000
	<100	-	<200	<500	<600	<600	<1000	<1500
00	-	-	-	-	-	-	6	11
01	0)	0)	0)	0)	0)	-	4	11
02	0)	0)	0)	0)	1)	1	4	9
03	-	-	-	-	-	-	4	8
04	-	-	-	-	-	-	4	8
05	-	-	-	1	1	1	4	8
06	-	-	-	-	1	1	4	7
07	-	-	-	-	-	-	2	8
08	-	-	-	-	-	1	5	11
09	-	-	-	-	1	1	4	10
10	-	-	-	1	1	1	4	7
11	-	-	-	1	1	1	4	8
12	-	-	-	-	-	-	3	8
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	1	4	3	6	8
23	-	-	1	1	1	1	6	11
MEAN	0)	0)	0)	0)	1)	1	4	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAZAKI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	<1800	<1500	<3200	<5000
	<100	-	<200	<500	<600	<600	<1000	<1500
00	0)	0)	0)	0)	1)	1	4	8
01	-	-	-	-	-	1	5	9
02	-	-	-	-	-	-	4	8
03	-	-	-	-	-	-	4	8
04	-	-	-	-	-	-	3	7
05	0)	0)	0)	1)	1)	1	3	6
06	0)	0)	0)	0)	0)	-	5	6
07	-	-	-	-	-	-	3	6
08	-	-	-	-	-	-	5	8
09	-	-	-	1	2	2	3	10
10	-	-	-	-	2	2	4	6
11	-	-	-	-	1	1	3	5
12	-	-	-	-	1	1	3	6
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	1	6	8
23	0)	0)	0)	0)	1)	-	6	11
MEAN	0)	0)	0)	0)	1)	1	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAZAKI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	<1800	<1500	<3200	<5000
	<100	-	<200	<500	<600	<600	<1000	<1500
00	-	-	1	1	2	2	4	10
01	-	-	-	1	1	1	3	9
02	-	-	-	-	1	1	3	6
03	-	-	-	-	1	-	2	8
04	-	-	-	1	2	1	3	5
05	-	-	-	-	1	-	3	7
06	-	-	-	1	1	1	3	5
07	-	-	-	1	1	1	3	8
08	-	-	-	1	1	1	4	7
09	-	-	-	-	1	1	4	9
10	-	-	-	1	1	1	4	8
11	-	-	-	1	2	2	4	9
12	-	-	-	1	2	2	5	10
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	1	1	7	11
23	-	-	-	1	2	2	7	7
MEAN	-	-	0	1	1	1	4	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAZAKI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	<1800	<1500	<3200	<5000
	<100	-	<200	<500	<600	<600	<1000	<1500
00	-	-	-	-	1	1	6	8
01	0)	0)	0)	1)	1)	1	5	9
02	-	-	-	1	1	1	3	8
03	-	-	-	1	3	3	6	9
04	-	-	-	1	3	2	6	9
05	-	-	-	1	2	1	6	9
06	-	-	-	1	1	1	3	8
07	-	-	-	1	1	1	5	11
08	-	-	-	-	1	1	5	10
09	-	-	-	-	2	1	4	12
10	-	-	-	-	1	1	7	12
11	-	-	-	1	1	1	3	8
12	-	-	-	-	-	-	4	7
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	2	3	1	4	10
23	-	-	-	-	1	1	5	11
MEAN	0)	0)	0)	1)	2)	1	5	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAZAKI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	<1800	<1500	<3200	<5000
	<100	-	<200	<500	<600	<600	<1000	<1500
00	0)	0)	0)	1)	7)	6	17	30
01	0)	0)	0)	1)	5)	3	17	27
02	0)	0)	0)	1)	4)	3	21	29
03	-	-	1	4	6	4	15	29
04	-	-	-	3	7	5	17	27
05	0)	0)	0)	1)	5)	1	20	27
06	-	-	-	3	3	2	17	25
07	-	-	-	1	3	3	16	25
08	-	-	-	1	2	2	19	29
09	-	-	-	1	3	3	18	26
10	-	-	-	2	5	4	19	30
11	-	-	-	1	4	3	19	29
12	-	-	-	1	2	2	13	23
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1	5	7	6	23	31
23	0)	0)	0)	3)	8)	6	17	30
MEAN	0)	0)	0)	2)	5)	4	18	28

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAZAKI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	<1800	<1500	<3200	<5000
	<100	-	<200	<500	<600	<600	<1000	<1500
00	-	-	-	3	5	3	6	12
01	0)	0)	1)	3)	5)	1	7	10
02	0)	0)	1)	2)	3)	2	4	8
03	-	-	-	1	2	1	3	8
04	-	-	-	1	2	1	3	12
05	-	1	1	2	4	2	5	7
06	-	-	1	2	3	1	4	8
07	-	-	-	3	5	2	5	8
08	-	-	-	3	5	3	7	10
09	-	-	-	2	3	2	4	10
10	0)	0)	0)	1)	3)	2	5	8
11	-	-	-	1	2	2	4	7
12	-	1	1	2	3	1	5	9
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1	5	6	3	6	15
23	-	-	-	4	5	3	5	12
MEAN	0)	0)	0)	2)	3)	2	5	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAZAKI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	<1800	<1500	<3200	<5000
	<100	-	<200	<500	<600	<600	<1000	<1500
00	-	-	-	1	1	1	2	6
01	0)	0)	0)	0)	1)	1	1	5
02	-	-	-	1	2	1	2	6
03	-	-	-	1	1	-	1	4
04	-	-	-	1	1	-	1	3
05	-	-	-	1	2	-	3	5
06	-	-	-	-	-	-	1	3
07	-	-	1	1	1	-	1	4
08	-	-	-	-	1	-	1	4
09	-	-	-	-	-	-	1	3
10	-	-	-	-	-	-	1	1
11	-	-	-	1	1	1	1	2
12	-	-	-	-	-	-	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	1	1	6
23	-	-	-	4	6	1	6	11
MEAN	0)	0)	0)	1)	1)	0	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAZAKI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	<1800	<1500	<3200	<5000
	<100	-	<200	<500	<600	<600	<1000	<1500
00	0)	0)	0)	1)	1)	1	4	7
01	0)	0)	0)	0)	1)	-	1	7
02	-	-	-	1	2	1	3	8
03	-	-	-	3	4	-	5	11
04	-	-	-	1	2	-	3	5
05	-	1	1	2	3	-	4	9
06	-	-	1	1	1	-	2	5
07	-	-	-	1	2	-	2	5
08	-	-	-	1	1	-	2	6
09	-	-	-	-	1	-	4	5
10	-	-	-	1	1	-	5	7
11	-	-	-	-	-	-	-	6
12	-	-	-	-	-	-	1	7
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	3	3	2	6	11
23	0)	0)	0)	0)	1)	1	4	9
MEAN	0)	0)	0)	1)	2)	0	3	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAZAKI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	<1800	<1500	<3200	<5000
	<100	-	<200	<500	<600	<600	<1000	<1500
00	-	-	-	1	1	-	3	5
01	-	1	1	1	1	-	3	5
02	-	-	-	-	1	-	2	5
03	-	-	-	-	1	-	2	5
04	-	-	-	1	1	-	5	6
05	-	-	-	2	3	1	4	8
06	-	-	-	1	1	1	4	5
07	-	-	-	-	-	-	1	5
08	-	-	-	1	1	1	2	5
09	-	-	-	-	-	-	1	5
10	-	-	-	-	-	-	-	1
11	-	-	-	-	-	-	2	4
12	-	-	-	-	-	-	2	5
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	2	1	4	5
23	-	-	-	-	-	-	3	6
MEAN	-	0	0	0	1	0	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAZAKI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	<1800	<1500	<3200	<5000
	<100	-	<200	<500	<600	<600	<1000	<1500
00	-	-	-	-	1	-	3	5
01	0)	0)	0)	0)	0)	-	1	3
02	0)	0)	0)	1)	1)	1	2	3
03	-	-	-	1	1	-	1	3
04	-	-	-	-	1	1	1	4
05	0)	0)	0)	0)	1)	-	1	3
06	-	-	-	-	-	-	1	3
07	-	-	-	-	-	-	-	3
08	-	-	-	-	-	-	-	3
09	-	-	-	-	-	-	1	4
10	-	-	-	-	-	-	1	5
11	-	-	-	-	-	-	1	4
12	-	-	-	-	-	-	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	2	6
23	-	-	-	-	-	-	2	5
MEAN	0)	0)	0)	0)	0)	0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAZAKI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	<1800	<1500	<3200	<5000
	<100	-	<200	<500	<600	<600	<1000	<1500
00	0)	0)	0)	0)	0)	-	1	4
01	0)	0)	0)	0)	1)	1	3	3
02	0)	0)	0)	1)	1)	1	1	3
03	-	-	-	-	1	1	2	3
04	-	-	-	-	1	1	1	3
05	-	-	-	-	-	-	1	2
06	-	-	-	1	1	1	1	1
07	-	-	-	-	-	-	2	3
08	-	-	-	-	-	-	1	3
09	-	-	-	-	-	-	1	2
10	-	-	-	-	-	-	1	2
11	-	-	-	-	-	-	1	2
12	-	-	-	-	-	-	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	2	3
23	-	-	-	-	-	-	2	5
MEAN	0)	0)	0)	0)	0)	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAZAKI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	<1800	<1500	<3200	<5000
	<100	-	<200	<500	<600	<600	<1000	<1500
00	0)	0)	0)	1)	2)	1	5	9
01	0)	0)	0)	1)	1)	1	4	8
02	0)	0)	0)	1)	1)	1	4	8
03	-	-	0	1	2	1	4	8
04	-	-	-	1	2	1	4	7
05	0)	0)	0)	1)	2)	1	5	8
06	0)	0)	0)	1)	1)	1	4	7
07	-	-	0	1	1	1	4	7
08	-	-	-	0	1	1	4	8
09	-	-	-	0	1	1	4	8
10	0)	0)	0)	0)	1)	1	4	7
11	-	-	-	0	1	1	4	7
12	-	0	0	0	1	0	3	7
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	0	0	1	2	1	6	10
23	0)	0)	0)	1)	2)	1	5	10
MEAN	0)	0)	0)	1)	1)	1	4	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAZAKI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1400	<1500	<1600	<2000	<2400	<3200	<5000
00	-	1	1	1	1	1	3	3
01	-	-	-	-	-	-	2	3
02	-	-	-	-	-	-	1	2
03	-	-	-	-	-	-	1	1
04	-	-	-	-	-	-	-	1
05	-	-	-	-	-	-	-	1
06	-	-	-	-	-	-	1	3
07	-	-	-	-	-	-	1	3
08	-	-	-	-	-	1	1	3
09	-	-	-	-	-	-	1	3
10	-	-	-	-	-	-	1	3
11	-	-	-	-	-	-	1	3
12	-	-	-	-	-	-	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	1	1
23	1	1	1	1	1	1	2	3
MEAN	0	0	0	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAZAKI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1400	<1500	<1600	<2000	<2400	<3200	<5000
00	-	-	-	-	-	1	3	6
01	-	-	-	-	-	-	3	6
02	-	-	-	-	-	-	2	4
03	-	-	-	-	-	1	2	5
04	-	-	-	-	-	1	3	5
05	-	-	-	-	-	1	2	5
06	-	-	-	-	-	1	2	4
07	-	-	-	-	-	1	1	6
08	-	-	1	1	1	1	5	8
09	-	-	1	1	1	1	4	8
10	-	-	-	-	1	1	2	4
11	-	-	-	-	-	1	1	4
12	-	-	-	-	-	-	-	4
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	1	1	1	1	4	8
23	-	1	1	1	1	1	3	8
MEAN	0	0	0	0	0	1	2	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: MIYAZAKI AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1400	<1500	<1600	<2000	<2400	<3200	<5000
00	-	1	1	1	1	1	3	8
01	-	1	1	1	2	2	3	6
02	-	-	-	-	-	-	1	5
03	-	-	-	-	-	-	1	6
04	-	-	-	-	-	-	1	5
05	-	-	-	-	-	-	1	5
06	-	-	-	-	-	-	3	4
07	-	-	-	-	-	1	2	5
08	-	-	-	-	-	1	4	6
09	-	-	-	-	1	1	2	8
10	-	-	-	-	-	-	2	5
11	-	-	-	-	-	-	-	2
12	-	-	-	-	-	1	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	1	2	5	7
23	-	-	-	-	1	1	4	8
MEAN	-	0	0	0	0	1	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAZAKI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1400	<1500	<1600	<2000	<2400	<3200	<5000
00	-	1	1	1	1	1	4	7
01	-	-	-	-	-	1	3	7
02	-	-	-	-	-	1	3	5
03	-	-	-	-	-	-	1	7
04	-	-	-	-	-	-	1	5
05	-	-	-	-	-	1	2	7
06	-	-	-	-	-	1	3	5
07	-	-	-	-	-	-	1	6
08	-	-	-	-	-	-	2	6
09	-	-	-	-	-	1	2	6
10	-	-	-	-	-	-	1	6
11	-	-	-	-	-	-	1	5
12	-	-	-	-	-	1	1	6
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	1	5	8
23	-	1	1	2	2	2	4	6
MEAN	-	0	0	0	0	1	2	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: MIYAZAKI AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1400	<1500	<1600	<2000	<2400	<3200	<5000
00	-	-	-	-	-	-	3	5
01	-	-	-	-	-	1	2	6
02	-	-	-	-	-	2	2	5
03	-	1	1	1	1	1	5	8
04	-	-	-	-	1	1	4	7
05	-	-	-	-	-	-	2	5
06	-	-	-	-	-	1	1	6
07	-	-	-	-	-	-	2	6
08	-	-	-	-	-	1	2	8
09	-	-	-	-	1	1	1	10
10	-	-	-	-	-	1	4	9
11	-	-	-	-	-	-	1	5
12	-	-	-	-	-	-	1	6
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	2	4	8
23	-	-	-	-	-	1	3	5
MEAN	-	0	0	0	0	1	2	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAZAKI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1400	<1500	<1600	<2000	<2400	<3200	<5000
00	-	1	1	1	1	3	7	21
01	-	-	-	-	-	3	7	18
02	-	1	1	1	1	2	11	23
03	-	1	1	1	1	3	9	21
04	-	-	-	-	1	1	7	18
05	-	-	-	1	1	2	12	17
06	-	-	-	1	1	3	8	19
07	-	1	1	1	1	2	7	19
08	-	-	-	1	1	4	9	20
09	-	-	-	-	-	3	9	18
10	-	-	-	-	-	1	7	23
11	-	-	-	-	-	1	5	17
12	-	-	-	-	-	1	1	9
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1	1	1	4	11	23
23	-	-	-	1	1	3	9	21
MEAN	-	0	0	0	1	2	8	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAZAKI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1400	<1500	<1600	<2000	<2400	<3200	<5000
00	-	1	1	1	1	2	3	7
01	-	-	-	1	1	2	3	5
02	-	1	1	1	1	1	1	6
03	-	-	-	-	-	1	1	6
04	-	-	-	-	-	-	1	6
05	-	-	-	-	-	1	3	5
06	-	-	-	-	-	-	1	5
07	-	-	-	-	1	1	2	6
08	-	-	-	-	-	1	4	8
09	-	-	-	-	-	-	1	7
10	-	-	-	-	-	-	2	6
11	-	-	-	-	-	1	1	4
12	-	1	1	1	1	1	2	6
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	1	3	12
23	-	1	1	1	1	2	5	10
MEAN	-	0	0	0	0	1	2	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: MIYAZAKI AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1400	<1500	<1600	<2000	<2400	<3200	<5000
00	-	-	-	-	-	1	1	3
01	-	-	-	-	-	-	1	4
02	-	-	-	1	1	1	1	4
03	-	-	-	-	-	-	1	3
04	-	-	-	-	-	-	1	3
05	-	-	-	1	1	1	2	3
06	-	-	-	-	-	-	1	2
07	-	-	-	-	-	-	1	3
08	-	-	-	-	-	-	-	3
09	-	-	-	-	-	-	1	3
10	-	-	-	-	-	-	1	1
11	-	-	-	-	-	1	1	2
12	-	-	-	-	-	-	-	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	-	4
23	-	1	1	1	1	1	4	8
MEAN	-	0	0	0	0	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAZAKI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1400	<1500	<1600	<2000	<2400	<3200	<5000
00	-	1	1	1	1	1	2	3
01	-	-	-	-	-	1	1	4
02	-	1	1	1	1	1	1	7
03	-	-	-	-	-	1	5	9
04	-	-	-	-	-	1	1	3
05	-	-	-	-	-	1	3	6
06	-	-	-	-	-	-	2	3
07	-	-	-	-	-	1	2	3
08	-	-	-	-	-	-	1	5
09	-	-	-	-	-	1	3	5
10	-	-	-	-	-	1	3	5
11	-	-	-	-	-	-	-	4
12	-	-	-	-	-	-	-	4
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	4	9
23	-	-	-	-	-	1	3	7
MEAN	-	0	0	0	0	0	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: MIYAZAKI AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1400	<1500	<1600	<2000	<2400	<3200	<5000
00	-	-	-	1	1	1	3	3
01	-	-	-	-	-	1	3	5
02	-	-	-	-	-	-	1	4
03	-	-	-	-	-	-	1	4
04	-	-	-	-	-	1	3	6
05	-	-	-	-	-	1	4	6
06	-	-	-	-	-	-	4	5
07	-	-	-	-	-	-	1	5
08	-	1	1	1	1	1	1	5
09	-	-	-	-	1	1	1	4
10	-	-	-	-	-	-	-	1
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	-	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	1	3	5
23	-	-	-	-	-	-	3	6
MEAN	-	0	0	0	0	0	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAZAKI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1400	<1500	<1600	<2000	<2400	<3200	<5000
00	-	-	-	1	1	1	2	4
01	-	-	-	-	-	-	-	2
02	-	-	-	-	-	1	1	2
03	-	-	-	-	-	-	-	3
04	-	-	-	-	-	-	-	3
05	-	-	-	-	-	-	1	1
06	-	-	-	-	-	1	1	2
07	-	-	-	-	-	-	-	1
08	-	-	-	-	-	-	-	2
09	-	-	-	-	-	-	1	3
10	-	-	-	-	-	-	1	4
11	-	-	-	-	-	-	1	3
12	-	-	-	-	-	-	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	1	5
23	-	-	-	-	-	-	1	4
MEAN	-	-	-	0	0	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: MIYAZAKI AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1400	<1500	<1600	<2000	<2400	<3200	<5000
00	-	-	-	-	-	-	1	3
01	-	-	-	-	-	-	2	3
02	-	-	-	-	-	-	1	3
03	-	-	-	-	-	-	-	1
04	-	-	-	-	-	-	1	2
05	-	-	-	-	-	-	1	2
06	-	-	-	-	-	-	-	1
07	-	-	-	-	-	-	1	2
08	-	-	-	-	-	-	1	2
09	-	-	-	-	-	-	-	1
10	-	-	-	-	-	-	1	2
11	-	-	-	-	-	1	1	2
12	-	-	-	-	-	-	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	1	1	3
23	-	-	-	-	-	-	1	5
MEAN	-	-	-	-	-	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAZAKI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1400	<1500	<1600	<2000	<2400	<3200	<5000
00	-	0	0	0	0	1	3	6
01	-	0	0	0	0	1	3	6
02	-	0	0	0	0	1	2	6
03	-	0	0	0	0	0	2	6
04	-	-	-	-	0	0	2	5
05	-	-	-	0	0	1	3	5
06	-	-	-	0	0	0	2	5
07	-	0	0	0	0	0	2	5
08	-	0	0	0	0	1	2	6
09	-	-	0	0	0	1	2	6
10	-	-	-	-	0	0	2	6
11	-	-	-	-	-	0	1	4
12	-	0	0	0	0	0	1	4
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0	0	0	0	0	1	3	8
23	0	0	0	1	1	1	3	7
MEAN	0	0	0	0	0	1	2	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAZAKI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<700	<1000	<1500
00	-	-	-	-	-	1	1
01	-	-	-	-	1	1	1
02	-	-	-	-	-	-	1
03	-	-	-	-	-	-	1
04	-	-	-	-	-	-	1
05	-	-	-	-	-	-	1
06	-	-	-	-	-	1	2
07	-	-	-	-	-	2	3
08	-	-	-	-	-	1	2
09	-	-	-	-	-	1	2
10	-	-	-	-	-	1	2
11	-	-	-	-	1	1	2
12	-	-	-	-	-	1	2
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	1	1
23	-	1	1	1	1	1	1
MEAN	-	0	0	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAZAKI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<700	<1000	<1500
00	-	-	-	-	2	4	8
01	-	-	-	-	1	3	9
02	-	-	-	1	1	2	8
03	-	-	-	-	-	1	5
04	-	-	-	-	-	1	5
05	-	-	1	1	1	2	6
06	-	-	-	1	1	2	6
07	-	-	-	-	1	1	4
08	-	-	-	-	1	2	8
09	-	-	-	1	1	2	7
10	-	-	1	1	1	3	6
11	-	-	1	1	1	4	8
12	-	-	-	-	1	3	7
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	1	3	4	5	6
23	-	1	1	1	1	5	8
MEAN	-	0	0	1	1	3	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAZAKI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<700	<1000	<1500
00	-	-	-	1	2	3	5
01	-	-	-	-	2	4	6
02	-	-	-	-	1	4	6
03	-	-	-	-	1	4	6
04	-	-	-	-	1	3	5
05	-	-	1	1	1	2	3
06	-	-	-	-	-	3	4
07	-	-	-	-	-	2	4
08	-	-	-	-	1	3	5
09	-	-	1	2	2	3	5
10	-	-	-	2	2	3	4
11	-	-	-	1	1	3	4
12	-	-	-	1	1	2	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1	2	4	6
23	-	-	-	-	1	3	6
MEAN	-	-	0	0	1	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAZAKI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<700	<1000	<1500
00	-	-	1	2	2	2	6
01	-	-	1	1	1	2	4
02	-	-	-	1	1	3	3
03	-	-	-	-	-	1	3
04	-	-	-	1	1	2	3
05	-	-	-	-	1	3	4
06	-	-	1	1	1	2	3
07	-	-	1	1	1	3	6
08	-	-	1	1	1	3	5
09	-	-	-	1	1	3	6
10	-	-	1	1	1	3	6
11	-	-	1	2	3	4	7
12	-	-	1	2	2	5	9
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1	1	4	7
23	-	-	-	1	1	3	6
MEAN	-	-	0	1	1	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAZAKI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<700	<1000	<1500
00	-	-	-	1	1	5	7
01	-	-	-	1	1	4	6
02	-	-	1	1	1	3	5
03	-	-	1	2	2	4	6
04	-	-	1	2	3	5	7
05	-	-	1	1	3	5	6
06	-	-	1	1	2	3	6
07	-	-	1	1	2	4	8
08	-	-	-	1	2	4	6
09	-	-	-	1	3	4	8
10	-	-	-	1	1	4	7
11	-	-	1	1	1	3	6
12	-	-	-	-	1	4	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	1	2	6
23	-	-	-	1	1	4	8
MEAN	-	-	0	1	2	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAZAKI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<700	<1000	<1500
00	-	-	1	6	9	16	24
01	-	-	1	3	6	15	21
02	-	-	1	3	7	13	20
03	-	-	2	3	7	11	21
04	-	-	2	5	7	14	23
05	-	-	1	1	5	16	22
06	-	-	2	2	5	15	18
07	-	-	1	3	5	15	20
08	-	-	1	2	6	17	24
09	-	-	1	3	5	15	21
10	-	-	2	4	7	15	22
11	-	-	1	3	5	17	23
12	-	-	1	2	5	12	19
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	2	5	9	17	23
23	-	-	3	6	8	13	22
MEAN	-	-	2	4	6	15	22

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAZAKI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<700	<1000	<1500
00	-	-	2	2	2	4	5
01	-	-	1	1	3	6	8
02	-	-	2	2	2	4	6
03	-	-	1	1	1	3	4
04	-	-	1	1	1	3	8
05	-	-	2	2	2	3	5
06	-	-	1	1	1	3	5
07	-	-	2	2	3	3	5
08	-	-	2	3	3	5	7
09	-	-	2	2	3	3	7
10	-	-	1	2	3	4	5
11	-	-	1	2	3	3	6
12	-	-	1	1	1	5	8
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	3	3	3	6	8
23	-	-	2	2	3	3	6
MEAN	-	-	2	2	2	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAZAKI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<700	<1000	<1500
00	-	-	-	1	1	2	5
01	-	-	-	1	1	1	2
02	-	-	-	1	1	1	3
03	-	-	-	-	-	1	2
04	-	-	-	-	-	-	1
05	-	-	-	-	-	1	3
06	-	-	-	-	-	-	1
07	-	-	-	-	-	1	1
08	-	-	-	-	-	1	3
09	-	-	-	-	-	1	1
10	-	-	-	-	-	-	-
11	-	-	-	1	1	1	1
12	-	-	-	-	-	1	2
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	1	1	3
23	-	-	1	1	1	2	8
MEAN	-	-	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAZAKI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<700	<1000	<1500
00	-	-	-	-	-	3	5
01	-	-	-	-	-	1	5
02	-	-	-	-	-	2	2
03	-	-	-	-	-	1	6
04	-	-	-	-	-	3	3
05	-	-	-	-	-	2	5
06	-	-	-	-	-	1	5
07	-	-	-	-	-	1	3
08	-	-	-	-	-	1	2
09	-	-	-	-	1	3	3
10	-	-	-	-	1	2	5
11	-	-	-	-	-	-	5
12	-	-	-	-	-	1	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	2	2	3	3	4
23	-	-	-	1	1	2	4
MEAN	-	0	0	0	0	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAZAKI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<700	<1000	<1500
00	-	-	-	-	1	1	3
01	-	-	-	-	-	1	3
02	-	-	-	-	-	2	2
03	-	-	-	-	1	1	3
04	-	-	-	-	1	3	5
05	-	-	-	1	1	1	4
06	-	-	1	1	1	1	3
07	-	-	-	-	1	1	2
08	-	-	-	-	-	1	3
09	-	-	-	-	-	-	3
10	-	-	-	-	-	-	1
11	-	-	-	-	1	2	4
12	-	-	-	-	1	2	2
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1	1	3	5
23	-	-	-	-	1	2	5
MEAN	-	-	0	0	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAZAKI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<700	<1000	<1500
00	-	-	-	-	-	1	3
01	-	-	-	-	-	1	1
02	-	-	-	1	1	1	2
03	-	-	-	-	-	1	1
04	-	-	-	1	1	1	2
05	-	-	-	-	-	1	1
06	-	-	-	-	-	-	2
07	-	-	-	-	-	-	2
08	-	-	-	-	-	-	1
09	-	-	-	-	-	-	1
10	-	-	-	-	-	1	1
11	-	-	-	-	-	-	2
12	-	-	-	-	-	-	1
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	1	2
23	-	-	-	-	-	1	2
MEAN	-	-	-	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAZAKI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<700	<1000	<1500
00	-	-	-	-	-	-	3
01	-	-	-	1	1	1	3
02	-	-	1	1	1	1	3
03	-	-	-	1	1	2	3
04	-	-	-	1	1	1	2
05	-	-	-	-	1	1	1
06	-	-	1	1	1	1	1
07	-	-	-	-	1	1	1
08	-	-	-	-	1	1	1
09	-	-	-	-	-	1	1
10	-	-	-	-	-	-	-
11	-	-	-	-	-	-	1
12	-	-	-	-	-	-	1
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	1	2
23	-	-	-	-	1	1	3
MEAN	-	-	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAZAKI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<700	<1000	<1500
00	-	-	0	1	2	3	6
01	-	-	0	1	1	3	6
02	-	-	0	1	1	3	5
03	-	-	0	1	1	3	5
04	-	-	0	1	1	3	5
05	-	-	0	1	1	3	5
06	-	-	0	1	1	3	5
07	-	-	0	1	1	3	5
08	-	-	0	0	1	3	5
09	-	-	0	1	1	3	5
10	-	-	0	1	1	3	5
11	-	-	0	1	1	3	6
12	-	-	0	0	1	3	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	0	1	1	2	4	6
23	-	0	1	1	2	3	6
MEAN	-	0	0	1	1	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAZAKI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[35-36-01]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	1)	1)	0)	1)	0)	0)	0)	0)	0)	0)	0)	3)
[05-06-07]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[08-09-10]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[20-21-22]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[26-27-28]	5)	20)	14)	5)	1)	0)	0)	0)	0)	0)	0)	45)
[29-30-31]	7)	18)	2)	1)	0)	0)	0)	0)	0)	0)	0)	29)
[32-33-34]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
TOTAL	24)	49)	19)	7)	2)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAZAKI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	3	0	-	-	-	-	-	-	-	-	-	3
[35-36-01]	1	1	1	0	0	-	-	-	-	-	-	4
[02-03-04]	1	2	1	2	1	0	-	-	-	-	-	7
[05-06-07]	1	2	1	0	0	-	-	-	-	-	-	5
[08-09-10]	1	2	-	0	0	-	-	-	-	-	-	3
[11-12-13]	1	2	0	0	0	-	-	-	-	-	-	3
[14-15-16]	0	1	0	0	-	-	-	-	-	-	-	2
[17-18-19]	0	0	0	0	-	-	-	-	-	-	-	1
[20-21-22]	1	0	-	-	-	-	-	-	-	-	-	1
[23-24-25]	1	2	1	0	0	-	-	-	-	-	-	4
[26-27-28]	6	16	11	5	2	0	0	-	-	-	-	40
[29-30-31]	8	12	2	1	0	0	-	-	-	-	-	23
[32-33-34]	3	3	0	-	-	-	-	-	-	-	-	6
TOTAL	26	44	17	9	3	1	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAZAKI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	4	0	-	-	-	-	-	-	-	-	-	4
[35-36-01]	1	1	1	0	0	-	-	-	-	-	-	3
[02-03-04]	1	2	2	1	1	-	-	-	-	-	-	7
[05-06-07]	1	3	1	0	-	-	-	-	-	-	-	6
[08-09-10]	1	3	0	-	-	-	-	-	-	-	-	4
[11-12-13]	1	3	0	-	-	-	-	-	-	-	-	4
[14-15-16]	1	2	2	0	0	-	-	-	-	-	-	4
[17-18-19]	0	1	1	0	-	0	-	-	-	-	-	2
[20-21-22]	1	1	0	0	-	-	-	-	-	-	-	2
[23-24-25]	2	2	1	1	0	-	-	-	-	-	-	5
[26-27-28]	6	12	8	4	1	0	0	-	-	-	-	32
[29-30-31]	9	10	1	1	0	0	-	-	-	-	-	21
[32-33-34]	3	2	0	-	-	-	-	-	-	-	-	5
TOTAL	31	41	17	8	2	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAZAKI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	5	0	-	-	-	-	-	-	-	-	-	5
[35-36-01]	1	2	1	0	0	-	-	-	-	-	-	4
[02-03-04]	1	3	3	1	0	0	-	-	-	-	-	9
[05-06-07]	1	3	2	0	0	-	-	-	-	-	-	6
[08-09-10]	1	3	1	0	-	-	-	-	-	-	-	5
[11-12-13]	1	4	2	1	-	-	-	-	-	-	-	8
[14-15-16]	1	2	3	1	0	-	-	-	-	-	-	7
[17-18-19]	1	1	1	0	-	-	-	-	-	-	-	3
[20-21-22]	1	1	0	0	-	-	-	-	-	-	-	2
[23-24-25]	2	2	2	1	0	-	-	-	-	-	-	7
[26-27-28]	7	8	6	3	1	0	0	0	-	-	-	25
[29-30-31]	7	6	1	1	0	0	-	0	-	-	-	15
[32-33-34]	2	1	0	-	-	-	-	-	-	-	-	3
TOTAL	32	37	20	9	2	1	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAZAKI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	5	0	-	-	-	-	-	-	-	-	-	5
[35-36-01]	2	1	0	0	-	-	-	-	-	-	-	3
[02-03-04]	2	3	3	1	0	0	-	-	-	-	-	9
[05-06-07]	2	4	1	0	-	0	-	-	-	-	-	7
[08-09-10]	2	4	1	0	-	-	-	-	-	-	-	7
[11-12-13]	2	4	2	0	-	-	-	-	-	-	-	9
[14-15-16]	2	4	3	1	0	-	-	-	-	-	-	11
[17-18-19]	1	1	0	0	-	0	-	-	-	-	-	3
[20-21-22]	2	0	0	-	-	-	-	-	-	-	-	2
[23-24-25]	2	2	1	0	0	-	-	-	-	-	-	5
[26-27-28]	7	8	5	1	0	-	-	-	-	-	-	21
[29-30-31]	8	5	1	0	-	-	-	-	-	-	-	13
[32-33-34]	3	1	0	-	-	-	-	-	-	-	-	4
TOTAL	41	37	17	5	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAZAKI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	10	0	-	-	-	-	-	-	-	-	-	10
[35-36-01]	3	4	2	0	0	-	-	-	-	-	-	9
[02-03-04]	3	4	3	1	0	-	-	-	-	-	-	11
[05-06-07]	2	2	2	0	-	-	-	-	-	-	-	6
[08-09-10]	2	3	2	0	-	-	-	-	-	-	-	7
[11-12-13]	2	3	1	0	-	-	-	-	-	-	-	6
[14-15-16]	3	3	1	0	-	-	-	-	-	-	-	7
[17-18-19]	2	1	0	0	-	-	-	-	-	-	-	3
[20-21-22]	2	1	0	-	-	-	-	-	-	-	-	3
[23-24-25]	2	2	2	0	-	-	-	-	-	-	-	6
[26-27-28]	6	6	4	1	-	-	-	-	-	-	-	17
[29-30-31]	6	2	0	-	-	-	-	-	-	-	-	9
[32-33-34]	4	1	0	0	-	-	-	-	-	-	-	5
TOTAL	48	32	16	4	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAZAKI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	8	0	-	-	-	-	-	-	-	-	-	8
[35-36-01]	3	1	0	-	-	-	-	-	-	-	-	4
[02-03-04]	3	4	1	0	-	-	-	-	-	-	-	8
[05-06-07]	2	3	0	0	-	-	-	-	-	-	-	5
[08-09-10]	2	3	1	0	-	-	-	-	-	-	-	6
[11-12-13]	2	3	1	0	-	-	-	-	-	-	-	7
[14-15-16]	2	4	4	1	0	0	-	-	-	-	-	12
[17-18-19]	3	1	0	0	-	0	-	-	-	-	-	5
[20-21-22]	3	1	0	0	-	-	-	-	-	-	-	4
[23-24-25]	3	3	2	1	0	-	-	-	-	-	-	9
[26-27-28]	5	6	9	3	0	0	0	-	-	-	-	23
[29-30-31]	4	1	0	-	-	-	-	-	-	-	-	6
[32-33-34]	2	0	0	0	-	-	-	-	-	-	-	3
TOTAL	44	31	19	5	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAZAKI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	7	0	-	-	-	-	-	-	-	-	-	7
[35-36-01]	2	1	0	0	-	-	0	0	0	-	-	3
[02-03-04]	2	4	1	0	0	0	0	0	-	-	-	9
[05-06-07]	2	4	1	0	0	0	0	-	-	-	-	7
[08-09-10]	3	3	2	1	0	0	-	-	-	-	-	8
[11-12-13]	2	5	2	1	1	-	0	0	0	-	-	10
[14-15-16]	1	5	3	1	0	0	-	-	0	-	-	10
[17-18-19]	2	1	0	0	0	0	-	-	-	0	-	4
[20-21-22]	2	1	0	0	-	-	-	-	-	-	-	3
[23-24-25]	3	1	1	0	-	-	-	-	-	-	-	6
[26-27-28]	8	5	4	1	0	0	-	-	-	-	-	19
[29-30-31]	8	2	0	0	0	-	-	-	-	-	-	11
[32-33-34]	2	0	-	0	0	-	-	-	-	-	-	3
TOTAL	45	33	15	4	1	0	0	0	0	0	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAZAKI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	6	0	-	-	-	-	-	-	-	-	-	6
[35-36-01]	2	3	1	0	0	-	-	-	-	-	-	6
[02-03-04]	2	5	4	2	1	0	-	-	-	-	-	15
[05-06-07]	2	6	2	1	0	-	-	-	-	-	0	11
[08-09-10]	2	3	1	0	0	-	-	0	-	-	-	6
[11-12-13]	1	3	1	1	0	0	0	-	-	-	-	6
[14-15-16]	1	2	2	0	0	0	0	-	-	-	-	6
[17-18-19]	1	1	0	0	0	0	-	-	-	-	-	2
[20-21-22]	1	0	0	-	-	-	-	-	-	-	-	2
[23-24-25]	2	1	0	0	-	-	-	-	-	-	-	4
[26-27-28]	11	5	1	0	0	-	-	-	-	-	-	19
[29-30-31]	11	3	0	-	-	0	-	-	-	-	-	14
[32-33-34]	3	1	0	0	-	-	-	-	0	-	-	5
TOTAL	46	33	13	5	1	1	0	0	0	-	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAZAKI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[35-36-01]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[02-03-04]	2)	4)	5)	5)	2)	0)	0)	0)	0)	0)	0)	18)
[05-06-07]	2)	5)	3)	1)	0)	1)	0)	0)	0)	0)	0)	11)
[08-09-10]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[20-21-22]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	7)	11)	2)	1)	0)	0)	0)	0)	0)	0)	0)	21)
[29-30-31]	9)	12)	0)	0)	0)	0)	0)	0)	0)	0)	0)	21)
[32-33-34]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	32)	41)	15)	8)	3)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAZAKI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	4	0	-	-	-	-	-	-	-	-	-	4
[35-36-01]	1	1	0	0	-	-	-	-	-	-	-	3
[02-03-04]	2	3	3	1	0	-	-	-	-	-	-	8
[05-06-07]	2	1	0	0	0	-	-	-	-	-	-	4
[08-09-10]	1	1	0	-	-	-	-	-	-	-	-	2
[11-12-13]	1	1	0	0	0	-	-	-	-	-	-	2
[14-15-16]	0	0	-	0	-	-	-	-	-	-	-	1
[17-18-19]	0	0	-	-	-	-	-	-	-	-	-	0
[20-21-22]	1	0	-	-	-	-	-	-	-	-	-	1
[23-24-25]	2	2	1	0	-	-	-	-	-	-	-	5
[26-27-28]	9	18	8	2	0	-	-	-	-	-	-	37
[29-30-31]	10	16	2	1	0	-	-	-	-	-	-	29
[32-33-34]	3	1	0	-	-	-	-	-	-	-	-	5
TOTAL	36	45	14	4	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAZAKI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	2	0	-	-	-	-	-	-	-	-	-	3
[35-36-01]	1	0	0	0	0	-	-	-	-	-	-	2
[02-03-04]	1	1	0	0	0	-	-	-	-	-	-	3
[05-06-07]	2	1	-	-	-	-	-	-	-	-	-	3
[08-09-10]	1	0	0	-	-	-	-	-	-	-	-	2
[11-12-13]	1	0	0	0	0	-	-	-	-	-	-	1
[14-15-16]	0	0	0	0	-	-	-	-	-	-	-	1
[17-18-19]	0	0	0	0	0	0	-	-	-	-	-	1
[20-21-22]	1	0	0	-	-	-	-	-	-	-	-	1
[23-24-25]	2	3	1	0	0	-	-	-	-	-	-	6
[26-27-28]	6	21	14	4	1	0	0	-	-	-	-	47
[29-30-31]	6	17	3	2	0	-	-	-	-	-	-	28
[32-33-34]	2	2	0	-	-	-	-	-	-	-	-	4
TOTAL	24	48	19	7	2	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAZAKI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[35-36-01]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	2)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[05-06-07]	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[08-09-10]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[11-12-13]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[14-15-16]	1)	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[26-27-28]	7)	11)	7)	3)	1)	0)	0)	0)	0)	0)	0)	29)
[29-30-31]	8)	9)	1)	0)	0)	0)	0)	0)	0)	0)	0)	18)
[32-33-34]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
TOTAL	36)	39)	17)	6)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAZAKI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	24	62	14	1	-	-	-	-
01	-	-	-	-	6	64	28	3	-	-	-	-
02	-	-	-	-	1	45	50	4	-	-	-	-
03	-	-	-	-	1	30	61	8	-	-	-	-
04	-	-	-	-	1	25	60	14	1	-	-	-
05	-	-	-	-	1	21	62	16	1	-	-	-
06	-	-	-	-	1	18	66	15	1	-	-	-
07	-	-	-	-	1	23	61	15	-	-	-	-
08	-	-	-	-	2	37	53	8	-	-	-	-
09	-	-	-	1	5	52	38	5	-	-	-	-
10	-	-	-	1	12	53	32	3	-	-	-	-
11	-	-	-	1	16	54	27	2	-	-	-	-
12	-	-	-	1	23	53	22	1	-	-	-	-
13	-	-	-	1	27	55	16	1	-	-	-	-
14	0)	0)	0)	1)	29)	55)	13)	2)	0)	0)	0)	0)
15	0)	0)	0)	1)	36)	48)	13)	1)	0)	0)	0)	0)
16	-	-	-	1	39	47	12	1	-	-	-	-
17	-	-	-	1	41	46	10	1	-	-	-	-
18	-	-	-	2	46	40	11	1	-	-	-	-
19	-	-	-	5	48	36	10	1	-	-	-	-
20	-	-	-	4	54	32	10	1	-	-	-	-
21	-	-	-	7	52	30	10	1	-	-	-	-
22	-	-	-	9	50	30	10	1	-	-	-	-
23	-	-	-	4	48	37	11	1	-	-	-	-
MEAN	0)	0)	0)	2)	23)	41)	29)	4)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAZAKI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	13	62	19	6	-	-	-	-
01	-	-	-	-	6	50	35	10	-	-	-	-
02	-	-	-	-	4	36	47	11	3	-	-	-
03	-	-	-	-	1	29	54	14	2	-	-	-
04	-	-	-	-	1	24	57	16	2	-	-	-
05	-	-	-	-	-	23	60	14	3	-	-	-
06	-	-	-	-	1	22	61	13	4	-	-	-
07	-	-	-	-	1	22	61	13	3	-	-	-
08	-	-	-	-	1	32	54	13	1	-	-	-
09	-	-	-	-	6	35	50	9	1	-	-	-
10	-	-	-	1	6	48	36	8	1	-	-	-
11	-	-	-	1	8	54	29	9	-	-	-	-
12	-	-	-	1	11	55	27	6	1	-	-	-
13	-	-	-	1	20	51	25	3	1	-	-	-
14	-	-	-	1	22	52	24	1	-	-	-	-
15	-	-	-	1	29	47	20	2	1	-	-	-
16	-	-	-	1	31	48	18	2	-	-	-	-
17	-	-	-	1	33	46	17	1	1	-	-	-
18	-	-	-	1	38	42	17	2	-	-	-	-
19	-	-	-	2	40	39	17	1	-	-	-	-
20	-	-	-	3	39	39	16	2	-	-	-	-
21	-	-	-	3	44	35	16	2	-	-	-	-
22	-	-	-	3	46	33	13	4	-	-	-	-
23	-	-	-	1	29	49	16	6	-	-	-	-
MEAN	-	-	-	1	18	40	33	7	1	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: MIYAZAKI AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	1	25	46	25	4	-	-	-
01	-	-	-	-	-	11	45	39	5	-	-	-
02	-	-	-	-	-	8	43	40	8	-	-	-
03	-	-	-	-	-	5	40	43	12	1	-	-
04	-	-	-	-	-	3	37	46	11	2	-	-
05	-	-	-	-	-	3	35	46	14	1	-	-
06	-	-	-	-	-	4	35	49	11	1	-	-
07	-	-	-	-	-	4	39	48	8	1	-	-
08	-	-	-	-	-	3	43	46	8	-	-	-
09	-	-	-	-	-	8	46	44	3	-	-	-
10	-	-	-	-	1	10	51	37	1	-	-	-
11	-	-	-	-	1	17	46	35	1	-	-	-
12	-	-	-	-	1	25	41	32	1	-	-	-
13	-	-	-	-	1	28	45	25	1	-	-	-
14	-	-	-	-	3	33	43	21	-	-	-	-
15	-	-	-	-	3	37	43	17	1	-	-	-
16	-	-	-	-	6	39	38	17	-	-	-	-
17	-	-	-	-	7	41	37	14	1	-	-	-
18	-	-	-	-	9	40	36	14	1	-	-	-
19	-	-	-	-	12	39	35	14	-	-	-	-
20	-	-	-	-	15	37	35	12	-	-	-	-
21	-	-	-	-	17	37	34	10	1	-	-	-
22	-	-	-	-	16	37	35	10	2	-	-	-
23	-	-	-	-	4	39	39	15	2	-	-	-
MEAN	-	-	-	-	4	22	40	29	4	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAZAKI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	18	66	14	2	-	-
01	-	-	-	-	-	-	11	62	25	2	-	-
02	-	-	-	-	-	-	4	61	32	3	-	-
03	-	-	-	-	-	-	3	53	40	4	-	-
04	-	-	-	-	-	-	3	53	38	6	-	-
05	-	-	-	-	-	-	3	50	41	6	-	-
06	-	-	-	-	-	-	5	53	37	5	-	-
07	-	-	-	-	-	-	6	51	38	5	-	-
08	-	-	-	-	-	-	7	56	34	3	-	-
09	-	-	-	-	-	-	11	63	25	1	-	-
10	-	-	-	-	-	-	16	65	19	-	-	-
11	-	-	-	-	-	1	17	71	12	-	-	-
12	-	-	-	-	-	2	20	71	7	-	-	-
13	-	-	-	-	-	2	27	67	4	-	-	-
14	-	-	-	-	-	4	29	63	4	-	-	-
15	-	-	-	-	-	6	31	59	4	-	-	-
16	-	-	-	-	-	6	39	51	3	-	-	-
17	-	-	-	-	-	8	41	49	2	-	-	-
18	-	-	-	-	-	9	47	42	2	-	-	-
19	-	-	-	-	-	10	47	41	2	-	-	-
20	-	-	-	-	-	13	47	39	1	-	-	-
21	-	-	-	-	1	14	46	37	3	-	-	-
22	-	-	-	-	-	9	44	45	2	-	-	-
23	-	-	-	-	-	3	27	65	6	-	-	-
MEAN	-	-	-	-	0	4	23	55	17	2	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAZAKI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	21	75	5	-	-
01	-	-	-	-	-	-	-	16	75	9	-	-
02	-	-	-	-	-	-	-	12	73	15	1	-
03	-	-	-	-	-	-	-	10	73	15	1	-
04	-	-	-	-	-	-	-	10	72	17	1	-
05	-	-	-	-	-	-	-	10	71	17	2	-
06	-	-	-	-	-	-	-	9	71	19	1	-
07	-	-	-	-	-	-	-	10	70	18	1	-
08	-	-	-	-	-	-	-	13	74	12	2	-
09	-	-	-	-	-	-	-	14	79	6	1	-
10	-	-	-	-	-	-	-	21	75	5	-	-
11	-	-	-	-	-	-	1	27	70	2	-	-
12	-	-	-	-	-	-	2	34	63	2	-	-
13	-	-	-	-	-	-	3	43	54	1	-	-
14	-	-	-	-	-	-	4	50	45	1	-	-
15	-	-	-	-	-	-	4	57	39	-	-	-
16	-	-	-	-	-	-	6	61	33	-	-	-
17	-	-	-	-	-	-	10	61	29	-	-	-
18	-	-	-	-	-	-	11	60	29	-	-	-
19	-	-	-	-	-	-	14	61	26	-	-	-
20	-	-	-	-	-	1	17	59	23	-	-	-
21	-	-	-	-	-	1	16	59	24	-	-	-
22	-	-	-	-	-	-	5	60	35	-	-	-
23	-	-	-	-	-	-	3	33	63	2	-	-
MEAN	-	-	-	-	-	0	4	34	56	6	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAZAKI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	9	72	17	3	-
01	-	-	-	-	-	-	-	8	65	23	4	-
02	-	-	-	-	-	-	-	4	63	29	3	-
03	-	-	-	-	-	-	-	4	63	29	4	-
04	-	-	-	-	-	-	-	3	59	33	5	-
05	-	-	-	-	-	-	-	5	57	32	5	-
06	-	-	-	-	-	-	-	5	56	32	7	-
07	-	-	-	-	-	-	-	6	59	30	5	-
08	-	-	-	-	-	-	-	5	67	23	5	-
09	-	-	-	-	-	-	-	6	67	22	5	-
10	-	-	-	-	-	-	-	5	75	18	2	-
11	-	-	-	-	-	-	-	9	77	14	1	-
12	-	-	-	-	-	-	-	9	77	13	-	-
13	-	-	-	-	-	-	-	13	74	13	-	-
14	-	-	-	-	-	-	-	13	78	9	-	-
15	-	-	-	-	-	-	-	14	78	8	-	-
16	-	-	-	-	-	-	-	17	75	7	-	-
17	-	-	-	-	-	-	-	19	75	5	-	-
18	-	-	-	-	-	-	-	18	75	7	-	-
19	-	-	-	-	-	-	-	21	71	8	-	-
20	-	-	-	-	-	-	-	22	70	8	-	-
21	-	-	-	-	-	-	-	21	73	7	-	-
22	-	-	-	-	-	-	-	15	77	8	-	-
23	-	-	-	-	-	-	-	8	79	13	1	-
MEAN	-	-	-	-	-	-	-	11	70	17	2	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAZAKI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	14	64	22	-
01	-	-	-	-	-	-	-	-	13	64	23	-
02	-	-	-	-	-	-	-	-	10	61	28	1
03	-	-	-	-	-	-	-	-	10	59	30	2
04	-	-	-	-	-	-	-	1	8	55	32	5
05	-	-	-	-	-	-	-	1	7	52	35	5
06	-	-	-	-	-	-	-	1	6	52	35	5
07	-	-	-	-	-	-	-	1	8	59	28	5
08	-	-	-	-	-	-	-	1	10	62	24	3
09	-	-	-	-	-	-	-	1	10	66	22	1
10	-	-	-	-	-	-	-	1	13	68	17	-
11	-	-	-	-	-	-	-	1	14	76	9	-
12	-	-	-	-	-	-	-	1	19	77	3	-
13	-	-	-	-	-	-	-	1	20	76	3	-
14	-	-	-	-	-	-	-	2	20	78	-	-
15	-	-	-	-	-	-	-	2	22	76	-	-
16	-	-	-	-	-	-	-	1	30	69	-	-
17	-	-	-	-	-	-	-	2	33	65	-	-
18	-	-	-	-	-	-	-	2	36	62	-	-
19	-	-	-	-	-	-	-	2	44	54	-	-
20	-	-	-	-	-	-	-	2	45	54	-	-
21	-	-	-	-	-	-	-	2	42	56	-	-
22	-	-	-	-	-	-	-	2	24	73	1	-
23	-	-	-	-	-	-	-	2	15	72	11	-
MEAN	-	-	-	-	-	-	-	1	20	65	13	1

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAZAKI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	4	70	26	-
01	-	-	-	-	-	-	-	-	3	61	36	-
02	-	-	-	-	-	-	-	-	3	50	46	1
03	-	-	-	-	-	-	-	-	3	46	50	1
04	-	-	-	-	-	-	-	-	2	41	54	3
05	-	-	-	-	-	-	-	-	2	37	57	3
06	-	-	-	-	-	-	-	-	2	43	53	3
07	-	-	-	-	-	-	-	-	3	48	48	2
08	-	-	-	-	-	-	-	-	3	60	36	1
09	-	-	-	-	-	-	-	-	4	74	23	-
10	-	-	-	-	-	-	-	-	5	82	14	-
11	-	-	-	-	-	-	-	-	9	84	7	-
12	-	-	-	-	-	-	-	-	8	88	4	-
13	-	-	-	-	-	-	-	-	10	89	1	-
14	-	-	-	-	-	-	-	-	12	88	1	-
15	-	-	-	-	-	-	-	-	13	87	-	-
16	-	-	-	-	-	-	-	-	12	88	-	-
17	-	-	-	-	-	-	-	-	15	85	-	-
18	-	-	-	-	-	-	-	-	20	80	-	-
19	-	-	-	-	-	-	-	-	25	75	-	-
20	-	-	-	-	-	-	-	-	29	71	-	-
21	-	-	-	-	-	-	-	-	26	74	-	-
22	-	-	-	-	-	-	-	-	12	88	-	-
23	-	-	-	-	-	-	-	-	6	85	10	-
MEAN	-	-	-	-	-	-	-	-	9	71	19	1

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAZAKI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	3	32	65	-	-
01	-	-	-	-	-	-	-	2	23	73	2	-
02	-	-	-	-	-	-	-	1	18	78	3	-
03	-	-	-	-	-	-	-	-	16	80	4	-
04	-	-	-	-	-	-	-	-	15	80	5	-
05	-	-	-	-	-	-	-	-	16	79	5	-
06	-	-	-	-	-	-	-	-	16	79	5	-
07	-	-	-	-	-	-	-	-	17	80	3	-
08	-	-	-	-	-	-	-	1	20	78	1	-
09	-	-	-	-	-	-	-	2	27	71	-	-
10	-	-	-	-	-	-	-	1	35	63	-	-
11	-	-	-	-	-	-	-	2	40	58	-	-
12	-	-	-	-	-	-	-	2	45	53	-	-
13	-	-	-	-	-	-	-	3	53	44	-	-
14	-	-	-	-	-	-	-	5	63	33	-	-
15	-	-	-	-	-	-	-	8	65	27	-	-
16	-	-	-	-	-	-	-	8	69	23	-	-
17	-	-	-	-	-	-	-	10	71	19	-	-
18	-	-	-	-	-	-	-	11	73	16	-	-
19	-	-	-	-	-	-	-	13	73	14	-	-
20	-	-	-	-	-	-	-	15	73	13	-	-
21	-	-	-	-	-	-	-	18	73	9	-	-
22	-	-	-	-	-	-	-	15	72	13	-	-
23	-	-	-	-	-	-	-	5	51	43	-	-
MEAN	-	-	-	-	-	-	-	5	44	50	1	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAZAKI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	34	53	13	-	-
01	-	-	-	-	-	-	-	18	65	16	1	-
02	-	-	-	-	-	-	-	10	69	21	-	-
03	-	-	-	-	-	-	-	8	69	23	1	-
04	-	-	-	-	-	-	-	5	70	25	1	-
05	-	-	-	-	-	-	-	5	68	26	2	-
06	-	-	-	-	-	-	1	6	66	25	2	-
07	-	-	-	-	-	-	1	6	69	23	1	-
08	-	-	-	-	-	-	1	14	66	19	1	-
09	-	-	-	-	-	-	1	20	65	14	-	-
10	-	-	-	-	-	-	1	25	61	13	-	-
11	-	-	-	-	-	-	4	29	57	10	-	-
12	-	-	-	-	-	-	5	37	49	10	-	-
13	-	-	-	-	-	-	8	44	38	10	-	-
14	-	-	-	-	-	-	10	48	35	6	-	-
15	-	-	-	-	-	-	12	48	33	6	-	-
16	-	-	-	-	-	-	14	46	34	6	-	-
17	-	-	-	-	-	-	20	43	32	5	-	-
18	-	-	-	-	-	-	22	46	28	5	-	-
19	-	-	-	-	-	1	25	44	25	5	-	-
20	-	-	-	-	-	1	26	43	25	5	-	-
21	-	-	-	-	-	2	27	43	25	4	-	-
22	-	-	-	-	-	1	26	43	26	5	-	-
23	-	-	-	-	-	-	8	50	32	9	-	-
MEAN	-	-	-	-	-	0	9	30	48	13	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAZAKI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	8	35	51	7	-	-	-
01	-	-	-	-	-	1	26	60	13	-	-	-
02	-	-	-	-	-	-	19	53	27	1	-	-
03	-	-	-	-	-	-	11	53	35	1	-	-
04	-	-	-	-	-	-	10	53	36	1	-	-
05	-	-	-	-	-	-	9	55	34	2	-	-
06	-	-	-	-	-	-	10	55	34	1	-	-
07	-	-	-	-	-	-	15	53	32	1	-	-
08	-	-	-	-	-	1	25	45	29	-	-	-
09	-	-	-	-	-	4	29	46	21	-	-	-
10	-	-	-	-	-	6	38	43	13	-	-	-
11	-	-	-	-	-	11	37	43	9	-	-	-
12	-	-	-	-	-	13	41	42	5	-	-	-
13	-	-	-	-	1	17	41	38	4	-	-	-
14	-	-	-	-	-	20	42	35	3	-	-	-
15	-	-	-	-	1	21	43	33	3	-	-	-
16	-	-	-	-	1	21	42	33	3	-	-	-
17	-	-	-	-	2	21	43	31	2	-	-	-
18	-	-	-	-	2	25	41	30	2	-	-	-
19	-	-	-	-	3	24	41	29	2	-	-	-
20	-	-	-	-	5	25	40	27	3	-	-	-
21	-	-	-	-	4	29	37	28	3	-	-	-
22	-	-	-	-	3	27	41	26	3	-	-	-
23	-	-	-	-	1	16	52	27	5	-	-	-
MEAN	-	-	-	-	1	12	32	41	14	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAZAKI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	9	49	36	6	-	-	-	-
01	-	-	-	-	-	36	54	9	1	-	-	-
02	-	-	-	-	-	23	54	21	1	-	-	-
03	-	-	-	-	-	14	54	30	3	-	-	-
04	-	-	-	-	-	8	57	32	3	-	-	-
05	-	-	-	-	-	6	54	38	1	-	-	-
06	-	-	-	-	-	8	53	36	3	-	-	-
07	-	-	-	-	-	16	53	30	1	-	-	-
08	-	-	-	-	1	26	52	21	-	-	-	-
09	-	-	-	-	1	37	46	15	1	-	-	-
10	-	-	-	-	4	46	37	13	-	-	-	-
11	-	-	-	-	8	49	34	8	1	-	-	-
12	-	-	-	-	14	48	30	7	1	-	-	-
13	-	-	-	-	18	49	27	5	1	-	-	-
14	-	-	-	-	21	48	25	5	1	-	-	-
15	-	-	-	-	25	46	25	5	-	-	-	-
16	-	-	-	-	25	48	23	5	-	-	-	-
17	-	-	-	1	28	43	25	3	1	-	-	-
18	-	-	-	1	32	40	25	3	-	-	-	-
19	-	-	-	1	32	40	22	5	-	-	-	-
20	-	-	-	1	35	40	21	4	-	-	-	-
21	-	-	-	1	33	43	19	4	-	-	-	-
22	-	-	-	1	36	39	20	3	-	-	-	-
23	-	-	-	-	27	47	23	3	-	-	-	-
MEAN	-	-	-	0	14	35	36	13	1	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAZAKI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	4	17	14	18	23	20	4	-
01	-	-	-	-	1	13	16	19	24	21	6	-
02	-	-	-	-	0	9	18	18	26	22	7	0
03	-	-	-	-	0	6	19	19	27	22	8	0
04	-	-	-	-	0	5	19	19	26	22	8	1
05	-	-	-	-	0	4	19	20	26	21	9	1
06	-	-	-	-	0	4	19	20	26	21	9	1
07	-	-	-	-	0	5	19	19	26	22	7	1
08	-	-	-	-	0	8	19	19	26	21	6	0
09	-	-	-	0	1	11	18	19	25	21	4	0
10	-	-	-	0	2	13	18	18	25	21	3	-
11	-	-	-	0	3	15	16	20	24	21	1	-
12	-	-	-	0	4	16	15	20	23	20	1	-
13	-	-	-	0	6	17	16	20	22	20	0	-
14	0)	0)	0)	0)	6)	18)	16)	20)	22)	18)	0)	0)
15	0)	0)	0)	0)	8)	17)	16)	21)	21)	17)	0)	0)
16	-	-	-	0	8	17	16	20	22	16	-	-
17	-	-	-	0	9	17	17	20	22	15	-	-
18	-	-	-	0	10	16	17	19	22	14	-	-
19	-	-	-	1	11	16	18	19	22	13	-	-
20	-	-	-	1	12	16	18	19	22	13	-	-
21	-	-	-	1	12	16	17	19	22	13	-	-
22	-	-	-	1	12	15	16	19	21	16	0	-
23	-	-	-	0	9	16	15	18	22	19	2	-
MEAN	0)	0)	0)	0)	5)	13)	17)	19)	24)	19)	3)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAZAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	8.0	8.9	12.9	17.0	20.7	22.9	27.1	27.9	24.7	20.7	15.2	9.9	18.0
Daily maximum air temperature(°C)	13.1	13.7	17.6	21.3	24.6	25.9	30.8	31.6	28.2	24.9	19.8	14.9	22.2
Daily minimum air temperature(°C)	3.2	4.6	8.2	12.7	16.8	20.3	24.3	25.0	21.7	16.5	10.9	5.1	14.1
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	72.7	151.3	130.7	241.7	175.8	740.4	308.4	244.9	407.4	201.7	118.9	102.0	2895.9
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	996.2	1001.9	997.7	986.0	995.0	988.7	983.9	978.9	969.8	975.7	1003.6	996.2	969.8
Daily maximum air temperature(°C)	20.9	25.0	27.3	29.1	32.8	34.4	38.5	38.6	34.6	32.0	29.1	23.3	38.6
Daily minimum air temperature(°C)	-3.6	-3.5	0.1	4.4	9.4	15.1	18.1	20.1	15.8	8.6	1.7	-1.6	-3.6
Daily precipitation(mm)	56.0	75.0	57.5	129.0	78.0	195.0	229.0	252.5	191.0	133.5	87.5	151.5	252.5
Daily max.one-hour precipitation(mm)	38.0	16.5	12.0*	66.0	30.5	48.0	74.0	64.5	110.5	33.5	28.5	35.5	110.5
Daily max.ten-minute precipitation(mm)	15.5	5.5*	4.0	18.0	9.0	17.0	19.5	23.0	27.0	13.0	10.0	9.0	27.0
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)	-	-	-	-	-	-	×	-	-	-	-	-	×
Daily maximum wind speed(kt)	39	34	38	44	30	25	43	50	59	42	25 *	35	59
with wind direction(36DIR.)	28	27	28	28	16	2	15	16	5	2	28	17	5
Daily maximum peak gust(kt)	48	45	54	59	41	40	57	70	78	58	38	47	78
with wind direction(36DIR.)	27	28	27	28	17	30	16	17	1	36	29	16	1

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAZAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	4.8	2.2	-	-	-	-	-	-	-	-	-	0.8	7.8
25.0°C	-	-	-	-	-	0.4	11.2	17.8	1.0	-	-	-	30.4
Daily mean air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	-	-	-	-	0.2	3.8	26.6	29.8	15.6	3.2	-	-	79.2
Daily maximum air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	-	0.2	1.2	4.0	13.2	18.2	29.6	31.0	27.6	14.6	1.4	-	141.0
30.0°C	-	-	-	-	0.8	3.6	19.4	25.8	6.4	1.4	-	-	57.4
Daily precipitation 0.0mm	9.6	13.2	14.2	17.0	17.6	25.8	21.8	21.4	21.0	15.2	14.6	10.6	202.0
1.0mm	5.0	9.2	9.8	12.0	8.6	19.0	11.4	12.2	13.4	7.4	8.4	4.4	120.8
5.0mm	3.2	7.2	7.0	7.0	7.2	16.0	8.6	7.6	10.2	5.2	4.8	3.4	87.4
10.0mm	2.2	5.6	5.0	5.8	5.6	13.8	6.0	6.0	9.4	4.2	3.8	2.6	70.0
30.0mm	0.8	1.2	0.8	2.8	1.6	9.6	3.8	2.4	3.8	2.6	1.2	1.0	31.6
50.0mm	0.2	0.2	0.2	1.2	0.4	5.4	1.8	1.2	2.4	1.6	0.4	0.2	15.2
70.0mm	-	0.2	-	1.0	0.4	3.0	1.0	0.2	1.6	0.8	0.4	0.2	8.8
100.0mm	-	-	-	0.2	-	1.8	0.2	0.2	0.8	0.4	-	0.2	3.8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAZAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily max.depth of snow cover	0cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	5cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	10cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	20cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	50cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	100cm	-	-	-	-	-	-	-	-	-	-	-	-	-
Daily maximum wind speed	200cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	20kt	9.0	8.8	10.4	10.4	4.2	4.4	5.0	3.8	6.4	7.8	5.2	8.4	83.8
	30kt	0.6	1.0	0.4	1.4	0.2	-	0.4	1.0	1.2	1.0	-	0.4	7.6
	40kt	-	-	-	0.2	-	-	0.2	0.4	0.2	0.2	-	-	1.2
	50kt	-	-	-	-	-	-	-	0.2	0.2	-	-	-	0.4

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAZAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1021.5	1020.3	1018.2	1014.3	1011.5	1007.2	1008.7	1007.5	1011.5	1016.0	1019.1	1020.8	1014.7
01	1021.6	1020.3	1018.1	1014.3	1011.5	1007.2	1008.6	1007.5	1011.6	1015.8	1019.0	1020.9	1014.7
02	1021.1	1020.0	1017.7	1014.2	1011.3	1007.2	1008.5	1007.3	1011.4	1015.5	1018.5	1020.4	1014.4
03	1020.1	1019.3	1017.1	1013.7	1011.0	1006.9	1008.3	1007.0	1010.9	1014.9	1017.8	1019.4	1013.9
04	1019.1	1018.4	1016.4	1013.2	1010.5	1006.6	1008.0	1006.7	1010.4	1014.2	1017.0	1018.6	1013.3
05	1018.6	1017.8	1015.7	1012.7	1010.1	1006.3	1007.7	1006.4	1010.1	1013.7	1016.6	1018.2	1012.8
06	1018.5	1017.6	1015.4	1012.3	1009.7	1006.1	1007.4	1006.0	1009.8	1013.6	1016.6	1018.1	1012.6
07	1018.7	1017.7	1015.4	1012.1	1009.5	1005.9	1007.2	1005.9	1009.8	1013.7	1016.8	1018.4	1012.6
08	1019.1	1017.9	1015.6	1012.2	1009.5	1005.8	1007.2	1005.9	1010.0	1013.9	1017.1	1018.8	1012.7
09	1019.6	1018.5	1016.0	1012.5	1009.7	1005.9	1007.3	1006.1	1010.2	1014.2	1017.5	1019.2	1013.1
10	1020.1	1018.9	1016.5	1012.9	1010.1	1006.3	1007.7	1006.4	1010.5	1014.6	1018.0	1019.6	1013.5
11	1020.4	1019.3	1017.0	1013.4	1010.5	1006.5	1008.0	1006.9	1011.1	1015.1	1018.3	1019.9	1013.9
12	1020.6	1019.6	1017.5	1014.0	1011.0	1006.9	1008.4	1007.3	1011.4	1015.3	1018.4	1020.1	1014.2
13	1020.6	1019.7	1017.7	1014.2	1011.2	1007.2	1008.7	1007.5	1011.4	1015.5	1018.5	1020.2	1014.3
14	1020.6	1019.7	1017.7	1014.1	1011.2	1007.1	1008.6	1007.4	1011.3	1015.4	1018.5	1020.2	1014.3
15	1020.4	1019.5	1017.5	1013.9	1011.0	1006.8	1008.4	1007.3	1011.1	1015.2	1018.3	1020.1	1014.1
16	1020.2	1019.6	1017.5	1013.8	1010.7	1006.5	1008.1	1006.9	1010.7	1014.9	1018.2	1019.7	1013.9
17	1020.2	1019.5	1017.3	1013.5	1010.5	1006.2	1007.9	1006.7	1010.4	1014.8	1018.1	1019.7	1013.7
18	1020.1	1019.2	1017.0	1013.2	1010.4	1006.1	1007.8	1006.5	1010.2	1014.6	1017.9	1019.6	1013.5
19	1019.9	1019.0	1016.7	1013.1	1010.4	1006.2	1007.7	1006.5	1010.2	1014.5	1017.8	1019.4	1013.4
20	1019.9	1019.0	1016.9	1013.3	1010.5	1006.3	1007.9	1006.6	1010.3	1014.7	1017.7	1019.4	1013.6
21	1020.3	1019.3	1017.2	1013.6	1010.9	1006.6	1008.1	1006.9	1010.7	1015.0	1018.0	1019.7	1013.9
22	1020.7	1019.7	1017.6	1014.0	1011.2	1006.9	1008.4	1007.2	1011.1	1015.3	1018.4	1020.1	1014.2
23	1021.0	1020.1	1018.0	1014.2	1011.4	1007.1	1008.6	1007.4	1011.3	1015.8	1018.9	1020.5	1014.5
MEAN	1020.1	1019.2	1017.0	1013.5	1010.6	1006.6	1008.1	1006.8	1010.7	1014.8	1018.0	1019.6	1013.8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAZAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	7.1	8.5	12.7	17.5	21.6	23.3	27.8	28.8	25.5	21.3	15.3	9.5	18.2
01	8.9	10.0	14.1	18.5	22.3	23.7	28.3	29.3	26.2	22.5	16.8	11.3	19.3
02	10.4	11.0	15.0	19.1	22.6	24.0	28.6	29.7	26.6	23.1	17.9	12.5	20.1
03	11.3	11.7	15.6	19.5	22.9	24.1	28.8	29.9	26.8	23.5	18.4	13.3	20.5
04	11.8	12.1	16.1	19.7	23.0	24.2	29.1	30.0	27.0	23.7	18.7	13.7	20.7
05	12.1	12.4	16.3	19.8	23.1	24.2	29.2	30.0	27.0	23.8	18.8	13.8	20.9
06	12.0	12.4	16.3	19.7	23.1	24.3	29.2	30.0	27.0	23.7	18.7	13.7	20.8
07	11.7	12.1	16.0	19.6	23.0	24.2	29.0	29.7	26.6	23.5	18.2	13.2	20.6
08	10.8	11.5	15.5	19.2	22.7	24.0	28.6	29.3	26.2	22.9	17.3	12.1	20.0
09	9.6	10.6	14.7	18.6	22.2	23.7	28.2	28.8	25.6	22.1	16.4	11.0	19.3
10	8.7	9.9	14.0	17.8	21.5	23.3	27.6	28.2	25.2	21.6	15.6	10.2	18.7
11	8.0	9.2	13.3	17.3	21.0	22.9	27.0	27.8	25.0	21.0	14.9	9.6	18.1
12	7.4	8.5	12.7	16.8	20.6	22.7	26.7	27.5	24.6	20.4	14.5	9.1	17.6
13	7.0	8.0	12.2	16.2	20.0	22.4	26.4	27.2	24.2	19.9	14.1	8.7	17.2
14	6.6	7.6	11.7	15.8	19.6	22.2	26.2	26.9	23.8	19.3	13.7	8.3	16.8
15	6.3	7.3	11.3	15.5	19.2	22.0	25.9	26.6	23.4	19.0	13.3	8.1	16.5
16	6.0	7.0	10.8	15.1	18.7	21.8	25.6	26.4	23.3	18.9	13.1	7.9	16.2
17	5.7	6.7	10.5	14.8	18.5	21.6	25.4	26.2	23.1	18.5	12.9	7.7	16.0
18	5.5	6.6	10.2	14.5	18.2	21.5	25.3	26.0	22.8	18.2	12.7	7.5	15.7
19	5.2	6.4	10.0	14.2	18.0	21.4	25.1	25.8	22.6	18.0	12.5	7.3	15.6
20	5.0	6.2	9.6	13.9	17.8	21.3	25.0	25.6	22.5	17.8	12.3	7.1	15.4
21	4.8	6.2	9.4	13.8	17.9	21.4	25.2	25.6	22.3	17.6	12.3	7.0	15.3
22	4.6	6.1	9.7	14.6	18.9	22.0	26.1	26.6	22.9	17.9	12.3	6.9	15.7
23	5.3	7.0	11.1	16.1	20.4	22.7	27.1	27.8	24.1	19.5	13.5	7.7	16.9
MEAN	8.0	8.9	12.9	17.0	20.7	22.9	27.1	27.9	24.7	20.8	15.2	9.9	18.0

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAZAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.8	7.5	9.6	13.2	17.0	23.1	28.0	28.8	24.3	17.7	12.8	8.3	16.4
01	6.7	7.4	9.6	13.2	17.1	23.2	28.2	29.1	24.4	17.7	12.8	8.3	16.5
02	6.6	7.4	9.6	13.5	17.4	23.4	28.5	29.4	24.8	18.1	12.8	8.2	16.6
03	6.5	7.5	10.0	13.9	17.8	23.6	28.7	29.9	25.1	18.4	13.0	8.3	16.9
04	6.6	7.5	10.0	13.9	18.0	23.7	28.8	30.0	25.3	18.6	13.0	8.3	17.0
05	6.7	7.7	10.2	14.0	18.3	23.6	28.9	30.2	25.3	18.6	13.0	8.4	17.1
06	6.8	7.7	10.4	14.0	18.3	23.6	28.9	30.3	25.4	18.7	13.1	8.5	17.1
07	7.0	7.9	10.4	14.0	18.2	23.5	28.7	30.0	25.3	18.8	13.2	8.6	17.1
08	7.0	7.9	10.4	14.2	18.2	23.7	28.7	29.8	25.5	18.8	13.3	8.6	17.2
09	7.2	8.0	10.4	14.2	18.3	23.6	28.7	29.7	25.4	18.8	13.3	8.6	17.2
10	7.2	8.0	10.4	14.1	18.3	23.6	28.6	29.6	25.4	18.7	13.3	8.6	17.1
11	7.2	7.9	10.3	14.1	18.1	23.5	28.5	29.6	25.3	18.5	13.1	8.5	17.0
12	7.1	7.9	10.2	14.0	17.8	23.3	28.2	29.5	25.1	18.3	12.9	8.4	16.9
13	7.0	7.9	10.2	13.8	17.6	23.2	28.2	29.4	25.0	18.0	12.7	8.4	16.8
14	6.9	7.7	10.0	13.7	17.4	23.1	28.2	29.2	24.8	17.9	12.7	8.3	16.7
15	6.9	7.7	10.0	13.6	17.2	23.1	28.0	29.0	24.6	17.8	12.6	8.3	16.6
16	6.8	7.6	9.8	13.3	17.1	22.8	27.7	28.8	24.5	18.0	12.6	8.4	16.5
17	6.8	7.5	9.7	13.2	16.9	22.7	27.7	28.6	24.4	17.9	12.5	8.4	16.4
18	6.7	7.6	9.7	13.0	16.8	22.5	27.4	28.5	24.3	17.9	12.5	8.2	16.3
19	6.6	7.5	9.6	12.9	16.7	22.5	27.3	28.3	24.1	17.7	12.4	8.2	16.1
20	6.6	7.4	9.5	12.8	16.5	22.5	27.2	28.2	23.9	17.5	12.4	8.1	16.1
21	6.5	7.4	9.5	12.8	16.6	22.5	27.3	28.2	23.9	17.4	12.4	8.0	16.0
22	6.5	7.4	9.6	13.0	16.8	22.7	27.6	28.5	24.2	17.5	12.4	8.0	16.2
23	6.6	7.5	9.7	13.1	16.9	22.9	27.8	28.6	24.3	17.8	12.6	8.1	16.3
MEAN	6.8	7.6	9.9	13.5	17.5	23.2	28.2	29.2	24.8	18.1	12.8	8.4	16.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAZAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	65	64	62	64	66	81	76	73	75	68	71	67	70
01	57	58	57	61	64	80	74	72	72	64	64	60	65
02	51	54	55	60	64	79	74	71	71	63	60	55	63
03	48	52	55	61	64	79	73	71	71	62	59	52	63
04	47	52	54	60	64	79	73	71	71	63	59	51	62
05	47	52	54	60	65	79	72	72	71	62	58	51	62
06	48	53	55	61	66	79	72	72	71	63	60	53	63
07	49	54	56	61	65	78	73	73	73	64	61	55	64
08	53	57	58	63	67	80	74	74	75	66	65	58	66
09	58	60	60	66	69	81	76	76	77	69	69	63	69
10	61	63	62	68	71	83	78	78	79	71	72	66	71
11	65	65	64	70	72	84	80	79	80	73	75	68	73
12	66	68	67	71	73	85	81	80	81	75	76	70	74
13	67	69	68	73	74	85	82	82	82	76	76	71	75
14	68	71	70	74	76	86	83	82	84	78	78	72	77
15	69	71	71	75	77	87	84	83	85	79	79	73	78
16	70	72	72	75	78	87	85	84	85	80	80	75	79
17	70	73	73	76	79	87	85	84	86	81	81	75	79
18	71	73	73	76	79	87	85	85	86	83	81	75	80
19	71	74	74	77	80	88	86	85	87	83	82	76	80
20	72	74	75	78	80	88	86	86	87	83	82	76	81
21	73	74	76	78	80	88	85	86	88	83	82	76	81
22	74	74	75	75	76	86	82	82	86	83	82	77	79
23	72	71	69	69	70	83	78	77	80	76	78	74	75
MEAN	62	64	65	69	72	83	79	78	79	73	72	66	72

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAZAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	28	30	29	28	2	3	3	3	2	29	29	29	29
01	29	27	28	2	5	3	5 *	4	3	3	28	29	28
02	29	27	4	4	8	3	26	8	3	3	29 *	28	3
03	28	28	5	5	13	13	15	8 *	5	3	3	27	3
04	28	28	29	13	13	13	26	13	3	4 *	4	28	5
05	28	27	27 *	13	13	14	14 *	13	5	4	27	28	13
06	28	27 *	28 *	13	14	14 *	15 *	13	5	5	28	28	28
07	28	27	28	5	15	1	13	15 *	5	5	28	28	28
08	29	27	5 *	16	15	15 *	15	15 *	5	5	28	28	28
09	27	28	28 *	16	15	14	26	15	5	5	26	27	28
10	27	27	28	28	16	2	16	15	5	4	27	27 *	27
11	27	27	27	28	27	26	26	27	3	27	28	27 *	27
12	27	28	28	27	27	26	28	27	27	28	28	28	28
13	28	28	27	27	27	27	27	27 *	27	28	28	28	28
14	28	28	28	28	28	27	27	27	28 *	28)	28	28	28)
15	28)	28	28	28	28	28	27	28	28	28	29	28	28)
16	27	28	28 *	28	28	27	26	27	28	29	29	28	28
17	29	28	28 *	28	28	28	27	28	29	29	29	28	28
18	28	28	29	28	28	29	27	28	28	28	29	28	28
19	29	29	28	28	29	28 *	27	28	29	29	29	28	29
20	29	28	28	28	28	29	27	28	29	29	29	29	29
21	29	28	28	28	29	28	27	28	29	29	29	28	29
22	29	28	29 *	29	29	28	27	28	28	28	28	29	28
23	29	28	29	28	28	28	26	30	30	29	29	28 *	29 *
ALL	28)	28	28	28	28	28	26	27	28	29)	28	28	28)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAZAKI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	8.5	9.3	7.9	7.7	6.9	6.5	7.2	6.8	6.5	8.3	7.2	8.6	7.6
01	8.5	8.9	7.5	8.3	7.6	6.8	7.9	7.7	7.5	8.7	7.7	9.0	8.0
02	8.4	8.9	7.5	9.5	8.1	7.3	8.7	8.5	8.2	9.3	8.0	9.5	8.5
03	8.6	9.1	8.9	10.5	8.4	7.6	8.9	9.3	9.0	10.1	8.4	10.1	9.1
04	9.3	9.7	9.9	10.7	8.9	7.8	9.6	9.5	9.0	10.5	8.5	10.2	9.5
05	9.7	10.0	10.2	11.2	9.1	8.4	9.8	9.6	9.1	10.6	8.5	10.1	9.7
06	10.1	10.3	10.8	11.5	9.3	8.2	9.9	10.0	9.1	10.4	8.7	10.0	9.9
07	9.9	10.1	10.6	10.7	9.0	8.1	9.6	10.1	8.9	10.5	8.0	9.7	9.6
08	9.2	9.6	10.2	10.4	8.7	8.4	9.2	9.5	8.7	10.0	7.6	8.5	9.2
09	8.3	8.9	9.2	9.3	8.2	7.7	8.9	8.7	8.2	9.5	7.1	8.3	8.5
10	8.5	8.8	8.4	8.3	7.3	7.1	7.8	7.6	7.6	9.1	7.8	8.5	8.1
11	9.1	8.9	8.3	8.0	6.6	6.6	7.1	6.7	7.2	9.4	7.6	8.8	7.9
12	9.4	8.9	8.2	8.2	6.1	6.1	6.2	6.1	6.5	8.8	7.4	8.5	7.5
13	9.1	9.2	8.1	8.5	6.2	6.2	6.2	5.9	6.4	8.5	7.3	8.4	7.5
14	8.5	9.0	7.9	8.0	6.8	6.1	6.5	6.2	6.4	8.2	7.1	8.4	7.4
15	8.3	8.9	7.9	7.8	6.4	5.8	6.0	5.9	6.4	8.2	6.8	8.6	7.3
16	8.3	8.4	7.4	7.8	6.7	6.1	5.9	6.2	6.1	8.0	6.7	8.0	7.1
17	8.4	8.4	7.5	7.5	6.8	6.0	6.0	6.3	6.3	7.8	6.7	8.0	7.1
18	8.4	8.6	7.7	7.6	6.6	5.8	5.9	6.2	6.3	7.5	6.6	8.2	7.1
19	8.2	8.1	7.7	7.6	6.6	5.9	5.8	6.3	6.3	7.6	6.6	8.3	7.1
20	7.5	8.1	7.3	7.5	6.8	5.6	5.7	6.2	6.0	7.8	6.6	7.7	6.9
21	7.5	8.2	7.5	7.6	6.4	5.9	5.5	5.8	5.8	7.6	6.8	8.0	6.9
22	7.6	8.5	7.5	7.5	6.8	6.3	5.9	6.2	6.1	7.9	6.7	7.7	7.1
23	8.0	8.6	8.0	8.1	7.1	6.4	6.6	6.4	6.4	8.0	7.2	8.2	7.4
MEAN	8.6	9.0	8.4	8.7	7.4	6.8	7.4	7.4	7.2	8.8	7.4	8.7	8.0

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAZAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	8.5	13.7	3.5	8.7	13.7	3.8	10.9	15.5	6.7	15.6	20.2	11.0
02	8.4	13.6	3.5	8.7	13.6	3.8	11.1	15.7	6.9	15.8	20.4	11.2
03	8.3	13.5	3.4	8.6	13.6	3.8	11.2	15.8	7.0	15.9	20.5	11.4
04	8.3	13.5	3.4	8.6	13.5	3.8	11.3	15.9	7.0	16.0	20.6	11.5
05	8.2	13.4	3.4	8.5	13.3	3.8	11.4	16.0	7.1	16.1	20.6	11.6
06	8.2	13.3	3.4	8.4	13.2	3.8	11.5	16.1	7.0	16.1	20.7	11.7
07	8.1	13.2	3.4	8.3	13.1	3.7	11.5	16.3	7.0	16.1	20.7	11.7
08	8.0	13.1	3.3	8.3	13.0	3.8	11.6	16.4	7.0	16.2	20.7	11.8
09	8.0	13.0	3.3	8.3	12.9	3.8	11.7	16.5	7.0	16.2	20.7	11.8
10	7.9	12.9	3.2	8.3	12.9	3.8	11.8	16.6	7.0	16.2	20.8	11.9
11	7.9	12.9	3.2	8.3	12.9	3.9	11.9	16.8	7.1	16.3	20.8	11.9
12	7.8	12.8	3.1	8.3	12.9	3.9	12.0	16.9	7.2	16.4	20.9	12.0
13	7.8	12.7	3.1	8.4	13.0	4.0	12.3	17.1	7.4	16.6	21.1	12.2
14	7.8	12.7	3.0	8.5	13.1	4.1	12.5	17.4	7.6	16.7	21.2	12.3
15	7.7	12.7	2.9	8.5	13.1	4.2	12.7	17.6	7.9	16.8	21.3	12.5
16	7.7	12.6	2.9	8.6	13.3	4.3	13.0	17.8	8.1	17.0	21.4	12.7
17	7.7	12.6	2.9	8.7	13.4	4.4	13.2	18.0	8.4	17.1	21.5	12.8
18	7.7	12.6	2.8	8.8	13.5	4.6	13.4	18.1	8.6	17.3	21.6	13.0
19	7.7	12.7	2.8	9.0	13.7	4.7	13.6	18.3	8.8	17.4	21.7	13.1
20	7.7	12.7	2.8	9.1	13.9	4.9	13.7	18.4	8.9	17.4	21.8	13.2
21	7.7	12.7	2.8	9.3	14.0	5.0	13.8	18.6	9.0	17.5	21.8	13.3
22	7.8	12.8	2.8	9.5	14.2	5.2	13.9	18.6	9.1	17.6	21.8	13.4
23	7.8	12.9	2.9	9.7	14.4	5.4	14.0	18.7	9.1	17.7	21.8	13.5
24	7.9	13.0	2.9	9.9	14.6	5.7	14.1	18.8	9.2	17.8	21.9	13.6
25	8.0	13.1	3.0	10.1	14.8	5.9	14.2	18.9	9.3	17.9	22.0	13.6
26	8.1	13.3	3.1	10.3	15.0	6.1	14.3	19.1	9.4	18.0	22.0	13.8
27	8.2	13.4	3.2	10.6	15.2	6.4	14.5	19.2	9.6	18.1	22.2	13.9
28	8.4	13.5	3.4	10.7	15.4	6.5	14.7	19.4	9.9	18.2	22.3	14.0
29	8.5	13.6	3.5	10.8	15.5	6.6	14.9	19.6	10.1	18.4	22.5	14.2
30	8.6	13.7	3.6				15.1	19.8	10.4	18.6	22.7	14.3
31	8.6	13.7	3.7				15.4	20.0	10.7			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAZAKI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	18.7	22.9	14.5	21.9	25.1	18.7	24.5	27.8	21.8	28.4	32.0	25.5
02	18.9	23.1	14.6	21.9	25.0	18.8	24.8	28.1	22.0	28.3	32.0	25.5
03	19.1	23.3	14.8	21.9	25.0	19.0	25.0	28.4	22.2	28.3	31.9	25.5
04	19.2	23.4	15.0	22.0	25.1	19.1	25.3	28.6	22.5	28.3	31.9	25.5
05	19.4	23.6	15.1	22.1	25.1	19.2	25.5	28.9	22.7	28.3	31.8	25.5
06	19.5	23.7	15.3	22.1	25.2	19.4	25.7	29.1	22.9	28.2	31.8	25.4
07	19.6	23.8	15.4	22.3	25.4	19.6	26.0	29.4	23.2	28.2	31.8	25.4
08	19.8	23.9	15.6	22.4	25.5	19.8	26.2	29.6	23.4	28.2	31.8	25.4
09	19.9	24.0	15.7	22.6	25.7	19.9	26.4	29.8	23.6	28.3	31.8	25.4
10	20.0	24.0	15.9	22.7	25.9	20.1	26.6	30.0	23.7	28.3	31.8	25.4
11	20.1	24.1	16.1	22.9	26.0	20.3	26.7	30.2	23.9	28.3	31.8	25.4
12	20.2	24.2	16.2	23.0	26.1	20.5	26.9	30.4	24.0	28.3	31.8	25.4
13	20.3	24.3	16.4	23.1	26.3	20.6	27.0	30.6	24.1	28.3	31.8	25.4
14	20.4	24.4	16.5	23.2	26.3	20.7	27.1	30.7	24.2	28.3	31.8	25.4
15	20.5	24.5	16.7	23.3	26.4	20.8	27.2	30.8	24.3	28.2	31.8	25.4
16	20.6	24.5	16.9	23.4	26.5	20.9	27.3	30.9	24.4	28.2	31.8	25.4
17	20.7	24.6	17.0	23.4	26.5	21.0	27.3	31.0	24.5	28.2	31.8	25.3
18	20.8	24.7	17.1	23.4	26.4	21.0	27.4	31.1	24.5	28.1	31.7	25.2
19	21.0	24.8	17.3	23.5	26.4	21.0	27.5	31.2	24.6	28.1	31.7	25.2
20	21.1	24.9	17.4	23.5	26.4	21.0	27.6	31.3	24.7	28.0	31.7	25.1
21	21.2	25.0	17.5	23.4	26.4	21.0	27.6	31.4	24.8	27.9	31.6	25.0
22	21.3	25.0	17.6	23.4	26.4	21.0	27.7	31.5	24.9	27.8	31.5	24.9
23	21.4	25.1	17.8	23.5	26.4	21.0	27.8	31.6	25.0	27.7	31.4	24.7
24	21.5	25.1	17.9	23.5	26.5	21.0	28.0	31.7	25.1	27.6	31.2	24.6
25	21.6	25.2	18.0	23.5	26.5	21.1	28.1	31.9	25.2	27.4	31.1	24.4
26	21.7	25.2	18.1	23.6	26.7	21.1	28.2	32.0	25.3	27.2	30.9	24.3
27	21.7	25.2	18.3	23.7	26.8	21.2	28.2	32.0	25.4	27.1	30.7	24.1
28	21.8	25.2	18.4	23.9	27.0	21.3	28.3	32.1	25.4	26.9	30.5	23.9
29	21.8	25.2	18.5	24.1	27.3	21.4	28.3	32.1	25.5	26.7	30.3	23.7
30	21.8	25.1	18.6	24.3	27.5	21.6	28.4	32.1	25.5	26.5	30.1	23.6
31	21.9	25.1	18.7				28.4	32.0	25.5	26.3	29.9	23.4

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAZAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 31° 52.6'N, LONGITUDE: 131° 26.9'E, ELEVATION ABOVE MSL: 19 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	26.2	29.8	23.3	23.5	27.1	20.0	17.5	22.1	12.9	11.7	16.6	7.1
02	26.0	29.6	23.2	23.3	27.0	19.8	17.3	22.0	12.8	11.5	16.4	6.9
03	25.9	29.5	23.0	23.2	26.9	19.6	17.2	21.8	12.6	11.3	16.3	6.6
04	25.8	29.4	23.0	23.0	26.7	19.3	17.1	21.7	12.5	11.1	16.1	6.4
05	25.8	29.3	22.9	22.9	26.6	19.1	17.0	21.6	12.4	11.0	16.0	6.2
06	25.7	29.3	22.8	22.7	26.4	18.8	16.9	21.5	12.4	10.8	15.9	6.0
07	25.7	29.2	22.7	22.5	26.3	18.5	16.8	21.4	12.3	10.7	15.8	5.9
08	25.6	29.2	22.6	22.2	26.1	18.3	16.7	21.3	12.2	10.6	15.7	5.8
09	25.5	29.1	22.5	22.0	25.9	17.9	16.5	21.2	12.2	10.5	15.6	5.6
10	25.5	29.0	22.4	21.7	25.7	17.6	16.4	21.0	12.1	10.4	15.5	5.6
11	25.4	28.9	22.3	21.5	25.5	17.3	16.3	20.9	12.0	10.3	15.3	5.5
12	25.3	28.8	22.2	21.3	25.3	17.0	16.1	20.7	11.8	10.2	15.2	5.4
13	25.1	28.7	22.0	21.0	25.1	16.8	15.9	20.5	11.7	10.1	15.1	5.4
14	25.0	28.5	21.9	20.8	24.9	16.5	15.7	20.3	11.5	10.0	15.0	5.3
15	24.9	28.4	21.7	20.6	24.7	16.3	15.5	20.1	11.4	9.9	14.8	5.2
16	24.7	28.2	21.5	20.4	24.6	16.1	15.4	19.9	11.2	9.8	14.7	5.2
17	24.6	28.1	21.4	20.3	24.5	16.0	15.2	19.7	11.1	9.7	14.6	5.1
18	24.4	27.9	21.2	20.1	24.4	15.8	15.0	19.5	10.9	9.7	14.6	5.1
19	24.3	27.8	21.1	20.0	24.3	15.7	14.8	19.4	10.8	9.6	14.5	5.0
20	24.2	27.7	21.0	19.9	24.2	15.6	14.7	19.2	10.6	9.5	14.4	4.9
21	24.1	27.6	20.9	19.8	24.1	15.4	14.5	19.0	10.4	9.5	14.4	4.8
22	24.1	27.5	20.8	19.6	24.0	15.3	14.3	18.8	10.1	9.4	14.4	4.7
23	24.0	27.5	20.7	19.5	23.8	15.1	14.0	18.5	9.9	9.3	14.3	4.6
24	24.0	27.4	20.7	19.3	23.7	14.9	13.8	18.3	9.6	9.3	14.3	4.5
25	23.9	27.4	20.6	19.1	23.5	14.7	13.5	18.0	9.2	9.2	14.2	4.4
26	23.9	27.3	20.5	18.9	23.3	14.5	13.2	17.8	8.9	9.1	14.2	4.3
27	23.8	27.3	20.5	18.6	23.1	14.2	12.9	17.5	8.5	9.0	14.1	4.1
28	23.8	27.3	20.4	18.4	22.9	13.9	12.6	17.3	8.1	8.8	14.0	4.0
29	23.7	27.2	20.2	18.2	22.7	13.7	12.3	17.0	7.8	8.7	13.9	3.8
30	23.6	27.2	20.1	17.9	22.5	13.4	12.0	16.8	7.5	8.6	13.9	3.7
31				17.7	22.3	13.2				8.5	13.8	3.6