

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OITA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	0)	0)	0)	0)	0)	-	3	3
01	0)	0)	0)	0)	1)	-	2	3
02	0)	0)	0)	0)	0)	1	3	4
03	0)	0)	0)	0)	1)	1	3	4
04	0)	0)	1)	1)	2)	2	3	3
05	0)	0)	0)	0)	1)	-	1	1
06	-	-	-	-	-	-	-	1
07	-	-	-	-	-	-	1	2
08	-	-	-	-	1	-	3	5
09	-	-	-	-	-	-	-	2
10	-	-	-	-	-	-	1	3
11	-	-	-	-	-	-	-	2
12	-	-	-	-	-	-	1	4
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	1	-	3	4
23	-	-	-	1	1	1	3	4
MEAN	0)	0)	0)	0)	1)	0)	2)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OITA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	1	1	1	2	1	4	6
01	-	1	1	1	3	1	4	6
02	1	1	1	1	4	1	5	7
03	1	1	1	1	3	1	5	8
04	-	-	1	1	4	1	5	7
05	-	1	1	1	2	1	4	6
06	-	-	-	-	1	-	2	5
07	-	-	-	1	2	1	3	7
08	-	-	-	1	3	1	3	6
09	-	-	-	-	1	-	3	6
10	-	-	-	-	4	1	5	7
11	-	-	-	1	3	1	4	8
12	1	1	1	1	5	1	6	8
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	2	-	3	8
23	-	-	-	-	2	-	3	8
MEAN	0)	0)	0)	1)	3)	1)	4)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OITA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	1	1	1	3	1	4	6
01	-	-	1	1	3	1	4	5
02	0)	0)	1)	1)	3)	1	3	5
03	0)	0)	1)	1)	2)	1	3	5
04	-	-	-	1	3	1	3	6
05	-	-	2	2	4	2	5	6
06	0)	0)	1)	3)	6)	3	6	7
07	-	-	1	2	5	2	5	7
08	-	-	1	1	4	1	4	7
09	-	-	1	1	4	1	5	6
10	-	-	1	1	3	1	5	7
11	-	-	1	1	5	1	5	6
12	-	-	-	1	5	1	6	9
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1	3	5	3	6	10
23	-	1	1	1	5	2	5	8
MEAN	0)	0)	1)	1)	4)	1)	4)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OITA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	-	1	6	1	7	10
01	-	-	-	1	5	1	6	10
02	-	-	1	2	5	2	6	11
03	-	-	1	3	4	3	6	9
04	-	-	-	1	4	2	5	7
05	-	-	1	2	5	2	5	10
06	-	-	1	1	4	1	5	9
07	-	-	1	2	4	3	5	8
08	-	-	1	1	3	1	4	6
09	-	-	1	1	5	1	6	7
10	-	-	1	2	2	2	4	6
11	-	-	-	1	3	1	5	6
12	-	-	1	2	3	2	5	6
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	3	5	3	10	15
23	-	-	1	1	7	1	8	10
MEAN	0)	0)	1)	2)	4)	2)	6)	9)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OITA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	0)	0)	1)	1)	3)	3	6	10
01	0)	0)	2)	2)	3)	3	6	8
02	0)	0)	1)	2)	4)	4	9	12
03	0)	0)	2)	3)	4)	4	6	8
04	0)	0)	1)	2)	3)	3	6	8
05	0)	1)	2)	3)	4)	4	6	8
06	0)	0)	2)	4)	4)	5	5	6
07	0)	0)	2)	3)	3)	5	6	6
08	0)	0)	2)	3)	4)	5	5	8
09	0)	0)	2)	3)	5)	5	8	8
10	0)	0)	2)	2)	2)	5	6	7
11	0)	0)	2)	3)	4)	4	6	9
12	1)	1)	2)	2)	3)	4	6	8
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	1)	1)	4)	3	9	13
23	1)	1)	1)	1)	4)	3	8	11
MEAN	0)	0)	2)	3)	4)	4)	7)	9)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OITA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	0)	0)	3)	6)	12)	9	16	19
01	1)	1)	5)	7)	13)	7	16	20
02	0)	0)	5)	5)	11)	5	17	21
03	0)	0)	3)	8)	12)	7	18	23
04	0)	0)	4)	5)	8)	7	15	19
05	0)	0)	2)	5)	10)	5	13	18
06	0)	0)	5)	6)	8)	5	11	14
07	0)	0)	7)	7)	9)	7	14	15
08	0)	0)	5)	5)	11)	7	13	15
09	0)	0)	5)	6)	13)	7	17	17
10	0)	0)	3)	6)	10)	7	14	17
11	0)	0)	3)	6)	10)	7	12	15
12	0)	0)	3)	5)	9)	5	11	14
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	3)	4)	6)	10)	15)	14	23	26
23	2)	3)	8)	8)	14)	10	20	24
MEAN	×	×	×	×	×	7)	15)	19)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OITA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	0)	1)	5)	6)	9)	9	14	16
01	×	×	×	×	×	5	10	15
02	0)	0)	4)	5)	6)	7	10	12
03	0)	1)	2)	4)	6)	5	8	11
04	0)	0)	1)	2)	2)	3	6	8
05	0)	0)	1)	1)	4)	2	8	8
06	0)	0)	1)	2)	2)	3	4	6
07	0)	0)	1)	1)	3)	1	5	8
08	0)	0)	0)	2)	3)	2	5	7
09	0)	0)	1)	2)	2)	2	4	6
10	0)	0)	1)	1)	3)	1	5	8
11	0)	0)	2)	4)	4)	5	6	8
12	0)	0)	4)	5)	6)	6	8	12
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	4)	5)	9)	10)	14)	12	15	19
23	1)	2)	8)	9)	11)	11	14	19
MEAN	×	×	×	×	×	5)	8)	11)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OITA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	0)	0)	1)	1)	7)	1	7	8
01	0)	0)	0)	0)	2)	-	4	5
02	0)	0)	0)	1)	2)	1	2	5
03	0)	0)	0)	0)	3)	-	3	5
04	0)	0)	1)	1)	3)	1	3	5
05	x	x	x	x	x	-	3	4
06	x	x	x	x	x	1	1	3
07	0)	0)	0)	0)	0)	-	-	1
08	0)	0)	1)	2)	4)	1	4	5
09	0)	0)	0)	1)	2)	1	3	5
10	0)	0)	0)	0)	2)	-	2	3
11	0)	0)	0)	1)	2)	1	2	5
12	0)	0)	0)	0)	0)	-	1	4
13	x	x	x	x	x	x	x	x
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	4	8	11
23	0)	1)	1)	2)	6)	3	7	10
MEAN	x	x	x	x	x	1)	3)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OITA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	0)	0)	0)	0)	1)	-	3	6
01	0)	0)	0)	1)	3)	1	5	9
02	0)	0)	0)	0)	4)	-	4	6
03	0)	0)	0)	0)	2)	1	3	7
04	0)	0)	0)	0)	4)	-	5	7
05	0)	0)	0)	1)	1)	1	1	4
06	0)	0)	0)	0)	1)	-	3	6
07	0)	0)	0)	0)	1)	-	1	3
08	0)	0)	0)	0)	2)	-	3	5
09	0)	0)	0)	0)	2)	-	2	6
10	0)	0)	0)	0)	2)	-	3	6
11	0)	0)	0)	0)	2)	-	2	5
12	0)	0)	0)	1)	2)	1	3	4
13	x	x	x	x	x	x	x	x
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	1)	1)	1)	1	4	9
23	0)	0)	0)	0)	4)	-	6	9
MEAN	0)	0)	0)	0)	2)	0)	3)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OITA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	1	1	5	1	6	8
01	-	-	1	1	5	1	5	6
02	-	-	-	1	3	1	3	4
03	-	-	-	-	2	1	3	4
04	-	-	-	-	1	-	2	4
05	-	-	-	-	3	-	3	5
06	-	-	-	-	2	-	2	5
07	-	-	-	-	2	-	2	3
08	-	-	-	-	1	-	1	4
09	-	-	-	-	1	-	1	5
10	-	-	-	-	1	-	1	4
11	-	-	-	-	1	-	1	3
12	-	-	-	-	-	-	-	4
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	4	1	4	5
23	-	-	-	-	4	1	5	6
MEAN	0)	0)	0)	0)	2)	0)	3)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OITA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	0)	0)	0)	0)	1)	-	3	4
01	0)	0)	0)	0)	0)	-	1	1
02	0)	0)	0)	0)	1)	-	1	3
03	0)	0)	0)	0)	1)	-	1	3
04	0)	0)	0)	1)	1)	1	1	3
05	0)	0)	0)	0)	2)	-	2	2
06	0)	0)	0)	0)	2)	-	2	4
07	0)	0)	0)	1)	3)	1	3	5
08	0)	0)	0)	0)	2)	-	2	4
09	0)	0)	0)	1)	3)	1	3	3
10	0)	0)	0)	1)	2)	1	3	3
11	0)	0)	0)	0)	1)	-	1	1
12	0)	0)	0)	0)	1)	-	1	1
13	x	x	x	x	x	x	x	x
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	0)	1)	-	2	4
23	0)	0)	0)	0)	0)	-	1	3
MEAN	0)	0)	0)	0)	1)	0)	2)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OITA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	x	x	x	x	x	-	-	3
01	x	x	x	x	x	-	-	4
02	x	x	x	x	x	-	1	3
03	x	x	x	x	x	1	3	5
04	x	x	x	x	x	1	3	4
05	x	x	x	x	x	-	3	4
06	0)	0)	1)	1)	1)	1	2	4
07	0)	0)	0)	1)	1)	1	3	4
08	0)	0)	0)	1)	1)	1	1	3
09	0)	0)	0)	0)	2)	-	3	3
10	0)	0)	0)	1)	2)	1	3	3
11	0)	0)	0)	0)	2)	1	3	4
12	0)	0)	0)	0)	1)	-	2	3
13	x	x	x	x	x	x	x	x
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	-	2	2
23	x	x	x	x	x	-	1	1
MEAN	x	x	x	x	x	0)	2)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OITA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	0)	0)	1)	1)	4)	2	6	8
01	0)	0)	1)	1)	4)	2	5	8
02	0)	0)	1)	2)	3)	2	5	8
03	0)	0)	1)	2)	3)	2	5	8
04	0)	0)	1)	1)	3)	2	5	7
05	0)	0)	1)	1)	3)	1	4	6
06	0)	0)	1)	1)	3)	1	4	6
07	0)	0)	1)	1)	3)	2	4	6
08	0)	0)	1)	1)	3)	2	4	6
09	0)	0)	1)	1)	3)	1	4	6
10	0)	0)	1)	1)	3)	2	4	6
11	0)	0)	1)	1)	3)	2	4	6
12	0)	0)	1)	1)	3)	2	4	6
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	1)	1)	2)	2)	5)	3	7	10
23	0)	0)	2)	2)	5)	3	7	9
MEAN	0)	0)	1)	1)	3)	2)	5)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OITA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	-	-	-	-	-	1	3	3
01	-	-	-	-	-	1	1	1
02	-	-	-	-	1	2	3	3
03	-	-	-	-	1	3	3	3
04	-	-	-	1	1	1	1	1
05	-	-	-	-	-	-	-	-
06	-	-	-	-	-	-	-	-
07	-	-	-	-	-	1	1	1
08	-	-	-	-	-	-	2	4
09	-	-	-	-	-	-	-	1
10	-	-	-	-	-	-	1	2
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	1	1
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	2	3	3
23	-	-	-	-	-	1	2	4
MEAN	0)	0)	0)	0)	0)	1)	1)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OITA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	1	1	1	1	1	2	4	4
01	1	1	1	1	1	1	3	4
02	1	1	1	1	1	1	3	6
03	1	1	1	1	1	1	3	4
04	-	1	1	1	1	1	2	3
05	-	1	1	1	1	1	2	3
06	-	-	-	-	-	-	1	1
07	1	1	1	1	1	1	1	2
08	-	1	1	1	1	1	1	3
09	-	-	-	-	-	-	1	2
10	-	-	1	1	1	1	3	4
11	-	-	-	-	-	2	2	4
12	1	1	1	1	1	1	2	4
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	1	4
23	-	-	-	-	-	1	2	5
MEAN	0)	0)	1)	1)	1)	1)	2)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OITA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	-	1	1	1	1	1	1	3
01	-	1	1	1	1	1	2	3
02	-	-	-	-	-	-	1	3
03	-	-	-	-	-	-	1	3
04	-	-	-	-	-	1	1	2
05	-	1	1	1	1	2	2	4
06	-	-	-	-	-	1	1	4
07	-	-	-	-	-	-	1	2
08	-	-	-	-	-	-	1	3
09	-	-	-	-	-	1	1	4
10	-	-	-	-	-	1	2	4
11	-	-	-	-	-	1	1	3
12	-	-	-	-	-	1	3	6
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1	1	1	1	4	8
23	1	1	1	1	1	2	2	4
MEAN	0)	0)	0)	0)	0)	1)	2)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OITA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	-	-	-	-	-	1	3	7
01	-	-	-	-	-	1	4	5
02	-	1	1	1	1	3	5	7
03	1	1	1	1	1	3	5	7
04	-	-	-	-	1	1	3	5
05	-	-	-	-	-	1	2	4
06	-	-	-	-	-	-	3	5
07	-	-	-	1	1	1	3	6
08	-	-	-	-	-	2	2	5
09	-	-	-	-	-	1	3	3
10	-	-	-	-	-	1	2	4
11	-	-	1	1	1	2	3	3
12	-	-	-	-	-	1	3	4
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1	1	1	3	7	12
23	-	-	-	-	-	1	4	7
MEAN	0)	0)	0)	0)	0)	1)	3)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OITA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	-	1	2	2	2	5	5	8
01	-	-	1	1	1	1	5	7
02	-	-	1	1	1	2	6	10
03	-	-	1	1	1	1	4	6
04	-	-	1	1	1	3	3	6
05	-	-	1	1	1	1	4	6
06	-	-	-	1	1	1	3	5
07	1	1	1	1	1	2	5	5
08	-	-	-	-	-	1	3	5
09	-	1	1	1	1	3	5	6
10	-	1	1	1	2	4	5	6
11	-	1	1	1	1	3	3	6
12	1	2	2	2	2	3	4	6
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	1	1	3	7	9
23	1	1	1	1	1	2	6	7
MEAN	0)	0)	1)	1)	1)	2)	4)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OITA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	-	2	2	2	3	7	11	15
01	-	1	1	1	1	7	11	14
02	1	1	1	1	1	4	13	18
03	1	1	1	1	1	5	11	15
04	-	1	1	1	1	4	10	17
05	-	1	1	1	1	4	10	15
06	-	-	-	-	1	3	8	10
07	-	-	1	1	1	5	9	13
08	-	1	2	2	3	5	8	13
09	-	1	1	2	2	4	9	13
10	1	1	1	3	4	6	9	13
11	-	1	1	1	1	4	6	12
12	-	1	1	1	1	1	6	12
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	3	4	4	4	5	11	15	21
23	2	3	3	4	4	9	13	17
MEAN	1)	1)	1)	2)	2)	5)	10)	15)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OITA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	-	2	3	3	4	9	10	14
01	-	1	1	2	2	4	7	12
02	1	1	1	1	1	3	6	8
03	-	1	1	1	1	3	5	8
04	-	-	-	-	-	1	3	5
05	-	-	-	-	-	2	5	6
06	-	-	-	-	-	2	3	5
07	-	-	-	-	-	1	3	6
08	-	-	-	-	-	2	3	5
09	-	1	1	1	1	1	2	3
10	-	-	-	-	-	1	1	3
11	-	-	-	-	1	1	1	3
12	-	-	1	1	1	2	3	5
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	3	5	7	7	8	11	12	15
23	2	4	5	5	6	7	10	15
MEAN	0)	1)	1)	1)	2)	3)	5)	8)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OITA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	-	-	-	-	-	3	3	4
01	-	-	-	-	-	1	3	3
02	-	-	1	1	1	1	1	4
03	-	-	-	-	-	1	2	3
04	-	-	-	-	-	1	2	3
05	-	-	-	-	-	1	1	3
06	-	-	-	-	-	-	-	2
07	-	-	-	-	-	-	-	1
08	-	-	-	-	-	1	1	2
09	-	-	-	-	-	1	1	1
10	-	-	-	-	-	1	2	3
11	-	-	-	-	-	1	1	3
12	-	-	-	-	-	-	1	3
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	2	2	2	3	3	6
23	1	1	1	1	1	1	3	6
MEAN	0)	0)	0)	0)	0)	1)	2)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OITA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	-	-	-	-	-	1	1	3
01	-	-	-	-	-	1	2	5
02	-	-	-	-	-	1	1	3
03	-	-	-	1	1	1	1	3
04	-	-	-	-	-	-	1	4
05	-	-	-	-	-	-	-	1
06	-	-	-	-	-	1	3	3
07	-	-	-	-	-	-	1	1
08	-	-	-	-	-	1	1	2
09	-	-	-	-	-	-	-	3
10	-	-	-	-	-	-	1	3
11	-	-	-	-	-	-	-	3
12	-	-	-	-	-	1	2	3
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	2	5
23	-	-	-	-	-	1	2	5
MEAN	0)	0)	0)	0)	0)	0)	1)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OITA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	-	-	-	1	1	2	3	4
01	-	-	-	1	1	1	2	3
02	-	-	-	1	1	1	2	3
03	-	-	-	1	1	1	2	3
04	-	-	-	-	-	-	1	2
05	-	-	-	-	-	-	-	1
06	-	-	-	-	-	-	1	1
07	-	-	-	-	-	-	-	-
08	-	-	-	-	-	-	-	1
09	-	-	-	-	-	-	1	3
10	-	-	-	-	-	1	1	1
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	-	3
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	1	2	4
23	-	-	1	1	1	1	2	3
MEAN	0)	0)	0)	0)	0)	1)	1)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OITA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	-	-	-	-	-	-	1	3
01	-	-	-	-	-	-	1	1
02	-	-	-	-	-	-	1	1
03	-	-	-	-	-	-	1	1
04	-	-	-	-	-	-	-	-
05	-	-	-	-	-	-	-	-
06	-	-	-	-	-	-	-	2
07	-	-	-	-	-	-	1	1
08	-	-	-	-	-	-	1	1
09	-	-	-	-	-	-	1	2
10	-	-	-	-	-	-	1	2
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	-	1
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	1	1	2
23	-	-	-	-	-	-	1	2
MEAN	0)	0)	0)	0)	0)	0)	1)	1)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OITA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	-	-	-	-	-	-	-	-
01	-	-	-	-	-	-	-	1
02	-	-	-	-	-	-	1	1
03	-	-	-	-	-	1	2	3
04	-	-	-	-	-	-	1	2
05	-	-	-	-	-	-	1	1
06	-	-	-	-	-	-	1	1
07	-	-	-	-	-	1	1	1
08	-	-	-	-	-	1	1	1
09	-	-	-	-	-	-	1	1
10	-	-	-	-	-	-	1	1
11	-	-	-	1	1	1	3	3
12	-	-	-	-	-	1	2	2
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
MEAN	0)	0)	0)	0)	0)	0)	1)	1)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OITA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	0	0	1	1	1	3	4	6
01	0	0	0	0	0	2	3	5
02	0	0	0	0	1	2	4	5
03	0	0	0	0	1	1	3	5
04	-	0	0	0	0	1	2	4
05	-	0	0	0	0	1	2	4
06	-	-	-	0	0	1	2	3
07	0	0	0	0	0	1	2	3
08	-	0	0	0	0	1	2	4
09	-	0	0	0	0	1	2	4
10	0	0	0	0	1	1	2	4
11	-	0	0	0	0	1	2	4
12	0	0	0	0	0	1	2	4
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	1	1	2	3	5	7
23	0	1	1	1	1	2	4	6
MEAN	0)	0)	0)	0)	1)	1)	3)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OITA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	-	-	-	-	-	-	-
01	-	-	-	-	-	1	1
02	-	-	-	-	-	-	2
03	-	-	-	-	1	1	1
04	-	-	1	1	1	2	3
05	-	-	-	-	-	1	1
06	-	-	-	-	-	-	1
07	-	-	-	-	-	-	1
08	-	-	-	-	1	1	1
09	-	-	-	-	-	-	1
10	-	-	-	-	-	-	1
11	-	-	-	-	-	-	1
12	-	-	-	-	-	-	3
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	-	1
23	-	-	-	1	1	1	1
MEAN	0)	0)	0)	0)	0)	0)	1)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OITA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	-	-	-	-	1	1	4
01	-	-	-	-	1	2	4
02	-	-	-	-	1	2	3
03	-	-	-	-	1	2	6
04	-	-	1	1	2	3	6
05	-	-	1	1	1	2	4
06	-	-	-	-	1	1	4
07	-	-	-	1	1	1	5
08	-	-	-	-	1	2	4
09	-	-	-	-	-	1	6
10	-	-	-	-	-	4	5
11	-	-	-	1	1	3	6
12	-	-	1	1	2	5	8
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	2	6
23	-	-	-	-	-	1	4
MEAN	0)	0)	0)	0)	1)	2)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OITA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	-	1	1	1	2	3	4
01	-	-	1	1	3	3	4
02	-	-	1	1	1	3	5
03	-	-	1	1	2	2	3
04	-	-	-	1	3	3	5
05	-	-	2	2	3	4	6
06	-	-	1	3	5	6	6
07	-	-	1	2	3	5	6
08	-	-	1	1	3	4	6
09	-	-	1	1	2	4	5
10	-	-	1	1	1	3	5
11	-	-	1	1	2	5	5
12	-	-	-	1	3	5	6
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	2	3	5	6
23	-	-	1	1	1	3	5
MEAN	0)	0)	1)	1)	2)	4)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OITA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	-	-	-	1	2	5	7
01	-	-	-	1	2	5	7
02	-	-	1	2	3	5	9
03	-	-	1	3	4	4	8
04	-	-	-	1	3	4	5
05	-	-	1	2	3	5	7
06	-	-	1	1	1	4	7
07	-	-	1	2	3	3	5
08	-	-	1	1	2	3	5
09	-	-	1	1	4	5	5
10	-	-	1	2	2	2	3
11	-	-	-	1	2	3	4
12	-	-	1	2	2	3	3
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	3	3	5	7
23	-	-	1	1	5	7	7
MEAN	0)	0)	1)	2)	3)	4)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OITA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	-	-	3	3	4	4	8
01	-	-	3	3	5	5	6
02	-	-	1	4	5	5	6
03	-	-	3	4	5	5	5
04	-	-	3	3	3	5	5
05	-	1	3	4	5	5	6
06	-	-	3	5	5	5	5
07	-	-	3	4	4	4	5
08	-	-	3	5	5	5	6
09	-	-	4	5	5	6	6
10	-	1	3	3	4	4	4
11	-	-	3	4	5	5	6
12	-	1	3	3	3	4	5
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	3	4	5	9
23	-	-	1	2	3	5	8
MEAN	0)	0)	3)	4)	4)	5)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OITA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	-	-	5	7	10	13	14
01	-	-	4	7	12	13	16
02	-	-	5	5	9	13	15
03	-	-	3	7	11	13	17
04	-	-	5	7	9	10	12
05	-	-	2	5	7	9	11
06	-	-	4	5	5	7	10
07	-	-	6	7	9	9	11
08	-	-	6	6	9	11	13
09	-	-	5	7	11	14	14
10	-	-	4	7	8	11	14
11	-	1	3	7	9	9	11
12	-	-	3	5	7	9	9
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	5	10	15	15	17
23	-	1	7	9	15	16	18
MEAN	0)	0)	5)	7)	10)	12)	13)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OITA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	-	1	6	8	10	10	11
01	-	-	5	5	7	8	9
02	-	1	6	7	8	9	10
03	-	1	3	5	6	6	8
04	-	-	1	3	3	3	3
05	-	1	2	2	3	5	6
06	-	-	1	3	3	3	3
07	-	-	1	1	1	2	2
08	-	-	1	2	2	3	4
09	-	-	1	2	3	3	4
10	-	-	1	1	3	4	6
11	-	-	2	4	5	5	6
12	-	-	5	6	7	8	9
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	6	8	9	10	12
23	-	1	8	10	12	12	14
MEAN	0)	0)	3)	4)	5)	6)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OITA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	-	-	1	1	2	5	6
01	-	-	-	-	1	1	1
02	-	-	-	1	1	1	2
03	-	-	-	-	1	1	2
04	-	-	1	1	1	1	1
05	-	-	-	-	-	1	1
06	-	-	1	1	1	1	1
07	-	-	-	-	-	-	-
08	-	-	1	1	1	3	3
09	-	-	-	1	1	2	4
10	-	-	-	-	-	1	2
11	-	-	-	1	1	1	3
12	-	-	-	-	-	-	1
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	3	3	5	6	8
23	-	-	-	1	3	4	5
MEAN	0)	0)	0)	1)	1)	2)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OITA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	-	-	-	-	1	2	3
01	-	-	-	1	1	3	5
02	-	-	-	-	1	3	5
03	-	-	-	-	1	3	6
04	-	-	-	-	1	4	6
05	-	-	-	1	1	1	3
06	-	-	-	-	1	2	5
07	-	-	-	-	1	1	3
08	-	-	-	-	1	3	5
09	-	-	-	-	-	2	5
10	-	-	-	-	1	2	4
11	-	-	-	-	1	2	3
12	-	-	-	1	2	2	3
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	1	2	5
23	-	-	-	-	3	5	7
MEAN	0)	0)	0)	0)	1)	2)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OITA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	-	-	-	-	1	4	5
01	-	-	-	-	2	3	5
02	-	-	-	1	1	2	3
03	-	-	-	-	1	1	3
04	-	-	-	-	-	1	3
05	-	-	-	-	1	3	5
06	-	-	-	-	1	2	5
07	-	-	-	-	1	2	3
08	-	-	-	-	1	1	3
09	-	-	-	-	1	1	3
10	-	-	-	-	-	1	3
11	-	-	-	-	-	1	3
12	-	-	-	-	-	-	1
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	3	3	4
23	-	-	-	-	3	3	5
MEAN	0)	0)	0)	0)	1)	2)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OITA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	-	-	-	-	-	1	2
01	-	-	-	-	-	-	1
02	-	-	-	-	-	1	2
03	-	-	-	-	1	1	2
04	-	-	-	1	1	1	3
05	-	-	-	-	1	2	2
06	-	-	-	-	-	2	3
07	-	-	-	1	1	3	5
08	-	-	-	-	1	2	4
09	-	-	-	1	1	3	3
10	-	-	-	1	1	2	2
11	-	-	-	-	1	1	1
12	-	-	-	-	-	1	1
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	1	2
23	-	-	-	-	-	-	1
MEAN	0)	0)	0)	0)	1)	1)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OITA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	-	-	-	-	-	-	3
01	-	-	-	-	-	-	3
02	-	-	-	-	-	1	3
03	-	-	-	1	1	2	3
04	-	-	1	1	1	3	3
05	-	-	-	-	1	3	3
06	-	-	1	1	1	2	4
07	-	-	-	1	1	2	3
08	-	-	-	1	1	1	3
09	-	-	-	-	1	2	2
10	-	-	-	1	1	2	3
11	-	-	-	-	1	1	3
12	-	-	-	-	1	1	3
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	2	2
23	-	-	-	-	-	1	1
MEAN	0)	0)	0)	0)	1)	1)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OITA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	-	0	1	2	3	4	5
01	-	-	1	2	3	4	5
02	-	0	1	2	3	4	5
03	-	0	1	2	3	3	5
04	-	-	1	2	2	3	5
05	-	0	1	1	2	3	5
06	-	-	1	1	2	3	5
07	-	-	1	1	2	3	4
08	-	-	1	1	2	3	5
09	-	-	1	1	2	3	5
10	-	0	1	1	2	3	4
11	-	0	1	1	2	3	4
12	-	0	1	2	2	3	4
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	-	0	1	2	4	5	7
23	-	0	2	2	4	5	6
MEAN	0)	0)	1)	2)	2)	4)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OITA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	7	0	-	-	-	-	-	-	-	-	-	7
[35-36-01]	1	2	1	0	0	-	-	-	-	-	-	5
[02-03-04]	1	2	1	0	0	0	-	-	-	-	-	5
[05-06-07]	1	2	1	0	0	-	-	-	-	-	-	4
[08-09-10]	1	0	0	-	-	-	-	-	-	-	-	1
[11-12-13]	0	0	-	-	-	-	-	-	-	-	-	1
[14-15-16]	0	0	0	-	-	-	-	-	-	-	-	0
[17-18-19]	0	0	-	-	-	-	-	-	-	-	-	1
[20-21-22]	2	0	0	0	-	-	-	-	-	-	-	2
[23-24-25]	13	2	0	-	-	-	-	-	-	-	-	15
[26-27-28]	16	7	1	0	-	-	-	-	-	-	-	24
[29-30-31]	6	10	6	1	0	-	-	-	-	-	-	22
[32-33-34]	3	8	3	0	0	-	-	-	-	-	-	14
TOTAL	50	33	14	2	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OITA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	8	0	-	-	-	-	-	-	-	-	-	8
[35-36-01]	1	2	2	1	0	-	-	-	-	-	-	7
[02-03-04]	2	3	2	1	1	-	-	-	-	-	-	9
[05-06-07]	1	2	1	0	0	-	-	-	-	-	-	5
[08-09-10]	1	1	0	0	-	-	-	-	-	-	-	3
[11-12-13]	0	0	0	0	-	-	-	-	-	-	-	1
[14-15-16]	1	0	0	0	-	-	-	-	-	-	-	2
[17-18-19]	1	0	0	-	-	-	-	-	-	-	-	1
[20-21-22]	1	1	0	-	-	-	-	-	-	-	-	1
[23-24-25]	9	1	0	-	-	-	-	-	-	-	-	11
[26-27-28]	13	5	1	0	-	-	-	-	-	-	-	18
[29-30-31]	5	8	5	1	0	-	-	-	-	-	-	20
[32-33-34]	4	7	4	0	0	-	-	-	-	-	-	15
TOTAL	46	32	15	5	1	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OITA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	10	0	-	-	-	-	-	-	-	-	-	10
[35-36-01]	2	2	1	0	0	-	-	-	-	-	-	6
[02-03-04]	2	3	2	1	0	-	-	-	-	-	-	8
[05-06-07]	3	3	1	0	-	-	-	-	-	-	-	6
[08-09-10]	2	1	0	-	-	-	-	-	-	-	-	3
[11-12-13]	1	1	0	0	-	-	-	-	-	-	-	2
[14-15-16]	1	1	1	0	0	-	-	-	-	-	-	4
[17-18-19]	2	1	0	0	0	-	-	-	-	-	-	3
[20-21-22]	2	1	0	0	-	-	-	-	-	-	-	3
[23-24-25]	11	1	-	-	-	-	-	-	-	-	-	12
[26-27-28]	9	3	1	0	-	-	-	-	-	-	-	13
[29-30-31]	3	6	4	1	0	0	-	-	-	-	-	14
[32-33-34]	3	7	4	1	0	-	-	-	-	-	-	14
TOTAL	52	29	15	3	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OITA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	12	0	-	-	-	-	-	-	-	-	-	12
[35-36-01]	2	1	1	0	-	-	-	-	-	-	-	4
[02-03-04]	3	4	2	0	-	-	-	-	-	-	-	8
[05-06-07]	3	2	1	0	-	-	-	-	-	-	-	7
[08-09-10]	3	2	0	-	-	-	-	-	-	-	-	5
[11-12-13]	2	1	1	0	0	-	-	-	-	-	-	4
[14-15-16]	2	2	3	2	0	0	-	-	-	-	-	9
[17-18-19]	2	1	0	0	-	-	-	-	-	-	-	4
[20-21-22]	3	1	0	-	-	-	-	-	-	-	-	4
[23-24-25]	11	1	0	0	-	-	-	-	-	-	-	12
[26-27-28]	7	3	1	0	0	-	-	-	-	-	-	11
[29-30-31]	3	4	3	1	-	-	-	-	-	-	-	10
[32-33-34]	2	3	2	0	-	-	-	-	-	-	-	7
TOTAL	55	26	13	4	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OITA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	15	0	0	-	-	-	-	-	-	-	-	16
[35-36-01]	2	1	0	-	-	-	-	-	-	-	-	4
[02-03-04]	4	3	1	-	-	-	-	-	-	-	-	8
[05-06-07]	5	1	0	0	-	-	-	-	-	-	-	7
[08-09-10]	5	1	0	-	-	-	-	-	-	-	-	6
[11-12-13]	3	1	1	0	0	-	-	-	-	-	-	6
[14-15-16]	2	2	3	3	1	0	-	-	-	-	-	11
[17-18-19]	3	1	0	0	-	-	-	-	-	-	-	5
[20-21-22]	4	1	0	-	-	-	-	-	-	-	-	5
[23-24-25]	10	1	0	0	-	-	-	-	-	-	-	11
[26-27-28]	6	2	0	-	-	-	-	-	-	-	-	8
[29-30-31]	2	3	2	0	-	-	-	-	-	-	-	8
[32-33-34]	3	2	1	0	-	-	-	-	-	-	-	5
TOTAL	65	19	10	4	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OITA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	17	-	-	-	-	-	-	-	-	-	-	17
[35-36-01]	4	2	0	0	-	-	-	-	-	-	-	7
[02-03-04]	4	4	1	0	-	-	-	-	-	-	-	9
[05-06-07]	5	2	0	0	0	-	-	-	-	-	-	8
[08-09-10]	5	1	0	-	-	-	-	-	-	-	-	7
[11-12-13]	4	2	1	0	-	-	-	-	-	-	-	6
[14-15-16]	3	4	2	0	0	-	-	-	-	-	-	9
[17-18-19]	4	2	0	-	0	-	-	-	-	-	-	6
[20-21-22]	5	2	0	0	0	-	-	-	-	-	-	8
[23-24-25]	5	0	0	-	-	-	-	-	-	-	-	6
[26-27-28]	4	1	0	-	-	-	-	-	-	-	-	5
[29-30-31]	3	2	1	0	-	-	-	-	-	-	-	6
[32-33-34]	3	1	0	-	-	-	-	-	-	-	-	4
TOTAL	67	24	6	1	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OITA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	20	0	-	-	-	-	-	-	-	-	-	20
[35-36-01]	1	0	0	-	-	-	-	-	-	-	-	2
[02-03-04]	3	2	0	0	-	-	-	-	-	-	-	5
[05-06-07]	5	1	-	-	-	-	-	-	-	-	-	6
[08-09-10]	5	1	0	-	-	-	-	-	-	-	-	6
[11-12-13]	5	3	2	1	0	-	-	-	-	-	-	11
[14-15-16]	6	5	3	2	0	0	-	-	-	-	-	16
[17-18-19]	7	2	0	0	-	-	-	-	-	-	-	9
[20-21-22]	7	1	0	-	-	-	-	-	-	-	-	9
[23-24-25]	5	0	0	-	-	-	-	-	-	-	-	5
[26-27-28]	3	1	0	0	-	-	-	-	-	-	-	4
[29-30-31]	1	1	1	0	0	-	-	-	-	-	-	4
[32-33-34]	1	1	1	0	-	-	-	-	-	-	-	3
TOTAL	68	19	8	3	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OITA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	16	-	-	-	-	-	-	-	-	-	-	16
[35-36-01]	1	1	0	0	0	-	-	-	-	-	-	3
[02-03-04]	2	3	1	0	0	0	0	-	-	-	-	6
[05-06-07]	5	2	0	0	0	0	0	-	-	-	-	8
[08-09-10]	6	2	0	-	-	-	-	-	-	-	-	8
[11-12-13]	5	3	2	0	0	-	-	-	0	-	-	10
[14-15-16]	4	4	3	0	0	-	0	0	0	-	-	11
[17-18-19]	5	2	0	0	-	0	-	-	-	-	-	7
[20-21-22]	4	1	0	0	-	0	-	-	-	-	-	5
[23-24-25]	7	1	0	0	-	-	-	-	-	-	-	8
[26-27-28]	6	1	0	0	-	-	-	-	-	-	-	8
[29-30-31]	3	2	1	0	-	-	-	-	-	-	-	5
[32-33-34]	2	1	0	0	0	-	-	-	-	-	-	4
TOTAL	67	22	7	1	1	0	0	0	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OITA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	11	0	-	-	-	-	-	-	-	-	-	11
[35-36-01]	2	2	1	0	0	0	0	-	-	-	-	5
[02-03-04]	3	6	2	0	0	0	0	-	-	-	-	11
[05-06-07]	3	4	1	0	0	-	-	-	-	-	-	8
[08-09-10]	3	3	0	0	-	-	-	-	-	-	-	7
[11-12-13]	2	2	1	0	-	0	0	-	-	-	-	5
[14-15-16]	2	3	2	1	0	0	0	0	-	-	-	8
[17-18-19]	2	1	0	0	-	-	-	-	-	-	-	3
[20-21-22]	2	0	0	-	-	-	-	-	-	-	-	2
[23-24-25]	7	0	-	-	-	-	-	-	-	-	-	8
[26-27-28]	12	1	-	-	-	-	-	-	-	-	-	13
[29-30-31]	5	3	1	0	-	-	-	-	-	-	-	8
[32-33-34]	5	4	1	0	-	-	-	-	-	-	-	11
TOTAL	57	29	10	2	0	0	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OITA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	6	0	-	-	-	-	-	-	-	-	-	6
[35-36-01]	1	3	3	1	-	0	-	-	-	-	-	8
[02-03-04]	1	6	3	1	0	-	0	-	-	-	-	11
[05-06-07]	2	2	1	1	0	0	0	0	-	-	-	7
[08-09-10]	2	2	0	-	-	-	-	-	-	-	-	4
[11-12-13]	1	1	0	0	0	-	-	-	-	-	-	2
[14-15-16]	1	1	1	0	0	-	-	-	-	-	-	3
[17-18-19]	1	1	1	0	-	-	-	-	-	-	-	2
[20-21-22]	1	0	0	0	0	-	-	-	-	-	-	2
[23-24-25]	10	1	0	-	-	-	-	-	-	-	-	10
[26-27-28]	14	4	0	-	-	-	-	-	-	-	-	18
[29-30-31]	5	5	1	0	0	-	-	-	-	-	-	11
[32-33-34]	3	8	3	1	0	-	-	-	-	-	-	15
TOTAL	48	33	14	4	1	0	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OITA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	7	0	-	-	-	-	-	-	-	-	-	7
[35-36-01]	1	2	1	0	-	-	-	-	-	-	-	4
[02-03-04]	1	3	2	0	-	-	-	-	-	-	-	6
[05-06-07]	1	2	1	0	-	-	-	-	-	-	-	4
[08-09-10]	1	1	0	-	-	-	-	-	-	-	-	2
[11-12-13]	1	1	0	0	-	-	-	-	-	-	-	1
[14-15-16]	1	1	1	0	0	0	0	-	-	-	-	3
[17-18-19]	1	1	1	0	-	-	-	-	-	-	-	2
[20-21-22]	1	1	0	0	-	-	-	-	-	-	-	3
[23-24-25]	12	2	0	-	-	-	-	-	-	-	-	15
[26-27-28]	17	8	1	-	-	-	-	-	-	-	-	26
[29-30-31]	5	7	3	0	-	-	-	-	-	-	-	15
[32-33-34]	3	7	2	0	-	-	-	-	-	-	-	12
TOTAL	52	34	12	2	0	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OITA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	6	0	-	-	-	-	-	-	-	-	-	7
[35-36-01]	1	2	1	0	-	-	-	-	-	-	-	3
[02-03-04]	1	2	1	0	-	-	-	-	-	-	-	4
[05-06-07]	1	1	1	0	-	-	-	-	-	-	-	3
[08-09-10]	0	1	0	0	-	-	-	-	-	-	-	1
[11-12-13]	0	0	-	0	-	-	-	-	-	-	-	1
[14-15-16]	0	0	0	0	-	-	-	-	-	-	-	1
[17-18-19]	1	1	0	0	0	-	-	-	-	-	-	1
[20-21-22]	1	1	0	0	-	-	-	-	-	-	-	2
[23-24-25]	11	2	0	0	-	-	-	-	-	-	-	13
[26-27-28]	16	10	2	0	-	-	-	-	-	-	-	28
[29-30-31]	7	11	5	1	-	-	-	-	-	-	-	24
[32-33-34]	3	6	2	0	-	-	-	-	-	-	-	11
TOTAL	48	37	13	3	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OITA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	11	0	0	-	-	-	-	-	-	-	-	11
[35-36-01]	2	2	1	0	0	0	0	-	-	-	-	5
[02-03-04]	2	3	1	0	0	0	0	-	-	-	-	8
[05-06-07]	3	2	1	0	0	0	0	0	-	-	-	6
[08-09-10]	3	1	0	0	-	-	-	-	-	-	-	4
[11-12-13]	2	1	1	0	0	0	0	-	0	-	-	4
[14-15-16]	2	2	2	1	0	0	0	0	0	-	-	7
[17-18-19]	2	1	0	0	0	0	-	-	-	-	-	4
[20-21-22]	3	1	0	0	0	0	-	-	-	-	-	4
[23-24-25]	9	1	0	0	-	-	-	-	-	-	-	10
[26-27-28]	10	4	1	0	0	-	-	-	-	-	-	15
[29-30-31]	4	5	3	0	0	0	-	-	-	-	-	12
[32-33-34]	3	4	2	0	0	-	-	-	-	-	-	10
TOTAL	56	28	11	3	0	0	0	0	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: OITA AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	24	66	8	-	-	-	-	-
01	-	-	-	1	14	69	16	-	-	-	-	-
02	-	-	-	1	9	64	25	1	-	-	-	-
03	-	-	-	1	8	61	28	1	-	-	-	-
04	-	-	-	1	8	55	35	1	-	-	-	-
05	-	-	-	1	10	52	37	1	-	-	-	-
06	-	-	-	1	9	55	35	1	-	-	-	-
07	-	-	-	1	9	59	30	1	-	-	-	-
08	-	-	-	1	13	66	20	-	-	-	-	-
09	-	-	-	1	23	66	10	-	-	-	-	-
10	-	-	-	1	32	59	8	-	-	-	-	-
11	-	-	-	1	43	50	6	-	-	-	-	-
12	-	-	-	1	45	49	5	-	-	-	-	-
13	-	-	-	3	49	43	6	-	-	-	-	-
14	-	-	-	2	52	43	3	-	-	-	-	-
15	-	-	-	5	51	41	4	-	-	-	-	-
16	-	-	-	5	45	46	5	-	-	-	-	-
17	-	-	-	5	51	39	5	-	-	-	-	-
18	-	-	-	6	52	37	5	-	-	-	-	-
19	-	-	-	6	51	39	3	-	-	-	-	-
20	-	-	-	6	54	36	4	-	-	-	-	-
21	-	-	-	6	54	36	5	-	-	-	-	-
22	-	-	-	8	54	34	4	-	-	-	-	-
23	-	-	-	2	54	38	6	-	-	-	-	-
MEAN	-	-	-	3	34	50	13	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OITA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	21	67	10	1	-	-	-	-
01	-	-	-	1	15	69	15	-	-	-	-	-
02	-	-	-	-	13	69	17	1	-	-	-	-
03	-	-	-	-	11	65	22	1	-	-	-	-
04	-	-	-	1	8	64	25	2	-	-	-	-
05	-	-	-	1	7	58	30	4	-	-	-	-
06	-	-	-	1	9	57	29	4	-	-	-	-
07	-	-	-	1	11	58	28	3	-	-	-	-
08	-	-	-	1	13	61	23	1	-	-	-	-
09	-	-	-	1	18	65	16	-	-	-	-	-
10	-	-	-	1	27	57	14	-	-	-	-	-
11	-	-	-	1	37	51	11	1	-	-	-	-
12	-	-	-	2	42	48	8	-	-	-	-	-
13	-	-	-	3	44	45	7	1	-	-	-	-
14	-	-	-	5	44	44	6	1	-	-	-	-
15	-	-	-	5	46	43	5	1	-	-	-	-
16	-	-	-	4	52	37	6	1	-	-	-	-
17	-	-	-	5	54	37	4	-	-	-	-	-
18	-	-	-	5	53	37	5	1	-	-	-	-
19	-	-	-	7	49	37	6	1	-	-	-	-
20	-	-	-	6	51	37	6	1	-	-	-	-
21	-	-	-	6	51	37	6	1	-	-	-	-
22	-	-	-	7	47	39	6	-	-	-	-	-
23	-	-	-	2	43	46	8	1	-	-	-	-
MEAN	-	-	-	3	32	51	13	1	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OITA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	2	45	43	10	1	-	-	-
01	-	-	-	-	1	37	46	15	-	-	-	-
02	-	-	-	-	1	32	52	15	1	-	-	-
03	-	-	-	-	1	24	59	15	1	-	-	-
04	-	-	-	-	1	23	60	15	1	-	-	-
05	-	-	-	-	1	19	62	18	1	-	-	-
06	-	-	-	-	1	19	59	20	1	-	-	-
07	-	-	-	-	1	23	55	20	1	-	-	-
08	-	-	-	-	1	25	57	16	1	-	-	-
09	-	-	-	-	2	32	55	10	-	-	-	-
10	-	-	-	-	4	45	46	5	-	-	-	-
11	-	-	-	-	5	50	40	5	-	-	-	-
12	-	-	-	-	9	50	35	6	-	-	-	-
13	-	-	-	1	10	51	34	4	-	-	-	-
14	-	-	-	1	12	52	30	5	-	-	-	-
15	-	-	-	-	17	50	28	5	-	-	-	-
16	-	-	-	-	21	48	27	4	-	-	-	-
17	-	-	-	1	23	48	26	2	-	-	-	-
18	-	-	-	-	26	46	25	3	-	-	-	-
19	-	-	-	-	29	44	25	2	-	-	-	-
20	-	-	-	1	29	45	23	3	-	-	-	-
21	-	-	-	-	29	49	20	1	1	-	-	-
22	-	-	-	1	25	51	21	3	-	-	-	-
23	-	-	-	-	6	57	31	5	1	-	-	-
MEAN	-	-	-	0	11	40	40	9	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OITA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	4	44	51	1	-	-	-
01	-	-	-	-	-	2	41	56	1	-	-	-
02	-	-	-	-	-	1	38	59	1	-	-	-
03	-	-	-	-	-	3	33	61	3	-	-	-
04	-	-	-	-	-	1	31	65	3	-	-	-
05	-	-	-	-	-	1	27	67	6	-	-	-
06	-	-	-	-	-	1	27	67	5	-	-	-
07	-	-	-	-	-	1	27	65	7	-	-	-
08	-	-	-	-	-	2	27	65	6	-	-	-
09	-	-	-	-	-	4	29	64	3	-	-	-
10	-	-	-	-	-	6	33	61	-	-	-	-
11	-	-	-	-	-	8	45	47	-	-	-	-
12	-	-	-	-	-	10	57	33	-	-	-	-
13	-	-	-	-	1	10	59	30	-	-	-	-
14	-	-	-	-	2	12	64	22	-	-	-	-
15	-	-	-	-	2	17	61	20	-	-	-	-
16	-	-	-	-	1	21	59	19	-	-	-	-
17	-	-	-	-	2	24	56	18	-	-	-	-
18	-	-	-	-	1	25	55	18	-	-	-	-
19	-	-	-	-	2	29	53	16	-	-	-	-
20	-	-	-	-	3	34	45	18	-	-	-	-
21	-	-	-	-	4	35	45	16	-	-	-	-
22	-	-	-	-	-	20	60	20	-	-	-	-
23	-	-	-	-	-	9	50	41	-	-	-	-
MEAN	-	-	-	-	1	12	44	42	2	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OITA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	5	67	28	-	-	-
01	-	-	-	-	-	-	3	64	32	1	-	-
02	-	-	-	-	-	-	1	63	35	1	-	-
03	-	-	-	-	-	-	2	59	37	3	-	-
04	-	-	-	-	-	-	1	49	45	5	-	-
05	-	-	-	-	-	-	1	45	52	3	-	-
06	-	-	-	-	-	-	1	41	55	4	-	-
07	-	-	-	-	-	-	2	37	55	5	-	-
08	-	-	-	-	-	-	2	43	51	5	-	-
09	-	-	-	-	-	-	2	52	46	1	-	-
10	-	-	-	-	-	-	4	59	37	-	-	-
11	-	-	-	-	-	-	6	68	26	-	-	-
12	-	-	-	-	-	-	9	68	23	-	-	-
13	-	-	-	-	-	-	12	74	14	-	-	-
14	-	-	-	-	-	1	16	70	13	-	-	-
15	-	-	-	-	-	1	19	70	10	-	-	-
16	-	-	-	-	-	1	28	62	8	-	-	-
17	-	-	-	-	-	3	29	64	5	-	-	-
18	-	-	-	-	-	3	31	64	2	-	-	-
19	-	-	-	-	-	4	33	61	3	-	-	-
20	-	-	-	-	-	5	34	59	2	-	-	-
21	0)	0)	0)	0)	0)	4)	30)	62)	5)	0)	0)	0)
22	0)	0)	0)	0)	0)	0)	15)	78)	7)	0)	0)	0)
23	0)	0)	0)	0)	0)	0)	8)	73)	19)	0)	0)	0)
MEAN	0)	0)	0)	0)	0)	1)	12)	60)	25)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OITA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	19	76	5	-	-
01	-	-	-	-	-	-	-	16	79	5	-	-
02	-	-	-	-	-	-	-	17	77	6	1	-
03	-	-	-	-	-	-	-	15	76	9	-	-
04	-	-	-	-	-	-	-	15	75	9	-	-
05	-	-	-	-	-	-	-	15	71	14	-	-
06	-	-	-	-	-	-	-	16	72	12	-	-
07	-	-	-	-	-	-	-	15	74	11	-	-
08	-	-	-	-	-	-	-	15	77	8	-	-
09	-	-	-	-	-	-	-	17	76	7	-	-
10	-	-	-	-	-	-	-	17	76	7	-	-
11	-	-	-	-	-	-	-	21	75	4	-	-
12	-	-	-	-	-	-	-	26	71	3	-	-
13	-	-	-	-	-	-	-	31	67	3	-	-
14	-	-	-	-	-	-	-	34	63	3	-	-
15	-	-	-	-	-	-	-	37	61	2	-	-
16	-	-	-	-	-	-	-	45	54	1	-	-
17	-	-	-	-	-	-	-	45	53	1	-	-
18	-	-	-	-	-	-	1	51	49	-	-	-
19	-	-	-	-	-	-	1	52	47	-	-	-
20	-	-	-	-	-	-	1	55	44	1	-	-
21	-	-	-	-	-	-	-	55	45	1	-	-
22	-	-	-	-	-	-	-	34	65	1	-	-
23	-	-	-	-	-	-	-	23	75	2	-	-
MEAN	-	-	-	-	-	-	0	29	67	5	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OITA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	40	59	1	-
01	-	-	-	-	-	-	-	-	37	60	3	-
02	-	-	-	-	-	-	-	-	32	67	1	-
03	-	-	-	-	-	-	-	-	29	67	4	-
04	-	-	-	-	-	-	-	-	26	71	3	-
05	-	-	-	-	-	-	-	-	24	73	3	-
06	-	-	-	-	-	-	-	1	23	73	4	-
07	-	-	-	-	-	-	-	1	24	70	6	-
08	-	-	-	-	-	-	-	1	28	66	6	-
09	-	-	-	-	-	-	-	1	30	66	3	-
10	-	-	-	-	-	-	-	1	38	60	1	-
11	-	-	-	-	-	-	-	1	49	50	-	-
12	-	-	-	-	-	-	-	1	50	50	-	-
13	-	-	-	-	-	-	-	1	53	46	-	-
14	-	-	-	-	-	-	-	1	54	45	-	-
15	-	-	-	-	-	-	-	2	59	39	-	-
16	-	-	-	-	-	-	-	3	70	26	-	-
17	-	-	-	-	-	-	-	3	72	26	-	-
18	-	-	-	-	-	-	-	5	73	23	-	-
19	-	-	-	-	-	-	-	4	75	21	-	-
20	-	-	-	-	-	-	-	5	77	19	-	-
21	-	-	-	-	-	-	-	5	72	23	-	-
22	-	-	-	-	-	-	-	2	57	41	-	-
23	-	-	-	-	-	-	-	-	46	54	1	-
MEAN	-	-	-	-	-	-	-	1	47	50	2	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OITA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	10	86	4	-
01	-	-	-	-	-	-	-	-	9	86	5	-
02	-	-	-	-	-	-	-	-	7	84	9	-
03	-	-	-	-	-	-	-	-	8	78	14	-
04	-	-	-	-	-	-	-	-	7	74	19	-
05	-	-	-	-	-	-	-	-	7	73	20	-
06	-	-	-	-	-	-	-	-	6	74	19	1
07	-	-	-	-	-	-	-	-	5	73	21	1
08	-	-	-	-	-	-	-	-	6	77	17	1
09	-	-	-	-	-	-	-	-	7	81	12	-
10	-	-	-	-	-	-	-	-	10	78	12	-
11	-	-	-	-	-	-	-	-	15	80	5	-
12	-	-	-	-	-	-	-	-	17	80	3	-
13	-	-	-	-	-	-	-	-	23	77	1	-
14	-	-	-	-	-	-	-	-	25	75	1	-
15	-	-	-	-	-	-	-	-	28	72	-	-
16	-	-	-	-	-	-	-	-	28	72	-	-
17	-	-	-	-	-	-	-	1	32	68	-	-
18	-	-	-	-	-	-	-	1	37	62	-	-
19	-	-	-	-	-	-	-	1	42	57	-	-
20	-	-	-	-	-	-	-	1	41	58	-	-
21	-	-	-	-	-	-	-	1	45	55	-	-
22	-	-	-	-	-	-	-	-	23	77	-	-
23	-	-	-	-	-	-	-	-	17	83	-	-
MEAN	-	-	-	-	-	-	-	0	19	74	7	0

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: OITA AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	3	59	39	-	-
01	-	-	-	-	-	-	-	2	47	51	-	-
02	-	-	-	-	-	-	-	2	44	53	1	-
03	-	-	-	-	-	-	-	1	35	63	-	-
04	-	-	-	-	-	-	-	1	33	65	1	-
05	-	-	-	-	-	-	-	1	33	66	-	-
06	-	-	-	-	-	-	-	1	31	68	-	-
07	-	-	-	-	-	-	-	3	33	65	-	-
08	-	-	-	-	-	-	-	2	38	60	-	-
09	-	-	-	-	-	-	-	3	55	43	-	-
10	-	-	-	-	-	-	-	3	67	30	-	-
11	-	-	-	-	-	-	-	6	68	26	-	-
12	-	-	-	-	-	-	-	9	69	22	-	-
13	-	-	-	-	-	-	-	12	69	19	-	-
14	-	-	-	-	-	-	-	11	72	17	-	-
15	-	-	-	-	-	-	-	12	73	15	-	-
16	-	-	-	-	-	-	-	13	76	11	-	-
17	-	-	-	-	-	-	-	14	74	12	-	-
18	-	-	-	-	-	-	-	15	76	9	-	-
19	-	-	-	-	-	-	-	17	77	7	-	-
20	-	-	-	-	-	-	-	18	76	6	-	-
21	-	-	-	-	-	-	-	17	77	6	-	-
22	-	-	-	-	-	-	-	10	77	13	-	-
23	-	-	-	-	-	-	-	3	71	26	-	-
MEAN	-	-	-	-	-	-	-	7	60	33	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OITA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	41	54	4	-	-
01	-	-	-	-	-	-	1	33	59	8	-	-
02	-	-	-	-	-	-	-	29	61	10	-	-
03	-	-	-	-	-	-	-	25	64	12	-	-
04	-	-	-	-	-	-	-	23	64	14	-	-
05	-	-	-	-	-	-	-	20	66	13	1	-
06	-	-	-	-	-	-	-	22	65	14	-	-
07	-	-	-	-	-	-	-	24	67	9	-	-
08	-	-	-	-	-	-	-	35	57	8	-	-
09	-	-	-	-	-	-	3	48	45	5	-	-
10	-	-	-	-	-	-	8	50	38	4	-	-
11	-	-	-	-	-	-	12	51	34	3	-	-
12	-	-	-	-	-	-	12	55	30	3	-	-
13	-	-	-	-	-	-	19	49	29	3	-	-
14	-	-	-	-	-	-	17	54	27	2	-	-
15	-	-	-	-	-	-	19	53	26	3	-	-
16	-	-	-	-	-	-	19	52	28	1	-	-
17	-	-	-	-	-	-	20	52	26	1	-	-
18	-	-	-	-	-	-	21	52	27	-	-	-
19	-	-	-	-	-	-	25	50	26	-	-	-
20	-	-	-	-	-	-	23	54	23	1	-	-
21	-	-	-	-	-	-	25	51	23	1	-	-
22	-	-	-	-	-	-	19	57	23	1	-	-
23	-	-	-	-	-	-	5	59	34	3	-	-
MEAN	-	-	-	-	-	-	10	43	41	5	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: OITA AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	7	40	51	1	-	-	-
01	-	-	-	-	-	5	37	51	7	-	-	-
02	-	-	-	-	-	2	28	61	9	-	-	-
03	-	-	-	-	-	2	26	61	11	-	-	-
04	-	-	-	-	-	1	28	58	13	-	-	-
05	-	-	-	-	-	2	26	59	13	-	-	-
06	-	-	-	-	-	2	27	60	11	-	-	-
07	-	-	-	-	-	3	33	57	8	-	-	-
08	-	-	-	-	-	4	37	54	5	-	-	-
09	-	-	-	-	-	9	49	40	2	-	-	-
10	-	-	-	-	1	13	47	39	1	-	-	-
11	-	-	-	-	1	15	48	34	1	-	-	-
12	-	-	-	-	1	20	45	31	3	-	-	-
13	-	-	-	-	1	23	47	27	3	-	-	-
14	-	-	-	-	1	24	49	24	3	-	-	-
15	-	-	-	-	2	22	49	25	3	-	-	-
16	-	-	-	-	2	23	47	26	3	-	-	-
17	-	-	-	-	2	22	49	25	3	-	-	-
18	-	-	-	-	3	25	46	25	1	-	-	-
19	-	-	-	-	2	26	47	24	1	-	-	-
20	-	-	-	-	2	26	47	24	1	-	-	-
21	-	-	-	-	1	30	43	25	1	-	-	-
22	-	-	-	-	2	29	43	25	1	-	-	-
23	-	-	-	-	1	17	46	36	1	-	-	-
MEAN	-	-	-	-	1	15	41	39	4	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OITA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	12	49	36	3	-	-	-	-
01	-	-	-	-	7	41	47	5	-	-	-	-
02	-	-	-	-	6	36	48	9	-	-	-	-
03	-	-	-	-	5	37	49	9	-	-	-	-
04	-	-	-	-	5	34	52	9	1	-	-	-
05	-	-	-	-	5	35	51	9	-	-	-	-
06	-	-	-	-	5	36	49	10	-	-	-	-
07	-	-	-	-	5	40	49	6	-	-	-	-
08	-	-	-	-	10	45	42	4	-	-	-	-
09	-	-	-	-	12	52	32	3	-	-	-	-
10	-	-	-	1	17	55	23	3	-	-	-	-
11	-	-	-	1	19	53	25	3	-	-	-	-
12	-	-	-	1	25	49	23	3	-	-	-	-
13	-	-	-	1	27	45	26	1	-	-	-	-
14	-	-	-	2	28	46	23	1	-	-	-	-
15	-	-	-	2	29	47	20	2	-	-	-	-
16	-	-	-	1	29	46	21	3	-	-	-	-
17	-	-	-	-	29	48	20	3	-	-	-	-
18	-	-	-	-	31	49	17	3	-	-	-	-
19	-	-	-	-	34	47	17	2	-	-	-	-
20	-	-	-	1	32	49	16	2	-	-	-	-
21	-	-	-	-	35	45	17	2	-	-	-	-
22	-	-	-	1	33	50	14	2	-	-	-	-
23	-	-	-	-	22	56	19	3	-	-	-	-
MEAN	-	-	-	0	19	45	31	4	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OITA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	0	5	20	16	21	22	16	0	-
01	-	-	-	0	3	18	17	20	23	18	1	-
02	-	-	-	0	2	17	17	21	22	19	1	-
03	-	-	-	0	2	16	18	21	22	19	2	-
04	-	-	-	0	2	15	19	20	22	20	2	-
05	-	-	-	0	2	14	19	20	23	20	2	-
06	-	-	-	0	2	14	19	20	22	20	2	0
07	-	-	-	0	2	15	19	19	23	20	2	0
08	-	-	-	0	3	17	17	20	22	19	2	0
09	-	-	-	0	4	19	16	20	22	17	1	-
10	-	-	-	0	7	19	15	20	22	15	1	-
11	-	-	-	0	9	19	16	20	22	14	0	-
12	-	-	-	0	10	19	16	19	22	13	0	-
13	-	-	-	1	11	18	17	19	21	12	0	-
14	-	-	-	1	11	19	17	19	21	12	0	-
15	-	-	-	1	12	18	17	19	22	11	-	-
16	-	-	-	1	12	18	18	19	22	9	-	-
17	-	-	-	1	13	18	17	19	22	9	-	-
18	-	-	-	1	14	19	17	20	22	8	-	-
19	-	-	-	1	14	19	17	19	23	7	-	-
20	-	-	-	1	14	19	17	20	22	7	-	-
21	0)	0)	0)	1)	14)	20)	16)	20)	22)	7)	0)	0)
22	0)	0)	0)	1)	13)	19)	15)	19)	21)	11)	0)	0)
23	0)	0)	0)	0)	10)	19)	14)	20)	22)	14)	0)	0)
MEAN	0)	0)	0)	0)	8)	18)	17)	20)	22)	14)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	6.2	6.4	9.9	13.9	18.1	21.2	25.1	26.7	23.7	19.5	14.0	8.5	16.1
Daily maximum air temperature(°C)	10.0	10.1	14.1	17.9	22.0	23.9	28.1	29.5	26.6	23.1	17.7	12.2	19.6
Daily minimum air temperature(°C)	1.9	2.2	5.2	9.6	13.9	19.0	22.7	24.3	20.9	15.8	10.0	4.1	12.5
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	47.0	85.1	78.1	141.9	90.2	383.8	210.7	115.3	181.8	126.8	71.9	78.1	1610.7
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	1000.1	1002.6	998.3	985.8	995.6	990.5	986.3	980.3	995.2	985.3	1002.7	993.3	980.3
Daily maximum air temperature(°C)	17.8	18.5	23.1	25.7	27.6	30.8	34.4	36.1	30.9	30.8	24.7	21.3	36.1
Daily minimum air temperature(°C)	-4.3	-5.6	-1.8*	0.5	5.5	14.0	17.4	18.0	15.3	9.4*	1.1	-3.0	-5.6
Daily precipitation(mm)	38.0	36.0	33.5	59.5	47.5	153.0	98.5	81.0	105.5	108.0	47.5	94.5	153.0
Daily max.one-hour precipitation(mm)	11.5	12.5	10.5*	19.5	12.0	35.5	70.0	27.0	25.5	28.0	15.0	15.0	70.0
Daily max.ten-minute precipitation(mm)	3.5	6.5	4.0	6.0*	5.5	10.5*	20.0	10.0*	11.5	12.5	5.5	6.0	20.0
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)	1 *	9	0 *	-	-	-	×	-	-	-	-	1	9
Daily maximum wind speed(kt)	31	27	27 *	31	31	24	30	47	40	37	33	33	47
with wind direction(36DIR.)	1	3	36	15	14	6	14	13	13	4	14	7	13
Daily maximum peak gust(kt)	37	40	38	45	39	31	45	62	51	50	41	40	62
with wind direction(36DIR.)	29	30	30	29	14	5	30	14	12	6	14	7	14

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	8.6	6.8	2.2	-	-	-	-	-	-	-	-	2.6	20.2
25.0°C	-	-	-	-	-	-	2.2	10.4	0.4	-	-	-	13.0
Daily mean air temperature < 0.0°C	0.2	0.2	-	-	-	-	-	-	-	-	-	-	0.4
25.0°C	-	-	-	-	-	0.8	17.2	26.6	7.8	0.6	-	-	53.0
Daily maximum air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	-	-	-	0.2	4.0	8.6	28.0	30.6	24.8	6.8	-	-	103.0
30.0°C	-	-	-	-	-	0.4	6.4	12.6	0.6	0.2	-	-	20.2
Daily precipitation 0.0mm	14.6	16.2	13.4	13.6	11.4	19.2	15.0	14.4	14.2	11.0	14.4	17.2	174.6
1.0mm	5.2	9.6	7.8	10.6	7.0	14.4	9.0	8.2	10.0	6.0	7.6	8.0	103.4
5.0mm	2.6	6.0	4.6	6.2	4.6	10.8	6.0	5.6	6.8	4.4	3.6	4.4	65.6
10.0mm	2.0	3.2	3.0	4.6	3.6	8.6	5.4	3.6	4.4	3.6	3.0	2.4	47.4
30.0mm	0.2	0.4	0.4	1.4	0.4	5.6	2.4	0.8	2.2	1.0	0.4	0.2	15.4
50.0mm	-	-	-	0.4	-	2.4	1.4	0.2	1.0	0.6	-	0.2	6.2
70.0mm	-	-	-	-	-	1.4	1.0	0.2	0.4	0.4	-	0.2	3.6
100.0mm	-	-	-	-	-	0.2	-	-	0.2	0.2	-	-	0.6

AERODROME: OITA AIRPORT PERIOD OF RECORD: 2012-2016
LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OITA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1022.0	1021.4	1018.8	1014.9	1011.9	1007.7	1008.7	1007.8	1012.4	1017.2	1019.6	1021.2	1015.3
01	1022.2	1021.4	1018.8	1015.0	1011.9	1007.7	1008.6	1007.9	1012.5	1017.2	1019.6	1021.4	1015.3
02	1021.8	1021.2	1018.5	1014.8	1011.8	1007.7	1008.6	1007.7	1012.2	1016.8	1019.2	1021.0	1015.1
03	1021.0	1020.6	1018.1	1014.2	1011.4	1007.4	1008.3	1007.4	1011.8	1016.2	1018.5	1020.2	1014.6
04	1020.2	1019.8	1017.4	1013.8	1010.9	1007.0	1008.0	1007.1	1011.3	1015.5	1017.9	1019.5	1014.0
05	1019.8	1019.2	1016.8	1013.3	1010.5	1006.7	1007.7	1006.6	1010.9	1015.1	1017.5	1019.1	1013.6
06	1019.8	1019.1	1016.4	1012.8	1010.0	1006.4	1007.4	1006.3	1010.6	1014.9	1017.4	1019.1	1013.4
07	1020.0	1019.2	1016.4	1012.6	1009.8	1006.3	1007.2	1006.2	1010.6	1015.0	1017.7	1019.3	1013.3
08	1020.3	1019.4	1016.6	1012.7	1009.7	1006.1	1007.2	1006.2	1010.7	1015.2	1017.9	1019.6	1013.4
09	1020.7	1019.7	1016.9	1012.9	1009.8	1006.2	1007.2	1006.3	1010.9	1015.4	1018.2	1020.0	1013.7
10	1021.0	1020.1	1017.3	1013.3	1010.1	1006.5	1007.5	1006.6	1011.2	1015.8	1018.6	1020.3	1014.0
11	1021.2	1020.4	1017.7	1013.8	1010.6	1006.8	1007.8	1007.0	1011.7	1016.1	1018.8	1020.5	1014.4
12	1021.3	1020.6	1018.1	1014.2	1011.0	1007.1	1008.2	1007.4	1012.0	1016.3	1019.0	1020.6	1014.7
13	1021.4	1020.8	1018.3	1014.5	1011.4	1007.4	1008.4	1007.6	1012.0	1016.5	1019.1	1020.7	1014.8
14	1021.3	1020.6	1018.2	1014.4	1011.4	1007.4	1008.4	1007.5	1012.0	1016.4	1019.0	1020.6	1014.8
15	1021.2	1020.5	1018.1	1014.3	1011.3	1007.1	1008.2	1007.4	1011.8	1016.2	1018.8	1020.4	1014.6
16	1020.9	1020.6	1018.1	1014.3	1011.1	1007.0	1007.9	1007.1	1011.5	1016.0	1018.8	1020.2	1014.4
17	1021.0	1020.5	1017.9	1014.0	1010.9	1006.8	1007.7	1007.0	1011.4	1015.9	1018.7	1020.2	1014.3
18	1020.9	1020.4	1017.6	1013.8	1010.8	1006.7	1007.6	1006.9	1011.2	1015.7	1018.6	1020.2	1014.2
19	1020.7	1020.1	1017.5	1013.8	1010.9	1006.8	1007.6	1006.9	1011.2	1015.7	1018.3	1020.0	1014.1
20	1020.7	1020.2	1017.7	1013.9	1011.0	1007.0	1007.9	1007.0	1011.3	1015.9	1018.4	1019.9	1014.3
21	1021.0	1020.4	1018.0	1014.2	1011.3	1007.2	1008.1	1007.3	1011.5	1016.2	1018.6	1020.2	1014.5
22	1021.3	1020.7	1018.2	1014.5	1011.7	1007.5	1008.4	1007.6	1012.0	1016.5	1018.9	1020.6	1014.8
23	1021.6	1021.1	1018.6	1014.8	1011.9	1007.7	1008.6	1007.7	1012.2	1017.0	1019.3	1020.9	1015.1
MEAN	1021.0	1020.4	1017.8	1013.9	1011.0	1007.0	1008.0	1007.1	1011.5	1016.0	1018.6	1020.2	1014.4

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.3	6.7	10.6	14.5	18.7	21.5	25.4	27.1	24.4	20.4	14.8	8.8	16.6
01	7.7	7.5	11.3	15.0	19.0	21.7	25.8	27.4	24.8	21.1	15.7	9.9	17.2
02	8.3	8.0	11.7	15.3	19.3	21.9	25.9	27.6	25.1	21.5	16.2	10.5	17.6
03	8.6	8.4	11.9	15.7	19.5	22.1	26.2	28.0	25.4	21.8	16.5	10.7	17.9
04	8.8	8.6	12.1	15.9	20.0	22.1	26.4	28.2	25.6	22.0	16.6	10.9	18.1
05	8.9	8.9	12.3	16.2	20.2	22.3	26.5	28.3	25.6	22.1	16.7	10.9	18.2
06	8.8	8.9	12.5	16.3	20.5	22.2	26.6	28.3	25.6	22.1	16.6	10.8	18.3
07	8.4	8.7	12.3	16.3	20.5	22.4	26.6	28.3	25.5	21.8	16.2	10.4	18.1
08	7.7	8.2	12.0	16.1	20.3	22.2	26.3	28.1	25.2	21.2	15.3	9.6	17.7
09	6.7	7.3	11.3	15.6	19.8	22.1	26.1	27.7	24.6	20.0	14.3	8.7	17.0
10	6.1	6.6	10.4	14.8	19.2	21.7	25.7	27.2	23.8	19.3	13.8	8.1	16.4
11	5.6	6.1	9.8	14.2	18.6	21.4	25.3	26.8	23.4	18.8	13.4	7.9	15.9
12	5.4	5.8	9.4	13.7	18.0	21.1	24.9	26.5	23.1	18.6	13.2	7.7	15.6
13	5.2	5.5	9.0	13.3	17.6	20.9	24.7	26.2	22.9	18.3	13.0	7.4	15.3
14	5.0	5.3	8.8	12.8	17.2	20.7	24.4	26.0	22.7	18.2	12.8	7.2	15.1
15	4.8	5.1	8.5	12.6	16.8	20.6	24.2	25.7	22.5	18.0	12.6	7.1	14.9
16	4.9	4.9	8.1	12.2	16.4	20.3	23.9	25.6	22.5	18.1	12.6	7.3	14.7
17	4.6	4.7	7.8	12.0	16.1	20.1	23.8	25.4	22.3	18.0	12.5	7.1	14.5
18	4.5	4.7	7.7	11.7	15.6	20.0	23.6	25.2	22.2	17.8	12.3	7.0	14.3
19	4.3	4.6	7.5	11.5	15.5	19.9	23.5	25.1	22.0	17.6	12.3	6.9	14.2
20	4.3	4.6	7.3	11.3	15.3	19.8	23.4	25.0	21.9	17.5	12.2	6.8	14.1
21	4.3	4.6	7.2	11.1	15.6	20.0	23.6	24.9	22.0	17.4	12.1	6.9	14.2
22	4.2	4.5	7.5	12.5	17.2	20.6	24.4	25.9	22.7	17.7	12.1	6.8	14.7
23	4.7	5.3	9.5	13.9	18.1	21.2	25.0	26.6	23.7	19.4	13.2	7.4	15.7
MEAN	6.2	6.4	9.8	13.9	18.1	21.2	25.1	26.7	23.7	19.5	14.0	8.5	16.1

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.8	7.1	8.9	12.1	16.2	22.1	27.8	29.7	24.2	17.3	12.3	8.1	16.1
01	6.8	7.0	8.9	12.2	16.3	22.2	27.9	29.8	24.3	17.2	12.1	8.1	16.1
02	6.6	7.0	8.9	12.3	16.4	22.1	28.2	29.9	24.2	17.1	11.9	8.0	16.0
03	6.6	7.0	8.9	12.4	16.4	22.2	28.3	29.9	24.2	16.9	11.8	8.0	16.0
04	6.6	7.0	8.9	12.4	16.5	22.2	28.4	30.0	24.1	17.0	11.9	7.9	16.1
05	6.6	6.9	8.9	12.1	16.5	22.2	28.5	29.9	24.1	16.8	11.9	8.0	16.0
06	6.6	6.9	8.8	12.2	16.4	22.2	28.3	29.9	24.1	16.9	11.9	7.9	16.0
07	6.6	6.9	8.8	12.1	16.2	22.1	28.1	29.7	24.1	16.9	12.0	7.9	16.0
08	6.6	6.9	8.8	12.0	16.1	22.0	27.9	29.4	24.0	17.0	12.2	8.0	15.9
09	6.7	6.9	8.8	12.0	16.0	22.0	27.8	29.2	24.2	17.4	12.2	8.0	15.9
10	6.7	7.0	8.9	12.1	16.0	21.9	27.8	29.1	24.2	17.2	12.1	8.0	15.9
11	6.6	7.0	8.8	12.2	16.2	22.1	27.8	29.3	24.0	17.1	12.0	8.0	15.9
12	6.6	6.9	8.7	12.2	16.0	22.1	27.7	29.2	23.9	17.1	12.0	8.0	15.9
13	6.5	6.9	8.7	12.2	15.9	22.1	27.7	29.1	23.8	17.0	12.0	8.0	15.8
14	6.5	6.9	8.6	12.1	15.8	22.0	27.8	29.0	23.8	17.0	11.9	7.9	15.8
15	6.4	6.9	8.6	12.0	15.7	22.0	27.6	29.0	23.7	17.0	11.9	7.9	15.7
16	6.5	6.8	8.5	11.8	15.2	21.8	27.3	29.1	23.8	17.2	11.9	8.1	15.7
17	6.5	6.9	8.5	11.7	15.2	21.7	27.2	29.0	23.7	17.1	11.9	8.0	15.6
18	6.5	6.9	8.5	11.6	15.2	21.7	27.1	29.0	23.7	17.0	11.9	7.9	15.6
19	6.4	6.9	8.4	11.6	15.3	21.5	27.1	28.9	23.6	16.9	11.9	7.9	15.5
20	6.4	6.9	8.4	11.5	15.2	21.5	27.0	28.8	23.6	16.8	11.9	7.8	15.5
21	6.4	6.8	8.4	11.5	15.4	21.7	27.2	28.8	23.6	16.8	11.9	7.8	15.5
22	6.4	6.8	8.6	12.0	16.0	22.0	27.6	29.4	24.0	16.9	11.9	7.8	15.8
23	6.5	7.0	8.9	12.0	16.1	22.1	27.8	29.6	24.3	17.4	12.2	7.9	16.0
MEAN	6.6	6.9	8.7	12.0	15.9	22.0	27.8	29.4	23.9	17.0	12.0	8.0	15.8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	70	70	67	72	75	86	86	83	79	71	71	69	75
01	63	66	64	71	74	85	85	82	77	68	66	64	72
02	60	64	63	70	73	84	84	81	76	66	63	62	70
03	58	62	62	69	72	84	83	80	74	64	61	61	69
04	57	61	62	68	71	83	83	79	73	63	61	59	68
05	57	59	61	66	70	83	83	78	73	62	61	60	68
06	57	59	60	66	69	83	82	78	74	62	61	59	68
07	59	60	61	65	68	82	81	78	74	64	64	60	68
08	62	62	61	65	68	83	82	78	75	66	67	64	70
09	67	65	64	67	69	83	83	79	78	72	72	68	72
10	69	69	68	71	72	84	85	81	82	75	74	71	75
11	71	72	70	74	75	87	86	84	83	76	75	72	77
12	71	73	72	76	77	89	88	84	83	77	76	73	78
13	71	74	72	78	78	89	89	85	84	78	77	74	79
14	72	75	74	79	79	90	91	86	85	79	77	75	80
15	73	75	74	80	81	91	91	87	86	80	78	75	81
16	73	76	76	80	81	91	92	88	86	81	78	76	81
17	75	77	77	81	82	92	92	89	87	81	79	76	82
18	75	77	77	82	84	92	93	90	88	82	79	76	83
19	75	78	78	83	86	92	94	90	88	82	80	76	83
20	75	77	79	83	86	93	94	91	89	82	80	76	84
21	76	78	80	84	85	93	93	91	88	82	80	75	84
22	76	78	79	80	81	90	90	88	87	81	81	76	82
23	75	76	73	75	77	88	88	85	82	76	77	74	79
MEAN	68	70	70	74	77	88	88	84	81	74	73	70	76

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	25 *	32	2	1	4	7	13	15	4	1	24	25	24
01	29	1 *	2	6	14	3	13	13	2	36	33	29	2 *
02	29	30	7	6	8	7	13	12	3	1	2	29	3 *
03	30	29	7	4	7	7	13	10	3	1	29	29	7
04	30	30	3	4	7	7	13	8	4	2	30	29	3
05	30 *	30	4 *	4	7	7 *	13 *	9	3	2	30	30	3
06	29	30	31	6	14	4	13	9	3	3	31 *	30	3
07	31	30	33 *	7	14	14	13	14	3	3	32	31	3
08	31 *	32	33	32	16	14	14	14	2	32	31	30	32
09	31	32 *	32	31 *	21 *	20	15 *	14	32 *	32	31	31	31
10	26	30	32	32 *	20 *	19 *	15	21 *	32 *	26	26	27	28
11	26 *	28	26	25	22	20	15	14	28	26	26	27	26
12	27	32	26	28	25	20	14	27	27	27	25	26	26
13	25	32	31	24	25	26	14 *	28	26	26	27	27	26
14	26	27	25	26	25	30	15	26	25	26	27	26	26
15	26	25	25	25	24	30 *	16	24	26 *	27	25	28	25
16	26	26	25	25	24	25	24	24	26 *	25	26	27	25
17	25	26 *	27	25	25	25	14	25 *	26 *	25	26	27	25
18	25	26	27	25	24	24	16 *	25	25	26 *	25	27	25
19	26 *	26 *	27 *	25	25	24 *	21	24	26 *	26	26	27	26
20	27	26	27	26	25	29	24	26	26	25	27	27	25
21	26	26	26 *	25	26	1	24 *	26	26	26	27	28	26
22	26	25	24	25	23	2 *	23	24	27	26	25	27	25
23	26	25	25	22	3 *	3	17	18	34	24	27	27	25
ALL	26	32	32	25	25	14	14	14	26	26	27	27	26

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	5.7	7.2	6.6	6.5	6.2	4.9	5.2	5.6	6.9	7.8	6.0	6.4	6.3
01	6.8	8.2	7.6	6.8	6.5	5.3	5.5	6.0	7.3	8.1	7.5	7.6	7.0
02	8.1	8.9	8.4	7.7	7.0	5.7	6.1	6.4	7.3	8.4	7.9	8.4	7.5
03	9.0	9.3	8.8	8.0	7.0	6.0	6.6	6.7	7.5	8.5	8.1	8.9	7.9
04	9.7	9.8	9.0	8.2	7.2	5.9	6.6	7.0	7.5	9.0	8.0	9.2	8.1
05	9.3	9.9	9.1	7.9	7.5	5.7	6.8	7.2	7.6	8.8	8.3	9.1	8.1
06	9.3	9.7	9.0	8.2	7.3	5.8	6.5	7.0	7.3	8.4	7.9	8.9	8.0
07	8.5	9.2	8.6	7.7	7.2	5.4	6.4	6.9	6.8	7.7	7.5	7.9	7.5
08	7.5	8.5	8.0	7.6	6.6	5.5	6.0	6.4	6.2	6.8	6.4	6.8	6.8
09	5.8	7.3	6.8	6.8	6.2	5.0	5.9	5.9	5.5	6.2	5.7	5.9	6.1
10	5.7	6.3	5.8	6.3	5.7	5.2	5.6	5.5	5.3	6.2	5.5	5.5	5.7
11	5.4	6.4	5.6	6.0	5.4	4.8	5.2	5.1	5.3	6.3	5.6	5.7	5.6
12	5.1	6.1	5.3	5.8	5.2	4.6	5.1	5.1	5.3	6.2	5.5	5.7	5.4
13	5.4	6.0	5.2	5.7	5.0	4.8	4.8	4.7	5.2	6.0	5.6	5.8	5.3
14	5.4	6.0	5.2	5.2	4.8	4.4	4.6	4.7	5.0	6.1	5.5	5.5	5.2
15	5.3	5.9	5.1	5.5	4.7	4.4	4.3	4.3	5.1	6.1	5.3	5.5	5.1
16	5.6	5.6	4.9	5.3	4.8	4.3	4.4	4.1	5.0	6.1	5.5	5.6	5.1
17	5.4	5.6	5.1	5.0	4.9	4.3	4.1	3.7	4.9	6.3	5.3	5.4	5.0
18	5.4	5.7	5.1	5.1	4.5	4.2	3.9	3.9	5.0	6.4	5.3	5.6	5.0
19	5.6	5.9	5.3	5.1	4.5	3.8	3.9	3.9	5.1	6.2	5.5	5.5	5.0
20	5.5	6.3	5.4	5.3	4.6	4.1	3.8	3.8	5.1	6.3	5.5	5.7	5.1
21	5.5	6.3	5.0	4.8	4.4	3.7	3.7	3.7	5.4	6.3	5.6	5.9	5.0
22	5.3	6.2	5.4	5.0	4.3	4.1	4.0	4.2	5.6	6.2	5.8	5.9	5.2
23	5.4	6.4	5.5	5.6	5.4	4.7	4.6	4.8	5.8	6.7	5.7	6.0	5.6
MEAN	6.5	7.2	6.5	6.3	5.7	4.9	5.2	5.3	5.9	7.0	6.3	6.6	6.1

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	6.7	10.8	2.1	6.3	10.1	2.0	8.1	12.0	3.9	12.2	16.3	7.7
02	6.6	10.7	2.0	6.3	10.0	2.0	8.3	12.2	4.1	12.4	16.4	7.8
03	6.6	10.7	2.0	6.2	9.9	2.0	8.4	12.4	4.2	12.5	16.5	8.0
04	6.5	10.6	2.0	6.1	9.8	2.0	8.5	12.5	4.2	12.5	16.6	8.1
05	6.5	10.5	2.0	6.0	9.7	1.9	8.6	12.6	4.3	12.6	16.7	8.1
06	6.4	10.4	2.0	6.0	9.7	1.8	8.6	12.7	4.3	12.7	16.8	8.2
07	6.4	10.3	2.0	5.9	9.6	1.7	8.7	12.8	4.2	12.7	16.9	8.3
08	6.3	10.2	2.0	5.9	9.6	1.7	8.7	12.9	4.2	12.8	17.0	8.4
09	6.3	10.1	2.0	5.8	9.5	1.7	8.8	13.1	4.2	12.9	17.1	8.5
10	6.2	10.0	2.0	5.9	9.5	1.7	8.8	13.2	4.2	13.0	17.2	8.6
11	6.2	10.0	2.0	5.9	9.6	1.7	8.9	13.3	4.2	13.2	17.4	8.7
12	6.2	9.9	2.0	5.9	9.6	1.8	9.0	13.4	4.3	13.3	17.6	8.8
13	6.1	9.8	1.9	6.0	9.6	1.8	9.2	13.6	4.4	13.5	17.7	9.0
14	6.1	9.8	1.9	6.1	9.7	1.9	9.3	13.8	4.6	13.7	17.9	9.2
15	6.1	9.8	1.9	6.1	9.8	2.0	9.5	14.0	4.8	13.9	18.0	9.4
16	6.0	9.7	1.8	6.2	9.8	2.1	9.7	14.1	5.0	14.0	18.2	9.5
17	6.0	9.7	1.8	6.3	9.9	2.2	9.9	14.3	5.2	14.2	18.3	9.7
18	6.0	9.7	1.8	6.4	10.0	2.3	10.1	14.4	5.3	14.3	18.4	9.9
19	6.0	9.7	1.7	6.5	10.2	2.4	10.2	14.6	5.5	14.5	18.5	10.0
20	5.9	9.7	1.7	6.6	10.3	2.5	10.4	14.7	5.6	14.6	18.6	10.2
21	5.9	9.7	1.6	6.7	10.5	2.7	10.5	14.8	5.8	14.7	18.6	10.3
22	5.9	9.7	1.6	6.9	10.6	2.8	10.6	14.9	5.9	14.8	18.7	10.4
23	5.9	9.7	1.6	7.0	10.8	2.9	10.7	15.0	5.9	15.0	18.8	10.6
24	5.9	9.7	1.6	7.2	11.0	3.1	10.9	15.1	6.0	15.1	19.0	10.7
25	6.0	9.8	1.6	7.4	11.2	3.3	11.0	15.2	6.2	15.3	19.1	10.9
26	6.0	9.9	1.7	7.6	11.4	3.4	11.2	15.4	6.4	15.4	19.3	11.0
27	6.1	9.9	1.7	7.8	11.6	3.6	11.4	15.5	6.6	15.6	19.4	11.1
28	6.1	10.0	1.8	8.0	11.8	3.8	11.5	15.7	6.8	15.8	19.6	11.3
29	6.2	10.1	1.9	8.1	11.9	3.9	11.7	15.8	7.0	15.9	19.8	11.4
30	6.3	10.1	2.0				11.9	16.0	7.2	16.1	20.0	11.6
31	6.3	10.1	2.0				12.1	16.2	7.5			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	16.3	20.2	11.7	19.8	22.9	16.9	22.7	25.6	20.5	26.9	29.7	24.5
02	16.4	20.3	11.8	19.9	22.9	17.0	22.9	25.8	20.6	26.9	29.8	24.5
03	16.5	20.5	11.9	20.0	22.9	17.2	23.1	26.0	20.8	27.0	29.9	24.6
04	16.7	20.6	12.0	20.1	23.0	17.4	23.3	26.2	21.0	27.0	29.9	24.6
05	16.8	20.7	12.1	20.2	23.0	17.6	23.4	26.4	21.2	27.1	30.0	24.6
06	16.9	20.9	12.3	20.3	23.1	17.8	23.6	26.6	21.3	27.1	30.0	24.6
07	17.0	20.9	12.3	20.5	23.2	18.0	23.8	26.8	21.5	27.2	30.1	24.7
08	17.0	21.0	12.4	20.6	23.3	18.2	24.0	27.0	21.7	27.2	30.1	24.7
09	17.1	21.1	12.5	20.8	23.5	18.4	24.1	27.2	21.8	27.2	30.1	24.7
10	17.2	21.2	12.7	21.0	23.6	18.5	24.3	27.3	22.0	27.2	30.1	24.7
11	17.3	21.3	12.8	21.1	23.8	18.7	24.4	27.5	22.1	27.2	30.1	24.7
12	17.4	21.4	13.0	21.3	23.9	18.9	24.6	27.6	22.2	27.2	30.1	24.7
13	17.5	21.5	13.1	21.4	24.0	19.0	24.7	27.8	22.4	27.2	30.1	24.7
14	17.7	21.6	13.3	21.5	24.1	19.2	24.9	27.9	22.5	27.2	30.0	24.7
15	17.8	21.7	13.4	21.6	24.2	19.3	25.0	28.0	22.6	27.1	29.9	24.7
16	17.9	21.8	13.6	21.6	24.2	19.4	25.2	28.2	22.7	27.1	29.9	24.7
17	18.1	22.0	13.9	21.7	24.3	19.4	25.3	28.3	22.8	27.0	29.8	24.6
18	18.3	22.1	14.1	21.7	24.3	19.5	25.4	28.4	23.0	26.9	29.7	24.6
19	18.4	22.2	14.3	21.7	24.3	19.5	25.6	28.5	23.1	26.9	29.6	24.5
20	18.6	22.4	14.5	21.7	24.4	19.6	25.7	28.6	23.2	26.8	29.5	24.4
21	18.7	22.5	14.7	21.8	24.4	19.6	25.8	28.7	23.3	26.7	29.4	24.3
22	18.9	22.6	15.0	21.8	24.4	19.7	25.9	28.8	23.5	26.6	29.2	24.2
23	19.0	22.7	15.2	21.8	24.5	19.7	26.0	28.9	23.6	26.4	29.1	24.1
24	19.2	22.8	15.4	21.9	24.6	19.8	26.1	29.0	23.7	26.3	28.9	23.9
25	19.3	22.8	15.6	21.9	24.6	19.8	26.3	29.1	23.8	26.1	28.8	23.8
26	19.4	22.9	15.8	22.0	24.7	19.9	26.4	29.2	24.0	26.0	28.6	23.6
27	19.5	22.9	16.0	22.1	24.9	20.0	26.5	29.3	24.1	25.8	28.4	23.4
28	19.6	23.0	16.2	22.2	25.0	20.1	26.6	29.4	24.2	25.6	28.2	23.2
29	19.7	23.0	16.4	22.4	25.2	20.2	26.6	29.5	24.3	25.4	28.1	23.1
30	19.7	23.0	16.5	22.5	25.4	20.3	26.7	29.6	24.4	25.3	27.9	22.9
31	19.8	22.9	16.7				26.8	29.7	24.4	25.1	27.8	22.8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 28.8'N, LONGITUDE: 131° 44.2'E, ELEVATION ABOVE MSL: 17 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	25.0	27.7	22.6	22.4	25.6	19.2	16.4	20.1	12.4	10.6	14.4	6.2
02	24.9	27.6	22.5	22.3	25.5	19.0	16.2	19.9	12.2	10.4	14.2	5.9
03	24.8	27.6	22.4	22.1	25.3	18.9	16.1	19.8	12.1	10.1	14.0	5.6
04	24.8	27.5	22.3	21.9	25.2	18.7	16.0	19.6	12.0	9.9	13.8	5.4
05	24.7	27.5	22.2	21.7	25.0	18.4	15.9	19.5	11.9	9.7	13.6	5.2
06	24.7	27.5	22.2	21.5	24.8	18.2	15.8	19.4	11.8	9.6	13.4	5.1
07	24.6	27.5	22.1	21.3	24.6	17.9	15.6	19.2	11.6	9.4	13.2	4.9
08	24.6	27.4	22.0	21.0	24.3	17.6	15.5	19.1	11.5	9.3	13.1	4.8
09	24.5	27.4	21.9	20.7	24.1	17.3	15.3	18.9	11.4	9.2	12.9	4.7
10	24.4	27.3	21.7	20.5	23.9	17.0	15.2	18.8	11.2	9.1	12.8	4.7
11	24.3	27.2	21.6	20.2	23.6	16.6	15.0	18.6	11.0	8.9	12.6	4.6
12	24.2	27.1	21.4	20.0	23.4	16.3	14.8	18.4	10.8	8.8	12.5	4.6
13	24.1	27.0	21.3	19.8	23.2	16.0	14.6	18.2	10.7	8.7	12.3	4.5
14	23.9	26.9	21.1	19.6	23.0	15.8	14.4	18.1	10.5	8.6	12.2	4.5
15	23.8	26.7	20.9	19.4	22.9	15.5	14.3	17.9	10.3	8.5	12.1	4.4
16	23.6	26.6	20.7	19.2	22.7	15.3	14.1	17.8	10.1	8.4	12.0	4.3
17	23.5	26.4	20.5	19.1	22.6	15.1	13.9	17.6	9.9	8.3	11.9	4.3
18	23.4	26.3	20.4	19.0	22.5	15.0	13.8	17.5	9.7	8.3	11.8	4.2
19	23.2	26.2	20.2	18.9	22.4	14.9	13.6	17.3	9.6	8.2	11.7	4.1
20	23.1	26.1	20.1	18.7	22.3	14.7	13.4	17.2	9.4	8.1	11.7	4.0
21	23.1	26.0	20.0	18.6	22.2	14.6	13.3	17.0	9.2	8.0	11.6	3.9
22	23.0	26.0	19.9	18.5	22.0	14.5	13.1	16.8	9.0	7.9	11.5	3.7
23	22.9	25.9	19.8	18.3	21.9	14.3	12.8	16.6	8.7	7.8	11.5	3.6
24	22.9	25.9	19.8	18.1	21.7	14.1	12.6	16.3	8.5	7.7	11.4	3.4
25	22.9	25.9	19.7	17.9	21.5	13.9	12.3	16.1	8.2	7.6	11.3	3.2
26	22.8	25.9	19.7	17.7	21.3	13.7	12.1	15.8	7.9	7.5	11.3	3.0
27	22.8	25.8	19.6	17.5	21.1	13.5	11.8	15.5	7.5	7.3	11.2	2.8
28	22.7	25.8	19.6	17.2	20.9	13.2	11.5	15.2	7.2	7.2	11.1	2.6
29	22.6	25.8	19.5	17.0	20.7	13.0	11.2	15.0	6.8	7.0	11.0	2.4
30	22.5	25.7	19.3	16.8	20.5	12.8	10.9	14.7	6.5	6.9	11.0	2.3
31				16.6	20.3	12.6				6.8	10.9	2.2