

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KITAKYUSHU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

NUMBER OF FORWARD SCATTER: RWY18

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	1	2	2	2	3	5
01	-	-	-	-	3	1	4	6
02	-	-	-	-	1	-	2	5
03	-	-	-	1	2	2	3	7
04	-	-	-	-	2	1	3	5
05	-	-	1	1	2	1	2	5
06	-	-	1	1	1	1	2	4
07	-	-	1	1	1	1	2	5
08	-	-	1	1	1	1	1	2
09	-	-	-	1	1	1	2	5
10	-	-	-	1	1	1	1	4
11	-	-	1	1	1	1	2	3
12	-	-	1	1	2	1	2	3
13	-	-	1	1	1	1	1	3
14	-	-	1	1	1	1	2	3
15	-	-	1	1	2	1	3	3
16	-	-	1	1	1	1	2	3
17	-	-	1	1	1	1	1	3
18	-	-	-	-	-	-	1	3
19	-	-	-	1	1	1	1	3
20	-	-	1	1	2	1	2	3
21	-	-	1	2	2	2	2	4
22	-	-	1	1	1	1	2	5
23	-	-	1	1	1	1	4	5
MEAN	-	-	1	1	1	1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KITAKYUSHU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

NUMBER OF FORWARD SCATTER: RWY18

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	2	3	6	4	6	11
01	-	-	1	2	5	4	7	14
02	-	-	-	1	4	1	6	13
03	0)	0)	1)	1)	5)	-	6	11
04	-	1	1	1	3	1	4	7
05	0)	0)	1)	1)	1)	1	2	6
06	-	-	1	1	2	1	4	7
07	1	1	1	1	2	2	4	7
08	-	1	1	1	2	1	4	8
09	-	-	1	1	3	1	4	9
10	-	-	1	1	4	1	6	8
11	-	-	1	2	4	2	5	9
12	-	-	2	2	4	2	5	8
13	0)	0)	1)	1)	5)	2	6	8
14	-	1	1	1	6	2	6	8
15	-	-	2	4	7	4	8	11
16	-	-	1	1	6	1	7	10
17	-	-	1	1	6	1	7	8
18	1	1	1	2	5	2	6	11
19	-	-	1	2	6	2	8	12
20	1	1	1	1	6	1	9	13
21	-	1	2	2	7	2	8	12
22	1	1	1	3	6	3	7	10
23	1	1	1	1	4	1	6	12
MEAN	0)	0)	1)	2)	4)	2	6	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KITAKYUSHU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

NUMBER OF FORWARD SCATTER: RWY18

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	1	1	1	2	5	2	5	10
01	-	-	1	1	5	1	5	9
02	0)	0)	1)	1)	4)	1	4	5
03	0)	0)	1)	1)	3)	1	4	5
04	-	-	1	1	3	1	4	5
05	0)	0)	1)	1)	3)	1	5	6
06	0)	0)	1)	1)	3)	1	5	5
07	-	-	1	1	3	1	4	5
08	-	-	-	-	3	-	4	5
09	-	-	-	1	2	1	2	6
10	-	-	-	1	2	1	4	6
11	-	-	-	-	2	-	3	6
12	-	-	1	2	3	2	3	6
13	-	-	1	2	3	2	5	6
14	-	1	2	3	4	3	6	8
15	1	1	3	3	3	3	4	6
16	-	-	3	3	5	3	5	6
17	0)	0)	3)	3)	5)	3	6	8
18	1)	1)	1)	2)	4)	2	6	7
19	1)	1)	1)	1)	3)	2	6	7
20	1)	1)	1)	1)	3)	1	5	7
21	1)	1)	1)	1)	4)	1	5	8
22	1	1	1	2	3	3	4	9
23	-	-	1	2	2	2	5	9
MEAN	0)	0)	1)	2)	3)	2	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KITAKYUSHU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

NUMBER OF FORWARD SCATTER: RWY18

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	1	1	2	2	4	2	6	11
01	0)	1)	2)	2)	7)	2	8	12
02	1	1	2	3	7	4	7	11
03	0)	0)	2)	2)	3)	2	5	7
04	0)	0)	1)	2)	3)	2	4	5
05	0)	0)	1)	3)	3)	3	4	7
06	-	-	2	4	5	4	5	9
07	0)	0)	1)	1)	3)	1	3	7
08	0)	0)	1)	1)	3)	1	3	8
09	0)	0)	1)	1)	2)	1	2	5
10	-	-	1	1	1	1	1	4
11	-	-	2	2	3	2	4	5
12	-	-	1	1	1	1	3	5
13	-	-	2	3	4	3	4	6
14	-	-	2	2	3	2	3	5
15	-	-	2	3	3	3	3	4
16	-	-	2	2	2	2	3	7
17	-	-	3	3	4	3	4	7
18	-	-	1	3	5	3	5	7
19	-	-	2	3	5	3	5	8
20	1	1	3	3	5	3	7	9
21	-	-	2	3	7	5	11	16
22	1)	1)	2)	3)	6)	3	12	16
23	1)	1)	1)	3)	6)	3	10	13
MEAN	0)	0)	2)	2)	4)	3	5	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KITAKYUSHU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

NUMBER OF FORWARD SCATTER: RWY18

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	3	3	6	3	6	9
01	-	-	2	2	6	2	6	8
02	0)	0)	2)	2)	4)	2	5	7
03	-	-	2	2	5	2	5	6
04	-	-	2	2	3	2	3	5
05	-	-	2	3	3	3	3	6
06	-	-	1	2	3	2	3	6
07	-	-	1	1	3	1	3	5
08	0)	0)	1)	2)	3)	2	3	5
09	0)	0)	0)	1)	3)	1	3	5
10	0)	0)	1)	1)	3)	1	5	8
11	0)	0)	0)	1)	3)	1	4	5
12	0)	0)	1)	2)	4)	2	5	8
13	0)	0)	1)	2)	5)	2	5	7
14	0)	0)	1)	1)	4)	1	5	7
15	-	-	1	1	4	1	5	7
16	-	-	1	3	6	3	7	10
17	-	-	-	3	5	3	7	9
18	-	-	1	3	5	3	6	9
19	0)	0)	2)	3)	5)	3	6	12
20	0)	0)	1)	2)	5)	2	6	10
21	0)	0)	2)	3)	7)	4	8	12
22	0)	0)	2)	4)	7)	4	8	12
23	0)	0)	1)	3)	7)	3	8	11
MEAN	0)	0)	1)	2)	4)	2	5	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KITAKYUSHU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

NUMBER OF FORWARD SCATTER: RWY18

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	3	4	11	4	11	15
01	-	-	3	3	9	3	9	13
02	-	-	2	3	6	3	7	8
03	0)	0)	1)	3)	7)	3	7	11
04	-	-	1	3	5	3	6	8
05	0)	0)	2)	4)	7)	4	9	11
06	0)	0)	1)	3)	6)	3	6	9
07	-	-	2	3	7	3	8	12
08	-	-	1	3	7	3	7	13
09	-	1	3	4	9	4	10	15
10	-	-	3	4	9	4	10	14
11	-	-	2	3	9	3	9	12
12	-	-	1	2	5	2	6	11
13	-	-	2	4	5	4	6	12
14	-	-	1	3	7	3	7	11
15	-	1	1	3	9	3	9	14
16	-	1	1	3	7	3	9	15
17	-	-	2	3	5	3	9	13
18	-	1	4	5	7	5	7	15
19	1	1	2	3	6	3	7	15
20	-	1	3	4	11	4	12	21
21	-	1	2	4	12	4	13	23
22	-	-	2	3	13	3	15	24
23	-	-	2	5	12	5	12	19
MEAN	0)	0)	2)	3)	8)	3	9	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KITAKYUSHU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

NUMBER OF FORWARD SCATTER: RWY18

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	1	1	3	4	9	5	8	14
01	0)	0)	2)	3)	5)	3	5	8
02	0)	1)	2)	3)	5)	4	5	10
03	-	1	1	1	3	1	4	6
04	-	-	1	1	3	1	4	8
05	-	-	1	1	4	1	3	5
06	-	1	1	2	5	-	3	5
07	-	-	-	-	2	-	2	5
08	-	-	-	1	2	1	1	4
09	-	-	-	-	1	-	1	3
10	-	-	-	-	1	-	1	5
11	-	-	-	1	1	1	1	3
12	-	-	1	2	3	1	3	5
13	-	-	-	-	1	-	1	3
14	-	-	-	1	3	1	3	4
15	-	-	1	1	3	1	3	6
16	-	-	2	3	7	3	8	12
17	1)	1)	4)	4)	7)	4	10	14
18	0)	1)	5)	5)	8)	5	9	13
19	0)	1)	3)	4)	7)	5	8	14
20	-	1	3	4	8	5	9	15
21	1	2	6	6	12	6	12	19
22	1	1	6	8	10	8	10	17
23	-	1	3	5	8	4	6	17
MEAN	0)	0)	2)	2)	5)	2	5	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KITAKYUSHU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

NUMBER OF FORWARD SCATTER: RWY18

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	-	-	2	-	2	5
01	-	-	1	1	2	1	2	5
02	0)	0)	0)	0)	2)	-	2	5
03	0)	0)	0)	1)	2)	0)	1)	3)
04	0)	0)	1)	1)	3)	0)	2)	6)
05	0)	0)	0)	0)	2)	0)	3)	5)
06	0)	0)	0)	1)	3)	1)	3)	5)
07	0)	0)	0)	1)	4)	1)	3)	6)
08	0)	0)	0)	0)	1)	0)	1)	3)
09	0)	0)	0)	0)	0)	0)	1)	3)
10	0)	0)	0)	0)	0)	0)	0)	2)
11	0)	0)	0)	0)	0)	0)	0)	1)
12	0)	0)	0)	0)	0)	0)	0)	2)
13	0)	0)	0)	0)	0)	0)	1)	3)
14	0)	0)	0)	0)	1)	0)	1)	3)
15	0)	0)	0)	0)	0)	0)	0)	3)
16	-	-	-	-	1	-	1	3
17	-	-	-	-	-	-	-	2
18	-	-	-	-	1	-	1	4
19	-	-	-	-	1	-	1	4
20	-	-	-	1	3	1	3	6
21	-	-	-	-	2	-	3	10
22	-	-	1	1	4	1	4	11
23	1	1	1	1	3	1	3	7
MEAN	0)	0)	0)	0)	1)	0)	1)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KITAKYUSHU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

NUMBER OF FORWARD SCATTER: RWY18

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	-	-	1	-	1	5
01	0)	0)	0)	0)	1)	-	1	5
02	-	-	-	1	2	1	3	8
03	0)	0)	0)	1)	1)	1)	1)	5)
04	0)	0)	0)	0)	2)	0)	2)	3)
05	0)	0)	0)	0)	1)	0)	1)	3)
06	0)	0)	0)	0)	2)	0)	2)	3)
07	0)	0)	1)	1)	1)	0)	1)	3)
08	0)	0)	0)	1)	1)	1)	1)	1)
09	0)	0)	0)	1)	2)	1)	2)	3)
10	0)	0)	0)	1)	1)	0)	1)	2)
11	0)	0)	0)	0)	1)	0)	1)	1)
12	0)	0)	0)	0)	1)	0)	1)	2)
13	0)	0)	0)	0)	1)	0)	1)	2)
14	0)	0)	0)	1)	1)	1)	2)	5)
15	0)	0)	0)	0)	1)	0)	1)	5)
16	-	-	-	-	1	-	1	3
17	0)	0)	0)	0)	1)	-	1	4
18	-	-	-	-	1	-	1	5
19	-	-	1	1	2	1	3	6
20	-	-	-	1	2	1	2	5
21	-	-	-	-	3	-	3	7
22	-	-	-	-	2	-	2	5
23	-	-	-	-	2	-	2	6
MEAN	0)	0)	0)	0)	2)	0)	2)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KITAKYUSHU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

NUMBER OF FORWARD SCATTER: RWY18

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	-	-	3	-	3	5
01	-	-	-	-	2	-	2	4
02	0)	0)	0)	0)	1)	-	1	1
03	-	-	-	-	1	-	1	1
04	-	-	-	-	1	-	1	2
05	-	-	-	-	1	-	1	3
06	-	-	-	-	1	-	-	1
07	-	-	-	-	-	-	-	1
08	-	-	-	1	2	-	1	1
09	-	-	-	-	1	-	1	2
10	-	-	-	-	1	-	1	2
11	-	-	-	-	-	-	1	2
12	-	-	-	-	-	-	-	2
13	-	-	-	-	-	-	1	1
14	-	-	-	-	-	-	-	1
15	-	-	-	-	1	-	2	2
16	-	-	-	-	1	-	1	2
17	-	-	-	-	1	-	1	1
18	-	-	-	-	1	-	1	3
19	-	-	-	-	1	-	1	3
20	-	-	-	-	1	-	2	4
21	-	-	1	1	2	1	3	5
22	-	-	1	1	3	1	3	5
23	-	-	-	-	1	-	1	5
MEAN	0)	0)	0)	0)	1)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KITAKYUSHU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

NUMBER OF FORWARD SCATTER: RWY18

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	1	1	1	1	1	5
01	-	-	1	1	2	1	2	5
02	-	-	1	1	1	1	1	3
03	-	-	1	1	3	1	3	4
04	-	-	-	-	1	-	1	3
05	-	-	-	-	1	-	1	3
06	-	-	-	-	1	-	2	5
07	-	-	-	-	1	-	1	4
08	-	-	-	-	1	-	1	3
09	-	-	-	-	1	-	1	3
10	-	-	-	-	1	-	2	2
11	-	-	-	-	1	-	2	3
12	-	-	-	-	1	-	1	2
13	-	-	-	-	1	-	1	3
14	-	-	-	-	1	-	1	2
15	-	-	-	-	1	-	1	2
16	-	-	-	-	-	-	-	4
17	-	-	-	-	-	-	2	4
18	-	-	-	-	1	-	3	5
19	-	-	-	-	1	-	3	4
20	-	-	-	-	1	-	3	5
21	-	-	-	1	3	1	5	6
22	-	-	-	-	3	-	4	6
23	-	-	-	-	3	-	3	3
MEAN	-	-	0	0	1	0	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KITAKYUSHU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

NUMBER OF FORWARD SCATTER: RWY18

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	-	-	1	-	1	2
01	-	-	-	1	1	1	1	5
02	-	-	-	-	2	-	2	4
03	-	-	-	1	3	1	3	5
04	-	-	-	-	1	-	1	3
05	0)	0)	0)	0)	2)	-	2	3
06	0)	0)	0)	1)	3)	1	3	3
07	-	-	-	1	1	1	1	3
08	-	-	-	1	1	1	1	2
09	-	-	1	1	2	1	3	3
10	-	-	1	1	1	1	1	2
11	-	-	-	1	1	1	1	3
12	-	-	1	1	2	1	3	3
13	-	-	1	1	2	1	2	3
14	-	-	1	1	2	1	2	3
15	-	-	1	1	1	1	1	3
16	-	-	-	-	2	-	2	3
17	-	-	-	1	2	1	2	3
18	-	-	-	-	1	-	1	2
19	-	-	-	-	1	-	1	1
20	-	-	-	1	2	1	2	2
21	-	-	-	1	3	1	3	3
22	-	-	1	1	2	1	2	5
23	-	-	-	1	2	1	2	3
MEAN	0)	0)	0)	1)	2)	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KITAKYUSHU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

NUMBER OF FORWARD SCATTER: RWY18

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1600	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	0	0	1	2	4	2	5	8
01	0)	0)	1)	1)	4)	2	4	8
02	0)	0)	1)	1)	3)	1	4	7
03	0)	0)	1)	1)	3)	1)	4)	6)
04	0)	0)	1)	1)	3)	1)	3)	5)
05	0)	0)	1)	1)	3)	1)	3)	5)
06	0)	0)	1)	1)	3)	1)	3)	5)
07	0)	0)	1)	1)	2)	1)	3)	5)
08	0)	0)	0)	1)	2)	1)	2)	5)
09	0)	0)	0)	1)	2)	1)	3)	5)
10	0)	0)	1)	1)	2)	1)	3)	5)
11	0)	0)	0)	1)	2)	1)	3)	4)
12	0)	0)	1)	1)	2)	1)	3)	5)
13	0)	0)	1)	1)	2)	1)	3)	5)
14	0)	0)	1)	1)	3)	1)	3)	5)
15	0)	0)	1)	1)	3)	1)	3)	5)
16	-	0	1	1	3	1	4	6
17	0)	0)	1)	1)	3)	2	4	6
18	0)	0)	1)	2)	3)	2	4	7
19	0)	0)	1)	2)	3)	2	4	7
20	0)	0)	1)	2)	4)	2	5	8
21	0)	0)	1)	2)	5)	2	6	10
22	0)	0)	2)	2)	5)	2	6	10
23	0)	0)	1)	2)	4)	2	5	9
MEAN	0)	0)	1)	1)	3)	1)	4)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KITAKYUSHU AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1500	<1600	<2400	<3200	<5000	-	-
00	-	-	1	1	2	4		
01	-	1	1	2	3	5		
02	-	-	-	-	1	2		
03	1	1	2	2	3	6		
04	1	1	1	2	3	4		
05	-	1	2	2	2	5		
06	-	1	1	1	1	3		
07	-	1	1	1	2	3		
08	-	1	1	1	1	1		
09	-	1	1	1	2	3		
10	-	-	1	1	1	2		
11	-	-	-	-	2	2		
12	-	-	-	-	1	1		
13	-	-	-	-	1	2		
14	-	-	-	-	1	1		
15	-	1	1	1	2	2		
16	-	-	-	1	2	2		
17	-	1	1	1	1	2		
18	-	-	1	1	1	3		
19	-	-	1	1	1	2		
20	-	1	1	1	1	3		
21	-	1	1	1	1	2		
22	-	1	1	1	1	3		
23	-	1	1	1	3	5		
MEAN	0	0	1	1	2	3		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KITAKYUSHU AIRPORT MONTH: FEB
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1500	<1600	<2400	<3200	<5000	-	-
00	-	1	2	3	5	8		
01	-	2	2	3	4	8		
02	-	1	1	2	3	8		
03	-	-	-	1	3	4		
04	-	1	1	1	3	4		
05	-	-	1	1	2	3		
06	-	1	1	1	3	4		
07	1	1	1	1	4	4		
08	1	1	1	2	3	4		
09	-	1	1	1	2	5		
10	-	-	-	1	3	4		
11	1	1	1	1	4	6		
12	-	-	1	2	3	6		
13	-	1	2	2	3	6		
14	1	2	2	4	4	6		
15	-	2	3	4	6	6		
16	-	-	1	1	3	6		
17	-	1	1	1	4	5		
18	1	1	1	1	4	6		
19	-	1	1	1	4	6		
20	1	1	1	1	4	6		
21	1	1	1	1	4	6		
22	1	1	1	2	3	5		
23	1	1	1	2	4	8		
MEAN	0	1	1	2	3	5		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KITAKYUSHU AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1500	<1600	<2400	<3200	<5000	-	-
00	1	1	1	1	3	7		
01	-	1	1	1	3	6		
02	-	1	1	1	1	3		
03	-	-	-	1	2	3		
04	-	-	-	-	2	3		
05	-	-	-	1	2	3		
06	-	-	-	1	3	3		
07	-	-	-	1	2	3		
08	-	-	-	1	1	1		
09	-	-	-	1	1	3		
10	-	-	-	1	3	4		
11	-	-	1	1	2	5		
12	-	-	1	1	2	5		
13	-	-	-	2	3	5		
14	-	1	1	2	5	6		
15	1	1	2	2	3	4		
16	-	-	1	2	4	5		
17	-	1	2	3	4	5		
18	1	1	1	2	5	5		
19	1	1	1	3	4	4		
20	1	1	1	2	3	5		
21	1	1	1	3	3	5		
22	1	2	2	3	3	6		
23	1	1	1	3	4	8		
MEAN	0	0	1	1	3	4		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KITAKYUSHU AIRPORT MONTH: APR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1500	<1600	<2400	<3200	<5000	-	-
00	1	1	1	2	3	7		
01	-	1	1	3	5	8		
02	-	1	2	5	5	7		
03	-	-	-	1	3	5		
04	-	-	1	1	2	3		
05	-	-	-	1	1	3		
06	-	-	-	-	1	4		
07	-	-	-	-	1	3		
08	-	-	-	-	1	5		
09	-	-	-	-	-	2		
10	-	-	-	1	1	2		
11	-	-	1	1	1	1		
12	-	-	-	1	1	3		
13	-	-	-	1	1	3		
14	-	-	-	-	1	1		
15	-	-	-	-	1	1		
16	-	-	-	-	2	4		
17	-	-	-	1	1	3		
18	-	-	-	1	2	5		
19	-	-	1	2	3	6		
20	-	1	1	2	4	7		
21	-	1	1	3	8	12		
22	1	1	1	2	8	12		
23	1	1	1	3	7	10		
MEAN	0	0	0	1	3	5		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KITAKYUSHU AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1500	<1600	<2400	<3200	<5000	-	-
00	-	-	-	-	2	4		
01	-	-	-	-	2	5		
02	-	-	-	-	1	5		
03	-	-	-	-	1	3		
04	-	-	-	-	1	3		
05	-	-	-	-	1	2		
06	-	-	-	1	1	3		
07	-	-	-	-	1	3		
08	-	-	-	1	1	4		
09	-	-	-	1	2	3		
10	-	-	-	1	3	6		
11	-	-	-	-	3	5		
12	-	-	-	-	2	5		
13	-	-	-	1	2	3		
14	-	-	-	-	1	2		
15	-	-	-	1	1	3		
16	-	-	-	1	2	4		
17	-	-	-	1	3	3		
18	-	-	-	1	3	4		
19	-	-	1	1	3	4		
20	-	-	1	1	3	3		
21	-	1	1	2	3	6		
22	-	-	-	2	4	8		
23	-	-	-	-	3	6		
MEAN	-	0	0	1	2	4		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KITAKYUSHU AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1500	<1600	<2400	<3200	<5000	-	-
00	-	-	1	1	4	7		
01	-	-	-	-	1	5		
02	-	-	-	-	1	3		
03	-	-	1	1	3	5		
04	-	-	-	-	2	4		
05	-	-	-	-	3	6		
06	-	-	-	1	4	7		
07	-	-	-	-	4	8		
08	-	-	-	2	4	9		
09	-	1	1	3	5	8		
10	-	-	-	-	3	5		
11	-	-	1	1	2	8		
12	-	-	-	1	2	5		
13	-	-	-	1	1	7		
14	-	-	-	-	1	4		
15	-	1	1	1	3	5		
16	-	1	1	1	4	5		
17	-	-	-	2	4	8		
18	-	1	1	1	1	6		
19	1	1	1	1	2	7		
20	1	1	1	1	3	9		
21	-	1	1	1	5	8		
22	-	-	1	1	5	11		
23	-	-	1	2	3	6		
MEAN	0	0	0	1	3	6		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KITAKYUSHU AIRPORT MONTH: JUL
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1500	<1600	<2400	<3200	<5000	-	-
00	1	3	3	3	3	4		
01	-	1	2	2	2	4		
02	-	1	1	2	3	3		
03	-	-	-	1	3	4		
04	-	1	1	2	3	5		
05	-	-	-	1	2	3		
06	-	-	2	2	3	3		
07	-	-	-	-	1	2		
08	-	1	1	1	1	2		
09	-	-	-	-	1	1		
10	-	-	1	1	1	4		
11	-	-	-	-	1	1		
12	-	-	-	1	1	2		
13	-	-	-	-	-	1		
14	-	-	-	-	-	1		
15	-	-	-	-	1	1		
16	1	1	1	1	3	3		
17	1	1	1	1	5	6		
18	1	2	3	5	5	6		
19	-	3	3	3	5	5		
20	1	2	3	3	4	6		
21	3	4	5	6	7	9		
22	1	1	3	3	5	6		
23	1	2	2	3	3	6		
MEAN	0	1	1	2	2	4		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KITAKYUSHU AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1500	<1600	<2400	<3200	<5000	-	-
00	-	-	1	1	2	3		
01	-	1	1	1	1	3		
02	-	-	-	-	-	1		
03	0)	0)	0)	1)	1)	2)		
04	0)	0)	0)	1)	1)	3)		
05	0)	0)	0)	0)	1)	1)		
06	0)	0)	0)	1)	1)	3)		
07	0)	0)	1)	2)	3)	5)		
08	0)	0)	0)	0)	0)	1)		
09	0)	0)	0)	0)	1)	1)		
10	0)	0)	0)	0)	0)	1)		
11	0)	0)	0)	0)	0)	0)		
12	0)	0)	0)	0)	0)	0)		
13	0)	0)	0)	0)	1)	1)		
14	0)	0)	0)	0)	0)	0)		
15	0)	0)	0)	0)	0)	1)		
16	-	-	-	-	-	1		
17	-	-	-	-	-	-		
18	-	-	-	-	-	-		
19	-	-	-	-	1	1		
20	-	1	1	1	2	2		
21	-	-	1	1	1	3		
22	-	1	1	1	1	4		
23	-	1	1	1	1	2		
MEAN	0)	0)	0)	0)	1)	2)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KITAKYUSHU AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1500	<1600	<2400	<3200	<5000	-	-
00	-	-	-	1	1	1		
01	-	-	-	1	1	1		
02	-	1	1	1	1	2		
03	0)	1)	1)	1)	1)	2)		
04	0)	0)	1)	1)	1)	1)		
05	0)	0)	0)	0)	0)	0)		
06	0)	0)	0)	0)	0)	0)		
07	0)	0)	0)	0)	1)	1)		
08	0)	0)	0)	0)	0)	0)		
09	0)	0)	0)	0)	1)	3)		
10	0)	0)	0)	1)	1)	1)		
11	0)	0)	0)	1)	1)	1)		
12	0)	0)	0)	0)	0)	0)		
13	0)	0)	0)	0)	0)	1)		
14	0)	0)	0)	0)	1)	1)		
15	0)	0)	0)	0)	0)	1)		
16	-	-	-	1	1	1		
17	-	-	-	-	-	-		
18	-	-	-	-	1	1		
19	-	-	-	1	1	2		
20	-	-	-	-	-	-		
21	-	-	-	-	1	1		
22	-	-	-	-	-	1		
23	-	-	-	-	-	1		
MEAN	0)	0)	0)	0)	0)	1)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KITAKYUSHU AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1500	<1600	<2400	<3200	<5000	-	-
00	-	-	-	-	-	2		
01	-	-	-	-	-	1		
02	-	-	-	-	-	-		
03	-	-	-	-	-	-		
04	-	-	-	-	-	-		
05	-	-	-	-	-	1		
06	-	-	-	-	-	-		
07	-	-	-	-	-	-		
08	-	-	-	-	1	1		
09	-	-	-	-	-	1		
10	-	-	-	-	-	-		
11	-	-	-	-	1	1		
12	-	-	-	-	-	1		
13	-	-	-	-	1	1		
14	-	-	-	-	-	1		
15	-	-	-	-	1	1		
16	-	-	-	-	1	1		
17	-	-	-	-	-	1		
18	-	-	-	-	1	1		
19	-	-	-	-	-	1		
20	-	-	-	-	1	2		
21	-	-	-	-	1	1		
22	-	-	1	1	1	2		
23	-	-	-	1	1	3		
MEAN	-	-	0	0	0	1		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KITAKYUSHU AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1500	<1600	<2400	<3200	<5000	-	-
00	-	-	-	-	-	3		
01	-	-	-	-	-	1		
02	-	-	1	1	1	1		
03	-	-	-	1	1	3		
04	-	-	-	-	1	1		
05	-	-	-	-	-	-		
06	-	-	-	1	1	1		
07	-	-	-	-	-	1		
08	-	-	-	-	-	1		
09	-	-	-	-	1	1		
10	-	-	-	-	1	1		
11	-	-	-	-	1	1		
12	-	-	-	-	-	1		
13	-	-	-	-	-	1		
14	-	-	-	-	-	-		
15	-	-	-	-	-	-		
16	-	-	-	-	-	1		
17	-	-	-	-	2	3		
18	-	-	-	-	3	3		
19	-	-	-	-	1	2		
20	-	-	-	-	2	3		
21	-	-	-	-	2	4		
22	-	-	-	-	1	4		
23	-	-	-	-	-	1		
MEAN	-	-	0	0	1	2		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KITAKYUSHU AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1500	<1600	<2400	<3200	<5000	-	-
00	-	-	-	-	-	-		
01	-	-	-	-	-	1		
02	-	-	-	-	-	2		
03	-	-	-	-	1	1		
04	-	-	-	-	-	-		
05	-	-	-	-	-	-		
06	-	-	-	1	1	1		
07	-	-	-	-	-	1		
08	-	-	-	-	-	-		
09	-	-	-	-	1	1		
10	-	-	-	-	-	1		
11	-	-	-	-	-	2		
12	-	-	-	-	1	1		
13	-	-	-	-	-	1		
14	-	-	-	-	-	1		
15	-	-	-	-	-	1		
16	-	-	-	-	-	-		
17	-	-	-	-	-	1		
18	-	-	-	-	-	-		
19	-	-	-	-	-	-		
20	-	-	-	-	-	-		
21	-	-	-	1	1	2		
22	-	-	-	-	-	2		
23	-	-	-	-	1	1		
MEAN	-	-	-	0	0	1		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KITAKYUSHU AIRPORT [ANNUAL]
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1500	<1600	<2400	<3200	<5000	-	-
00	0	0	1	1	2	4		
01	-	1	1	1	2	4		
02	-	0	1	1	1	3		
03	0)	0)	0)	1)	2)	3)		
04	0)	0)	0)	1)	2)	2)		
05	0)	0)	0)	0)	1)	2)		
06	0)	0)	0)	1)	2)	3)		
07	0)	0)	0)	0)	1)	3)		
08	0)	0)	0)	1)	1)	2)		
09	0)	0)	0)	1)	1)	3)		
10	0)	0)	0)	0)	1)	2)		
11	0)	0)	0)	0)	1)	3)		
12	0)	0)	0)	0)	1)	2)		
13	0)	0)	0)	1)	1)	2)		
14	0)	0)	0)	0)	1)	2)		
15	0)	0)	1)	1)	1)	2)		
16	0	0	0	1	2	3		
17	0	0	0	1	2	3		
18	0	0	1	1	2	3		
19	0	0	1	1	2	3		
20	0	1	1	1	2	4		
21	0	1	1	1	3	5		
22	0	1	1	1	3	5		
23	0	1	1	1	2	5		
MEAN	0)	0)	0)	1)	2)	3)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KITAKYUSHU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	2	2	3
01	-	-	-	-	-	2	3
02	-	-	-	-	-	1	3
03	-	-	-	-	1	1	5
04	-	-	-	-	-	1	4
05	-	-	1	1	1	2	3
06	-	-	-	1	1	1	3
07	-	-	-	1	1	1	3
08	-	-	-	1	1	1	1
09	-	-	-	-	1	1	3
10	-	-	-	-	1	1	3
11	-	-	-	1	1	1	3
12	-	-	-	1	1	2	3
13	-	-	-	1	1	1	3
14	-	-	-	1	1	1	3
15	-	-	1	1	1	2	3
16	-	-	-	1	1	1	3
17	-	-	-	1	1	1	1
18	-	-	-	-	-	-	1
19	-	-	-	-	1	1	2
20	-	-	-	1	1	2	3
21	-	-	-	1	2	2	3
22	-	-	-	1	1	1	2
23	-	-	1	1	1	1	3
MEAN	-	-	0	1	1	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KITAKYUSHU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	1	2	5	8
01	-	-	-	1	2	4	10
02	-	-	-	-	1	4	7
03	-	-	-	-	-	4	8
04	-	1	1	1	1	3	6
05	-	-	1	1	1	1	4
06	-	-	1	1	1	2	5
07	-	-	-	-	1	1	4
08	-	-	-	-	-	1	6
09	-	-	-	1	1	3	7
10	-	-	-	1	1	4	7
11	-	-	-	1	1	3	8
12	-	-	-	2	2	4	7
13	-	-	-	1	1	4	6
14	-	1	1	1	1	4	6
15	-	-	1	1	3	6	8
16	-	-	-	1	1	6	7
17	-	-	-	1	1	6	6
18	-	-	-	-	1	4	7
19	-	-	1	1	1	6	8
20	-	1	1	1	1	6	10
21	-	-	1	1	1	6	8
22	-	1	1	1	2	5	7
23	-	-	-	-	-	2	5
MEAN	-	0	0	1	1	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KITAKYUSHU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	1	3	5
01	-	-	1	1	1	4	5
02	-	-	1	1	1	4	5
03	-	-	-	1	1	3	4
04	-	-	-	1	1	3	5
05	-	-	-	1	1	3	5
06	-	-	-	1	1	3	5
07	-	-	-	1	1	3	5
08	-	-	-	-	-	3	5
09	-	-	-	-	1	2	5
10	-	-	-	-	1	2	4
11	-	-	-	-	-	2	3
12	-	-	-	1	2	3	5
13	-	-	1	1	2	3	5
14	-	1	2	2	3	4	6
15	-	-	2	2	2	3	5
16	-	-	1	3	3	5	5
17	-	-	2	3	3	5	6
18	-	1	1	1	1	3	3
19	-	-	-	-	1	2	5
20	-	-	-	1	1	3	5
21	-	-	1	1	1	3	5
22	-	-	1	1	1	1	5
23	-	-	1	1	1	1	4
MEAN	-	0	0	1	1	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: KITAKYUSHU AIRPORT MONTH: APR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	1	3	7
01	-	-	1	1	1	5	7
02	-	1	1	2	3	5	7
03	-	-	-	2	2	3	4
04	-	-	-	1	2	3	4
05	-	-	-	1	3	3	6
06	-	-	-	2	4	5	8
07	-	-	-	1	1	3	7
08	-	-	-	1	1	3	5
09	-	-	-	1	1	2	4
10	-	-	1	1	1	1	3
11	-	-	1	2	2	3	4
12	-	-	1	1	1	1	3
13	-	-	-	2	3	4	5
14	-	-	-	2	2	3	3
15	-	-	1	2	3	3	3
16	-	-	1	2	2	2	5
17	-	-	1	3	3	4	6
18	-	-	1	1	3	5	5
19	-	-	1	2	3	5	6
20	-	-	1	2	3	4	5
21	-	-	1	2	3	7	10
22	-	-	-	1	3	5	9
23	-	-	-	1	2	4	6
MEAN	-	0	1	2	2	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KITAKYUSHU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	3	3	6	8
01	-	-	-	2	2	5	6
02	-	-	1	2	2	4	5
03	-	-	1	2	2	5	5
04	-	-	1	2	2	3	5
05	-	-	1	2	3	3	5
06	-	-	-	1	2	3	5
07	-	-	-	1	1	3	3
08	-	-	-	1	2	3	3
09	-	-	-	-	1	3	3
10	-	-	-	1	1	2	5
11	-	-	-	-	1	3	4
12	-	-	-	1	2	4	7
13	-	-	-	1	2	5	6
14	-	-	-	1	1	4	6
15	-	-	-	1	1	4	6
16	-	-	1	1	3	6	8
17	-	-	-	-	3	5	7
18	-	-	-	1	3	4	7
19	-	-	-	2	3	5	9
20	-	-	-	1	2	5	8
21	-	-	-	2	3	6	9
22	-	-	-	2	4	5	10
23	-	-	-	1	3	6	8
MEAN	-	-	0	1	2	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: KITAKYUSHU AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	3	4	11	15
01	-	-	-	3	3	9	12
02	-	-	-	2	3	6	7
03	-	-	-	1	3	5	7
04	-	-	-	1	3	5	7
05	-	-	-	2	4	7	9
06	-	-	1	1	3	5	7
07	-	-	-	2	3	6	9
08	-	-	-	1	3	7	9
09	-	1	1	3	3	9	13
10	-	-	1	3	4	9	13
11	-	-	1	2	3	8	11
12	-	-	-	1	2	5	10
13	-	-	-	2	4	5	9
14	-	-	-	1	3	7	11
15	-	1	1	1	3	9	13
16	-	1	1	1	3	7	12
17	-	-	1	2	3	5	10
18	-	1	1	4	5	7	13
19	-	1	1	2	3	6	13
20	-	1	1	3	4	10	19
21	-	-	1	1	3	11	21
22	-	-	-	2	3	11	20
23	-	-	1	2	5	12	18
MEAN	-	0	0	2	3	8	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KITAKYUSHU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	1	3	6	12
01	-	-	-	1	1	3	6
02	-	1	1	2	3	4	8
03	-	1	1	1	1	3	5
04	-	-	-	-	-	1	5
05	-	-	-	1	1	2	3
06	-	-	-	-	-	1	3
07	-	-	-	-	-	2	3
08	-	-	-	-	1	1	3
09	-	-	-	-	-	-	2
10	-	-	-	-	-	-	1
11	-	-	-	-	1	1	1
12	-	-	-	1	1	3	4
13	-	-	-	-	-	1	2
14	-	-	-	-	1	3	3
15	-	-	-	1	1	3	5
16	-	-	1	1	2	6	10
17	-	-	1	3	3	6	10
18	-	1	4	4	4	7	11
19	-	1	1	3	4	7	13
20	-	1	1	2	3	6	12
21	-	-	2	3	3	8	15
22	-	-	2	6	7	8	15
23	-	1	1	3	3	5	15
MEAN	-	0	1	1	2	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KITAKYUSHU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	-	3
01	-	-	-	-	-	1	3
02	-	-	-	-	-	2	4
03	0)	0)	0)	0)	0)	1)	3)
04	0)	0)	0)	0)	0)	1)	3)
05	0)	0)	0)	0)	0)	2)	3)
06	0)	0)	0)	0)	1)	2)	3)
07	0)	0)	0)	0)	1)	2)	4)
08	0)	0)	0)	0)	0)	1)	2)
09	0)	0)	0)	0)	0)	0)	2)
10	0)	0)	0)	0)	0)	0)	1)
11	0)	0)	0)	0)	0)	0)	1)
12	0)	0)	0)	0)	0)	0)	2)
13	0)	0)	0)	0)	0)	0)	3)
14	0)	0)	0)	0)	0)	1)	3)
15	0)	0)	0)	0)	0)	0)	2)
16	-	-	-	-	-	1	3
17	-	-	-	-	-	-	2
18	-	-	-	-	-	1	4
19	-	-	-	-	-	1	3
20	-	-	-	-	-	1	4
21	-	-	-	-	-	1	9
22	-	-	-	-	-	3	8
23	-	-	-	-	-	2	6
MEAN	0)	0)	0)	0)	0)	1)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KITAKYUSHU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	1	5
01	-	-	-	-	-	1	5
02	-	-	-	-	-	1	7
03	0)	0)	0)	0)	0)	0)	4)
04	0)	0)	0)	0)	0)	1)	3)
05	0)	0)	0)	0)	0)	1)	3)
06	0)	0)	0)	0)	0)	2)	3)
07	0)	0)	0)	0)	0)	1)	1)
08	0)	0)	0)	0)	1)	1)	1)
09	0)	0)	0)	0)	1)	1)	1)
10	0)	0)	0)	0)	0)	1)	1)
11	0)	0)	0)	0)	0)	1)	1)
12	0)	0)	0)	0)	0)	1)	2)
13	0)	0)	0)	0)	0)	1)	1)
14	0)	0)	0)	0)	1)	1)	5)
15	0)	0)	0)	0)	0)	1)	4)
16	-	-	-	-	-	1	3
17	-	-	-	-	-	1	4
18	-	-	-	-	-	1	4
19	-	-	-	1	1	2	4
20	-	-	-	-	1	2	5
21	-	-	-	-	-	3	7
22	-	-	-	-	-	2	5
23	-	-	-	-	-	2	6
MEAN	0)	0)	0)	0)	0)	1)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: KITAKYUSHU AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	3	4
01	-	-	-	-	-	2	3
02	-	-	-	-	-	1	1
03	-	-	-	-	-	1	1
04	-	-	-	-	-	1	2
05	-	-	-	-	-	1	2
06	-	-	-	-	-	-	1
07	-	-	-	-	-	-	1
08	-	-	-	-	-	1	1
09	-	-	-	-	-	1	1
10	-	-	-	-	-	1	2
11	-	-	-	-	-	-	1
12	-	-	-	-	-	-	1
13	-	-	-	-	-	-	1
14	-	-	-	-	-	-	1
15	-	-	-	-	-	1	1
16	-	-	-	-	-	1	1
17	-	-	-	-	-	1	1
18	-	-	-	-	-	1	3
19	-	-	-	-	-	1	2
20	-	-	-	-	-	1	3
21	-	-	-	1	1	2	4
22	-	-	-	1	1	3	5
23	-	-	-	-	-	1	4
MEAN	-	-	-	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: KITAKYUSHU AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	1	1	4
01	-	-	-	1	1	2	5
02	-	-	-	1	1	1	3
03	-	-	-	1	1	3	3
04	-	-	-	-	-	1	3
05	-	-	-	-	-	1	3
06	-	-	-	-	-	1	4
07	-	-	-	-	-	1	3
08	-	-	-	-	-	1	3
09	-	-	-	-	-	1	3
10	-	-	-	-	-	1	1
11	-	-	-	-	-	1	2
12	-	-	-	-	-	1	1
13	-	-	-	-	-	1	2
14	-	-	-	-	-	1	2
15	-	-	-	-	-	1	2
16	-	-	-	-	-	-	3
17	-	-	-	-	-	-	1
18	-	-	-	-	-	1	3
19	-	-	-	-	-	1	3
20	-	-	-	-	-	1	4
21	-	-	-	-	1	3	3
22	-	-	-	-	-	3	5
23	-	-	-	-	-	3	3
MEAN	-	-	-	0	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KITAKYUSHU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	1	2
01	-	-	-	-	1	1	4
02	-	-	-	-	-	2	3
03	-	-	-	-	1	3	4
04	-	-	-	-	-	1	3
05	-	-	-	-	-	2	3
06	-	-	-	-	1	3	3
07	-	-	-	-	1	1	3
08	-	-	-	-	1	1	2
09	-	-	-	1	1	2	3
10	-	-	-	1	1	1	2
11	-	-	-	-	1	1	2
12	-	-	-	1	1	2	3
13	-	-	-	1	1	2	3
14	-	-	-	1	1	2	3
15	-	-	-	1	1	1	2
16	-	-	-	-	-	2	3
17	-	-	-	-	1	2	3
18	-	-	-	-	-	1	2
19	-	-	-	-	-	1	1
20	-	-	-	-	1	2	2
21	-	-	-	-	1	2	2
22	-	-	-	1	1	2	3
23	-	-	-	-	1	2	3
MEAN	-	-	-	0	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KITAKYUSHU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	0	1	1	3	6
01	-	-	0	1	1	3	6
02	-	0	0	1	1	3	5
03	0)	0)	0)	1)	1)	2)	4)
04	0)	0)	0)	0)	1)	2)	4)
05	0)	0)	0)	1)	1)	2)	4)
06	0)	0)	0)	1)	1)	2)	4)
07	0)	0)	0)	0)	1)	2)	4)
08	0)	0)	0)	0)	1)	2)	3)
09	0)	0)	0)	0)	1)	2)	4)
10	0)	0)	0)	1)	1)	2)	4)
11	0)	0)	0)	0)	1)	2)	3)
12	0)	0)	0)	1)	1)	2)	4)
13	0)	0)	0)	1)	1)	2)	4)
14	0)	0)	0)	1)	1)	3)	4)
15	0)	0)	0)	1)	1)	3)	4)
16	-	0	0	1	1	3	5
17	-	-	0	1	1	3	5
18	-	0	0	1	1	3	5
19	-	0	0	1	1	3	6
20	-	0	0	1	1	4	7
21	-	-	0	1	2	4	8
22	-	0	0	1	2	4	8
23	-	0	0	1	1	4	7
MEAN	0)	0)	0)	1)	1)	3)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KITAKYUSHU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	8	1	-	-	-	-	-	-	-	-	-	8
[35-36-01]	3	3	1	0	0	-	-	-	-	-	-	7
[02-03-04]	2	1	0	0	-	-	-	-	-	-	-	4
[05-06-07]	2	1	1	0	-	-	-	-	-	-	-	4
[08-09-10]	1	1	1	0	-	-	-	-	-	-	-	3
[11-12-13]	2	1	0	-	-	-	-	-	-	-	-	3
[14-15-16]	2	1	-	-	-	-	-	-	-	-	-	3
[17-18-19]	2	1	0	-	-	-	-	-	-	-	-	4
[20-21-22]	4	3	0	-	-	-	-	-	-	-	-	8
[23-24-25]	4	6	2	0	-	-	-	-	-	-	-	12
[26-27-28]	3	3	4	3	2	0	0	-	-	-	-	15
[29-30-31]	4	3	5	4	1	0	0	-	-	-	-	17
[32-33-34]	3	5	3	1	0	-	-	-	-	-	-	12
TOTAL	38	30	18	9	3	1	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KITAKYUSHU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	9	2	0	0	-	-	-	-	-	-	-	10
[35-36-01]	3	3	2	0	-	-	-	-	-	-	-	8
[02-03-04]	2	2	1	1	0	-	-	-	-	-	-	6
[05-06-07]	2	3	1	0	-	-	-	-	-	-	-	6
[08-09-10]	1	2	2	0	-	-	-	-	-	-	-	6
[11-12-13]	2	1	0	-	-	-	-	-	-	-	-	3
[14-15-16]	3	2	0	0	-	-	-	-	-	-	-	5
[17-18-19]	2	1	0	-	-	-	-	-	-	-	-	3
[20-21-22]	3	3	1	0	0	-	-	-	-	-	-	6
[23-24-25]	3	4	2	0	-	-	-	-	-	-	-	9
[26-27-28]	2	3	4	2	1	-	-	-	-	-	-	11
[29-30-31]	3	3	4	4	1	0	-	-	-	-	-	16
[32-33-34]	3	4	2	1	0	-	-	-	-	-	-	10
TOTAL	37	31	20	9	2	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KITAKYUSHU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	9	1	-	-	-	-	-	-	-	-	-	10
[35-36-01]	4	4	4	2	0	-	-	-	-	-	-	14
[02-03-04]	4	2	0	0	0	-	-	-	-	-	-	6
[05-06-07]	4	2	1	0	-	-	-	-	-	-	-	7
[08-09-10]	2	2	1	0	0	-	-	-	-	-	-	5
[11-12-13]	3	1	0	-	-	-	-	-	-	-	-	5
[14-15-16]	3	1	0	0	-	-	-	-	-	-	-	5
[17-18-19]	2	1	0	-	-	-	-	-	-	-	-	3
[20-21-22]	3	1	1	0	0	-	-	-	-	-	-	5
[23-24-25]	2	2	1	0	0	-	-	-	-	-	-	6
[26-27-28]	2	2	2	2	1	0	0	-	-	-	-	9
[29-30-31]	4	4	5	2	1	0	-	-	-	-	-	14
[32-33-34]	4	4	3	0	0	-	-	-	-	-	-	12
TOTAL	45	27	18	7	2	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KITAKYUSHU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	12	2	0	-	-	-	-	-	-	-	-	15
[35-36-01]	3	3	3	1	0	-	-	-	-	-	-	9
[02-03-04]	3	1	0	0	-	-	-	-	-	-	-	5
[05-06-07]	4	2	2	0	-	-	-	-	-	-	-	9
[08-09-10]	3	3	2	1	1	-	-	-	-	-	-	10
[11-12-13]	3	2	1	1	0	-	-	-	-	-	-	7
[14-15-16]	3	2	0	0	-	-	-	-	-	-	-	4
[17-18-19]	1	1	0	-	-	-	-	-	-	-	-	2
[20-21-22]	2	1	0	0	0	0	-	-	-	-	-	3
[23-24-25]	1	2	1	1	0	0	-	0	-	-	-	6
[26-27-28]	2	2	3	2	1	0	0	-	-	-	-	9
[29-30-31]	3	3	4	2	0	0	-	-	-	-	-	12
[32-33-34]	4	3	1	1	0	0	-	-	-	-	-	9
TOTAL	43	27	18	9	2	0	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KITAKYUSHU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	12	2	0	-	-	-	-	-	-	-	-	14
[35-36-01]	4	3	2	0	-	-	-	-	-	-	-	9
[02-03-04]	4	2	0	-	-	-	-	-	-	-	-	6
[05-06-07]	5	4	2	0	0	-	-	-	-	-	-	12
[08-09-10]	4	4	2	1	0	-	-	-	-	-	-	12
[11-12-13]	4	2	1	1	0	0	-	-	-	-	-	8
[14-15-16]	2	1	0	0	0	-	-	-	-	-	-	3
[17-18-19]	1	1	-	-	-	-	-	-	-	-	-	2
[20-21-22]	2	0	1	0	-	-	-	-	-	-	-	3
[23-24-25]	2	1	1	0	0	0	-	-	-	-	-	4
[26-27-28]	2	2	1	0	0	0	-	-	-	-	-	5
[29-30-31]	3	4	4	1	0	-	-	-	-	-	-	12
[32-33-34]	4	4	2	0	-	-	-	-	-	-	-	9
TOTAL	49	29	15	5	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KITAKYUSHU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	11	4	0	-	-	-	-	-	-	-	-	15
[35-36-01]	3	3	1	0	-	-	-	-	-	-	-	7
[02-03-04]	3	1	0	-	-	-	-	-	-	-	-	4
[05-06-07]	4	5	3	0	0	-	-	-	-	-	-	12
[08-09-10]	3	6	6	3	1	0	-	-	-	-	-	18
[11-12-13]	4	4	2	1	0	-	-	-	-	-	-	11
[14-15-16]	2	2	0	0	-	-	-	-	-	-	-	4
[17-18-19]	1	0	0	0	-	-	-	-	-	-	-	1
[20-21-22]	1	0	0	0	0	0	-	-	-	-	-	2
[23-24-25]	1	1	1	0	0	-	-	-	-	-	-	3
[26-27-28]	2	1	1	0	-	-	-	-	-	-	-	4
[29-30-31]	4	5	2	0	-	-	-	-	-	-	-	10
[32-33-34]	4	3	1	-	-	-	-	-	-	-	-	8
TOTAL	43	34	17	5	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KITAKYUSHU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	13	3	0	-	-	-	-	-	-	-	-	16
[35-36-01]	3	2	0	0	0	-	-	-	-	-	-	5
[02-03-04]	3	1	0	-	-	-	-	-	-	-	-	4
[05-06-07]	5	6	3	0	0	-	-	-	-	-	-	14
[08-09-10]	3	7	3	1	0	-	-	-	-	-	-	14
[11-12-13]	4	3	1	0	0	-	-	-	-	-	-	8
[14-15-16]	3	2	0	0	-	-	-	-	-	-	-	5
[17-18-19]	1	1	0	-	-	-	-	-	-	-	-	2
[20-21-22]	1	1	2	1	0	-	-	-	-	-	-	6
[23-24-25]	2	2	1	0	-	-	-	-	-	-	-	6
[26-27-28]	2	2	1	0	0	-	-	-	-	-	-	5
[29-30-31]	2	3	2	1	0	-	-	-	-	-	-	8
[32-33-34]	2	3	1	0	-	-	-	-	-	-	-	6
TOTAL	43	38	14	4	1	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KITAKYUSHU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	9)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[35-36-01]	3)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[02-03-04]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	3)	5)	3)	1)	0)	0)	0)	0)	0)	0)	0)	11)
[08-09-10]	2)	5)	3)	2)	1)	0)	0)	0)	0)	0)	0)	14)
[11-12-13]	4)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[14-15-16]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	2)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[26-27-28]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[29-30-31]	3)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[32-33-34]	3)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	9)
TOTAL	40)	36)	17)	5)	1)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KITAKYUSHU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	8)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[35-36-01]	3)	8)	6)	2)	0)	0)	0)	0)	0)	0)	0)	20)
[02-03-04]	3)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[05-06-07]	3)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[08-09-10]	2)	4)	3)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[11-12-13]	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[14-15-16]	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[23-24-25]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[29-30-31]	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[32-33-34]	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
TOTAL	41)	37)	17)	4)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KITAKYUSHU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	8	2	0	-	-	-	-	-	-	-	-	9
[35-36-01]	3	6	7	2	0	0	-	-	-	-	-	19
[02-03-04]	3	4	3	1	0	0	-	-	-	-	-	10
[05-06-07]	2	3	1	0	0	-	-	-	-	-	-	6
[08-09-10]	1	2	2	1	0	0	-	-	-	-	-	6
[11-12-13]	3	2	1	0	0	0	-	-	-	-	-	6
[14-15-16]	3	1	0	0	-	-	-	-	-	-	-	5
[17-18-19]	2	1	0	0	0	-	-	-	-	-	-	2
[20-21-22]	2	1	0	0	0	0	-	-	-	-	-	3
[23-24-25]	2	2	1	0	0	-	-	-	-	-	-	5
[26-27-28]	2	1	1	0	0	0	-	-	-	-	-	5
[29-30-31]	6	3	2	0	0	-	-	-	-	-	-	12
[32-33-34]	5	5	1	1	0	0	0	-	-	-	-	12
TOTAL	41	31	19	6	2	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KITAKYUSHU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	9	2	0	-	-	-	-	-	-	-	-	11
[35-36-01]	3	4	2	1	-	-	-	-	-	-	-	9
[02-03-04]	2	2	1	1	-	-	-	-	-	-	-	5
[05-06-07]	1	2	1	0	-	-	-	-	-	-	-	4
[08-09-10]	1	1	1	0	-	0	-	-	-	-	-	3
[11-12-13]	2	2	0	0	0	0	-	-	-	-	-	5
[14-15-16]	3	2	0	-	-	-	-	-	-	-	-	5
[17-18-19]	2	1	0	-	-	-	-	-	-	-	-	3
[20-21-22]	3	2	1	-	-	-	-	-	-	-	-	6
[23-24-25]	4	4	2	0	0	-	-	-	-	-	-	11
[26-27-28]	3	3	3	3	1	0	-	-	-	-	-	14
[29-30-31]	6	4	3	2	0	0	-	-	-	-	-	15
[32-33-34]	4	4	2	1	-	-	-	-	-	-	-	10
TOTAL	42	31	15	8	2	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KITAKYUSHU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	6	1	0	-	-	-	-	-	-	-	-	8
[35-36-01]	1	2	1	0	-	-	-	-	-	-	-	4
[02-03-04]	1	1	0	0	-	-	-	-	-	-	-	3
[05-06-07]	1	2	1	0	-	-	-	-	-	-	-	3
[08-09-10]	0	0	0	-	-	-	-	-	-	-	-	1
[11-12-13]	1	1	0	-	-	-	-	-	-	-	-	2
[14-15-16]	1	1	0	-	-	-	-	-	-	-	-	2
[17-18-19]	2	1	0	-	-	-	-	-	-	-	-	3
[20-21-22]	4	2	1	0	-	-	-	-	-	-	-	7
[23-24-25]	3	6	2	1	0	-	-	-	-	-	-	11
[26-27-28]	2	3	5	4	2	0	-	-	-	-	-	17
[29-30-31]	3	3	3	3	1	0	-	-	-	-	-	13
[32-33-34]	2	3	1	1	0	0	-	-	-	-	-	6
TOTAL	27	25	14	8	4	1	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KITAKYUSHU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	10)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[35-36-01]	3)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[02-03-04]	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	3)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[08-09-10]	2)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[11-12-13]	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[14-15-16]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[23-24-25]	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[26-27-28]	2)	2)	2)	1)	1)	0)	0)	0)	0)	0)	0)	8)
[29-30-31]	4)	3)	3)	2)	0)	0)	0)	0)	0)	0)	0)	12)
[32-33-34]	4)	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	9)
TOTAL	41)	31)	17)	6)	2)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: KITAKYUSHU AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	28	65	6	-	-	-	-	-
01	-	-	-	2	21	71	6	-	-	-	-	-
02	-	-	-	1	14	72	12	1	-	-	-	-
03	-	-	-	1	14	69	15	1	-	-	-	-
04	-	-	-	1	13	67	19	1	-	-	-	-
05	-	-	-	1	12	63	24	-	-	-	-	-
06	-	-	-	1	13	66	21	-	-	-	-	-
07	-	-	-	1	14	70	15	1	-	-	-	-
08	-	-	-	1	17	70	13	-	-	-	-	-
09	-	-	-	1	18	75	6	-	-	-	-	-
10	-	-	-	1	20	74	5	-	-	-	-	-
11	-	-	-	1	23	72	5	-	-	-	-	-
12	-	-	-	1	28	67	5	-	-	-	-	-
13	-	-	-	1	32	64	4	-	-	-	-	-
14	-	-	-	1	35	61	3	-	-	-	-	-
15	-	-	-	1	37	59	3	-	-	-	-	-
16	-	-	-	1	37	57	5	-	-	-	-	-
17	-	-	-	1	38	57	4	-	-	-	-	-
18	-	-	-	1	43	53	4	-	-	-	-	-
19	-	-	-	1	45	52	3	-	-	-	-	-
20	-	-	-	1	46	52	2	-	-	-	-	-
21	-	-	-	1	43	53	3	-	-	-	-	-
22	-	-	-	1	42	55	2	-	-	-	-	-
23	-	-	-	1	39	57	3	-	-	-	-	-
MEAN	-	-	-	1	28	63	8	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: KITAKYUSHU AIRPORT MONTH: FEB
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	25	69	5	-	-	-	-	-
01	-	-	-	2	18	71	8	-	-	-	-	-
02	-	-	-	3	13	75	9	-	-	-	-	-
03	-	-	-	2	11	70	16	-	-	-	-	-
04	-	-	-	1	10	73	17	-	-	-	-	-
05	-	-	-	1	11	68	19	1	-	-	-	-
06	-	-	-	1	11	67	22	-	-	-	-	-
07	-	-	-	1	11	65	23	-	-	-	-	-
08	-	-	-	1	15	66	18	-	-	-	-	-
09	-	-	-	1	20	66	13	-	-	-	-	-
10	-	-	-	1	23	65	10	-	-	-	-	-
11	-	-	-	1	26	65	8	-	-	-	-	-
12	-	-	-	1	29	65	6	-	-	-	-	-
13	-	-	-	1	30	64	6	-	-	-	-	-
14	-	-	-	1	34	61	4	-	-	-	-	-
15	-	-	-	1	39	57	4	-	-	-	-	-
16	-	-	-	1	42	54	4	-	-	-	-	-
17	-	-	-	1	43	52	4	1	-	-	-	-
18	-	-	-	2	41	53	4	1	-	-	-	-
19	-	-	-	1	44	51	4	1	-	-	-	-
20	-	-	-	1	44	52	2	1	-	-	-	-
21	-	-	-	2	46	48	4	-	-	-	-	-
22	-	-	-	2	46	48	4	-	-	-	-	-
23	-	-	-	2	37	57	4	-	-	-	-	-
MEAN	-	-	-	1	28	62	9	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: KITAKYUSHU AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	3	55	40	2	-	-	-	-
01	-	-	-	-	3	47	46	5	-	-	-	-
02	-	-	-	-	1	40	50	8	-	-	-	-
03	-	-	-	-	2	28	61	9	-	-	-	-
04	-	-	-	-	1	28	59	12	1	-	-	-
05	-	-	-	-	1	25	57	16	1	-	-	-
06	-	-	-	-	1	23	60	15	1	-	-	-
07	-	-	-	-	1	22	61	15	1	-	-	-
08	-	-	-	-	1	26	58	14	1	-	-	-
09	-	-	-	-	3	35	52	10	-	-	-	-
10	-	-	-	-	3	42	52	3	-	-	-	-
11	-	-	-	-	3	46	48	3	-	-	-	-
12	-	-	-	-	4	48	45	3	-	-	-	-
13	-	-	-	-	5	51	41	3	-	-	-	-
14	-	-	-	-	6	55	35	3	-	-	-	-
15	-	-	-	-	6	56	34	3	-	-	-	-
16	-	-	-	-	8	57	32	2	1	-	-	-
17	-	-	-	-	10	58	31	1	-	-	-	-
18	-	-	-	-	12	55	31	2	-	-	-	-
19	-	-	-	-	13	56	29	2	-	-	-	-
20	-	-	-	-	13	57	28	1	1	-	-	-
21	-	-	-	-	12	61	25	2	-	-	-	-
22	-	-	-	-	10	60	28	2	-	-	-	-
23	-	-	-	-	6	57	35	1	-	-	-	-
MEAN	-	-	-	-	5	45	43	6	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KITAKYUSHU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	6	57	35	1	-	-	-
01	-	-	-	-	-	5	47	46	2	-	-	-
02	-	-	-	-	-	4	42	52	2	-	-	-
03	-	-	-	-	-	3	35	59	3	-	-	-
04	-	-	-	-	-	2	30	62	6	-	-	-
05	-	-	-	-	-	2	26	65	7	-	-	-
06	-	-	-	-	-	2	28	64	6	-	-	-
07	-	-	-	-	-	3	28	62	7	-	-	-
08	-	-	-	-	-	3	31	61	5	-	-	-
09	-	-	-	-	-	5	37	55	3	-	-	-
10	-	-	-	-	-	5	42	51	1	-	-	-
11	-	-	-	-	-	7	45	46	1	-	-	-
12	-	-	-	-	-	7	51	41	1	-	-	-
13	-	-	-	-	-	9	53	37	1	-	-	-
14	-	-	-	-	-	8	60	31	1	-	-	-
15	-	-	-	-	-	9	66	25	1	-	-	-
16	-	-	-	-	-	11	72	17	1	-	-	-
17	-	-	-	-	-	11	73	16	-	-	-	-
18	-	-	-	-	-	15	72	13	-	-	-	-
19	-	-	-	-	1	16	69	15	-	-	-	-
20	-	-	-	-	1	19	64	16	-	-	-	-
21	-	-	-	-	1	20	62	17	-	-	-	-
22	-	-	-	-	-	15	67	17	1	-	-	-
23	-	-	-	-	-	10	64	25	1	-	-	-
MEAN	-	-	-	-	0	8	51	39	2	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: KITAKYUSHU AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	5	65	30	-	-	-
01	-	-	-	-	-	-	2	60	38	-	-	-
02	-	-	-	-	-	-	1	54	46	-	-	-
03	-	-	-	-	-	-	1	46	50	3	-	-
04	-	-	-	-	-	-	1	37	56	6	-	-
05	-	-	-	-	-	-	1	35	55	8	-	-
06	-	-	-	-	-	-	1	30	59	11	-	-
07	-	-	-	-	-	-	1	30	58	10	-	-
08	-	-	-	-	-	-	1	35	58	6	-	-
09	-	-	-	-	-	-	1	43	52	5	-	-
10	-	-	-	-	-	-	5	50	45	1	-	-
11	-	-	-	-	-	-	5	57	38	1	-	-
12	-	-	-	-	-	-	6	64	30	-	-	-
13	-	-	-	-	-	-	8	66	26	-	-	-
14	-	-	-	-	-	-	8	69	23	-	-	-
15	-	-	-	-	-	-	10	70	20	-	-	-
16	-	-	-	-	-	-	12	75	12	-	-	-
17	-	-	-	-	-	-	16	73	11	-	-	-
18	-	-	-	-	-	1	14	75	10	-	-	-
19	-	-	-	-	-	-	17	74	10	-	-	-
20	-	-	-	-	-	1	16	75	8	-	-	-
21	-	-	-	-	-	1	16	74	8	-	-	-
22	-	-	-	-	-	-	10	78	12	-	-	-
23	-	-	-	-	-	-	8	72	21	-	-	-
MEAN	-	-	-	-	-	0	7	59	32	2	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KITAKYUSHU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	7	90	3	-	-
01	-	-	-	-	-	-	-	5	87	7	-	-
02	-	-	-	-	-	-	-	8	79	13	-	-
03	-	-	-	-	-	-	-	9	75	17	-	-
04	-	-	-	-	-	-	-	6	69	25	-	-
05	-	-	-	-	-	-	-	7	65	27	1	-
06	-	-	-	-	-	-	-	8	61	31	1	-
07	-	-	-	-	-	-	-	9	63	28	-	-
08	-	-	-	-	-	-	-	9	67	24	-	-
09	-	-	-	-	-	-	-	9	73	17	-	-
10	-	-	-	-	-	-	-	10	81	9	-	-
11	-	-	-	-	-	-	-	11	85	5	-	-
12	-	-	-	-	-	-	-	10	85	5	-	-
13	-	-	-	-	-	-	-	9	87	3	-	-
14	-	-	-	-	-	-	-	12	87	1	-	-
15	-	-	-	-	-	-	-	13	85	1	-	-
16	-	-	-	-	-	-	-	18	80	2	-	-
17	-	-	-	-	-	-	-	19	81	1	-	-
18	-	-	-	-	-	-	-	24	75	1	-	-
19	-	-	-	-	-	-	-	25	75	1	-	-
20	-	-	-	-	-	-	-	24	75	1	-	-
21	-	-	-	-	-	-	-	19	80	1	-	-
22	-	-	-	-	-	-	-	15	84	1	-	-
23	-	-	-	-	-	-	-	12	86	2	-	-
MEAN	-	-	-	-	-	-	-	12	78	9	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KITAKYUSHU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	34	60	6	-
01	-	-	-	-	-	-	-	-	26	63	11	-
02	-	-	-	-	-	-	-	-	25	61	14	-
03	-	-	-	-	-	-	-	-	23	59	19	-
04	-	-	-	-	-	-	-	-	23	59	17	1
05	-	-	-	-	-	-	-	-	21	57	23	-
06	-	-	-	-	-	-	-	-	21	55	25	-
07	-	-	-	-	-	-	-	-	19	57	24	1
08	-	-	-	-	-	-	-	1	19	56	25	-
09	-	-	-	-	-	-	-	1	23	61	16	-
10	-	-	-	-	-	-	-	1	28	65	7	-
11	-	-	-	-	-	-	-	1	30	65	4	-
12	-	-	-	-	-	-	-	1	34	65	1	-
13	-	-	-	-	-	-	-	1	35	63	1	-
14	-	-	-	-	-	-	-	1	37	63	-	-
15	-	-	-	-	-	-	-	1	38	61	-	-
16	-	-	-	-	-	-	-	1	42	57	-	-
17	-	-	-	-	-	-	-	1	45	55	-	-
18	-	-	-	-	-	-	-	1	44	55	-	-
19	-	-	-	-	-	-	-	1	49	50	-	-
20	-	-	-	-	-	-	-	2	50	48	-	-
21	-	-	-	-	-	-	-	-	50	50	-	-
22	-	-	-	-	-	-	-	-	43	56	1	-
23	-	-	-	-	-	-	-	-	38	60	2	-
MEAN	-	-	-	-	-	-	-	0	33	58	8	0

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KITAKYUSHU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	11	76	13	-
01	-	-	-	-	-	-	-	-	6	72	21	-
02	-	-	-	-	-	-	-	-	7	61	32	-
03	0)	0)	0)	0)	0)	0)	0)	0)	5)	60)	34)	0)
04	0)	0)	0)	0)	0)	0)	0)	0)	6)	53)	40)	1)
05	0)	0)	0)	0)	0)	0)	0)	0)	5)	46)	47)	1)
06	0)	0)	0)	0)	0)	0)	0)	0)	5)	42)	53)	0)
07	0)	0)	0)	0)	0)	0)	0)	0)	5)	46)	49)	1)
08	0)	0)	0)	0)	0)	0)	0)	0)	5)	50)	44)	1)
09	0)	0)	0)	0)	0)	0)	0)	0)	6)	60)	33)	0)
10	0)	0)	0)	0)	0)	0)	0)	0)	10)	73)	17)	0)
11	0)	0)	0)	0)	0)	0)	0)	0)	11)	77)	12)	0)
12	0)	0)	0)	0)	0)	0)	0)	0)	11)	80)	9)	0)
13	0)	0)	0)	0)	0)	0)	0)	0)	12)	85)	3)	0)
14	0)	0)	0)	0)	0)	0)	0)	0)	12)	86)	1)	0)
15	0)	0)	0)	0)	0)	0)	0)	0)	14)	86)	0)	0)
16	-	-	-	-	-	-	-	-	14	86	-	-
17	-	-	-	-	-	-	-	-	15	85	-	-
18	-	-	-	-	-	-	-	-	14	86	-	-
19	-	-	-	-	-	-	-	-	15	85	-	-
20	-	-	-	-	-	-	-	-	20	80	-	-
21	-	-	-	-	-	-	-	-	19	81	-	-
22	-	-	-	-	-	-	-	-	16	84	-	-
23	-	-	-	-	-	-	-	-	10	88	2	-
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	11)	72)	17)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KITAKYUSHU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	1	67	33	-	-
01	-	-	-	-	-	-	-	1	51	48	-	-
02	-	-	-	-	-	-	-	1	45	54	-	-
03	0)	0)	0)	0)	0)	0)	0)	0)	39)	60)	1)	0)
04	0)	0)	0)	0)	0)	0)	0)	0)	33)	66)	1)	0)
05	0)	0)	0)	0)	0)	0)	0)	0)	33)	65)	2)	0)
06	0)	0)	0)	0)	0)	0)	0)	0)	36)	61)	3)	0)
07	0)	0)	0)	0)	0)	0)	0)	1)	40)	58)	1)	0)
08	0)	0)	0)	0)	0)	0)	0)	1)	46)	52)	1)	0)
09	0)	0)	0)	0)	0)	0)	0)	1)	56)	43)	0)	0)
10	0)	0)	0)	0)	0)	0)	0)	1)	62)	37)	0)	0)
11	0)	0)	0)	0)	0)	0)	0)	1)	65)	34)	0)	0)
12	0)	0)	0)	0)	0)	0)	0)	1)	68)	30)	0)	0)
13	0)	0)	0)	0)	0)	0)	0)	2)	70)	28)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	3)	72)	25)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	3)	72)	24)	0)	0)
16	-	-	-	-	-	-	-	5	74	21	-	-
17	-	-	-	-	-	-	-	6	73	21	-	-
18	-	-	-	-	-	-	-	7	75	19	-	-
19	-	-	-	-	-	-	-	9	74	17	-	-
20	-	-	-	-	-	-	-	6	79	15	-	-
21	-	-	-	-	-	-	-	10	75	15	-	-
22	-	-	-	-	-	-	-	4	79	17	-	-
23	-	-	-	-	-	-	-	1	77	22	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	3)	61)	36)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: KITAKYUSHU AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	61	36	2	-	-
01	-	-	-	-	-	-	-	44	52	5	-	-
02	-	-	-	-	-	-	-	40	54	6	-	-
03	-	-	-	-	-	-	-	32	61	8	-	-
04	-	-	-	-	-	-	-	26	63	11	-	-
05	-	-	-	-	-	-	-	25	63	12	-	-
06	-	-	-	-	-	-	-	26	64	10	-	-
07	-	-	-	-	-	-	-	30	63	7	-	-
08	-	-	-	-	-	-	1	34	59	6	-	-
09	-	-	-	-	-	-	1	47	48	5	-	-
10	-	-	-	-	-	-	3	49	46	3	-	-
11	-	-	-	-	-	-	3	56	39	2	-	-
12	-	-	-	-	-	-	4	57	36	3	-	-
13	-	-	-	-	-	-	6	60	32	3	-	-
14	-	-	-	-	-	-	6	61	30	3	-	-
15	-	-	-	-	-	-	6	66	26	2	-	-
16	-	-	-	-	-	-	7	65	26	2	-	-
17	-	-	-	-	-	-	10	63	26	2	-	-
18	-	-	-	-	-	-	10	65	25	1	-	-
19	-	-	-	-	-	-	12	63	25	1	-	-
20	-	-	-	-	-	-	11	67	21	1	-	-
21	-	-	-	-	-	-	11	66	22	1	-	-
22	-	-	-	-	-	-	12	66	22	1	-	-
23	-	-	-	-	-	-	3	65	32	1	-	-
MEAN	-	-	-	-	-	-	4	51	40	4	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: KITAKYUSHU AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	6	52	40	2	-	-	-
01	-	-	-	-	-	5	45	47	3	-	-	-
02	-	-	-	-	-	3	40	52	5	-	-	-
03	-	-	-	-	-	3	39	51	7	1	-	-
04	-	-	-	-	-	3	35	55	8	-	-	-
05	-	-	-	-	-	3	33	57	6	1	-	-
06	-	-	-	-	-	3	34	58	5	-	-	-
07	-	-	-	-	-	3	37	56	4	-	-	-
08	-	-	-	-	-	5	41	51	3	-	-	-
09	-	-	-	-	-	6	42	51	1	-	-	-
10	-	-	-	-	-	7	45	47	1	-	-	-
11	-	-	-	-	-	10	45	45	1	-	-	-
12	-	-	-	-	-	11	51	37	-	-	-	-
13	-	-	-	-	-	12	54	34	-	-	-	-
14	-	-	-	-	1	10	56	33	-	-	-	-
15	-	-	-	-	-	13	58	29	-	-	-	-
16	-	-	-	-	1	13	55	30	1	-	-	-
17	-	-	-	-	-	15	55	29	-	-	-	-
18	-	-	-	-	1	14	57	29	-	-	-	-
19	-	-	-	-	1	15	59	26	-	-	-	-
20	-	-	-	-	1	16	55	28	-	-	-	-
21	-	-	-	-	-	17	57	26	-	-	-	-
22	-	-	-	-	-	16	58	26	-	-	-	-
23	-	-	-	-	-	13	53	33	1	-	-	-
MEAN	-	-	-	-	0	9	48	40	2	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: KITAKYUSHU AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	12	57	30	1	-	-	-	-
01	-	-	-	-	10	52	37	1	-	-	-	-
02	-	-	-	-	8	47	42	3	-	-	-	-
03	-	-	-	-	8	43	47	3	-	-	-	-
04	-	-	-	-	6	44	46	3	-	-	-	-
05	-	-	-	-	5	45	46	4	-	-	-	-
06	-	-	-	-	5	45	46	4	-	-	-	-
07	-	-	-	-	5	46	48	1	-	-	-	-
08	-	-	-	-	6	51	42	1	-	-	-	-
09	-	-	-	-	8	52	40	-	-	-	-	-
10	-	-	-	-	8	55	37	-	-	-	-	-
11	-	-	-	-	10	57	34	-	-	-	-	-
12	-	-	-	-	10	59	32	-	-	-	-	-
13	-	-	-	-	10	61	29	1	-	-	-	-
14	-	-	-	-	9	62	28	1	-	-	-	-
15	-	-	-	-	12	59	28	2	-	-	-	-
16	-	-	-	-	12	57	28	2	-	-	-	-
17	-	-	-	-	14	59	25	2	-	-	-	-
18	-	-	-	-	15	61	23	1	-	-	-	-
19	-	-	-	-	17	59	22	2	-	-	-	-
20	-	-	-	-	16	62	20	2	-	-	-	-
21	-	-	-	-	18	60	21	1	-	-	-	-
22	-	-	-	-	16	63	20	1	-	-	-	-
23	-	-	-	-	12	63	24	1	-	-	-	-
MEAN	-	-	-	-	10	55	33	1	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KITAKYUSHU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	0	6	21	16	18	23	15	2	-
01	-	-	-	0	4	21	16	17	22	16	3	-
02	-	-	-	0	3	20	16	18	22	16	4	-
03	0)	0)	0)	0)	3)	18)	18)	17)	22)	17)	5)	0)
04	0)	0)	0)	0)	2)	18)	17)	17)	22)	18)	5)	0)
05	0)	0)	0)	0)	2)	17)	17)	18)	21)	18)	6)	0)
06	0)	0)	0)	0)	2)	17)	18)	17)	22)	17)	7)	0)
07	0)	0)	0)	0)	3)	17)	18)	17)	22)	17)	6)	0)
08	0)	0)	0)	0)	3)	18)	17)	17)	22)	16)	6)	0)
09	0)	0)	0)	0)	4)	20)	16)	18)	22)	16)	4)	0)
10	0)	0)	0)	0)	4)	21)	16)	18)	23)	16)	2)	0)
11	0)	0)	0)	0)	5)	21)	16)	18)	22)	15)	1)	0)
12	0)	0)	0)	0)	6)	21)	17)	18)	22)	15)	1)	0)
13	0)	0)	0)	0)	6)	22)	17)	18)	22)	15)	0)	0)
14	0)	0)	0)	0)	7)	21)	17)	18)	22)	15)	0)	0)
15	0)	0)	0)	0)	8)	21)	17)	18)	21)	15)	0)	0)
16	-	-	-	0	8	21	18	18	21	14	-	-
17	-	-	-	0	9	21	18	18	21	14	-	-
18	-	-	-	0	9	21	18	18	20	14	-	-
19	-	-	-	0	10	21	18	18	21	13	-	-
20	-	-	-	0	10	21	17	19	21	12	-	-
21	-	-	-	0	10	22	17	18	21	13	-	-
22	-	-	-	0	9	21	17	18	21	13	0	-
23	-	-	-	0	8	21	16	18	22	15	0	-
MEAN	0)	0)	0)	0)	6)	20)	17)	18)	22)	15)	2)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KITAKYUSHU AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	6.4	6.4	10.0	14.2	18.9	22.1	26.3	27.8	24.1	19.7	14.2	8.7	16.6
Daily maximum air temperature(°C)	9.2	9.2	13.5	17.6	22.5	24.9	29.2	30.9	26.9	22.7	16.9	11.3	19.6
Daily minimum air temperature(°C)	3.4	3.6	6.7	11.1	15.7	20.1	24.2	25.6	21.9	16.9	11.3	5.8	13.9
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	55.9	85.9	80.0	153.8	83.5	252.2	283.4	179.2	155.5	85.1	95.6	82.1	1592.2
Snow fall(cm)	1	0	0	×	-	-	-	-	-	-	0	0	×
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	1001.2	1002.5	998.5	986.4	995.2	991.9	985.6	970.4	994.3	988.7	1002.3	998.5	970.4
Daily maximum air temperature(°C)	16.2	16.5	22.6	25.4	29.3	30.8	36.3	36.4	32.2	30.2	26.0	18.6	36.4
Daily minimum air temperature(°C)	-4.3	-3.5	0.5	4.1	7.9	15.2	19.2	20.1	17.6	10.9	2.7	0.0	-4.3
Daily precipitation(mm)	30.5	38.5	42.5	95.5	56.5	103.0	143.0	89.0	128.0	83.5	31.0	38.5	143.0
Daily max.one-hour precipitation(mm)	9.5	15.5	9.5	26.0	20.5	30.5	57.0	37.0	39.0	20.5	16.0	6.5*	57.0
Daily max.ten-minute precipitation(mm)	3.0	4.0	5.0	8.5	6.0	12.0	22.0	15.5	13.0	9.0	5.5*	3.0	22.0
Daily totals of snowfall(cm)	4	1 *	0 *	×	-	-	-	-	-	-	0	0 *	4
Daily maximum of snow cover(cm)	2	0 *	0	-	-	-	-	-	-	-	-	0 *	2
Daily maximum wind speed(kt)	39	30	36	39	31	30	31	57	38	32 *	34	35 *	57
with wind direction(36DIR.)	31	29	26	26	26	12	31	6	11	21	27	28	6
Daily maximum peak gust(kt)	48	41 *	45	53	45	38 *	39	72	49	45	46	49	72
with wind direction(36DIR.)	31	29	26	26	26	12	22	7	11	33	25	29	7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KITAKYUSHU AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	1.4	1.6	-	-	-	-	-	-	-	-	-	-	3.0
25.0°C	-	-	-	-	-	-	12.0	20.8	2.4	-	-	-	35.2
Daily mean air temperature < 0.0°C	0.2	0.2	-	-	-	-	-	-	-	-	-	-	0.4
25.0°C	-	-	-	-	-	1.6	21.4	28.4	10.4	0.8	-	-	62.6
Daily maximum air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	-	-	-	0.2	6.6	14.0	29.0	30.6	24.8	6.4	0.2	-	111.8
30.0°C	-	-	-	-	-	0.8	13.2	19.6	1.4	0.2	-	-	35.2
Daily precipitation 0.0mm	20.0	20.4	15.2	14.8	11.6	18.8	17.2	16.0	16.0	12.2	18.2	20.6	201.0
1.0mm	7.0	11.4	7.6	11.6	6.4	11.0	11.0	9.4	9.2	5.8	10.0	11.2	111.6
5.0mm	3.8	5.4	5.0	7.2	4.2	9.0	7.4	6.0	5.2	3.4	5.8	6.0	68.4
10.0mm	2.2	2.6	3.0	4.0	2.4	6.8	5.4	4.4	3.8	2.2	3.4	2.6	42.8
30.0mm	0.2	0.6	0.2	1.8	0.8	3.0	3.8	2.2	1.6	0.4	0.2	0.4	15.2
50.0mm	-	-	-	0.2	0.2	1.2	2.0	1.2	0.8	0.4	-	-	6.0
70.0mm	-	-	-	0.2	-	0.8	1.0	0.2	0.4	0.4	-	-	3.0
100.0mm	-	-	-	-	-	0.2	0.6	-	0.2	-	-	-	1.0

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KITAKYUSHU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	0cm	5.8	4.8	0.8	×	-	-	-	-	-	-	0.2	4.0	×
	5cm	-	-	-	×	-	-	-	-	-	-	-	-	×
	10cm	-	-	-	×	-	-	-	-	-	-	-	-	×
	20cm	-	-	-	×	-	-	-	-	-	-	-	-	×
	50cm	-	-	-	×	-	-	-	-	-	-	-	-	×
	100cm	-	-	-	×	-	-	-	-	-	-	-	-	×
Daily max.depth of snow cover	0cm	2.2	1.0	0.2	-	-	-	-	-	-	-	-	1.8	5.2
	5cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	10cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	20cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	50cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	100cm	-	-	-	-	-	-	-	-	-	-	-	-	-
Daily maximum wind speed	200cm	-	-	-	-	-	-	-	-	-	-	-	-	-
	20kt	9.0	7.2	8.0	9.4	4.0	3.6	3.8	5.0	4.0	6.4	7.6	11.4	79.4
	30kt	0.8	0.2	0.4	1.0	0.4	0.2	0.2	0.6	0.4	0.8	0.8	2.2	8.0
	40kt	-	-	-	-	-	-	-	0.2	-	-	-	-	0.2
	50kt	-	-	-	-	-	-	-	0.2	-	-	-	-	0.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KITAKYUSHU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1022.1	1021.5	1018.9	1014.7	1011.6	1007.3	1008.1	1007.4	1012.3	1017.3	1019.6	1021.2	1015.2
01	1022.3	1021.6	1018.9	1014.8	1011.6	1007.3	1008.1	1007.5	1012.3	1017.2	1019.6	1021.5	1015.2
02	1022.0	1021.4	1018.7	1014.6	1011.5	1007.2	1008.0	1007.3	1012.1	1016.9	1019.3	1021.2	1015.0
03	1021.2	1020.8	1018.3	1014.1	1011.0	1007.0	1007.8	1007.0	1011.7	1016.3	1018.6	1020.4	1014.5
04	1020.5	1020.1	1017.7	1013.6	1010.5	1006.6	1007.5	1006.7	1011.2	1015.6	1017.9	1019.7	1014.0
05	1020.1	1019.6	1017.0	1013.1	1010.1	1006.2	1007.2	1006.3	1010.8	1015.1	1017.5	1019.3	1013.5
06	1020.0	1019.4	1016.7	1012.7	1009.7	1006.0	1006.9	1005.9	1010.5	1015.0	1017.5	1019.3	1013.3
07	1020.3	1019.5	1016.7	1012.5	1009.4	1005.9	1006.7	1005.8	1010.5	1015.1	1017.7	1019.5	1013.3
08	1020.5	1019.6	1016.8	1012.5	1009.4	1005.7	1006.6	1005.9	1010.7	1015.3	1017.9	1019.8	1013.4
09	1020.8	1019.9	1017.0	1012.7	1009.5	1005.8	1006.7	1006.0	1010.8	1015.5	1018.2	1020.1	1013.6
10	1021.1	1020.2	1017.4	1013.0	1009.9	1006.1	1007.0	1006.3	1011.2	1015.9	1018.6	1020.3	1013.9
11	1021.3	1020.5	1017.8	1013.5	1010.3	1006.4	1007.3	1006.7	1011.7	1016.3	1018.8	1020.4	1014.3
12	1021.4	1020.7	1018.2	1014.0	1010.8	1006.8	1007.8	1007.1	1012.0	1016.4	1018.9	1020.5	1014.6
13	1021.4	1020.8	1018.3	1014.1	1011.1	1007.1	1007.9	1007.2	1012.0	1016.6	1019.0	1020.6	1014.7
14	1021.3	1020.7	1018.2	1014.1	1011.1	1006.9	1007.9	1007.2	1012.0	1016.5	1018.9	1020.6	1014.6
15	1021.2	1020.5	1018.1	1014.0	1011.0	1006.7	1007.7	1007.1	1011.8	1016.4	1018.8	1020.4	1014.5
16	1020.9	1020.6	1018.1	1014.0	1010.8	1006.6	1007.5	1006.9	1011.4	1016.1	1018.7	1020.1	1014.3
17	1021.0	1020.6	1017.9	1013.7	1010.6	1006.5	1007.2	1006.7	1011.3	1016.1	1018.6	1020.2	1014.2
18	1021.0	1020.4	1017.6	1013.5	1010.5	1006.4	1007.1	1006.6	1011.1	1015.9	1018.5	1020.2	1014.1
19	1020.7	1020.2	1017.5	1013.5	1010.6	1006.4	1007.2	1006.6	1011.1	1015.8	1018.3	1020.0	1014.0
20	1020.7	1020.3	1017.6	1013.6	1010.7	1006.7	1007.4	1006.7	1011.2	1016.0	1018.3	1019.9	1014.1
21	1021.0	1020.5	1017.9	1013.9	1011.0	1006.8	1007.6	1006.9	1011.4	1016.2	1018.5	1020.1	1014.3
22	1021.3	1020.8	1018.2	1014.3	1011.4	1007.1	1007.9	1007.1	1011.8	1016.5	1018.9	1020.6	1014.7
23	1021.6	1021.2	1018.6	1014.6	1011.6	1007.3	1008.1	1007.3	1012.1	1017.0	1019.3	1020.9	1015.0
MEAN	1021.1	1020.5	1017.8	1013.7	1010.7	1006.6	1007.5	1006.7	1011.5	1016.1	1018.6	1020.3	1014.3

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KITAKYUSHU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.1	6.1	9.7	14.0	18.6	22.1	26.4	27.7	24.2	19.7	14.2	8.4	16.4
01	6.7	6.6	10.2	14.4	19.1	22.4	26.9	28.2	24.7	20.4	14.7	8.9	16.9
02	7.2	7.0	10.8	14.9	19.7	22.8	27.3	28.6	25.1	20.9	15.2	9.3	17.4
03	7.5	7.4	11.1	15.4	20.2	23.2	27.5	28.9	25.5	21.3	15.5	9.7	17.8
04	7.8	7.7	11.6	15.9	20.8	23.5	27.6	29.3	25.7	21.6	15.9	9.9	18.1
05	8.0	7.8	11.9	16.2	21.1	23.6	27.7	29.6	25.9	21.8	15.9	10.0	18.3
06	8.0	7.9	12.0	16.3	21.4	23.6	27.8	29.7	25.8	21.7	15.9	10.0	18.3
07	7.7	7.8	11.9	16.2	21.3	23.5	27.8	29.5	25.6	21.5	15.6	9.8	18.2
08	7.4	7.4	11.6	15.9	21.0	23.2	27.5	29.1	25.3	20.9	15.2	9.4	17.8
09	7.0	6.9	11.0	15.3	20.4	22.9	27.2	28.6	24.7	20.3	14.8	9.1	17.3
10	6.7	6.6	10.4	14.7	19.7	22.5	26.6	28.1	24.3	19.9	14.5	8.9	16.9
11	6.6	6.4	10.1	14.5	19.2	22.1	26.2	27.7	24.0	19.6	14.2	8.7	16.6
12	6.2	6.2	9.9	14.2	18.8	21.8	26.0	27.5	23.8	19.3	13.9	8.5	16.3
13	6.1	6.1	9.6	14.0	18.4	21.7	25.8	27.3	23.6	19.1	13.8	8.4	16.2
14	5.9	5.9	9.4	13.7	18.2	21.6	25.6	27.1	23.4	18.9	13.6	8.3	16.0
15	5.8	5.7	9.1	13.3	17.9	21.4	25.5	27.0	23.2	18.8	13.5	8.2	15.8
16	5.7	5.6	8.8	13.0	17.5	21.2	25.3	27.0	23.2	18.7	13.4	8.3	15.6
17	5.6	5.5	8.6	12.8	17.3	21.1	25.2	26.8	23.1	18.5	13.3	8.1	15.5
18	5.5	5.5	8.4	12.7	17.1	21.0	25.1	26.7	23.0	18.3	13.2	8.0	15.4
19	5.4	5.4	8.3	12.4	16.9	20.9	25.0	26.5	22.9	18.2	13.0	8.0	15.2
20	5.3	5.3	8.2	12.4	16.8	20.8	24.9	26.3	22.8	18.1	12.9	7.9	15.2
21	5.3	5.2	8.2	12.4	16.9	20.9	25.0	26.3	22.8	18.0	12.9	7.7	15.1
22	5.2	5.2	8.4	12.8	17.5	21.3	25.4	26.7	23.1	18.2	12.9	7.7	15.4
23	5.4	5.5	9.1	13.4	18.1	21.7	25.9	27.2	23.6	19.0	13.5	7.8	15.9
MEAN	6.4	6.4	10.0	14.2	18.9	22.1	26.3	27.8	24.1	19.7	14.2	8.7	16.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KITAKYUSHU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.9	7.0	8.9	12.4	16.6	22.3	27.9	28.9	23.0	16.4	12.0	8.0	15.9
01	6.9	6.9	8.8	12.4	16.7	22.4	28.0	28.9	22.9	16.3	11.9	8.0	15.9
02	6.8	6.9	8.8	12.3	16.8	22.4	28.1	28.8	22.8	16.1	11.8	7.9	15.8
03	6.8	6.9	8.9	12.4	16.6	22.4	28.1	29.0	22.9	16.0	11.8	7.8	15.8
04	6.7	6.9	8.8	12.3	16.4	22.4	28.2	28.9	22.8	16.1	11.8	7.8	15.8
05	6.6	6.9	8.8	12.2	16.3	22.4	28.2	28.9	22.9	16.0	11.8	7.7	15.7
06	6.6	6.9	8.7	12.1	16.3	22.1	28.1	28.6	22.7	15.9	11.7	7.7	15.7
07	6.7	6.9	8.6	12.0	16.2	22.0	28.1	28.6	22.8	16.0	11.7	7.8	15.6
08	6.7	7.0	8.5	12.1	16.1	22.1	27.9	28.8	22.8	16.0	11.8	7.7	15.6
09	6.7	7.0	8.6	12.1	16.0	22.1	28.0	28.8	22.9	16.2	11.8	7.9	15.7
10	6.7	7.0	8.7	12.1	16.1	22.1	28.1	29.0	23.1	16.4	11.9	8.0	15.8
11	6.7	7.1	8.8	12.1	16.2	22.1	28.0	29.1	23.2	16.6	12.0	8.0	15.8
12	6.7	7.0	8.8	12.0	16.2	22.2	28.1	29.2	23.2	16.6	12.0	8.0	15.8
13	6.8	7.0	8.8	12.1	16.4	22.2	28.1	29.2	23.2	16.7	12.0	8.0	15.9
14	6.8	7.0	8.8	12.1	16.3	22.2	28.0	29.1	23.1	16.7	11.9	7.9	15.8
15	6.8	7.0	8.8	12.2	16.4	22.2	28.0	29.1	23.2	16.5	11.9	7.8	15.8
16	6.8	6.9	8.7	12.1	16.2	22.0	27.7	29.1	23.2	16.6	11.9	8.0	15.8
17	6.7	7.0	8.7	12.1	16.1	22.0	27.7	29.0	23.2	16.5	12.0	7.9	15.8
18	6.7	6.9	8.7	12.1	16.1	22.0	27.7	28.9	23.1	16.5	11.9	7.8	15.7
19	6.7	6.9	8.7	12.0	16.2	21.9	27.6	29.0	23.0	16.3	11.9	7.8	15.7
20	6.7	6.9	8.7	12.0	16.2	21.9	27.5	28.8	22.9	16.3	11.9	7.9	15.6
21	6.7	6.9	8.7	12.0	16.3	22.1	27.6	28.8	22.8	16.3	11.8	8.0	15.7
22	6.7	6.9	8.8	12.2	16.6	22.1	27.7	28.9	23.0	16.4	11.8	8.0	15.8
23	6.8	6.9	8.9	12.4	16.5	22.2	27.8	28.8	23.0	16.4	12.0	7.9	15.8
MEAN	6.8	6.9	8.7	12.2	16.3	22.1	27.9	28.9	23.0	16.3	11.9	7.9	15.8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KITAKYUSHU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	72	73	72	76	77	84	82	78	76	70	72	71	75
01	69	69	69	74	75	82	80	76	74	67	69	68	73
02	66	67	67	72	73	81	78	74	72	65	67	65	71
03	64	66	65	70	70	79	77	73	70	62	65	64	69
04	62	65	63	68	67	78	77	72	69	62	64	62	67
05	61	64	62	66	66	77	77	71	69	61	63	61	66
06	61	64	61	65	65	77	76	69	68	60	63	61	66
07	62	64	61	65	64	77	76	70	70	61	64	62	66
08	64	66	61	67	65	78	77	72	71	63	66	64	68
09	66	68	64	69	67	80	78	74	73	66	68	66	70
10	67	69	67	71	70	81	81	77	76	69	70	68	72
11	68	71	69	72	72	84	82	78	77	71	71	68	74
12	69	72	70	73	74	85	84	80	78	73	73	69	75
13	70	73	72	75	77	85	84	80	79	74	74	70	76
14	71	73	72	76	77	86	85	81	80	74	74	70	77
15	72	74	74	78	79	86	86	82	81	75	75	69	77
16	72	75	75	79	80	86	86	82	81	76	75	70	78
17	72	75	75	80	81	87	87	83	81	76	76	70	79
18	73	75	76	80	82	88	87	83	82	77	76	71	79
19	73	75	77	81	83	88	87	84	82	77	77	71	80
20	74	76	77	82	84	89	87	84	82	77	77	72	80
21	75	76	78	82	83	89	87	84	82	77	77	73	80
22	74	76	78	81	82	87	86	83	81	77	77	73	79
23	74	75	75	79	79	86	84	80	78	74	75	72	78
MEAN	69	71	70	74	75	83	82	78	76	70	71	68	74

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KITAKYUSHU AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	30 *	36 *	3	9 *	7	9	8 *	9	35	2	26	30	7
01	27	28	30 *	9	9	9	8	10	10 *	36	30 *	27	8
02	30	30	31 *	8	8 *	8	7	8	9	12	28	28	8
03	28	30	31	7	8	8	8	8)	8)	2 *	31	28	8)
04	30	30	30	7	7	8	8	8)	8)	13 *	30 *	28	8)
05	30	29	29	30	7	8	8	7)	36)	36	32	28	7)
06	31	30	30	31	7	8	7	7)	36)	36	30	29 *	31)
07	30	31	30	29	31	9 *	8	32)	36)	36	30 *	27	31)
08	31	31	31	31	30	8	7 *	31)	36)	36	31	28	31)
09	31 *	30	30	35	32	31	31	31)	36)	36	28	26 *	31)
10	24 *	25	36	35	31	8 *	7	7)	36)	36	30	27	36)
11	31	35 *	35 *	34	36	7	8	36)	36)	36	25	27	36)
12	23	35	36 *	26	31	8	36	7)	36)	36	30	26 *	36)
13	24	30	23	11	7 *	8	7	35)	36)	36	30 *	22	30)
14	34	31 *	27	30 *	8	7 *	7	35)	1)	35	24	25	35)
15	32 *	24	34	28	31	8	7	30)	36)	31	25	24	30)
16	24 *	30	31	31	6 *	8	7 *	31	36 *	34	30	24	31
17	25 *	23 *	35	34	36	29	8 *	31	31 *	31	30	30	30
18	27 *	30	35	7	35 *	7	23 *	30	34	32	28 *	27	30
19	27 *	30	35	35	35 *	7	6	31 *	30	32	31 *	28	30
20	30	28	36	31	30	31 *	8	36	34	31	28	28 *	31
21	28	29	35	35	32	30 *	8	30 *	1	2 *	28 *	31	30
22	27	30 *	34	31 *	7	8	6	8	1	30	30 *	30	30
23	31 *	30	36	25	4	8	9	12 *	36	36	33	30 *	31 *
ALL	30	30	30	31	7	8	7	7)	36)	36	30	28	30)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KITAKYUSHU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	8.0	7.6	6.8	7.8	6.7	6.7	7.0	7.1	7.1	7.5	7.5	8.6	7.4
01	8.4	8.2	7.1	7.6	7.1	6.7	7.6	7.2	6.9	7.4	7.8	9.1	7.6
02	8.7	8.9	7.4	7.7	7.4	7.3	8.1	7.6	6.8	7.2	7.8	9.5	7.9
03	9.1	9.1	8.3	8.4	7.6	7.3	7.9	8.1	7.2	7.6	8.0	10.1	8.2
04	9.9	9.8	8.8	9.1	8.0	7.7	7.9	8.6	7.3	7.7	8.9	10.5	8.7
05	10.0	10.0	9.3	9.5	8.3	8.0	8.1	9.3	7.5	8.4	9.1	10.8	9.0
06	10.2	9.9	9.8	10.1	9.0	8.2	8.4	10.0	7.7	8.7	8.8	10.7	9.3
07	10.1	9.8	9.8	9.7	9.1	8.3	8.2	10.2	8.2	8.8	8.8	10.4	9.3
08	9.7	9.5	9.9	9.7	9.1	8.5	8.1	9.8	8.0	9.0	8.3	9.7	9.1
09	8.9	9.0	9.2	9.8	8.7	9.1	7.8	9.4	8.6	9.1	8.0	9.1	8.9
10	8.6	8.5	8.4	9.0	8.1	9.0	7.5	9.0	8.9	9.2	7.9	8.9	8.6
11	8.1	8.5	8.1	8.1	7.2	8.6	7.3	8.4	8.8	8.5	7.6	9.4	8.2
12	7.9	7.6	7.3	7.8	6.7	8.1	6.7	8.0	8.6	8.3	7.2	9.0	7.8
13	7.5	7.3	6.9	7.5	6.5	7.5	6.5	7.5	7.6	8.0	7.2	8.6	7.4
14	7.4	7.5	6.5	7.1	6.2	7.3	6.2	7.1	7.4	7.6	7.2	8.5	7.2
15	7.3	7.2	6.5	7.2	6.1	6.6	6.1	6.8	6.8	7.3	7.4	8.8	7.0
16	7.6	7.8	6.6	7.0	6.1	6.9	6.0	6.8	6.8	7.5	7.0	8.9	7.1
17	7.3	7.8	6.6	7.2	6.2	6.5	5.6	6.4	6.6	7.3	6.9	9.1	7.0
18	7.5	7.6	6.7	6.8	5.8	6.6	5.9	6.5	6.6	7.2	7.0	8.7	6.9
19	7.7	7.6	6.7	6.6	5.9	6.4	6.1	6.7	6.8	7.3	7.3	9.2	7.0
20	7.9	7.6	6.6	6.5	6.0	6.3	6.3	6.4	6.6	7.3	7.5	8.7	7.0
21	7.6	7.6	6.5	6.9	5.8	6.4	6.2	6.4	6.8	7.3	7.4	9.0	7.0
22	7.5	7.4	6.4	6.8	6.0	6.5	6.2	6.9	6.7	7.2	7.7	8.8	7.0
23	7.9	7.6	6.6	7.2	6.1	6.5	6.7	6.9	7.1	7.4	7.4	8.6	7.2
MEAN	8.4	8.3	7.6	8.0	7.1	7.4	7.0	7.8	7.4	7.9	7.7	9.3	7.8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KITAKYUSHU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	7.2	9.8	4.1	6.3	9.0	3.4	8.1	11.2	5.2	12.3	15.8	9.1
02	7.1	9.8	4.0	6.2	8.9	3.4	8.3	11.4	5.4	12.4	15.9	9.3
03	7.0	9.7	4.0	6.1	8.9	3.3	8.4	11.6	5.5	12.5	16.0	9.4
04	6.9	9.7	4.0	6.1	8.8	3.3	8.5	11.7	5.6	12.6	16.0	9.5
05	6.9	9.6	4.0	6.0	8.7	3.2	8.6	11.9	5.6	12.7	16.1	9.5
06	6.8	9.5	4.0	5.9	8.6	3.1	8.7	12.0	5.6	12.8	16.2	9.6
07	6.8	9.5	3.9	5.9	8.5	3.1	8.7	12.1	5.6	12.8	16.3	9.7
08	6.7	9.4	3.9	5.8	8.5	3.0	8.8	12.2	5.7	12.9	16.4	9.7
09	6.7	9.3	3.9	5.8	8.5	3.0	8.8	12.4	5.7	13.1	16.5	9.8
10	6.6	9.2	3.9	5.8	8.5	3.0	8.9	12.5	5.7	13.2	16.7	9.9
11	6.6	9.2	3.8	5.8	8.5	3.0	9.0	12.6	5.8	13.3	16.9	10.1
12	6.5	9.1	3.7	5.9	8.6	3.1	9.1	12.7	5.8	13.5	17.1	10.2
13	6.4	9.1	3.7	5.9	8.7	3.1	9.3	12.9	5.9	13.7	17.3	10.4
14	6.4	9.0	3.6	6.0	8.8	3.2	9.4	13.1	6.1	13.9	17.5	10.6
15	6.3	9.0	3.5	6.1	8.8	3.3	9.6	13.3	6.3	14.1	17.6	10.8
16	6.3	8.9	3.4	6.2	8.9	3.4	9.8	13.5	6.4	14.3	17.8	11.0
17	6.2	8.9	3.3	6.3	9.0	3.5	10.0	13.6	6.6	14.4	18.0	11.1
18	6.2	8.9	3.2	6.4	9.1	3.6	10.2	13.8	6.7	14.6	18.2	11.3
19	6.1	8.9	3.1	6.5	9.3	3.7	10.3	14.0	6.9	14.8	18.3	11.5
20	6.1	8.8	3.1	6.6	9.4	3.8	10.5	14.1	7.0	14.9	18.5	11.7
21	6.0	8.8	3.0	6.7	9.6	3.9	10.6	14.2	7.1	15.1	18.6	11.8
22	6.0	8.8	3.0	6.9	9.7	4.0	10.7	14.4	7.2	15.3	18.8	12.0
23	6.0	8.8	3.0	7.0	9.9	4.2	10.9	14.5	7.4	15.4	18.9	12.2
24	6.1	8.9	3.1	7.2	10.1	4.4	11.0	14.6	7.5	15.6	19.1	12.4
25	6.1	8.9	3.1	7.4	10.3	4.5	11.1	14.7	7.7	15.8	19.2	12.6
26	6.1	9.0	3.1	7.6	10.6	4.7	11.3	14.9	7.9	15.9	19.4	12.7
27	6.2	9.0	3.2	7.8	10.8	4.9	11.5	15.0	8.1	16.1	19.6	12.9
28	6.2	9.0	3.3	8.0	11.0	5.1	11.6	15.2	8.3	16.3	19.7	13.1
29	6.3	9.1	3.3	8.1	11.1	5.2	11.8	15.3	8.5	16.4	19.9	13.2
30	6.3	9.1	3.4				12.0	15.5	8.7	16.6	20.1	13.3
31	6.3	9.1	3.4				12.2	15.6	9.0			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KITAKYUSHU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	16.8	20.3	13.5	20.9	24.0	18.4	23.7	26.4	21.8	28.5	31.7	26.3
02	16.9	20.5	13.6	21.0	24.0	18.5	23.9	26.5	21.9	28.5	31.7	26.4
03	17.0	20.7	13.7	21.0	24.0	18.6	24.1	26.7	22.1	28.6	31.8	26.4
04	17.2	20.8	13.8	21.1	24.0	18.8	24.3	26.9	22.3	28.6	31.8	26.4
05	17.3	21.0	13.9	21.2	24.1	18.9	24.4	27.1	22.5	28.6	31.8	26.4
06	17.4	21.1	14.0	21.3	24.2	19.1	24.6	27.2	22.6	28.6	31.8	26.3
07	17.5	21.2	14.1	21.4	24.3	19.2	24.8	27.4	22.8	28.6	31.9	26.3
08	17.6	21.3	14.2	21.6	24.4	19.4	24.9	27.6	23.0	28.6	31.8	26.3
09	17.7	21.4	14.3	21.7	24.6	19.6	25.1	27.8	23.1	28.5	31.8	26.2
10	17.8	21.5	14.4	21.9	24.7	19.8	25.2	28.0	23.2	28.5	31.8	26.2
11	17.9	21.6	14.6	22.0	24.9	19.9	25.4	28.2	23.4	28.5	31.7	26.2
12	18.1	21.7	14.7	22.2	25.0	20.1	25.5	28.4	23.5	28.5	31.7	26.1
13	18.2	21.8	14.9	22.3	25.1	20.2	25.7	28.6	23.6	28.4	31.6	26.1
14	18.4	22.0	15.1	22.4	25.2	20.3	25.9	28.8	23.7	28.4	31.5	26.1
15	18.5	22.1	15.2	22.5	25.3	20.4	26.0	29.0	23.8	28.3	31.3	26.1
16	18.7	22.3	15.4	22.5	25.3	20.4	26.2	29.2	24.0	28.2	31.2	26.0
17	18.9	22.4	15.7	22.6	25.3	20.5	26.3	29.4	24.1	28.2	31.1	26.0
18	19.0	22.6	15.9	22.6	25.3	20.5	26.5	29.6	24.2	28.1	31.0	25.9
19	19.2	22.8	16.1	22.6	25.3	20.6	26.7	29.8	24.4	28.0	30.8	25.8
20	19.4	23.0	16.3	22.6	25.3	20.6	26.8	30.0	24.6	27.8	30.7	25.7
21	19.6	23.2	16.6	22.6	25.3	20.6	27.0	30.2	24.8	27.7	30.5	25.5
22	19.8	23.3	16.8	22.7	25.3	20.7	27.2	30.4	24.9	27.5	30.3	25.4
23	20.0	23.5	17.0	22.7	25.4	20.8	27.4	30.6	25.1	27.3	30.1	25.2
24	20.2	23.7	17.3	22.8	25.4	20.8	27.6	30.8	25.3	27.1	29.9	25.0
25	20.3	23.8	17.5	22.9	25.5	20.9	27.7	30.9	25.5	26.9	29.7	24.7
26	20.5	23.9	17.7	23.0	25.6	21.0	27.9	31.1	25.7	26.6	29.4	24.5
27	20.6	23.9	17.8	23.1	25.7	21.2	28.0	31.2	25.8	26.4	29.2	24.2
28	20.7	24.0	18.0	23.2	25.9	21.3	28.2	31.4	26.0	26.2	29.0	24.0
29	20.8	24.0	18.1	23.4	26.0	21.4	28.3	31.5	26.1	26.0	28.7	23.8
30	20.8	24.0	18.2	23.6	26.2	21.6	28.4	31.5	26.2	25.8	28.5	23.7
31	20.9	24.0	18.3				28.4	31.6	26.3	25.6	28.4	23.5

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KITAKYUSHU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 50.7'N, LONGITUDE: 131° 2.1'E, ELEVATION ABOVE MSL: 21 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	25.5	28.2	23.4	22.5	25.5	20.1	16.6	19.5	13.6	10.8	13.5	7.6
02	25.4	28.1	23.2	22.4	25.3	19.9	16.5	19.4	13.5	10.6	13.3	7.4
03	25.3	28.0	23.1	22.2	25.1	19.7	16.3	19.2	13.3	10.4	13.1	7.2
04	25.2	27.9	23.1	22.0	25.0	19.4	16.2	19.1	13.2	10.2	13.0	7.0
05	25.1	27.9	23.0	21.8	24.8	19.2	16.1	19.0	13.1	10.0	12.8	6.9
06	25.0	27.9	22.9	21.6	24.6	19.0	16.0	18.8	13.1	9.8	12.6	6.8
07	25.0	27.8	22.8	21.4	24.4	18.7	15.8	18.7	13.0	9.7	12.5	6.7
08	24.9	27.8	22.8	21.1	24.1	18.4	15.7	18.5	12.9	9.6	12.3	6.6
09	24.8	27.7	22.7	20.9	23.9	18.2	15.5	18.3	12.8	9.4	12.1	6.5
10	24.8	27.7	22.6	20.7	23.7	17.9	15.4	18.1	12.7	9.3	12.0	6.4
11	24.7	27.6	22.5	20.5	23.4	17.6	15.2	17.9	12.5	9.2	11.8	6.4
12	24.6	27.4	22.3	20.2	23.2	17.4	15.0	17.7	12.3	9.0	11.6	6.3
13	24.5	27.3	22.2	20.0	23.0	17.1	14.8	17.5	12.1	8.9	11.5	6.2
14	24.3	27.2	22.0	19.8	22.9	16.9	14.7	17.3	11.9	8.8	11.3	6.1
15	24.2	27.0	21.9	19.7	22.7	16.7	14.5	17.1	11.7	8.7	11.2	5.9
16	24.1	26.8	21.8	19.5	22.5	16.6	14.3	16.9	11.5	8.6	11.1	5.8
17	24.0	26.7	21.6	19.4	22.4	16.5	14.2	16.7	11.3	8.5	11.0	5.7
18	23.9	26.6	21.5	19.2	22.3	16.3	14.0	16.6	11.1	8.4	10.9	5.6
19	23.7	26.4	21.4	19.1	22.2	16.2	13.8	16.4	10.9	8.3	10.8	5.5
20	23.6	26.3	21.2	19.0	22.0	16.1	13.6	16.2	10.7	8.2	10.8	5.4
21	23.6	26.3	21.2	18.8	21.9	16.0	13.4	16.0	10.4	8.2	10.7	5.3
22	23.5	26.2	21.1	18.7	21.7	15.9	13.2	15.7	10.2	8.1	10.6	5.2
23	23.4	26.1	21.0	18.5	21.5	15.7	13.0	15.5	9.9	8.0	10.6	5.1
24	23.3	26.1	20.9	18.3	21.3	15.5	12.7	15.2	9.6	8.0	10.5	5.0
25	23.2	26.0	20.8	18.1	21.1	15.3	12.4	15.0	9.3	7.9	10.4	4.9
26	23.1	26.0	20.7	17.9	20.8	15.1	12.1	14.7	9.0	7.8	10.3	4.7
27	23.1	25.9	20.6	17.7	20.6	14.8	11.8	14.5	8.7	7.7	10.3	4.6
28	22.9	25.8	20.5	17.5	20.4	14.6	11.6	14.2	8.4	7.5	10.2	4.5
29	22.8	25.7	20.4	17.2	20.1	14.3	11.3	14.0	8.1	7.4	10.1	4.4
30	22.7	25.6	20.2	17.0	19.9	14.0	11.0	13.7	7.9	7.3	10.0	4.3
31				16.8	19.7	13.8				7.2	9.9	4.2