

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMAMOTO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<450	<550	<800	<1500	<3200	<5000
	-	<100	<200	<300	<400	<600	<1000	<1500
00	-	-	1	1	1	1	3	5
01	0)	0)	0)	0)	0)	2	6	6
02	-	-	-	-	-	1	1	6
03	-	-	-	1	1	2	5	5
04	-	1	1	2	2	3	5	6
05	-	-	-	1	1	1	3	4
06	-	-	-	1	1	1	3	5
07	-	1	1	2	2	2	3	5
08	-	1	1	1	1	2	3	5
09	-	1	1	1	2	1	3	4
10	-	-	1	1	1	1	4	5
11	-	-	-	1	1	1	4	5
12	-	1	1	1	1	1	3	4
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	1	2	7	9
23	-	1	1	1	1	2	5	6
MEAN	0)	0)	0)	1)	1)	2	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMAMOTO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<450	<550	<800	<1500	<3200	<5000
	-	<100	<200	<300	<400	<600	<1000	<1500
00	-	1	1	2	4	8	12	13
01	-	1	2	4	4	5	10	15
02	0)	0)	1)	1)	2)	4	8	11
03	-	1	1	1	3	5	7	8
04	-	1	1	2	3	4	8	10
05	-	-	1	1	2	4	8	11
06	-	-	1	1	1	2	5	8
07	-	-	-	-	1	1	5	8
08	-	1	1	1	1	1	6	8
09	-	-	-	1	1	3	5	6
10	-	-	-	1	1	2	4	6
11	-	1	1	2	2	3	6	6
12	-	1	1	2	4	5	8	8
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	2	4	4	4	6	11	14
23	-	2	2	2	4	8	10	13
MEAN	0)	1)	1)	2)	2)	4	7	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMAMOTO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<450	<550	<800	<1500	<3200	<5000
	-	<100	<200	<300	<400	<600	<1000	<1500
00	-	-	1	2	3	6	14	19
01	0)	0)	1)	3)	4)	6	9	13
02	0)	0)	1)	3)	4)	5	8	11
03	-	1	1	3	4	6	8	12
04	-	-	-	1	2	4	8	12
05	0)	0)	0)	1)	1)	2	5	9
06	-	-	-	1	2	3	6	10
07	-	-	1	2	3	4	8	12
08	0)	1)	1)	3)	3)	6	10	12
09	-	1	1	3	5	5	9	11
10	-	1	1	1	3	5	7	8
11	-	1	1	2	4	5	7	10
12	-	1	2	5	6	6	8	8
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	4	6	8	8	10	16	19
23	-	1	1	4	5	7	13	16
MEAN	0)	1)	1)	3)	4)	5	9	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMAMOTO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<450	<550	<800	<1500	<3200	<5000
	-	<100	<200	<300	<400	<600	<1000	<1500
00	-	2	3	4	5	8	11	15
01	-	1	1	3	6	8	10	14
02	-	-	1	1	1	5	9	11
03	-	-	1	1	2	6	8	11
04	-	-	-	1	3	5	7	11
05	-	-	1	1	2	3	6	10
06	-	-	1	2	3	5	7	10
07	-	-	1	2	3	5	9	9
08	-	-	1	3	3	5	8	8
09	-	-	1	5	5	5	8	9
10	-	-	1	3	4	6	9	11
11	-	-	1	4	5	6	9	11
12	-	1	1	3	4	6	7	10
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	3	5	7	7	8	11	17
23	0)	3)	3)	5)	5)	7	12	15
MEAN	0)	1)	1)	3)	4)	6	9	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMAMOTO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<450	<550	<800	<1500	<3200	<5000
	-	<100	<200	<300	<400	<600	<1000	<1500
00	0)	1)	1)	1)	2)	5	9	14
01	-	1	1	2	2	4	9	11
02	-	-	-	-	1	3	6	11
03	-	-	-	-	1	2	7	10
04	-	-	1	1	3	4	6	10
05	-	-	1	1	3	3	8	9
06	-	1	1	1	2	3	8	9
07	-	-	-	1	1	5	8	8
08	-	-	-	1	1	1	6	9
09	-	-	-	1	1	4	8	8
10	-	-	1	1	3	4	8	8
11	-	-	1	3	4	5	8	10
12	-	-	1	1	3	5	8	10
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1	3	4	8	12	15
23	-	1	1	2	3	7	12	15
MEAN	0)	0)	1)	1)	2)	4	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMAMOTO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<450	<550	<800	<1500	<3200	<5000
	-	<100	<200	<300	<400	<600	<1000	<1500
00	-	-	1	3	5	10	19	24
01	0)	0)	1)	1)	3)	6	15	23
02	0)	0)	1)	2)	4)	7	14	21
03	-	-	1	1	1	5	12	20
04	-	-	1	1	2	3	9	13
05	0)	0)	1)	1)	1)	5	10	14
06	0)	0)	1)	1)	2)	4	9	15
07	-	-	1	1	1	3	11	18
08	-	-	1	3	3	9	15	19
09	-	-	1	1	3	7	17	23
10	-	-	1	1	5	8	15	20
11	-	-	1	3	4	10	15	17
12	-	1	1	3	4	7	15	22
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	3	4	6	11	22	29
23	-	-	1	5	9	13	20	28
MEAN	0)	0)	1)	2)	4)	7	15	20

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMAMOTO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<450	<550	<800	<1500	<3200	<5000
	-	<100	<200	<300	<400	<600	<1000	<1500
00	-	-	1	2	2	6	10	15
01	-	-	-	1	1	5	8	15
02	-	-	1	1	3	3	6	11
03	-	-	-	2	3	3	6	12
04	-	-	-	1	1	4	8	11
05	0)	0)	0)	1)	1)	5	8	13
06	-	-	-	1	1	3	9	13
07	-	-	-	2	2	5	10	14
08	-	-	1	1	1	4	9	14
09	-	-	-	1	2	5	10	16
10	-	-	1	2	3	6	10	12
11	0)	0)	1)	1)	3)	5	9	13
12	-	-	1	2	2	5	8	12
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	3	5	6	15	18
23	-	-	2	2	3	6	12	16
MEAN	0)	0)	0)	1)	2)	5	9	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMAMOTO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<450	<550	<800	<1500	<3200	<5000
	-	<100	<200	<300	<400	<600	<1000	<1500
00	0)	0)	0)	1)	1)	1	5	8
01	-	-	-	-	-	-	3	6
02	-	-	-	-	1	1	3	6
03	-	-	-	-	-	1	3	5
04	-	-	-	-	-	-	1	3
05	-	-	-	-	-	-	1	3
06	-	-	-	-	-	-	1	3
07	-	-	-	1	1	1	3	3
08	-	-	-	1	1	1	3	3
09	-	-	-	1	1	1	2	5
10	0)	0)	0)	1)	1)	1	2	3
11	-	-	-	-	-	-	1	4
12	-	-	1	2	3	4	5	6
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	1	1	4	8
23	0)	0)	0)	0)	1)	1	5	8
MEAN	0)	0)	0)	0)	1)	1	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMAMOTO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<450	<550	<800	<1500	<3200	<5000
	-	<100	<200	<300	<400	<600	<1000	<1500
00	-	-	-	1	1	1	4	5
01	0)	0)	0)	1)	1)	1	4	5
02	0)	0)	0)	0)	1)	2	4	5
03	-	-	-	1	1	1	5	5
04	-	-	-	-	1	2	5	7
05	0)	0)	0)	0)	0)	1	3	4
06	0)	0)	0)	0)	0)	1	1	3
07	0)	0)	0)	0)	1)	2	3	5
08	-	-	-	-	1	1	5	7
09	-	-	-	1	1	3	5	7
10	-	-	-	-	-	1	3	4
11	-	-	-	-	-	1	3	6
12	-	-	-	-	2	3	7	7
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	2	2	4	4	5	9
23	-	-	1	1	1	3	6	7
MEAN	0)	0)	0)	0)	1)	2	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMAMOTO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<450	<550	<800	<1500	<3200	<5000
	-	<100	<200	<300	<400	<600	<1000	<1500
00	0)	0)	0)	1)	1)	2	5	6
01	0)	1)	1)	1)	1)	2	3	5
02	0)	0)	0)	1)	1)	1	3	5
03	-	-	1	1	1	2	3	3
04	-	-	-	-	-	1	1	3
05	-	-	-	-	1	1	3	5
06	-	-	1	1	1	1	2	4
07	-	-	1	1	1	1	3	5
08	0)	0)	1)	1)	1)	1	3	5
09	-	-	-	-	1	1	4	5
10	-	-	-	1	1	1	3	5
11	-	-	1	1	1	1	3	5
12	-	-	-	1	1	2	3	4
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	1	1	1	5	6
23	-	-	1	1	2	3	7	8
MEAN	0)	0)	0)	1)	1)	1	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMAMOTO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<450	<550	<800	<1500	<3200	<5000
	-	<100	<200	<300	<400	<600	<1000	<1500
00	-	1	1	1	1	4	6	9
01	0)	0)	0)	1)	2)	3	5	8
02	0)	1)	1)	2)	2)	3	5	7
03	-	-	-	1	1	1	5	6
04	0)	0)	0)	0)	1)	1	5	9
05	-	-	-	1	1	1	5	5
06	-	-	-	1	1	1	3	5
07	-	-	1	1	2	3	4	5
08	-	-	-	-	1	3	5	5
09	-	-	1	1	2	2	5	8
10	-	-	1	1	2	1	5	7
11	-	-	1	1	1	3	5	7
12	-	1	1	3	3	3	6	9
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1	3	4	7	9	13
23	-	-	-	-	1	2	7	9
MEAN	0)	0)	1)	1)	2)	3	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMAMOTO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<450	<550	<800	<1500	<3200	<5000
	-	<100	<200	<300	<400	<600	<1000	<1500
00	-	-	1	1	2	3	5	6
01	0)	0)	0)	0)	0)	1	5	6
02	0)	0)	0)	0)	1)	2	6	6
03	0)	0)	0)	1)	1)	1	3	4
04	-	-	1	1	1	3	5	6
05	0)	0)	0)	1)	1)	1	4	6
06	0)	0)	1)	1)	1)	3	5	6
07	0)	0)	0)	1)	1)	1	4	7
08	-	-	1	2	2	3	5	6
09	-	-	-	1	2	2	3	6
10	-	1	1	3	3	3	4	6
11	-	-	-	1	2	4	5	6
12	-	-	-	1	2	3	6	8
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	1)	2)	3)	3	5	7
23	-	1	1	3	3	3	4	5
MEAN	0)	0)	0)	1)	2)	2	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMAMOTO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<400	<450	<550	<800	<1500	<3200	<5000
	-	<100	<200	<300	<400	<600	<1000	<1500
00	0)	0)	1)	2)	2)	4	8	12
01	0)	0)	1)	1)	2)	3	7	11
02	0)	0)	0)	1)	2)	3	6	9
03	0)	0)	0)	1)	2)	3	6	8
04	0)	0)	0)	1)	1)	3	6	8
05	0)	0)	0)	1)	1)	2	5	8
06	0)	0)	0)	1)	1)	2	5	8
07	0)	0)	0)	1)	2)	3	6	8
08	0)	0)	1)	1)	2)	3	6	8
09	-	0	0	1	2	3	7	9
10	0)	0)	1)	1)	2)	3	6	8
11	0)	0)	1)	1)	2)	4	6	8
12	-	0	1	2	3	4	7	9
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	1)	2)	3)	4)	6	10	14
23	0)	1)	1)	2)	3)	5	9	12
MEAN	0)	0)	1)	1)	2)	3	7	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMAMOTO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	1	2	3	4			
01	1	1	1	5	5			
02	1	1	1	1	5			
03	2	2	3	5	5			
04	2	3	3	5	6			
05	1	1	2	2	3			
06	1	1	3	3	5			
07	2	2	3	3	5			
08	2	3	3	3	5			
09	1	1	2	3	4			
10	1	1	3	4	5			
11	1	1	1	4	5			
12	1	2	3	3	4			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	2	4	6	8			
23	2	3	3	5	6			
MEAN	1	2	2	4	5			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMAMOTO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	5	6	8	11	12			
01	5	5	6	9	13			
02	4	5	6	8	9			
03	3	4	5	6	8			
04	4	4	4	8	8			
05	4	4	4	6	10			
06	1	2	3	5	6			
07	1	1	1	4	5			
08	1	2	4	5	6			
09	3	3	4	5	5			
10	2	2	2	4	5			
11	2	4	4	5	5			
12	4	4	6	6	6			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	5	6	7	8	13			
23	6	6	8	9	11			
MEAN	3	4	5	7	8			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMAMOTO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	5	6	8	12	14			
01	5	6	8	9	12			
02	3	3	5	8	10			
03	3	3	6	7	9			
04	2	2	3	6	8			
05	1	1	1	3	7			
06	1	1	3	4	7			
07	3	4	5	6	8			
08	3	4	5	8	11			
09	3	4	6	8	10			
10	2	3	5	6	8			
11	5	5	5	7	10			
12	4	5	5	7	8			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	10	10	14	15	17			
23	6	7	10	12	14			
MEAN	4	4	6	8	10			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMAMOTO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	6	6	6	10	14			
01	3	5	5	9	13			
02	2	3	6	8	9			
03	2	3	3	5	9			
04	1	2	4	5	9			
05	-	1	3	4	7			
06	3	3	5	6	8			
07	1	2	3	5	7			
08	3	4	5	6	7			
09	2	3	5	7	9			
10	1	2	4	6	8			
11	1	1	4	8	10			
12	1	2	4	5	9			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	7	8	9	10	15			
23	5	5	7	11	13			
MEAN	3	3	5	7	10			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMAMOTO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	2	2	4	6	10			
01	3	3	5	8	9			
02	1	3	3	5	10			
03	1	5	5	6	9			
04	2	4	4	5	8			
05	2	3	5	5	8			
06	1	3	4	6	7			
07	2	3	3	5	6			
08	-	3	3	5	8			
09	3	3	3	5	6			
10	3	4	5	8	8			
11	2	3	5	6	8			
12	2	3	5	6	8			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	5	6	7	10	14			
23	4	5	6	10	14			
MEAN	2	3	4	6	9			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMAMOTO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	3	5	9	11	18			
01	1	3	4	7	17			
02	1	3	7	8	16			
03	1	2	4	9	11			
04	1	2	3	5	9			
05	2	3	4	6	11			
06	2	4	7	8	11			
07	1	3	7	9	13			
08	4	7	9	11	15			
09	3	6	10	11	17			
10	2	3	7	11	16			
11	4	5	9	11	15			
12	5	7	9	13	18			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	7	12	17	19	27			
23	5	6	9	15	22			
MEAN	3	5	8	10	16			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMAMOTO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	3	3	5	5	9			
01	1	1	3	4	5			
02	1	3	3	5	5			
03	2	3	3	3	4			
04	2	3	3	4	6			
05	1	1	3	3	6			
06	1	2	3	5	7			
07	1	3	5	6	8			
08	3	3	5	7	8			
09	3	3	4	6	8			
10	5	5	5	7	9			
11	3	4	6	7	10			
12	2	3	4	5	8			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	4	5	6	11	13			
23	3	4	5	8	12			
MEAN	2	3	4	6	8			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMAMOTO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	3	3	3	6			
01	-	-	-	3	5			
02	-	1	2	3	5			
03	-	-	1	1	3			
04	-	-	1	1	2			
05	-	-	1	1	3			
06	-	1	1	1	2			
07	1	1	2	2	2			
08	1	1	2	3	3			
09	-	1	1	1	4			
10	-	-	-	1	1			
11	-	1	1	1	1			
12	1	1	3	5	5			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	3	3	4	6			
23	-	-	1	3	6			
MEAN	0	1	1	2	4			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMAMOTO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	-	1	2	4	5			
01	-	1	1	3	5			
02	1	1	1	3	4			
03	1	1	3	3	5			
04	-	1	1	3	6			
05	-	-	-	3	3			
06	1	1	1	1	2			
07	-	1	2	3	5			
08	-	3	4	4	7			
09	1	1	2	4	5			
10	-	1	2	3	4			
11	-	1	2	3	6			
12	1	3	5	5	7			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	4	5	5	9			
23	3	4	5	6	7			
MEAN	1	2	2	3	5			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMAMOTO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	1	2	5	6			
01	1	1	2	3	4			
02	-	1	1	2	4			
03	2	2	2	3	3			
04	-	-	1	1	1			
05	1	1	1	1	4			
06	1	1	1	2	4			
07	1	1	2	3	5			
08	1	1	1	3	5			
09	-	1	2	4	5			
10	1	1	2	3	4			
11	1	2	2	3	5			
12	2	2	3	3	4			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	2	5	6			
23	2	3	6	7	8			
MEAN	1	1	2	3	4			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMAMOTO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	2	2	3	5	8			
01	1	1	3	4	8			
02	1	1	4	5	6			
03	1	2	2	3	4			
04	-	1	2	5	8			
05	1	2	4	5	5			
06	-	1	2	3	5			
07	2	3	3	4	5			
08	2	3	3	5	5			
09	1	1	3	5	7			
10	1	2	3	5	7			
11	2	3	4	5	7			
12	3	5	5	5	8			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	5	5	7	8	13			
23	-	1	3	6	8			
MEAN	1	2	3	5	7			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMAMOTO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	3	3	3	3	5			
01	1	1	3	4	6			
02	1	1	3	5	5			
03	1	2	3	3	4			
04	2	3	3	5	6			
05	1	1	3	3	6			
06	3	4	4	5	6			
07	1	1	3	3	5			
08	2	2	3	5	6			
09	1	1	1	3	6			
10	3	3	3	3	5			
11	2	3	4	5	5			
12	2	3	5	6	8			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	3	3	5	7			
23	3	3	3	3	5			
MEAN	2	2	3	4	6			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMAMOTO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	3	3	4	6	9			
01	2	2	3	6	8			
02	1	2	4	5	7			
03	2	2	3	4	6			
04	1	2	3	4	6			
05	1	2	2	4	6			
06	1	2	3	4	6			
07	1	2	3	4	6			
08	2	3	4	5	7			
09	2	2	4	5	7			
10	2	2	3	5	7			
11	2	3	4	5	7			
12	2	3	4	6	8			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	4	5	7	9	12			
23	3	4	5	8	10			
MEAN	2	3	4	5	8			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMAMOTO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	1	1	1	1	2	2
01	-	-	-	-	1	1	3
02	-	-	-	-	-	1	2
03	-	-	1	1	1	1	1
04	-	-	1	1	1	1	2
05	-	-	-	-	1	1	1
06	-	-	1	1	1	1	1
07	-	1	1	1	1	1	2
08	-	1	1	1	1	1	1
09	-	1	1	1	1	1	1
10	-	1	1	1	1	1	1
11	-	-	-	-	-	-	-
12	-	-	1	1	1	1	1
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1	1	2	3
23	-	-	1	1	1	3	3
MEAN	-	0	1	1	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMAMOTO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	2	4	5	6
01	-	-	1	1	2	4	5
02	-	-	1	2	3	3	6
03	-	-	1	3	4	4	4
04	-	1	1	2	3	5	6
05	-	1	1	1	1	4	5
06	-	1	1	1	1	1	4
07	-	-	-	1	1	2	4
08	-	-	-	1	1	3	4
09	-	-	-	-	1	1	2
10	-	-	-	1	1	1	4
11	-	-	-	1	2	4	4
12	-	-	1	1	4	5	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	2	3	5	8
23	-	-	-	1	3	4	6
MEAN	-	0	0	1	2	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMAMOTO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	1	2	4	5	7	11
01	-	1	3	5	5	5	6
02	-	1	2	3	3	4	6
03	-	1	3	4	5	5	8
04	-	-	1	2	4	6	9
05	-	-	1	1	2	5	6
06	-	-	1	2	3	5	6
07	-	-	1	3	3	5	8
08	-	-	1	3	4	5	6
09	-	-	1	3	3	4	5
10	-	-	-	3	3	4	4
11	-	1	1	3	3	4	5
12	-	1	3	5	5	6	6
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	3	5	5	6	8	10
23	-	-	3	4	4	6	8
MEAN	-	1	2	3	4	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMAMOTO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	1	2	3	5	7	9
01	-	1	3	5	7	7	9
02	-	1	1	2	4	5	7
03	-	1	1	2	6	7	8
04	-	-	1	4	5	6	9
05	-	1	1	2	3	5	7
06	-	1	2	3	4	5	6
07	-	1	2	3	5	7	7
08	-	1	3	4	5	7	7
09	-	1	5	5	5	6	7
10	-	1	3	5	6	8	9
11	-	1	3	4	5	7	9
12	-	-	3	4	5	7	7
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	2	3	3	4	5	8
23	-	2	3	4	5	5	7
MEAN	-	1	2	4	5	6	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMAMOTO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	1	4	7	10
01	-	1	1	1	3	5	6
02	-	-	-	1	3	4	4
03	-	-	-	1	1	5	5
04	-	1	1	3	4	5	6
05	-	1	1	2	3	5	6
06	-	-	-	1	2	4	6
07	-	-	1	2	4	6	6
08	-	-	1	1	1	3	5
09	-	-	1	2	3	6	6
10	-	1	1	1	3	3	4
11	-	1	3	3	4	5	5
12	-	1	1	3	3	6	6
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	2	4	5	7	8
23	-	-	2	5	5	6	9
MEAN	-	0	1	2	3	5	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMAMOTO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	1	3	6	10	15	17
01	-	1	1	3	6	13	15
02	-	1	2	5	6	12	15
03	-	1	1	3	5	6	12
04	-	1	1	2	3	6	7
05	-	1	1	3	4	6	8
06	-	1	1	2	3	5	8
07	-	1	1	2	3	5	10
08	-	1	3	4	8	10	13
09	-	1	1	3	6	11	15
10	-	1	1	5	7	12	15
11	-	-	3	5	8	10	12
12	-	-	2	5	5	7	11
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	3	3	6	7	11	12
23	-	1	5	10	11	15	19
MEAN	-	1	2	4	6	10	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMAMOTO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	1	2	4	6	8	12
01	-	-	1	1	4	6	13
02	-	1	1	1	2	3	9
03	-	-	1	3	3	5	10
04	-	-	1	1	3	6	9
05	-	-	1	1	5	7	10
06	-	-	1	1	3	6	9
07	-	-	2	2	5	7	9
08	-	1	1	3	3	6	10
09	-	-	1	3	5	8	12
10	-	1	2	4	4	6	9
11	-	1	1	3	4	6	8
12	-	1	1	2	3	5	8
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	3	3	5	10	14
23	-	2	2	4	6	9	12
MEAN	-	0	1	2	4	7	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMAMOTO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	1	1	4	6
01	-	-	-	-	-	1	2
02	-	-	-	1	1	2	3
03	-	-	-	-	1	1	3
04	-	-	-	-	-	1	1
05	-	-	-	-	-	-	2
06	-	-	-	-	-	1	2
07	-	-	1	1	1	3	3
08	-	-	1	1	1	1	1
09	-	-	1	1	1	1	1
10	-	-	1	1	1	1	2
11	-	-	-	-	-	1	3
12	-	1	2	3	4	4	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1	1	1	4
23	-	-	-	1	1	3	4
MEAN	-	0	0	1	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMAMOTO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	1	1	1	1
01	-	-	1	1	1	2	3
02	-	-	-	1	2	3	3
03	-	-	1	1	1	3	3
04	-	-	-	1	2	3	4
05	-	-	-	1	1	1	2
06	-	-	-	-	-	1	3
07	-	-	-	1	2	3	3
08	-	-	-	-	1	2	2
09	-	-	1	2	3	3	3
10	-	-	-	-	1	1	1
11	-	-	-	-	1	1	3
12	-	-	-	1	2	3	3
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	1	2	2	2	3
23	-	1	1	1	1	1	2
MEAN	-	0	0	1	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMAMOTO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	1	1	3	3
01	-	-	-	1	1	2	3
02	-	-	1	1	1	2	2
03	-	1	1	1	1	2	3
04	-	-	-	1	1	1	3
05	-	-	-	1	1	2	3
06	-	1	1	1	1	1	1
07	-	1	1	1	1	1	1
08	-	1	1	1	1	1	1
09	-	-	-	1	1	1	1
10	-	-	1	1	1	2	3
11	-	1	1	1	1	1	1
12	-	-	1	1	1	1	1
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	1	1	1	1	1
23	-	1	1	2	3	3	3
MEAN	-	0	0	1	1	2	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMAMOTO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	1	1	2	3	3	5
01	-	-	1	1	2	3	5
02	-	1	1	1	2	2	3
03	-	-	1	1	1	3	4
04	-	-	-	1	1	1	3
05	-	-	1	1	1	2	3
06	-	-	1	1	1	1	1
07	-	1	1	2	2	2	2
08	-	-	-	1	1	1	3
09	-	1	1	1	2	2	3
10	-	1	1	1	1	3	3
11	-	1	1	1	2	3	3
12	-	1	2	2	2	4	4
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	2	3	4	5	5
23	-	-	-	1	2	2	3
MEAN	-	0	1	1	2	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMAMOTO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	1	1	1	1	3	4
01	-	-	-	-	-	1	3
02	-	-	-	1	1	2	2
03	-	-	1	1	1	1	1
04	-	1	1	3	3	3	5
05	-	-	1	1	1	2	2
06	-	1	1	1	1	2	3
07	-	-	1	1	1	2	4
08	-	1	2	2	3	3	3
09	-	-	1	2	2	2	2
10	-	-	1	3	3	3	5
11	-	-	1	2	3	3	4
12	-	-	1	3	3	3	4
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	2	3	4
23	-	-	1	2	2	3	3
MEAN	-	0	1	1	2	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMAMOTO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	1	1	2	4	5	7
01	-	0	1	2	2	4	6
02	-	0	1	2	2	4	5
03	-	0	1	2	2	4	5
04	-	0	1	2	2	4	5
05	-	0	1	1	2	3	5
06	-	0	1	1	2	3	4
07	-	0	1	2	2	4	5
08	-	0	1	2	2	4	5
09	-	0	1	2	3	4	5
10	-	0	1	2	3	4	5
11	-	0	1	2	3	4	5
12	-	0	1	3	3	4	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	2	3	3	5	7
23	-	1	1	3	4	5	7
MEAN	-	0	1	2	3	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMAMOTO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												2
VARIABLE	22	0	-	-	-	-	-	-	-	-	-	22
[35-36-01]	4	0	-	-	-	-	-	-	-	-	-	4
[02-03-04]	3	2	0	0	-	-	-	-	-	-	-	5
[05-06-07]	15	4	1	0	0	-	-	-	-	-	-	19
[08-09-10]	5	0	0	-	-	-	-	-	-	-	-	5
[11-12-13]	2	0	-	-	-	-	-	-	-	-	-	2
[14-15-16]	2	-	-	-	-	-	-	-	-	-	-	2
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	2
[20-21-22]	4	2	0	-	-	-	-	-	-	-	-	5
[23-24-25]	3	1	0	-	-	-	-	-	-	-	-	4
[26-27-28]	3	3	1	0	-	-	-	-	-	-	-	7
[29-30-31]	5	5	1	0	-	-	-	-	-	-	-	12
[32-33-34]	5	3	0	-	-	-	-	-	-	-	-	8
TOTAL	75	19	4	0	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMAMOTO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												2)
VARIABLE	19)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	20)
[35-36-01]	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[02-03-04]	3)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[05-06-07]	10)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	17)
[08-09-10]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[23-24-25]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[26-27-28]	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[29-30-31]	5)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[32-33-34]	5)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
TOTAL	67)	23)	6)	2)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMAMOTO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												2
VARIABLE	20	0	-	-	-	-	-	-	-	-	-	21
[35-36-01]	4	1	0	-	-	-	-	-	-	-	-	5
[02-03-04]	2	2	1	0	-	-	-	-	-	-	-	6
[05-06-07]	9	3	1	0	0	-	-	-	-	-	-	13
[08-09-10]	4	0	-	-	-	-	-	-	-	-	-	4
[11-12-13]	2	0	0	-	-	-	-	-	-	-	-	2
[14-15-16]	2	0	-	-	-	-	-	-	-	-	-	2
[17-18-19]	3	1	0	-	-	-	-	-	-	-	-	4
[20-21-22]	6	4	1	-	-	-	-	-	-	-	-	11
[23-24-25]	3	4	1	0	-	-	-	-	-	-	-	8
[26-27-28]	3	3	1	0	-	-	-	-	-	-	-	7
[29-30-31]	3	4	1	0	-	-	-	-	-	-	-	8
[32-33-34]	4	3	0	-	-	-	-	-	-	-	-	7
TOTAL	67	25	5	0	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMAMOTO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	20	1	-	-	-	-	-	-	-	-	-	20
[35-36-01]	2	1	0	-	-	-	-	-	-	-	-	3
[02-03-04]	2	2	1	0	-	-	-	-	-	-	-	5
[05-06-07]	8	3	1	0	0	-	-	-	-	-	-	13
[08-09-10]	3	2	1	0	0	-	-	-	-	-	-	6
[11-12-13]	2	1	1	0	-	-	-	-	-	-	-	3
[14-15-16]	2	0	-	-	-	-	-	-	-	-	-	2
[17-18-19]	5	1	0	-	-	-	-	-	-	-	-	6
[20-21-22]	7	6	1	0	-	-	-	-	-	-	-	13
[23-24-25]	4	6	2	0	0	-	-	-	-	-	-	12
[26-27-28]	3	3	1	0	0	-	-	-	-	-	-	7
[29-30-31]	3	2	0	-	-	-	-	-	-	-	-	5
[32-33-34]	3	1	0	-	-	-	-	-	-	-	-	4
TOTAL	62	27	8	1	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMAMOTO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	23	0	0	-	-	-	-	-	-	-	-	23
[35-36-01]	3	0	0	-	-	-	-	-	-	-	-	3
[02-03-04]	2	1	0	-	-	-	-	-	-	-	-	4
[05-06-07]	9	3	1	0	-	-	-	-	-	-	-	12
[08-09-10]	3	1	2	0	-	-	-	-	-	-	-	6
[11-12-13]	2	1	1	0	-	-	-	-	-	-	-	4
[14-15-16]	2	0	-	-	-	-	-	-	-	-	-	2
[17-18-19]	5	1	-	-	-	-	-	-	-	-	-	6
[20-21-22]	7	7	1	-	-	-	-	-	-	-	-	15
[23-24-25]	5	5	1	0	0	-	-	-	-	-	-	10
[26-27-28]	3	1	0	-	-	-	-	-	-	-	-	4
[29-30-31]	3	2	0	-	-	-	-	-	-	-	-	4
[32-33-34]	3	1	-	-	-	-	-	-	-	-	-	4
TOTAL	69	24	5	1	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMAMOTO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	22	0	-	-	-	-	-	-	-	-	-	23
[35-36-01]	3	1	-	-	-	-	-	-	-	-	-	4
[02-03-04]	3	3	1	-	-	-	-	-	-	-	-	6
[05-06-07]	4	4	2	0	-	0	-	-	-	-	-	10
[08-09-10]	2	2	1	0	0	-	-	-	-	-	-	5
[11-12-13]	2	1	0	0	-	-	-	-	-	-	-	4
[14-15-16]	1	0	0	-	-	-	-	-	-	-	-	1
[17-18-19]	5	1	-	-	-	-	-	-	-	-	-	6
[20-21-22]	10	8	2	0	-	-	-	-	-	-	-	20
[23-24-25]	5	3	1	0	0	-	-	-	-	-	-	9
[26-27-28]	2	1	0	0	-	-	-	-	-	-	-	3
[29-30-31]	3	1	0	-	-	-	-	-	-	-	-	3
[32-33-34]	3	0	0	-	-	-	-	-	-	-	-	4
TOTAL	66	25	7	1	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMAMOTO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	21	0	-	-	-	-	-	-	-	-	-	21
[35-36-01]	2	0	-	-	-	-	-	-	-	-	-	2
[02-03-04]	1	1	0	-	-	-	-	-	-	-	-	2
[05-06-07]	4	2	1	0	-	-	-	-	-	-	-	6
[08-09-10]	2	2	1	0	-	-	-	-	-	-	-	5
[11-12-13]	2	1	0	0	-	-	-	-	-	-	-	3
[14-15-16]	2	0	-	-	-	-	-	-	-	-	-	2
[17-18-19]	7	1	-	-	-	-	-	-	-	-	-	8
[20-21-22]	11	15	3	0	-	-	-	-	-	-	-	29
[23-24-25]	4	7	2	0	-	-	-	-	-	-	-	12
[26-27-28]	2	1	0	-	-	-	-	-	-	-	-	3
[29-30-31]	2	0	0	-	-	-	-	-	-	-	-	2
[32-33-34]	2	1	-	-	-	-	-	-	-	-	-	3
TOTAL	62	30	7	1	-	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMAMOTO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	23	0	-	-	-	-	-	-	-	-	-	24
[35-36-01]	2	0	0	-	-	-	-	-	-	-	-	3
[02-03-04]	3	1	0	0	0	-	-	-	-	-	-	4
[05-06-07]	8	2	2	1	0	-	-	-	-	-	-	12
[08-09-10]	2	3	2	0	-	0	-	0	-	-	-	7
[11-12-13]	3	1	1	0	-	-	-	-	-	-	-	5
[14-15-16]	2	0	-	-	-	-	-	-	-	-	-	2
[17-18-19]	7	1	0	-	0	-	-	-	-	-	-	8
[20-21-22]	10	7	1	0	0	0	0	-	-	-	-	17
[23-24-25]	5	3	1	0	-	-	-	-	-	-	-	8
[26-27-28]	2	1	0	0	-	-	-	-	-	-	-	3
[29-30-31]	2	0	0	-	-	-	-	-	-	-	-	2
[32-33-34]	2	0	0	-	-	-	-	-	-	-	-	2
TOTAL	70	21	6	1	0	0	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMAMOTO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	26	0	-	-	-	-	-	-	-	-	-	27
[35-36-01]	5	1	0	-	-	-	-	-	-	-	-	6
[02-03-04]	4	5	1	0	-	-	-	-	-	-	-	10
[05-06-07]	8	6	1	0	-	-	-	-	-	-	-	15
[08-09-10]	3	3	1	0	-	-	-	-	-	-	-	7
[11-12-13]	2	0	0	0	-	-	-	-	-	-	-	3
[14-15-16]	1	-	0	0	-	-	-	-	-	-	-	1
[17-18-19]	4	1	0	-	-	-	-	-	-	-	-	5
[20-21-22]	5	3	0	0	-	-	-	-	-	-	-	8
[23-24-25]	4	1	0	-	-	-	-	-	-	-	-	5
[26-27-28]	2	0	0	-	-	-	-	-	-	-	-	3
[29-30-31]	2	1	0	-	-	-	-	-	-	-	-	3
[32-33-34]	4	1	0	-	-	-	-	-	-	-	-	5
TOTAL	71	23	5	0	-	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMAMOTO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	21	0	-	-	-	-	-	-	-	-	-	22
[35-36-01]	4	2	0	0	-	-	-	-	-	-	-	6
[02-03-04]	4	7	3	0	0	-	-	-	-	-	-	14
[05-06-07]	12	8	4	1	0	0	-	-	-	-	-	24
[08-09-10]	3	1	1	0	0	-	-	-	-	-	-	5
[11-12-13]	1	0	0	-	-	-	-	-	-	-	-	2
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	3
[20-21-22]	3	2	0	0	-	-	-	-	-	-	-	5
[23-24-25]	3	1	0	0	-	-	-	-	-	-	-	4
[26-27-28]	2	1	0	-	-	-	-	-	-	-	-	3
[29-30-31]	3	1	0	-	-	-	-	-	-	-	-	5
[32-33-34]	4	2	0	-	-	-	-	-	-	-	-	6
TOTAL	63	26	9	1	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMAMOTO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												2
VARIABLE	25	-	-	-	-	-	-	-	-	-	-	25
[35-36-01]	4	1	-	-	-	-	-	-	-	-	-	4
[02-03-04]	3	2	0	-	-	-	-	-	-	-	-	5
[05-06-07]	14	5	1	0	-	-	-	-	-	-	-	20
[08-09-10]	3	1	0	0	-	-	-	-	-	-	-	4
[11-12-13]	2	-	-	0	-	-	-	-	-	-	-	2
[14-15-16]	2	-	-	-	-	-	-	-	-	-	-	2
[17-18-19]	3	0	-	-	-	-	-	-	-	-	-	3
[20-21-22]	4	1	-	-	-	-	-	-	-	-	-	5
[23-24-25]	3	1	0	0	-	-	-	-	-	-	-	4
[26-27-28]	4	2	0	-	-	-	-	-	-	-	-	6
[29-30-31]	6	4	0	-	-	-	-	-	-	-	-	10
[32-33-34]	5	2	0	-	-	-	-	-	-	-	-	7
TOTAL	78	17	2	0	-	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMAMOTO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												2
VARIABLE	23	0	-	-	-	-	-	-	-	-	-	23
[35-36-01]	4	1	-	-	-	-	-	-	-	-	-	4
[02-03-04]	2	1	0	0	-	-	-	-	-	-	-	4
[05-06-07]	14	3	1	0	-	-	-	-	-	-	-	18
[08-09-10]	4	1	0	-	-	-	-	-	-	-	-	4
[11-12-13]	2	0	-	-	-	-	-	-	-	-	-	2
[14-15-16]	2	0	-	-	-	-	-	-	-	-	-	2
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	3
[20-21-22]	3	1	0	-	-	-	-	-	-	-	-	4
[23-24-25]	3	1	0	-	-	-	-	-	-	-	-	4
[26-27-28]	4	2	1	-	-	-	-	-	-	-	-	7
[29-30-31]	6	6	1	0	0	-	-	-	-	-	-	14
[32-33-34]	5	2	0	-	-	-	-	-	-	-	-	7
TOTAL	75	19	3	0	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMAMOTO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	22)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	22)
[35-36-01]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[05-06-07]	10)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[08-09-10]	3)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[11-12-13]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[20-21-22]	6)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[23-24-25]	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[26-27-28]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[29-30-31]	4)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[32-33-34]	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	69)	23)	6)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMAMOTO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	5	54	34	6	-	-	-	-	-
01	-	-	-	1	34	54	10	1	-	-	-	-
02	-	-	-	1	24	59	16	1	-	-	-	-
03	-	-	-	1	15	58	25	1	-	-	-	-
04	-	-	-	1	16	52	28	3	-	-	-	-
05	-	-	-	1	12	55	31	2	-	-	-	-
06	-	-	-	1	13	54	30	3	-	-	-	-
07	-	-	-	1	15	54	26	3	-	-	-	-
08	-	-	-	1	19	59	21	-	-	-	-	-
09	-	-	1	2	39	48	10	-	-	-	-	-
10	-	-	1	7	46	38	8	-	-	-	-	-
11	-	-	1	10	49	34	6	-	-	-	-	-
12	-	-	1	14	46	32	7	-	-	-	-	-
13	-	-	1	19	48	26	6	-	-	-	-	-
14	-	-	1	21	50	23	5	-	-	-	-	-
15	-	-	1	23	48	23	5	-	-	-	-	-
16	-	-	1	22	52	20	5	-	-	-	-	-
17	-	-	1	24	49	21	5	-	-	-	-	-
18	-	-	1	28	48	21	3	-	-	-	-	-
19	-	-	1	27	50	20	2	-	-	-	-	-
20	-	-	1	26	52	19	3	-	-	-	-	-
21	-	-	1	25	54	17	3	-	-	-	-	-
22	-	-	1	29	47	19	4	-	-	-	-	-
23	-	-	1	23	52	19	5	-	-	-	-	-
MEAN	-	-	0	13	39	36	11	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMAMOTO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	4	44	40	8	3	-	-	-	-
01	-	-	-	2	27	57	11	3	-	-	-	-
02	-	-	-	1	18	57	20	4	-	-	-	-
03	-	-	-	1	13	60	20	6	-	-	-	-
04	-	-	-	1	11	56	24	8	-	-	-	-
05	-	-	-	1	13	47	30	9	1	-	-	-
06	-	-	-	1	13	43	32	11	1	-	-	-
07	-	-	-	1	13	47	30	8	1	-	-	-
08	-	-	-	1	14	55	25	4	1	-	-	-
09	-	-	-	3	22	54	18	4	-	-	-	-
10	-	-	-	4	35	43	15	3	-	-	-	-
11	-	-	1	3	47	33	15	1	-	-	-	-
12	-	-	1	6	49	30	14	1	-	-	-	-
13	-	-	1	11	47	27	14	1	-	-	-	-
14	-	-	1	11	50	25	12	1	-	-	-	-
15	0)	0)	1)	11)	52)	27)	9)	1)	0)	0)	0)	0)
16	-	-	1	14	52	25	8	1	-	-	-	-
17	-	-	1	17	49	24	9	-	-	-	-	-
18	-	-	1	18	52	20	9	-	-	-	-	-
19	-	-	1	23	49	20	8	-	-	-	-	-
20	-	-	1	19	52	20	8	-	-	-	-	-
21	-	-	1	25	46	20	8	1	-	-	-	-
22	-	-	1	25	45	21	8	-	-	-	-	-
23	-	-	-	11	58	22	8	1	-	-	-	-
MEAN	0)	0)	0)	9)	36)	36)	15)	3)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMAMOTO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	8	39	39	14	-	-	-	-
01	-	-	-	-	3	36	38	23	-	-	-	-
02	-	-	-	-	2	30	38	29	1	-	-	-
03	-	-	-	-	1	23	40	30	6	-	-	-
04	-	-	-	-	1	18	40	32	9	-	-	-
05	-	-	-	-	1	15	42	29	13	-	-	-
06	-	-	-	-	1	15	41	32	11	-	-	-
07	-	-	-	-	1	17	40	31	11	-	-	-
08	-	-	-	-	1	21	45	26	8	-	-	-
09	-	-	-	-	3	28	45	21	3	-	-	-
10	-	-	-	1	6	38	41	15	-	-	-	-
11	-	-	-	1	12	38	37	13	-	-	-	-
12	-	-	-	2	14	41	34	9	-	-	-	-
13	-	-	-	2	19	43	29	7	-	-	-	-
14	0)	0)	0)	2)	20)	42)	29)	7)	0)	0)	0)	0)
15	-	-	-	3	23	40	29	5	-	-	-	-
16	-	-	-	3	24	43	27	3	-	-	-	-
17	-	-	-	5	30	36	23	6	-	-	-	-
18	-	-	-	6	32	35	22	5	-	-	-	-
19	-	-	-	6	32	36	21	5	-	-	-	-
20	-	-	-	9	30	35	21	5	-	-	-	-
21	-	-	-	10	34	33	19	5	-	-	-	-
22	-	-	-	8	29	37	21	5	-	-	-	-
23	-	-	-	1	18	45	28	8	-	-	-	-
MEAN	0)	0)	0)	2)	14)	33)	33)	15)	3)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMAMOTO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	8	35	49	8	-	-	-
01	-	-	-	-	-	3	23	59	15	-	-	-
02	-	-	-	-	-	1	22	47	30	-	-	-
03	-	-	-	-	-	2	17	41	37	2	-	-
04	-	-	-	-	-	-	15	41	42	3	-	-
05	-	-	-	-	-	2	13	37	42	5	-	-
06	-	-	-	-	-	3	10	38	43	5	-	-
07	-	-	-	-	-	2	14	39	43	3	-	-
08	-	-	-	-	-	2	15	49	33	-	-	-
09	-	-	-	-	-	4	20	55	21	-	-	-
10	-	-	-	-	-	7	29	56	8	-	-	-
11	-	-	-	-	-	11	37	49	3	-	-	-
12	-	-	-	-	2	11	43	41	3	-	-	-
13	-	-	-	-	2	13	49	35	1	-	-	-
14	-	-	-	-	4	18	45	31	1	-	-	-
15	-	-	-	-	5	19	51	25	1	-	-	-
16	-	-	-	-	4	24	44	28	-	-	-	-
17	-	-	-	-	5	25	47	23	1	-	-	-
18	-	-	-	-	5	27	45	22	1	-	-	-
19	-	-	-	-	6	27	44	22	1	-	-	-
20	-	-	-	-	7	30	42	20	1	-	-	-
21	-	-	-	-	8	29	43	19	1	-	-	-
22	-	-	-	-	1	19	56	22	1	-	-	-
23	-	-	-	-	-	13	46	39	2	-	-	-
MEAN	-	-	-	-	2	13	34	37	14	1	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMAMOTO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	3	45	52	1	-	-
01	-	-	-	-	-	-	2	29	60	9	-	-
02	-	-	-	-	-	-	1	21	58	20	-	-
03	-	-	-	-	-	-	2	15	50	32	-	-
04	-	-	-	-	-	-	1	14	46	37	2	-
05	-	-	-	-	-	-	1	14	41	41	3	-
06	-	-	-	-	-	-	1	13	37	45	3	-
07	-	-	-	-	-	-	1	12	39	46	1	-
08	-	-	-	-	-	-	1	15	48	35	1	-
09	-	-	-	-	-	-	1	21	61	17	-	-
10	-	-	-	-	-	-	3	35	59	4	-	-
11	-	-	-	-	-	-	5	50	45	-	-	-
12	-	-	-	-	-	-	10	56	34	-	-	-
13	-	-	-	-	-	1	14	57	28	-	-	-
14	-	-	-	-	-	3	17	59	21	-	-	-
15	-	-	-	-	-	3	20	61	15	-	-	-
16	-	-	-	-	-	4	26	59	12	-	-	-
17	-	-	-	-	-	5	30	55	10	-	-	-
18	-	-	-	-	-	6	30	56	8	-	-	-
19	-	-	-	-	-	6	37	49	8	-	-	-
20	-	-	-	-	-	6	38	49	6	-	-	-
21	-	-	-	-	-	6	35	50	8	-	-	-
22	-	-	-	-	-	2	20	62	15	1	-	-
23	-	-	-	-	-	-	8	58	33	1	-	-
MEAN	-	-	-	-	-	2	13	40	33	12	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMAMOTO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	13	77	9	-	-
01	-	-	-	-	-	-	-	9	71	20	-	-
02	-	-	-	-	-	-	-	7	62	31	-	-
03	-	-	-	-	-	-	-	7	49	44	-	-
04	-	-	-	-	-	-	-	7	48	43	3	-
05	-	-	-	-	-	-	-	7	43	47	3	-
06	-	-	-	-	-	-	-	7	43	47	3	-
07	-	-	-	-	-	-	-	8	45	45	1	-
08	-	-	-	-	-	-	-	9	51	39	1	-
09	-	-	-	-	-	-	-	9	57	33	-	-
10	-	-	-	-	-	-	-	9	76	15	-	-
11	-	-	-	-	-	-	-	14	79	7	-	-
12	-	-	-	-	-	-	-	17	79	4	-	-
13	0)	0)	0)	0)	0)	0)	0)	25)	72)	3)	0)	0)
14	-	-	-	-	-	-	-	32	66	2	-	-
15	-	-	-	-	-	-	-	34	65	1	-	-
16	-	-	-	-	-	-	-	41	58	1	-	-
17	-	-	-	-	-	-	1	43	55	1	-	-
18	-	-	-	-	-	-	1	53	45	1	-	-
19	-	-	-	-	-	-	-	53	47	1	-	-
20	-	-	-	-	-	-	3	51	45	1	-	-
21	-	-	-	-	-	-	-	53	46	1	-	-
22	-	-	-	-	-	-	-	36	63	1	-	-
23	-	-	-	-	-	-	-	17	79	4	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	23)	59)	17)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMAMOTO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	23	74	4	-
01	-	-	-	-	-	-	-	-	20	68	12	-
02	-	-	-	-	-	-	-	-	16	55	28	-
03	-	-	-	-	-	-	-	-	14	48	39	-
04	-	-	-	-	-	-	-	-	14	39	47	-
05	-	-	-	-	-	-	-	-	14	36	50	-
06	-	-	-	-	-	-	-	1	13	34	52	-
07	-	-	-	-	-	-	-	1	15	39	45	1
08	-	-	-	-	-	-	-	1	17	46	36	-
09	-	-	-	-	-	-	-	1	19	57	23	-
10	-	-	-	-	-	-	-	1	23	73	3	-
11	-	-	-	-	-	-	-	1	29	69	1	-
12	-	-	-	-	-	-	-	2	32	66	-	-
13	0)	0)	0)	0)	0)	0)	0)	3)	36)	60)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	4)	40)	56)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	4)	53)	44)	0)	0)
16	-	-	-	-	-	-	-	4	59	37	-	-
17	-	-	-	-	-	-	-	4	61	35	-	-
18	-	-	-	-	-	-	-	5	66	28	-	-
19	-	-	-	-	-	-	-	6	71	23	-	-
20	-	-	-	-	-	-	-	6	73	21	-	-
21	-	-	-	-	-	-	-	6	70	24	-	-
22	-	-	-	-	-	-	-	3	46	51	-	-
23	-	-	-	-	-	-	-	1	28	70	1	-
MEAN	0)	0)	0)	0)	0)	0)	0)	2)	36)	48)	14)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: KUMAMOTO AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	17	74	8	-
01	-	-	-	-	-	-	-	-	12	55	32	-
02	-	-	-	-	-	-	-	-	11	42	47	-
03	-	-	-	-	-	-	-	-	7	34	59	-
04	-	-	-	-	-	-	-	-	5	36	57	2
05	-	-	-	-	-	-	-	-	8	31	57	4
06	-	-	-	-	-	-	-	-	7	38	52	3
07	-	-	-	-	-	-	-	-	8	41	48	3
08	-	-	-	-	-	-	-	-	7	56	37	-
09	-	-	-	-	-	-	-	-	14	63	23	-
10	-	-	-	-	-	-	-	-	20	71	9	-
11	-	-	-	-	-	-	-	1	29	68	2	-
12	-	-	-	-	-	-	-	1	34	65	1	-
13	-	-	-	-	-	-	-	1	37	62	-	-
14	-	-	-	-	-	-	-	1	46	53	-	-
15	-	-	-	-	-	-	-	1	54	45	-	-
16	-	-	-	-	-	-	-	1	58	41	-	-
17	-	-	-	-	-	-	-	1	58	41	-	-
18	-	-	-	-	-	-	-	1	67	32	-	-
19	-	-	-	-	-	-	-	1	72	26	-	-
20	-	-	-	-	-	-	-	2	74	25	-	-
21	-	-	-	-	-	-	-	2	75	23	-	-
22	-	-	-	-	-	-	-	-	43	57	-	-
23	-	-	-	-	-	-	-	-	24	75	1	-
MEAN	-	-	-	-	-	-	-	1	33	48	18	1

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMAMOTO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	5	59	36	-	-
01	-	-	-	-	-	-	-	3	43	54	1	-
02	-	-	-	-	-	-	-	3	33	59	5	-
03	-	-	-	-	-	-	-	3	20	63	15	-
04	-	-	-	-	-	-	-	3	18	59	19	-
05	-	-	-	-	-	-	-	3	19	58	20	-
06	-	-	-	-	-	-	-	3	19	56	22	-
07	-	-	-	-	-	-	-	3	20	63	14	-
08	-	-	-	-	-	-	1	3	30	65	1	-
09	-	-	-	-	-	-	1	5	50	44	-	-
10	-	-	-	-	-	-	1	7	61	31	-	-
11	-	-	-	-	-	-	1	10	67	23	-	-
12	-	-	-	-	-	-	1	12	70	17	-	-
13	-	-	-	-	-	-	1	19	68	12	-	-
14	-	-	-	-	-	-	1	23	69	8	-	-
15	-	-	-	-	-	-	1	26	67	6	-	-
16	-	-	-	-	-	-	1	27	67	5	-	-
17	-	-	-	-	-	-	-	35	62	3	-	-
18	-	-	-	-	-	-	-	35	63	3	-	-
19	-	-	-	-	-	-	1	35	63	2	-	-
20	-	-	-	-	-	-	1	37	60	2	-	-
21	-	-	-	-	-	-	3	39	55	3	-	-
22	-	-	-	-	-	-	-	33	63	5	-	-
23	-	-	-	-	-	-	-	13	68	19	-	-
MEAN	-	-	-	-	-	-	1	16	51	29	4	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: KUMAMOTO AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	6	58	30	6	-	-
01	-	-	-	-	-	-	3	41	46	9	-	-
02	-	-	-	-	-	-	1	26	59	14	-	-
03	-	-	-	-	-	-	1	25	54	19	1	-
04	-	-	-	-	-	-	-	20	51	28	1	-
05	-	-	-	-	-	-	-	17	53	30	-	-
06	-	-	-	-	-	-	-	19	52	28	1	-
07	-	-	-	-	-	-	-	25	55	18	1	-
08	-	-	-	-	-	-	1	37	50	11	-	-
09	-	-	-	-	-	-	8	46	39	7	-	-
10	-	-	-	-	-	-	14	54	28	3	-	-
11	-	-	-	-	-	1	19	54	24	1	-	-
12	-	-	-	-	-	2	19	53	24	2	-	-
13	-	-	-	-	-	2	25	49	23	1	-	-
14	-	-	-	-	-	3	30	45	21	1	-	-
15	-	-	-	-	-	3	35	40	20	1	-	-
16	-	-	-	-	-	5	35	39	21	1	-	-
17	-	-	-	-	-	5	37	41	17	1	-	-
18	-	-	-	-	-	5	38	39	16	1	-	-
19	-	-	-	-	-	5	41	38	16	-	-	-
20	-	-	-	-	-	9	39	38	12	1	-	-
21	-	-	-	-	-	10	37	39	12	1	-	-
22	-	-	-	-	-	6	35	44	14	1	-	-
23	-	-	-	-	-	-	18	61	18	3	-	-
MEAN	-	-	-	-	-	2	19	40	31	8	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: KUMAMOTO AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	23	44	32	1	-	-	-
01	-	-	-	-	-	13	41	43	3	-	-	-
02	-	-	-	-	-	7	41	45	7	-	-	-
03	-	-	-	-	-	7	34	47	11	1	-	-
04	-	-	-	-	-	7	31	47	14	1	-	-
05	-	-	-	-	-	5	33	46	16	-	-	-
06	-	-	-	-	-	5	31	47	17	-	-	-
07	-	-	-	-	-	8	35	48	9	-	-	-
08	-	-	-	-	1	15	43	37	4	-	-	-
09	-	-	-	-	1	23	45	29	1	-	-	-
10	-	-	-	-	3	27	44	25	1	-	-	-
11	-	-	-	-	3	31	40	25	1	-	-	-
12	-	-	-	-	5	32	40	22	1	-	-	-
13	-	-	-	-	6	35	37	21	1	-	-	-
14	-	-	-	-	7	36	37	19	1	-	-	-
15	-	-	-	-	9	37	34	19	1	-	-	-
16	-	-	-	-	9	39	37	13	1	-	-	-
17	-	-	-	-	11	37	36	15	1	-	-	-
18	-	-	-	-	11	39	35	15	-	-	-	-
19	-	-	-	-	13	38	34	15	-	-	-	-
20	-	-	-	-	15	35	33	16	-	-	-	-
21	-	-	-	-	14	36	34	16	-	-	-	-
22	-	-	-	-	15	33	35	16	-	-	-	-
23	-	-	-	-	6	31	43	20	-	-	-	-
MEAN	-	-	-	-	5	25	37	28	4	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: KUMAMOTO AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	34	49	15	1	-	-	-	-
01	-	-	-	-	21	49	28	2	-	-	-	-
02	-	-	-	-	14	46	37	3	-	-	-	-
03	-	-	-	-	8	48	35	8	-	-	-	-
04	-	-	-	-	8	43	38	10	1	-	-	-
05	-	-	-	-	7	45	39	9	1	-	-	-
06	-	-	-	-	8	41	41	8	1	-	-	-
07	-	-	-	-	10	46	35	8	-	-	-	-
08	-	-	-	-	18	50	31	1	-	-	-	-
09	-	-	-	2	28	46	23	2	-	-	-	-
10	-	-	-	3	34	45	17	1	-	-	-	-
11	-	-	-	7	35	43	14	1	-	-	-	-
12	-	-	-	9	37	39	13	3	-	-	-	-
13	-	-	-	8	42	36	12	1	-	-	-	-
14	-	-	-	11	44	33	10	2	-	-	-	-
15	-	-	-	12	45	30	12	2	-	-	-	-
16	-	-	-	11	44	32	11	2	-	-	-	-
17	-	-	-	12	45	31	11	1	-	-	-	-
18	-	-	-	12	47	30	9	2	-	-	-	-
19	-	-	-	13	45	31	10	1	-	-	-	-
20	-	-	-	15	42	31	12	1	-	-	-	-
21	-	-	-	16	41	32	10	-	-	-	-	-
22	-	-	-	19	41	28	11	1	-	-	-	-
23	-	-	-	10	43	35	11	1	-	-	-	-
MEAN	-	-	-	7	31	39	20	3	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMAMOTO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	12	16	13	18	22	17	1	-
01	-	-	-	0	7	18	13	18	23	18	4	-
02	-	-	-	0	5	17	15	15	23	19	7	-
03	-	-	-	0	3	16	15	15	21	20	10	-
04	-	-	-	0	3	15	15	15	21	21	11	0
05	-	-	-	0	3	14	16	14	21	21	11	0
06	-	-	-	0	3	13	15	15	20	21	11	0
07	-	-	-	0	3	15	15	15	21	21	9	0
08	-	-	-	0	4	17	15	15	21	21	6	-
09	-	-	0	1	8	17	14	16	22	19	4	-
10	-	-	0	1	10	16	14	17	23	17	1	-
11	-	-	0	2	12	16	15	18	23	14	0	-
12	-	-	0	3	13	15	15	18	23	13	0	-
13	0)	0)	0)	3)	14)	15)	16)	18)	22)	12)	0)	0)
14	0)	0)	0)	4)	14)	15)	15)	19)	22)	10)	0)	0)
15	0)	0)	0)	4)	15)	15)	16)	18)	23)	8)	0)	0)
16	-	-	0	4	15	16	16	18	23	7	-	-
17	-	-	0	5	16	15	17	19	22	7	-	-
18	-	-	0	5	16	15	16	19	22	5	-	-
19	-	-	0	6	16	15	17	19	23	4	-	-
20	-	-	0	6	16	15	17	19	23	4	-	-
21	-	-	0	6	16	15	16	19	22	4	-	-
22	-	-	0	7	15	14	16	18	20	10	-	-
23	-	-	0	4	15	14	14	18	21	14	0	-
MEAN	0)	0)	0)	3)	11)	15)	15)	17)	22)	14)	3)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMAMOTO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	4.8	5.8	10.1	15.0	19.6	22.1	26.1	26.8	23.5	18.7	12.4	6.6	16.0
Daily maximum air temperature(°C)	9.9	10.8	15.8	20.8	25.6	26.2	30.7	31.9	28.6	24.3	17.5	11.5	21.1
Daily minimum air temperature(°C)	-0.4	0.7	4.4	9.4	13.8	18.8	22.6	23.1	19.2	13.7	7.5	1.4	11.2
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	51.1	101.6	141.6	137.2	143.6	479.9	367.1	195.2	194.4	123.5	92.1	87.0	2114.3
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	977.9	980.9	977.4	965.4	973.6	970.4	963.2	941.7	971.6	962.3	981.3	975.5	941.7
Daily maximum air temperature(°C)	17.1	21.7	24.7	28.4	32.2	31.6*	35.5	37.3	33.4	32.5	26.2	22.2	37.3
Daily minimum air temperature(°C)	-9.4	-8.4	-4.8	1.0	5.5	13.4	17.6	17.0	13.4	6.2	-0.8*	-5.5	-9.4
Daily precipitation(mm)	44.0	42.5	100.0	89.0	62.0	199.5	211.0	144.5	73.5	62.5	70.0	48.0	211.0
Daily max.one-hour precipitation(mm)	9.5	22.5	36.0	28.5	19.0	85.0	53.0	60.5	36.5*	21.0	34.0	15.5	85.0
Daily max.ten-minute precipitation(mm)	3.5	12.0	12.0	8.5	8.0	21.0	19.5	18.5	19.0	8.5	17.5	4.5	21.0
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)	1	-	-	-	×	-	×	-	-	-	-	0 *	1
Daily maximum wind speed(kt)	22 *	26 *	27	34	24	31	28	46	28	28	24 *	25	46
with wind direction(36DIR.)	6	6	6	23	25	7	22	11	5	4	22	30	11
Daily maximum peak gust(kt)	31 *	34	35	45	35	38 *	35 *	70	38	41	35	37	70
with wind direction(36DIR.)	32	6	6	25	26	21	21	9	16	4	13	25	9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMAMOTO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	18.0	14.6	4.4	-	-	-	-	-	-	-	0.6	11.8	49.4
25.0°C	-	-	-	-	-	-	2.2	2.4	0.2	-	-	-	4.8
Daily mean air temperature < 0.0°C	1.0	1.2	-	-	-	-	-	-	-	-	-	0.2	2.4
25.0°C	-	-	-	-	-	2.2	23.8	25.4	8.6	1.8	-	-	61.8
Daily maximum air temperature < 0.0°C	0.2	-	-	-	-	-	-	-	-	-	-	-	0.2
25.0°C	-	-	-	2.6	20.2	21.0	29.6	31.0	26.4	13.2	0.6	-	144.6
30.0°C	-	-	-	-	2.4	2.0	20.4	22.8	10.6	1.0	-	-	59.2
Daily precipitation 0.0mm	14.2	17.0	16.6	20.2	19.4	26.2	25.0	24.6	20.2	16.4	18.0	18.0	235.8
1.0mm	5.0	9.0	8.8	11.6	9.4	16.8	13.2	12.6	9.4	8.0	8.4	8.8	121.0
5.0mm	3.2	5.4	6.0	6.4	6.4	12.6	10.4	7.4	7.2	5.4	4.4	5.2	80.0
10.0mm	2.0	3.8	4.0	4.0	4.4	9.6	8.4	4.8	6.2	3.2	2.6	3.6	56.6
30.0mm	0.2	0.8	1.2	1.2	1.8	4.8	3.4	2.0	2.4	1.6	0.8	0.6	20.8
50.0mm	-	-	0.8	0.4	0.8	2.4	2.4	1.0	0.8	0.4	0.2	-	9.2
70.0mm	-	-	0.2	0.2	-	1.8	1.4	0.4	0.2	-	0.2	-	4.4
100.0mm	-	-	0.2	-	-	0.8	0.8	0.2	-	-	-	-	2.0

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMAMOTO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	999.5	998.4	996.2	992.3	989.7	985.5	987.4	986.3	990.2	994.6	997.3	999.0	993.0
01	999.7	998.4	996.2	992.4	989.6	985.4	987.4	986.3	990.2	994.4	997.4	999.2	993.1
02	999.4	998.3	996.0	992.1	989.3	985.3	987.2	986.1	989.9	994.0	997.0	998.8	992.8
03	998.5	997.7	995.5	991.7	989.0	985.1	987.0	985.7	989.5	993.5	996.3	998.1	992.3
04	997.7	996.9	994.9	991.2	988.5	984.7	986.6	985.3	989.0	992.7	995.6	997.4	991.7
05	997.3	996.4	994.2	990.7	988.1	984.4	986.3	985.0	988.6	992.3	995.2	996.9	991.3
06	997.2	996.2	993.8	990.3	987.6	984.1	986.0	984.7	988.3	992.2	995.1	996.8	991.0
07	997.4	996.1	993.8	990.1	987.5	984.0	985.9	984.6	988.3	992.3	995.3	997.1	991.0
08	997.7	996.3	994.0	990.3	987.5	983.9	985.9	984.7	988.5	992.5	995.6	997.4	991.2
09	998.0	996.7	994.4	990.5	987.7	984.1	986.1	984.9	988.7	992.9	996.0	997.7	991.5
10	998.4	997.1	994.8	990.9	988.2	984.5	986.4	985.2	989.1	993.3	996.4	998.1	991.9
11	998.6	997.4	995.3	991.4	988.7	984.8	986.7	985.7	989.6	993.7	996.7	998.3	992.2
12	998.7	997.7	995.7	991.9	989.2	985.1	987.1	986.2	990.0	994.0	996.8	998.4	992.6
13	998.8	997.7	995.8	992.2	989.5	985.5	987.4	986.3	990.0	994.0	996.9	998.4	992.7
14	998.7	997.7	995.9	992.1	989.6	985.5	987.4	986.3	990.0	994.0	996.8	998.4	992.7
15	998.6	997.6	995.7	992.0	989.5	985.3	987.2	986.2	989.8	993.9	996.6	998.3	992.6
16	998.4	997.6	995.7	992.0	989.3	985.1	986.9	985.9	989.5	993.6	996.6	998.0	992.4
17	998.5	997.6	995.4	991.7	989.0	984.9	986.7	985.7	989.3	993.6	996.5	998.0	992.3
18	998.4	997.4	995.2	991.4	988.9	984.8	986.6	985.6	989.2	993.4	996.3	998.0	992.1
19	998.2	997.2	995.0	991.4	988.9	984.8	986.5	985.5	989.1	993.3	996.1	997.8	992.0
20	998.2	997.2	995.1	991.4	988.9	984.9	986.7	985.5	989.2	993.4	996.1	997.7	992.0
21	998.5	997.4	995.3	991.6	989.2	985.1	986.9	985.8	989.5	993.6	996.3	998.0	992.3
22	998.8	997.7	995.7	992.0	989.4	985.3	987.2	986.1	989.8	994.0	996.7	998.4	992.6
23	999.1	998.1	996.0	992.2	989.6	985.5	987.4	986.2	990.0	994.3	997.1	998.7	992.9
MEAN	998.4	997.4	995.2	991.5	988.8	984.9	986.8	985.7	989.4	993.5	996.4	998.0	992.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMAMOTO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	4.6	5.7	10.2	15.3	19.9	22.3	26.5	27.3	23.9	19.3	13.0	6.5	16.3
01	6.2	6.8	11.4	16.6	21.2	23.0	27.4	28.4	25.1	20.6	14.2	8.0	17.4
02	7.1	7.7	12.4	17.6	22.2	23.6	28.1	29.2	26.0	21.6	15.1	8.9	18.3
03	7.9	8.4	13.2	18.4	23.1	24.2	28.6	30.0	26.8	22.4	15.6	9.5	19.0
04	8.3	8.9	13.9	19.0	23.8	24.5	29.0	30.4	27.2	23.0	16.1	9.9	19.5
05	8.6	9.4	14.3	19.3	24.2	24.6	29.1	30.5	27.3	23.2	16.3	10.0	19.8
06	8.6	9.5	14.3	19.2	24.2	24.6	29.2	30.3	27.2	23.0	16.3	10.0	19.7
07	8.3	9.2	14.2	18.9	24.0	24.5	28.6	29.7	26.7	22.5	15.6	9.6	19.3
08	7.2	8.4	13.4	18.3	23.4	24.0	28.1	28.9	25.7	21.2	14.2	8.3	18.4
09	5.8	7.1	12.1	17.1	22.2	23.4	27.5	28.0	24.6	19.5	12.9	7.2	17.3
10	4.8	6.1	10.7	15.7	20.6	22.7	26.5	26.9	23.6	18.5	12.2	6.4	16.2
11	4.3	5.4	9.9	14.7	19.4	22.0	25.8	26.3	23.0	18.0	11.7	5.9	15.5
12	3.8	5.0	9.1	14.0	18.6	21.6	25.4	25.8	22.7	17.6	11.3	5.6	15.0
13	3.6	4.7	8.6	13.4	17.9	21.3	25.0	25.4	22.3	17.2	11.0	5.3	14.6
14	3.1	4.3	8.2	13.0	17.2	21.1	24.7	25.1	21.9	16.7	10.7	5.0	14.3
15	3.0	4.0	7.9	12.6	16.8	20.8	24.4	24.7	21.5	16.4	10.5	4.9	14.0
16	2.8	3.8	7.5	12.2	16.3	20.4	24.1	24.6	21.3	16.3	10.3	4.9	13.7
17	2.8	3.6	7.3	12.0	16.0	20.3	23.9	24.4	20.9	16.1	10.2	4.9	13.5
18	2.5	3.4	7.1	11.7	15.7	20.0	23.7	24.2	20.8	15.8	10.0	4.7	13.3
19	2.5	3.4	6.8	11.6	15.5	19.9	23.6	24.1	20.6	15.6	10.0	4.7	13.2
20	2.4	3.3	6.7	11.3	15.2	19.8	23.5	23.9	20.4	15.4	9.9	4.4	13.0
21	2.3	3.2	6.6	11.2	15.7	20.0	23.6	23.9	20.1	15.3	9.9	4.3	13.0
22	2.2	3.1	6.9	12.4	17.3	20.7	24.6	25.0	21.1	15.7	9.8	4.1	13.6
23	2.7	4.1	8.7	14.1	18.7	21.6	25.6	26.3	22.6	17.7	11.4	4.9	14.9
MEAN	4.8	5.8	10.1	15.0	19.6	22.1	26.1	26.8	23.5	18.7	12.4	6.6	16.0

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMAMOTO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.4	6.8	8.8	11.6	15.5	21.8	27.8	27.9	22.2	15.7	11.8	7.5	15.3
01	6.3	6.7	8.7	11.7	15.4	21.9	27.6	27.8	22.2	15.6	11.6	7.5	15.3
02	6.2	6.6	8.6	11.5	15.0	21.9	27.6	27.7	22.2	15.6	11.5	7.5	15.2
03	6.2	6.6	8.5	11.5	14.9	21.8	27.4	27.5	22.0	15.4	11.4	7.3	15.1
04	6.0	6.6	8.3	11.4	14.6	22.0	27.6	27.6	21.9	15.2	11.4	7.3	15.0
05	6.0	6.5	8.3	11.3	14.7	22.0	27.7	27.6	22.0	15.3	11.3	7.3	15.0
06	6.1	6.5	8.3	11.2	14.8	22.0	27.6	27.5	22.0	15.4	11.3	7.3	15.0
07	6.1	6.6	8.4	11.3	14.6	21.9	27.5	27.5	22.1	15.6	11.5	7.4	15.0
08	6.3	6.6	8.4	11.3	14.7	21.8	27.4	27.3	22.2	15.8	11.7	7.5	15.1
09	6.3	6.6	8.5	11.5	14.8	21.8	27.5	27.4	22.3	15.9	11.7	7.5	15.1
10	6.3	6.7	8.6	11.6	15.2	21.7	27.5	27.6	22.2	15.9	11.8	7.5	15.2
11	6.3	6.8	8.7	11.7	15.2	21.9	27.5	27.7	22.1	15.8	11.6	7.4	15.2
12	6.2	6.7	8.6	11.8	15.3	21.7	27.4	27.5	21.8	15.7	11.5	7.5	15.1
13	6.2	6.7	8.6	11.8	15.3	21.7	27.3	27.4	21.8	15.6	11.3	7.4	15.1
14	6.2	6.8	8.6	11.7	15.2	21.7	27.2	27.4	21.8	15.5	11.3	7.4	15.1
15	6.2	6.8	8.5	11.6	15.1	21.7	27.2	27.3	21.7	15.4	11.2	7.4	15.0
16	6.1	6.7	8.5	11.5	15.0	21.4	27.0	27.3	21.8	15.6	11.2	7.5	15.0
17	6.1	6.6	8.5	11.4	15.0	21.3	27.0	27.3	21.6	15.6	11.2	7.5	14.9
18	6.1	6.6	8.5	11.4	14.9	21.3	27.0	27.3	21.6	15.5	11.1	7.4	14.9
19	6.1	6.6	8.4	11.2	14.8	21.2	26.8	27.2	21.5	15.4	11.1	7.3	14.8
20	6.0	6.5	8.4	11.2	14.6	21.2	26.7	27.0	21.5	15.3	11.1	7.3	14.7
21	6.0	6.5	8.4	11.2	14.8	21.4	26.9	27.0	21.3	15.2	11.1	7.2	14.7
22	6.0	6.5	8.5	11.5	15.3	21.7	27.4	27.8	21.8	15.4	11.1	7.2	15.0
23	6.1	6.7	8.8	11.6	15.3	21.7	27.5	27.9	22.1	15.7	11.7	7.3	15.2
MEAN	6.2	6.7	8.5	11.5	15.0	21.7	27.4	27.5	21.9	15.5	11.4	7.4	15.1

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMAMOTO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	72	70	68	66	67	81	80	77	75	69	75	75	73
01	64	65	63	61	62	78	76	73	70	63	69	68	68
02	60	60	58	57	57	76	73	70	66	60	65	64	64
03	56	58	54	55	54	74	71	66	63	56	62	60	61
04	54	56	52	53	52	73	70	65	61	54	60	59	59
05	53	54	51	52	51	73	70	64	61	53	60	58	59
06	54	54	51	52	51	72	70	65	62	54	60	58	58
07	55	55	52	53	51	73	71	67	64	57	63	60	60
08	60	58	54	54	53	74	73	70	68	61	70	66	64
09	66	63	59	59	56	76	76	73	72	68	76	70	68
10	71	68	64	64	63	79	80	78	76	73	80	74	72
11	73	72	68	68	67	83	83	82	78	74	81	76	75
12	75	74	71	72	70	84	85	83	79	76	82	78	78
13	76	75	73	75	74	86	86	85	80	77	82	80	79
14	78	77	75	76	76	87	87	86	82	79	84	81	81
15	79	78	76	77	78	88	89	88	83	80	85	81	82
16	79	79	77	78	80	89	90	88	85	82	86	82	83
17	79	79	78	78	81	89	91	89	86	83	86	82	84
18	80	80	80	79	82	90	92	90	87	84	87	82	84
19	79	81	80	79	82	91	92	91	88	84	86	82	85
20	80	80	81	80	83	91	93	91	89	85	87	83	85
21	80	80	81	80	81	91	92	91	89	85	87	83	85
22	80	80	81	77	76	88	89	88	86	83	87	83	83
23	79	78	75	71	71	84	84	82	80	76	83	81	79
MEAN	70	70	68	67	67	82	82	79	76	71	77	74	74

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMAMOTO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6	5	35 *	21	22	6	21	24 *	1	4	7	7	21
01	31 *	5	26	23	22	20	22	23	35	5	33 *	29	22
02	31	30	30 *	23	22 *	21	21	22	35	5	33	30 *	22
03	31	32	29	22	24	23 *	23 *	22	25 *	32 *	31 *	32	22
04	31	28 *	30	23	22 *	23	22	22	33	3	29 *	31 *	23
05	32 *	28 *	28 *	23	22	22	22	22	22	2	30	31	22
06	32	31 *	31	22	23	21	22	22	21 *	4	22	29	22
07	31	28	22	24	24	22	22 *	21	20 *	23	31 *	30	23
08	31	21	32 *	24	22	23	22	20	20	20	31	30	22
09	30	32	32	20	20	20	21	20 *	19	4	30	31 *	20
10	31	32	20	21	20	20	21	20	5	6	6	6	20
11	6	6 *	21	20	21 *	20	20	19	6	6	6	6	6
12	6	6	6 *	9	19	21	20	20	6	6	6	6	6
13	6	6	6	6	19 *	21 *	20	19	6	6	6	6	6
14	7	6	6	6	19	20 *	20 *	6	6	6	6	7	6
15	7	6)	7	6	6	21	20	6	7	6	6	6	6)
16	7	6	7	6	6	20	20	6	5	6	6	6	6
17	6	5	7	6	6	5	21	6	6	6	6	6	6
18	6	6	6	6	6	6	20	6	6	5 *	6	6	6
19	6	6	6	6	6	21	20	5	7	6	6	6	6
20	7	7	7	6	6	6	21 *	5	6 *	6	6	6 *	6
21	6	6	6	6	6	5	20	6	5	6	6	6	6
22	7	6	6	6	6	6	20 *	20	6	5 *	6 *	6	6
23	6	6	6	21 *	20	21	21	23	4	6	6	6	6
ALL	6	6)	6	6	6	21	21	20	6	6	6	6	6)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMAMOTO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	3.1	4.7	4.1	5.2	4.1	4.7	4.6	4.4	3.8	4.5	3.4	3.5	4.2
01	3.6	5.6	5.0	5.7	4.3	5.2	5.4	4.8	4.3	5.2	3.9	3.8	4.7
02	4.8	5.6	5.4	6.1	4.7	5.2	6.0	5.1	4.7	5.9	4.4	4.7	5.2
03	5.3	5.9	5.9	6.4	5.3	5.5	6.3	5.6	5.3	6.1	4.8	5.2	5.7
04	5.7	6.4	6.6	7.0	6.0	6.1	6.4	6.3	5.6	6.2	4.9	5.3	6.0
05	5.7	6.5	6.9	7.4	6.4	6.0	6.9	6.4	5.9	6.4	4.8	5.3	6.2
06	6.2	6.7	7.0	7.4	6.9	6.3	6.9	6.8	5.7	6.3	4.8	5.4	6.4
07	5.7	6.8	6.9	7.2	7.2	6.3	6.9	6.7	6.2	6.7	4.7	5.3	6.4
08	5.4	6.5	6.8	7.4	6.8	6.3	6.6	6.9	5.9	6.0	4.2	4.5	6.1
09	4.4	5.5	5.7	6.5	6.3	5.7	6.0	6.1	5.0	5.3	3.7	4.4	5.4
10	4.3	4.8	4.7	5.6	5.3	5.5	5.5	5.2	4.5	5.9	4.0	4.1	5.0
11	4.0	4.6	4.2	4.9	4.5	4.9	4.9	4.9	4.9	6.0	4.2	3.8	4.6
12	3.7	4.4	4.0	4.7	4.3	4.7	4.6	4.4	4.9	5.6	4.0	3.4	4.4
13	3.6	4.4	3.9	4.3	4.1	4.3	4.4	4.0	4.3	5.0	3.7	3.5	4.1
14	3.5	4.0	3.7	4.3	3.6	4.2	4.3	3.9	4.0	4.9	3.6	3.5	3.9
15	3.4	4.0	3.8	4.3	3.3	4.2	3.9	3.6	3.9	4.6	3.5	3.6	3.9
16	3.4	4.2	3.8	3.9	3.4	3.8	3.9	3.7	3.6	4.5	3.3	3.8	3.7
17	3.5	4.3	3.8	4.0	3.5	3.8	3.8	3.8	3.7	4.6	3.2	3.7	3.8
18	3.5	4.0	3.5	4.0	3.4	3.6	3.7	3.6	3.7	4.4	3.4	3.6	3.7
19	3.7	4.3	3.6	4.0	3.6	3.8	3.7	3.5	3.3	4.4	3.6	3.9	3.8
20	3.4	4.4	3.8	4.1	3.6	3.8	3.8	3.7	3.1	4.2	3.8	3.9	3.8
21	3.5	4.1	3.6	4.2	3.6	3.9	3.9	3.5	3.2	4.5	3.7	3.8	3.8
22	3.4	4.3	3.9	4.2	3.5	3.8	4.0	3.6	3.4	4.3	3.6	3.7	3.8
23	3.3	4.2	3.8	4.3	3.8	4.5	4.4	3.6	3.3	4.5	3.3	3.5	3.9
MEAN	4.2	5.0	4.8	5.3	4.6	4.9	5.0	4.7	4.4	5.3	3.9	4.1	4.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMAMOTO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	5.1	10.1	-0.2	5.5	10.6	0.5	8.0	13.5	2.6	13.1	18.9	7.4
02	5.0	10.0	-0.3	5.5	10.5	0.5	8.2	13.7	2.8	13.2	19.0	7.6
03	4.9	10.0	-0.4	5.4	10.4	0.4	8.4	13.8	2.9	13.3	19.0	7.7
04	4.9	9.9	-0.4	5.3	10.3	0.4	8.5	14.0	3.0	13.4	19.1	7.8
05	4.8	9.8	-0.4	5.2	10.2	0.3	8.6	14.1	3.1	13.5	19.2	7.9
06	4.7	9.7	-0.5	5.1	10.1	0.2	8.6	14.2	3.1	13.5	19.2	8.0
07	4.6	9.7	-0.5	5.0	10.0	0.2	8.6	14.3	3.1	13.6	19.3	8.1
08	4.6	9.6	-0.6	5.0	10.0	0.1	8.7	14.4	3.1	13.7	19.4	8.2
09	4.5	9.5	-0.6	5.0	9.9	0.1	8.7	14.5	3.2	13.8	19.5	8.2
10	4.5	9.5	-0.6	5.0	9.9	0.1	8.8	14.6	3.2	13.9	19.7	8.4
11	4.5	9.5	-0.6	5.0	10.0	0.2	8.9	14.7	3.3	14.0	19.9	8.5
12	4.5	9.5	-0.6	5.0	10.0	0.2	9.1	14.9	3.4	14.2	20.1	8.6
13	4.5	9.5	-0.6	5.1	10.1	0.3	9.3	15.1	3.6	14.4	20.3	8.8
14	4.5	9.5	-0.6	5.2	10.1	0.4	9.5	15.3	3.8	14.6	20.5	9.0
15	4.5	9.5	-0.6	5.3	10.2	0.4	9.7	15.6	4.0	14.8	20.8	9.2
16	4.5	9.5	-0.5	5.4	10.4	0.5	10.0	15.8	4.3	15.0	21.0	9.4
17	4.6	9.6	-0.5	5.5	10.5	0.6	10.2	16.0	4.5	15.2	21.1	9.5
18	4.6	9.6	-0.5	5.7	10.7	0.7	10.4	16.2	4.7	15.4	21.3	9.7
19	4.6	9.6	-0.4	5.8	10.9	0.8	10.6	16.4	4.9	15.5	21.4	9.9
20	4.7	9.6	-0.4	6.0	11.1	0.9	10.7	16.6	5.1	15.7	21.6	10.0
21	4.7	9.7	-0.4	6.2	11.3	1.0	10.9	16.7	5.2	15.8	21.7	10.2
22	4.8	9.7	-0.3	6.4	11.6	1.2	11.0	16.9	5.3	16.0	21.9	10.3
23	4.8	9.8	-0.3	6.6	11.9	1.4	11.1	17.0	5.4	16.1	22.0	10.4
24	4.9	9.9	-0.2	6.9	12.2	1.5	11.3	17.2	5.5	16.2	22.1	10.5
25	5.0	10.0	-0.1	7.1	12.5	1.8	11.4	17.4	5.6	16.4	22.3	10.7
26	5.1	10.2	0.0	7.4	12.8	2.0	11.7	17.7	5.8	16.5	22.4	10.8
27	5.2	10.3	0.1	7.6	13.0	2.2	11.9	17.9	6.0	16.7	22.6	10.9
28	5.3	10.4	0.2	7.8	13.3	2.4	12.1	18.1	6.3	16.8	22.8	11.0
29	5.4	10.5	0.3	7.9	13.4	2.5	12.4	18.3	6.6	17.0	22.9	11.2
30	5.5	10.6	0.4				12.6	18.5	6.8	17.1	23.1	11.3
31	5.5	10.6	0.4				12.9	18.7	7.1			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMAMOTO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	17.2	23.2	11.4	21.4	26.6	16.8	23.5	27.4	20.6	27.4	32.4	23.7
02	17.4	23.4	11.5	21.5	26.5	16.9	23.7	27.7	20.8	27.4	32.5	23.7
03	17.5	23.5	11.6	21.5	26.5	17.0	24.0	28.0	21.0	27.4	32.5	23.7
04	17.6	23.7	11.7	21.6	26.5	17.2	24.3	28.3	21.3	27.4	32.5	23.7
05	17.8	23.9	11.8	21.7	26.5	17.3	24.5	28.6	21.5	27.4	32.5	23.7
06	17.9	24.0	12.0	21.8	26.5	17.5	24.8	28.9	21.7	27.4	32.5	23.7
07	18.1	24.2	12.1	21.9	26.5	17.7	25.0	29.2	21.8	27.4	32.5	23.7
08	18.2	24.4	12.2	22.0	26.6	17.9	25.2	29.5	22.0	27.4	32.5	23.6
09	18.4	24.5	12.4	22.1	26.6	18.1	25.4	29.7	22.1	27.4	32.5	23.6
10	18.5	24.7	12.6	22.2	26.6	18.4	25.6	29.9	22.3	27.3	32.5	23.6
11	18.7	24.9	12.8	22.3	26.7	18.6	25.7	30.1	22.3	27.3	32.5	23.6
12	18.8	25.0	12.9	22.4	26.6	18.8	25.8	30.2	22.4	27.3	32.5	23.5
13	19.0	25.2	13.1	22.4	26.6	19.0	25.9	30.4	22.4	27.3	32.5	23.5
14	19.1	25.3	13.3	22.5	26.6	19.1	26.0	30.6	22.5	27.3	32.5	23.5
15	19.3	25.5	13.5	22.5	26.5	19.2	26.1	30.7	22.5	27.2	32.5	23.4
16	19.4	25.6	13.6	22.5	26.4	19.4	26.2	30.9	22.6	27.2	32.5	23.4
17	19.6	25.8	13.8	22.5	26.3	19.5	26.3	31.0	22.6	27.2	32.4	23.3
18	19.8	25.9	14.0	22.4	26.2	19.5	26.4	31.2	22.7	27.1	32.4	23.2
19	19.9	26.1	14.2	22.4	26.1	19.6	26.5	31.3	22.7	27.1	32.3	23.2
20	20.1	26.2	14.5	22.4	26.1	19.6	26.6	31.5	22.8	27.0	32.2	23.1
21	20.3	26.4	14.7	22.4	26.0	19.7	26.7	31.6	22.9	26.8	32.1	22.9
22	20.5	26.5	14.9	22.4	26.0	19.7	26.8	31.8	23.0	26.7	31.9	22.8
23	20.7	26.6	15.2	22.4	26.0	19.7	26.9	31.9	23.1	26.5	31.7	22.7
24	20.8	26.7	15.4	22.4	26.1	19.7	27.0	32.0	23.2	26.3	31.4	22.5
25	21.0	26.8	15.6	22.5	26.1	19.8	27.1	32.1	23.3	26.0	31.1	22.4
26	21.1	26.8	15.8	22.6	26.3	19.8	27.2	32.1	23.4	25.8	30.7	22.2
27	21.2	26.8	16.0	22.7	26.4	19.9	27.2	32.2	23.5	25.6	30.4	22.0
28	21.3	26.8	16.2	22.9	26.6	20.1	27.3	32.3	23.6	25.3	30.1	21.8
29	21.3	26.8	16.4	23.0	26.8	20.2	27.4	32.3	23.7	25.1	29.9	21.7
30	21.4	26.7	16.5	23.3	27.1	20.4	27.4	32.3	23.7	24.9	29.6	21.5
31	21.4	26.7	16.7				27.4	32.4	23.7	24.8	29.5	21.3

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMAMOTO AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 50.2'N, LONGITUDE: 130° 51.3'E, ELEVATION ABOVE MSL: 632 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	24.6	29.3	21.2	21.8	27.0	17.3	14.8	20.5	9.6	8.7	13.6	3.5
02	24.5	29.3	21.0	21.6	26.9	17.1	14.6	20.3	9.4	8.4	13.4	3.2
03	24.5	29.3	20.9	21.4	26.7	16.9	14.5	20.1	9.2	8.2	13.1	2.9
04	24.4	29.3	20.8	21.2	26.5	16.6	14.3	19.9	9.1	8.0	12.9	2.7
05	24.4	29.4	20.6	21.0	26.3	16.3	14.2	19.8	9.1	7.8	12.8	2.5
06	24.4	29.5	20.5	20.8	26.1	16.0	14.1	19.6	9.0	7.6	12.6	2.4
07	24.4	29.5	20.4	20.5	25.9	15.7	14.0	19.4	9.0	7.5	12.5	2.2
08	24.3	29.6	20.3	20.3	25.7	15.4	13.9	19.2	9.0	7.3	12.4	2.1
09	24.3	29.6	20.1	20.0	25.5	15.0	13.8	19.0	8.9	7.2	12.2	2.0
10	24.2	29.6	20.0	19.8	25.3	14.7	13.6	18.7	8.9	7.1	12.1	2.0
11	24.1	29.5	19.8	19.5	25.1	14.4	13.5	18.5	8.8	7.0	12.0	1.9
12	24.0	29.4	19.7	19.3	24.9	14.1	13.3	18.3	8.6	6.9	11.8	1.9
13	23.9	29.3	19.5	19.1	24.8	13.8	13.1	18.1	8.5	6.8	11.7	1.8
14	23.7	29.1	19.3	18.9	24.6	13.5	12.9	17.8	8.3	6.7	11.5	1.7
15	23.6	28.9	19.2	18.7	24.5	13.3	12.8	17.7	8.2	6.6	11.4	1.6
16	23.4	28.7	19.0	18.6	24.3	13.2	12.6	17.5	8.0	6.6	11.3	1.5
17	23.3	28.5	18.8	18.4	24.2	13.0	12.4	17.3	7.8	6.5	11.2	1.4
18	23.1	28.4	18.7	18.3	24.1	12.9	12.3	17.2	7.6	6.4	11.1	1.3
19	23.0	28.2	18.5	18.2	24.0	12.9	12.1	17.0	7.4	6.3	11.0	1.2
20	22.9	28.1	18.4	18.1	23.8	12.8	11.9	16.9	7.2	6.3	10.9	1.1
21	22.8	28.0	18.3	17.9	23.7	12.7	11.7	16.7	7.0	6.2	10.9	1.0
22	22.7	28.0	18.2	17.7	23.5	12.5	11.5	16.4	6.7	6.1	10.8	0.9
23	22.6	27.9	18.1	17.5	23.2	12.4	11.2	16.2	6.4	6.1	10.8	0.8
24	22.6	27.8	18.1	17.2	23.0	12.2	10.9	15.9	6.0	6.0	10.7	0.6
25	22.5	27.8	18.0	16.9	22.7	11.9	10.6	15.5	5.7	5.9	10.7	0.5
26	22.5	27.7	17.9	16.6	22.3	11.6	10.3	15.2	5.3	5.7	10.6	0.4
27	22.4	27.6	17.9	16.3	22.0	11.2	10.0	14.9	4.9	5.6	10.5	0.2
28	22.3	27.5	17.8	16.0	21.7	10.9	9.6	14.5	4.6	5.5	10.4	0.1
29	22.2	27.3	17.6	15.6	21.4	10.5	9.3	14.2	4.2	5.4	10.3	0.0
30	22.0	27.2	17.5	15.3	21.0	10.2	9.0	13.9	3.8	5.3	10.3	-0.1
31				15.0	20.8	9.9				5.2	10.2	-0.2