

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAGASAKI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER: RWY32

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<500	<600	<600	<1000	<1500
00	x	x	x	x	x	2	2	4
01	x	x	x	x	x	1	2	3
02	x	x	x	x	x	1	2	3
03	x	x	x	x	x	1	3	3
04	x	x	x	x	x	1	1	3
05	x	x	x	x	x	1	2	3
06	x	x	x	x	x	-	2	3
07	x	x	x	x	x	1	1	2
08	x	x	x	x	x	1	2	3
09	x	x	x	x	x	1	1	3
10	x	x	x	x	x	1	1	3
11	x	x	x	x	x	1	1	3
12	x	x	x	x	x	1	1	4
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	1	2	3
23	x	x	x	x	x	1	3	5
MEAN	x	x	x	x	x	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAGASAKI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER: RWY32

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<500	<600	<600	<1000	<1500
00	x	x	x	x	x	1	5	7
01	x	x	x	x	x	1	2	5
02	x	x	x	x	x	-	2	6
03	x	x	x	x	x	-	1	4
04	x	x	x	x	x	-	-	1
05	x	x	x	x	x	-	1	1
06	x	x	x	x	x	-	1	1
07	x	x	x	x	x	1	1	2
08	x	x	x	x	x	1	2	4
09	x	x	x	x	x	-	-	4
10	x	x	x	x	x	-	1	2
11	x	x	x	x	x	-	1	6
12	x	x	x	x	x	1	1	5
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	1	2	5
23	x	x	x	x	x	1	3	6
MEAN	x	x	x	x	x	0	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAGASAKI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER: RWY32

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<500	<600	<600	<1000	<1500
00	x	x	x	x	x	2	4	8
01	x	x	x	x	x	1	2	6
02	x	x	x	x	x	1	2	4
03	x	x	x	x	x	-	1	5
04	x	x	x	x	x	1	3	6
05	x	x	x	x	x	1	1	4
06	x	x	x	x	x	-	1	5
07	x	x	x	x	x	1	1	5
08	x	x	x	x	x	1	3	5
09	x	x	x	x	x	1	2	6
10	x	x	x	x	x	1	2	7
11	x	x	x	x	x	1	2	6
12	x	x	x	x	x	1	3	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	1	3	6
23	x	x	x	x	x	1	3	8
MEAN	x	x	x	x	x	1	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAGASAKI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER: RWY32

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<500	<600	<600	<1000	<1500
00	-	-	-	-	-	-	5	8
01	-	-	-	-	1	1	3	7
02	-	-	-	-	1	1	3	5
03	-	-	-	-	-	-	2	4
04	-	-	-	1	1	1	3	5
05	-	-	-	-	1	1	2	5
06	-	-	-	-	-	-	4	5
07	-	-	-	-	-	-	3	5
08	-	-	-	-	-	-	1	5
09	-	-	-	-	-	-	1	3
10	-	-	-	-	-	-	-	3
11	-	-	-	-	-	-	1	2
12	-	-	-	-	1	1	2	4
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	2	1	4	8
23	-	-	-	-	-	1	4	10
MEAN	-	-	-	0	0	0	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAGASAKI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER: RWY32

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<500	<600	<600	<1000	<1500
00	-	-	-	-	-	-	5	9
01	-	-	-	-	2	1	3	8
02	-	-	-	-	-	-	2	5
03	-	-	-	-	-	-	2	5
04	-	-	-	-	-	-	2	5
05	-	-	-	-	1	1	2	5
06	-	-	-	-	-	-	1	7
07	-	-	-	1	1	1	3	5
08	-	-	-	-	-	-	3	7
09	-	-	-	-	1	1	1	5
10	-	-	-	-	-	-	1	6
11	-	-	-	-	1	1	3	5
12	-	-	-	-	-	-	2	4
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	1	6	9
23	-	-	-	-	-	1	5	12
MEAN	-	-	-	0	0	0	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAGASAKI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER: RWY32

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<500	<600	<600	<1000	<1500
00	-	-	-	-	1	1	7	11
01	0)	0)	0)	1)	2)	1	6	10
02	-	-	-	-	2	2	5	11
03	-	-	-	1	1	1	4	9
04	-	-	-	-	-	-	3	9
05	0)	0)	0)	0)	1)	-	4	11
06	-	-	-	-	-	-	5	10
07	-	-	-	-	-	-	5	9
08	-	-	-	-	2	2	7	10
09	-	-	-	-	1	1	3	11
10	-	-	-	1	1	1	5	11
11	-	-	-	-	1	1	3	10
12	-	-	-	1	1	1	3	10
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	2	1	5	10
23	-	-	-	-	1	1	7	11
MEAN	0)	0)	0)	0)	1)	1	5	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAGASAKI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER: RWY32

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<500	<600	<600	<1000	<1500
00	-	-	-	-	-	-	2	5
01	0)	0)	0)	1)	2)	1	2	5
02	-	-	-	1	2	1	1	2
03	-	-	-	1	2	-	1	4
04	-	-	-	-	1	1	1	3
05	0)	0)	0)	0)	1)	-	1	3
06	-	-	-	-	1	1	1	3
07	-	-	-	-	1	-	2	4
08	-	-	-	-	1	-	3	5
09	-	-	-	1	1	-	1	5
10	-	-	-	-	1	1	1	5
11	-	-	-	-	-	-	-	3
12	-	-	-	-	-	-	2	5
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	2	1	3	7
23	-	-	1	1	1	1	4	7
MEAN	0)	0)	0)	0)	1)	0	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAGASAKI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER: RWY32

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<500	<600	<600	<1000	<1500
00	-	-	-	-	1	-	1	3
01	-	-	-	1	1	-	3	4
02	-	-	-	1	1	-	2	3
03	-	-	-	1	1	-	1	3
04	-	-	-	-	1	-	1	2
05	-	-	1	1	2	-	1	2
06	-	-	-	1	1	1	1	1
07	-	-	1	1	1	-	-	1
08	-	-	-	-	-	-	1	1
09	-	-	-	-	-	-	1	1
10	-	-	-	1	1	-	1	1
11	-	-	-	1	1	1	1	1
12	-	-	-	-	-	-	-	-
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	1	1	1	4	6
23	-	1	1	1	3	1	3	5
MEAN	-	0	0	1	1	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAGASAKI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER: RWY32

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<500	<600	<600	<1000	<1500
00	x	x	x	x	x	-	-	2
01	x	x	x	x	x	1	3	3
02	x	x	x	x	x	-	1	2
03	x	x	x	x	x	-	3	3
04	x	x	x	x	x	-	1	1
05	x	x	x	x	x	-	1	3
06	x	x	x	x	x	-	-	1
07	x	x	x	x	x	-	-	-
08	x	x	x	x	x	-	1	3
09	x	x	x	x	x	-	-	1
10	x	x	x	x	x	1	2	3
11	x	x	x	x	x	-	1	1
12	x	x	x	x	x	-	-	-
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	1	2	3
23	x	x	x	x	x	-	1	2
MEAN	x	x	x	x	x	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAGASAKI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER: RWY32

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<500	<600	<600	<1000	<1500
00	x	x	x	x	x	1	1	1
01	x	x	x	x	x	-	1	1
02	x	x	x	x	x	-	1	1
03	x	x	x	x	x	-	1	1
04	x	x	x	x	x	-	1	1
05	x	x	x	x	x	-	1	2
06	x	x	x	x	x	-	-	1
07	x	x	x	x	x	-	-	1
08	x	x	x	x	x	-	-	1
09	x	x	x	x	x	-	1	2
10	x	x	x	x	x	-	-	1
11	x	x	x	x	x	-	-	1
12	x	x	x	x	x	-	-	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	1	3	3
23	x	x	x	x	x	-	3	3
MEAN	x	x	x	x	x	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAGASAKI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER: RWY32

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<500	<600	<600	<1000	<1500
00	x	x	x	x	x	1	1	2
01	x	x	x	x	x	-	-	1
02	x	x	x	x	x	-	1	1
03	x	x	x	x	x	-	-	1
04	x	x	x	x	x	-	-	1
05	x	x	x	x	x	-	-	1
06	x	x	x	x	x	-	1	2
07	x	x	x	x	x	-	1	3
08	x	x	x	x	x	-	-	1
09	x	x	x	x	x	-	-	1
10	x	x	x	x	x	-	1	1
11	x	x	x	x	x	-	-	1
12	x	x	x	x	x	-	-	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	2	3	5
23	x	x	x	x	x	1	1	1
MEAN	x	x	x	x	x	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAGASAKI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER: RWY32

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<500	<600	<600	<1000	<1500
00	x	x	x	x	x	-	-	1
01	x	x	x	x	x	-	-	2
02	x	x	x	x	x	-	-	-
03	x	x	x	x	x	-	1	3
04	x	x	x	x	x	-	2	3
05	x	x	x	x	x	-	2	3
06	x	x	x	x	x	-	-	2
07	x	x	x	x	x	1	1	3
08	x	x	x	x	x	1	1	2
09	x	x	x	x	x	-	-	1
10	x	x	x	x	x	-	1	1
11	x	x	x	x	x	-	-	1
12	x	x	x	x	x	-	1	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	-	-	1
23	x	x	x	x	x	-	-	3
MEAN	x	x	x	x	x	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAGASAKI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER: RWY32

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<500	<600	<600	<1000	<1500
00	x	x	x	x	x	1	3	5
01	x	x	x	x	x	1	2	5
02	x	x	x	x	x	0	2	3
03	x	x	x	x	x	0	2	4
04	x	x	x	x	x	0	1	3
05	x	x	x	x	x	0	1	4
06	x	x	x	x	x	0	1	3
07	x	x	x	x	x	0	1	3
08	x	x	x	x	x	0	2	4
09	x	x	x	x	x	0	1	4
10	x	x	x	x	x	0	1	4
11	x	x	x	x	x	0	1	3
12	x	x	x	x	x	0	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	1	3	6
23	x	x	x	x	x	1	3	6
MEAN	x	x	x	x	x	0	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NAGASAKI AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	1	1	2	2	2	2	3
01	-	1	1	1	1	1	1	2
02	-	-	1	1	1	1	1	3
03	1	1	1	1	1	1	2	2
04	1	1	1	1	1	1	1	3
05	-	-	1	1	1	1	2	3
06	-	-	-	-	-	-	2	3
07	-	-	-	-	-	-	1	2
08	-	-	-	-	-	1	2	2
09	-	-	-	-	1	1	1	3
10	-	-	-	-	-	-	1	1
11	-	-	-	-	-	-	1	3
12	-	-	-	-	-	-	-	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	1	1	2	2	3
23	-	1	1	1	2	3	3	4
MEAN	0	0	0	1	1	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NAGASAKI AIRPORT MONTH: FEB
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	1	1	1	1	4	5	6
01	-	1	1	1	1	1	2	5
02	-	-	-	-	-	1	2	5
03	-	-	-	-	-	1	1	3
04	-	-	-	-	-	-	-	1
05	-	-	-	-	-	1	1	1
06	-	-	-	-	-	-	1	1
07	-	-	-	-	-	-	-	1
08	-	-	-	-	-	-	1	2
09	-	-	-	-	-	-	-	4
10	-	-	-	-	-	-	-	1
11	-	-	-	-	1	1	1	6
12	-	-	-	-	-	-	-	4
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	1	1	1	1	2	4
23	1	1	1	1	1	1	3	4
MEAN	0	0	0	0	0	1	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NAGASAKI AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	1	1	2	2	2	3	6
01	-	-	1	1	1	1	2	3
02	-	-	-	-	-	-	1	4
03	-	-	-	-	-	-	1	4
04	-	-	-	-	-	-	2	5
05	-	-	-	-	1	1	1	3
06	-	-	-	-	-	-	1	3
07	-	-	-	-	-	1	1	3
08	-	-	-	-	-	1	2	4
09	-	-	-	-	-	1	2	5
10	-	-	-	-	-	1	2	5
11	-	-	-	-	-	-	1	3
12	-	1	1	1	1	1	1	2
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	1	1	1	1	3	6
23	1	1	1	1	1	2	3	7
MEAN	0	0	0	0	0	1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NAGASAKI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	1	3	6
01	-	-	-	-	1	2	3	5
02	-	-	-	-	-	-	-	2
03	-	-	-	-	-	-	1	2
04	1	1	1	1	1	1	1	2
05	-	-	-	-	-	1	1	1
06	-	-	-	-	-	-	3	3
07	-	-	-	-	-	-	1	3
08	-	-	-	-	-	-	1	3
09	-	-	-	-	-	-	-	1
10	-	-	-	-	-	-	-	2
11	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	2
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	1	2	3	5
23	-	-	1	1	1	3	3	8
MEAN	0	0	0	0	0	1	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NAGASAKI AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	1	4
01	-	-	-	-	-	-	1	4
02	-	-	-	-	-	-	1	2
03	-	-	-	-	-	1	1	2
04	-	-	-	-	1	1	1	2
05	-	-	-	-	-	-	1	2
06	-	-	-	-	-	-	-	3
07	-	-	-	-	-	-	1	3
08	-	-	-	-	-	-	1	2
09	-	-	-	-	-	-	1	1
10	-	-	-	-	-	-	-	1
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	1	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	4	7
23	-	-	-	1	1	1	2	7
MEAN	-	-	-	0	0	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NAGASAKI AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	2	3
01	-	-	-	-	1	1	3	4
02	-	-	-	-	-	-	1	3
03	-	-	-	1	1	1	3	7
04	-	-	-	-	-	-	2	4
05	-	-	-	-	-	-	1	4
06	-	-	-	-	-	-	1	5
07	-	-	-	-	-	1	2	3
08	-	-	-	1	1	1	3	5
09	-	-	-	-	-	-	1	2
10	-	-	-	-	-	-	1	3
11	-	-	-	-	-	1	1	2
12	-	-	-	-	-	-	-	2
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	1	3	5
23	-	-	-	-	-	1	1	3
MEAN	-	-	-	0	0	0	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NAGASAKI AIRPORT MONTH: JUL
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	1	1	1	1
01	-	-	-	-	-	-	1	3
02	-	-	-	-	-	-	-	1
03	-	-	-	-	-	1	1	3
04	-	-	-	-	-	-	-	1
05	-	-	-	-	-	-	1	1
06	-	-	-	-	-	-	1	1
07	-	-	-	-	-	1	1	1
08	-	-	-	-	-	-	1	1
09	-	-	-	-	-	-	1	1
10	-	-	-	1	1	1	1	1
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	1	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	1	1	3
23	-	-	-	-	1	1	1	2
MEAN	-	-	-	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NAGASAKI AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	1	3
01	-	-	-	-	1	1	3	3
02	-	-	-	-	1	1	2	2
03	-	-	-	-	-	-	1	1
04	-	-	-	-	-	1	1	2
05	-	-	-	-	-	1	1	2
06	-	1	1	1	1	1	1	1
07	-	-	-	-	-	-	-	1
08	-	-	-	-	-	-	1	1
09	-	-	-	-	-	1	1	1
10	-	-	-	-	1	1	1	1
11	-	-	1	1	1	1	1	1
12	-	-	-	-	-	-	-	-
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	2	4	4
23	-	-	1	1	1	2	3	3
MEAN	-	0	0	0	0	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NAGASAKI AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	2
01	-	-	-	-	-	1	2	2
02	-	-	-	-	-	-	-	1
03	-	-	-	-	-	1	2	3
04	-	-	-	-	-	1	1	1
05	-	-	-	-	-	-	1	3
06	-	-	-	-	-	-	-	1
07	-	-	-	-	-	-	-	-
08	-	-	-	-	1	1	1	2
09	-	-	-	-	-	-	-	1
10	-	-	-	-	1	1	1	1
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	-	-
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	1	1	1
23	-	-	-	-	-	1	1	1
MEAN	-	-	-	0	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NAGASAKI AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	1	1	1
01	-	-	-	-	1	1	1	1
02	-	-	-	-	-	-	1	1
03	-	-	-	-	-	1	1	1
04	-	-	-	-	1	1	1	1
05	-	-	-	-	-	-	1	1
06	-	-	-	-	-	-	-	1
07	-	-	-	-	-	-	-	1
08	-	-	-	-	-	-	-	1
09	-	-	-	-	-	1	1	2
10	-	-	-	-	-	-	-	1
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	-	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	2	2
23	-	-	-	-	-	-	1	1
MEAN	-	-	-	-	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NAGASAKI AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	1	1	1	1
01	-	-	-	-	-	-	-	1
02	-	-	-	-	-	-	-	1
03	-	-	-	-	-	-	-	1
04	-	-	-	-	-	-	-	1
05	-	-	-	-	-	-	-	-
06	-	-	-	-	-	-	-	1
07	-	-	-	-	-	-	1	1
08	-	-	-	-	-	-	-	-
09	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	1	1
11	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	1	3
23	-	-	-	1	1	1	1	1
MEAN	-	-	-	0	0	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NAGASAKI AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	1
01	-	-	-	-	-	-	-	1
02	-	-	-	-	-	-	-	-
03	-	-	-	-	-	-	-	2
04	-	-	-	-	-	-	1	1
05	-	-	-	-	-	-	1	2
06	-	-	-	-	-	-	-	2
07	-	-	-	-	-	-	1	3
08	-	-	-	-	-	-	1	1
09	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	1
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	-	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	-	1
23	-	-	-	-	-	-	-	1
MEAN	-	-	-	-	-	-	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: NAGASAKI AIRPORT [ANNUAL]
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	0	0	0	1	1	2	3
01	-	0	0	0	0	1	2	3
02	-	-	0	0	0	0	1	2
03	0	0	0	0	0	0	1	3
04	0	0	0	0	0	0	1	2
05	-	-	0	0	0	0	1	2
06	-	0	0	0	0	0	1	2
07	-	-	-	-	-	0	1	2
08	-	-	-	0	0	0	1	2
09	-	-	-	-	0	0	1	2
10	-	-	-	0	0	0	1	2
11	-	-	0	0	0	0	0	2
12	-	0	0	0	0	0	0	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0	0	0	0	0	1	2	4
23	0	0	0	0	1	1	2	4
MEAN	0	0	0	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NAGASAKI AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	-	2
01	-	-	-	-	-	1	2
02	-	-	-	1	1	1	1
03	-	-	-	-	-	1	1
04	-	-	-	-	-	-	1
05	-	-	-	-	-	-	1
06	-	-	-	-	-	-	1
07	-	-	-	1	1	1	1
08	-	-	-	1	1	1	1
09	-	-	-	-	1	1	1
10	-	-	-	-	1	1	2
11	-	-	-	-	1	1	1
12	-	-	-	-	1	1	1
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	-	1
23	-	-	-	-	-	-	2
MEAN	-	-	-	0	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NAGASAKI AIRPORT MONTH: FEB
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	-	1
01	-	-	-	-	-	1	1
02	-	-	-	-	-	1	1
03	-	-	-	-	-	1	2
04	-	-	-	-	-	-	1
05	-	-	-	-	-	1	1
06	-	-	-	-	-	1	1
07	-	-	-	1	1	1	1
08	-	-	-	1	1	1	2
09	-	-	-	-	-	-	-
10	-	-	-	-	-	1	1
11	-	-	-	-	-	-	-
12	-	-	-	-	1	1	2
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	1	1	2
23	-	-	-	-	-	-	1
MEAN	-	-	0	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NAGASAKI AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	1	3
01	-	-	1	1	1	1	4
02	-	-	-	1	1	1	1
03	-	-	-	-	-	-	1
04	-	-	-	1	1	2	2
05	-	-	-	1	1	1	2
06	-	-	-	-	-	1	3
07	-	-	-	1	1	1	3
08	-	-	-	1	1	1	2
09	-	-	-	-	1	1	3
10	-	-	-	-	1	1	3
11	-	-	-	-	1	1	4
12	-	-	-	-	1	1	1
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	1	1
23	-	-	-	-	-	-	1
MEAN	-	-	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NAGASAKI AIRPORT MONTH: APR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	2	3
01	-	-	-	-	1	1	4
02	-	-	-	-	1	3	3
03	-	-	-	-	-	1	3
04	-	-	-	1	1	3	4
05	-	-	-	-	1	1	4
06	-	-	-	-	-	2	3
07	-	-	-	-	-	2	3
08	-	-	-	-	-	1	3
09	-	-	-	-	-	1	1
10	-	-	-	-	-	-	1
11	-	-	-	-	-	1	2
12	-	-	-	-	1	2	2
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	3	4
23	-	-	-	-	-	1	3
MEAN	-	-	-	0	0	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NAGASAKI AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	3	6
01	-	-	-	-	1	2	6
02	-	-	-	-	-	1	3
03	-	-	-	-	-	1	4
04	-	-	-	-	-	1	3
05	-	-	-	-	1	2	5
06	-	-	-	-	-	1	5
07	-	-	-	1	1	3	3
08	-	-	-	-	-	2	6
09	-	-	-	-	1	1	5
10	-	-	-	-	-	1	6
11	-	-	-	-	1	3	5
12	-	-	-	-	-	1	4
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1	1	4	5
23	-	-	-	-	-	3	8
MEAN	-	-	-	0	0	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAGASAKI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	1	5	9
01	-	-	-	-	1	4	8
02	-	-	-	-	2	4	8
03	-	-	-	1	1	2	4
04	-	-	-	-	-	1	5
05	-	-	-	-	-	3	7
06	-	-	-	-	-	3	9
07	-	-	-	-	-	4	9
08	-	-	-	-	1	5	9
09	-	-	-	-	1	3	10
10	-	-	-	1	1	5	11
11	-	-	-	-	1	3	10
12	-	-	-	1	1	3	9
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	2	7
23	-	-	-	-	1	7	9
MEAN	-	-	-	0	1	4	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAGASAKI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	1	3
01	-	-	-	-	1	1	3
02	-	-	-	-	1	1	1
03	-	-	-	-	-	-	1
04	-	-	-	-	1	1	2
05	-	-	-	-	-	1	3
06	-	-	-	-	1	1	3
07	-	-	-	-	-	1	3
08	-	-	-	-	-	2	4
09	-	-	-	-	-	-	3
10	-	-	-	-	-	1	4
11	-	-	-	-	-	-	3
12	-	-	-	-	-	1	4
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	3	5
23	-	-	-	-	1	3	6
MEAN	-	-	-	-	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NAGASAKI AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	-	1
01	-	-	-	-	-	-	1
02	-	-	-	-	-	-	2
03	-	-	-	-	-	-	1
04	-	-	-	-	-	-	2
05	-	-	-	-	-	-	-
06	-	-	-	-	-	-	-
07	-	-	-	-	-	-	-
08	-	-	-	-	-	-	-
09	-	-	-	-	-	1	1
10	-	-	-	-	-	-	-
11	-	-	-	-	-	-	1
12	-	-	-	-	-	-	-
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	-	3
23	-	-	-	-	-	1	3
MEAN	-	-	-	-	-	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NAGASAKI AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	-	1
01	-	-	-	-	1	1	3
02	-	-	-	-	-	1	2
03	-	-	-	-	-	1	1
04	-	-	-	-	-	1	1
05	-	-	-	-	-	-	-
06	-	-	-	-	-	-	1
07	-	-	-	-	-	-	-
08	-	-	-	-	-	-	1
09	-	-	-	-	-	-	-
10	-	-	-	-	1	1	1
11	-	-	-	-	-	1	1
12	-	-	-	-	-	-	-
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	1	3
23	-	-	-	-	-	1	1
MEAN	-	-	-	-	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NAGASAKI AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	1	1	1
01	-	-	-	-	-	-	1
02	-	-	-	-	-	-	-
03	-	-	-	-	-	-	1
04	-	-	-	-	-	-	-
05	-	-	-	-	-	-	1
06	-	-	-	-	-	-	1
07	-	-	-	-	-	-	-
08	-	-	-	-	-	-	-
09	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-
12	-	-	-	-	-	-	1
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	1	2
23	-	-	-	-	-	1	2
MEAN	-	-	-	-	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NAGASAKI AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	1	1	1
01	-	-	-	-	-	-	-
02	-	-	-	-	-	1	1
03	-	-	-	-	-	-	-
04	-	-	-	-	-	-	1
05	-	-	-	-	-	-	1
06	-	-	-	-	-	1	2
07	-	-	-	-	-	-	2
08	-	-	-	-	-	-	1
09	-	-	-	-	-	-	1
10	-	-	-	-	-	-	1
11	-	-	-	-	-	-	1
12	-	-	-	-	-	-	1
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1	2	2	3
23	-	-	-	-	1	1	1
MEAN	-	-	-	0	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NAGASAKI AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	-	-
01	-	-	-	-	-	-	1
02	-	-	-	-	-	-	-
03	-	-	-	-	-	1	1
04	-	-	-	-	-	1	2
05	-	-	-	-	-	1	1
06	-	-	-	-	-	-	1
07	-	-	-	-	1	1	2
08	-	-	-	-	1	1	1
09	-	-	-	-	-	-	1
10	-	-	-	-	-	1	1
11	-	-	-	-	-	-	-
12	-	-	-	-	-	1	1
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	-	1
23	-	-	-	-	-	-	1
MEAN	-	-	-	-	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: NAGASAKI AIRPORT [ANNUAL]
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	0	1	3
01	-	-	0	0	0	1	3
02	-	-	-	0	0	1	2
03	-	-	-	0	0	1	2
04	-	-	-	0	0	1	2
05	-	-	-	0	0	1	2
06	-	-	-	-	0	1	2
07	-	-	-	0	0	1	2
08	-	-	-	0	0	1	3
09	-	-	-	-	0	1	2
10	-	-	-	0	0	1	3
11	-	-	-	-	0	1	2
12	-	-	-	0	0	1	2
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	0	0	1	1	3
23	-	-	-	-	0	1	3
MEAN	-	-	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAGASAKI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	9)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[35-36-01]	2)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[02-03-04]	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[05-06-07]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[08-09-10]	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[11-12-13]	7)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[14-15-16]	6)	7)	3)	0)	0)	0)	0)	0)	0)	0)	0)	16)
[17-18-19]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[29-30-31]	1)	3)	3)	2)	1)	0)	0)	0)	0)	0)	0)	10)
[32-33-34]	1)	5)	8)	5)	1)	0)	0)	0)	0)	0)	0)	20)
TOTAL	41)	29)	19)	8)	3)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAGASAKI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	8	0	-	-	-	-	-	-	-	-	-	8
[35-36-01]	3	4	3	1	0	-	-	-	-	-	-	11
[02-03-04]	2	2	1	1	0	-	-	-	-	-	-	7
[05-06-07]	2	1	1	0	0	0	-	-	-	-	-	4
[08-09-10]	3	0	0	-	-	-	-	-	-	-	-	4
[11-12-13]	6	3	1	0	0	-	-	-	-	-	-	10
[14-15-16]	6	6	2	0	0	-	-	-	-	-	-	15
[17-18-19]	2	0	0	0	-	-	-	-	-	-	-	3
[20-21-22]	1	0	0	-	0	-	-	-	-	-	-	1
[23-24-25]	1	1	0	0	0	-	-	-	-	-	-	2
[26-27-28]	1	1	0	0	-	-	-	-	-	-	-	3
[29-30-31]	1	3	3	3	1	0	-	-	-	-	-	12
[32-33-34]	2	6	7	4	1	0	-	-	-	-	-	20
TOTAL	39	28	20	10	2	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAGASAKI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	9	0	-	-	-	-	-	-	-	-	-	9
[35-36-01]	3	5	4	1	0	-	-	-	-	-	-	14
[02-03-04]	2	2	1	0	0	-	-	-	-	-	-	6
[05-06-07]	2	0	0	0	-	-	-	-	-	-	-	3
[08-09-10]	3	0	-	-	-	-	-	-	-	-	-	4
[11-12-13]	5	4	2	0	0	-	-	-	-	-	-	11
[14-15-16]	5	5	3	1	0	-	-	-	-	-	-	14
[17-18-19]	2	1	0	1	0	0	-	-	-	-	-	4
[20-21-22]	1	1	1	0	0	0	-	-	-	-	-	3
[23-24-25]	1	2	1	0	0	-	-	-	-	-	-	4
[26-27-28]	1	1	0	0	0	-	-	-	-	-	-	3
[29-30-31]	2	3	3	2	1	-	-	-	-	-	-	10
[32-33-34]	2	5	5	2	1	0	-	-	-	-	-	15
TOTAL	40	29	20	9	2	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAGASAKI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	10	0	-	-	-	-	-	-	-	-	-	10
[35-36-01]	3	4	3	2	0	-	-	-	-	-	-	12
[02-03-04]	2	1	1	0	-	-	-	-	-	-	-	3
[05-06-07]	2	0	0	0	-	-	-	-	-	-	-	2
[08-09-10]	3	1	0	0	-	-	-	-	-	-	-	4
[11-12-13]	5	4	2	1	0	0	-	-	-	-	-	12
[14-15-16]	5	6	3	1	1	0	-	-	-	-	-	15
[17-18-19]	2	1	0	0	0	0	0	-	-	-	-	4
[20-21-22]	2	1	0	0	0	0	0	0	0	-	-	3
[23-24-25]	2	3	2	0	0	0	0	-	-	-	-	6
[26-27-28]	2	3	1	0	0	0	0	-	-	-	-	5
[29-30-31]	3	3	3	2	0	0	-	-	-	-	-	11
[32-33-34]	2	5	4	1	0	-	-	-	-	-	-	12
TOTAL	42	28	19	8	2	1	0	0	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAGASAKI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	10	0	-	0	-	-	-	-	-	-	-	10
[35-36-01]	4	6	1	1	0	-	-	-	-	-	-	12
[02-03-04]	2	1	0	-	-	-	-	-	-	-	-	3
[05-06-07]	2	0	-	-	-	-	-	-	-	-	-	2
[08-09-10]	3	0	0	0	-	-	-	-	-	-	-	3
[11-12-13]	6	4	3	0	0	-	-	-	-	-	-	13
[14-15-16]	5	6	2	1	0	0	0	-	-	-	-	15
[17-18-19]	2	1	1	0	0	-	-	-	-	-	-	4
[20-21-22]	2	1	0	0	0	-	-	-	-	-	-	3
[23-24-25]	2	3	2	0	0	-	-	-	-	-	-	7
[26-27-28]	2	3	1	0	-	-	-	-	-	-	-	6
[29-30-31]	3	3	1	0	-	-	-	-	-	-	-	7
[32-33-34]	3	7	4	1	-	-	-	-	-	-	-	14
TOTAL	47	34	14	3	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAGASAKI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	10	0	-	-	-	-	-	-	-	-	-	10
[35-36-01]	4	4	1	0	-	-	-	-	-	-	-	9
[02-03-04]	1	0	0	-	-	-	-	-	-	-	-	2
[05-06-07]	1	0	0	0	-	-	-	-	-	-	-	2
[08-09-10]	2	1	0	0	-	-	-	-	-	-	-	3
[11-12-13]	5	6	1	0	0	0	-	-	-	-	-	13
[14-15-16]	6	8	2	0	0	0	-	-	-	-	-	16
[17-18-19]	3	1	0	0	-	-	-	-	-	-	-	5
[20-21-22]	3	1	1	1	0	0	-	-	-	-	-	6
[23-24-25]	4	5	2	1	0	-	-	-	-	-	-	11
[26-27-28]	3	2	0	0	-	-	-	-	-	-	-	6
[29-30-31]	4	2	0	0	-	-	-	-	-	-	-	6
[32-33-34]	2	4	3	0	0	-	-	-	-	-	-	10
TOTAL	51	34	10	3	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAGASAKI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	6	-	-	-	-	-	-	-	-	-	-	6
[35-36-01]	2	2	1	0	0	-	-	-	-	-	-	5
[02-03-04]	1	0	-	-	-	-	-	-	-	-	-	1
[05-06-07]	1	0	0	-	-	-	-	-	-	-	-	1
[08-09-10]	2	0	0	0	-	-	-	-	-	-	-	3
[11-12-13]	5	6	2	0	0	0	0	-	-	-	-	14
[14-15-16]	6	7	3	0	0	0	0	-	-	-	-	17
[17-18-19]	3	3	1	0	0	0	-	-	-	-	-	7
[20-21-22]	2	3	3	2	1	0	0	-	-	-	-	12
[23-24-25]	3	9	4	1	0	-	-	-	-	-	-	18
[26-27-28]	2	3	0	0	-	-	-	-	-	-	-	6
[29-30-31]	2	2	0	0	0	-	-	-	-	-	-	4
[32-33-34]	1	3	1	0	0	-	-	-	-	-	-	6
TOTAL	36	39	16	5	2	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAGASAKI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	9	0	0	-	-	-	-	-	-	-	-	9
[35-36-01]	2	4	2	1	0	0	0	-	-	-	-	9
[02-03-04]	2	1	0	0	0	0	0	0	-	-	-	3
[05-06-07]	1	0	0	0	0	0	-	-	-	-	-	2
[08-09-10]	3	1	1	1	0	-	-	-	-	-	-	5
[11-12-13]	7	7	2	0	0	0	-	-	-	-	-	16
[14-15-16]	5	6	2	0	0	0	-	-	-	-	-	13
[17-18-19]	3	2	1	1	0	-	-	-	-	-	-	6
[20-21-22]	2	1	1	1	0	0	-	-	-	-	-	6
[23-24-25]	2	4	2	0	0	0	-	-	-	-	-	9
[26-27-28]	2	3	0	0	0	-	-	-	-	-	-	6
[29-30-31]	3	3	1	0	0	0	0	-	-	-	-	7
[32-33-34]	2	3	2	1	0	-	-	-	-	-	-	8
TOTAL	43	35	14	5	1	0	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAGASAKI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	12	0	-	-	-	-	-	-	-	-	-	12
[35-36-01]	3	6	6	3	0	-	-	-	-	-	-	18
[02-03-04]	2	2	1	0	-	-	-	-	-	-	-	5
[05-06-07]	2	1	0	0	-	-	-	-	-	-	-	3
[08-09-10]	4	1	0	-	-	-	-	-	-	-	-	5
[11-12-13]	8	5	1	0	0	0	-	-	-	-	-	15
[14-15-16]	6	5	1	0	0	-	0	0	-	-	-	13
[17-18-19]	3	1	0	0	0	0	0	0	-	-	-	4
[20-21-22]	2	1	0	0	0	-	-	-	-	-	-	4
[23-24-25]	2	2	0	0	-	-	-	-	-	-	-	4
[26-27-28]	3	2	-	-	-	-	-	-	-	-	-	4
[29-30-31]	2	2	0	-	-	-	-	-	-	-	-	4
[32-33-34]	1	4	2	0	0	-	-	-	-	-	-	8
TOTAL	51	31	13	4	1	0	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAGASAKI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	10)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[35-36-01]	3)	6)	7)	3)	1)	0)	0)	0)	0)	0)	0)	20)
[02-03-04]	3)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	11)
[05-06-07]	3)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[08-09-10]	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	7)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[14-15-16]	5)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[17-18-19]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[29-30-31]	1)	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[32-33-34]	1)	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
TOTAL	44)	29)	17)	6)	1)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAGASAKI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	8	0	-	-	-	-	-	-	-	-	-	9
[35-36-01]	2	4	4	1	-	-	-	-	-	-	-	10
[02-03-04]	2	3	1	-	-	-	-	-	-	-	-	6
[05-06-07]	3	1	0	-	-	-	-	-	-	-	-	4
[08-09-10]	6	1	0	-	-	-	-	-	-	-	-	7
[11-12-13]	8	6	1	0	0	-	-	-	-	-	-	15
[14-15-16]	5	7	3	0	0	-	-	-	-	-	-	16
[17-18-19]	2	1	0	0	0	0	-	-	-	-	-	3
[20-21-22]	1	0	-	0	-	-	-	-	-	-	-	1
[23-24-25]	1	0	0	0	0	-	-	-	-	-	-	1
[26-27-28]	1	1	0	0	0	-	-	-	-	-	-	2
[29-30-31]	1	4	4	3	0	0	-	-	-	-	-	12
[32-33-34]	1	4	5	3	0	-	-	-	-	-	-	14
TOTAL	40	32	19	7	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAGASAKI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	7	0	-	-	-	-	-	-	-	-	-	7
[35-36-01]	2	2	2	0	-	-	-	-	-	-	-	7
[02-03-04]	2	4	1	0	-	-	-	-	-	-	-	7
[05-06-07]	3	1	0	-	-	-	-	-	-	-	-	4
[08-09-10]	5	0	0	-	-	-	-	-	-	-	-	6
[11-12-13]	7	4	1	0	0	0	-	-	-	-	-	12
[14-15-16]	5	8	3	0	0	0	-	-	-	-	-	16
[17-18-19]	1	0	0	0	-	-	-	-	-	-	-	2
[20-21-22]	0	0	0	0	-	-	-	-	-	-	-	1
[23-24-25]	0	0	0	0	0	-	-	-	-	-	-	1
[26-27-28]	0	1	1	0	0	0	-	-	-	-	-	2
[29-30-31]	1	3	3	4	2	0	-	-	-	-	-	13
[32-33-34]	1	5	8	5	3	0	-	-	-	-	-	21
TOTAL	35	29	19	11	4	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAGASAKI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	9)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[35-36-01]	3)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[02-03-04]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[08-09-10]	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[11-12-13]	6)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[14-15-16]	6)	6)	2)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[17-18-19]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[26-27-28]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[29-30-31]	2)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[32-33-34]	2)	5)	4)	2)	1)	0)	0)	0)	0)	0)	0)	13)
TOTAL	42)	31)	17)	7)	2)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAGASAKI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	32	57	10	-	-	-	-	-
01	-	-	-	1	15	71	13	-	-	-	-	-
02	-	-	-	1	10	65	25	-	-	-	-	-
03	-	-	-	1	10	55	34	1	-	-	-	-
04	-	-	-	1	9	48	41	2	-	-	-	-
05	-	-	-	1	8	48	42	1	-	-	-	-
06	-	-	-	1	9	48	40	3	-	-	-	-
07	-	-	-	1	12	50	35	2	-	-	-	-
08	-	-	-	1	13	61	25	1	-	-	-	-
09	-	-	-	1	17	67	15	1	-	-	-	-
10	-	-	-	1	19	70	10	1	-	-	-	-
11	-	-	-	1	27	65	7	1	-	-	-	-
12	-	-	-	1	35	56	7	1	-	-	-	-
13	-	-	-	1	41	52	6	1	-	-	-	-
14	0)	0)	0)	1)	44)	49)	5)	1)	0)	0)	0)	0)
15	0)	0)	0)	2)	42)	50)	5)	1)	0)	0)	0)	0)
16	-	-	1	1	46	45	6	-	-	-	-	-
17	-	-	-	2	50	42	6	-	-	-	-	-
18	0)	0)	0)	2)	49)	43)	5)	1)	0)	0)	0)	0)
19	-	-	-	2	49	43	6	1	-	-	-	-
20	-	-	-	5	52	37	6	1	-	-	-	-
21	-	-	-	3	52	39	6	1	-	-	-	-
22	-	-	-	5	48	41	6	1	-	-	-	-
23	-	-	-	2	50	42	6	-	-	-	-	-
MEAN	0)	0)	0)	1)	31)	52)	15)	1)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAGASAKI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	2	25	63	8	2	-	-	-	-
01	-	-	-	-	11	75	12	2	-	-	-	-
02	-	-	-	-	9	68	20	3	-	-	-	-
03	-	-	-	1	7	61	28	3	1	-	-	-
04	-	-	-	1	8	47	39	4	1	-	-	-
05	-	-	-	1	8	47	37	6	1	-	-	-
06	-	-	-	1	7	49	36	8	-	-	-	-
07	-	-	-	1	10	46	37	6	-	-	-	-
08	-	-	-	1	11	54	30	4	-	-	-	-
09	-	-	-	1	13	62	22	2	-	-	-	-
10	-	-	-	1	16	64	18	1	-	-	-	-
11	-	-	-	1	21	65	12	1	-	-	-	-
12	-	-	-	1	27	61	11	1	-	-	-	-
13	-	-	-	1	33	55	11	1	-	-	-	-
14	-	-	-	1	37	50	11	1	-	-	-	-
15	-	-	-	1	43	44	11	1	-	-	-	-
16	-	-	-	1	44	44	10	1	-	-	-	-
17	-	-	-	1	45	46	6	3	-	-	-	-
18	-	-	-	1	46	43	7	2	-	-	-	-
19	-	-	-	1	49	39	11	1	-	-	-	-
20	-	-	-	1	50	39	7	2	-	-	-	-
21	-	-	-	1	47	42	8	1	-	-	-	-
22	-	-	-	3	49	40	6	2	-	-	-	-
23	-	-	-	2	39	49	8	1	-	-	-	-
MEAN	-	-	-	1	27	52	17	2	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAGASAKI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	3	41	44	13	-	-	-	-
01	-	-	-	-	1	28	51	19	1	-	-	-
02	-	-	-	-	1	20	52	26	1	-	-	-
03	-	-	-	-	1	16	48	32	3	-	-	-
04	-	-	-	-	1	9	48	34	8	-	-	-
05	-	-	-	-	1	9	45	37	8	-	-	-
06	-	-	-	-	1	10	50	32	8	-	-	-
07	-	-	-	-	1	13	46	35	5	-	-	-
08	-	-	-	-	1	15	52	30	3	-	-	-
09	-	-	-	-	1	23	52	24	-	-	-	-
10	-	-	-	-	3	32	50	15	-	-	-	-
11	-	-	-	-	3	41	45	11	-	-	-	-
12	-	-	-	-	5	45	39	10	1	-	-	-
13	-	-	-	-	6	46	37	11	-	-	-	-
14	0)	0)	0)	0)	9)	46)	34)	10)	0)	0)	0)	0)
15	0)	0)	0)	0)	14)	44)	34)	8)	0)	0)	0)	0)
16	0)	0)	0)	0)	17)	45)	29)	8)	1)	0)	0)	0)
17	0)	0)	0)	0)	18)	45)	29)	9)	0)	0)	0)	0)
18	0)	0)	0)	0)	19)	45)	25)	10)	0)	0)	0)	0)
19	0)	0)	0)	0)	22)	44)	27)	8)	0)	0)	0)	0)
20	-	-	-	-	24	44	24	8	-	-	-	-
21	-	-	-	-	23	46	23	7	-	-	-	-
22	-	-	-	-	19	48	26	8	-	-	-	-
23	-	-	-	-	8	48	36	8	-	-	-	-
MEAN	0)	0)	0)	0)	8)	33)	39)	17)	2)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAGASAKI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	3	39	55	3	-	-	-
01	-	-	-	-	-	1	23	68	7	-	-	-
02	-	-	-	-	-	-	19	67	15	-	-	-
03	-	-	-	-	-	1	12	56	31	-	-	-
04	-	-	-	-	-	1	11	49	39	-	-	-
05	-	-	-	-	-	1	10	46	43	1	-	-
06	-	-	-	-	-	-	11	44	43	2	-	-
07	-	-	-	-	-	-	14	45	40	1	-	-
08	-	-	-	-	-	1	15	54	30	-	-	-
09	-	-	-	-	-	3	17	65	16	-	-	-
10	-	-	-	-	-	3	28	64	5	-	-	-
11	-	-	-	-	-	5	37	53	4	-	-	-
12	-	-	-	-	-	5	45	48	2	-	-	-
13	-	-	-	-	-	7	49	42	2	-	-	-
14	-	-	-	-	-	10	55	34	1	-	-	-
15	-	-	-	-	-	13	53	32	1	-	-	-
16	-	-	-	-	-	14	57	27	2	-	-	-
17	-	-	-	-	-	21	52	26	1	-	-	-
18	-	-	-	-	-	19	55	23	3	-	-	-
19	-	-	-	-	-	21	53	24	2	-	-	-
20	-	-	-	-	-	21	53	25	1	-	-	-
21	-	-	-	-	-	22	52	25	1	-	-	-
22	-	-	-	-	-	14	57	28	1	-	-	-
23	-	-	-	-	-	6	53	39	1	-	-	-
MEAN	-	-	-	-	-	8	36	43	12	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: NAGASAKI AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	2	46	52	-	-	-
01	-	-	-	-	-	-	-	30	66	5	-	-
02	-	-	-	-	-	-	-	19	68	14	-	-
03	-	-	-	-	-	-	1	14	64	21	-	-
04	-	-	-	-	-	-	1	9	61	28	1	-
05	-	-	-	-	-	-	1	9	55	34	1	-
06	-	-	-	-	-	-	1	8	58	32	1	-
07	-	-	-	-	-	-	1	10	63	26	-	-
08	-	-	-	-	-	-	1	14	68	18	-	-
09	-	-	-	-	-	-	1	21	68	10	-	-
10	-	-	-	-	-	-	3	33	63	1	-	-
11	-	-	-	-	-	-	4	47	49	-	-	-
12	-	-	-	-	-	-	5	52	43	-	-	-
13	-	-	-	-	-	-	7	57	35	-	-	-
14	-	-	-	-	-	-	10	61	29	-	-	-
15	-	-	-	-	-	-	12	66	23	-	-	-
16	-	-	-	-	-	1	14	68	16	-	-	-
17	-	-	-	-	-	1	19	64	17	-	-	-
18	-	-	-	-	-	1	19	64	15	-	-	-
19	-	-	-	-	-	2	20	65	14	-	-	-
20	-	-	-	-	-	1	24	62	13	-	-	-
21	-	-	-	-	-	1	21	66	11	-	-	-
22	-	-	-	-	-	-	15	68	17	-	-	-
23	-	-	-	-	-	-	6	63	30	-	-	-
MEAN	-	-	-	-	-	0	8	42	42	8	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: NAGASAKI AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	5	82	13	-	-
01	-	-	-	-	-	-	-	3	78	19	-	-
02	-	-	-	-	-	-	-	3	61	36	-	-
03	-	-	-	-	-	-	-	4	50	46	-	-
04	-	-	-	-	-	-	-	3	42	55	-	-
05	-	-	-	-	-	-	-	3	39	57	1	-
06	-	-	-	-	-	-	-	5	39	55	1	-
07	-	-	-	-	-	-	-	5	46	49	1	-
08	-	-	-	-	-	-	-	4	53	43	-	-
09	-	-	-	-	-	-	-	5	63	33	-	-
10	-	-	-	-	-	-	-	5	76	19	-	-
11	-	-	-	-	-	-	-	5	85	10	-	-
12	-	-	-	-	-	-	-	6	87	7	-	-
13	-	-	-	-	-	-	-	7	86	7	-	-
14	-	-	-	-	-	-	-	12	82	6	-	-
15	-	-	-	-	-	-	-	15	79	7	-	-
16	-	-	-	-	-	-	-	17	78	5	-	-
17	-	-	-	-	-	-	-	21	75	4	-	-
18	-	-	-	-	-	-	-	22	73	5	-	-
19	-	-	-	-	-	-	-	27	67	5	-	-
20	-	-	-	-	-	-	-	33	62	5	-	-
21	-	-	-	-	-	-	-	23	72	5	-	-
22	-	-	-	-	-	-	-	14	81	5	-	-
23	-	-	-	-	-	-	-	7	84	9	-	-
MEAN	-	-	-	-	-	-	-	11	68	21	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAGASAKI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	17	69	14	-
01	-	-	-	-	-	-	-	-	14	63	24	-
02	-	-	-	-	-	-	-	-	12	48	39	-
03	-	-	-	-	-	-	-	-	10	45	45	-
04	-	-	-	-	-	-	-	-	9	37	52	1
05	-	-	-	-	-	-	-	-	10	37	53	1
06	-	-	-	-	-	-	-	1	7	43	47	3
07	-	-	-	-	-	-	-	1	8	46	45	1
08	-	-	-	-	-	-	-	1	9	55	34	1
09	-	-	-	-	-	-	-	1	13	63	23	-
10	-	-	-	-	-	-	-	1	15	77	8	-
11	-	-	-	-	-	-	-	1	17	79	3	-
12	-	-	-	-	-	-	-	1	19	79	1	-
13	-	-	-	-	-	-	-	1	20	79	-	-
14	-	-	-	-	-	-	-	1	23	76	-	-
15	-	-	-	-	-	-	-	1	27	72	-	-
16	-	-	-	-	-	-	-	1	31	68	-	-
17	-	-	-	-	-	-	-	1	32	68	-	-
18	-	-	-	-	-	-	-	1	36	63	-	-
19	-	-	-	-	-	-	-	1	38	61	-	-
20	-	-	-	-	-	-	-	1	40	59	-	-
21	-	-	-	-	-	-	-	-	41	59	-	-
22	-	-	-	-	-	-	-	-	27	73	-	-
23	-	-	-	-	-	-	-	-	20	78	2	-
MEAN	-	-	-	-	-	-	-	0	21	62	16	0

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: NAGASAKI AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	8	66	26	-
01	-	-	-	-	-	-	-	-	4	50	46	-
02	-	-	-	-	-	-	-	-	3	41	55	1
03	-	-	-	-	-	-	-	-	1	39	57	3
04	-	-	-	-	-	-	-	-	2	34	55	8
05	-	-	-	-	-	-	-	-	4	26	58	12
06	-	-	-	-	-	-	-	-	3	29	59	10
07	-	-	-	-	-	-	-	-	2	35	58	5
08	-	-	-	-	-	-	-	-	4	38	57	1
09	-	-	-	-	-	-	-	-	5	50	45	1
10	-	-	-	-	-	-	-	-	5	65	30	-
11	-	-	-	-	-	-	-	-	8	78	14	-
12	-	-	-	-	-	-	-	-	12	80	8	-
13	-	-	-	-	-	-	-	-	14	81	5	-
14	-	-	-	-	-	-	-	-	14	85	2	-
15	-	-	-	-	-	-	-	-	15	83	1	-
16	-	-	-	-	-	-	-	-	15	85	-	-
17	-	-	-	-	-	-	-	-	18	81	1	-
18	-	-	-	-	-	-	-	-	20	80	-	-
19	-	-	-	-	-	-	-	-	21	79	-	-
20	-	-	-	-	-	-	-	-	25	75	-	-
21	-	-	-	-	-	-	-	-	26	74	-	-
22	-	-	-	-	-	-	-	-	17	83	-	-
23	-	-	-	-	-	-	-	-	13	83	5	-
MEAN	-	-	-	-	-	-	-	-	11	63	24	2

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAGASAKI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	1	55	44	-	-
01	-	-	-	-	-	-	-	1	35	63	-	-
02	-	-	-	-	-	-	-	1	24	73	1	-
03	-	-	-	-	-	-	-	1	17	69	12	-
04	-	-	-	-	-	-	-	1	17	66	17	-
05	-	-	-	-	-	-	-	1	15	61	23	-
06	-	-	-	-	-	-	-	1	15	65	19	-
07	-	-	-	-	-	-	-	2	17	67	15	-
08	-	-	-	-	-	-	-	2	23	71	4	-
09	-	-	-	-	-	-	-	2	37	61	-	-
10	-	-	-	-	-	-	-	2	55	43	-	-
11	-	-	-	-	-	-	-	3	60	37	-	-
12	-	-	-	-	-	-	-	6	61	33	-	-
13	-	-	-	-	-	-	-	5	73	22	-	-
14	0)	0)	0)	0)	0)	0)	0)	8)	70)	22)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	9)	75)	16)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	10)	76)	14)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	15)	72)	13)	0)	0)
18	-	-	-	-	-	-	-	15	75	11	-	-
19	-	-	-	-	-	-	-	18	72	10	-	-
20	-	-	-	-	-	-	-	18	73	9	-	-
21	-	-	-	-	-	-	-	20	73	7	-	-
22	-	-	-	-	-	-	-	11	75	13	-	-
23	-	-	-	-	-	-	-	3	74	23	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	7)	52)	38)	4)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAGASAKI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	45	46	8	-	-
01	-	-	-	-	-	-	-	34	53	13	-	-
02	-	-	-	-	-	-	-	24	60	16	-	-
03	-	-	-	-	-	-	-	14	63	22	1	-
04	-	-	-	-	-	-	-	10	60	27	3	-
05	-	-	-	-	-	-	-	7	61	30	2	-
06	-	-	-	-	-	-	-	8	61	30	1	-
07	-	-	-	-	-	-	1	11	62	26	1	-
08	-	-	-	-	-	-	1	22	65	12	-	-
09	-	-	-	-	-	-	1	34	54	12	-	-
10	-	-	-	-	-	-	1	45	47	6	-	-
11	-	-	-	-	-	-	4	50	41	6	-	-
12	-	-	-	-	-	-	8	55	33	5	-	-
13	-	-	-	-	-	-	10	56	28	5	-	-
14	0)	0)	0)	0)	0)	0)	12)	57)	25)	5)	0)	0)
15	0)	0)	0)	0)	0)	0)	16)	56)	25)	3)	0)	0)
16	0)	0)	0)	0)	0)	0)	18)	55)	24)	3)	0)	0)
17	0)	0)	0)	0)	0)	0)	17)	58)	21)	4)	0)	0)
18	-	-	-	-	-	-	18	58	21	3	-	-
19	-	-	-	-	-	-	19	58	21	2	-	-
20	-	-	-	-	-	-	18	59	21	2	-	-
21	-	-	-	-	-	-	20	58	18	4	-	-
22	-	-	-	-	-	-	17	59	21	3	-	-
23	-	-	-	-	-	-	6	59	28	6	-	-
MEAN	0)	0)	0)	0)	0)	0)	8)	41)	40)	11)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAGASAKI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	10	43	43	4	-	-	-
01	-	-	-	-	-	5	37	51	7	-	-	-
02	-	-	-	-	-	5	33	50	13	-	-	-
03	-	-	-	-	-	3	29	47	21	-	-	-
04	-	-	-	-	-	3	23	50	23	-	-	-
05	-	-	-	-	-	3	23	49	25	-	-	-
06	-	-	-	-	-	3	24	51	23	-	-	-
07	-	-	-	-	-	3	31	49	17	-	-	-
08	-	-	-	-	-	5	36	51	7	-	-	-
09	-	-	-	-	-	7	42	47	5	-	-	-
10	-	-	-	-	1	10	45	43	1	-	-	-
11	-	-	-	-	1	14	45	39	1	-	-	-
12	-	-	-	-	1	17	43	37	2	-	-	-
13	-	-	-	-	1	17	46	34	2	-	-	-
14	0)	0)	0)	0)	1)	22)	43)	33)	2)	0)	0)	0)
15	0)	0)	0)	0)	1)	22)	47)	28)	2)	0)	0)	0)
16	0)	0)	0)	0)	0)	23)	48)	28)	2)	0)	0)	0)
17	0)	0)	0)	0)	0)	24)	48)	26)	2)	0)	0)	0)
18	0)	0)	0)	0)	0)	25)	48)	26)	2)	0)	0)	0)
19	-	-	-	-	-	24	49	25	2	-	-	-
20	-	-	-	-	-	25	47	27	1	-	-	-
21	-	-	-	-	-	26	46	26	2	-	-	-
22	-	-	-	-	-	26	48	25	1	-	-	-
23	-	-	-	-	-	18	49	31	1	-	-	-
MEAN	0)	0)	0)	0)	0)	14)	41)	38)	7)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: NAGASAKI AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	11	59	29	1	-	-	-	-
01	-	-	-	-	5	52	41	2	-	-	-	-
02	-	-	-	-	2	50	45	4	-	-	-	-
03	-	-	-	-	2	45	48	5	-	-	-	-
04	-	-	-	-	1	41	47	11	-	-	-	-
05	-	-	-	-	3	34	53	11	-	-	-	-
06	-	-	-	-	2	34	55	9	-	-	-	-
07	-	-	-	-	2	39	51	8	-	-	-	-
08	-	-	-	-	3	48	48	1	-	-	-	-
09	-	-	-	-	8	52	39	1	-	-	-	-
10	-	-	-	-	11	55	32	2	-	-	-	-
11	-	-	-	-	12	60	26	3	-	-	-	-
12	-	-	-	-	15	57	25	3	-	-	-	-
13	-	-	-	-	15	60	23	3	-	-	-	-
14	-	-	-	1	17	55	24	3	-	-	-	-
15	-	-	-	1	23	50	22	4	-	-	-	-
16	-	-	-	1	19	55	21	4	-	-	-	-
17	-	-	-	-	21	56	21	3	-	-	-	-
18	-	-	-	1	21	54	23	2	-	-	-	-
19	-	-	-	-	22	57	19	2	-	-	-	-
20	-	-	-	-	25	55	19	1	-	-	-	-
21	-	-	-	-	25	56	18	1	-	-	-	-
22	-	-	-	-	27	54	18	1	-	-	-	-
23	-	-	-	-	19	60	21	1	-	-	-	-
MEAN	-	-	-	0	13	52	32	4	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAGASAKI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	0	6	19	15	18	22	17	3	-
01	-	-	-	0	3	19	15	17	22	18	6	-
02	-	-	-	0	2	17	16	16	21	19	8	0
03	-	-	-	0	2	15	17	15	22	20	10	0
04	-	-	-	0	2	12	17	14	22	21	11	1
05	-	-	-	0	2	12	18	14	22	20	12	1
06	-	-	-	0	2	12	18	14	22	21	11	1
07	-	-	-	0	2	13	18	14	22	21	10	1
08	-	-	-	0	2	15	17	15	22	20	8	0
09	-	-	-	0	3	18	16	17	22	19	6	0
10	-	-	-	0	4	19	15	18	22	18	3	-
11	-	-	-	0	5	21	15	18	22	18	1	-
12	-	-	-	0	7	20	15	18	22	17	1	-
13	-	-	-	0	8	20	16	18	22	16	0	-
14	0)	0)	0)	0)	9)	19)	16)	18)	20)	16)	0)	0)
15	0)	0)	0)	0)	10)	19)	17)	18)	21)	15)	0)	0)
16	0)	0)	0)	0)	10)	19)	17)	18)	20)	15)	0)	0)
17	0)	0)	0)	0)	11)	19)	16)	19)	20)	14)	0)	0)
18	0)	0)	0)	0)	11)	19)	17)	19)	20)	14)	0)	0)
19	0)	0)	0)	0)	12)	19)	17)	19)	20)	13)	0)	0)
20	-	-	-	0	12	18	16	20	20	13	-	-
21	-	-	-	0	12	19	16	19	20	13	-	-
22	-	-	-	1	12	18	16	18	20	15	-	-
23	-	-	-	0	10	18	15	18	21	17	1	-
MEAN	0)	0)	0)	0)	7)	17)	16)	17)	21)	17)	4)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAGASAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	6.7	7.1	11.0	15.4	19.9	22.9	27.1	28.3	24.4	20.2	14.4	8.7	17.2
Daily maximum air temperature(°C)	10.7	11.2	15.9	20.5	25.1	26.5	31.0	32.8	28.7	24.7	18.2	12.6	21.5
Daily minimum air temperature(°C)	2.5	3.1	6.2	10.7	15.3	20.0	24.4	25.0	20.9	16.0	10.3	4.8	13.3
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	51.2	102.6	117.5	155.8	119.0	336.8	260.1	278.2	210.9	156.6	109.4	92.8	1990.9
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	1001.8	1003.9	1000.5	987.4	995.9	992.5	983.6	973.1	989.9	987.8	1003.0	999.6	973.1
Daily maximum air temperature(°C)	17.2	21.9	24.4	26.7	31.7	30.9	37.2	38.5	33.8	32.0	25.2	19.6	38.5
Daily minimum air temperature(°C)	-6.2	-4.7	-0.4	4.3	8.1	15.8	18.9	19.1	14.5	10.1	3.9*	-2.4	-6.2
Daily precipitation(mm)	31.0	37.0	71.5	72.5	64.0	214.0	109.5	231.0	81.5	82.0	49.0	47.5	231.0
Daily max.one-hour precipitation(mm)	11.0*	20.0	43.0	26.0	27.0	72.5	52.5	74.5	54.5	57.0	37.5	12.0	74.5
Daily max.ten-minute precipitation(mm)	4.5	8.5	18.5	10.5	13.5	23.0	16.0	20.5	15.5	19.5	20.5	7.0	23.0
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)	17	0 *	-	-	-	-	-	-	×	×	-	-	17
Daily maximum wind speed(kt)	40	32	30 *	45	36	30	35	41	43	41	32	33 *	45
with wind direction(36DIR.)	31	32	31	22	14	13	21	4	17	2	30	31	22
Daily maximum peak gust(kt)	45	40	42	63	45	41	47	55	59	54	41 *	42 *	63
with wind direction(36DIR.)	30	4	18	22	15	21	10	3	16	2	33	32	22

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAGASAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	4.4	3.2	0.4	-	-	-	-	-	-	-	-	1.0	9.0
25.0°C	-	-	-	-	-	0.6	13.2	18.2	0.4	-	-	-	32.4
Daily mean air temperature < 0.0°C	0.2	0.2	-	-	-	-	-	-	-	-	-	-	0.4
25.0°C	-	-	-	-	-	3.0	25.8	29.6	12.8	2.4	-	-	73.6
Daily maximum air temperature < 0.0°C	0.2	-	-	-	-	-	-	-	-	-	-	-	0.2
25.0°C	-	-	-	1.2	16.2	22.0	30.2	31.0	26.8	13.8	0.4	-	141.6
30.0°C	-	-	-	-	1.4	1.4	20.8	24.4	10.4	1.2	-	-	59.6
Daily precipitation 0.0mm	14.8	17.8	15.4	18.4	17.6	25.0	23.2	20.0	18.6	14.8	16.4	19.8	221.8
1.0mm	5.4	8.6	8.0	10.2	7.0	15.0	11.2	10.8	9.2	6.8	10.0	10.6	112.8
5.0mm	3.2	5.6	5.2	7.0	5.0	10.0	6.8	8.6	7.2	4.8	6.0	4.2	73.6
10.0mm	2.2	3.4	3.8	5.2	3.8	8.4	6.2	6.2	5.8	3.8	4.0	2.8	55.6
30.0mm	0.2	0.8	1.0	1.2	1.4	4.0	3.0	2.8	2.6	2.0	0.6	0.8	20.4
50.0mm	-	-	0.4	0.4	0.6	1.0	2.2	1.6	1.4	1.0	-	-	8.6
70.0mm	-	-	0.2	0.2	-	0.6	1.0	0.8	0.4	0.6	-	-	3.8
100.0mm	-	-	-	-	-	0.6	0.4	0.4	-	-	-	-	1.4

AERODROME: NAGASAKI AIRPORT PERIOD OF RECORD: 2012-2016
LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAGASAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1023.0	1021.9	1019.3	1014.9	1011.7	1007.2	1008.5	1007.4	1012.0	1016.9	1020.1	1022.2	1015.4
01	1023.2	1021.9	1019.4	1014.9	1011.7	1007.1	1008.5	1007.6	1012.1	1016.8	1020.2	1022.4	1015.4
02	1022.9	1021.8	1019.1	1014.8	1011.5	1007.0	1008.5	1007.4	1011.8	1016.4	1019.8	1022.1	1015.3
03	1022.1	1021.3	1018.7	1014.3	1011.1	1006.7	1008.2	1007.0	1011.4	1015.8	1019.1	1021.3	1014.8
04	1021.3	1020.5	1018.0	1013.8	1010.7	1006.4	1007.9	1006.7	1010.9	1015.2	1018.4	1020.6	1014.2
05	1020.8	1019.9	1017.4	1013.4	1010.3	1006.0	1007.6	1006.3	1010.4	1014.7	1018.0	1020.2	1013.7
06	1020.7	1019.7	1017.1	1012.9	1009.9	1005.8	1007.4	1006.0	1010.1	1014.5	1017.9	1020.2	1013.5
07	1020.9	1019.6	1017.0	1012.7	1009.7	1005.6	1007.2	1005.9	1010.1	1014.6	1018.1	1020.3	1013.5
08	1021.2	1019.8	1017.1	1012.8	1009.7	1005.5	1007.1	1005.9	1010.2	1014.8	1018.3	1020.5	1013.6
09	1021.5	1020.1	1017.4	1013.0	1009.8	1005.7	1007.1	1006.0	1010.5	1015.1	1018.7	1020.9	1013.8
10	1021.9	1020.5	1017.8	1013.3	1010.2	1006.0	1007.4	1006.3	1010.8	1015.6	1019.1	1021.2	1014.2
11	1022.0	1020.8	1018.2	1013.8	1010.6	1006.3	1007.8	1006.8	1011.3	1015.9	1019.3	1021.4	1014.5
12	1022.1	1021.0	1018.6	1014.4	1011.2	1006.7	1008.2	1007.2	1011.7	1016.2	1019.4	1021.6	1014.9
13	1022.2	1021.1	1018.8	1014.6	1011.5	1007.1	1008.5	1007.4	1011.8	1016.4	1019.5	1021.6	1015.0
14	1022.2	1021.0	1018.7	1014.5	1011.6	1007.1	1008.4	1007.3	1011.6	1016.4	1019.4	1021.6	1015.0
15	1022.0	1020.9	1018.6	1014.4	1011.5	1006.8	1008.3	1007.3	1011.5	1016.2	1019.3	1021.5	1014.9
16	1021.8	1021.0	1018.5	1014.4	1011.3	1006.7	1008.1	1007.0	1011.1	1015.9	1019.2	1021.2	1014.7
17	1021.9	1020.9	1018.4	1014.1	1011.0	1006.5	1007.8	1006.8	1011.0	1015.9	1019.0	1021.2	1014.5
18	1021.8	1020.7	1018.1	1013.9	1010.9	1006.4	1007.7	1006.7	1010.9	1015.7	1018.9	1021.2	1014.4
19	1021.6	1020.5	1017.9	1013.8	1010.9	1006.4	1007.7	1006.6	1010.8	1015.5	1018.7	1021.0	1014.3
20	1021.6	1020.6	1018.0	1013.9	1010.9	1006.5	1007.8	1006.6	1010.9	1015.6	1018.8	1020.9	1014.4
21	1021.9	1020.8	1018.4	1014.1	1011.2	1006.7	1008.1	1006.9	1011.2	1015.9	1019.0	1021.1	1014.6
22	1022.2	1021.1	1018.6	1014.5	1011.5	1006.9	1008.3	1007.2	1011.5	1016.2	1019.3	1021.6	1014.9
23	1022.5	1021.5	1019.0	1014.7	1011.7	1007.1	1008.5	1007.4	1011.8	1016.6	1019.8	1021.9	1015.2
MEAN	1021.9	1020.8	1018.2	1014.0	1010.9	1006.5	1008.0	1006.8	1011.2	1015.8	1019.1	1021.3	1014.5

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAGASAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.1	6.6	10.6	15.4	19.9	22.9	27.4	28.4	24.6	20.3	14.4	8.4	17.1
01	7.1	7.5	11.8	16.4	21.0	23.5	28.1	29.3	25.5	21.3	15.3	9.3	18.0
02	8.0	8.4	12.8	17.4	22.0	24.0	28.7	30.1	26.3	22.3	16.1	10.0	18.8
03	8.7	9.0	13.5	18.4	22.9	24.5	29.2	30.8	26.9	22.9	16.7	10.6	19.5
04	9.1	9.4	14.2	18.8	23.4	24.8	29.5	31.2	27.3	23.5	17.1	10.9	19.9
05	9.4	9.7	14.3	19.0	23.7	25.0	29.6	31.5	27.5	23.6	17.2	11.0	20.2
06	9.4	9.7	14.4	19.0	23.6	25.0	29.5	31.3	27.5	23.6	17.0	11.0	20.1
07	9.0	9.4	14.0	18.6	23.3	24.8	29.1	30.9	27.1	23.2	16.5	10.7	19.7
08	8.3	8.8	13.4	17.9	22.6	24.4	28.6	30.2	26.4	22.2	15.5	9.8	19.0
09	7.5	7.9	12.4	17.0	21.9	23.9	28.1	29.3	25.4	21.0	14.9	9.3	18.2
10	7.0	7.5	11.4	16.0	20.6	23.3	27.4	28.4	24.5	20.3	14.4	8.8	17.5
11	6.6	7.1	10.9	15.3	19.8	22.8	26.8	27.8	24.1	19.8	13.9	8.5	17.0
12	6.1	6.7	10.4	14.7	19.3	22.5	26.5	27.5	23.8	19.2	13.6	8.2	16.6
13	5.9	6.4	10.1	14.2	18.7	22.2	26.3	27.2	23.4	18.9	13.4	7.9	16.2
14	5.5	6.1	9.8	13.9	18.3	21.9	26.1	27.0	23.1	18.6	13.2	7.8	15.9
15	5.4	5.9	9.4	13.6	18.0	21.8	25.9	26.7	22.9	18.4	12.9	7.5	15.7
16	5.3	5.7	9.1	13.3	17.5	21.4	25.6	26.6	22.7	18.3	12.9	7.6	15.5
17	5.2	5.6	9.0	13.0	17.3	21.3	25.5	26.4	22.5	18.1	12.8	7.6	15.4
18	5.1	5.5	8.7	12.9	17.1	21.2	25.4	26.2	22.4	18.0	12.7	7.5	15.2
19	5.1	5.5	8.6	12.7	16.8	21.1	25.2	26.1	22.2	17.8	12.7	7.4	15.1
20	5.0	5.4	8.4	12.6	16.7	21.0	25.2	25.9	22.1	17.7	12.6	7.3	15.0
21	4.9	5.3	8.3	12.5	16.8	21.2	25.2	25.9	22.0	17.7	12.6	7.2	15.0
22	4.9	5.2	8.5	13.3	17.8	21.7	25.8	26.7	22.7	18.1	12.6	7.2	15.4
23	5.1	5.8	9.5	14.3	18.7	22.3	26.6	27.5	23.6	19.2	13.4	7.5	16.1
MEAN	6.7	7.1	11.0	15.4	19.9	22.8	27.1	28.3	24.4	20.2	14.3	8.7	17.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAGASAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	7.3	7.5	9.8	12.9	17.2	23.3	28.9	29.5	23.6	17.0	12.6	8.6	16.5
01	7.3	7.5	9.7	12.8	16.9	23.2	28.8	29.4	23.6	16.9	12.4	8.5	16.4
02	7.2	7.4	9.5	12.6	16.8	23.3	28.6	29.0	23.4	16.6	12.3	8.3	16.2
03	7.1	7.3	9.3	12.6	16.6	23.2	28.7	28.4	23.3	16.4	12.2	8.2	16.1
04	7.0	7.2	9.2	12.4	16.3	23.2	28.5	28.2	23.2	16.3	12.1	8.2	16.0
05	6.9	7.1	9.1	12.5	16.4	23.2	28.7	28.2	23.0	16.3	11.9	8.1	15.9
06	6.9	7.1	9.2	12.4	16.6	23.4	28.8	28.5	23.0	16.4	11.9	8.1	16.0
07	6.9	7.1	9.2	12.6	16.7	23.4	28.7	28.8	23.4	16.5	12.0	8.1	16.1
08	6.9	7.2	9.3	12.6	16.7	23.3	29.0	29.1	23.5	16.8	12.3	8.2	16.3
09	7.0	7.3	9.4	12.8	16.8	23.5	29.0	29.1	23.6	17.1	12.3	8.2	16.4
10	7.1	7.4	9.6	12.9	17.1	23.5	28.8	29.2	23.6	17.2	12.4	8.3	16.5
11	7.2	7.5	9.6	13.0	17.2	23.5	29.0	29.2	23.7	17.2	12.4	8.4	16.5
12	7.1	7.5	9.6	13.1	17.2	23.5	29.1	29.4	23.6	17.1	12.3	8.3	16.5
13	7.2	7.5	9.6	13.1	17.2	23.4	29.2	29.5	23.6	17.1	12.4	8.2	16.5
14	7.1	7.5	9.6	13.0	17.2	23.4	29.2	29.5	23.6	17.1	12.5	8.3	16.5
15	7.1	7.5	9.7	13.0	17.2	23.3	29.1	29.5	23.6	17.1	12.5	8.3	16.5
16	7.0	7.5	9.6	12.9	17.0	23.0	29.0	29.6	23.6	17.3	12.5	8.5	16.5
17	7.0	7.4	9.6	12.8	17.0	23.0	29.0	29.5	23.5	17.2	12.5	8.4	16.4
18	7.1	7.4	9.5	12.8	16.9	23.1	28.9	29.5	23.5	17.2	12.5	8.3	16.4
19	7.0	7.4	9.6	12.7	16.8	23.0	28.8	29.5	23.5	17.1	12.5	8.3	16.3
20	7.0	7.4	9.5	12.7	16.7	22.9	28.9	29.5	23.4	17.0	12.5	8.3	16.3
21	7.1	7.4	9.5	12.6	16.9	23.1	28.9	29.5	23.4	17.0	12.5	8.3	16.4
22	7.0	7.3	9.6	12.9	17.3	23.3	29.2	29.8	23.8	17.2	12.3	8.3	16.5
23	7.1	7.5	9.8	12.9	17.2	23.3	29.2	29.7	23.6	17.2	12.6	8.4	16.6
MEAN	7.1	7.4	9.5	12.8	16.9	23.2	28.9	29.2	23.5	16.9	12.3	8.3	16.3

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAGASAKI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	76	75	74	72	74	83	79	77	76	70	74	76	76
01	71	70	68	67	68	80	76	73	72	65	70	71	71
02	66	65	62	63	64	78	73	69	69	61	65	66	67
03	61	61	59	60	60	76	71	65	66	58	62	63	64
04	59	59	56	57	58	74	70	63	64	55	61	61	62
05	58	58	55	57	57	74	70	63	63	55	60	60	61
06	57	58	55	57	58	75	71	64	63	56	60	60	61
07	59	59	57	59	59	75	72	66	65	57	63	62	63
08	62	62	59	62	61	77	74	69	69	61	67	65	66
09	66	66	64	65	64	79	77	72	73	68	71	68	70
10	68	68	68	70	70	82	79	76	77	70	73	71	73
11	71	71	71	73	74	84	82	78	79	73	76	73	76
12	73	73	73	77	76	86	84	80	80	75	77	74	77
13	75	75	75	79	79	87	85	82	81	76	79	75	79
14	77	76	77	80	81	88	86	83	83	78	80	77	81
15	77	78	78	81	82	89	87	84	84	80	81	78	82
16	77	78	80	82	84	90	88	85	85	81	81	79	82
17	78	78	81	83	85	90	89	86	85	81	82	79	83
18	78	79	81	83	86	91	89	86	86	82	82	78	84
19	78	79	82	84	87	91	90	87	87	82	82	79	84
20	79	79	82	85	87	92	90	88	87	82	83	79	84
21	79	79	83	85	87	91	90	88	88	83	83	80	85
22	79	79	83	82	84	90	87	85	86	82	82	80	83
23	79	78	79	77	79	86	83	81	80	76	80	79	80
MEAN	71	71	71	72	74	84	81	77	77	71	74	72	75

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAGASAKI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	14	15	14	15	14	15	14	15	15	14	14	14	14
01	14	14	15	36	14	14	13	16	14	1 *	15	14	14
02	33	32	33	35	36	14	24	14	35	1	15	33 *	14
03	33	33	33	35	36	15	25	14	36 *	36	33 *	33 *	33
04	33	33	33	36	36	14	23 *	36 *	36	35	32	32 *	33
05	33	33	36	33	24	15	24	24	35	36	31	32	33
06	32	32	33	33	26 *	24	24	26 *	35 *	36	32	33	33
07	33	33	33	33 *	33	26	25	24 *	33	36 *	32 *	33	33
08	33	31	32	33	33	25	25	24	33	36	31 *	33	33
09	31	31 *	31	31	33	33 *	25	33 *	36	1	1	33	33
10	33	31	31 *	30	34	35	24	32	35	36	30 *	32 *	35
11	33	32	35	33	34	35	23	33	35	1	14	14	35
12	13	31	32 *	35	33	13	14	12 *	1	1	13	14	13
13	14	31	13 *	15	13	13	14	13	13 *	2 *	13	13	13
14	13)	14	13	14 *	13 *	13 *	14	12	13	1)	14	14	14)
15	14)	13	13	14 *	14 *	13 *	13	13 *	13	13)	14	13	13)
16	14	13	14	13	14	12 *	14 *	12	14	14	14	13	13 *
17	14	14	13	13	13	13	14	12	13	14	13	14	13
18	14)	13	13	12	13 *	14	14	12	14	13	12	13	14)
19	14	14 *	14	14	14	14	13	12	13	14	13	14	14
20	14	14	13	13	14	13	13	14	14	14	14	14	14
21	14	14	14	14	13	13	14	13	12	13	14	14	14
22	14	13	14	14	13 *	13	14	13	14	13 *	14	13	14
23	14	14	14	14	15	15	14 *	14	14	13	14	14	14
ALL	33)	33	14	14	14	14	14	13	13	1)	14	33	14)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAGASAKI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	7.8	8.0	8.0	7.5	6.0	5.6	7.7	6.6	5.9	6.5	7.6	9.0	7.2
01	8.3	8.5	8.4	7.9	5.9	6.1	7.8	7.2	6.3	7.4	7.8	9.2	7.5
02	8.7	8.5	8.5	7.8	6.4	6.2	8.0	7.2	6.4	8.0	8.0	9.7	7.8
03	8.9	9.0	8.9	8.3	6.9	6.7	8.5	7.7	6.6	8.1	8.3	9.7	8.1
04	9.4	9.8	9.0	9.0	7.4	7.0	8.9	8.0	7.1	8.7	8.6	10.3	8.6
05	9.7	9.9	9.6	9.3	8.3	7.4	8.8	8.2	7.4	8.8	9.0	10.1	8.9
06	10.2	10.2	9.5	9.9	8.8	7.7	9.4	8.9	7.5	9.5	8.9	10.1	9.2
07	10.4	10.3	10.4	10.4	9.3	7.6	9.9	9.9	8.3	10.1	8.9	10.5	9.7
08	10.0	10.0	10.5	10.7	9.6	7.6	9.4	9.8	9.0	10.5	9.0	10.5	9.7
09	9.6	9.5	10.2	10.1	8.7	8.0	8.9	9.2	8.8	10.1	8.6	10.1	9.3
10	8.6	9.0	9.0	9.0	8.6	7.6	8.4	8.9	8.5	9.4	8.0	9.4	8.7
11	7.6	7.9	8.1	8.0	7.4	7.2	7.8	8.3	7.3	8.2	7.4	8.7	7.9
12	7.0	7.1	7.9	7.7	7.1	6.9	7.4	7.7	6.6	7.0	7.4	8.2	7.3
13	6.7	7.2	7.1	7.1	6.1	6.3	7.4	7.0	6.1	7.1	7.1	8.0	6.9
14	6.5	7.1	6.8	6.7	5.8	6.0	7.1	6.5	5.7	6.8	7.0	7.7	6.7
15	6.4	7.4	6.6	6.9	5.5	6.2	7.0	6.2	5.9	6.6	6.8	7.5	6.6
16	6.7	6.9	6.7	6.9	5.5	5.6	7.3	6.2	6.0	6.7	7.2	7.7	6.6
17	6.8	7.2	6.9	6.7	5.6	5.6	7.1	6.1	5.8	6.5	7.3	8.0	6.6
18	7.7	7.5	6.6	6.9	5.8	5.4	7.4	5.8	5.8	6.4	7.4	8.4	6.8
19	7.9	7.8	7.0	7.1	5.7	5.4	7.3	5.9	6.0	6.4	7.5	8.5	6.9
20	7.7	8.0	7.3	7.2	5.8	5.1	7.3	6.1	5.7	6.3	7.8	8.7	6.9
21	8.1	7.9	7.3	7.0	5.9	5.4	7.5	6.3	5.8	6.7	7.7	9.0	7.0
22	7.9	8.0	7.6	7.4	5.6	5.2	7.5	6.2	5.7	6.6	7.6	8.8	7.0
23	7.7	8.0	7.8	7.0	6.0	5.4	7.4	6.4	5.8	6.7	7.5	8.9	7.0
MEAN	8.2	8.4	8.2	8.0	6.9	6.4	8.0	7.4	6.7	7.7	7.9	9.0	7.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAGASAKI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	7.2	11.4	3.4	6.9	11.2	2.8	8.9	13.4	4.5	13.7	18.9	8.9
02	7.1	11.3	3.2	6.9	11.1	2.7	9.1	13.7	4.6	13.8	19.0	9.1
03	7.0	11.2	3.1	6.8	11.0	2.7	9.2	13.8	4.7	13.9	19.1	9.2
04	7.0	11.1	3.0	6.7	10.8	2.7	9.3	14.0	4.8	14.0	19.1	9.3
05	6.9	11.0	2.9	6.6	10.7	2.6	9.5	14.1	4.8	14.1	19.2	9.4
06	6.8	10.9	2.8	6.6	10.6	2.6	9.6	14.3	4.9	14.1	19.2	9.5
07	6.7	10.8	2.6	6.5	10.5	2.5	9.6	14.4	4.9	14.2	19.3	9.6
08	6.6	10.7	2.5	6.5	10.5	2.5	9.7	14.5	4.9	14.3	19.3	9.6
09	6.6	10.6	2.4	6.5	10.4	2.6	9.8	14.6	5.0	14.4	19.4	9.7
10	6.5	10.5	2.3	6.5	10.4	2.6	9.9	14.8	5.0	14.5	19.6	9.8
11	6.5	10.4	2.2	6.5	10.5	2.7	10.0	14.9	5.1	14.6	19.7	10.0
12	6.4	10.4	2.2	6.6	10.5	2.7	10.2	15.1	5.2	14.8	19.9	10.1
13	6.4	10.3	2.1	6.6	10.6	2.8	10.3	15.3	5.4	15.0	20.1	10.3
14	6.4	10.3	2.1	6.7	10.7	2.9	10.5	15.5	5.6	15.2	20.2	10.5
15	6.4	10.3	2.1	6.8	10.8	3.0	10.7	15.7	5.9	15.3	20.4	10.6
16	6.4	10.3	2.1	6.9	10.8	3.1	10.9	15.9	6.1	15.5	20.6	10.8
17	6.4	10.3	2.1	7.0	11.0	3.1	11.1	16.1	6.3	15.6	20.7	10.9
18	6.4	10.3	2.2	7.1	11.1	3.2	11.3	16.3	6.5	15.8	20.9	11.0
19	6.4	10.3	2.2	7.2	11.2	3.3	11.5	16.5	6.6	15.9	21.0	11.2
20	6.4	10.4	2.2	7.3	11.4	3.4	11.6	16.7	6.8	16.0	21.2	11.3
21	6.4	10.4	2.3	7.4	11.6	3.5	11.7	16.8	6.9	16.1	21.3	11.4
22	6.5	10.5	2.3	7.6	11.8	3.6	11.8	16.9	7.0	16.3	21.4	11.6
23	6.5	10.5	2.4	7.7	12.0	3.7	12.0	17.1	7.1	16.4	21.5	11.7
24	6.6	10.6	2.5	7.9	12.3	3.8	12.1	17.3	7.2	16.5	21.7	11.9
25	6.6	10.8	2.5	8.1	12.5	4.0	12.3	17.5	7.4	16.7	21.8	12.0
26	6.7	10.9	2.6	8.3	12.8	4.1	12.5	17.7	7.6	16.8	21.9	12.2
27	6.8	11.0	2.6	8.5	13.0	4.3	12.7	17.9	7.8	17.0	22.1	12.4
28	6.9	11.1	2.7	8.7	13.2	4.4	12.9	18.1	8.0	17.2	22.2	12.6
29	6.9	11.2	2.8	8.8	13.3	4.5	13.1	18.3	8.2	17.3	22.4	12.7
30	7.0	11.2	2.8				13.3	18.6	8.5	17.5	22.5	12.9
31	7.0	11.2	2.8				13.5	18.7	8.7			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAGASAKI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	17.6	22.7	13.0	21.9	26.4	18.1	24.4	27.7	22.0	28.9	33.4	25.7
02	17.7	22.8	13.1	21.9	26.4	18.2	24.7	28.0	22.3	29.0	33.4	25.7
03	17.9	23.0	13.3	22.0	26.3	18.4	25.0	28.2	22.5	29.0	33.5	25.7
04	18.0	23.1	13.4	22.1	26.3	18.5	25.2	28.5	22.7	29.0	33.5	25.7
05	18.2	23.3	13.5	22.2	26.4	18.7	25.5	28.8	23.0	29.0	33.5	25.6
06	18.3	23.4	13.6	22.3	26.4	18.9	25.7	29.0	23.2	28.9	33.5	25.6
07	18.4	23.6	13.7	22.4	26.4	19.0	25.9	29.3	23.3	28.9	33.5	25.6
08	18.6	23.7	13.8	22.5	26.5	19.2	26.1	29.5	23.5	28.9	33.5	25.6
09	18.7	23.9	14.0	22.6	26.6	19.4	26.3	29.7	23.6	28.9	33.5	25.6
10	18.9	24.0	14.1	22.7	26.6	19.6	26.4	30.0	23.8	28.8	33.4	25.6
11	19.0	24.2	14.3	22.8	26.7	19.8	26.6	30.2	23.9	28.8	33.4	25.6
12	19.2	24.3	14.4	22.9	26.7	20.0	26.7	30.4	24.0	28.8	33.4	25.6
13	19.3	24.5	14.6	23.0	26.7	20.2	26.8	30.5	24.0	28.7	33.3	25.6
14	19.5	24.7	14.8	23.1	26.7	20.3	26.9	30.7	24.1	28.7	33.3	25.5
15	19.6	24.8	15.0	23.1	26.7	20.4	27.0	30.9	24.2	28.7	33.3	25.5
16	19.8	25.0	15.1	23.2	26.7	20.5	27.1	31.1	24.3	28.7	33.3	25.5
17	20.0	25.2	15.3	23.2	26.6	20.6	27.2	31.3	24.3	28.7	33.3	25.4
18	20.1	25.4	15.5	23.2	26.6	20.7	27.3	31.5	24.4	28.6	33.2	25.4
19	20.3	25.6	15.7	23.2	26.5	20.7	27.5	31.6	24.5	28.6	33.2	25.3
20	20.5	25.8	15.9	23.2	26.5	20.8	27.6	31.8	24.6	28.5	33.0	25.1
21	20.7	26.0	16.2	23.2	26.5	20.8	27.8	32.0	24.8	28.3	32.9	25.0
22	20.9	26.1	16.4	23.2	26.5	20.8	27.9	32.2	24.9	28.2	32.6	24.8
23	21.0	26.3	16.6	23.3	26.5	20.9	28.0	32.3	25.0	28.0	32.4	24.6
24	21.2	26.4	16.8	23.3	26.6	20.9	28.2	32.5	25.2	27.7	32.1	24.4
25	21.3	26.5	17.0	23.4	26.6	21.0	28.3	32.6	25.3	27.4	31.8	24.2
26	21.5	26.5	17.2	23.5	26.7	21.1	28.5	32.8	25.4	27.2	31.4	23.9
27	21.6	26.5	17.4	23.6	26.9	21.3	28.6	32.9	25.5	26.9	31.0	23.7
28	21.7	26.5	17.6	23.8	27.0	21.4	28.7	33.0	25.6	26.6	30.7	23.4
29	21.7	26.5	17.7	24.0	27.2	21.6	28.8	33.1	25.6	26.3	30.3	23.2
30	21.8	26.5	17.9	24.2	27.5	21.8	28.8	33.2	25.6	26.1	30.1	23.0
31	21.8	26.4	18.0				28.9	33.3	25.7	25.9	29.8	22.8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAGASAKI AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 32° 55.0'N, LONGITUDE: 129° 54.8'E, ELEVATION ABOVE MSL: 8 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	25.7	29.6	22.6	23.1	27.6	19.1	16.7	20.9	12.6	10.8	14.7	6.7
02	25.6	29.5	22.5	23.0	27.5	18.9	16.5	20.7	12.4	10.5	14.4	6.4
03	25.5	29.4	22.3	22.8	27.3	18.7	16.3	20.6	12.2	10.3	14.3	6.2
04	25.4	29.4	22.2	22.6	27.1	18.5	16.2	20.4	12.1	10.1	14.1	6.0
05	25.3	29.4	22.1	22.4	26.9	18.2	16.1	20.3	12.0	9.9	13.9	5.8
06	25.3	29.4	22.0	22.2	26.7	17.9	16.0	20.1	11.9	9.8	13.8	5.7
07	25.3	29.5	21.9	22.0	26.5	17.7	15.9	20.0	11.8	9.6	13.6	5.6
08	25.2	29.5	21.9	21.7	26.3	17.4	15.8	19.8	11.8	9.5	13.5	5.5
09	25.2	29.5	21.8	21.5	26.0	17.1	15.7	19.6	11.7	9.4	13.4	5.4
10	25.1	29.5	21.7	21.2	25.8	16.8	15.5	19.4	11.6	9.3	13.2	5.3
11	25.0	29.4	21.5	21.0	25.6	16.6	15.4	19.2	11.5	9.2	13.1	5.3
12	24.9	29.3	21.4	20.8	25.4	16.3	15.2	19.1	11.4	9.1	12.9	5.2
13	24.8	29.2	21.3	20.5	25.2	16.1	15.0	18.9	11.2	9.0	12.8	5.1
14	24.7	29.1	21.1	20.3	25.0	15.9	14.9	18.7	11.1	8.9	12.6	5.1
15	24.5	28.9	20.9	20.2	24.8	15.8	14.7	18.5	10.9	8.8	12.5	5.0
16	24.4	28.7	20.8	20.0	24.6	15.7	14.5	18.3	10.7	8.7	12.3	4.9
17	24.2	28.6	20.6	19.8	24.5	15.6	14.4	18.1	10.5	8.6	12.2	4.8
18	24.1	28.4	20.4	19.7	24.3	15.5	14.2	18.0	10.3	8.5	12.1	4.7
19	24.0	28.3	20.3	19.6	24.2	15.5	14.0	17.8	10.1	8.4	12.0	4.6
20	23.9	28.3	20.2	19.5	24.0	15.4	13.8	17.6	9.9	8.3	11.9	4.5
21	23.8	28.2	20.1	19.3	23.8	15.3	13.6	17.4	9.7	8.2	11.9	4.5
22	23.8	28.2	20.0	19.2	23.6	15.2	13.4	17.2	9.4	8.1	11.9	4.4
23	23.7	28.2	19.9	19.0	23.4	15.0	13.2	16.9	9.1	8.0	11.8	4.3
24	23.7	28.1	19.8	18.8	23.1	14.8	12.9	16.6	8.8	7.9	11.8	4.2
25	23.6	28.1	19.8	18.5	22.8	14.6	12.6	16.4	8.5	7.8	11.8	4.1
26	23.6	28.1	19.7	18.3	22.5	14.3	12.3	16.1	8.2	7.7	11.7	4.0
27	23.5	28.1	19.7	18.0	22.2	14.0	12.0	15.8	7.9	7.6	11.7	3.9
28	23.4	28.0	19.6	17.7	21.9	13.7	11.7	15.5	7.6	7.6	11.6	3.8
29	23.3	27.9	19.4	17.4	21.7	13.4	11.3	15.2	7.3	7.5	11.6	3.7
30	23.2	27.8	19.3	17.1	21.4	13.1	11.1	14.9	7.0	7.4	11.5	3.6
31				16.9	21.1	12.8				7.3	11.4	3.5