

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKIERABU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	1
01						-	1	1
02						-	-	1
03						-	-	1
04						-	-	1
05						-	-	2
06						-	1	3
07						-	1	3
08						1	1	3
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKIERABU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	5
01						1	1	4
02						-	-	2
03						-	1	3
04						-	-	1
05						1	1	4
06						1	1	2
07						-	1	1
08						-	1	1
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKIERABU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	2	3
01						-	2	3
02						-	1	5
03						-	1	4
04						1	1	1
05						-	1	1
06						1	3	4
07						-	3	3
08						2	3	5
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKIERABU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						5	8	13
01						3	6	11
02						3	4	10
03						3	7	13
04						3	7	13
05						3	7	11
06						1	5	12
07						3	7	13
08						1	5	9
09						3	7	10
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						3	6	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKIERABU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						13	21	30
01						10	19	25
02						8	15	25
03						10	17	23
04						7	14	17
05						8	14	20
06						5	15	19
07						5	13	17
08						5	12	20
09						6	14	21
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						8	15	22

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKIERABU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						5	11	18
01						3	7	14
02						3	9	15
03						2	8	14
04						5	9	15
05						5	11	15
06						3	10	15
07						3	10	15
08						3	7	15
09						3	9	13
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						3	9	15

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1)	3)	5)
01						1)	3)	5)
02						1)	1)	3)
03						-	1	3
04						-	1	3
05						1	2	4
06						1	4	5
07						1	5	5
08						1	4	6
09						1	3	5
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1)	3)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKIERABU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	1	3
01						1	3	5
02						1	3	3
03						1	3	5
04						1	3	3
05						1	3	5
06						1	4	5
07						2	5	5
08						1	3	4
09						1	3	3
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	3	4

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1)	1)	1)
01						1)	1)	1)
02						1)	1)	1)
03						1)	1)	1)
04						1)	1)	2)
05						1	3	3
06						1	2	3
07						1	1	2
08						1	1	3
09						1	1	2
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1)	1)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKIERABU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	2	2
01						1	1	3
02						-	2	5
03						1	3	5
04						1	1	5
05						1	3	5
06						1	3	5
07						1	3	4
08						1	3	5
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKIERABU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	-	1
01						1	1	3
02						1	1	3
03						-	1	3
04						-	-	1
05						-	1	1
06						-	1	1
07						-	-	1
08						-	1	1
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKIERABU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	3
01						1	2	3
02						-	-	1
03						-	-	1
04						-	1	1
05						-	1	1
06						-	-	1
07						-	-	1
08						1	1	2
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	2

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						2)	4)	7)
01						2)	4)	6)
02						1)	3)	6)
03						1)	4)	6)
04						1)	3)	5)
05						2	4	6
06						1	4	6
07						1	4	6
08						1	4	6
09						×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						2)	4)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OKIERABU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	-	-					
01	-	-	-					
02	-	-	1					
03	-	-	1					
04	-	-	-					
05	-	-	1					
06	-	1	2					
07	-	1	2					
08	-	1	2					
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKIERABU AIRPORT MONTH: FEB
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	-	1	1					
02	-	-	-					
03	-	-	-					
04	-	-	-					
05	-	1	1					
06	-	-	1					
07	-	1	1					
08	-	-	-					
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	0					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OKIERABU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	-	1	1					
02	-	1	1					
03	-	-	1					
04	1	1	1					
05	-	1	1					
06	1	1	1					
07	-	2	2					
08	1	1	3					
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	1	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKIERABU AIRPORT MONTH: APR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1	3	5					
01	-	1	4					
02	-	1	2					
03	1	2	4					
04	1	3	5					
05	-	2	3					
06	-	1	2					
07	1	3	3					
08	1	1	3					
09	1	3	6					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	2	4					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKIERABU AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	5	9	13					
01	3	8	11					
02	1	3	7					
03	2	3	4					
04	1	6	8					
05	3	6	6					
06	-	5	7					
07	1	5	8					
08	1	5	6					
09	1	4	5					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	2	5	7					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OKIERABU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1	4	7					
01	-	1	3					
02	1	4	5					
03	-	2	3					
04	1	3	6					
05	-	4	5					
06	1	3	6					
07	-	2	4					
08	-	1	7					
09	-	3	4					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	3	5					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKIERABU AIRPORT MONTH: JUL
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1)	2)	3)					
01	1)	3)	3)					
02	1)	1)	3)					
03	-	1	2					
04	-	1	2					
05	1	2	3					
06	1	4	4					
07	1	5	5					
08	1	4	5					
09	1	3	5					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1)	3)	3)					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKIERABU AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1	1	1					
01	1	3	5					
02	1	2	2					
03	1	3	4					
04	1	3	3					
05	1	3	4					
06	1	3	4					
07	2	5	5					
08	1	3	4					
09	1	3	3					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	3	3					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKIERABU AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1)	1)	1)					
01	1)	1)	1)					
02	1)	1)	1)					
03	1)	1)	1)					
04	1)	1)	1)					
05	1	3	3					
06	1	2	3					
07	1	1	2					
08	1	1	1					
09	1	1	1					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1)	1)	2)					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKIERABU AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	1	1	2					
02	-	1	4					
03	1	3	3					
04	1	1	3					
05	1	3	3					
06	1	3	3					
07	1	3	3					
08	1	3	4					
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	2	3					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKIERABU AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	-	1					
01	1	1	3					
02	-	1	2					
03	-	1	2					
04	-	-	1					
05	-	1	1					
06	-	1	1					
07	-	-	-					
08	-	1	1					
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	1	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OKIERABU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	2					
01	1	1	3					
02	-	-	1					
03	-	-	1					
04	-	1	1					
05	-	1	1					
06	-	-	1					
07	-	-	1					
08	1	1	1					
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: OKIERABU AIRPORT [ANNUAL]
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1)	2)	3)					
01	1)	2)	3)					
02	0)	1)	2)					
03	0)	1)	2)					
04	0)	2)	3)					
05	0	2	3					
06	0	2	3					
07	1	2	3					
08	0	2	3					
09	x	x	x					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1)	2)	3)					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKIERABU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	1	1			
01	-	-	1	1			
02	-	-	-	-			
03	-	-	-	1			
04	-	-	-	1			
05	-	-	-	1			
06	-	-	1	1			
07	-	-	-	1			
08	-	1	1	1			
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	0	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKIERABU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	5			
01	-	1	1	4			
02	-	-	-	2			
03	-	-	1	3			
04	-	-	-	1			
05	-	1	1	4			
06	-	1	1	2			
07	-	-	1	1			
08	-	-	1	1			
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	1	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKIERABU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	1	3			
01	-	-	1	3			
02	-	-	1	5			
03	-	-	1	3			
04	-	-	1	1			
05	-	-	1	1			
06	-	-	2	3			
07	-	-	1	2			
08	-	1	3	4			
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	1	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKIERABU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	4	7	11			
01	-	3	6	9			
02	-	3	4	10			
03	-	3	6	10			
04	-	3	5	11			
05	-	3	7	11			
06	-	1	5	10			
07	-	3	7	11			
08	-	1	4	7			
09	-	2	5	9			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	2	5	10			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKIERABU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	10	17	25			
01	-	9	15	19			
02	-	8	14	23			
03	-	9	15	21			
04	-	7	12	15			
05	-	7	12	18			
06	-	5	13	16			
07	-	5	10	14			
08	-	5	12	19			
09	-	6	13	20			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	7	13	19			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKIERABU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	5	7	14			
01	-	3	6	11			
02	-	3	6	12			
03	-	2	7	14			
04	-	4	7	11			
05	-	5	9	12			
06	-	3	7	11			
07	-	3	8	13			
08	-	3	7	11			
09	-	3	7	11			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	3	7	12			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKIERABU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	0)	1)	1)	5)			
01	0)	0)	0)	3)			
02	0)	0)	0)	1)			
03	-	-	-	1			
04	-	-	-	1			
05	-	-	-	2			
06	-	-	-	1			
07	-	-	-	2			
08	-	-	-	1			
09	-	-	-	1			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	0)	0)	2)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKIERABU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	2			
01	-	-	1	1			
02	-	-	1	2			
03	-	-	-	1			
04	-	-	-	1			
05	-	-	1	2			
06	-	-	1	3			
07	-	1	1	3			
08	-	-	-	1			
09	-	-	-	1			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	0	2			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKIERABU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	0)	0)	0)	1)			
01	0)	0)	0)	1)			
02	0)	1)	1)	1)			
03	0)	0)	0)	1)			
04	0)	0)	1)	1)			
05	-	-	-	1			
06	-	1	1	1			
07	-	1	1	1			
08	-	-	1	3			
09	-	1	1	2			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	0)	0)	1)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKIERABU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	1	1			
01	-	-	1	2			
02	-	-	1	3			
03	-	-	1	3			
04	-	-	-	2			
05	-	-	-	3			
06	-	-	-	3			
07	-	-	-	3			
08	-	-	1	3			
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	1	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: OKIERABU AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	-			
01	-	-	-	1			
02	-	1	1	2			
03	-	-	-	1			
04	-	-	-	1			
05	-	-	-	1			
06	-	-	-	1			
07	-	-	-	1			
08	-	-	1	1			
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	0	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKIERABU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	1	1			
01	-	-	1	1			
02	-	-	-	-			
03	-	-	-	1			
04	-	-	-	1			
05	-	-	-	1			
06	-	-	-	-			
07	-	-	-	-			
08	-	-	1	1			
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	0	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKIERABU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	0)	2)	3)	6)			
01	0)	1)	3)	5)			
02	0)	1)	2)	5)			
03	0)	1)	3)	5)			
04	0)	1)	2)	4)			
05	-	1	2	5			
06	-	1	3	4			
07	-	1	2	4			
08	-	1	3	5			
09	x	x	x	x			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	1)	3)	5)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKIERABU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	2	0	-	-	-	-	-	-	-	-	-	2
[35-36-01]	1	5	7	7	3	0	-	-	-	-	-	22
[02-03-04]	1	5	7	3	1	-	-	-	-	-	-	17
[05-06-07]	1	3	2	0	0	-	-	-	-	-	-	6
[08-09-10]	1	2	1	0	0	-	-	-	-	-	-	5
[11-12-13]	1	2	1	0	0	-	-	-	-	-	-	5
[14-15-16]	1	2	0	0	0	-	-	-	-	-	-	3
[17-18-19]	0	1	2	1	0	0	-	-	-	-	-	5
[20-21-22]	0	0	1	1	-	-	-	-	-	-	-	2
[23-24-25]	1	0	0	-	-	-	-	-	-	-	-	1
[26-27-28]	1	0	0	0	0	-	-	-	-	-	-	1
[29-30-31]	1	2	1	1	1	0	0	-	-	-	-	5
[32-33-34]	1	3	7	9	4	1	0	-	-	-	-	26
TOTAL	11	26	29	23	9	2	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKIERABU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	5)	7)	8)	3)	0)	0)	0)	0)	0)	0)	24)
[02-03-04]	1)	5)	5)	2)	0)	0)	0)	0)	0)	0)	0)	13)
[05-06-07]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[08-09-10]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[11-12-13]	1)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[14-15-16]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	0)	1)	3)	4)	1)	0)	0)	0)	0)	0)	0)	9)
[20-21-22]	0)	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[29-30-31]	0)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[32-33-34]	1)	3)	5)	7)	4)	0)	0)	0)	0)	0)	0)	19)
TOTAL	10)	27)	29)	24)	9)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKIERABU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	5)	8)	5)	1)	0)	0)	0)	0)	0)	0)	20)
[02-03-04]	1)	3)	3)	2)	0)	0)	0)	0)	0)	0)	0)	9)
[05-06-07]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[08-09-10]	1)	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[11-12-13]	1)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[14-15-16]	1)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[17-18-19]	0)	3)	6)	3)	1)	0)	0)	0)	0)	0)	0)	14)
[20-21-22]	0)	2)	3)	2)	0)	0)	0)	0)	0)	0)	0)	6)
[23-24-25]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	0)	2)	5)	4)	3)	0)	0)	0)	0)	0)	0)	15)
TOTAL	10)	30)	33)	20)	6)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKIERABU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	2	0	-	-	-	-	-	-	-	-	-	2
[35-36-01]	1	4	4	2	0	-	-	-	-	-	-	10
[02-03-04]	1	3	2	0	-	-	-	-	-	-	-	6
[05-06-07]	1	3	2	1	0	-	-	-	-	-	-	7
[08-09-10]	1	4	3	2	0	-	-	-	-	-	-	10
[11-12-13]	2	5	4	1	0	-	-	-	-	-	-	13
[14-15-16]	2	4	1	0	-	-	-	-	-	-	-	6
[17-18-19]	1	5	5	3	0	0	-	-	-	-	-	15
[20-21-22]	1	3	3	1	0	0	-	-	-	-	-	7
[23-24-25]	1	1	0	0	0	-	-	-	-	-	-	3
[26-27-28]	1	2	0	0	-	-	-	-	-	-	-	3
[29-30-31]	0	3	2	1	0	0	-	-	-	-	-	6
[32-33-34]	1	3	3	3	1	0	0	-	-	-	-	11
TOTAL	15	37	31	14	2	1	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKIERABU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[35-36-01]	2)	4)	1)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[02-03-04]	1)	3)	1)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[05-06-07]	2)	5)	3)	2)	1)	0)	0)	0)	0)	0)	0)	13)
[08-09-10]	2)	6)	4)	1)	0)	0)	0)	0)	0)	0)	0)	14)
[11-12-13]	3)	6)	3)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[14-15-16]	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[17-18-19]	1)	4)	4)	2)	0)	0)	0)	0)	0)	0)	0)	11)
[20-21-22]	1)	4)	3)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[23-24-25]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[29-30-31]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[32-33-34]	1)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
TOTAL	21)	44)	24)	9)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKIERABU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[35-36-01]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[05-06-07]	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[08-09-10]	1)	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[11-12-13]	2)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[14-15-16]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	2)	11)	9)	2)	0)	0)	0)	0)	0)	0)	0)	24)
[20-21-22]	1)	9)	13)	4)	0)	0)	0)	0)	0)	0)	0)	27)
[23-24-25]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[26-27-28]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[29-30-31]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[32-33-34]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	18)	39)	32)	10)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKIERABU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[05-06-07]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[08-09-10]	2)	7)	2)	2)	0)	1)	0)	0)	0)	0)	0)	14)
[11-12-13]	2)	7)	1)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[14-15-16]	4)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[17-18-19]	2)	10)	10)	3)	1)	0)	0)	0)	0)	0)	0)	26)
[20-21-22]	1)	6)	6)	2)	0)	0)	0)	0)	0)	0)	0)	15)
[23-24-25]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[29-30-31]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[32-33-34]	1)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
TOTAL	18)	43)	25)	8)	3)	1)	1)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKIERABU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	2	0	-	-	-	-	-	-	-	-	-	2
[35-36-01]	2	2	1	1	0	0	-	-	-	-	-	5
[02-03-04]	2	1	1	1	0	0	0	0	-	-	-	5
[05-06-07]	1	2	1	2	1	0	0	0	0	0	-	8
[08-09-10]	2	4	4	2	1	0	-	-	-	-	0	13
[11-12-13]	3	5	3	1	0	0	-	-	0	0	0	12
[14-15-16]	3	4	1	0	0	0	0	0	-	-	-	8
[17-18-19]	2	7	8	3	1	0	0	0	0	0	0	21
[20-21-22]	2	3	1	0	0	-	0	-	0	0	-	6
[23-24-25]	2	1	0	0	-	-	-	-	-	-	-	4
[26-27-28]	2	2	1	0	-	-	-	-	-	-	-	6
[29-30-31]	1	2	1	0	0	-	-	-	-	-	-	5
[32-33-34]	1	2	0	0	0	0	-	-	-	-	-	4
TOTAL	26	35	20	11	4	1	1	0	0	0	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKIERABU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[35-36-01]	2)	6)	5)	2)	0)	0)	0)	0)	0)	0)	0)	14)
[02-03-04]	2)	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[05-06-07]	2)	4)	3)	3)	1)	0)	0)	0)	0)	0)	0)	13)
[08-09-10]	2)	6)	5)	3)	0)	0)	0)	0)	0)	0)	0)	17)
[11-12-13]	3)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	11)
[14-15-16]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[17-18-19]	1)	2)	3)	1)	1)	0)	0)	0)	0)	0)	0)	7)
[20-21-22]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[29-30-31]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	2)	3)	3)	1)	1)	0)	0)	0)	0)	0)	0)	9)
TOTAL	23)	34)	27)	12)	3)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKIERABU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	4)	8)	5)	2)	1)	0)	0)	0)	0)	0)	21)
[02-03-04]	1)	5)	6)	4)	1)	1)	0)	0)	0)	0)	0)	19)
[05-06-07]	1)	4)	6)	6)	3)	1)	0)	0)	0)	0)	0)	22)
[08-09-10]	1)	5)	4)	1)	0)	1)	0)	0)	0)	0)	0)	12)
[11-12-13]	2)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[14-15-16]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	0)	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[32-33-34]	1)	1)	2)	1)	1)	1)	1)	0)	0)	0)	0)	7)
TOTAL	10)	26)	28)	19)	9)	4)	2)	1)	1)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKIERABU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	1	0	-	-	-	-	-	-	-	-	-	1
[35-36-01]	1	6	8	7	2	0	-	-	-	-	-	24
[02-03-04]	1	6	6	2	0	-	-	-	-	-	-	15
[05-06-07]	1	3	3	1	-	-	-	-	-	-	-	7
[08-09-10]	1	5	3	1	-	-	-	-	-	-	-	10
[11-12-13]	1	4	2	0	-	-	-	-	-	-	-	8
[14-15-16]	1	3	0	-	-	-	-	-	-	-	-	4
[17-18-19]	0	2	2	1	0	-	-	-	-	-	-	6
[20-21-22]	0	1	0	0	0	-	-	-	-	-	-	2
[23-24-25]	1	1	0	-	-	-	-	-	-	-	-	1
[26-27-28]	1	1	0	-	-	-	-	-	-	-	-	2
[29-30-31]	1	1	1	0	0	0	-	-	-	-	-	3
[32-33-34]	1	3	5	6	2	0	-	-	-	-	-	17
TOTAL	10	37	30	18	5	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKIERABU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	1	-	-	-	-	-	-	-	-	-	-	1
[35-36-01]	1	5	9	6	1	0	0	-	-	-	-	23
[02-03-04]	1	6	8	2	0	-	-	-	-	-	-	17
[05-06-07]	1	2	2	0	-	-	-	-	-	-	-	5
[08-09-10]	1	2	3	1	-	-	-	-	-	-	-	6
[11-12-13]	0	1	3	1	0	-	-	-	-	-	-	5
[14-15-16]	0	1	1	0	-	-	-	-	-	-	-	3
[17-18-19]	0	1	1	1	1	0	0	-	-	-	-	4
[20-21-22]	0	0	0	0	0	-	0	-	-	-	-	1
[23-24-25]	0	1	0	-	-	-	-	-	-	-	-	1
[26-27-28]	0	0	0	0	-	-	-	-	-	-	-	1
[29-30-31]	1	1	1	1	0	0	-	-	-	-	-	4
[32-33-34]	1	4	5	10	7	1	0	0	-	-	-	28
TOTAL	8	25	33	23	10	2	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKIERABU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	4)	5)	4)	1)	0)	0)	0)	0)	0)	0)	15)
[02-03-04]	1)	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[05-06-07]	1)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[08-09-10]	1)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[11-12-13]	2)	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[14-15-16]	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[17-18-19]	1)	4)	5)	2)	0)	0)	0)	0)	0)	0)	0)	12)
[20-21-22]	1)	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[23-24-25]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[29-30-31]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[32-33-34]	1)	3)	3)	4)	2)	0)	0)	0)	0)	0)	0)	13)
TOTAL	15)	34)	29)	16)	5)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKIERABU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	1	22	65	12	-	-	-
01	-	-	-	-	-	1	15	70	14	-	-	-
02	-	-	-	-	-	1	17	65	17	-	-	-
03	-	-	-	-	-	1	14	67	18	-	-	-
04	-	-	-	-	-	1	15	65	19	-	-	-
05	-	-	-	-	-	1	15	67	17	-	-	-
06	-	-	-	-	-	1	17	66	17	-	-	-
07	-	-	-	-	-	1	21	66	12	-	-	-
08	-	-	-	-	-	1	25	66	9	-	-	-
09	-	-	-	-	-	1	28	66	6	-	-	-
10	-	-	-	-	-	1	28	65	6	-	-	-
11	-	-	-	-	-	1	28	66	5	-	-	-
12	-	-	-	-	-	1	30	65	5	-	-	-
13	-	-	-	-	-	1	30	66	4	-	-	-
14	-	-	-	-	-	1	35	61	3	-	-	-
15	-	-	-	-	-	1	39	57	3	-	-	-
16	-	-	-	-	-	1	34	61	4	-	-	-
17	-	-	-	-	-	1	35	60	4	-	-	-
18	-	-	-	-	-	1	37	59	3	-	-	-
19	-	-	-	-	-	1	39	55	5	-	-	-
20	-	-	-	-	-	1	40	54	5	-	-	-
21	-	-	-	-	-	1	37	57	5	-	-	-
22	-	-	-	-	-	2	37	55	5	-	-	-
23	-	-	-	-	-	1	32	60	6	-	-	-
MEAN	-	-	-	-	-	1	28	63	8	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKIERABU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	24	63	13	-	-	-
01	-	-	-	-	-	-	18	62	20	-	-	-
02	-	-	-	-	-	-	18	58	25	-	-	-
03	-	-	-	-	-	-	16	58	26	-	-	-
04	-	-	-	-	-	-	16	60	24	-	-	-
05	-	-	-	-	-	-	18	56	26	-	-	-
06	-	-	-	-	-	-	15	61	25	-	-	-
07	-	-	-	-	-	-	18	59	23	-	-	-
08	-	-	-	-	-	-	23	57	20	-	-	-
09	0)	0)	0)	0)	0)	0)	27)	57)	16)	0)	0)	0)
10	0)	0)	0)	0)	0)	0)	29)	56)	15)	0)	0)	0)
11	0)	0)	0)	0)	0)	0)	33)	53)	14)	0)	0)	0)
12	0)	0)	0)	0)	0)	0)	34)	53)	13)	0)	0)	0)
13	0)	0)	0)	0)	0)	0)	34)	53)	13)	0)	0)	0)
14	0)	0)	0)	0)	0)	0)	37)	51)	12)	0)	0)	0)
15	0)	0)	0)	0)	0)	0)	38)	50)	12)	0)	0)	0)
16	0)	0)	0)	0)	0)	1)	38)	49)	12)	0)	0)	0)
17	0)	0)	0)	0)	0)	1)	39)	47)	13)	0)	0)	0)
18	0)	0)	0)	0)	0)	0)	42)	46)	12)	0)	0)	0)
19	0)	0)	0)	0)	0)	0)	41)	49)	10)	0)	0)	0)
20	0)	0)	0)	0)	0)	0)	41)	48)	12)	0)	0)	0)
21	0)	0)	0)	0)	0)	1)	41)	49)	9)	0)	0)	0)
22	0)	0)	0)	0)	0)	1)	41)	50)	9)	0)	0)	0)
23	0)	0)	0)	0)	0)	0)	35)	56)	9)	0)	0)	0)
MEAN	0)	0)	0)	0)	0)	0)	30)	54)	16)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKIERABU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	8	55	37	-	-	-
01	-	-	-	-	-	-	6	52	43	-	-	-
02	-	-	-	-	-	-	6	48	46	-	-	-
03	-	-	-	-	-	-	6	45	49	1	-	-
04	-	-	-	-	-	-	5	48	47	-	-	-
05	-	-	-	-	-	-	6	45	48	1	-	-
06	-	-	-	-	-	-	5	48	46	1	-	-
07	-	-	-	-	-	-	6	49	45	-	-	-
08	-	-	-	-	-	-	7	52	41	-	-	-
09	0)	0)	0)	0)	0)	0)	7)	59)	34)	0)	0)	0)
10	0)	0)	0)	0)	0)	0)	10)	59)	31)	0)	0)	0)
11	0)	0)	0)	0)	0)	0)	11)	59)	29)	0)	0)	0)
12	0)	0)	0)	0)	0)	0)	13)	58)	30)	0)	0)	0)
13	0)	0)	0)	0)	0)	0)	14)	58)	28)	0)	0)	0)
14	0)	0)	0)	0)	0)	0)	12)	61)	26)	0)	0)	0)
15	0)	0)	0)	0)	0)	0)	14)	64)	23)	0)	0)	0)
16	-	-	-	-	-	-	17	59	24	-	-	-
17	-	-	-	-	-	-	20	55	25	-	-	-
18	-	-	-	-	-	-	19	57	23	-	-	-
19	-	-	-	-	-	-	21	55	23	-	-	-
20	-	-	-	-	-	-	22	56	22	-	-	-
21	-	-	-	-	-	-	21	57	22	-	-	-
22	-	-	-	-	-	-	19	58	23	-	-	-
23	0)	0)	0)	0)	0)	0)	12)	56)	31)	0)	0)	0)
MEAN	0)	0)	0)	0)	0)	0)	12)	55)	33)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKIERABU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	25	75	-	-	-
01	-	-	-	-	-	-	1	19	79	1	-	-
02	-	-	-	-	-	-	-	15	83	2	-	-
03	-	-	-	-	-	-	-	17	80	3	-	-
04	-	-	-	-	-	-	-	16	80	4	-	-
05	-	-	-	-	-	-	-	17	77	5	-	-
06	-	-	-	-	-	-	-	19	72	9	-	-
07	-	-	-	-	-	-	-	20	77	3	-	-
08	-	-	-	-	-	-	-	23	75	1	-	-
09	-	-	-	-	-	-	1	31	69	-	-	-
10	-	-	-	-	-	-	1	37	61	-	-	-
11	-	-	-	-	-	-	2	38	60	-	-	-
12	-	-	-	-	-	-	2	41	57	-	-	-
13	-	-	-	-	-	-	2	44	54	-	-	-
14	-	-	-	-	-	-	2	43	55	-	-	-
15	-	-	-	-	-	-	3	43	54	-	-	-
16	-	-	-	-	-	-	3	48	49	-	-	-
17	-	-	-	-	-	-	3	47	50	-	-	-
18	-	-	-	-	-	-	4	44	52	-	-	-
19	-	-	-	-	-	-	5	43	53	-	-	-
20	-	-	-	-	-	-	4	45	51	-	-	-
21	-	-	-	-	-	-	4	47	49	-	-	-
22	-	-	-	-	-	-	1	43	55	-	-	-
23	-	-	-	-	-	-	1	35	65	-	-	-
MEAN	-	-	-	-	-	-	2	33	64	1	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKIERABU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	3	78	19	-	-
01	-	-	-	-	-	-	-	3	70	27	-	-
02	-	-	-	-	-	-	-	2	63	35	1	-
03	-	-	-	-	-	-	-	1	61	37	1	-
04	-	-	-	-	-	-	-	1	63	35	1	-
05	-	-	-	-	-	-	-	1	62	36	1	-
06	-	-	-	-	-	-	-	1	68	30	1	-
07	-	-	-	-	-	-	-	1	70	28	1	-
08	-	-	-	-	-	-	-	3	75	23	-	-
09	-	-	-	-	-	-	-	3	81	16	-	-
10	0)	0)	0)	0)	0)	0)	0)	5)	89)	7)	0)	0)
11	0)	0)	0)	0)	0)	0)	0)	6)	89)	5)	0)	0)
12	0)	0)	0)	0)	0)	0)	0)	6)	90)	5)	0)	0)
13	-	-	-	-	-	-	-	7	88	5	-	-
14	0)	0)	0)	0)	0)	0)	0)	7)	90)	3)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	9)	88)	3)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	13)	84)	3)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	14)	83)	3)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	12)	85)	3)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	13)	84)	3)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	15)	82)	3)	0)	0)
21	0)	0)	0)	0)	0)	0)	0)	15)	82)	3)	0)	0)
22	0)	0)	0)	0)	0)	0)	0)	5)	91)	5)	0)	0)
23	0)	0)	0)	0)	0)	0)	0)	3)	88)	9)	0)	0)
MEAN	0)	0)	0)	0)	0)	0)	0)	6)	79)	14)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKIERABU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	19	79	1	-
01	-	-	-	-	-	-	-	-	15	81	5	-
02	-	-	-	-	-	-	-	-	14	77	9	-
03	-	-	-	-	-	-	-	-	13	73	14	-
04	-	-	-	-	-	-	-	-	14	69	17	-
05	-	-	-	-	-	-	-	-	14	66	20	-
06	-	-	-	-	-	-	-	-	17	65	19	-
07	-	-	-	-	-	-	-	-	16	69	15	-
08	-	-	-	-	-	-	-	-	18	74	8	-
09	-	-	-	-	-	-	-	-	23	75	2	-
10	-	-	-	-	-	-	-	-	32	68	-	-
11	0)	0)	0)	0)	0)	0)	0)	0)	34)	66)	0)	0)
12	-	-	-	-	-	-	-	-	35	65	-	-
13	-	-	-	-	-	-	-	-	37	63	-	-
14	-	-	-	-	-	-	-	-	37	63	-	-
15	-	-	-	-	-	-	-	-	35	65	-	-
16	-	-	-	-	-	-	-	-	41	59	-	-
17	-	-	-	-	-	-	-	-	40	60	-	-
18	-	-	-	-	-	-	-	-	43	57	-	-
19	-	-	-	-	-	-	-	-	42	58	-	-
20	-	-	-	-	-	-	-	-	43	57	-	-
21	-	-	-	-	-	-	-	-	38	62	-	-
22	-	-	-	-	-	-	-	-	33	67	-	-
23	-	-	-	-	-	-	-	-	26	74	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	28)	67)	5)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKIERABU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	0)	0)	0)	0)	0)	0)	0)	0)	1)	75)	24)	0)
01	0)	0)	0)	0)	0)	0)	0)	0)	1)	55)	44)	0)
02	0)	0)	0)	0)	0)	0)	0)	0)	1)	36)	64)	0)
03	-	-	-	-	-	-	-	-	1	29	70	-
04	-	-	-	-	-	-	-	-	1	28	72	-
05	-	-	-	-	-	-	-	-	-	32	68	-
06	-	-	-	-	-	-	-	-	1	32	67	-
07	-	-	-	-	-	-	-	-	1	46	54	-
08	-	-	-	-	-	-	-	-	1	61	39	-
09	-	-	-	-	-	-	-	-	-	85	15	-
10	-	-	-	-	-	-	-	-	-	100	-	-
11	-	-	-	-	-	-	-	-	1	99	-	-
12	-	-	-	-	-	-	-	-	-	100	-	-
13	0)	0)	0)	0)	0)	0)	0)	0)	1)	99)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	0)	0)	100)	0)	0)
15	-	-	-	-	-	-	-	-	-	100	-	-
16	0)	0)	0)	0)	0)	0)	0)	0)	0)	100)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	0)	0)	100)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	0)	1)	99)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	0)	0)	100)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	0)	1)	99)	0)	0)
21	0)	0)	0)	0)	0)	0)	0)	0)	2)	98)	0)	0)
22	0)	0)	0)	0)	0)	0)	0)	0)	1)	99)	0)	0)
23	0)	0)	0)	0)	0)	0)	0)	0)	1)	94)	6)	0)
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	1)	78)	22)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKIERABU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	-	67	33	-
01	-	-	-	-	-	-	-	-	-	50	50	-
02	-	-	-	-	-	-	-	-	-	39	61	-
03	-	-	-	-	-	-	-	-	1	31	68	-
04	-	-	-	-	-	-	-	-	1	26	72	-
05	-	-	-	-	-	-	-	-	1	30	69	-
06	-	-	-	-	-	-	-	-	-	29	71	-
07	-	-	-	-	-	-	-	-	-	46	54	-
08	-	-	-	-	-	-	-	-	1	59	41	-
09	-	-	-	-	-	-	-	-	-	77	23	-
10	-	-	-	-	-	-	-	-	-	96	4	-
11	0)	0)	0)	0)	0)	0)	0)	0)	0)	99)	1)	0)
12	-	-	-	-	-	-	-	-	1	99	-	-
13	-	-	-	-	-	-	-	-	1	99	-	-
14	-	-	-	-	-	-	-	-	1	99	-	-
15	-	-	-	-	-	-	-	-	1	99	-	-
16	-	-	-	-	-	-	-	-	1	99	-	-
17	-	-	-	-	-	-	-	-	-	100	-	-
18	-	-	-	-	-	-	-	-	1	99	-	-
19	-	-	-	-	-	-	-	-	1	99	-	-
20	-	-	-	-	-	-	-	-	1	99	-	-
21	-	-	-	-	-	-	-	-	1	99	-	-
22	-	-	-	-	-	-	-	-	-	100	-	-
23	-	-	-	-	-	-	-	-	-	85	15	-
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	0)	76)	23)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKIERABU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	0)	0)	0)	0)	0)	0)	0)	0)	2)	92)	6)	0)
01	0)	0)	0)	0)	0)	0)	0)	0)	1)	79)	20)	0)
02	0)	0)	0)	0)	0)	0)	0)	0)	1)	71)	28)	0)
03	0)	0)	0)	0)	0)	0)	0)	0)	1)	62)	38)	0)
04	0)	0)	0)	0)	0)	0)	0)	0)	2)	62)	36)	0)
05	-	-	-	-	-	-	-	-	1	65	33	-
06	-	-	-	-	-	-	-	-	2	67	31	-
07	-	-	-	-	-	-	-	-	1	85	14	-
08	-	-	-	-	-	-	-	-	2	92	6	-
09	-	-	-	-	-	-	-	-	3	97	1	-
10	-	-	-	-	-	-	-	-	3	97	-	-
11	-	-	-	-	-	-	-	-	4	96	-	-
12	-	-	-	-	-	-	-	-	3	97	-	-
13	-	-	-	-	-	-	-	-	4	96	-	-
14	-	-	-	-	-	-	-	-	5	95	-	-
15	-	-	-	-	-	-	-	-	5	95	-	-
16	0)	0)	0)	0)	0)	0)	0)	0)	6)	94)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	0)	5)	95)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	0)	9)	91)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	0)	9)	91)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	0)	9)	91)	0)	0)
21	0)	0)	0)	0)	0)	0)	0)	0)	9)	91)	0)	0)
22	0)	0)	0)	0)	0)	0)	0)	0)	5)	95)	0)	0)
23	0)	0)	0)	0)	0)	0)	0)	0)	3)	97)	1)	0)
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	4)	87)	9)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKIERABU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	30	70	1	-
01	-	-	-	-	-	-	-	1	20	78	1	-
02	-	-	-	-	-	-	-	-	18	81	1	-
03	-	-	-	-	-	-	-	-	15	80	5	-
04	-	-	-	-	-	-	-	-	14	82	5	-
05	-	-	-	-	-	-	-	-	18	79	3	-
06	-	-	-	-	-	-	-	-	19	78	3	-
07	-	-	-	-	-	-	-	-	27	72	1	-
08	0)	0)	0)	0)	0)	0)	0)	0)	35)	65)	0)	0)
09	0)	0)	0)	0)	0)	0)	0)	1)	44)	56)	0)	0)
10	0)	0)	0)	0)	0)	0)	0)	0)	45)	55)	0)	0)
11	0)	0)	0)	0)	0)	0)	0)	0)	50)	50)	0)	0)
12	0)	0)	0)	0)	0)	0)	0)	0)	49)	51)	0)	0)
13	0)	0)	0)	0)	0)	0)	0)	0)	51)	49)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	1)	51)	48)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	0)	57)	43)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	1)	57)	43)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	1)	57)	43)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	1)	58)	41)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	1)	58)	41)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	2)	57)	41)	0)	0)
21	0)	0)	0)	0)	0)	0)	0)	1)	56)	43)	0)	0)
22	0)	0)	0)	0)	0)	0)	0)	1)	54)	45)	0)	0)
23	0)	0)	0)	0)	0)	0)	0)	0)	42)	58)	0)	0)
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	41)	58)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKIERABU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	17	70	12	-	-
01	-	-	-	-	-	-	1	12	67	20	-	-
02	-	-	-	-	-	-	1	12	63	24	-	-
03	-	-	-	-	-	-	-	11	65	24	-	-
04	-	-	-	-	-	-	-	10	68	22	-	-
05	-	-	-	-	-	-	-	11	68	21	-	-
06	-	-	-	-	-	-	-	12	71	17	-	-
07	-	-	-	-	-	-	-	19	69	13	-	-
08	-	-	-	-	-	-	-	22	70	8	-	-
09	-	-	-	-	-	-	-	25	71	4	-	-
10	-	-	-	-	-	-	-	27	69	4	-	-
11	-	-	-	-	-	-	-	27	70	3	-	-
12	-	-	-	-	-	-	-	27	70	3	-	-
13	-	-	-	-	-	-	-	27	71	1	-	-
14	-	-	-	-	-	-	-	27	71	2	-	-
15	-	-	-	-	-	-	1	27	69	3	-	-
16	-	-	-	-	-	-	1	27	69	3	-	-
17	-	-	-	-	-	-	1	29	67	3	-	-
18	-	-	-	-	-	-	1	27	69	3	-	-
19	-	-	-	-	-	-	1	28	68	3	-	-
20	-	-	-	-	-	-	1	29	67	3	-	-
21	-	-	-	-	-	-	1	29	67	3	-	-
22	-	-	-	-	-	-	2	29	67	3	-	-
23	-	-	-	-	-	-	1	24	69	6	-	-
MEAN	-	-	-	-	-	-	0	22	69	9	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKIERABU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	8	65	27	-	-	-
01	-	-	-	-	-	-	6	59	35	-	-	-
02	-	-	-	-	-	-	5	56	37	1	-	-
03	-	-	-	-	-	-	5	54	41	-	-	-
04	-	-	-	-	-	-	5	55	37	2	-	-
05	-	-	-	-	-	-	5	56	38	1	-	-
06	-	-	-	-	-	-	7	58	35	-	-	-
07	-	-	-	-	-	-	6	63	30	-	-	-
08	-	-	-	-	-	-	9	63	28	-	-	-
09	-	-	-	-	-	-	11	66	23	-	-	-
10	-	-	-	-	-	-	13	66	21	-	-	-
11	-	-	-	-	-	-	14	64	22	-	-	-
12	-	-	-	-	-	-	14	65	21	-	-	-
13	-	-	-	-	-	-	14	65	21	-	-	-
14	-	-	-	-	-	-	14	66	20	-	-	-
15	-	-	-	-	-	-	15	63	22	-	-	-
16	-	-	-	-	-	-	14	62	25	-	-	-
17	-	-	-	-	-	-	12	64	25	-	-	-
18	-	-	-	-	-	-	15	60	25	-	-	-
19	-	-	-	-	-	-	15	61	23	-	-	-
20	-	-	-	-	-	-	15	61	25	-	-	-
21	-	-	-	-	-	-	14	61	25	-	-	-
22	-	-	-	-	-	-	15	62	23	-	-	-
23	-	-	-	-	-	-	11	63	26	-	-	-
MEAN	-	-	-	-	-	-	11	62	27	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKIERABU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	0)	0)	0)	0)	0)	0)	5)	24)	30)	35)	5)	0)
01	0)	0)	0)	0)	0)	0)	4)	23)	30)	33)	10)	0)
02	0)	0)	0)	0)	0)	0)	4)	21)	31)	31)	14)	0)
03	0)	0)	0)	0)	0)	0)	3)	21)	31)	28)	16)	0)
04	0)	0)	0)	0)	0)	0)	3)	21)	31)	28)	17)	0)
05	-	-	-	-	-	0	4	21	31	28	16	-
06	-	-	-	-	-	0	4	22	31	27	16	-
07	-	-	-	-	-	0	4	23	31	30	12	-
08	0)	0)	0)	0)	0)	0)	5)	24)	31)	32)	8)	0)
09	0)	0)	0)	0)	0)	0)	6)	25)	31)	34)	3)	0)
10	0)	0)	0)	0)	0)	0)	7)	26)	31)	36)	0)	0)
11	0)	0)	0)	0)	0)	0)	7)	26)	31)	35)	0)	0)
12	0)	0)	0)	0)	0)	0)	7)	26)	31)	35)	0)	0)
13	0)	0)	0)	0)	0)	0)	8)	27)	31)	35)	0)	0)
14	0)	0)	0)	0)	0)	0)	8)	26)	31)	35)	0)	0)
15	0)	0)	0)	0)	0)	0)	9)	26)	31)	34)	0)	0)
16	0)	0)	0)	0)	0)	0)	9)	27)	31)	34)	0)	0)
17	0)	0)	0)	0)	0)	0)	9)	26)	31)	34)	0)	0)
18	0)	0)	0)	0)	0)	0)	10)	25)	32)	33)	0)	0)
19	0)	0)	0)	0)	0)	0)	10)	25)	31)	33)	0)	0)
20	0)	0)	0)	0)	0)	0)	10)	26)	31)	33)	0)	0)
21	0)	0)	0)	0)	0)	0)	10)	26)	30)	33)	0)	0)
22	0)	0)	0)	0)	0)	0)	9)	25)	31)	35)	0)	0)
23	0)	0)	0)	0)	0)	0)	8)	25)	31)	35)	2)	0)
MEAN	0)	0)	0)	0)	0)	0)	7)	25)	31)	33)	5)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKIERABU AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	16.3	16.7	18.4	20.6	23.0	26.3	28.6	28.8	27.7)	25.3	21.8	18.2	22.5)
Daily maximum air temperature(°C)	18.6	19.1	20.9	23.1	25.5	28.8	31.2	31.4	30.3)	27.8	24.1	20.5	24.9)
Daily minimum air temperature(°C)	14.0	14.5	16.2	18.6	21.2	24.5	26.6	26.7	25.7)	23.6	19.8	16.1	20.5)
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	95.8	76.5	136.7	169.2	248.1	347.6	233.4	295.4	169.5)	165.3	111.8	108.5	2166.5)
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	1000.1	1002.2	1001.4	993.6	996.7	982.7	984.1	963.6*	954.4	970.9	1004.7	1000.3	954.4
Daily maximum air temperature(°C)	24.8	24.8	26.0	27.7	31.2	33.0	33.2*	33.7	32.9	31.8	29.4	26.2	33.7
Daily minimum air temperature(°C)	4.7	7.6	9.4	12.7	15.8	20.0	23.5	23.5	21.9	18.5*	12.9	10.5	4.7
Daily precipitation(mm)	70.0	40.0	59.0	75.5	77.0	180.5	141.0	340.0	175.0	218.0	53.5	99.5	340.0
Daily max.one-hour precipitation(mm)	18.5	12.0	26.5	30.0	54.5	75.0	51.0	57.5	38.0	52.0	41.5	47.0	75.0
Daily max.ten-minute precipitation(mm)	7.0	6.5*	13.5	11.5	19.0	24.5	21.5	18.5	12.5	15.5	15.5	14.0	24.5
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)													
Daily maximum wind speed(kt)	42	32	32	36	48	35	55	60	81	70	33	39 *	81
with wind direction(36DIR.)	32	18	19	32	21	5	12	11	33	11	31	18	33
Daily maximum peak gust(kt)	51	40 *	42	45 *	65	47	63 *	83	103	95	45	51	103
with wind direction(36DIR.)	32	32	35	22	19	6	10	8	34	10	32	34	34

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKIERABU AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	-	-	-	-	-	-	-	-	0.0)	-	-	-	0.0)
25.0°C	-	-	-	-	0.2	12.2	28.2	28.6	22.3)	7.0	-	-	94.0)
Daily mean air temperature < 0.0°C	-	-	-	-	-	-	-	-	0.0)	-	-	-	0.0)
25.0°C	-	-	-	-	3.4	21.8	30.8	30.6	29.0)	18.6	1.8	-	131.5)
Daily maximum air temperature < 0.0°C	-	-	-	-	-	-	-	-	0.0)	-	-	-	0.0)
25.0°C	-	-	1.4	6.2	19.0	28.2	31.0	30.6	30.0)	28.6	12.4	1.2	183.8)
30.0°C	-	-	-	-	0.6	9.8	27.8	27.2	20.5)	3.8	-	-	86.0)
Daily precipitation 0.0mm	22.4	19.6	18.2	22.4	21.0	22.8	18.4	23.4	18.5)	22.4	20.8	23.0	234.3)
1.0mm	10.0	9.6	9.2	11.8	11.6	12.8	7.6	11.6	9.3)	9.2	7.8	9.8	117.5)
5.0mm	3.6	5.2	6.2	7.6	8.0	10.4	5.8	6.2	5.0)	4.2	4.6	3.8	67.0)
10.0mm	3.0	3.2	4.4	5.4	6.2	7.6	4.8	4.2	3.5)	2.4	3.6	2.8	49.0)
30.0mm	0.8	0.2	1.2	1.8	3.6	4.0	2.2	2.6	1.0)	1.0	1.6	1.0	21.5)
50.0mm	0.2	-	0.6	0.6	1.8	2.2	1.8	1.4	0.8)	0.8	0.6	0.2	11.3)
70.0mm	0.2	-	-	0.2	0.2	1.6	1.0	0.8	0.8)	0.8	-	0.2	6.3)
100.0mm	-	-	-	-	-	0.6	0.8	0.8	0.8)	0.4	-	-	3.5)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKIERABU AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily max.depth of snow cover	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily maximum wind speed	200cm													
	20kt	16.2	15.2	14.2	9.8	6.4	6.4	7.0	8.8	7.5)	13.2	11.2	16.4	136.3)
	30kt	2.0	0.4	0.8	0.6	0.4	0.8	2.2	1.6	1.0)	3.8	0.4	1.8	17.3)
	40kt	0.2	-	-	-	0.2	-	1.0	0.8	0.5)	1.8	-	-	5.3)
	50kt	-	-	-	-	-	-	0.4	0.8	0.5)	0.6	-	-	2.8)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKIERABU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1018.6	1017.3	1015.9	1012.1	1008.4	1005.0	1006.2	1004.1	1007.4	1010.9	1016.1	1018.1	1011.7
01	1018.9	1017.5	1016.1	1012.2	1008.6	1005.1	1006.2	1004.3	1007.5	1010.9	1016.3	1018.3	1011.8
02	1018.6	1017.4	1015.9	1012.2	1008.5	1005.1	1006.3	1004.2	1007.3	1010.7	1015.9	1018.0	1011.7
03	1017.8	1016.9	1015.5	1011.8	1008.3	1004.9	1006.1	1004.0	1007.1	1010.2	1015.3	1017.3	1011.3
04	1017.0	1016.1	1014.9	1011.4	1007.9	1004.6	1005.8	1003.7	1006.6	1009.5	1014.6	1016.5	1010.7
05	1016.5	1015.5	1014.3	1010.9	1007.6	1004.3	1005.5	1003.3	1006.1	1009.0	1014.1	1016.0	1010.3
06	1016.3	1015.2	1013.9	1010.4	1007.2	1004.1	1005.2	1003.0	1005.8	1008.8	1014.0	1015.8	1010.0
07	1016.4	1015.2	1013.9	1010.2	1007.0	1003.9	1004.9	1002.8	1005.7	1008.8	1014.1	1015.9	1009.9
08	1016.7	1015.4	1014.0	1010.3	1007.0	1003.9	1004.8	1002.8	1005.9	1009.2	1014.4	1016.3	1010.0
09	1017.1	1015.8	1014.4	1010.5	1007.1	1004.0	1004.8	1002.9	1006.2	1009.5	1014.6	1016.7	1010.3
10	1017.5	1016.1	1014.7	1010.8	1007.5	1004.3	1005.1	1003.2	1006.5	1009.9	1015.1	1017.2	1010.7
11	1017.9	1016.5	1015.2	1011.2	1007.9	1004.6	1005.5	1003.6	1007.1	1010.4	1015.4	1017.5	1011.1
12	1018.0	1016.8	1015.6	1011.7	1008.3	1005.0	1005.8	1004.0	1007.6	1010.6	1015.6	1017.7	1011.4
13	1018.0	1016.9	1015.7	1012.0	1008.5	1005.4	1006.2	1004.3	1007.6	1010.7	1015.7	1017.8	1011.6
14	1017.9	1016.9	1015.7	1012.0	1008.6	1005.3	1006.2	1004.3	1007.6	1010.5	1015.6	1017.8	1011.5
15	1017.8	1016.7	1015.5	1011.7	1008.3	1005.0	1006.0	1004.1	1007.4	1010.3	1015.4	1017.5	1011.3
16	1017.6	1016.7	1015.2	1011.5	1007.9	1004.6	1005.8	1003.6	1007.0	1009.9	1015.2	1017.1	1011.0
17	1017.4	1016.5	1014.9	1011.1	1007.5	1004.3	1005.5	1003.2	1006.7	1009.6	1014.9	1016.9	1010.7
18	1017.2	1016.2	1014.5	1010.8	1007.3	1004.1	1005.3	1003.0	1006.4	1009.3	1014.6	1016.6	1010.4
19	1016.9	1016.0	1014.2	1010.6	1007.2	1004.0	1005.3	1002.9	1006.3	1009.1	1014.4	1016.5	1010.3
20	1017.0	1015.9	1014.3	1010.7	1007.3	1004.1	1005.3	1003.0	1006.3	1009.2	1014.4	1016.4	1010.3
21	1017.3	1016.2	1014.7	1011.0	1007.5	1004.3	1005.5	1003.3	1006.5	1009.5	1014.7	1016.7	1010.6
22	1017.7	1016.6	1015.1	1011.4	1007.9	1004.6	1005.8	1003.6	1006.9	1009.9	1015.2	1017.2	1011.0
23	1018.1	1017.0	1015.6	1011.8	1008.2	1004.9	1006.1	1003.9	1007.2	1010.4	1015.7	1017.7	1011.4
MEAN	1017.5	1016.4	1015.0	1011.3	1007.8	1004.6	1005.6	1003.5	1006.8	1009.9	1015.1	1017.1	1010.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKIERABU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	16.6	16.9	18.7	21.0	23.5	26.7	29.2	29.4	28.3	26.0	22.2	18.4	23.1
01	17.1	17.3	19.2	21.5	23.8	27.1	29.6	29.7	28.8	26.4	22.8	18.8	23.5
02	17.3	17.7	19.5	21.8	24.2	27.3	30.0	30.0	29.1	26.7	22.9	19.0	23.8
03	17.4	17.8	19.7	21.9	24.3	27.5	30.2	30.2	29.3	26.8	23.0	19.2	24.0
04	17.5	17.8	19.8	22.0	24.3	27.6	30.2	30.3	29.4	26.8	23.0	19.2	24.0
05	17.3	17.8	19.8	21.9	24.3	27.7	30.2	30.2	29.2	26.7	22.9	19.1	24.0
06	17.3	17.7	19.6	21.8	24.2	27.5	30.0	30.2	29.1	26.4	22.7	18.9	23.8
07	16.9	17.5	19.3	21.6	24.0	27.4	29.8	29.8	28.8	26.0	22.3	18.6	23.5
08	16.6	17.1	18.9	21.2	23.7	27.0	29.5	29.4	28.3	25.6	21.9	18.3	23.1
09	16.2	16.7	18.4	20.7	23.3	26.6	29.0	29.0	27.8	25.1	21.6	18.1	22.7
10	16.2	16.5	18.1	20.3	22.8	26.1	28.3	28.5	27.4	25.1	21.5	18.0	22.4
11	16.1	16.4	18.0	20.2	22.7	25.7	28.0	28.4	27.3	25.0	21.4	17.9	22.3
12	16.0	16.4	18.0	20.2	22.6	25.7	27.9	28.3	27.3	24.9	21.4	17.9	22.2
13	16.0	16.3	18.0	20.1	22.5	25.6	27.8	28.2	27.2	24.8	21.3	17.8	22.1
14	15.9	16.3	17.9	20.1	22.4	25.5	27.7	28.1	27.1	24.8	21.4	17.7	22.1
15	15.9	16.2	17.8	19.9	22.4	25.5	27.7	28.0	27.1	24.7	21.3	17.6	22.0
16	15.8	16.1	17.7	19.8	22.2	25.4	27.6	27.9	27.0	24.7	21.3	17.8	21.9
17	15.8	16.2	17.7	19.7	22.1	25.3	27.5	27.9	27.0	24.7	21.2	17.8	21.9
18	15.8	16.2	17.6	19.7	22.1	25.3	27.4	27.7	26.9	24.6	21.2	17.7	21.9
19	15.8	16.1	17.6	19.7	22.0	25.3	27.4	27.7	26.8	24.6	21.2	17.7	21.8
20	15.7	16.1	17.6	19.7	22.0	25.2	27.3	27.6	26.7	24.5	21.1	17.7	21.8
21	15.8	16.1	17.6	19.7	22.0	25.3	27.3	27.6	26.7	24.5	21.1	17.7	21.8
22	15.8	16.0	17.7	20.0	22.5	25.8	28.0	28.2	27.1	24.7	21.1	17.7	22.0
23	16.0	16.4	18.2	20.5	23.1	26.2	28.7	29.0	27.8	25.3	21.6	18.0	22.6
MEAN	16.4	16.7	18.4	20.6	23.1	26.3	28.6	28.8	27.8	25.4	21.8	18.2	22.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKIERABU AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	12.1	13.5	15.4	19.5	24.3	31.4)	32.6)	32.5	29.5	24.1	18.0	13.6	×
01	12.1	13.4	15.4	19.6	24.5	31.7	32.5)	32.5	29.4	24.2	18.1	13.7	22.4)
02	12.2	13.4	15.5	19.6	24.7	31.7	32.6)	32.5	29.4	24.3	18.0	13.7	22.4)
03	12.3	13.5	15.6	19.7	24.6	31.8	32.7)	32.5	29.6	24.4	18.1	13.7	22.5)
04	12.3	13.5	15.4	19.6	24.7	31.7	32.6)	32.6	29.4	24.4	18.1	13.7	22.5)
05	12.3	13.5	15.4	19.6	24.4	31.5	32.4)	32.4	29.2	24.3	18.0	13.8	22.4)
06	12.2	13.4	15.4	19.5	24.4	31.2	32.5)	32.4	29.2	24.2	18.0	13.8	22.3)
07	12.3	13.5	15.4	19.4	24.3	31.2	32.4)	32.2	29.1	24.1	18.0	13.6	22.3)
08	12.2	13.6	15.4	19.2	24.5)	31.0	32.4)	31.9	29.0	23.9	18.0	13.5	×
09	12.3	13.4	15.3	19.3	24.4)	30.8	32.2)	31.9	28.9	23.8	18.0	13.5	×
10	12.2	13.4	15.3	19.3	24.2)	30.8	32.1)	31.9	28.9	23.8	18.0	13.4	×
11	12.3	13.4	15.3	19.3	24.2)	30.7	32.9	32.0	28.9	23.9	17.9	13.5	22.2)
12	12.2	13.5	15.3	19.4	24.1)	30.9	33.1	32.0	29.1	23.8	17.9	13.4	22.2)
13	12.1	13.4	15.3	19.4	24.3)	30.9	32.4)	32.0	29.1	23.7	18.0	13.3	×
14	12.1	13.3	15.4	19.4	24.3)	30.9	32.5)	32.1	29.0	23.8	17.9	13.3	×
15	12.1	13.3	15.4	19.4	24.4)	30.9	33.0	32.1	29.1	23.7	17.9	13.3	22.2)
16	12.0	13.3	15.4	19.2	23.7	30.8)	32.9	32.0	29.2	23.9	18.0	13.4	22.2)
17	11.9	13.3	15.4	19.2	23.7	30.9)	32.8	32.1	29.2	23.8	18.1	13.4	22.2)
18	11.8	13.2	15.3	19.2	23.6	30.8)	32.7	32.0	29.0	23.8	18.0	13.4	22.1)
19	11.9	13.3	15.3	19.3	23.6	30.8)	32.6	31.9	29.0	23.8	18.0	13.5	22.1)
20	12.0	13.2	15.3	19.3	23.5	30.7)	32.5	31.9	28.9	23.7	17.9	13.6	22.1)
21	12.0	13.1	15.3	19.3	23.6	30.8)	32.6	31.9	28.9	23.7	18.0	13.5	22.1)
22	12.0	13.2	15.3	19.4	23.9	31.1)	33.0	32.2	29.0	23.6	18.0	13.4	22.2)
23	12.1	13.2	15.4	19.4	24.1	31.3)	32.4)	32.3	29.3	23.9	17.9	13.5	×
MEAN	12.1	13.4	15.4	19.4	24.4)	31.1)	32.3)	32.2	29.1	23.9	18.0	13.5	×

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKIERABU AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	63	68	69	77	84	89)	83	79	76	71	66	62	75)
01	61	66	68	75	82	88	81	78	74	70	64	61	72
02	61	65	66	74	81	87	77)	77	73	69	63	61	72)
03	61	65	66	74	81	86	76)	76	72	69	63	60	71)
04	61	64	65	73	81	85	76)	76	72	69	63	60	71)
05	61	64	65	74	80	84	76)	76	72	69	63	61	71)
06	61	65	65	73	81	85	76)	76	73	70	64	62	71)
07	62	66	67	74	81	85	77)	77	73	71	65	62	72)
08	63	67	68	75	83)	86	79)	78	75	72	67	63	×
09	65	68	70	78	84)	88	80)	80	77	74	68	63	×
10	65	69	71	79	86)	91	83)	82	79	74	69	64	×
11	66	70	72	80	86)	92	87	83	80	75	69	64	77)
12	65	70	72	80	87)	93	88	84	80	75	69	64	78)
13	65	71	72	80	88)	93	87)	84	80	75	69	63	×
14	66	70	72	81	88)	94	87)	84	81	75	69	64	×
15	66	70	73	81	89)	94	89	85	81	76	69	64	79)
16	65	70	74	82	88	95)	90	85	82	76	70	64	79)
17	65	70	74	82	89	95)	90	86	82	76	70	64	79)
18	65	70	74	82	88	95)	90	86	82	76	70	64	79)
19	65	70	74	82	88	95)	90	86	82	76	70	65	79)
20	66	69	74	82	88	95)	90	86	82	76	70	65	79)
21	66	70	74	82	89	94)	90	87	82	76	70	65	79)
22	66	70	73	81	87	93)	87	84	80	75	70	64	78)
23	65	69	72	79	85	91)	85	81	78	73	68	64	76)
MEAN	64	68	70	78	85)	91)	83)	82	78	73	67	63	×

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKIERABU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	33 *	1 *	34	20 *	19	19	19)	17	10)	2	35	34	19)
01	32	33 *	35	12 *	19	19	19)	19	7)	3	35	36	19)
02	34	33	35	12	10	19	19)	17	10)	5	34	33	19)
03	33	35	35	19	10	19	19	17	5)	5	35 *	33	19)
04	33	36	35 *	17 *	10	19	19	17	10)	5	35	33	36)
05	34	35	34	17	7 *	19	19	17	36	5	35	33	35
06	34	35	36	12	6	19	19	17	10	5	1	33	36
07	33	36	35	12 *	5	19	19	17	10	36	1	34 *	36
08	1	35	35	11 *	11 *	19 *	19	17	10	6	36	33	36
09	34	35)	36)	36 *	6	21	19	10	36	5 *	36	33	36)
10	34	33)	34)	12	6)	21	19	17	12 *	6)	1 *	34	35)
11	3	34)	36)	17	10)	21	19	17	6	5	1	34	36)
12	34	36)	34)	12	10)	21)	18 *	17	8	1)	34	33	36)
13	34	35 *	36)	17	10	21	18)	17	7	6	35 *	34	17)
14	34	35	34)	17	10)	20	19	17	8	6	2	33 *	17)
15	34	34	35)	12	10)	20	20	17	8	36	34	34	34)
16	33	1	17	11 *	10)	20	20)	17	8)	5	1	34 *	17)
17	34	1	35 *	19 *	17)	19	20)	17	9)	36	36	34	17)
18	35	33	34	32	17)	21	20)	17	9)	2 *	36	34	17)
19	34	2	36	17	7)	19	17)	17	8)	3	35	34	17)
20	35	35	34	11	7)	20	19)	17	11)	2	36 *	33	17)
21	33	35	34	35	11)	20	20)	17	10)	3	35	34	35)
22	35	35	35	20 *	8)	19	19)	17	10)	2	1	33	35)
23	35	1 *	34)	12	17)	19	19)	17 *	10)	3	2	36	34)
ALL	34	35)	34)	17	10)	19)	19)	17	10)	5)	35	33	36)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKIERABU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	12.7	12.2	12.6	10.9	9.8	10.6	10.6	10.6	10.9	14.2	11.5	13.5	11.7
01	12.9	12.3	12.7	11.1	9.9	10.7	11.1	11.1	10.8	14.4	11.6	13.5	11.8
02	13.0	12.6	12.7	11.2	10.2	10.9	11.5	11.0	11.0	14.5	11.4	13.1	11.9
03	13.0	12.7	12.6	11.4	10.3	11.2	11.5	11.4	11.2	14.6	11.4	13.1	12.0
04	13.2	13.1	12.7	11.2	10.2	11.4	11.4	11.6	11.3	14.6	11.4	13.2	12.1
05	13.3	13.2	12.5	11.3	10.2	11.1	11.3	11.6	11.3	14.7	11.5	13.2	12.1
06	13.4	13.2	12.4	10.9	9.9	10.8	10.9	11.2	10.9	14.8	11.2	13.6	11.9
07	13.5	13.3	12.0	10.8	9.9	10.3	10.9	11.2	10.5	14.7	11.4	13.6	11.9
08	13.2	13.4	12.0	10.5	9.8	10.0	10.3	10.9	10.6	14.7	11.4	13.8	11.7
09	13.3	13.2	11.8	10.4	9.4	9.6	10.0	10.5	10.6	14.6	11.6	14.1	11.6
10	13.2	13.2	11.6	10.2	9.0	9.1	9.8	10.1	10.3	14.5	11.7	14.0	11.4
11	13.2	13.2	11.8	10.2	9.0	9.0	9.5	10.0	10.2	14.5	11.9	13.9	11.4
12	12.9	13.0	11.9	10.5	8.7	8.9	9.9	9.7	9.8	14.4	11.6	13.5	11.2
13	12.9	12.9	11.8	10.2	8.5	8.9	9.8	9.5	9.8	14.4	11.6	12.9	11.1
14	13.1	12.9	11.5	10.2	8.7	9.2	9.8	9.8	9.9	14.2	11.7	13.0	11.2
15	12.8	12.6	11.5	10.1	8.6	9.5	10.1	9.6	9.7	14.1	11.5	13.1	11.1
16	12.7	12.4	11.6	10.0	8.7	9.2	10.0	9.9	9.8	13.6	11.2	12.8	11.0
17	12.7	12.4	12.0	10.1	8.7	9.2	10.1	9.7	9.8	13.4	11.2	12.7	11.0
18	12.5	12.5	11.9	10.0	8.6	9.4	9.9	9.8	9.5	13.5	11.3	12.8	11.0
19	12.5	12.5	11.9	10.5	8.7	9.7	9.5	9.6	9.7	13.6	11.7	12.9	11.1
20	12.8	12.6	11.9	10.6	8.6	9.4	9.4	9.5	9.7	13.5	11.5	12.8	11.0
21	12.7	12.4	12.2	10.8	8.7	9.6	9.5	9.5	9.7	13.7	11.6	13.3	11.1
22	12.8	12.5	12.3	10.7	8.7	10.0	9.7	9.5	9.8	13.9	11.6	13.5	11.3
23	12.8	12.2	12.4	10.9	9.7	10.3	10.2	10.2	10.1	13.9	11.7	13.5	11.5
MEAN	13.0	12.8	12.1	10.6	9.3	9.9	10.3	10.3	10.3	14.2	11.5	13.3	11.5

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKIERABU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	16.8	19.1	14.5	16.7	19.0	14.3	17.8	20.2	15.7	19.4	22.0	17.0
02	16.7	19.0	14.4	16.7	19.0	14.3	17.8	20.2	15.7	19.5	22.0	17.1
03	16.7	18.9	14.4	16.6	19.0	14.3	17.8	20.2	15.7	19.6	22.1	17.3
04	16.7	18.9	14.4	16.5	18.9	14.2	17.8	20.2	15.7	19.6	22.1	17.3
05	16.7	18.9	14.4	16.5	18.8	14.2	17.8	20.2	15.7	19.7	22.2	17.4
06	16.7	18.8	14.4	16.4	18.7	14.1	17.8	20.2	15.7	19.7	22.2	17.5
07	16.6	18.8	14.4	16.3	18.6	14.0	17.8	20.1	15.7	19.8	22.2	17.6
08	16.6	18.7	14.4	16.3	18.6	14.0	17.7	20.1	15.7	19.8	22.3	17.7
09	16.6	18.7	14.4	16.2	18.6	13.9	17.7	20.2	15.7	19.9	22.3	17.8
10	16.6	18.7	14.4	16.2	18.6	13.9	17.8	20.2	15.8	20.0	22.4	17.9
11	16.5	18.6	14.4	16.3	18.6	13.9	17.8	20.3	15.8	20.1	22.5	18.0
12	16.5	18.6	14.3	16.3	18.6	13.9	17.9	20.4	15.9	20.2	22.6	18.2
13	16.4	18.5	14.2	16.4	18.7	14.0	18.0	20.6	16.1	20.3	22.8	18.3
14	16.4	18.5	14.1	16.4	18.8	14.0	18.2	20.8	16.2	20.5	22.9	18.5
15	16.3	18.4	14.1	16.5	18.8	14.1	18.3	20.9	16.4	20.6	23.0	18.6
16	16.2	18.3	14.0	16.6	18.9	14.2	18.4	21.1	16.5	20.8	23.2	18.8
17	16.1	18.3	13.9	16.7	19.0	14.3	18.6	21.3	16.7	20.9	23.3	18.9
18	16.1	18.2	13.8	16.8	19.1	14.4	18.7	21.4	16.8	21.0	23.4	19.1
19	16.0	18.2	13.7	16.8	19.2	14.5	18.8	21.5	16.8	21.1	23.5	19.2
20	15.9	18.1	13.6	16.9	19.3	14.7	18.8	21.6	16.8	21.2	23.6	19.3
21	15.9	18.1	13.5	17.0	19.4	14.8	18.8	21.6	16.8	21.3	23.7	19.3
22	15.9	18.1	13.5	17.1	19.5	14.9	18.9	21.6	16.8	21.3	23.7	19.4
23	15.9	18.2	13.5	17.2	19.7	15.1	18.9	21.6	16.7	21.3	23.7	19.4
24	16.0	18.3	13.5	17.4	19.8	15.2	18.9	21.6	16.7	21.4	23.8	19.4
25	16.1	18.4	13.6	17.5	19.9	15.3	18.9	21.6	16.6	21.4	23.8	19.4
26	16.2	18.5	13.7	17.6	20.0	15.4	19.0	21.6	16.6	21.4	23.8	19.4
27	16.3	18.6	13.8	17.7	20.1	15.5	19.0	21.6	16.6	21.4	23.8	19.4
28	16.4	18.7	13.9	17.7	20.1	15.6	19.1	21.6	16.7	21.4	23.9	19.3
29	16.5	18.9	14.1	17.8	20.2	15.7	19.2	21.7	16.7	21.5	23.9	19.3
30	16.6	18.9	14.2				19.3	21.8	16.8	21.5	24.0	19.3
31	16.7	19.0	14.3				19.4	21.9	16.9			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKIERABU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	21.6	24.0	19.4	24.7	27.2	23.0	28.1	30.7	26.2	28.9	31.5	26.8
02	21.6	24.1	19.4	24.8	27.3	23.0	28.2	30.8	26.3	28.9	31.5	26.8
03	21.7	24.2	19.5	24.9	27.4	23.1	28.3	30.8	26.4	28.9	31.5	26.8
04	21.8	24.4	19.6	25.0	27.5	23.2	28.3	30.9	26.4	28.9	31.5	26.8
05	22.0	24.5	19.7	25.0	27.5	23.3	28.4	30.9	26.5	28.9	31.4	26.8
06	22.1	24.6	19.9	25.1	27.6	23.3	28.4	30.9	26.5	28.9	31.4	26.8
07	22.2	24.7	20.0	25.2	27.7	23.5	28.4	30.9	26.5	28.9	31.4	26.8
08	22.4	24.9	20.2	25.3	27.8	23.6	28.4	30.9	26.6	28.9	31.5	26.8
09	22.5	25.0	20.4	25.4	27.9	23.7	28.4	30.9	26.6	28.9	31.5	26.8
10	22.6	25.1	20.5	25.6	28.0	23.8	28.4	30.9	26.6	28.9	31.5	26.8
11	22.7	25.2	20.7	25.7	28.2	24.0	28.4	30.9	26.6	28.9	31.5	26.8
12	22.8	25.3	20.8	25.8	28.3	24.1	28.4	30.9	26.6	28.9	31.5	26.8
13	22.9	25.4	21.0	25.9	28.4	24.2	28.4	30.9	26.6	28.9	31.6	26.8
14	23.0	25.4	21.1	26.0	28.5	24.3	28.4	31.0	26.6	28.9	31.6	26.8
15	23.0	25.4	21.2	26.2	28.7	24.4	28.5	31.1	26.6	29.0	31.6	26.8
16	23.1	25.5	21.3	26.3	28.8	24.5	28.5	31.1	26.6	29.0	31.6	26.8
17	23.1	25.5	21.4	26.4	28.9	24.6	28.5	31.2	26.6	29.0	31.6	26.8
18	23.2	25.5	21.4	26.5	29.0	24.7	28.5	31.2	26.6	28.9	31.6	26.8
19	23.2	25.6	21.5	26.7	29.2	24.8	28.6	31.3	26.6	28.9	31.6	26.8
20	23.3	25.6	21.6	26.8	29.3	24.9	28.6	31.4	26.6	28.9	31.5	26.8
21	23.4	25.7	21.7	26.9	29.5	25.0	28.7	31.4	26.6	28.9	31.5	26.7
22	23.5	25.8	21.9	27.0	29.6	25.1	28.7	31.5	26.6	28.8	31.5	26.7
23	23.6	25.9	22.0	27.2	29.8	25.2	28.8	31.5	26.7	28.8	31.4	26.7
24	23.7	26.1	22.1	27.3	29.9	25.4	28.8	31.6	26.7	28.7	31.4	26.6
25	23.9	26.2	22.2	27.4	30.1	25.5	28.8	31.6	26.7	28.7	31.3	26.5
26	24.0	26.4	22.4	27.6	30.2	25.6	28.9	31.6	26.7	28.6	31.3	26.5
27	24.2	26.5	22.5	27.7	30.3	25.8	28.9	31.6	26.8	28.6	31.2	26.4
28	24.3	26.7	22.6	27.8	30.4	25.9	28.9	31.6	26.8	28.5	31.1	26.4
29	24.4	26.9	22.7	27.9	30.6	26.0	28.9	31.6	26.8	28.4	31.1	26.3
30	24.5	27.0	22.8	28.0	30.7	26.1	28.9	31.6	26.8	28.4	31.0	26.3
31	24.6	27.1	22.9				28.9	31.6	26.8	28.3	31.0	26.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKIERABU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 25.9'N, LONGITUDE: 128° 42.3'E, ELEVATION ABOVE MSL: 88 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	28.3	30.9	26.2	27.1	29.5	25.3	23.4	25.7	21.7	19.6	21.9	17.4
02	28.2	30.9	26.1	26.9	29.4	25.2	23.3	25.6	21.6	19.5	21.8	17.3
03	28.2	30.8	26.1	26.8	29.3	25.1	23.2	25.4	21.4	19.4	21.6	17.2
04	28.2	30.8	26.1	26.7	29.1	24.9	23.1	25.3	21.3	19.2	21.5	17.1
05	28.1	30.7	26.0	26.5	29.0	24.8	23.0	25.2	21.2	19.1	21.4	17.0
06	28.1	30.7	26.0	26.4	28.9	24.7	22.9	25.1	21.1	19.0	21.2	16.9
07	28.1	30.6	26.0	26.2	28.7	24.5	22.8	25.0	21.0	18.9	21.1	16.8
08	28.0	30.6	25.9	26.1	28.6	24.4	22.7	24.9	20.9	18.9	21.0	16.7
09	28.0	30.6	25.9	25.9	28.4	24.2	22.6	24.8	20.7	18.8	21.0	16.7
10	28.0	30.5	25.9	25.8	28.2	24.1	22.5	24.7	20.6	18.7	20.9	16.6
11	27.9	30.5	25.9	25.6	28.1	23.9	22.4	24.6	20.5	18.6	20.8	16.5
12	27.9	30.4	25.8	25.5	27.9	23.8	22.3	24.5	20.3	18.5	20.8	16.4
13	27.9	30.4	25.8	25.4	27.8	23.7	22.2	24.4	20.2	18.5	20.7	16.3
14	27.8	30.4	25.8	25.3	27.7	23.6	22.1	24.3	20.1	18.4	20.6	16.3
15	27.8	30.3	25.7	25.3	27.6	23.6	22.0	24.3	19.9	18.3	20.5	16.2
16	27.7	30.2	25.7	25.2	27.6	23.5	21.9	24.2	19.8	18.2	20.5	16.1
17	27.7	30.2	25.7	25.2	27.5	23.5	21.8	24.1	19.7	18.2	20.4	16.0
18	27.6	30.1	25.6	25.2	27.5	23.4	21.7	24.0	19.5	18.1	20.4	16.0
19	27.6	30.1	25.6	25.2	27.5	23.4	21.6	23.9	19.4	18.0	20.3	15.9
20	27.5	30.0	25.6	25.1	27.4	23.3	21.5	23.8	19.3	17.9	20.2	15.8
21	27.5	30.0	25.5	25.1	27.4	23.2	21.3	23.7	19.1	17.9	20.1	15.7
22	27.5	29.9	25.5	25.0	27.3	23.2	21.2	23.6	19.0	17.8	20.0	15.6
23	27.4	29.9	25.5	24.9	27.2	23.1	21.0	23.4	18.8	17.7	20.0	15.5
24	27.4	29.9	25.5	24.8	27.1	22.9	20.9	23.3	18.6	17.6	19.9	15.4
25	27.4	29.9	25.5	24.6	26.9	22.8	20.7	23.1	18.4	17.4	19.7	15.3
26	27.4	29.8	25.5	24.5	26.8	22.6	20.5	22.9	18.3	17.3	19.6	15.1
27	27.3	29.8	25.5	24.3	26.6	22.5	20.3	22.7	18.1	17.2	19.5	15.0
28	27.3	29.7	25.4	24.1	26.4	22.3	20.1	22.5	17.9	17.1	19.4	14.9
29	27.2	29.7	25.4	23.9	26.2	22.1	20.0	22.3	17.7	17.0	19.3	14.7
30	27.1	29.6	25.3	23.8	26.0	22.0	19.8	22.1	17.5	16.9	19.2	14.6
31				23.6	25.9	21.8				16.8	19.1	14.6