

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKI AIRPORT **MONTH:** JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1	5	9
01						2	5	5
02						3	6	8
03						2	7	10
04						2	4	7
05						1	6	8
06						1	6	8
07						2	6	7
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						2	6	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKI AIRPORT **MONTH:** FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						2	5	6
01						1	5	8
02						1	5	7
03						1	4	6
04						1	5	9
05						1	4	5
06						1	6	6
07						2	3	7
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKI AIRPORT **MONTH:** MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1	3	6
01						1	4	10
02						1	4	8
03						1	5	8
04						3	6	9
05						1	5	8
06						1	3	9
07						1	5	7
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	4	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKI AIRPORT **MONTH:** APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						2	5	11
01						2	7	9
02						2	6	10
03						1	9	11
04						3	9	11
05						2	7	9
06						2	5	7
07						1	5	9
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						2	7	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKI AIRPORT **MONTH:** MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						2	5	6
01						3	4	8
02						2	3	5
03						2	3	6
04						1	5	9
05						1	5	6
06						2	4	5
07						2	5	6
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						2	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OKI AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft****NUMBER OF FORWARD SCATTER:**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						3	9	15
01						3	9	11
02						2	7	9
03						2	7	10
04						2	7	12
05						2	5	9
06						2	7	9
07						1	4	7
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						2	7	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKI AIRPORT **MONTH:** JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						5	15	25
01						3	12	19
02						1	9	12
03						3	8	12
04						1	8	12
05						3	8	11
06						3	8	9
07						5	8	9
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						3	10	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKI AIRPORT **MONTH:** AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						—	5	10
01						1	4	7
02						—	4	7
03						1	3	6
04						—	4	6
05						—	2	5
06						—	1	5
07						—	2	4
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKI AIRPORT **MONTH:** SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1	3	7
01						2	5	11
02						1	3	5
03						1	3	5
04						1	3	5
05						1	2	3
06						—	1	3
07						1	3	5
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKI AIRPORT **MONTH:** OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1	1	2
01						1	1	2
02						—	1	3
03						—	1	1
04						—	2	4
05						—	2	3
06						—	3	4
07						—	3	5
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKI AIRPORT **MONTH:** NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1	2	4
01						—	1	5
02						—	1	5
03						1	3	5
04						1	1	4
05						1	1	4
06						1	3	4
07						1	2	3
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKI AIRPORT **MONTH:** DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1	2	4
01						1	3	5
02						—	3	3
03						1	3	5
04						1	3	5
05						—	3	5
06						1	3	6
07						1	1	6
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OKI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						2	5	9
01						1	5	8
02						1	4	7
03						1	5	7
04						1	5	8
05						1	4	6
06						1	4	6
07						1	4	6
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKI AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<500	<1500	<1600	<2000	<2400	<3200	<5000
00	—	—	1	1	1	3	5	8
01	—	1	2	2	2	3	5	5
02	—	1	3	3	3	5	6	8
03	1	1	2	3	3	5	7	8
04	—	—	2	2	2	3	4	5
05	—	1	1	1	3	3	6	7
06	—	1	1	2	3	3	6	8
07	—	—	1	2	2	3	6	7
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	2	2	3	3	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKI AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<500	<1500	<1600	<2000	<2400	<3200	<5000
00	—	—	2	2	3	4	5	6
01	—	—	—	1	2	2	5	8
02	1	1	1	1	1	2	5	7
03	—	—	1	1	1	3	4	6
04	—	1	1	2	2	3	5	8
05	—	—	1	1	1	1	4	4
06	—	—	1	1	1	4	4	4
07	—	1	2	2	2	2	3	6
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	1	2	2	3	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKI AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<500	<1500	<1600	<2000	<2400	<3200	<5000
00	—	—	1	1	1	1	3	5
01	—	—	1	1	1	1	3	5
02	—	—	1	1	1	1	3	4
03	1	1	1	2	2	2	3	5
04	1	1	3	3	3	5	5	6
05	1	1	1	2	2	2	3	5
06	—	—	1	1	1	1	2	6
07	—	—	1	1	1	1	3	3
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	1	1	1	2	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKI AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<500	<1500	<1600	<2000	<2400	<3200	<5000
00	1	1	2	2	2	2	3	7
01	1	1	2	2	2	2	4	6
02	1	1	2	2	2	3	3	5
03	—	—	—	—	—	2	3	5
04	—	—	1	1	1	1	3	4
05	—	—	—	1	1	1	3	6
06	—	—	1	1	1	3	3	3
07	—	—	1	1	1	2	3	4
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	1	1	1	1	2	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKI AIRPORT MONTH: MAY****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<500	<1500	<1600	<2000	<2400	<3200	<5000
00	1	1	2	2	2	2	3	4
01	1	1	3	3	3	3	3	5
02	1	1	1	1	2	2	3	4
03	1	1	2	2	2	2	3	5
04	—	1	1	1	3	3	4	6
05	—	1	1	1	1	2	3	4
06	1	1	2	2	2	2	3	3
07	—	—	1	1	1	1	3	4
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	1	1	1	2	2	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKI AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<500	<1500	<1600	<2000	<2400	<3200	<5000
00	—	—	—	1	1	1	3	5
01	—	—	1	1	2	2	3	5
02	—	—	1	1	1	1	3	4
03	1	1	2	2	2	2	3	5
04	1	1	2	2	2	2	3	5
05	—	—	1	1	1	1	2	4
06	1	1	1	1	1	2	3	5
07	1	1	1	1	1	2	2	5
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	1	1	1	2	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKI AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<500	<1500	<1600	<2000	<2400	<3200	<5000
00	—	—	1	1	2	4	6	10
01	—	—	1	1	1	1	3	8
02	—	—	1	1	1	1	3	5
03	—	—	1	1	1	1	3	5
04	—	—	—	—	—	—	2	4
05	—	—	1	1	1	2	4	6
06	—	—	1	1	1	1	3	5
07	—	1	1	1	1	1	2	4
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	—	0	1	1	1	1	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKI AIRPORT MONTH: AUG****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<500	<1500	<1600	<2000	<2400	<3200	<5000
00	—	—	—	—	—	—	2	3
01	—	—	—	—	—	—	1	3
02	—	—	—	—	—	—	3	3
03	—	—	1	1	1	1	1	3
04	—	—	—	—	—	1	4	5
05	—	—	—	—	—	—	1	1
06	—	—	—	—	—	—	1	1
07	—	—	—	—	—	—	—	1
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	—	—	0	0	0	0	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKI AIRPORT MONTH: SEP****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<500	<1500	<1600	<2000	<2400	<3200	<5000
00	—	—	1	1	1	1	2	3
01	—	—	1	1	1	1	2	5
02	—	—	1	1	1	1	2	3
03	—	—	1	1	1	1	1	3
04	—	—	1	1	1	1	1	3
05	—	—	—	—	1	1	1	1
06	—	—	—	—	—	—	1	1
07	—	—	—	—	1	1	3	3
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	—	—	1	1	1	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKI AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<500	<1500	<1600	<2000	<2400	<3200	<5000
00	—	—	—	—	—	—	1	1
01	—	—	—	—	—	—	1	1
02	—	—	—	—	—	—	1	2
03	—	—	—	—	—	—	1	1
04	—	—	—	—	—	—	2	3
05	—	—	—	1	1	1	2	2
06	—	—	—	—	—	1	2	3
07	—	—	—	1	1	1	2	3
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	—	—	—	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKI AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<500	<1500	<1600	<2000	<2400	<3200	<5000
00	—	—	—	—	—	—	2	3
01	—	—	—	—	—	—	1	3
02	—	—	—	—	—	1	1	3
03	—	—	—	—	—	—	1	3
04	—	—	—	—	—	1	1	2
05	—	—	—	—	—	—	1	1
06	—	—	1	1	1	1	3	3
07	—	—	—	—	—	1	2	2
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	—	—	0	0	0	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKI AIRPORT MONTH: DEC****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<500	<1500	<1600	<2000	<2400	<3200	<5000
00	—	—	1	1	1	2	2	4
01	—	—	1	1	1	1	3	5
02	—	—	—	—	1	2	3	3
03	—	—	1	1	1	1	3	5
04	—	—	1	1	1	1	3	5
05	—	—	—	—	—	1	3	5
06	—	—	1	1	1	1	3	5
07	1	1	1	1	1	1	1	3
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	1	1	1	1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKI AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<500	<1500	<1600	<2000	<2400	<3200	<5000
00	0	0	1	1	1	2	3	5
01	0	0	1	1	1	1	3	5
02	0	0	1	1	1	2	3	4
03	0	0	1	1	1	2	3	4
04	0	0	1	1	1	2	3	5
05	0	0	0	1	1	1	3	4
06	0	0	1	1	1	1	3	4
07	0	0	1	1	1	1	2	4
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	1	1	1	1	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKI AIRPORT **MONTH:** JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1500	—
00	—	—	1	1	1	2	
01	—	—	1	1	1	2	
02	—	—	1	1	2	6	
03	—	—	1	1	2	8	
04	—	—	—	—	1	5	
05	—	—	—	1	3	6	
06	—	—	—	—	3	6	
07	—	—	1	1	2	5	
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	—	0	1	2	5	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1500	—
00	—	—	—	1	3	3	
01	—	—	1	1	1	2	
02	—	—	—	1	1	1	
03	—	—	1	1	2	4	
04	—	—	1	1	1	4	
05	—	—	—	1	1	3	
06	—	—	—	—	3	4	
07	—	—	—	1	1	5	
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	—	0	1	2	3	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKI AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1500	—
00	—	—	1	1	1	3	
01	—	1	1	1	3	6	
02	—	1	1	1	3	6	
03	—	1	1	1	3	8	
04	—	1	1	2	4	8	
05	—	1	1	2	4	6	
06	—	—	1	2	3	7	
07	—	—	—	1	5	6	
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	0	1	1	3	6	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKI AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1500	—
00	—	2	2	3	5	7	
01	—	1	2	3	6	8	
02	—	1	2	5	6	9	
03	—	—	1	3	7	10	
04	—	—	3	3	8	10	
05	—	—	2	4	6	9	
06	—	—	2	3	5	7	
07	—	—	1	3	5	9	
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	1	2	3	6	9	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKI AIRPORT **MONTH:** MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1500	—
00	—	1	2	2	5	6	
01	—	1	3	3	3	6	
02	—	1	2	2	2	4	
03	—	1	2	2	2	3	
04	—	1	1	1	5	7	
05	—	—	—	1	5	5	
06	—	—	1	1	3	4	
07	—	—	2	2	5	6	
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	0	2	2	4	5	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1500	—
00	—	—	3	5	9	15	
01	—	1	3	4	9	11	
02	—	—	2	4	7	9	
03	—	—	2	2	7	9	
04	—	1	2	3	7	10	
05	—	1	2	3	5	7	
06	—	1	2	3	6	9	
07	—	1	1	1	3	4	
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	1	2	3	7	9	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKI AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1500	—
00	—	1	5	7	14	23	
01	—	—	3	4	11	17	
02	—	1	1	3	8	12	
03	—	—	3	4	8	11	
04	—	—	1	1	7	12	
05	—	—	3	4	7	10	
06	—	—	3	4	6	8	
07	—	—	4	6	8	8	
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	0	3	4	9	13	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKI AIRPORT **MONTH:** AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1500	—
00	—	—	—	1	3	9	
01	—	—	1	2	4	7	
02	—	—	—	1	3	6	
03	—	—	—	—	2	6	
04	—	—	—	1	1	4	
05	—	—	—	—	1	5	
06	—	—	—	—	1	3	
07	—	—	—	—	2	3	
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	—	0	1	2	5	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1500	—
00	—	—	1	1	3	6	
01	—	—	2	2	5	9	
02	—	—	1	1	2	5	
03	—	—	1	1	3	5	
04	—	—	1	1	3	3	
05	—	—	1	1	1	3	
06	—	—	—	1	1	3	
07	—	—	1	1	2	5	
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	—	1	1	2	5	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKI AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1500	—
00	—	—	1	1	1	2	
01	—	—	1	1	1	2	
02	—	—	—	1	1	2	
03	—	—	—	—	—	1	
04	—	—	—	—	—	1	
05	—	—	—	—	1	3	
06	—	—	—	—	1	3	
07	—	—	—	1	2	4	
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	—	0	0	1	2	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKI AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 8****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1500	—
00	—	—	1	1	1	2	
01	—	—	—	1	1	3	
02	—	—	—	1	1	3	
03	—	—	1	1	2	5	
04	—	—	1	1	1	3	
05	—	—	1	1	1	4	
06	—	—	1	1	2	3	
07	—	—	1	1	1	3	
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	—	1	1	1	3	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKI AIRPORT **MONTH:** DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1500	—
00	—	—	—	—	1	1	
01	—	—	—	—	1	2	
02	—	—	—	—	1	2	
03	—	—	—	—	1	1	
04	—	—	—	—	—	3	
05	—	—	—	—	1	1	
06	—	—	—	1	1	4	
07	—	—	—	—	1	4	
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	—	—	0	1	2	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OKI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 8

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1500	—
00	—	0	1	2	4	7	
01	—	0	1	2	4	6	
02	—	0	1	2	3	5	
03	—	0	1	1	3	6	
04	—	0	1	1	3	6	
05	—	0	1	1	3	5	
06	—	0	1	1	3	5	
07	—	0	1	1	3	5	
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	—	0	1	1	3	6	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OKI AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												—
VARIABLE	2	0	—	—	—	—	—	—	—	—	—	2
[35-36-01]	5	12	4	1	0	—	—	—	—	—	—	22
[02-03-04]	1	3	3	1	0	—	—	—	—	—	—	8
[05-06-07]	1	1	1	0	0	0	—	—	—	—	—	3
[08-09-10]	0	1	0	0	—	—	—	—	—	—	—	2
[11-12-13]	0	1	1	0	—	—	—	—	—	—	—	2
[14-15-16]	0	1	0	—	—	—	—	—	—	—	—	1
[17-18-19]	0	1	0	0	—	—	—	—	—	—	—	2
[20-21-22]	0	1	1	1	0	0	0	—	—	—	—	3
[23-24-25]	0	1	2	1	1	0	0	—	—	—	—	5
[26-27-28]	1	3	4	4	2	1	0	—	—	—	—	14
[29-30-31]	2	5	5	2	1	0	—	—	—	—	—	15
[32-33-34]	7	10	4	1	0	—	—	—	—	—	—	21
TOTAL	19	39	25	12	4	1	0	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: OKI AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[35-36-01]	5)	12)	4)	1)	0)	0)	0)	0)	0)	0)	0)	22)
[02-03-04]	2)	3)	4)	2)	0)	0)	0)	0)	0)	0)	0)	10)
[05-06-07]	1)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[08-09-10]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	1)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	0)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	3)
[23-24-25]	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[26-27-28]	1)	2)	3)	3)	1)	0)	0)	0)	0)	0)	0)	10)
[29-30-31]	2)	3)	5)	3)	1)	0)	0)	0)	0)	0)	0)	14)
[32-33-34]	6)	6)	4)	1)	0)	0)	0)	0)	0)	0)	0)	17)
TOTAL	22)	37)	25)	13)	3)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: OKI AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[35-36-01]	5)	8)	2)	0)	0)	0)	0)	0)	0)	0)	0)	16)
[02-03-04]	2)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[05-06-07]	1)	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[08-09-10]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[11-12-13]	1)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[23-24-25]	1)	3)	4)	4)	1)	0)	0)	0)	0)	0)	0)	12)
[26-27-28]	1)	2)	3)	2)	1)	0)	0)	0)	0)	0)	0)	9)
[29-30-31]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[32-33-34]	5)	5)	3)	1)	0)	0)	0)	0)	0)	0)	0)	14)
TOTAL	27)	36)	23)	11)	3)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OKI AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	4	—	—	—	—	—	—	—	—	—	—	4
[35-36-01]	4	4	1	0	0	—	—	—	—	—	—	9
[02-03-04]	2	4	4	2	1	0	—	—	—	—	—	14
[05-06-07]	1	4	5	2	0	0	—	—	—	—	—	13
[08-09-10]	1	3	1	0	—	—	—	—	—	—	—	5
[11-12-13]	1	1	1	0	—	—	—	—	—	—	—	3
[14-15-16]	1	1	1	0	0	—	—	—	—	—	—	3
[17-18-19]	2	1	1	0	0	0	—	—	—	—	—	5
[20-21-22]	2	4	1	1	0	0	0	0	0	0	—	8
[23-24-25]	2	4	3	2	1	0	0	0	—	—	0	12
[26-27-28]	2	4	3	1	1	0	0	—	—	—	—	11
[29-30-31]	2	2	1	1	0	0	0	0	—	—	—	7
[32-33-34]	3	2	1	0	—	—	—	—	—	—	—	7
TOTAL	27	34	23	11	3	1	0	0	0	0	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: OKI AIRPORT MONTH: MAY****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	6	0	—	—	—	—	—	—	—	—	—	6
[35-36-01]	4	3	1	0	—	—	—	—	—	—	—	7
[02-03-04]	3	6	2	1	—	—	—	—	—	—	—	11
[05-06-07]	1	6	4	1	0	—	—	—	—	—	—	12
[08-09-10]	1	2	0	—	—	—	—	—	—	—	—	4
[11-12-13]	1	1	0	—	—	—	—	—	—	—	—	3
[14-15-16]	2	1	1	0	0	—	—	—	—	—	—	4
[17-18-19]	3	1	0	0	—	—	—	—	—	—	—	5
[20-21-22]	3	3	1	0	0	0	0	—	—	—	—	8
[23-24-25]	3	7	4	2	1	0	0	—	—	—	—	17
[26-27-28]	3	5	3	1	0	0	—	—	—	—	—	12
[29-30-31]	2	1	1	0	—	—	—	—	—	—	—	5
[32-33-34]	4	2	1	0	0	0	—	—	—	—	—	7
TOTAL	36	39	18	5	1	1	0	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: OKI AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	7	0	—	—	—	—	—	—	—	—	—	8
[35-36-01]	5	3	0	0	—	—	—	—	—	—	—	8
[02-03-04]	3	8	4	1	—	—	—	—	—	—	—	16
[05-06-07]	3	9	9	1	—	—	—	—	—	—	—	22
[08-09-10]	3	5	1	—	—	—	—	—	—	—	—	8
[11-12-13]	2	1	0	0	—	—	—	—	—	—	—	3
[14-15-16]	2	2	0	—	—	—	—	—	—	—	—	4
[17-18-19]	2	1	0	—	—	—	—	—	—	—	—	4
[20-21-22]	3	1	0	0	0	0	—	—	—	—	—	5
[23-24-25]	2	3	2	0	0	0	0	—	—	—	—	7
[26-27-28]	2	3	2	0	0	0	—	—	—	—	—	7
[29-30-31]	2	1	0	—	0	—	—	—	—	—	—	3
[32-33-34]	4	1	0	—	—	—	—	—	—	—	—	5
TOTAL	40	38	18	3	0	0	0	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: OKI AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	7	0	—	—	—	—	—	—	—	—	—	7
[35-36-01]	3	1	0	—	—	—	—	—	—	—	—	4
[02-03-04]	3	3	1	0	0	1	—	—	—	—	—	7
[05-06-07]	2	5	2	0	0	0	—	—	—	—	—	9
[08-09-10]	2	2	0	—	—	—	—	—	—	—	—	5
[11-12-13]	2	1	0	0	—	—	—	—	—	—	—	3
[14-15-16]	2	1	0	—	—	—	—	—	—	—	—	4
[17-18-19]	3	1	0	0	—	—	—	—	—	—	—	4
[20-21-22]	4	5	2	1	0	—	—	—	—	—	—	12
[23-24-25]	3	10	7	4	1	0	—	—	—	—	—	25
[26-27-28]	2	5	3	1	0	—	—	—	—	—	—	12
[29-30-31]	2	1	0	0	—	—	—	—	—	—	—	3
[32-33-34]	3	2	0	—	—	—	—	—	—	—	—	4
TOTAL	36	37	18	7	1	1	—	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: OKI AIRPORT MONTH: AUG****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	6	0	—	—	—	—	—	—	—	—	—	6
[35-36-01]	5	4	0	0	—	—	—	—	—	—	—	10
[02-03-04]	3	7	3	1	0	0	0	—	—	—	—	13
[05-06-07]	1	6	5	0	0	0	0	—	—	—	—	14
[08-09-10]	2	4	1	0	0	0	0	—	—	—	—	7
[11-12-13]	1	2	1	0	—	0	0	—	—	—	—	4
[14-15-16]	2	1	0	0	0	0	—	—	—	—	—	3
[17-18-19]	2	2	1	0	—	0	0	0	—	—	—	4
[20-21-22]	3	5	2	1	0	0	0	0	0	—	—	10
[23-24-25]	2	6	3	1	0	0	0	—	—	—	—	13
[26-27-28]	2	4	2	0	0	0	0	—	—	—	—	8
[29-30-31]	2	1	0	0	—	—	—	—	—	—	—	3
[32-33-34]	4	1	0	0	—	—	—	—	—	—	—	5
TOTAL	35	41	18	4	1	1	1	0	0	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: OKI AIRPORT MONTH: SEP****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[35-36-01]	7)	14)	2)	0)	0)	0)	0)	0)	0)	0)	0)	22)
[02-03-04]	3)	8)	5)	2)	0)	0)	0)	0)	0)	0)	0)	18)
[05-06-07]	1)	7)	8)	1)	0)	0)	0)	0)	0)	0)	0)	16)
[08-09-10]	2)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[29-30-31]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	6)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
TOTAL	32)	45)	19)	4)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: OKI AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[35-36-01]	7)	10)	3)	1)	0)	0)	0)	0)	0)	0)	0)	21)
[02-03-04]	3)	6)	6)	2)	0)	0)	0)	0)	0)	0)	0)	17)
[05-06-07]	1)	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[08-09-10]	1)	6)	2)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[11-12-13]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	0)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	1)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[23-24-25]	1)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[29-30-31]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[32-33-34]	6)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	12)
TOTAL	27)	40)	23)	7)	2)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: OKI AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	2	0	—	—	—	—	—	—	—	—	—	2
[35-36-01]	6	10	2	0	—	—	—	—	—	—	—	18
[02-03-04]	2	3	4	2	0	0	—	—	—	—	—	11
[05-06-07]	1	1	2	1	—	—	—	—	—	—	—	5
[08-09-10]	1	4	2	0	—	—	—	—	—	—	—	7
[11-12-13]	0	3	1	0	—	—	—	—	—	—	—	4
[14-15-16]	0	1	1	0	—	—	—	—	—	—	—	3
[17-18-19]	0	1	1	1	0	0	—	—	—	—	—	4
[20-21-22]	0	1	1	1	1	0	—	—	—	—	—	5
[23-24-25]	0	1	2	1	1	0	0	—	—	—	—	6
[26-27-28]	1	3	3	4	3	1	0	—	—	—	—	14
[29-30-31]	2	3	3	1	1	0	—	—	—	—	—	11
[32-33-34]	6	5	2	0	0	—	—	—	—	—	—	13
TOTAL	22	37	22	12	6	1	0	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OKI AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	2	0	—	—	—	—	—	—	—	—	—	2
[35-36-01]	5	12	3	0	—	0	—	—	—	—	—	21
[02-03-04]	1	2	2	0	0	—	—	—	—	—	—	5
[05-06-07]	0	1	1	0	—	—	—	—	—	—	—	2
[08-09-10]	0	2	1	0	—	—	—	—	—	—	—	3
[11-12-13]	0	2	0	—	—	—	—	—	—	—	—	2
[14-15-16]	0	1	0	0	0	—	—	—	—	—	—	2
[17-18-19]	0	1	1	1	0	0	0	—	—	—	—	4
[20-21-22]	0	1	1	1	0	0	0	0	—	—	—	4
[23-24-25]	0	1	2	1	0	0	0	0	—	—	—	5
[26-27-28]	1	3	4	6	4	1	0	—	—	—	—	19
[29-30-31]	2	4	5	4	2	0	0	—	—	—	—	17
[32-33-34]	6	6	3	1	0	—	—	—	—	—	—	15
TOTAL	18	35	23	15	7	2	0	0	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OKI AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[35-36-01]	5)	8)	2)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[02-03-04]	2)	5)	3)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[05-06-07]	1)	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[08-09-10]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	1)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	2)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[23-24-25]	1)	3)	3)	1)	1)	0)	0)	0)	0)	0)	0)	10)
[26-27-28]	2)	3)	3)	2)	1)	0)	0)	0)	0)	0)	0)	11)
[29-30-31]	2)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[32-33-34]	5)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	11)
TOTAL	28)	38)	21)	9)	3)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKI AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	8	46	42	4	—	—	—	—	—
01	—	—	1	3	43	48	5	—	—	—	—	—
02	—	—	—	4	41	49	6	—	—	—	—	—
03	—	—	—	5	37	53	6	—	—	—	—	—
04	—	—	—	4	38	53	5	—	—	—	—	—
05	—	—	—	5	36	53	6	—	—	—	—	—
06	—	—	—	5	37	51	6	—	—	—	—	—
07	—	—	—	5	42	47	6	—	—	—	—	—
08	—	—	—	5	49	43	3	—	—	—	—	—
09	—	—	—	6	50	41	3	—	—	—	—	—
10	—	—	—	7	54	35	3	—	—	—	—	—
11	—	—	—	8	54	35	3	—	—	—	—	—
12	—	—	—	8	50	40	3	—	—	—	—	—
13	—	—	—	9	52	35	5	—	—	—	—	—
14	—	—	—	10	52	34	4	—	—	—	—	—
15	—	—	—	10	52	35	3	—	—	—	—	—
16	—	—	—	9	50	37	4	—	—	—	—	—
17	—	—	—	9	52	34	5	—	—	—	—	—
18	—	—	—	10	55	31	5	—	—	—	—	—
19	—	—	—	10	58	28	4	—	—	—	—	—
20	—	—	—	10	56	30	4	—	—	—	—	—
21	—	—	—	10	59	26	5	—	—	—	—	—
22	—	—	—	12	54	29	5	—	—	—	—	—
23	—	—	—	10	54	32	4	—	—	—	—	—
MEAN	—	—	0	8	49	39	4	—	—	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKI AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	8	49	36	6	—	—	—	—	—
01	—	—	—	6	47	41	6	—	—	—	—	—
02	—	—	—	6	41	44	9	—	—	—	—	—
03	—	—	—	4	42	44	11	—	—	—	—	—
04	—	—	—	4	39	45	11	1	—	—	—	—
05	—	—	—	6	40	43	11	1	—	—	—	—
06	—	—	—	5	43	43	8	1	—	—	—	—
07	—	—	—	6	48	39	6	1	—	—	—	—
08	—	—	—	7	50	36	7	—	—	—	—	—
09	0)	0)	0)	11)	50)	33)	6)	0)	0)	0)	0)	0)
10	—	—	—	11	53	30	5	1	—	—	—	—
11	—	—	—	13	52	30	5	—	—	—	—	—
12	—	—	—	12	56	26	6	—	—	—	—	—
13	—	—	—	13	56	26	6	—	—	—	—	—
14	—	—	—	13	56	25	6	—	—	—	—	—
15	—	—	—	13	55	27	5	—	—	—	—	—
16	—	—	—	12	58	25	5	—	—	—	—	—
17	—	—	—	13	61	21	4	—	—	—	—	—
18	—	—	—	15	58	23	3	1	—	—	—	—
19	—	—	—	15	61	21	4	—	—	—	—	—
20	—	—	—	15	58	24	4	—	—	—	—	—
21	—	—	—	16	58	21	4	—	—	—	—	—
22	—	—	—	15	56	24	4	—	—	—	—	—
23	—	—	—	13	55	27	5	—	—	—	—	—
MEAN	0)	0)	0)	11)	52)	31)	6)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKI AIRPORT MONTH: MAR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	1	15	46	37	2	—	—	—	—
01	—	—	—	—	14	43	38	5	—	—	—	—
02	—	—	—	—	8	48	38	6	—	—	—	—
03	—	—	—	—	10	45	36	9	—	—	—	—
04	—	—	—	1	10	44	35	11	—	—	—	—
05	—	—	—	1	10	45	35	10	—	—	—	—
06	—	—	—	1	12	44	33	10	—	—	—	—
07	—	—	—	1	13	43	34	10	—	—	—	—
08	—	—	—	1	18	41	36	5	—	—	—	—
09	—	—	—	1	23	42	34	1	—	—	—	—
10	—	—	—	1	27	43	28	1	—	—	—	—
11	—	—	—	—	32	39	27	1	—	—	—	—
12	0)	0)	0)	0)	35)	40)	24)	1)	0)	0)	0)	0)
13	—	—	—	1	35	42	21	1	—	—	—	—
14	—	—	—	1	35	42	22	1	—	—	—	—
15	—	—	—	3	35	40	22	1	—	—	—	—
16	—	—	—	2	38	38	21	1	—	—	—	—
17	—	—	—	4	35	41	19	1	—	—	—	—
18	—	—	—	3	37	40	19	1	—	—	—	—
19	—	—	—	3	37	41	19	1	—	—	—	—
20	—	—	—	3	38	39	19	1	—	—	—	—
21	—	—	—	3	39	37	21	1	—	—	—	—
22	—	—	—	3	33	40	25	—	—	—	—	—
23	—	—	—	1	18	50	30	1	—	—	—	—
MEAN	0)	0)	0)	1)	25)	42)	28)	3)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: OKI AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	19	49	31	2	—	—	—
01	—	—	—	—	—	15	46	37	2	—	—	—
02	—	—	—	—	1	11	47	38	3	—	—	—
03	—	—	—	—	1	12	46	37	4	—	—	—
04	—	—	—	—	—	13	41	39	7	—	—	—
05	—	—	—	—	—	13	43	39	5	—	—	—
06	—	—	—	—	1	13	42	40	5	—	—	—
07	—	—	—	—	—	15	45	36	3	—	—	—
08	—	—	—	—	1	16	47	34	2	—	—	—
09	—	—	—	—	—	19	59	20	2	—	—	—
10	—	—	—	—	1	21	61	17	1	—	—	—
11	—	—	—	—	3	23	61	13	—	—	—	—
12	—	—	—	—	4	26	57	13	—	—	—	—
13	—	—	—	—	5	28	55	11	—	—	—	—
14	—	—	—	—	5	32	51	11	—	—	—	—
15	—	—	—	—	5	32	52	11	—	—	—	—
16	—	—	—	—	7	35	52	7	—	—	—	—
17	—	—	—	—	7	36	51	6	—	—	—	—
18	—	—	—	—	9	32	51	9	—	—	—	—
19	—	—	—	—	6	38	49	7	—	—	—	—
20	—	—	—	—	5	35	51	9	—	—	—	—
21	—	—	—	—	5	36	51	9	—	—	—	—
22	—	—	—	—	3	27	55	15	—	—	—	—
23	—	—	—	—	1	21	55	23	—	—	—	—
MEAN	—	—	—	—	3	24	51	21	1	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKI AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	1	10	67	21	1	—	—
01	—	—	—	—	—	1	8	63	26	1	—	—
02	—	—	—	—	—	1	7	59	31	1	—	—
03	—	—	—	—	—	2	6	56	34	2	—	—
04	—	—	—	—	—	—	9	52	38	1	—	—
05	—	—	—	—	—	—	8	48	41	3	—	—
06	—	—	—	—	—	—	8	52	38	1	—	—
07	—	—	—	—	—	1	10	57	32	1	—	—
08	0)	0)	0)	0)	0)	1)	11)	60)	26)	1)	0)	0)
09	—	—	—	—	—	1	15	67	17	—	—	—
10	—	—	—	—	—	1	23	67	9	—	—	—
11	—	—	—	—	—	3	28	63	6	—	—	—
12	—	—	—	—	—	3	33	61	3	—	—	—
13	—	—	—	—	—	5	37	55	3	—	—	—
14	—	—	—	—	—	5	40	52	3	—	—	—
15	—	—	—	—	—	6	40	51	3	—	—	—
16	—	—	—	—	—	8	41	50	1	—	—	—
17	—	—	—	—	—	6	41	52	1	—	—	—
18	—	—	—	—	—	6	41	52	1	—	—	—
19	—	—	—	—	—	6	43	50	1	—	—	—
20	—	—	—	—	—	6	41	50	2	—	—	—
21	—	—	—	—	—	5	32	59	4	—	—	—
22	—	—	—	—	—	2	20	70	8	—	—	—
23	—	—	—	—	—	2	14	72	12	—	—	—
MEAN	0)	0)	0)	0)	0)	3)	24)	58)	15)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: OKI AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	23	77	1	—	—
01	—	—	—	—	—	—	—	20	76	4	—	—
02	—	—	—	—	—	—	—	17	80	3	—	—
03	—	—	—	—	—	—	—	9	86	5	—	—
04	—	—	—	—	—	—	—	8	87	5	—	—
05	—	—	—	—	—	—	—	10	84	6	—	—
06	—	—	—	—	—	—	—	9	86	5	—	—
07	—	—	—	—	—	—	—	15	81	4	—	—
08	—	—	—	—	—	—	—	22	76	2	—	—
09	—	—	—	—	—	—	—	27	72	1	—	—
10	—	—	—	—	—	—	—	39	61	—	—	—
11	—	—	—	—	—	—	1	44	55	—	—	—
12	—	—	—	—	—	—	1	52	47	—	—	—
13	—	—	—	—	—	—	2	53	45	—	—	—
14	—	—	—	—	—	—	3	59	39	—	—	—
15	—	—	—	—	—	—	3	58	39	—	—	—
16	—	—	—	—	—	—	4	63	33	—	—	—
17	—	—	—	—	—	—	3	65	31	—	—	—
18	—	—	—	—	—	—	3	67	29	—	—	—
19	—	—	—	—	—	—	4	67	29	—	—	—
20	—	—	—	—	—	—	4	68	28	—	—	—
21	—	—	—	—	—	—	2	61	37	—	—	—
22	—	—	—	—	—	—	—	47	53	—	—	—
23	—	—	—	—	—	—	—	33	67	1	—	—
MEAN	—	—	—	—	—	—	1	39	58	2	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKI AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	1	52	47	—	—
01	—	—	—	—	—	—	—	—	46	54	—	—
02	—	—	—	—	—	—	—	—	37	62	1	—
03	—	—	—	—	—	—	—	—	35	63	3	—
04	—	—	—	—	—	—	—	—	34	61	5	—
05	—	—	—	—	—	—	—	—	32	61	7	—
06	—	—	—	—	—	—	—	—	35	57	7	—
07	—	—	—	—	—	—	—	—	39	53	8	—
08	—	—	—	—	—	—	—	—	41	57	2	—
09	—	—	—	—	—	—	—	—	48	50	1	—
10	—	—	—	—	—	—	—	1	57	42	—	—
11	—	—	—	—	—	—	—	4	63	34	—	—
12	—	—	—	—	—	—	—	4	67	29	—	—
13	—	—	—	—	—	—	—	6	70	25	—	—
14	—	—	—	—	—	—	—	7	71	22	—	—
15	—	—	—	—	—	—	—	5	76	19	—	—
16	—	—	—	—	—	—	—	6	76	17	—	—
17	—	—	—	—	—	—	—	6	79	15	—	—
18	—	—	—	—	—	—	—	8	76	15	—	—
19	—	—	—	—	—	—	—	8	76	16	—	—
20	—	—	—	—	—	—	—	8	76	16	—	—
21	—	—	—	—	—	—	—	6	74	19	—	—
22	—	—	—	—	—	—	—	3	67	30	—	—
23	—	—	—	—	—	—	—	1	59	40	—	—
MEAN	—	—	—	—	—	—	—	3	58	38	1	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKI AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	—	23	75	2	—
01	—	—	—	—	—	—	—	—	19	72	8	—
02	—	—	—	—	—	—	—	—	20	69	11	—
03	—	—	—	—	—	—	—	—	21	61	18	—
04	—	—	—	—	—	—	—	—	19	63	19	—
05	—	—	—	—	—	—	—	—	19	57	24	—
06	—	—	—	—	—	—	—	1	18	58	23	—
07	—	—	—	—	—	—	—	1	21	64	14	—
08	—	—	—	—	—	—	—	1	24	68	8	—
09	—	—	—	—	—	—	—	1	27	71	1	—
10	—	—	—	—	—	—	—	1	33	66	—	—
11	—	—	—	—	—	—	—	1	42	57	—	—
12	—	—	—	—	—	—	—	1	43	56	—	—
13	—	—	—	—	—	—	—	1	46	52	—	—
14	—	—	—	—	—	—	—	2	49	49	—	—
15	—	—	—	—	—	—	—	3	50	47	—	—
16	—	—	—	—	—	—	—	3	49	48	—	—
17	—	—	—	—	—	—	—	3	49	48	—	—
18	—	—	—	—	—	—	—	3	49	48	—	—
19	—	—	—	—	—	—	—	4	48	48	—	—
20	—	—	—	—	—	—	—	4	54	43	—	—
21	—	—	—	—	—	—	—	4	49	47	—	—
22	—	—	—	—	—	—	—	1	36	63	—	—
23	—	—	—	—	—	—	—	—	27	73	—	—
MEAN	—	—	—	—	—	—	—	1	35	59	5	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKI AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	5	80	15	—	—
01	—	—	—	—	—	—	—	3	77	20	—	—
02	—	—	—	—	—	—	—	3	70	27	—	—
03	—	—	—	—	—	—	—	3	69	29	—	—
04	—	—	—	—	—	—	—	3	65	32	—	—
05	—	—	—	—	—	—	—	4	68	28	—	—
06	—	—	—	—	—	—	—	4	71	25	—	—
07	—	—	—	—	—	—	—	7	73	19	—	—
08	—	—	—	—	—	—	—	6	77	17	—	—
09	0)	0)	0)	0)	0)	0)	0)	13)	75)	12)	0)	0)
10	—	—	—	—	—	—	—	19	73	7	—	—
11	—	—	—	—	—	—	—	29	65	6	—	—
12	—	—	—	—	—	—	—	28	67	5	—	—
13	—	—	—	—	—	—	—	31	62	7	—	—
14	—	—	—	—	—	—	—	35	61	5	—	—
15	—	—	—	—	—	—	1	35	57	7	—	—
16	—	—	—	—	—	—	1	34	58	7	—	—
17	—	—	—	—	—	—	—	39	56	5	—	—
18	—	—	—	—	—	—	1	41	52	6	—	—
19	—	—	—	—	—	—	1	43	53	4	—	—
20	—	—	—	—	—	—	1	44	51	4	—	—
21	—	—	—	—	—	—	—	44	52	4	—	—
22	—	—	—	—	—	—	—	26	67	7	—	—
23	—	—	—	—	—	—	—	9	79	11	—	—
MEAN	0)	0)	0)	0)	0)	0)	0)	21)	66)	13)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKI AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	1	8	61	28	2	—	—
01	—	—	—	—	—	—	5	53	40	2	—	—
02	—	—	—	—	—	—	5	48	45	3	—	—
03	—	—	—	—	—	—	5	47	46	2	—	—
04	—	—	—	—	—	—	5	48	45	2	—	—
05	—	—	—	—	—	—	5	50	44	1	—	—
06	—	—	—	—	—	—	8	54	36	2	—	—
07	—	—	—	—	—	—	10	59	31	1	—	—
08	—	—	—	—	—	—	15	63	22	1	—	—
09	—	—	—	—	—	—	22	62	15	1	—	—
10	—	—	—	—	—	1	24	60	15	1	—	—
11	0)	0)	0)	0)	0)	1)	25)	57)	17)	0)	0)	0)
12	—	—	—	—	—	1	26	55	17	—	—	—
13	—	—	—	—	—	2	28	55	15	—	—	—
14	—	—	—	—	—	3	27	57	13	—	—	—
15	—	—	—	—	—	3	29	53	15	—	—	—
16	—	—	—	—	—	3	31	54	13	—	—	—
17	—	—	—	—	—	2	34	54	10	—	—	—
18	—	—	—	—	—	3	35	52	10	—	—	—
19	—	—	—	—	—	2	34	55	8	1	—	—
20	—	—	—	—	—	3	35	53	8	1	—	—
21	—	—	—	—	—	2	34	55	9	—	—	—
22	—	—	—	—	—	2	29	59	10	—	—	—
23	—	—	—	—	—	1	12	71	16	—	—	—
MEAN	0)	0)	0)	0)	0)	1)	21)	56)	22)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKI AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	1	21	47	31	—	—	—	—
01	—	—	—	—	—	19	45	35	1	—	—	—
02	—	—	—	—	1	14	47	37	1	—	—	—
03	—	—	—	—	1	14	43	41	1	—	—	—
04	—	—	—	—	1	15	42	41	—	—	—	—
05	—	—	—	—	1	16	43	41	—	—	—	—
06	—	—	—	—	1	17	43	37	1	—	—	—
07	—	—	—	—	1	19	50	29	—	—	—	—
08	—	—	—	—	1	23	56	21	—	—	—	—
09	—	—	—	—	1	25	56	17	—	—	—	—
10	—	—	—	—	2	27	54	17	—	—	—	—
11	—	—	—	—	1	29	53	17	—	—	—	—
12	—	—	—	—	2	29	52	17	—	—	—	—
13	—	—	—	—	1	30	53	17	—	—	—	—
14	—	—	—	—	—	29	55	15	—	—	—	—
15	—	—	—	—	—	30	53	17	—	—	—	—
16	—	—	—	—	—	29	54	17	—	—	—	—
17	—	—	—	—	—	32	49	19	—	—	—	—
18	—	—	—	—	1	35	45	19	—	—	—	—
19	—	—	—	—	1	33	49	17	—	—	—	—
20	—	—	—	—	2	33	47	18	—	—	—	—
21	—	—	—	—	2	33	48	17	—	—	—	—
22	—	—	—	—	3	32	49	16	—	—	—	—
23	—	—	—	—	2	30	45	23	—	—	—	—
MEAN	—	—	—	—	1	26	49	24	0	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: OKI AIRPORT MONTH: DEC****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	3	31	46	19	1	—	—	—	—
01	—	—	—	3	23	46	26	2	—	—	—	—
02	—	—	—	1	26	39	32	3	—	—	—	—
03	—	—	—	1	21	45	30	3	—	—	—	—
04	—	—	—	1	22	42	32	4	—	—	—	—
05	—	—	—	1	21	47	28	3	—	—	—	—
06	—	—	—	1	24	47	26	2	—	—	—	—
07	—	—	—	1	28	46	25	1	—	—	—	—
08	—	—	—	1	31	45	23	1	—	—	—	—
09	—	—	—	1	34	45	19	1	—	—	—	—
10	—	—	—	1	37	41	21	—	—	—	—	—
11	—	—	—	1	35	45	18	—	—	—	—	—
12	—	—	—	3	34	45	19	—	—	—	—	—
13	—	—	—	2	37	41	20	1	—	—	—	—
14	—	—	—	2	36	43	19	—	—	—	—	—
15	—	—	—	1	38	43	17	1	—	—	—	—
16	—	—	—	3	38	39	19	1	—	—	—	—
17	—	—	—	2	37	42	19	1	—	—	—	—
18	—	—	—	3	36	43	17	1	—	—	—	—
19	—	—	—	3	34	47	15	1	—	—	—	—
20	—	—	—	3	35	47	13	1	—	—	—	—
21	—	—	—	4	37	45	12	2	—	—	—	—
22	—	—	—	5	37	43	14	1	—	—	—	—
23	—	—	—	2	38	45	15	1	—	—	—	—
MEAN	—	—	—	2	32	44	21	1	—	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKI AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	2	12	18	15	19	24	12	0	—
01	—	—	0	1	11	18	15	18	24	13	1	—
02	—	—	—	1	10	17	16	18	24	14	1	—
03	—	—	—	1	9	18	15	17	25	14	2	—
04	—	—	—	1	9	18	15	17	25	14	2	—
05	—	—	—	1	9	18	15	17	24	13	3	—
06	—	—	—	1	10	18	15	18	24	13	3	—
07	—	—	—	1	11	18	15	18	23	12	2	—
08	0)	0)	0)	1)	12)	17)	16)	18)	22)	12)	1)	0)
09	0)	0)	0)	2)	13)	17)	18)	18)	21)	11)	0)	0)
10	—	—	—	2	14	17	18	19	21	10	—	—
11	0)	0)	0)	2)	15)	17)	18)	19)	21)	8)	0)	0)
12	0)	0)	0)	2)	15)	17)	18)	19)	20)	8)	0)	0)
13	—	—	—	2	15	17	19	19	20	7	—	—
14	—	—	—	2	15	18	19	20	20	6	—	—
15	—	—	—	2	15	18	19	19	20	6	—	—
16	—	—	—	2	16	18	19	20	19	6	—	—
17	—	—	—	2	16	18	19	20	19	6	—	—
18	—	—	—	3	16	18	18	21	18	6	—	—
19	—	—	—	2	16	18	18	21	18	6	—	—
20	—	—	—	3	16	18	18	21	18	5	—	—
21	—	—	—	3	17	17	17	22	19	6	—	—
22	—	—	—	3	15	17	17	20	20	8	—	—
23	—	—	—	2	14	17	15	20	22	11	—	—
MEAN	0)	0)	0)	2)	13)	17)	17)	19)	21)	9)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKI AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	4.5	4.2	7.8	12.2	16.7	20.5	24.4	25.9	22.1	17.5	12.3	6.9	14.6
Daily maximum air temperature(°C)	7.2	7.3	11.4	15.9	20.6	23.5	27.4	29.1	25.1	20.8	15.3	9.9	17.8
Daily minimum air temperature(°C)	1.8	1.1	4.0	8.3	13.0	18.0	22.1	23.4	19.5	14.2	9.2	3.9	11.5
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	114.0	62.5	100.6	128.7	69.3	138.3	156.0	172.4	194.5	116.8	118.9	136.2	1508.2
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	988.9	988.3	987.3	973.3	985.8	982.6	980.4*	976.2	989.7	985.0	991.4	985.9	973.3
Daily maximum air temperature(°C)	14.1	16.2	20.7	23.7*	28.1	28.9	32.6	32.9	30.4	28.0	21.5	17.2	32.9
Daily minimum air temperature(°C)	-6.1	-4.2	-2.3	0.9	6.0	12.8	16.2	17.3	13.9	7.2	1.5	-3.0	-6.1
Daily precipitation(mm)	35.0	22.0	56.5	77.0	32.0	110.0	101.5	94.5	102.5	102.5	36.5	60.5	110.0
Daily max.one-hour precipitation(mm)	11.5	7.0	7.5*	16.0	8.0	23.0	43.5	32.0	36.0	26.5	16.0	16.5	43.5
Daily max.ten-minute precipitation(mm)	3.5	2.0	3.0	4.5*	5.5	9.5	19.5	14.5	11.5	12.5	7.0	7.0	19.5
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)													
Daily maximum wind speed(kt)	39	37	36	53	38	37	32	43	28 *	58	38	40 *	58
with wind direction(36DIR.)	26	20	25	23	24	24	2	19	4	20	26	26	20
Daily maximum peak gust(kt)	57	54	52 *	71	55	49	48	58	40	73	55	64	73
with wind direction(36DIR.)	25	26	24	24	24	24	2	20	2	20	27	27	20

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKI AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	7.8	8.8	3.8	—	—	—	—	—	—	—	—	3.2	23.6
≥ 25.0°C	—	—	—	—	—	—	1.2	9.0	0.2	—	—	—	10.4
Daily mean air temperature < 0.0°C	1.4	1.4	—	—	—	—	—	—	—	—	—	0.2	3.0
≥ 25.0°C	—	—	—	—	—	—	13.4	21.4	2.6	—	—	—	37.4
Daily maximum air temperature < 0.0°C	0.2	0.2	—	—	—	—	—	—	—	—	—	—	0.4
≥ 25.0°C	—	—	—	—	2.0	6.0	25.6	29.2	13.6	1.8	—	—	78.2
≥ 30.0°C	—	—	—	—	—	—	5.2	13.4	0.6	—	—	—	19.2
Daily precipitation ≥ 0.0mm	28.8	26.2	24.6	26.0	28.4	27.8	29.6	29.0	28.0	27.2	28.2	28.8	332.6
≥ 1.0mm	15.6	11.4	9.8	9.2	6.0	7.4	8.6	8.8	9.2	7.8	13.4	18.2	125.4
≥ 5.0mm	7.4	4.8	4.8	6.4	4.0	3.8	5.4	5.8	5.8	5.0	7.8	9.4	70.4
≥ 10.0mm	4.0	1.6	3.8	3.8	3.0	3.2	3.6	5.0	4.4	2.8	4.4	4.4	44.0
≥ 30.0mm	0.4	—	0.6	1.6	0.2	1.2	1.4	1.8	3.0	1.0	0.2	0.2	11.6
≥ 50.0mm	—	—	0.2	0.4	—	0.8	1.2	0.8	1.0	0.4	—	0.2	5.0
≥ 70.0mm	—	—	—	0.2	—	0.6	0.6	0.4	0.4	0.2	—	—	2.4
≥ 100.0mm	—	—	—	—	—	0.2	0.2	—	0.2	0.2	—	—	0.8

LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	≥ 0cm													
	≥ 5cm													
	≥ 10cm													
	≥ 20cm													
	≥ 50cm													
	≥ 100cm													
Daily max.depth of snow cover	≥ 0cm													
	≥ 5cm													
	≥ 10cm													
	≥ 20cm													
	≥ 50cm													
	≥ 100cm													
Daily maximum wind speed	≥ 20kt	13.6	12.0	11.8	11.4	5.4	2.6	6.8	4.4	3.8	7.8	11.4	14.6	105.6
	≥ 30kt	2.0	1.2	0.8	1.6	0.8	0.6	0.8	0.8	—	1.6	2.4	4.6	17.2
	≥ 40kt	—	—	—	0.4	—	—	—	0.4	—	0.4	—	0.4	1.6
	≥ 50kt	—	—	—	0.2	—	—	—	—	—	0.4	—	—	0.6

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME:** OKI AIRPORT **PERIOD OF RECORD:** 2012-2016**LATITUDE:** 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262 ft**AIR PRESSURE (hPa) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1011.2	1011.4	1008.9	1005.4	1002.5	999.2	999.1	999.3	1004.6	1009.0	1009.9	1010.1	1005.9
01	1011.4	1011.4	1008.9	1005.6	1002.5	999.2	999.1	999.4	1004.6	1008.9	1009.8	1010.4	1005.9
02	1011.1	1011.4	1008.8	1005.4	1002.5	999.1	999.1	999.2	1004.4	1008.6	1009.6	1010.0	1005.8
03	1010.4	1010.9	1008.5	1005.0	1002.2	998.9	999.0	999.0	1004.1	1008.3	1008.9	1009.3	1005.4
04	1009.8	1010.2	1008.0	1004.7	1001.9	998.7	998.7	998.8	1003.7	1007.7	1008.4	1008.8	1005.0
05	1009.7	1009.9	1007.6	1004.4	1001.7	998.4	998.5	998.4	1003.4	1007.4	1008.2	1008.6	1004.7
06	1009.8	1010.0	1007.5	1004.0	1001.3	998.3	998.3	998.2	1003.3	1007.4	1008.3	1008.8	1004.6
07	1010.0	1010.1	1007.5	1003.9	1001.2	998.1	998.2	998.2	1003.3	1007.4	1008.5	1009.1	1004.6
08	1010.3	1010.2	1007.6	1004.0	1001.1	998.1	998.0	998.2	1003.5	1007.5	1008.7	1009.3	1004.7
09	1010.6	1010.5	1007.9	1004.1	1001.2	998.2	998.2	998.3	1003.6	1007.8	1009.0	1009.6	1004.9
10	1010.8	1010.8	1008.2	1004.4	1001.5	998.4	998.5	998.6	1003.9	1008.1	1009.3	1009.8	1005.2
11	1010.8	1010.9	1008.6	1004.9	1001.8	998.6	998.7	999.0	1004.3	1008.3	1009.4	1009.8	1005.5
12	1010.9	1011.1	1008.8	1005.3	1002.2	999.0	999.2	999.3	1004.5	1008.5	1009.5	1009.8	1005.7
13	1010.8	1011.1	1008.9	1005.3	1002.3	999.1	999.2	999.2	1004.4	1008.6	1009.5	1009.8	1005.7
14	1010.8	1010.9	1008.7	1005.2	1002.3	999.0	999.1	999.2	1004.3	1008.4	1009.4	1009.7	1005.6
15	1010.7	1010.8	1008.5	1005.1	1002.1	998.7	998.9	999.0	1004.1	1008.2	1009.2	1009.5	1005.4
16	1010.3	1010.8	1008.5	1005.0	1001.8	998.6	998.6	998.7	1003.8	1008.0	1009.2	1009.2	1005.2
17	1010.4	1010.8	1008.3	1004.7	1001.6	998.4	998.4	998.5	1003.6	1008.0	1009.1	1009.3	1005.1
18	1010.3	1010.7	1008.0	1004.6	1001.5	998.4	998.3	998.5	1003.5	1007.8	1009.0	1009.2	1005.0
19	1010.2	1010.4	1007.9	1004.5	1001.5	998.4	998.4	998.5	1003.5	1007.7	1008.8	1009.0	1004.9
20	1010.1	1010.5	1008.0	1004.5	1001.7	998.6	998.5	998.6	1003.6	1007.9	1008.8	1009.0	1005.0
21	1010.3	1010.6	1008.2	1004.8	1002.0	998.8	998.8	998.9	1003.9	1008.1	1009.0	1009.2	1005.2
22	1010.6	1010.8	1008.4	1005.1	1002.2	999.0	999.0	999.1	1004.2	1008.3	1009.2	1009.5	1005.5
23	1010.8	1011.2	1008.7	1005.3	1002.4	999.2	999.1	999.2	1004.4	1008.8	1009.7	1009.8	1005.7
MEAN	1010.5	1010.7	1008.3	1004.8	1001.9	998.7	998.7	998.8	1003.9	1008.1	1009.1	1009.4	1005.2

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKI AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft****AIR TEMPERATURE (°C) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	4.6	4.4	8.5	13.1	18.0	21.2	24.8	26.7	23.1	18.6	12.8	7.0	15.2
01	5.1	4.9	9.1	13.7	18.4	21.7	25.2	27.1	23.5	19.2	13.4	7.6	15.7
02	5.4	5.3	9.5	14.0	18.7	21.9	25.6	27.4	23.8	19.6	13.7	7.9	16.0
03	5.6	5.6	9.8	14.2	18.8	22.1	25.9	27.5	23.9	19.7	13.7	8.1	16.2
04	5.6	5.7	9.8	14.4	19.0	22.3	26.0	27.6	24.0	19.6	13.7	8.1	16.3
05	5.5	5.6	9.8	14.4	19.2	22.2	26.1	27.8	23.9	19.4	13.7	7.9	16.3
06	5.4	5.4	9.6	14.1	19.0	22.1	26.1	27.6	23.7	19.2	13.4	7.7	16.1
07	5.1	5.1	9.4	13.9	18.6	21.8	26.0	27.3	23.4	18.7	13.0	7.4	15.8
08	4.6	4.7	8.9	13.3	18.1	21.4	25.5	26.9	22.9	18.0	12.5	7.0	15.3
09	4.4	4.2	8.1	12.6	17.4	21.0	25.0	26.3	22.2	17.4	12.2	6.8	14.8
10	4.4	4.0	7.5	12.0	16.5	20.4	24.4	25.6	21.7	17.0	11.9	6.6	14.3
11	4.2	3.9	7.3	11.6	15.9	20.1	24.0	25.3	21.4	16.8	11.9	6.6	14.1
12	4.2	3.8	7.1	11.3	15.6	19.8	23.7	25.1	21.3	16.6	11.8	6.6	14.0
13	4.2	3.7	6.9	11.1	15.3	19.6	23.5	24.9	21.2	16.5	11.7	6.5	13.8
14	4.2	3.7	6.8	11.0	15.1	19.4	23.5	24.8	21.1	16.4	11.6	6.5	13.7
15	4.1	3.6	6.7	10.8	14.9	19.3	23.3	24.7	21.0	16.3	11.7	6.4	13.6
16	4.0	3.5	6.5	10.5	14.7	19.1	23.1	24.7	21.0	16.3	11.6	6.6	13.5
17	4.0	3.4	6.4	10.4	14.7	19.0	23.1	24.6	21.0	16.2	11.5	6.5	13.4
18	3.9	3.4	6.4	10.4	14.8	18.9	23.0	24.5	20.8	16.2	11.4	6.4	13.3
19	3.9	3.3	6.4	10.4	14.7	18.9	23.0	24.4	20.7	16.1	11.4	6.3	13.3
20	3.9	3.2	6.3	10.4	14.7	18.9	22.9	24.4	20.6	16.0	11.4	6.1	13.3
21	3.8	3.3	6.4	10.6	15.3	19.4	23.3	24.5	20.7	16.0	11.3	6.1	13.4
22	3.7	3.3	6.7	11.6	16.5	20.1	23.9	25.4	21.4	16.5	11.4	6.1	13.9
23	4.0	3.7	7.8	12.5	17.3	20.7	24.4	26.2	22.3	17.8	12.1	6.3	14.6
MEAN	4.5	4.2	7.8	12.2	16.7	20.5	24.4	25.9	22.1	17.5	12.3	6.9	14.6

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKI AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft****VAPOR PRESSURE (hPa) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.2	6.0	8.1	10.9	15.0	20.3	26.4	27.7	21.3	14.9	10.5	7.2	14.6
01	6.3	6.1	8.1	11.0	15.0	20.3	26.5	27.8	21.4	14.9	10.6	7.2	14.6
02	6.3	6.1	8.1	11.1	15.1	20.3	26.6	27.8	21.4	15.0	10.5	7.2	14.6
03	6.2	6.2	8.1	11.1	15.1	20.3	26.6	27.8	21.3	14.8	10.4	7.2	14.6
04	6.2	6.1	8.0	11.2	15.0	20.4	26.5	27.5	21.2	14.8	10.4	7.1	14.5
05	6.2	6.1	7.9	11.0	14.8	20.2	26.4	27.4	21.2	14.8	10.4	7.1	14.5
06	6.1	6.2	7.7	10.9	14.7	20.2	26.3	27.3	21.2	14.8	10.3	7.0	14.4
07	6.1	6.1	7.7	10.7	14.5	20.2	26.2	27.1	21.0	14.7	10.3	7.1	14.3
08	6.1	6.1	7.6	10.8	14.3	20.2	26.1	27.0	21.0	14.8	10.2	7.0	14.3
09	6.0	6.1	7.7	10.7	14.3	20.2	26.0	27.0	21.0	14.8	10.2	7.0	14.2
10	6.1	6.0	7.7	10.7	14.2	20.1	25.8	27.0	20.9	14.8	10.2	7.0	14.2
11	6.0	6.0	7.8	10.8	14.3	20.1	25.7	27.0	20.9	14.8	10.1	7.0	14.2
12	6.0	6.0	7.8	10.7	14.3	20.1	25.8	27.1	20.8	14.6	10.1	7.0	14.2
13	6.0	6.0	7.8	10.7	14.3	20.0	25.9	27.0	20.8	14.5	10.2	7.0	14.2
14	6.0	6.0	7.7	10.6	14.3	19.9	25.8	27.0	20.8	14.5	10.1	7.0	14.1
15	6.0	5.9	7.7	10.4	14.1	19.8	25.7	26.9	20.8	14.4	10.2	7.1	14.1
16	6.0	6.0	7.6	10.3	13.9	19.5	25.5	27.1	20.9	14.5	10.2	7.2	14.0
17	6.0	5.9	7.6	10.2	13.8	19.5	25.4	27.0	20.8	14.5	10.2	7.2	14.0
18	5.9	5.9	7.7	10.2	13.8	19.4	25.3	27.0	20.7	14.5	10.2	7.2	14.0
19	6.0	5.9	7.7	10.2	13.8	19.3	25.4	26.9	20.7	14.4	10.2	7.1	14.0
20	5.9	5.9	7.7	10.2	13.8	19.4	25.4	26.8	20.6	14.3	10.1	7.1	14.0
21	6.0	5.9	7.7	10.4	14.3	19.7	25.7	27.0	20.6	14.3	10.2	7.1	14.1
22	6.0	5.9	7.8	10.8	14.8	20.1	26.1	27.5	21.0	14.6	10.2	7.0	14.3
23	6.1	6.0	8.1	10.9	15.0	20.3	26.2	27.5	21.2	14.9	10.4	7.1	14.5
MEAN	6.1	6.0	7.8	10.7	14.4	20.0	26.0	27.2	21.0	14.7	10.3	7.1	14.3

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKI AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES													
TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	73	70	70	71	73	80	84	79	75	68	69	70	74
01	70	69	67	70	71	79	83	78	73	66	67	68	72
02	69	67	66	69	70	77	81	76	73	64	65	67	70
03	68	66	65	68	69	76	80	76	72	63	65	65	69
04	67	65	64	67	68	76	79	75	71	64	65	64	69
05	68	66	63	66	67	75	78	74	72	64	65	65	69
06	68	67	63	67	67	76	78	74	72	65	65	65	69
07	68	68	64	67	68	77	78	75	73	67	67	67	70
08	70	69	65	69	69	79	80	76	75	70	69	68	72
09	71	72	69	72	72	81	82	79	78	73	70	69	74
10	72	72	72	75	76	84	84	82	80	75	72	70	76
11	72	72	74	78	79	85	86	84	81	75	71	70	77
12	72	72	74	78	80	86	87	85	81	75	72	70	78
13	72	72	75	79	82	87	89	85	82	76	72	70	78
14	71	72	75	79	82	88	89	86	82	76	72	71	78
15	72	73	75	78	82	88	89	86	83	76	72	72	79
16	72	73	75	79	82	88	90	87	83	76	73	71	79
17	72	73	76	80	81	88	90	87	83	76	73	72	79
18	72	73	77	79	82	88	89	87	83	77	73	72	79
19	73	74	77	79	82	88	90	88	84	77	73	72	80
20	73	74	77	80	82	88	90	87	84	77	73	73	80
21	73	74	77	79	82	87	90	87	83	77	74	73	80
22	74	73	76	77	78	85	88	84	82	76	73	73	78
23	73	72	73	74	76	83	86	81	78	72	71	72	76
MEAN	71	71	71	74	76	83	85	81	78	72	70	70	75

AERODROME CLIMATOLOGICAL SUMMARY
AERODROME: OKI AIRPORT **PERIOD OF RECORD:** 2012-2016

LATITUDE: 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262 ft

MOST FREQUENT WIND DIRECTION (36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	34 *	1	34	22	6	7	22	22	6	2 *	34 *	35	6
01	34	1 *	23 *	6	7	6	23	21 *	6	6 *	4	27	6
02	27 *	2 *	22	21	23 *	6	22	7	3	8 *	27 *	27	7
03	32 *	36	22 *	6	7	6	22	21	8	6 *	26	28	6
04	29	2	23	22	6	6	23 *	22	6	8	28	28	6
05	27	29	32	5	6	6	24	25	6	6	26	29	6
06	28	29	25 *	25	6	6	24	6	6	6	26 *	29	6
07	33 *	29	33	6	6	6	25	6	6 *	4	28	27	6
08	35 *	30	24 *	5 *	5 *	5 *	25 *	6	4	4	36	36	4
09	35	35)	35	5	5	5 *	27 *	5 *	2)	35	36	36	5)
10	35	35	35	3	4	4	25	3	36	35	35	29	35
11	35	36	35	4	3	4	26	4	1	1)	36 *	35	35)
12	36	36	34)	25	3	5	25	1	36	35	34	35	35)
13	36	35	36	1	3	2	25	3 *	1	36	34	32	36
14	36	1 *	35	1 *	24 *	3 *	24	2	1	36	35	29	35
15	35	36	35	1 *	25	2	24	3 *	36	36	35	35	35
16	35	36	35 *	1	24	3	25	4	1	35	35	29	36
17	35	36	35	1	27	36	24	1	36	35	35	35	35
18	36	36	35	3	25	3	24	1	1	36	35 *	34	36
19	35	36	36	3	25	35	24	1	35	35	35	35	35
20	34	36	35	2	24	1	25	36	36	35 *	36	35	36
21	36	36	35	3 *	25 *	3 *	24	1	35 *	35 *	35	28 *	36 *
22	35	36	35	3	25	5 *	25	2	36 *	35	34 *	36	35
23	34	35	35 *	25	24	6	23	23	2	1	34	36	34
ALL	35	36)	35)	5	25	6	24	6	1)	35)	35	29	35)

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME:** OKI AIRPORT **PERIOD OF RECORD:** 2012-2016**LATITUDE:** 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262 ft**WIND SPEED (kt) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	10.2	9.6	9.9	10.2	8.3	7.5	8.2	8.6	7.9	9.5	10.5	10.9	9.3
01	10.5	10.5	10.6	10.9	8.8	8.1	8.8	9.2	8.6	9.9	11.1	11.7	9.9
02	11.1	10.8	11.3	11.2	9.4	8.4	9.3	9.7	9.0	10.3	11.3	12.2	10.3
03	11.0	11.3	11.4	11.6	9.4	8.5	9.4	10.0	9.3	10.5	11.5	12.5	10.5
04	11.4	11.5	11.4	11.9	9.5	9.0	9.5	9.7	9.1	10.6	11.8	12.4	10.7
05	11.4	11.4	11.2	11.8	9.8	8.8	9.4	9.5	9.0	10.5	11.6	12.3	10.6
06	11.4	11.1	11.4	12.0	9.7	8.5	9.3	9.4	9.0	10.4	11.4	12.1	10.5
07	10.7	11.1	10.7	11.6	9.6	8.8	9.2	9.2	9.0	9.9	10.9	11.4	10.2
08	10.2	10.3	10.5	11.0	8.8	8.6	9.0	8.6	8.4	9.2	10.5	11.3	9.7
09	10.4	9.7	9.6	10.2	8.0	8.1	8.6	8.0	7.9	9.0	10.1	10.9	9.2
10	10.2	9.9	9.1	9.3	7.4	7.1	8.1	7.3	7.7	9.0	10.2	10.6	8.8
11	10.0	9.6	8.7	8.8	7.0	6.8	7.6	7.1	7.6	8.8	10.0	10.7	8.6
12	10.1	9.6	8.7	8.1	7.0	6.7	7.2	7.1	7.6	8.6	10.0	11.0	8.5
13	10.2	9.2	8.5	8.4	6.7	6.5	6.8	7.1	7.4	8.3	9.9	10.8	8.3
14	10.1	9.2	8.2	8.3	6.8	6.3	6.7	7.1	7.5	8.3	9.7	11.0	8.2
15	9.7	9.3	8.2	8.4	7.1	6.3	6.9	7.1	7.4	8.3	9.7	10.8	8.3
16	9.7	9.5	8.3	8.2	6.8	6.4	6.9	6.8	7.5	8.1	9.9	11.3	8.3
17	10.1	9.4	8.4	8.1	6.7	6.3	7.0	7.0	6.9	8.1	10.1	11.4	8.3
18	9.8	9.4	8.3	8.3	7.0	6.3	7.2	6.6	7.0	8.1	10.2	11.1	8.3
19	9.8	9.3	8.4	8.1	7.0	5.9	7.2	7.0	7.3	8.6	10.0	11.3	8.4
20	9.9	9.1	8.6	8.4	7.3	6.2	7.4	7.1	7.3	8.2	9.9	11.1	8.4
21	10.0	9.0	8.7	8.5	7.4	6.1	7.4	7.2	7.2	8.7	9.8	11.1	8.4
22	9.8	9.0	8.7	8.8	7.2	6.0	7.4	7.0	7.2	8.6	9.9	10.8	8.4
23	9.9	9.1	9.0	9.3	7.7	6.8	7.9	7.5	7.1	8.6	9.9	11.2	8.7
MEAN	10.3	9.9	9.5	9.7	7.9	7.2	8.0	8.0	7.9	9.1	10.4	11.3	9.1

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKI AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 36° 10.7'N, LONGITUDE: 133° 19.4'E, ELEVATION ABOVE MSL: 262 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	5.3	8.3	2.5	4.2	7.1	1.3	6.0	8.9	2.8	10.4	14.1	6.3
02	5.3	8.2	2.4	4.1	7.0	1.2	6.2	9.1	3.0	10.4	14.2	6.4
03	5.2	8.1	2.3	4.1	7.0	1.1	6.3	9.2	3.1	10.5	14.2	6.5
04	5.1	8.0	2.2	4.0	6.9	1.0	6.4	9.4	3.1	10.5	14.2	6.6
05	5.0	7.9	2.2	3.9	6.8	0.9	6.5	9.5	3.2	10.6	14.3	6.6
06	4.9	7.8	2.1	3.8	6.7	0.8	6.5	9.7	3.2	10.6	14.3	6.7
07	4.8	7.7	2.0	3.7	6.7	0.7	6.5	9.8	3.1	10.7	14.3	6.8
08	4.7	7.6	1.9	3.7	6.6	0.7	6.6	9.9	3.1	10.7	14.4	6.8
09	4.6	7.5	1.8	3.6	6.6	0.6	6.6	10.1	3.0	10.8	14.4	6.9
10	4.6	7.4	1.8	3.6	6.6	0.6	6.7	10.2	3.0	10.9	14.5	7.0
11	4.5	7.3	1.7	3.6	6.6	0.7	6.8	10.4	3.0	11.1	14.7	7.2
12	4.5	7.2	1.7	3.7	6.6	0.7	6.9	10.6	3.0	11.3	14.9	7.4
13	4.4	7.2	1.6	3.8	6.7	0.8	7.0	10.8	3.1	11.4	15.0	7.5
14	4.4	7.1	1.6	3.8	6.8	0.8	7.2	11.0	3.2	11.6	15.2	7.7
15	4.4	7.1	1.6	3.9	6.8	0.9	7.4	11.2	3.4	11.8	15.4	7.9
16	4.4	7.0	1.6	4.0	6.9	1.0	7.6	11.4	3.5	11.9	15.6	8.1
17	4.4	7.0	1.6	4.1	7.0	1.1	7.8	11.6	3.7	12.1	15.8	8.3
18	4.4	6.9	1.6	4.2	7.1	1.1	8.0	11.8	3.9	12.3	16.0	8.5
19	4.3	6.9	1.6	4.3	7.3	1.2	8.1	11.9	4.1	12.5	16.2	8.7
20	4.3	6.9	1.6	4.5	7.4	1.3	8.3	12.1	4.2	12.7	16.5	9.0
21	4.3	6.9	1.6	4.6	7.5	1.5	8.4	12.2	4.4	12.9	16.7	9.2
22	4.3	6.9	1.6	4.7	7.7	1.6	8.5	12.3	4.5	13.2	17.0	9.4
23	4.2	6.9	1.6	4.9	7.8	1.7	8.7	12.4	4.7	13.4	17.3	9.6
24	4.2	6.9	1.6	5.1	8.0	1.9	8.9	12.6	4.8	13.7	17.6	9.9
25	4.2	6.9	1.6	5.3	8.2	2.1	9.0	12.8	5.0	13.9	17.9	10.1
26	4.2	7.0	1.6	5.5	8.3	2.3	9.2	13.0	5.2	14.2	18.1	10.4
27	4.3	7.0	1.6	5.7	8.5	2.5	9.4	13.2	5.4	14.4	18.4	10.6
28	4.3	7.1	1.6	5.8	8.7	2.6	9.7	13.5	5.6	14.6	18.6	10.8
29	4.3	7.1	1.5	5.9	8.8	2.7	9.9	13.7	5.8	14.8	18.7	11.0
30	4.3	7.1	1.5				10.1	13.9	6.0	14.9	18.9	11.1
31	4.2	7.1	1.4				10.2	14.0	6.2			

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME:** OKI AIRPORT **PERIOD OF RECORD:** 2012-2016**LATITUDE:** 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	15.0	19.0	11.2	19.1	23.0	15.8	22.1	24.9	19.8	26.4	29.7	24.1
02	15.1	19.0	11.3	19.2	23.0	16.0	22.3	25.1	20.0	26.5	29.8	24.1
03	15.2	19.1	11.3	19.3	23.0	16.1	22.4	25.3	20.1	26.5	29.8	24.1
04	15.2	19.1	11.4	19.4	23.0	16.2	22.6	25.4	20.3	26.5	29.8	24.1
05	15.2	19.1	11.4	19.5	23.1	16.4	22.8	25.6	20.5	26.4	29.7	24.0
06	15.3	19.1	11.4	19.6	23.1	16.6	22.9	25.8	20.7	26.4	29.7	24.0
07	15.3	19.2	11.4	19.7	23.2	16.8	23.1	25.9	20.9	26.4	29.6	23.9
08	15.4	19.2	11.5	19.9	23.2	17.1	23.3	26.1	21.1	26.3	29.6	23.8
09	15.4	19.3	11.6	20.0	23.3	17.3	23.4	26.3	21.3	26.3	29.6	23.7
10	15.5	19.4	11.7	20.2	23.4	17.5	23.6	26.4	21.4	26.2	29.5	23.7
11	15.6	19.5	11.8	20.3	23.5	17.8	23.7	26.6	21.6	26.2	29.5	23.6
12	15.8	19.6	11.9	20.5	23.6	18.0	23.8	26.7	21.7	26.2	29.5	23.6
13	15.9	19.8	12.1	20.6	23.6	18.2	23.9	26.8	21.8	26.2	29.4	23.6
14	16.0	20.0	12.2	20.7	23.7	18.4	24.0	27.0	21.9	26.2	29.4	23.6
15	16.2	20.1	12.4	20.8	23.7	18.5	24.2	27.1	22.0	26.2	29.5	23.6
16	16.4	20.3	12.6	20.9	23.7	18.6	24.3	27.3	22.1	26.2	29.5	23.7
17	16.6	20.5	12.8	20.9	23.7	18.6	24.4	27.4	22.2	26.2	29.4	23.7
18	16.8	20.7	13.0	20.9	23.7	18.7	24.5	27.6	22.3	26.2	29.4	23.7
19	16.9	20.9	13.2	20.9	23.7	18.7	24.7	27.7	22.4	26.1	29.4	23.6
20	17.2	21.1	13.4	20.9	23.6	18.7	24.8	27.9	22.5	26.0	29.3	23.6
21	17.4	21.4	13.6	20.9	23.6	18.7	25.0	28.1	22.7	25.9	29.2	23.5
22	17.6	21.6	13.9	20.9	23.7	18.8	25.2	28.3	22.8	25.8	29.0	23.3
23	17.8	21.8	14.2	21.0	23.7	18.8	25.4	28.5	23.0	25.6	28.8	23.1
24	18.1	22.0	14.4	21.1	23.8	18.9	25.5	28.7	23.1	25.4	28.6	22.9
25	18.3	22.2	14.7	21.2	23.9	18.9	25.7	28.9	23.3	25.2	28.4	22.7
26	18.4	22.4	14.9	21.3	24.0	19.0	25.9	29.1	23.5	25.0	28.2	22.5
27	18.6	22.5	15.1	21.4	24.2	19.2	26.0	29.2	23.6	24.8	27.9	22.3
28	18.8	22.7	15.3	21.6	24.4	19.3	26.1	29.4	23.7	24.6	27.7	22.1
29	18.9	22.8	15.5	21.8	24.6	19.5	26.2	29.5	23.8	24.4	27.4	21.8
30	19.0	22.9	15.6	21.9	24.7	19.6	26.3	29.6	23.9	24.2	27.2	21.7
31	19.1	22.9	15.7				26.4	29.7	24.0	24.0	27.0	21.5

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME:** OKI AIRPORT **PERIOD OF RECORD:** 2012-2016**LATITUDE:** 36° 10.7'N, **LONGITUDE:** 133° 19.4'E, **ELEVATION ABOVE MSL:** 262 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	23.8	26.8	21.3	20.3	23.5	17.4	14.4	17.8	11.1	9.2	12.2	5.9
02	23.6	26.6	21.1	20.2	23.3	17.2	14.3	17.6	11.0	8.9	12.0	5.7
03	23.5	26.5	21.0	20.0	23.2	17.0	14.2	17.5	10.9	8.7	11.7	5.4
04	23.3	26.3	20.8	19.8	23.0	16.8	14.1	17.3	10.9	8.4	11.5	5.2
05	23.2	26.2	20.7	19.6	22.9	16.6	14.0	17.2	10.8	8.2	11.3	5.0
06	23.1	26.1	20.5	19.5	22.7	16.4	13.8	17.0	10.7	8.0	11.1	4.8
07	23.0	26.0	20.4	19.2	22.5	16.1	13.7	16.9	10.6	7.8	10.9	4.6
08	22.9	25.9	20.2	19.0	22.3	15.9	13.6	16.7	10.5	7.6	10.7	4.5
09	22.8	25.8	20.1	18.8	22.1	15.6	13.4	16.5	10.4	7.4	10.5	4.3
10	22.7	25.8	20.0	18.6	21.8	15.4	13.3	16.3	10.2	7.2	10.3	4.2
11	22.6	25.7	19.9	18.4	21.6	15.1	13.1	16.1	10.1	7.1	10.1	4.1
12	22.5	25.6	19.8	18.1	21.4	14.9	12.9	15.9	9.9	7.0	10.0	4.1
13	22.4	25.5	19.7	17.9	21.3	14.7	12.8	15.7	9.7	6.9	9.9	4.0
14	22.3	25.4	19.6	17.8	21.1	14.5	12.6	15.6	9.6	6.9	9.8	3.9
15	22.2	25.2	19.5	17.6	20.9	14.3	12.4	15.4	9.4	6.8	9.7	3.9
16	22.1	25.1	19.4	17.5	20.8	14.1	12.3	15.2	9.3	6.7	9.6	3.8
17	22.0	25.0	19.3	17.3	20.6	14.0	12.2	15.1	9.1	6.7	9.6	3.8
18	21.9	24.9	19.2	17.2	20.5	13.9	12.0	14.9	9.0	6.7	9.5	3.7
19	21.8	24.8	19.1	17.0	20.3	13.8	11.9	14.8	8.8	6.6	9.4	3.6
20	21.7	24.7	19.0	16.9	20.2	13.6	11.7	14.6	8.7	6.5	9.3	3.6
21	21.6	24.6	18.9	16.7	20.0	13.5	11.5	14.4	8.5	6.4	9.3	3.5
22	21.5	24.5	18.8	16.6	19.8	13.3	11.3	14.2	8.3	6.3	9.2	3.4
23	21.4	24.4	18.6	16.4	19.6	13.1	11.1	14.0	8.1	6.2	9.1	3.3
24	21.3	24.3	18.5	16.1	19.4	12.9	10.9	13.8	7.8	6.1	9.0	3.2
25	21.1	24.2	18.4	15.9	19.2	12.6	10.7	13.6	7.6	6.0	8.9	3.1
26	21.0	24.1	18.2	15.7	18.9	12.4	10.4	13.3	7.3	5.9	8.8	3.0
27	20.9	24.0	18.1	15.4	18.7	12.1	10.2	13.1	7.0	5.8	8.7	2.9
28	20.7	23.9	17.9	15.2	18.5	11.9	9.9	12.9	6.7	5.7	8.6	2.8
29	20.6	23.7	17.7	15.0	18.3	11.7	9.7	12.6	6.5	5.6	8.5	2.7
30	20.5	23.6	17.6	14.7	18.1	11.5	9.4	12.4	6.2	5.5	8.4	2.6
31				14.6	17.9	11.3				5.4	8.3	2.5