

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SHIZUOKA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

NUMBER OF FORWARD SCATTER: RWY30

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1400	<1500	<3200	<5000
	<100	<200	<300	<300	<400	<600	<1000	<1500
00	-	-	-	-	1	-	1	2
01	-	1	1	1	1	1	2	2
02	-	1	1	1	1	1	2	3
03	-	-	1	1	1	1	3	5
04	-	-	1	1	1	1	3	4
05	-	-	1	2	2	1	3	5
06	-	-	1	3	3	1	3	3
07	-	-	1	1	1	1	1	1
08	-	-	1	2	2	1	3	3
09	-	-	1	1	2	2	3	3
10	-	-	1	1	2	2	3	3
11	-	-	-	-	1	1	1	2
12	×	×	×	×	×	×	×	×
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	1	1	2	1	3	3
MEAN	0)	0)	1)	1)	1)	1)	2)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SHIZUOKA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

NUMBER OF FORWARD SCATTER: RWY30

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1400	<1500	<3200	<5000
	<100	<200	<300	<300	<400	<600	<1000	<1500
00	0)	0)	1)	1)	2)	2	3	6
01	0)	0)	1)	1)	1)	3	5	7
02	0)	0)	0)	1)	1)	2	3	5
03	0)	1)	1)	1)	2)	2	4	7
04	0)	1)	1)	1)	1)	1	4	6
05	0)	0)	0)	1)	2)	1	4	6
06	-	-	1	1	1	1	1	4
07	1	1	1	2	2	1	3	4
08	-	-	1	1	1	1	3	6
09	-	-	1	1	1	1	3	4
10	-	-	-	-	-	-	4	6
11	-	-	1	2	2	-	4	6
12	x	x	x	x	x	x	x	x
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	0)	1)	1)	1)	1)	3	6	8
MEAN	0)	0)	1)	1)	1)	1)	3)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SHIZUOKA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

NUMBER OF FORWARD SCATTER: RWY30

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1400	<1500	<3200	<5000
	<100	<200	<300	<300	<400	<600	<1000	<1500
00	-	-	1	1	2	2	3	8
01	-	-	1	1	1	2	4	5
02	-	-	-	-	-	1	3	6
03	-	-	-	-	1	1	5	8
04	-	1	1	2	5	3	6	10
05	0)	1)	1)	2)	3)	4	7	10
06	1	1	2	3	5	5	6	11
07	1	1	4	4	5	6	8	10
08	-	1	1	2	3	4	7	10
09	-	-	-	1	4	3	7	11
10	-	1	3	3	4	5	8	11
11	-	1	2	3	3	6	8	9
12	x	x	x	x	x	x	x	x
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	1	1	2	4	6
MEAN	0)	0)	1)	2)	3)	3)	6)	9)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SHIZUOKA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

NUMBER OF FORWARD SCATTER: RWY30

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1400	<1500	<3200	<5000
	<100	<200	<300	<300	<400	<600	<1000	<1500
00	-	-	1	2	3	4	9	13
01	-	-	1	1	3	5	11	13
02	-	1	2	2	3	5	10	12
03	-	-	2	3	4	5	10	13
04	-	-	1	1	3	5	6	11
05	-	-	1	1	2	3	5	9
06	-	1	2	3	6	6	9	11
07	-	-	2	2	5	7	11	12
08	-	1	3	3	5	8	11	13
09	-	2	3	3	6	9	11	13
10	-	1	3	3	3	7	9	12
11	-	-	3	5	6	5	11	14
12	×	×	×	×	×	×	×	×
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	1	3	3	4	9	13
MEAN	0)	0)	2)	2)	4)	6)	9)	12)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SHIZUOKA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

NUMBER OF FORWARD SCATTER: RWY30

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1400	<1500	<3200	<5000
	<100	<200	<300	<300	<400	<600	<1000	<1500
00	-	-	2	3	3	5	6	9
01	-	-	1	1	1	4	6	6
02	-	-	1	1	2	2	4	6
03	-	-	1	1	1	2	5	5
04	-	-	1	1	1	1	5	6
05	-	-	1	1	2	3	5	6
06	-	-	1	1	1	3	4	6
07	-	1	1	1	1	3	6	6
08	-	-	1	1	2	3	5	6
09	-	-	1	1	3	3	5	6
10	0)	0)	1)	1)	3)	3	5	8
11	0)	0)	1)	1)	4)	3	8	8
12	x	x	x	x	x	x	x	x
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	1	3	5	4	10	13
MEAN	0)	0)	1)	1)	2)	3)	6)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SHIZUOKA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

NUMBER OF FORWARD SCATTER: RWY30

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1400	<1500	<3200	<5000
	<100	<200	<300	<300	<400	<600	<1000	<1500
00	-	-	3	3	4	5	8	12
01	-	-	-	-	1	2	8	11
02	-	-	-	-	1	1	7	10
03	-	-	1	1	1	3	6	10
04	-	-	1	1	2	4	6	10
05	-	-	-	-	1	1	3	9
06	-	-	-	-	1	3	5	10
07	-	-	1	1	1	3	7	12
08	-	-	1	1	1	4	7	9
09	-	-	1	1	3	6	9	11
10	-	-	2	3	5	7	8	8
11	-	-	3	3	5	8	9	11
12	×	×	×	×	×	×	×	×
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	1	2	3	5	9	16
MEAN	0)	0)	1)	1)	3)	4)	7)	11)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SHIZUOKA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

NUMBER OF FORWARD SCATTER: RWY30

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1400	<1500	<3200	<5000
	<100	<200	<300	<300	<400	<600	<1000	<1500
00	-	1	2	3	3	7	16	19
01	-	-	2	2	2	6	13	17
02	-	-	2	3	3	5	13	16
03	-	-	1	1	1	5	10	14
04	-	-	3	3	4	5	10	14
05	-	1	2	3	3	5	8	12
06	-	1	1	1	2	4	10	13
07	-	1	2	2	3	5	10	12
08	-	-	2	3	3	5	11	14
09	-	-	2	3	5	7	11	15
10	-	-	3	3	4	6	13	19
11	-	1	2	3	4	6	12	14
12	x	x	x	x	x	x	x	x
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	1	5	5	6	10	18	25
MEAN	0)	0)	2)	2)	3)	6)	12)	16)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SHIZUOKA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

NUMBER OF FORWARD SCATTER: RWY30

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1400	<1500	<3200	<5000
	<100	<200	<300	<300	<400	<600	<1000	<1500
00	-	-	1	2	2	2	6	10
01	0)	0)	0)	0)	0)	1	4	7
02	-	-	-	-	-	-	1	6
03	-	-	-	-	1	1	4	6
04	-	-	-	-	1	1	3	5
05	-	-	-	1	1	1	2	5
06	-	-	-	1	1	-	1	5
07	-	-	-	-	1	1	2	5
08	-	-	-	1	1	-	2	5
09	-	-	1	1	1	1	2	5
10	-	-	1	1	2	3	5	10
11	-	-	1	1	1	-	3	6
12	x	x	x	x	x	x	x	x
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	1	1	3	2	11	14
MEAN	0)	0)	0)	1)	1)	1)	4)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SHIZUOKA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

NUMBER OF FORWARD SCATTER: RWY30

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1400	<1500	<3200	<5000
	<100	<200	<300	<300	<400	<600	<1000	<1500
00	-	-	1	1	3	5	7	9
01	-	-	-	-	3	2	7	11
02	-	-	-	1	1	1	2	6
03	-	-	-	-	-	1	2	5
04	-	-	-	-	-	1	1	6
05	-	-	-	-	1	2	4	6
06	-	-	-	-	-	2	5	7
07	-	-	-	1	1	1	6	9
08	-	-	-	-	-	1	5	6
09	-	-	-	1	1	3	6	8
10	-	-	-	-	1	3	7	9
11	-	-	-	1	1	3	7	9
12	x	x	x	x	x	x	x	x
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	3	3	4	5	9	13
MEAN	0)	0)	0)	1)	1)	2)	6)	8)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SHIZUOKA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

NUMBER OF FORWARD SCATTER: RWY30

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1400	<1500	<3200	<5000
	<100	<200	<300	<300	<400	<600	<1000	<1500
00	-	-	-	1	2	1	5	7
01	-	-	-	-	1	1	3	6
02	-	1	1	1	1	1	5	7
03	-	-	1	1	1	2	3	5
04	-	-	1	1	1	1	2	5
05	-	-	1	1	2	2	5	8
06	-	-	1	2	3	3	5	7
07	-	1	1	1	3	4	5	7
08	0)	1)	2)	2)	3)	3	6	8
09	-	-	1	2	2	3	3	5
10	-	-	2	3	3	2	5	8
11	-	-	1	1	2	2	6	7
12	x	x	x	x	x	x	x	x
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	1	1	1	1	1	3	5
MEAN	0)	0)	1)	1)	2)	2)	4)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SHIZUOKA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

NUMBER OF FORWARD SCATTER: RWY30

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1400	<1500	<3200	<5000
	<100	<200	<300	<300	<400	<600	<1000	<1500
00	1	1	1	1	3	2	4	6
01	-	-	-	1	1	1	4	5
02	1	1	1	1	1	1	4	6
03	-	1	1	1	1	2	4	6
04	-	-	-	1	1	1	2	4
05	-	-	1	1	1	1	3	5
06	-	-	1	1	1	1	3	6
07	0)	0)	0)	1)	2)	1	3	5
08	0)	0)	1)	1)	1)	1	3	4
09	-	-	1	1	2	2	3	5
10	-	-	-	1	1	1	3	5
11	-	-	-	1	3	3	5	7
12	x	x	x	x	x	x	x	x
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	1	3	2	3	7
MEAN	0)	0)	0)	1)	2)	1)	3)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SHIZUOKA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

NUMBER OF FORWARD SCATTER: RWY30

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1400	<1500	<3200	<5000
	<100	<200	<300	<300	<400	<600	<1000	<1500
00	-	-	-	1	1	-	-	3
01	-	-	-	1	1	-	1	3
02	-	-	1	1	1	-	2	3
03	0)	0)	0)	0)	1)	-	1	3
04	-	-	-	-	-	-	2	3
05	-	-	1	1	1	1	3	3
06	1)	1)	1)	1)	1)	1	3	3
07	0)	1)	1)	1)	1)	1	1	2
08	-	-	1	1	1	1	2	2
09	-	-	-	-	-	-	-	1
10	-	-	-	-	-	1	1	1
11	-	-	-	1	1	-	1	1
12	x	x	x	x	x	x	x	x
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	1	1	1	2	3
MEAN	0)	0)	0)	0)	1)	0)	1)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SHIZUOKA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

NUMBER OF FORWARD SCATTER: RWY30

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1400	<1500	<3200	<5000
	<100	<200	<300	<300	<400	<600	<1000	<1500
00	0)	0)	1)	2)	2)	3	6	9
01	0)	0)	0)	1)	1)	2	6	8
02	0)	0)	1)	1)	1)	2	5	7
03	0)	0)	1)	1)	1)	2	5	7
04	0)	0)	1)	1)	2)	2	4	7
05	0)	0)	1)	1)	2)	2	4	7
06	0)	0)	1)	1)	2)	2	5	7
07	0)	0)	1)	1)	2)	3	5	7
08	0)	0)	1)	1)	2)	3	5	7
09	-	0	1	1	2	3	5	7
10	0)	0)	1)	2)	2)	3	6	8
11	0)	0)	1)	2)	3)	3	6	8
12	x	x	x	x	x	x	x	x
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	0)	0)	1)	2)	3)	3	7	11
MEAN	0)	0)	1)	1)	2)	3)	5)	8)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: SHIZUOKA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	1
01	-	-	-	1	1	1	1	1
02	-	-	-	1	1	1	1	1
03	-	-	-	1	1	1	2	4
04	-	-	1	1	1	2	3	3
05	-	-	-	-	-	2	3	4
06	-	-	-	-	-	-	2	2
07	-	-	-	1	1	1	1	1
08	-	-	-	-	-	1	2	3
09	-	-	-	1	1	1	1	1
10	-	-	-	-	1	1	2	3
11	-	-	-	-	-	-	1	1
12	×	×	×	×	×	×	×	×
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	1	1	1	2	3	3
MEAN	0)	0)	0)	0)	0)	1)	2)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: SHIZUOKA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	1	1	1	1	4
01	-	-	1	2	2	2	4	6
02	-	-	-	1	1	1	2	5
03	-	-	-	1	1	2	3	4
04	-	-	-	1	1	2	3	4
05	-	-	-	1	1	2	4	5
06	-	-	-	1	1	1	1	4
07	1	1	1	1	1	1	2	3
08	1	1	1	1	1	1	1	3
09	-	1	1	1	1	1	3	4
10	-	-	-	-	-	-	4	5
11	-	-	-	-	-	-	3	4
12	×	×	×	×	×	×	×	×
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	1	1	2	3	5
MEAN	0)	0)	0)	1)	1)	1)	3)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: SHIZUOKA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	1	1	1	1	3	5
01	-	-	1	1	1	1	1	4
02	-	-	-	-	-	-	1	3
03	-	-	-	-	-	-	2	7
04	1	1	1	1	2	3	6	6
05	-	-	1	1	2	3	5	7
06	-	1	1	3	3	3	4	7
07	1	1	1	3	3	5	5	7
08	1	1	1	2	2	3	4	6
09	-	-	-	-	-	1	2	8
10	-	-	1	1	1	2	3	5
11	-	1	1	1	1	3	3	4
12	x	x	x	x	x	x	x	x
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	1	1	1	1	2	3	5
MEAN	0)	0)	1)	1)	1)	2)	3)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: SHIZUOKA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	2	3	3	4	8
01	-	-	-	1	1	3	5	8
02	-	-	1	1	1	3	5	8
03	-	-	1	1	2	3	7	7
04	-	-	-	1	2	3	5	7
05	-	-	1	1	1	1	3	6
06	-	1	1	2	3	4	5	9
07	-	-	-	3	3	3	7	9
08	1	1	1	3	4	5	7	9
09	1	2	3	5	5	5	5	7
10	-	1	2	3	3	5	5	7
11	-	1	2	3	3	3	5	7
12	x	x	x	x	x	x	x	x
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	1	3	3	7	9
MEAN	0)	0)	1)	2)	3)	4)	5)	8)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: SHIZUOKA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	1	1	1	3	3	3	5	5
01	-	-	-	1	1	3	3	3
02	-	-	1	1	1	2	2	3
03	1	1	1	1	1	2	3	3
04	-	-	1	1	1	1	2	3
05	-	-	-	1	1	1	1	3
06	-	-	1	1	1	1	1	3
07	-	-	-	1	1	2	4	4
08	-	-	-	1	1	3	3	5
09	-	-	-	1	1	3	3	5
10	-	-	-	1	3	3	3	5
11	-	-	-	1	1	1	3	5
12	×	×	×	×	×	×	×	×
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	1	1	3	3	4	4	4
MEAN	0)	0)	0)	1)	1)	2)	3)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: SHIZUOKA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	1	3	3	5
01	-	-	-	-	-	1	3	5
02	-	-	-	-	-	1	1	3
03	-	-	-	-	-	-	1	3
04	-	-	-	-	-	-	1	3
05	-	-	-	1	1	1	1	3
06	-	-	-	1	1	1	2	3
07	-	1	1	1	1	1	2	5
08	-	-	-	1	1	2	2	3
09	-	-	-	1	1	1	1	3
10	-	-	-	1	1	1	5	6
11	1	1	1	1	3	3	3	7
12	x	x	x	x	x	x	x	x
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	1	1	2	3	7
MEAN	0)	0)	0)	1)	1)	1)	2)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: SHIZUOKA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	1	3	3	3	4	6
01	-	-	1	2	3	3	4	5
02	-	1	1	1	1	2	3	5
03	-	-	-	-	1	1	3	5
04	-	-	1	2	2	5	6	6
05	-	-	1	1	1	3	3	4
06	-	-	-	1	1	1	2	4
07	-	-	-	1	1	2	3	3
08	-	1	1	1	2	3	3	5
09	-	1	2	4	4	5	6	8
10	-	1	2	3	3	3	5	10
11	-	-	-	2	2	3	4	6
12	×	×	×	×	×	×	×	×
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	1	1	3	4	4	5	10
MEAN	0)	0)	1)	2)	2)	3)	4)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: SHIZUOKA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	1	1	1	1	3	3
01	-	-	-	-	-	-	-	-
02	-	-	-	-	-	-	-	1
03	-	-	-	-	1	1	1	1
04	-	-	-	-	-	1	1	1
05	-	-	-	-	-	1	1	1
06	-	-	-	-	-	-	-	1
07	-	-	-	-	-	-	-	-
08	-	-	-	-	-	-	1	1
09	-	-	-	1	1	1	1	1
10	-	1	1	1	1	1	2	3
11	-	-	-	-	-	1	1	2
12	×	×	×	×	×	×	×	×
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	1	1	3	3	3
MEAN	0)	0)	0)	0)	0)	1)	1)	1)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: SHIZUOKA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	1	1	1	2	3
01	-	-	-	-	-	-	1	3
02	-	-	-	-	-	1	1	3
03	-	-	-	-	-	-	1	2
04	-	-	-	-	-	-	-	-
05	-	-	-	1	1	1	1	1
06	-	-	-	-	-	-	1	1
07	-	-	-	-	-	1	3	4
08	-	-	-	-	-	-	1	1
09	-	-	-	-	1	1	1	2
10	-	-	-	-	-	1	2	5
11	-	-	-	-	-	1	1	1
12	×	×	×	×	×	×	×	×
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	1	1	3	4	5	6
MEAN	0)	0)	0)	0)	0)	1)	1)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: SHIZUOKA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	1	3
01	-	-	-	-	-	-	1	2
02	-	-	1	1	1	1	3	3
03	-	-	-	-	1	1	2	3
04	-	-	-	-	1	1	2	3
05	-	-	-	-	-	1	3	4
06	-	-	1	1	1	2	3	5
07	-	-	1	1	1	1	2	5
08	-	1	1	1	2	3	4	6
09	-	-	-	1	1	2	2	3
10	-	-	1	2	2	2	3	4
11	-	-	1	1	1	3	4	4
12	×	×	×	×	×	×	×	×
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	1	1	1	1	2	2
MEAN	0)	0)	0)	1)	1)	1)	2)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: SHIZUOKA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	1	1
01	-	-	-	-	-	-	1	2
02	-	1	1	1	1	1	2	4
03	-	-	-	1	1	2	2	3
04	-	-	-	1	1	2	2	3
05	-	-	-	1	1	2	2	2
06	-	-	-	1	1	2	2	3
07	-	-	-	-	-	1	1	3
08	-	-	1	1	1	2	3	3
09	-	-	-	-	-	1	2	3
10	-	-	-	-	-	-	2	3
11	-	-	-	-	1	1	1	3
12	×	×	×	×	×	×	×	×
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	1	1	2	2	4
MEAN	0)	0)	0)	1)	1)	1)	2)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: SHIZUOKA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	1
01	-	-	-	-	-	-	-	1
02	-	-	-	-	-	1	1	1
03	-	-	-	-	-	1	1	1
04	-	-	-	-	1	1	1	1
05	1	1	1	1	1	1	1	1
06	-	-	-	1	1	1	1	2
07	1	1	1	1	1	1	1	2
08	-	-	-	-	-	-	1	2
09	-	-	-	-	-	-	-	1
10	-	-	-	-	-	-	-	1
11	-	-	-	-	-	-	1	1
12	×	×	×	×	×	×	×	×
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	-	-	1	1	2
MEAN	0)	0)	0)	0)	0)	0)	1)	1)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: SHIZUOKA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	0	0	0	1	1	1	2	4
01	-	-	0	1	1	1	2	3
02	-	0	0	0	0	1	2	3
03	0	0	0	0	1	1	2	4
04	0	0	0	1	1	2	3	3
05	0	0	0	1	1	2	2	3
06	-	0	0	1	1	1	2	4
07	0	0	0	1	1	2	3	4
08	0	0	0	1	1	2	3	4
09	0	0	0	1	1	2	2	4
10	-	0	1	1	1	2	3	4
11	0	0	0	1	1	2	2	4
12	x	x	x	x	x	x	x	x
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	0	0	1	1	2	3	5
MEAN	0)	0)	0)	1)	1)	2)	2)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: SHIZUOKA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	1	1
01	-	-	-	1	1	2	2
02	-	-	-	1	1	2	2
03	-	-	1	1	1	2	2
04	-	-	1	1	1	2	3
05	-	-	1	1	1	2	3
06	-	-	1	1	1	1	1
07	-	-	-	-	-	1	1
08	-	-	1	1	1	2	3
09	-	-	1	1	2	3	3
10	-	-	1	1	2	2	2
11	-	-	-	1	1	1	1
12	x	x	x	x	x	x	x
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	1	1	1	2	2
MEAN	0)	0)	0)	1)	1)	2)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: SHIZUOKA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	1	3	4
01	-	-	-	1	1	3	4
02	-	-	-	1	2	2	4
03	-	-	1	1	1	2	5
04	-	-	-	-	-	1	4
05	-	-	-	-	-	1	2
06	-	-	-	1	1	1	4
07	-	-	-	1	1	2	4
08	-	-	1	1	1	2	4
09	-	-	-	-	-	1	4
10	-	-	-	-	-	1	3
11	-	-	-	-	-	2	4
12	×	×	×	×	×	×	×
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	1	3	4	6
MEAN	0)	0)	0)	1)	1)	2)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: SHIZUOKA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	1	2	7
01	-	-	-	1	1	3	5
02	-	-	-	1	1	3	5
03	-	-	-	1	1	4	6
04	-	-	1	3	3	4	7
05	-	-	-	3	3	6	8
06	-	-	1	3	3	5	9
07	-	-	1	4	5	7	10
08	-	-	1	3	3	7	9
09	-	-	-	2	3	6	9
10	-	1	1	3	5	8	10
11	-	1	1	2	5	7	8
12	x	x	x	x	x	x	x
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	1	1	2	5
MEAN	0)	0)	0)	2)	3)	5)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: SHIZUOKA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	4	4	7	9
01	-	-	1	5	5	9	11
02	-	1	1	5	5	9	10
03	-	-	2	4	5	7	10
04	-	-	1	4	5	5	9
05	-	-	1	3	3	5	8
06	-	1	2	6	6	9	10
07	-	-	2	7	7	11	12
08	-	-	3	5	7	10	11
09	-	-	2	7	9	11	12
10	-	-	1	5	6	9	11
11	-	-	2	4	5	9	12
12	x	x	x	x	x	x	x
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	1	4	7	11
MEAN	0)	0)	1)	5)	6)	8)	11)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: SHIZUOKA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	2	3	3	5	8
01	-	-	1	3	3	6	6
02	-	-	1	2	2	4	6
03	-	-	-	1	1	3	5
04	-	-	1	1	1	3	4
05	-	-	1	2	3	5	5
06	-	-	1	1	3	4	6
07	-	-	-	1	3	6	6
08	-	-	1	2	2	5	6
09	-	-	1	3	3	5	6
10	-	-	1	3	3	5	8
11	-	-	1	3	3	8	8
12	x	x	x	x	x	x	x
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	1	3	3	8	13
MEAN	0)	0)	1)	2)	2)	5)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: SHIZUOKA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	2	3	5	7	12
01	-	-	-	2	2	7	9
02	-	-	-	1	1	7	10
03	-	-	1	3	3	6	9
04	-	-	1	3	4	6	9
05	-	-	-	1	1	3	7
06	-	-	-	2	3	5	9
07	-	-	-	2	3	6	11
08	-	-	1	3	4	7	9
09	-	-	1	5	6	9	10
10	-	-	2	5	6	7	8
11	-	-	3	7	8	9	10
12	x	x	x	x	x	x	x
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	1	3	5	9	13
MEAN	0)	0)	1)	3)	4)	7)	10)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: SHIZUOKA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	6	6	15	18
01	-	-	2	2	5	13	16
02	-	-	2	3	5	13	16
03	-	-	1	3	5	10	14
04	-	-	3	4	5	9	14
05	-	1	2	3	5	7	10
06	-	1	1	3	4	10	12
07	-	1	2	3	5	10	12
08	-	-	1	3	5	10	13
09	-	-	1	4	5	10	14
10	-	-	1	5	6	12	15
11	-	-	1	3	5	11	13
12	×	×	×	×	×	×	×
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	1	5	6	10	17	23
MEAN	0)	0)	2)	4)	5)	11)	15)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: SHIZUOKA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	1	2	5	10
01	-	-	-	-	1	4	7
02	-	-	-	-	-	1	6
03	-	-	-	1	1	4	6
04	-	-	-	1	1	3	5
05	-	-	-	1	1	1	5
06	-	-	-	-	-	1	5
07	-	-	-	1	1	2	5
08	-	-	-	-	-	1	4
09	-	-	1	1	1	2	5
10	-	-	1	2	3	5	9
11	-	-	-	-	-	3	5
12	x	x	x	x	x	x	x
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	1	2	2	9	13
MEAN	0)	0)	0)	1)	1)	3)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: SHIZUOKA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	3	4	7	8
01	-	-	-	2	2	6	9
02	-	-	-	1	1	1	5
03	-	-	-	1	1	1	4
04	-	-	-	-	1	1	6
05	-	-	-	1	1	3	5
06	-	-	-	-	2	5	7
07	-	-	-	-	1	5	7
08	-	-	-	-	1	5	6
09	-	-	-	1	3	5	8
10	-	-	-	2	3	7	8
11	-	-	-	3	3	6	8
12	x	x	x	x	x	x	x
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	2	3	5	7	11
MEAN	0)	0)	0)	1)	2)	5)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: SHIZUOKA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	1	3	6
01	-	-	-	1	1	3	6
02	-	-	1	1	1	3	7
03	-	-	1	1	2	3	5
04	-	-	1	1	1	1	4
05	-	-	1	2	2	3	6
06	-	-	1	3	3	5	5
07	-	-	1	4	4	5	6
08	-	1	1	2	2	5	5
09	-	-	1	2	3	3	4
10	-	-	2	2	2	5	6
11	-	-	1	2	2	5	6
12	x	x	x	x	x	x	x
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	1	1	2	5
MEAN	0)	0)	1)	2)	2)	4)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: SHIZUOKA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	1	2	3	5
01	-	-	-	1	1	3	4
02	-	-	-	1	1	3	3
03	-	-	1	1	1	3	5
04	-	-	-	-	-	1	3
05	-	-	1	1	1	3	5
06	-	-	1	1	1	3	6
07	-	-	-	1	1	3	4
08	-	-	1	1	1	1	3
09	-	-	1	2	2	3	5
10	-	-	-	1	1	3	5
11	-	-	-	3	3	5	6
12	x	x	x	x	x	x	x
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	1	2	3	5
MEAN	0)	0)	0)	1)	1)	3)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: SHIZUOKA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	-	2
01	-	-	-	-	-	1	2
02	-	-	-	-	-	1	1
03	-	-	-	-	-	1	2
04	-	-	-	-	-	2	3
05	-	-	-	-	-	3	3
06	-	-	-	1	1	2	3
07	-	-	-	-	-	1	1
08	-	-	1	1	1	1	1
09	-	-	-	-	-	-	1
10	-	-	-	1	1	1	1
11	-	-	-	-	-	1	1
12	x	x	x	x	x	x	x
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	1	1	1	3
MEAN	0)	0)	0)	0)	0)	1)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: SHIZUOKA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	2	3	5	8
01	-	-	0	2	2	5	7
02	-	0	0	1	2	4	6
03	-	-	1	1	2	4	6
04	-	-	1	1	2	3	6
05	-	0	0	1	2	3	6
06	-	0	1	2	2	4	6
07	-	0	0	2	2	5	7
08	-	0	1	2	2	5	6
09	-	-	1	2	3	5	7
10	-	0	1	3	3	5	7
11	-	0	1	2	3	6	7
12	x	x	x	x	x	x	x
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	0	1	2	3	6	9
MEAN	0)	0)	1)	2)	2)	5)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SHIZUOKA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[35-36-01]	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[02-03-04]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[08-09-10]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[20-21-22]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	1)	4)	8)	3)	0)	0)	0)	0)	0)	0)	0)	16)
[26-27-28]	1)	6)	17)	15)	4)	0)	0)	0)	0)	0)	0)	44)
[29-30-31]	2)	7)	2)	2)	1)	0)	0)	0)	0)	0)	0)	13)
[32-33-34]	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
TOTAL	24)	23)	28)	20)	5)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SHIZUOKA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	6)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[35-36-01]	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[02-03-04]	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[05-06-07]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[08-09-10]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[11-12-13]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[23-24-25]	2)	4)	6)	2)	0)	0)	0)	0)	0)	0)	0)	14)
[26-27-28]	1)	5)	11)	11)	3)	0)	0)	0)	0)	0)	0)	33)
[29-30-31]	2)	5)	1)	1)	1)	1)	0)	0)	0)	0)	0)	11)
[32-33-34]	10)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
TOTAL	35)	24)	21)	15)	5)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SHIZUOKA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[35-36-01]	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[02-03-04]	7)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[05-06-07]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[08-09-10]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	1)	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[23-24-25]	1)	5)	7)	3)	0)	0)	0)	0)	0)	0)	0)	16)
[26-27-28]	1)	5)	9)	9)	3)	0)	0)	0)	0)	0)	0)	27)
[29-30-31]	2)	4)	1)	1)	1)	0)	0)	0)	0)	0)	0)	9)
[32-33-34]	7)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
TOTAL	34)	26)	20)	14)	5)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SHIZUOKA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	6)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[35-36-01]	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	8)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[05-06-07]	3)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[08-09-10]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	2)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[17-18-19]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[20-21-22]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[23-24-25]	2)	5)	5)	2)	0)	0)	0)	0)	0)	0)	0)	14)
[26-27-28]	1)	3)	5)	4)	2)	0)	0)	0)	0)	0)	0)	15)
[29-30-31]	2)	3)	1)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[32-33-34]	8)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
TOTAL	42)	32)	16)	7)	3)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SHIZUOKA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	8	0	-	-	-	-	-	-	-	-	-	9
[35-36-01]	4	0	-	0	-	-	-	-	-	-	-	4
[02-03-04]	3	1	0	-	-	-	-	-	-	-	-	4
[05-06-07]	3	2	1	0	-	-	-	-	-	-	-	6
[08-09-10]	3	1	0	-	-	-	-	-	-	-	-	4
[11-12-13]	2	2	0	-	-	-	-	-	-	-	-	4
[14-15-16]	2	7	2	0	-	-	-	-	-	-	-	11
[17-18-19]	2	3	1	0	0	-	-	-	-	-	-	6
[20-21-22]	2	4	2	1	0	-	-	-	-	-	-	9
[23-24-25]	3	5	4	1	0	-	-	-	-	-	-	14
[26-27-28]	2	3	3	2	1	0	0	-	-	-	-	11
[29-30-31]	4	3	0	0	0	0	-	-	-	-	-	8
[32-33-34]	9	1	-	-	-	-	-	-	-	-	-	10
TOTAL	48	33	12	5	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SHIZUOKA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	11	0	-	-	-	-	-	-	-	-	-	11
[35-36-01]	3	-	-	-	-	-	-	-	-	-	-	3
[02-03-04]	6	2	0	-	-	-	-	-	-	-	-	7
[05-06-07]	5	6	1	-	-	-	-	-	-	-	-	13
[08-09-10]	4	2	0	-	0	-	-	-	-	-	-	6
[11-12-13]	3	3	0	-	-	0	-	-	-	-	-	6
[14-15-16]	3	7	1	-	-	-	-	0	-	-	-	12
[17-18-19]	3	2	0	-	-	-	-	-	0	-	-	5
[20-21-22]	3	3	1	0	0	-	0	0	-	-	-	7
[23-24-25]	3	4	3	1	0	-	-	-	-	-	-	12
[26-27-28]	2	2	2	1	0	-	-	-	-	-	-	7
[29-30-31]	3	1	-	-	-	-	-	-	-	-	-	4
[32-33-34]	6	0	-	-	-	-	-	-	-	-	-	6
TOTAL	54	33	9	2	1	0	0	0	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SHIZUOKA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	11	0	-	-	-	-	-	-	-	-	-	11
[35-36-01]	3	0	-	-	-	-	-	-	-	-	-	3
[02-03-04]	3	0	-	-	-	-	-	-	-	-	-	4
[05-06-07]	3	1	-	-	-	-	-	-	-	-	-	4
[08-09-10]	2	1	0	-	-	-	-	-	-	-	-	4
[11-12-13]	2	2	0	-	-	-	-	-	-	-	-	5
[14-15-16]	3	6	1	-	-	-	-	-	-	-	-	10
[17-18-19]	2	3	1	0	-	-	-	-	-	-	-	6
[20-21-22]	3	4	2	1	0	0	-	-	-	-	-	10
[23-24-25]	4	8	9	1	0	-	-	-	-	-	-	23
[26-27-28]	2	4	3	1	0	-	-	-	-	-	-	11
[29-30-31]	3	1	0	0	-	-	-	-	-	-	-	4
[32-33-34]	5	0	-	-	-	-	-	-	-	-	-	5
TOTAL	48	31	17	3	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SHIZUOKA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	8	0	-	-	-	-	-	-	-	-	-	9
[35-36-01]	4	0	-	-	-	-	-	-	-	-	-	4
[02-03-04]	3	0	0	-	-	-	-	-	-	-	-	3
[05-06-07]	3	4	1	-	-	-	-	-	-	-	-	8
[08-09-10]	2	2	0	-	-	-	-	-	-	-	-	4
[11-12-13]	2	2	0	-	-	-	-	-	-	-	-	4
[14-15-16]	3	6	0	0	-	-	-	-	-	-	-	10
[17-18-19]	2	2	0	0	0	-	-	-	-	-	-	4
[20-21-22]	3	5	3	1	-	-	-	-	-	-	-	12
[23-24-25]	6	8	3	0	0	-	-	-	-	-	-	18
[26-27-28]	2	3	1	0	0	0	-	-	-	-	-	7
[29-30-31]	5	2	0	0	-	-	-	-	-	-	-	8
[32-33-34]	10	1	-	-	-	-	-	-	-	-	-	10
TOTAL	52	36	10	1	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SHIZUOKA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	9	0	-	-	-	-	-	-	-	-	-	9
[35-36-01]	6	0	-	-	-	-	-	-	-	-	-	7
[02-03-04]	7	1	0	-	-	-	-	-	-	-	-	8
[05-06-07]	4	7	1	-	-	-	-	-	-	-	-	12
[08-09-10]	2	2	0	0	-	-	-	-	-	-	-	5
[11-12-13]	2	3	0	0	0	0	-	-	-	-	-	6
[14-15-16]	3	5	1	0	0	0	0	-	-	-	-	8
[17-18-19]	3	3	0	0	0	-	0	0	-	-	-	5
[20-21-22]	2	3	1	-	-	0	0	-	0	-	-	6
[23-24-25]	3	4	1	0	0	-	0	-	-	-	-	8
[26-27-28]	2	2	1	0	0	-	0	-	-	-	-	4
[29-30-31]	4	3	0	-	-	-	-	-	-	-	-	8
[32-33-34]	12	1	-	-	-	-	-	-	-	-	-	13
TOTAL	59	34	6	1	0	0	0	0	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SHIZUOKA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	7)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[35-36-01]	8)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[02-03-04]	10)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[05-06-07]	4)	10)	1)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[08-09-10]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	1)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[26-27-28]	1)	3)	4)	2)	0)	0)	0)	0)	0)	0)	0)	10)
[29-30-31]	3)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[32-33-34]	14)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	15)
TOTAL	57)	31)	8)	3)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SHIZUOKA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	6	0	-	-	-	-	-	-	-	-	-	7
[35-36-01]	6	0	-	-	-	-	-	-	-	-	-	7
[02-03-04]	8	2	-	-	-	-	-	-	-	-	-	10
[05-06-07]	3	3	0	-	-	-	-	-	-	-	-	7
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	2
[11-12-13]	1	0	-	-	-	-	-	-	-	-	-	1
[14-15-16]	1	1	0	-	-	-	-	-	-	-	-	2
[17-18-19]	1	1	0	0	0	0	-	-	-	-	-	2
[20-21-22]	1	1	0	0	0	-	0	-	-	-	-	2
[23-24-25]	1	4	3	1	-	-	-	-	-	-	-	10
[26-27-28]	1	4	9	9	2	0	0	-	-	-	-	25
[29-30-31]	3	6	1	0	0	0	-	-	-	-	-	10
[32-33-34]	14	2	-	-	-	-	-	-	-	-	-	16
TOTAL	48	26	14	10	2	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SHIZUOKA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	3	0	-	-	-	-	-	-	-	-	-	3
[35-36-01]	4	0	-	-	-	-	-	-	-	-	-	4
[02-03-04]	3	1	0	-	-	-	-	-	-	-	-	4
[05-06-07]	1	1	0	-	-	-	-	-	-	-	-	2
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	1
[11-12-13]	1	0	-	-	-	-	-	-	-	-	-	1
[14-15-16]	1	0	0	-	-	-	-	-	-	-	-	1
[17-18-19]	1	0	0	0	0	0	0	-	-	-	-	1
[20-21-22]	1	1	0	0	0	0	-	-	-	-	-	2
[23-24-25]	1	3	7	3	0	-	-	-	-	-	-	14
[26-27-28]	1	5	16	16	4	0	0	-	-	-	-	42
[29-30-31]	2	8	2	1	0	0	-	-	-	-	-	13
[32-33-34]	8	2	0	-	-	-	-	-	-	-	-	11
TOTAL	28	22	25	20	5	1	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SHIZUOKA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	7)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[35-36-01]	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[02-03-04]	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[05-06-07]	3)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[08-09-10]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[11-12-13]	1)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	2)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[17-18-19]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[23-24-25]	2)	5)	5)	2)	0)	0)	0)	0)	0)	0)	0)	14)
[26-27-28]	1)	4)	7)	6)	2)	0)	0)	0)	0)	0)	0)	20)
[29-30-31]	3)	4)	1)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[32-33-34]	9)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
TOTAL	44)	29)	15)	8)	2)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SHIZUOKA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	42	55	3	-	-	-	-	-
01	-	-	-	-	17	74	9	-	-	-	-	-
02	-	-	-	-	10	69	20	1	-	-	-	-
03	-	-	-	-	3	65	30	2	-	-	-	-
04	-	-	-	-	3	57	38	2	-	-	-	-
05	-	-	-	-	3	55	40	3	-	-	-	-
06	-	-	-	-	5	60	34	2	-	-	-	-
07	-	-	-	-	6	65	28	1	-	-	-	-
08	-	-	-	1	14	76	10	-	-	-	-	-
09	-	-	-	1	26	65	8	-	-	-	-	-
10	-	-	-	1	38	55	5	-	-	-	-	-
11	-	-	-	2	52	43	3	-	-	-	-	-
12	0)	0)	0)	1)	57)	39)	3)	0)	0)	0)	0)	0)
13	-	-	-	3	60	35	2	-	-	-	-	-
14	-	-	-	3	64	32	1	-	-	-	-	-
15	-	-	-	5	63	30	1	-	-	-	-	-
16	-	-	-	7	63	28	2	-	-	-	-	-
17	0)	0)	0)	10)	62)	27)	1)	0)	0)	0)	0)	0)
18	0)	0)	0)	10)	64)	26)	1)	0)	0)	0)	0)	0)
19	0)	0)	0)	11)	64)	25)	1)	0)	0)	0)	0)	0)
20	0)	0)	0)	12)	62)	25)	0)	0)	0)	0)	0)	0)
21	0)	0)	0)	12)	64)	25)	0)	0)	0)	0)	0)	0)
22	0)	0)	0)	16)	60)	24)	0)	0)	0)	0)	0)	0)
23	-	-	-	3	68	29	-	-	-	-	-	-
MEAN	0)	0)	0)	4)	40)	45)	10)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SHIZUOKA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	34	57	7	1	-	-	-	-
01	-	-	-	-	16	65	16	3	-	-	-	-
02	-	-	-	-	9	67	21	3	-	-	-	-
03	-	-	-	-	8	58	30	4	-	-	-	-
04	-	-	-	-	6	54	35	5	-	-	-	-
05	-	-	-	-	5	52	38	5	-	-	-	-
06	-	-	-	-	5	53	36	6	-	-	-	-
07	-	-	-	-	7	63	25	5	-	-	-	-
08	-	-	-	1	11	71	15	3	-	-	-	-
09	-	-	-	1	17	69	13	1	-	-	-	-
10	-	-	-	1	31	56	12	-	-	-	-	-
11	-	-	-	1	38	51	9	-	-	-	-	-
12	0)	0)	0)	1)	49)	43)	7)	0)	0)	0)	0)	0)
13	0)	0)	0)	2)	53)	37)	7)	1)	0)	0)	0)	0)
14	0)	0)	0)	6)	50)	37)	6)	1)	0)	0)	0)	0)
15	0)	0)	0)	7)	54)	33)	6)	1)	0)	0)	0)	0)
16	0)	0)	0)	7)	64)	26)	2)	1)	0)	0)	0)	0)
17	0)	0)	0)	9)	59)	28)	3)	1)	0)	0)	0)	0)
18	0)	0)	0)	12)	56)	28)	2)	1)	0)	0)	0)	0)
19	0)	0)	0)	15)	54)	26)	2)	2)	0)	0)	0)	0)
20	0)	0)	0)	14)	57)	25)	3)	1)	0)	0)	0)	0)
21	0)	0)	0)	15)	53)	29)	2)	1)	0)	0)	0)	0)
22	-	-	-	11	58	28	2	1	-	-	-	-
23	-	-	-	2	54	38	5	1	-	-	-	-
MEAN	0)	0)	0)	4)	35)	46)	13)	2)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SHIZUOKA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	4	41	42	13	-	-	-	-
01	-	-	-	-	1	36	43	20	1	-	-	-
02	-	-	-	-	-	28	45	25	2	-	-	-
03	-	-	-	-	-	22	48	26	4	-	-	-
04	-	-	-	-	-	19	46	28	6	-	-	-
05	-	-	-	-	-	17	46	32	5	-	-	-
06	-	-	-	-	-	16	50	32	3	-	-	-
07	-	-	-	-	-	21	50	28	2	-	-	-
08	-	-	-	-	2	26	50	19	3	-	-	-
09	-	-	-	-	4	34	47	15	-	-	-	-
10	-	-	-	-	6	41	43	10	-	-	-	-
11	-	-	-	-	6	46	41	7	-	-	-	-
12	0)	0)	0)	0)	11)	45)	38)	5)	0)	0)	0)	0)
13	-	-	-	-	14	45	38	3	-	-	-	-
14	-	-	-	1	15	46	36	1	-	-	-	-
15	-	-	-	1	17	46	34	1	-	-	-	-
16	-	-	-	1	19	49	30	1	-	-	-	-
17	-	-	-	1	21	50	26	2	-	-	-	-
18	-	-	-	2	24	47	26	1	-	-	-	-
19	-	-	-	2	28	44	26	1	-	-	-	-
20	-	-	-	2	28	46	23	1	-	-	-	-
21	-	-	-	3	29	46	21	1	-	-	-	-
22	-	-	-	1	21	48	28	2	-	-	-	-
23	-	-	-	-	11	52	34	3	-	-	-	-
MEAN	0)	0)	0)	1)	11)	38)	38)	12)	1)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SHIZUOKA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	9	37	50	4	-	-	-
01	-	-	-	-	-	3	34	54	9	-	-	-
02	-	-	-	-	-	1	31	50	18	-	-	-
03	-	-	-	-	-	1	29	47	23	-	-	-
04	-	-	-	-	-	1	29	46	23	-	-	-
05	-	-	-	-	-	1	25	49	24	-	-	-
06	-	-	-	-	-	1	30	47	22	-	-	-
07	-	-	-	-	-	1	33	50	16	-	-	-
08	-	-	-	-	-	3	35	55	6	-	-	-
09	-	-	-	-	-	9	37	53	1	-	-	-
10	-	-	-	-	-	10	43	47	-	-	-	-
11	-	-	-	-	-	13	47	40	-	-	-	-
12	-	-	-	-	-	14	52	34	-	-	-	-
13	-	-	-	-	2	13	57	27	-	-	-	-
14	-	-	-	-	3	14	61	23	-	-	-	-
15	-	-	-	-	3	15	58	23	-	-	-	-
16	-	-	-	-	4	17	60	19	-	-	-	-
17	-	-	-	-	3	20	61	16	-	-	-	-
18	-	-	-	-	4	21	61	14	-	-	-	-
19	-	-	-	-	5	25	58	13	-	-	-	-
20	-	-	-	-	7	24	57	12	-	-	-	-
21	-	-	-	-	7	20	60	13	-	-	-	-
22	-	-	-	-	3	13	62	22	-	-	-	-
23	-	-	-	-	-	11	52	37	-	-	-	-
MEAN	-	-	-	-	2	11	46	35	6	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: SHIZUOKA AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	51	47	1	-	-
01	-	-	-	-	-	-	-	37	61	2	-	-
02	-	-	-	-	-	-	-	28	68	4	-	-
03	-	-	-	-	-	-	-	24	68	8	-	-
04	-	-	-	-	-	-	1	21	69	9	-	-
05	-	-	-	-	-	-	1	22	70	8	-	-
06	-	-	-	-	-	-	1	24	69	6	-	-
07	-	-	-	-	-	-	1	32	63	4	-	-
08	-	-	-	-	-	-	1	41	55	3	-	-
09	-	-	-	-	-	-	3	59	38	-	-	-
10	-	-	-	-	-	-	6	73	21	-	-	-
11	-	-	-	-	-	-	8	80	12	-	-	-
12	-	-	-	-	-	-	10	79	12	-	-	-
13	-	-	-	-	-	-	12	79	8	-	-	-
14	-	-	-	-	-	-	15	79	5	-	-	-
15	-	-	-	-	-	1	23	74	3	-	-	-
16	-	-	-	-	-	1	25	72	3	-	-	-
17	-	-	-	-	-	1	32	66	1	-	-	-
18	-	-	-	-	-	1	35	62	2	-	-	-
19	-	-	-	-	-	1	41	55	2	-	-	-
20	-	-	-	-	-	2	43	52	3	-	-	-
21	-	-	-	-	-	1	30	65	3	-	-	-
22	-	-	-	-	-	-	12	79	9	-	-	-
23	-	-	-	-	-	-	3	71	26	-	-	-
MEAN	-	-	-	-	-	0	13	55	30	2	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: SHIZUOKA AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	19	75	5	-	-
01	-	-	-	-	-	-	-	13	74	13	-	-
02	-	-	-	-	-	-	-	10	66	24	-	-
03	-	-	-	-	-	-	-	8	65	27	1	-
04	-	-	-	-	-	-	-	9	60	31	1	-
05	-	-	-	-	-	-	-	7	68	25	1	-
06	-	-	-	-	-	-	-	8	71	19	1	-
07	-	-	-	-	-	-	-	9	77	13	1	-
08	-	-	-	-	-	-	-	11	79	10	-	-
09	-	-	-	-	-	-	-	19	74	7	-	-
10	-	-	-	-	-	-	-	29	68	3	-	-
11	-	-	-	-	-	-	1	33	65	1	-	-
12	-	-	-	-	-	-	1	37	62	-	-	-
13	-	-	-	-	-	-	1	43	57	-	-	-
14	-	-	-	-	-	-	1	49	50	-	-	-
15	-	-	-	-	-	-	1	55	44	-	-	-
16	-	-	-	-	-	-	1	61	39	-	-	-
17	-	-	-	-	-	-	1	68	31	-	-	-
18	-	-	-	-	-	-	1	72	27	-	-	-
19	-	-	-	-	-	-	2	71	27	-	-	-
20	-	-	-	-	-	-	1	75	25	-	-	-
21	-	-	-	-	-	-	-	68	32	-	-	-
22	-	-	-	-	-	-	-	49	51	-	-	-
23	-	-	-	-	-	-	-	27	72	1	-	-
MEAN	-	-	-	-	-	-	0	35	57	7	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SHIZUOKA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	4	34	58	5	-
01	-	-	-	-	-	-	-	3	26	57	14	-
02	-	-	-	-	-	-	-	3	22	55	19	-
03	-	-	-	-	-	-	-	3	20	51	26	-
04	-	-	-	-	-	-	-	3	18	50	30	-
05	-	-	-	-	-	-	-	1	21	49	28	1
06	-	-	-	-	-	-	-	1	26	47	26	-
07	-	-	-	-	-	-	-	1	28	51	20	-
08	-	-	-	-	-	-	-	1	32	60	8	-
09	-	-	-	-	-	-	-	1	37	58	3	-
10	-	-	-	-	-	-	-	3	46	50	1	-
11	-	-	-	-	-	-	-	4	47	49	-	-
12	-	-	-	-	-	-	-	5	51	45	-	-
13	-	-	-	-	-	-	-	5	58	37	-	-
14	-	-	-	-	-	-	-	5	63	32	-	-
15	-	-	-	-	-	-	-	5	70	25	-	-
16	-	-	-	-	-	-	-	6	75	19	-	-
17	-	-	-	-	-	-	-	6	81	13	-	-
18	-	-	-	-	-	-	-	8	81	10	-	-
19	-	-	-	-	-	-	-	10	79	11	-	-
20	-	-	-	-	-	-	-	9	81	10	-	-
21	-	-	-	-	-	-	-	6	78	15	-	-
22	-	-	-	-	-	-	-	4	60	36	-	-
23	-	-	-	-	-	-	-	5	39	55	1	-
MEAN	-	-	-	-	-	-	-	4	49	39	8	0

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SHIZUOKA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	17	74	9	-
01	-	-	-	-	-	-	-	-	12	65	24	-
02	-	-	-	-	-	-	-	-	10	60	30	-
03	-	-	-	-	-	-	-	-	7	52	41	-
04	-	-	-	-	-	-	-	-	5	50	45	1
05	-	-	-	-	-	-	-	-	5	52	43	1
06	-	-	-	-	-	-	-	-	6	59	34	1
07	-	-	-	-	-	-	-	-	8	67	24	1
08	-	-	-	-	-	-	-	-	11	75	14	-
09	-	-	-	-	-	-	-	1	14	81	5	-
10	-	-	-	-	-	-	-	1	19	79	1	-
11	-	-	-	-	-	-	-	1	22	77	-	-
12	-	-	-	-	-	-	-	1	31	68	-	-
13	-	-	-	-	-	-	-	1	35	64	-	-
14	-	-	-	-	-	-	-	1	44	55	-	-
15	-	-	-	-	-	-	-	1	52	48	-	-
16	-	-	-	-	-	-	-	1	57	43	-	-
17	-	-	-	-	-	-	-	1	63	35	-	-
18	-	-	-	-	-	-	-	2	68	30	-	-
19	-	-	-	-	-	-	-	2	74	24	-	-
20	-	-	-	-	-	-	-	3	73	25	-	-
21	-	-	-	-	-	-	-	1	70	28	-	-
22	-	-	-	-	-	-	-	1	45	55	-	-
23	-	-	-	-	-	-	-	-	22	78	-	-
MEAN	-	-	-	-	-	-	-	1	32	56	11	0

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SHIZUOKA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	3	63	34	-	-
01	-	-	-	-	-	-	-	2	53	44	1	-
02	-	-	-	-	-	-	-	1	40	57	1	-
03	-	-	-	-	-	-	-	2	31	65	2	-
04	-	-	-	-	-	-	-	3	29	67	1	-
05	-	-	-	-	-	-	-	3	27	69	1	-
06	-	-	-	-	-	-	-	3	35	59	3	-
07	-	-	-	-	-	-	-	5	38	55	2	-
08	-	-	-	-	-	-	-	5	50	45	-	-
09	-	-	-	-	-	-	-	6	63	31	-	-
10	-	-	-	-	-	-	-	7	69	24	-	-
11	-	-	-	-	-	-	-	11	73	16	-	-
12	-	-	-	-	-	-	-	15	73	12	-	-
13	-	-	-	-	-	-	-	19	73	9	-	-
14	0)	0)	0)	0)	0)	0)	0)	21)	72)	7)	0)	0)
15	-	-	-	-	-	-	-	24	69	7	-	-
16	-	-	-	-	-	-	-	27	69	5	-	-
17	-	-	-	-	-	-	-	28	69	3	-	-
18	-	-	-	-	-	-	-	30	68	2	-	-
19	-	-	-	-	-	-	-	31	67	2	-	-
20	-	-	-	-	-	-	-	35	63	2	-	-
21	0)	0)	0)	0)	0)	0)	1)	33)	64)	2)	0)	0)
22	0)	0)	0)	0)	0)	0)	0)	23)	70)	6)	0)	0)
23	-	-	-	-	-	-	-	9	70	21	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	14)	58)	27)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SHIZUOKA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	4	61	32	4	-	-
01	-	-	-	-	-	-	3	39	50	7	-	-
02	-	-	-	-	-	-	3	30	55	12	-	-
03	-	-	-	-	-	-	1	28	52	19	-	-
04	-	-	-	-	-	-	1	25	55	19	-	-
05	-	-	-	-	-	-	1	26	57	15	-	-
06	-	-	-	-	-	-	1	30	54	14	1	-
07	-	-	-	-	-	-	2	37	52	9	-	-
08	-	-	-	-	-	-	5	55	37	3	-	-
09	-	-	-	-	-	-	6	62	31	1	-	-
10	-	-	-	-	-	-	10	65	25	1	-	-
11	-	-	-	-	-	-	12	63	25	1	-	-
12	-	-	-	-	-	-	15	61	25	-	-	-
13	-	-	-	-	-	-	15	63	22	-	-	-
14	0)	0)	0)	0)	0)	0)	20)	59)	21)	0)	0)	0)
15	0)	0)	0)	0)	0)	0)	25)	55)	20)	0)	0)	0)
16	0)	0)	0)	0)	0)	0)	24)	52)	24)	0)	0)	0)
17	0)	0)	0)	0)	0)	0)	24)	56)	21)	0)	0)	0)
18	0)	0)	0)	0)	0)	0)	26)	54)	20)	0)	0)	0)
19	0)	0)	0)	0)	0)	0)	29)	53)	18)	0)	0)	0)
20	0)	0)	0)	0)	0)	0)	32)	50)	18)	0)	0)	0)
21	0)	0)	0)	0)	0)	2)	31)	53)	14)	0)	0)	0)
22	-	-	-	-	-	-	26	54	19	-	-	-
23	-	-	-	-	-	-	12	65	24	-	-	-
MEAN	0)	0)	0)	0)	0)	0)	14)	50)	32)	4)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SHIZUOKA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	17	49	33	1	-	-	-
01	-	-	-	-	-	6	45	47	3	-	-	-
02	-	-	-	-	-	4	41	50	5	-	-	-
03	-	-	-	-	-	1	37	49	12	-	-	-
04	-	-	-	-	-	1	35	51	13	-	-	-
05	-	-	-	-	-	2	34	53	11	-	-	-
06	-	-	-	-	-	3	37	56	5	-	-	-
07	-	-	-	-	-	3	43	51	3	-	-	-
08	-	-	-	-	-	9	47	43	-	-	-	-
09	-	-	-	-	-	13	52	35	-	-	-	-
10	-	-	-	-	-	21	51	29	-	-	-	-
11	-	-	-	-	-	23	53	24	-	-	-	-
12	-	-	-	-	-	29	51	20	-	-	-	-
13	-	-	-	-	1	28	54	17	-	-	-	-
14	-	-	-	-	2	30	53	15	-	-	-	-
15	-	-	-	-	1	33	50	15	-	-	-	-
16	-	-	-	-	2	31	52	15	-	-	-	-
17	-	-	-	-	2	31	52	15	-	-	-	-
18	-	-	-	-	2	34	51	13	-	-	-	-
19	-	-	-	-	3	35	51	11	-	-	-	-
20	-	-	-	-	3	37	49	11	-	-	-	-
21	-	-	-	-	3	36	50	11	-	-	-	-
22	-	-	-	-	3	34	53	10	-	-	-	-
23	-	-	-	-	1	28	51	19	-	-	-	-
MEAN	-	-	-	-	1	20	47	29	2	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: SHIZUOKA AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	17	59	22	1	1	-	-	-
01	-	-	-	-	5	55	37	3	1	-	-	-
02	-	-	-	-	3	43	47	7	1	-	-	-
03	-	-	-	-	1	34	56	10	-	-	-	-
04	-	-	-	-	1	27	59	12	-	-	-	-
05	-	-	-	-	1	30	56	13	-	-	-	-
06	-	-	-	-	1	35	54	10	-	-	-	-
07	-	-	-	-	5	45	45	5	-	-	-	-
08	-	-	-	-	11	51	36	2	-	-	-	-
09	-	-	-	-	14	56	29	1	-	-	-	-
10	-	-	-	-	23	54	21	1	-	-	-	-
11	-	-	-	-	28	52	19	1	-	-	-	-
12	-	-	-	-	31	53	15	1	-	-	-	-
13	-	-	-	1	31	54	14	1	-	-	-	-
14	-	-	-	1	38	46	14	1	-	-	-	-
15	-	-	-	3	38	45	14	1	-	-	-	-
16	-	-	-	3	37	46	14	1	-	-	-	-
17	-	-	-	2	40	44	14	1	-	-	-	-
18	-	-	-	3	39	46	10	1	-	-	-	-
19	-	-	-	3	42	44	11	1	-	-	-	-
20	-	-	-	4	43	42	10	1	-	-	-	-
21	-	-	-	4	43	43	9	1	-	-	-	-
22	-	-	-	3	43	42	12	1	-	-	-	-
23	-	-	-	1	35	49	14	1	-	-	-	-
MEAN	-	-	-	1	24	46	26	3	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SHIZUOKA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	0	8	20	14	20	23	15	1	-
01	-	-	-	-	3	20	15	18	24	16	3	-
02	-	-	-	-	2	18	17	17	24	18	4	-
03	-	-	-	-	1	15	19	17	23	19	6	-
04	-	-	-	-	1	13	20	17	23	19	7	0
05	-	-	-	-	1	13	20	18	24	18	6	0
06	-	-	-	-	1	14	20	18	24	17	6	0
07	-	-	-	-	1	16	19	19	24	17	4	0
08	-	-	-	0	3	20	17	20	23	16	2	-
09	-	-	-	0	5	20	16	21	22	15	1	-
10	-	-	-	0	8	20	16	22	21	13	0	-
11	-	-	-	0	10	19	16	22	20	12	-	-
12	0)	0)	0)	0)	12)	18)	16)	22)	21)	11)	0)	0)
13	0)	0)	0)	0)	13)	18)	17)	22)	21)	9)	0)	0)
14	0)	0)	0)	1)	14)	17)	17)	21)	21)	8)	0)	0)
15	0)	0)	0)	1)	15)	17)	18)	21)	22)	7)	0)	0)
16	0)	0)	0)	2)	15)	16)	17)	21)	22)	6)	0)	0)
17	0)	0)	0)	2)	15)	17)	18)	22)	22)	4)	0)	0)
18	0)	0)	0)	2)	15)	17)	18)	22)	22)	4)	0)	0)
19	0)	0)	0)	2)	16)	17)	18)	21)	23)	3)	0)	0)
20	0)	0)	0)	3)	16)	17)	18)	21)	22)	3)	0)	0)
21	0)	0)	0)	3)	16)	17)	17)	21)	22)	4)	0)	0)
22	0)	0)	0)	3)	15)	16)	16)	21)	21)	8)	0)	0)
23	-	-	-	0	14	17	14	20	21	13	0	-
MEAN	0)	0)	0)	1)	9)	17)	17)	20)	22)	11)	2)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SHIZUOKA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	5.5	6.1	10.1	14.1	18.5	21.1	25.0)	26.3	23.2	18.7	13.0	7.8	15.6)
Daily maximum air temperature(°C)	10.3	10.8	14.9	18.5	23.1	24.9	28.9)	30.5	27.1	22.9	17.3	12.4	20.0)
Daily minimum air temperature(°C)	1.5	2.1	5.7	10.1	14.4	18.1	22.2)	23.3	20.2	15.5	9.6	3.9	12.1)
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	79.6	137.4	206.0	237.8	210.2	192.3	250.4)	187.0	297.9	234.8	141.5	103.8	2250.9)
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	974.1	979.8	974.7	966.8	974.1	968.0	974.7	970.1	967.6	954.1	980.4	976.5	954.1
Daily maximum air temperature(°C)	16.8*	19.5	24.1	25.5	29.6	31.3	35.9	36.8	33.0	31.5	23.9	22.0	36.8
Daily minimum air temperature(°C)	-4.5	-5.0	-1.8	1.1	6.2	12.9	17.9	18.6	14.5	9.3*	1.3	-2.0	-5.0
Daily precipitation(mm)	60.0	84.0	105.0	181.0	115.5	120.5	130.0	112.5	91.0	162.5	109.0	63.5	181.0
Daily max.one-hour precipitation(mm)	19.0	26.5	30.0	33.5	50.5	28.0	44.0	56.0	50.5	52.0	30.0	22.0	56.0
Daily max.ten-minute precipitation(mm)	4.5	10.0	9.0	9.5	15.5	17.5	13.5	17.5	20.0	12.5	13.0	10.5	20.0
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)													
Daily maximum wind speed(kt)	35	37	39	40	32	53	31	28	45	44	37	42	53
with wind direction(36DIR.)	28	30	29	28	27	20	22	28	17	15	19	28	20
Daily maximum peak gust(kt)	45	49	47	57	45	71	48	38	63	70	51	52 *	71
with wind direction(36DIR.)	30	29	28	27	17	20	22	27	18	15	19	25	20

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SHIZUOKA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	8.0	7.2	1.6	-	-	-	0.0)	-	-	-	-	2.6	21.3)
25.0°C	-	-	-	-	-	-	1.5)	3.0	0.2	-	-	-	5.3)
Daily mean air temperature < 0.0°C	-	0.2	-	-	-	-	0.0)	-	-	-	-	-	0.3)
25.0°C	-	-	-	-	-	0.2	17.3)	25.0	7.4	0.2	-	-	49.3)
Daily maximum air temperature < 0.0°C	-	-	-	-	-	-	0.0)	-	-	-	-	-	0.0)
25.0°C	-	-	-	0.4	6.4	15.0	25.8)	30.4	24.2	7.0	-	-	107.5)
30.0°C	-	-	-	-	-	0.8	14.5)	19.8	3.4	0.2	-	-	38.5)
Daily precipitation 0.0mm	9.6	13.4	16.2	20.0	20.4	27.4	25.5)	25.2	23.6	20.2	16.4	14.0	232.5)
1.0mm	4.6	6.8	8.8	10.2	8.8	11.6	11.5)	10.0	10.6	8.0	8.8	6.4	105.0)
5.0mm	3.4	5.4	6.8	7.6	6.2	8.2	8.3)	5.6	8.0	6.8	7.0	4.8	77.3)
10.0mm	2.8	4.2	5.6	5.8	4.8	5.4	6.0)	4.2	7.2	4.8	5.0	3.6	58.5)
30.0mm	0.6	1.4	2.4	2.0	3.0	2.4	2.0)	1.6	3.8	2.2	1.0	1.0	22.5)
50.0mm	0.4	0.8	1.4	1.4	0.8	0.6	1.5)	1.0	2.2	1.4	0.4	0.4	12.0)
70.0mm	-	0.4	0.6	0.8	0.8	0.2	0.8)	0.8	1.2	1.0	0.2	-	7.0)
100.0mm	-	-	0.2	0.2	0.4	0.2	0.5)	0.2	-	0.8	0.2	-	3.0)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SHIZUOKA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily max.depth of snow cover	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily maximum wind speed	200cm													
	20kt	17.8	13.0	14.8	8.4	6.2	2.8	4.3)	0.8	1.4	4.4	8.8	18.0	104.5)
	30kt	1.2	2.4	2.2	1.4	1.0	0.2	0.3)	-	0.4	0.6	0.6	2.0	14.0)
	40kt	-	-	-	0.2	-	0.2	0.0)	-	0.4	0.2	-	0.2	1.5)
	50kt	-	-	-	-	-	0.2	0.0)	-	-	-	-	-	0.3)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SHIZUOKA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1001.3	1001.3	1000.5	999.1	996.2	993.4	994.4	994.0	997.8	1000.8	1002.1	1001.1	998.5
01	1001.2	1001.2	1000.3	999.0	996.2	993.3	994.3	993.9	997.7	1000.7	1001.9	1001.0	998.4
02	1000.5	1000.7	999.8	998.6	995.9	993.2	994.1	993.6	997.4	1000.3	1001.3	1000.3	998.0
03	999.4	999.9	999.2	998.1	995.5	992.9	993.8	993.2	997.0	999.7	1000.4	999.3	997.4
04	998.6	999.0	998.3	997.6	995.1	992.6	993.4	992.9	996.5	999.1	999.8	998.7	996.8
05	998.4	998.7	997.9	997.2	994.8	992.4	993.2	992.6	996.2	998.9	999.6	998.4	996.5
06	998.6	998.7	997.8	996.8	994.5	992.3	993.1	992.4	996.1	999.0	999.7	998.6	996.5
07	998.9	998.9	997.8	996.8	994.6	992.2	993.0	992.5	996.2	999.2	1000.0	998.9	996.6
08	999.4	999.2	998.0	997.1	994.6	992.2	993.1	992.6	996.4	999.4	1000.3	999.4	996.8
09	999.9	999.8	998.4	997.4	994.9	992.5	993.4	992.9	996.7	999.9	1000.8	999.8	997.2
10	1000.3	1000.2	998.8	997.9	995.4	992.8	993.7	993.3	997.1	1000.3	1001.1	1000.2	997.6
11	1000.6	1000.5	999.3	998.4	995.8	993.1	994.0	993.8	997.6	1000.5	1001.3	1000.4	997.9
12	1000.7	1001.0	999.4	998.7	996.2	993.5	994.4	994.2	997.8	1000.7	1001.5	1000.6	998.2
13	1000.7	1001.0	999.6	998.6	996.3	993.5	994.5	994.1	997.8	1000.6	1001.5	1000.6	998.2
14	1000.6	1000.9	999.6	998.6	996.2	993.4	994.4	994.1	997.7	1000.4	1001.4	1000.6	998.2
15	1000.5	1000.8	999.5	998.5	996.0	993.2	994.2	993.9	997.5	1000.2	1001.2	1000.4	998.0
16	1000.2	1000.8	999.5	998.3	995.7	992.9	993.9	993.6	997.2	999.9	1001.1	1000.3	997.8
17	1000.2	1000.7	999.3	998.0	995.5	992.7	993.7	993.4	997.0	999.7	1001.1	1000.4	997.6
18	1000.0	1000.5	999.0	998.0	995.4	992.7	993.6	993.3	996.9	999.5	1000.9	1000.2	997.5
19	999.9	1000.4	999.1	998.0	995.4	992.7	993.8	993.3	996.9	999.5	1000.8	1000.0	997.5
20	1000.0	1000.5	999.4	998.2	995.7	993.0	994.0	993.5	997.0	999.8	1001.0	1000.1	997.7
21	1000.3	1000.7	999.8	998.6	996.0	993.2	994.2	993.8	997.4	1000.0	1001.2	1000.4	998.0
22	1000.7	1001.0	1000.1	998.9	996.2	993.4	994.4	993.9	997.6	1000.4	1001.6	1000.7	998.2
23	1001.0	1001.3	1000.4	998.9	996.2	993.4	994.4	994.0	997.6	1000.7	1002.0	1000.9	998.4
MEAN	1000.1	1000.3	999.2	998.1	995.6	992.9	993.9	993.5	997.2	1000.0	1001.0	1000.0	997.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SHIZUOKA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	5.3	6.3	10.6	15.0	19.8	21.8	25.8	27.2	24.0	19.4	13.4	7.9	16.4
01	6.9	7.6	11.7	15.9	20.6	22.5	26.6	28.1	24.7	20.4	14.7	9.4	17.4
02	8.1	8.5	12.6	16.6	21.4	23.2	27.0	28.6	25.5	21.1	15.5	10.4	18.2
03	8.9	9.1	13.2	17.0	21.8	23.5	27.4	29.1	25.8	21.6	16.1	11.1	18.7
04	9.4	9.4	13.6	17.1	21.9	23.7	27.6	29.4	25.9	21.7	16.3	11.4	19.0
05	9.5	9.6	13.6	17.2	21.8	23.6	27.6	29.3	25.9	21.7	16.2	11.4	19.0
06	9.2	9.5	13.4	16.9	21.5	23.4	27.4	29.0	25.7	21.4	15.8	11.0	18.7
07	8.4	8.9	12.9	16.4	21.0	22.9	26.9	28.4	25.2	20.7	15.1	10.0	18.1
08	7.2	8.1	12.1	15.8	20.3	22.3	26.3	27.7	24.5	19.8	14.1	8.9	17.2
09	6.3	7.1	11.0	14.9	19.4	21.7	25.6	26.9	23.7	19.0	13.4	8.2	16.4
10	5.6	6.4	10.4	14.2	18.5	21.0	24.9	26.1	23.2	18.5	12.8	7.6	15.8
11	5.0	5.8	9.7	13.8	18.0	20.6	24.5	25.8	22.8	18.1	12.4	7.2	15.3
12	4.6	5.3	9.3	13.3	17.5	20.4	24.2	25.4	22.4	17.9	12.2	6.9	14.9
13	4.3	5.1	9.0	13.0	17.2	20.1	23.9	25.2	22.1	17.6	11.9	6.5	14.7
14	4.0	4.9	8.6	12.7	16.8	19.9	23.7	24.9	21.9	17.4	11.7	6.3	14.4
15	3.8	4.6	8.4	12.5	16.5	19.6	23.5	24.6	21.7	17.2	11.5	6.1	14.2
16	3.6	4.2	8.1	12.1	16.1	19.4	23.2	24.5	21.6	17.3	11.5	6.1	14.0
17	3.4	4.1	7.9	11.8	15.8	19.2	23.0	24.3	21.4	17.2	11.3	5.9	13.8
18	3.3	3.9	7.5	11.6	15.5	19.1	22.9	24.1	21.2	17.0	11.2	5.8	13.6
19	3.1	3.7	7.2	11.4	15.2	18.9	22.7	24.0	21.0	16.8	11.0	5.6	13.4
20	3.0	3.6	7.1	11.2	15.1	18.8	22.7	23.8	20.9	16.6	10.8	5.5	13.3
21	2.9	3.6	7.0	11.4	15.8	19.2	23.1	24.1	20.9	16.4	10.7	5.3	13.4
22	2.8	3.7	7.6	12.5	17.1	20.1	23.9	25.1	21.7	16.9	10.9	5.4	14.0
23	3.7	4.8	9.1	13.8	18.6	21.0	24.9	26.2	22.9	18.1	12.0	6.4	15.2
MEAN	5.5	6.2	10.1	14.1	18.5	21.1	24.9	26.3	23.2	18.7	13.0	7.8	15.8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SHIZUOKA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	5.3	6.0	7.9	11.4	15.1	19.9	26.2	27.5	22.8	16.6	11.1	7.0	14.7
01	5.2	6.0	7.8	11.3	15.2	19.9	26.3	27.3	22.6	16.4	11.1	7.1	14.7
02	5.2	6.0	7.9	11.3	15.3	20.0	26.3	27.3	22.8	16.3	11.1	7.0	14.7
03	5.2	6.1	7.9	11.3	15.2	19.9	26.2	27.2	22.8	16.4	11.1	6.9	14.7
04	5.1	6.1	7.9	11.4	15.2	20.0	26.3	27.1	22.9	16.3	11.1	6.9	14.7
05	5.1	6.1	7.9	11.3	15.1	20.1	26.1	27.0	23.2	16.4	11.1	6.8	14.7
06	5.1	6.1	7.9	11.3	15.0	20.2	26.0	27.0	23.3	16.6	11.3	6.8	14.8
07	5.1	6.1	8.0	11.6	15.1	20.2	26.0	27.0	23.3	16.7	11.5	6.9	14.8
08	5.2	6.1	8.1	11.7	15.4	20.2	26.0	27.2	23.3	16.9	11.5	7.0	14.9
09	5.2	6.0	8.3	11.9	15.7	20.2	26.0	27.6	23.5	16.9	11.4	6.9	15.0
10	5.3	6.0	8.4	12.0	15.8	20.4	26.1	28.1	23.7	17.0	11.5	7.0	15.1
11	5.4	6.0	8.4	12.0	15.9	20.4	26.2	28.2	23.7	17.1	11.5	7.0	15.2
12	5.3	6.0	8.4	11.9	15.9	20.4	26.2	28.3	23.6	17.0	11.4	7.0	15.1
13	5.3	5.9	8.3	11.8	15.8	20.3	26.4	28.3	23.5	16.9	11.3	6.9	15.1
14	5.2	6.0	8.2	11.6	15.6	20.2	26.3	28.1	23.4	16.9	11.1	6.9	15.0
15	5.2	6.0	8.1	11.5	15.4	20.0	26.2	27.9	23.3	16.8	11.1	6.8	14.9
16	5.2	5.8	7.9	11.3	15.1	19.8	25.9	27.7	23.3	17.0	11.1	6.9	14.8
17	5.2	5.9	7.8	11.3	14.7	19.7	25.7	27.5	23.1	16.7	10.9	6.9	14.6
18	5.2	5.9	7.7	11.2	14.6	19.5	25.6	27.3	22.8	16.5	10.8	6.9	14.5
19	5.2	5.9	7.7	11.1	14.5	19.3	25.5	27.0	22.6	16.3	10.7	6.8	14.4
20	5.1	5.8	7.6	11.0	14.4	19.3	25.4	26.8	22.4	16.2	10.6	6.7	14.3
21	5.1	5.8	7.5	11.0	14.7	19.5	25.6	26.9	22.2	16.1	10.6	6.7	14.3
22	5.1	5.9	7.6	11.3	15.1	19.9	26.0	27.3	22.6	16.2	10.6	6.8	14.5
23	5.2	5.9	7.8	11.4	15.3	20.0	26.2	27.6	22.8	16.6	10.9	6.9	14.7
MEAN	5.2	6.0	8.0	11.4	15.2	20.0	26.0	27.5	23.1	16.6	11.1	6.9	14.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SHIZUOKA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	58	60	60	66	65	77	79	77	76	72	70	62	68
01	51	56	55	62	62	74	76	73	73	68	65	57	64
02	47	53	53	60	60	71	74	71	70	65	62	54	62
03	45	52	52	59	59	69	72	68	69	64	60	50	60
04	43	51	51	59	59	69	72	67	69	63	59	49	59
05	42	50	51	58	58	70	72	66	70	64	59	49	59
06	43	51	52	59	59	71	72	68	71	65	62	50	60
07	46	52	53	62	61	73	74	70	73	68	65	54	63
08	50	55	56	65	65	76	77	74	76	72	69	58	66
09	54	58	61	69	70	78	80	78	80	75	72	61	70
10	57	60	64	72	74	82	83	83	83	78	75	64	73
11	59	62	67	74	77	84	86	85	85	80	77	65	75
12	61	63	68	75	79	85	87	87	87	81	78	67	77
13	62	64	69	76	80	86	89	88	87	82	78	68	78
14	62	65	70	77	81	87	90	89	88	83	78	68	78
15	63	66	70	77	81	87	90	90	89	84	79	69	79
16	64	67	70	78	81	88	91	90	89	84	79	70	79
17	65	68	70	78	81	88	91	90	90	84	79	70	80
18	65	68	70	79	81	88	91	91	90	84	79	70	80
19	65	69	72	79	82	88	92	91	90	83	79	71	80
20	66	69	71	79	82	88	92	90	90	84	79	71	80
21	66	69	71	79	81	87	91	89	89	84	80	71	80
22	66	69	69	75	76	84	87	86	86	82	78	71	78
23	63	66	65	71	71	80	83	81	81	78	75	68	74
MEAN	57	61	63	70	72	81	83	81	81	76	72	63	72

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SHIZUOKA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	26	26	25	25 *	25	6	25	6	6	5	26	26	26
01	26	25 *	25	25	13	14	25 *	23	6	6	26 *	26	26
02	26	27	25	14	14	14	14	14	6	6	26	26	25
03	25	25	25	14	14	14	14	14	14	6	27	25	14
04	26 *	26	25	14	14	14	14	14	14	6	26	26	14
05	27	27 *	25	14	15	14	14	14	14 *	14	26	25	14
06	27	26	25	14	15	14	22	22	14	14	26 *	27	14
07	27	26	26 *	14	22	14	23	15	15	6	27	26	26
08	26	27	26	22 *	22 *	23	24	23	15	5	27	27	26
09	26	26	26	24	22	23	24	23	22	5	27	27	26
10	26	27	27	25 *	25	23	24	24	24	5 *	27	27	26
11	27	27	27	25	25	26	25	24	25	33	33 *	26	26
12	26)	27)	27)	25	25	25	25	24	33	32	32	26	26)
13	26	26)	27	26)	26	26	25	22	33	32	32	26	26)
14	27	26)	26	26 *	32	25	25	32	31	32)	26	26	26)
15	26	26)	26	32	26	25	25	32	32	32)	26	26	26)
16	27	27)	27	26 *	31	32	25	32	31	33)	32	26	27)
17	26)	27)	27	26 *	32	4	25	31	32 *	32)	32	26	26)
18	26)	27)	26 *	25	32	5 *	32	31	32	32)	32 *	26 *	32)
19	26)	27)	26	32	32 *	33	25	32	32	32)	26	26	32)
20	26)	26)	26	32	32	33	26	32	32	32)	31	26	26)
21	27)	27)	26	32	32	33	25	32	32	32)	33	26	26)
22	26)	27)	26	26	26	5	25	32	34	32	32	26	26)
23	26	26	25	5	25	5	24	25	6	2	26	27	26
ALL	26)	27)	26)	25)	25	14	25	24	6	32)	26	26	26)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SHIZUOKA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	9.8	8.2	8.5	7.3	6.2	5.6	6.3	5.3	5.4	5.6	7.0	10.1	7.1
01	10.3	8.5	9.1	7.9	7.2	6.4	6.9	6.5	5.7	6.4	7.2	10.3	7.7
02	10.8	9.3	10.0	9.0	8.5	7.1	8.0	7.5	6.5	6.7	7.6	10.5	8.5
03	11.3	10.2	10.7	9.7	9.4	8.0	8.7	8.5	7.0	7.0	8.4	11.4	9.2
04	12.1	11.3	11.6	10.1	10.3	8.6	9.5	9.2	7.5	7.3	8.6	11.9	9.8
05	12.4	12.0	11.9	10.8	10.1	8.7	9.5	9.6	7.9	7.5	9.2	12.4	10.1
06	12.5	11.7	12.0	10.7	10.1	8.7	9.4	9.3	7.8	7.8	8.8	12.4	10.1
07	11.7	11.5	12.0	10.6	9.4	8.3	8.7	8.8	7.2	7.1	8.0	11.2	9.6
08	11.0	10.5	10.5	10.0	8.2	7.6	7.9	7.9	6.4	6.2	7.7	10.8	8.7
09	10.8	9.5	9.5	8.9	6.9	6.7	7.3	6.4	5.5	5.6	7.9	10.8	8.0
10	10.9	9.7	9.2	7.8	6.1	5.9	6.7	5.6	5.0	5.6	7.8	10.9	7.6
11	10.9	9.7	9.0	7.5	5.5	5.5	6.1	5.0	4.9	5.6	8.0	10.8	7.4
12	11.0	9.5	9.1	7.5	5.6	5.3	5.8	4.9	4.8	5.8	7.8	11.0	7.3
13	11.1	9.4	9.2	7.3	5.8	5.1	5.5	4.7	4.6	5.8	7.9	10.6	7.3
14	11.2	9.4	9.0	7.5	5.9	5.1	5.5	4.5	4.7	6.0	8.0	10.6	7.3
15	11.2	9.5	9.1	7.1	6.2	4.7	5.7	4.7	4.8	5.8	7.8	10.8	7.3
16	11.4	9.7	9.4	7.1	6.4	4.7	5.5	4.7	4.8	5.9	7.8	10.6	7.3
17	11.2	9.6	9.5	7.0	6.2	4.8	5.4	4.7	4.8	5.9	8.0	10.2	7.3
18	11.3	9.8	9.5	7.0	6.3	5.2	5.4	4.5	4.6	6.1	8.0	10.7	7.4
19	11.3	9.7	9.0	6.9	5.9	5.0	5.4	4.7	4.7	6.1	7.8	10.5	7.2
20	11.0	9.4	8.9	6.8	5.7	4.7	5.3	4.6	4.8	6.3	7.7	10.5	7.2
21	11.0	9.0	8.5	6.5	5.4	4.6	5.1	4.5	4.8	6.0	7.4	10.3	6.9
22	10.8	8.8	8.2	6.5	4.8	4.6	5.3	4.4	4.5	5.6	7.4	10.4	6.8
23	10.4	8.4	8.1	6.6	5.2	5.1	5.5	4.7	4.7	5.5	7.4	10.3	6.8
MEAN	11.1	9.8	9.7	8.1	7.0	6.1	6.7	6.0	5.6	6.2	7.9	10.8	7.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SHIZUOKA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	6.1	11.1	2.1	5.5	10.1	1.5	8.1	12.6	4.2	12.2	16.9	8.0
02	6.1	11.0	2.1	5.5	10.1	1.5	8.3	12.8	4.4	12.3	17.0	8.1
03	6.0	11.0	2.0	5.5	10.1	1.6	8.4	12.9	4.6	12.4	17.0	8.2
04	6.0	11.0	1.9	5.5	10.1	1.6	8.6	13.1	4.7	12.5	17.1	8.3
05	5.9	10.9	1.9	5.5	10.0	1.6	8.7	13.2	4.8	12.5	17.1	8.3
06	5.9	10.9	1.9	5.5	10.0	1.6	8.8	13.3	4.8	12.6	17.2	8.4
07	5.8	10.8	1.8	5.6	10.0	1.6	8.9	13.4	4.9	12.7	17.3	8.5
08	5.7	10.7	1.8	5.6	10.0	1.7	8.9	13.5	4.9	12.8	17.4	8.5
09	5.7	10.6	1.7	5.6	10.0	1.7	9.0	13.6	4.9	12.9	17.5	8.6
10	5.6	10.5	1.6	5.7	10.0	1.7	9.1	13.7	4.9	13.0	17.6	8.8
11	5.5	10.4	1.6	5.7	10.1	1.8	9.2	13.8	4.9	13.2	17.7	8.9
12	5.5	10.3	1.5	5.8	10.1	1.8	9.3	14.0	5.0	13.4	17.9	9.1
13	5.4	10.2	1.5	5.9	10.2	1.8	9.4	14.2	5.0	13.6	18.1	9.4
14	5.4	10.1	1.5	5.9	10.3	1.9	9.6	14.4	5.2	13.8	18.2	9.6
15	5.4	10.0	1.4	6.0	10.4	2.0	9.8	14.6	5.3	14.0	18.4	9.8
16	5.3	10.0	1.4	6.0	10.5	2.0	10.0	14.8	5.5	14.1	18.5	10.1
17	5.3	9.9	1.4	6.1	10.7	2.1	10.2	15.0	5.7	14.3	18.7	10.3
18	5.3	9.9	1.4	6.2	10.8	2.2	10.3	15.2	5.8	14.5	18.9	10.5
19	5.3	9.9	1.4	6.3	10.9	2.3	10.5	15.4	6.0	14.7	19.0	10.7
20	5.3	9.9	1.4	6.4	11.1	2.4	10.6	15.5	6.1	14.8	19.2	10.9
21	5.4	9.9	1.3	6.5	11.3	2.5	10.8	15.7	6.2	15.0	19.4	11.1
22	5.4	9.9	1.3	6.6	11.4	2.7	10.8	15.8	6.3	15.2	19.6	11.3
23	5.4	9.9	1.3	6.8	11.6	2.8	10.9	15.9	6.4	15.3	19.8	11.4
24	5.4	10.0	1.3	7.0	11.8	3.0	11.0	16.0	6.5	15.5	20.0	11.6
25	5.4	10.0	1.3	7.2	12.0	3.3	11.1	16.2	6.6	15.7	20.2	11.8
26	5.4	10.0	1.3	7.4	12.1	3.5	11.3	16.3	6.7	15.9	20.5	11.9
27	5.4	10.1	1.3	7.6	12.3	3.7	11.4	16.4	6.9	16.1	20.7	12.1
28	5.4	10.1	1.3	7.9	12.5	4.0	11.6	16.5	7.1	16.3	20.9	12.2
29	5.5	10.1	1.4	8.0	12.6	4.1	11.7	16.6	7.3	16.5	21.1	12.4
30	5.5	10.1	1.4				11.9	16.7	7.6	16.6	21.3	12.5
31	5.5	10.2	1.5				12.1	16.8	7.8			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SHIZUOKA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	16.8	21.5	12.6	20.0	24.1	16.6	22.1	25.6	19.6	26.8	31.3	23.7
02	16.9	21.6	12.7	20.0	24.1	16.6	22.2	25.7	19.8	26.9	31.3	23.7
03	17.0	21.8	12.7	20.0	24.1	16.7	22.5	25.9	20.0	26.9	31.3	23.8
04	17.0	21.9	12.8	20.1	24.1	16.8	22.7	26.2	20.3	26.9	31.3	23.8
05	17.1	22.0	12.8	20.1	24.1	16.9	23.0	26.5	20.5	26.9	31.3	23.8
06	17.2	22.1	12.9	20.2	24.1	17.0	23.3	26.8	20.8	26.9	31.2	23.8
07	17.3	22.2	12.9	20.3	24.2	17.2	23.6	27.2	21.1	26.9	31.2	23.8
08	17.4	22.2	13.0	20.4	24.3	17.4	24.0	27.6	21.4	26.8	31.1	23.8
09	17.5	22.3	13.1	20.6	24.4	17.5	24.3	28.0	21.6	26.8	31.1	23.8
10	17.6	22.4	13.2	20.7	24.5	17.7	24.6	28.4	21.9	26.8	31.0	23.8
11	17.7	22.5	13.4	20.9	24.6	17.9	24.8	28.7	22.1	26.8	30.9	23.8
12	17.9	22.7	13.6	21.0	24.8	18.1	25.1	29.0	22.3	26.8	30.9	23.8
13	18.0	22.8	13.8	21.2	24.9	18.3	25.2	29.2	22.4	26.7	30.8	23.8
14	18.1	22.9	13.9	21.3	25.0	18.5	25.4	29.3	22.6	26.7	30.8	23.8
15	18.3	23.0	14.1	21.4	25.1	18.6	25.5	29.5	22.7	26.7	30.7	23.8
16	18.4	23.1	14.3	21.5	25.2	18.7	25.5	29.5	22.7	26.7	30.7	23.7
17	18.6	23.3	14.4	21.6	25.2	18.8	25.6	29.5	22.7	26.7	30.7	23.7
18	18.7	23.4	14.6	21.6	25.3	18.8	25.6	29.6	22.7	26.6	30.7	23.6
19	18.8	23.5	14.8	21.6	25.3	18.8	25.6	29.6	22.8	26.6	30.6	23.6
20	18.9	23.6	14.9	21.7	25.3	18.8	25.6	29.7	22.8	26.5	30.6	23.4
21	19.1	23.7	15.0	21.7	25.3	18.8	25.7	29.8	22.8	26.4	30.5	23.3
22	19.2	23.8	15.2	21.6	25.3	18.8	25.8	29.9	22.8	26.2	30.3	23.2
23	19.3	23.9	15.4	21.6	25.3	18.8	25.9	30.0	22.9	26.1	30.2	23.0
24	19.4	23.9	15.5	21.6	25.3	18.8	26.0	30.2	23.0	25.9	30.0	22.8
25	19.5	24.0	15.7	21.6	25.3	18.9	26.1	30.4	23.1	25.7	29.9	22.7
26	19.6	24.1	15.9	21.6	25.3	18.9	26.3	30.6	23.2	25.6	29.7	22.5
27	19.7	24.1	16.0	21.7	25.3	19.0	26.4	30.8	23.3	25.4	29.5	22.4
28	19.8	24.1	16.2	21.7	25.3	19.1	26.5	30.9	23.4	25.2	29.3	22.2
29	19.9	24.2	16.3	21.8	25.4	19.2	26.6	31.0	23.5	25.1	29.2	22.1
30	19.9	24.2	16.4	21.9	25.5	19.4	26.7	31.1	23.6	25.0	29.0	22.0
31	20.0	24.2	16.5				26.8	31.2	23.6	24.9	28.9	22.0

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SHIZUOKA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 47.8'N, LONGITUDE: 138° 11.4'E, ELEVATION ABOVE MSL: 433 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	24.8	28.8	21.9	21.6	25.7	18.4	15.6	20.0	12.2	9.9	14.3	6.1
02	24.8	28.7	21.9	21.5	25.6	18.3	15.4	19.8	12.0	9.7	14.1	5.8
03	24.7	28.6	21.8	21.4	25.4	18.2	15.3	19.6	11.8	9.4	13.9	5.5
04	24.6	28.5	21.7	21.2	25.2	18.0	15.1	19.5	11.7	9.2	13.7	5.3
05	24.5	28.4	21.6	21.0	25.1	17.8	15.0	19.3	11.5	9.0	13.5	5.1
06	24.4	28.3	21.5	20.8	24.8	17.6	14.8	19.1	11.4	8.8	13.4	4.9
07	24.3	28.2	21.4	20.5	24.6	17.3	14.7	18.9	11.2	8.6	13.2	4.7
08	24.2	28.1	21.3	20.3	24.3	17.1	14.5	18.7	11.0	8.4	13.0	4.6
09	24.1	28.0	21.2	20.0	24.1	16.8	14.3	18.5	10.8	8.3	12.9	4.5
10	24.0	27.8	21.0	19.7	23.8	16.5	14.1	18.3	10.6	8.2	12.7	4.4
11	23.8	27.7	20.9	19.5	23.6	16.3	13.9	18.1	10.4	8.1	12.6	4.3
12	23.7	27.5	20.7	19.2	23.4	16.0	13.7	17.9	10.2	8.0	12.5	4.2
13	23.5	27.4	20.5	19.0	23.2	15.8	13.5	17.7	10.0	7.9	12.4	4.2
14	23.4	27.2	20.4	18.8	23.0	15.6	13.3	17.5	9.8	7.8	12.3	4.1
15	23.2	27.0	20.2	18.6	22.8	15.4	13.1	17.4	9.6	7.7	12.2	4.1
16	23.0	26.8	20.0	18.4	22.7	15.3	12.9	17.2	9.4	7.7	12.2	4.0
17	22.9	26.6	19.9	18.3	22.5	15.1	12.7	17.1	9.3	7.6	12.2	3.9
18	22.7	26.4	19.7	18.2	22.4	15.0	12.6	16.9	9.1	7.6	12.1	3.9
19	22.5	26.3	19.6	18.0	22.2	14.9	12.4	16.8	9.0	7.5	12.1	3.8
20	22.4	26.1	19.4	17.9	22.1	14.8	12.2	16.6	8.8	7.5	12.1	3.7
21	22.3	26.0	19.3	17.7	21.9	14.6	12.1	16.4	8.7	7.4	12.0	3.6
22	22.2	25.9	19.2	17.6	21.8	14.4	11.9	16.2	8.5	7.3	12.0	3.4
23	22.1	25.8	19.1	17.4	21.6	14.3	11.7	16.1	8.3	7.2	11.9	3.3
24	22.0	25.8	19.0	17.2	21.4	14.1	11.5	15.9	8.0	7.1	11.8	3.2
25	22.0	25.8	18.9	17.0	21.3	13.8	11.3	15.6	7.8	6.9	11.7	3.0
26	21.9	25.8	18.8	16.8	21.1	13.6	11.1	15.4	7.5	6.8	11.6	2.9
27	21.9	25.8	18.7	16.6	20.9	13.3	10.9	15.2	7.2	6.7	11.5	2.7
28	21.8	25.8	18.7	16.4	20.7	13.1	10.6	15.0	6.9	6.5	11.3	2.5
29	21.8	25.8	18.6	16.2	20.5	12.9	10.4	14.8	6.6	6.4	11.3	2.4
30	21.7	25.7	18.5	16.0	20.3	12.6	10.2	14.5	6.4	6.3	11.2	2.3
31				15.8	20.1	12.4				6.2	11.1	2.2