

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NOTO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

NUMBER OF FORWARD SCATTER: RWY25

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	-	<600	<600	<600	<1000	<1500
00	1	2	3	6	6	11	24	26
01	-	-	-	5	5	14	25	32
02	-	-	2	4	4	12	22	26
03	-	1	3	4	5	8	15	23
04	1	1	1	3	5	10	16	23
05	1)	1)	1)	4)	5)	10	23	32
06	-	-	1	2	4	8	22	28
07	-	-	-	2	3	10	17	21
08	-	-	-	2	2	13	23	26
09	-	-	1	3	3	10	20	27
10	-	-	-	2	3	7	16	22
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	2	2	5	6	6	12	22	26
MEAN	0)	0)	1)	3)	4)	10	20	26

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NOTO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

NUMBER OF FORWARD SCATTER: RWY25

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	-	<600	<600	<600	<1000	<1500
00	1	1	3	6	7	13	21	30
01	2	2	2	5	6	8	20	27
02	2	2	3	5	5	9	23	27
03	1	1	1	1	4	8	20	25
04	1	1	2	4	5	7	14	21
05	0)	0)	1)	1)	4)	6	15	20
06	1	1	2	4	4	4	17	22
07	-	1	1	1	2	9	20	26
08	-	-	-	1	1	5	17	23
09	-	-	-	1	2	6	13	20
10	-	-	1	3	4	4	14	18
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	1	4	9	10	13	22	28
MEAN	1)	1)	2)	4)	5)	8	18	24

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NOTO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

NUMBER OF FORWARD SCATTER: RWY25

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	-	<600	<600	<600	<1000	<1500
00	1	1	1	3	5	3	12	16
01	-	-	1	3	3	3	11	15
02	-	-	-	1	1	3	8	10
03	-	-	-	1	1	3	8	14
04	-	1	1	3	3	3	7	12
05	1)	1)	1)	2)	2)	3	8	13
06	-	1	1	1	1	1	8	12
07	-	-	1	2	3	3	10	16
08	1)	1)	1)	3)	4)	5	10	17
09	1	1	1	2	2	3	11	16
10	1	1	1	3	3	3	11	17
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	2	3	4	6	6	17	23
MEAN	0)	1)	1)	2)	3)	3	10	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NOTO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

NUMBER OF FORWARD SCATTER: RWY25

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	-	<600	<600	<600	<1000	<1500
00	1	1	1	3	3	3	8	11
01	-	1	1	3	3	4	7	14
02	-	1	1	1	1	1	6	10
03	-	-	-	-	-	-	2	10
04	-	-	-	-	-	-	5	9
05	-	-	-	2	2	3	5	8
06	-	-	-	1	1	2	6	10
07	-	-	-	1	1	2	9	12
08	-	-	-	2	2	2	8	12
09	-	-	-	4	4	4	8	11
10	-	-	-	2	2	2	5	12
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	1	1	2	2	3	9	13
MEAN	0	0	0	2	2	2	7	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NOTO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

NUMBER OF FORWARD SCATTER: RWY25

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	-	<600	<600	<600	<1000	<1500
00	-	1	1	3	3	3	7	12
01	-	-	-	4	4	4	7	10
02	0)	0)	0)	1)	1)	1	7	11
03	0)	0)	0)	4)	4)	4	7	10
04	-	-	-	1	1	1	6	8
05	0)	0)	0)	2)	2)	2	6	10
06	0)	0)	0)	2)	2)	2	5	9
07	-	-	-	3	3	3	6	8
08	-	-	-	1	1	1	6	11
09	-	-	-	3	3	3	7	12
10	0)	0)	0)	3)	3)	4	8	12
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	1	1	3	3	4	9	12
MEAN	0)	0)	0)	2)	2)	3	7	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NOTO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

NUMBER OF FORWARD SCATTER: RWY25

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	-	<600	<600	<600	<1000	<1500
00	-	-	-	1	1	2	4	15
01	-	-	-	1	1	2	4	11
02	0)	0)	0)	1)	1)	3	7	11
03	-	-	-	3	3	3	7	9
04	-	1	1	3	3	3	5	9
05	-	-	-	3	3	3	5	8
06	-	-	1	2	2	2	5	10
07	-	-	-	1	1	1	5	9
08	0)	0)	0)	0)	0)	1	5	9
09	0)	1)	1)	1)	1)	-	3	6
10	0)	0)	0)	0)	0)	-	7	9
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	3	3	3	8	22
MEAN	0)	0)	0)	2)	2)	2	5	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NOTO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

NUMBER OF FORWARD SCATTER: RWY25

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	-	<600	<600	<600	<1000	<1500
00	1	1	1	8	8	8	17	23
01	1	1	1	6	6	6	16	19
02	-	-	-	5	5	5	12	19
03	-	-	-	3	3	3	12	18
04	-	-	-	3	3	4	11	17
05	-	-	-	5	5	5	10	15
06	-	1	-	5	5	5	13	16
07	-	-	-	5	5	5	9	15
08	-	-	-	5	5	5	10	15
09	-	-	-	6	6	8	12	15
10	-	-	-	6	6	7	14	17
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	1	3	9	10	12	20	28
MEAN	0	0	0	5	6	6	13	18

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NOTO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

NUMBER OF FORWARD SCATTER: RWY25

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	-	<600	<600	<600	<1000	<1500
00	1	1	1	3	3	3	4	6
01	-	-	-	3	3	3	5	8
02	0)	0)	0)	3)	3)	3	5	6
03	-	-	-	1	1	1	4	7
04	-	-	-	1	1	1	3	6
05	0)	0)	0)	1)	1)	1	1	5
06	0)	0)	0)	1)	1)	1	2	4
07	-	-	-	1	1	1	4	6
08	-	-	-	1	1	1	4	5
09	-	1	1	1	1	1	6	8
10	-	-	-	1	1	1	5	10
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	1	4	4	3	8	12
MEAN	0)	0)	0)	2)	2)	2	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NOTO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

NUMBER OF FORWARD SCATTER: RWY25

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	-	<600	<600	<600	<1000	<1500
00	0)	0)	1)	3)	3)	3	7	8
01	0)	0)	0)	1)	1)	1	5	9
02	0)	0)	0)	1)	1)	1	3	6
03	-	1	1	1	1	1	1	6
04	-	-	-	1	1	1	2	5
05	-	-	-	-	-	-	2	3
06	-	-	-	-	-	-	3	4
07	0)	0)	0)	0)	0)	-	2	5
08	-	-	-	-	-	-	3	3
09	-	-	-	-	-	-	5	7
10	-	-	-	1	1	1	1	5
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	0)	1)	1)	1)	2)	2	6	10
MEAN	0)	0)	0)	1)	1)	1	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NOTO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

NUMBER OF FORWARD SCATTER: RWY25

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	-	<600	<600	<600	<1000	<1500
00	0)	0)	0)	1)	1)	1	1	2
01	0)	0)	0)	1)	1)	1	1	4
02	0)	0)	1)	1)	1)	1	1	5
03	0)	0)	0)	0)	0)	-	1	1
04	0)	0)	0)	1)	1)	1	2	3
05	0)	0)	0)	1)	2)	1	5	5
06	0)	0)	0)	1)	1)	1	2	6
07	0)	0)	0)	1)	1)	1	5	7
08	0)	0)	0)	0)	0)	1	5	6
09	0)	0)	0)	1)	1)	1	3	6
10	0)	0)	0)	1)	1)	1	3	7
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	0)	0)	0)	1)	1)	1	3	3
MEAN	0)	0)	0)	1)	1)	1	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NOTO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

NUMBER OF FORWARD SCATTER: RWY25

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	-	<600	<600	<600	<1000	<1500
00	-	-	-	1	1	1	3	7
01	-	-	-	1	1	1	5	9
02	-	-	-	2	2	2	3	8
03	-	-	-	2	3	2	5	8
04	-	-	-	2	2	2	4	10
05	-	-	-	1	1	1	4	9
06	0)	0)	0)	0)	0)	1	3	7
07	-	-	-	-	-	-	3	7
08	0)	0)	0)	1)	1)	2	5	7
09	-	-	-	1	1	1	4	7
10	-	-	1	1	1	2	5	9
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	1	1	1	1	2	6	9
MEAN	0)	0)	0)	1)	1)	1	4	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NOTO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

NUMBER OF FORWARD SCATTER: RWY25

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	-	<600	<600	<600	<1000	<1500
00	1	1	3	5	6	8	19	25
01	0)	1)	2)	3)	3)	5	14	18
02	-	1	1	3	3	6	14	19
03	-	1	3	6	6	9	19	23
04	1	1	3	4	4	8	17	23
05	-	-	1	1	2	6	17	22
06	1	1	1	1	3	6	14	21
07	-	-	1	2	3	7	16	21
08	-	1	1	5	5	5	14	19
09	-	-	1	4	4	5	14	19
10	-	1	1	3	3	8	13	15
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	2	2	2	5	6	6	16	21
MEAN	0)	1)	2)	3)	4)	7	16	20

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NOTO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

NUMBER OF FORWARD SCATTER: RWY25

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1200	<1500	<3200	<5000
	<100	<200	-	<600	<600	<600	<1000	<1500
00	1)	1)	1)	4)	4)	5	10	15
01	0)	0)	0)	3)	3)	4	10	15
02	0)	0)	1)	2)	2)	4	9	13
03	0)	0)	1)	2)	3)	3	8	13
04	0)	0)	1)	2)	2)	4	8	12
05	0)	0)	0)	2)	2)	3	8	12
06	0)	0)	0)	2)	2)	3	8	12
07	0)	0)	0)	2)	2)	3	9	13
08	0)	0)	0)	2)	2)	3	9	13
09	0)	0)	0)	2)	2)	4	9	13
10	0)	0)	0)	2)	2)	3	8	13
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1)	1)	2)	4)	5)	6	12	17
MEAN	0)	0)	1)	2)	3)	4	9	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NOTO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	3	5	10	12	14	23	25	
01	1	6	14	16	21	25	29	
02	3	7	12	14	16	22	25	
03	3	6	8	8	12	15	21	
04	1	5	10	11	14	16	21	
05	1	5	10	12	15	23	30	
06	1	4	8	9	11	21	27	
07	1	5	10	11	14	17	20	
08	-	4	12	14	15	22	25	
09	1	5	10	10	17	19	26	
10	-	2	6	7	11	16	20	
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	4	9	12	13	15	22	25	
MEAN	2	5	10	11	15	20	25	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NOTO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	1	5	12	13	15	20	27	
01	2	4	8	10	11	19	26	
02	2	4	8	10	13	22	25	
03	1	3	8	8	13	19	23	
04	1	2	7	8	11	14	20	
05	-	1	6	7	10	14	18	
06	1	1	4	5	9	16	19	
07	-	4	9	9	15	19	23	
08	1	2	4	8	11	16	20	
09	-	1	5	6	8	13	19	
10	1	2	4	5	10	13	18	
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	2	6	11	15	18	21	27	
MEAN	1	3	7	9	12	17	22	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NOTO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	1	1	1	3	4	8	11	
01	-	1	1	2	2	9	12	
02	-	-	1	1	1	6	6	
03	-	1	2	2	3	6	8	
04	-	1	2	2	3	6	8	
05	1	1	1	1	3	5	8	
06	1	1	1	1	2	5	9	
07	1	1	3	3	5	8	11	
08	-	1	3	3	5	8	14	
09	-	1	1	1	5	10	14	
10	1	1	1	2	3	8	14	
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	3	6	6	8	15	18	
MEAN	0	1	2	2	3	8	11	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NOTO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	1	1	1	2	3	6	7	
01	1	1	1	2	3	5	11	
02	1	1	1	1	1	3	6	
03	-	-	-	1	1	1	7	
04	-	-	-	-	1	5	7	
05	-	1	1	1	1	4	6	
06	-	-	1	1	5	5	7	
07	-	-	1	1	3	6	9	
08	-	-	-	1	2	7	11	
09	-	1	1	1	1	6	10	
10	-	-	-	1	2	4	10	
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	1	1	2	3	7	10	
MEAN	0	0	1	1	2	5	8	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NOTO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	1	1	2	3	5	8	
01	-	-	-	1	2	5	8	
02	-	-	-	-	1	4	5	
03	-	-	-	-	-	3	5	
04	-	-	-	-	1	5	6	
05	-	-	-	-	2	3	5	
06	-	-	1	1	1	3	6	
07	-	-	-	1	2	5	6	
08	-	-	-	1	2	5	7	
09	-	1	1	2	2	5	6	
10	1	1	2	3	3	6	7	
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	1	2	3	3	6	8	
MEAN	0	0	1	1	2	5	7	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NOTO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	-	1	1	1	3	7	
01	-	-	1	1	2	3	9	
02	-	1	1	2	3	4	5	
03	-	1	1	2	3	5	5	
04	1	1	1	1	1	4	5	
05	-	-	-	-	2	3	6	
06	-	1	1	1	3	4	6	
07	-	-	-	1	2	5	7	
08	-	-	1	1	2	5	7	
09	-	-	-	1	1	3	5	
10	-	-	-	-	3	6	7	
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	-	-	3	5	9	
MEAN	0	0	1	1	2	4	6	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NOTO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	1	1	3	5	7	12	16	
01	1	1	1	1	3	12	15	
02	-	-	-	-	3	8	13	
03	-	-	1	1	2	6	7	
04	-	-	1	1	3	6	7	
05	-	-	1	2	4	7	8	
06	-	-	1	2	3	7	9	
07	-	1	1	1	4	5	8	
08	-	1	1	1	3	5	8	
09	1	3	3	3	6	9	11	
10	-	2	3	4	6	11	12	
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	2	6	6	10	14	20	
MEAN	0	1	2	2	4	8	11	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NOTO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	-	1	1	1	2	4	
01	-	-	1	1	1	5	6	
02	-	-	-	-	1	2	4	
03	-	-	-	-	1	2	4	
04	-	-	1	1	1	2	2	
05	-	1	1	1	1	1	1	
06	-	-	1	1	1	2	2	
07	-	-	-	-	2	3	5	
08	-	-	-	1	3	4	4	
09	1	1	1	2	2	5	6	
10	-	-	1	2	3	4	6	
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	1	1	1	4	6	8	
MEAN	0	0	1	1	2	3	4	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NOTO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	-	1	1	2	5	6	
01	-	-	-	1	1	3	5	
02	-	-	-	1	1	2	3	
03	-	-	-	1	1	1	3	
04	-	-	-	-	-	1	2	
05	-	-	-	-	-	1	1	
06	-	-	-	-	-	1	3	
07	-	-	-	-	-	1	5	
08	-	-	-	-	1	3	3	
09	-	-	-	-	1	5	7	
10	-	-	-	-	-	1	3	
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	-	1	1	3	6	9	
MEAN	-	-	0	0	1	2	4	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NOTO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	-	-	-	1	1	2	
01	-	-	-	-	1	1	3	
02	1	1	1	1	1	1	4	
03	-	-	-	-	-	1	1	
04	-	-	-	-	1	2	3	
05	-	-	-	-	2	4	5	
06	-	1	1	1	1	2	5	
07	-	1	1	1	1	4	6	
08	-	-	1	1	1	4	5	
09	-	1	1	1	1	3	5	
10	-	-	1	1	2	3	5	
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	-	1	1	1	1	3	3	
MEAN	0	0	0	0	1	2	4	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NOTO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	1	1	1	1	3	6	
01	-	-	1	1	3	4	9	
02	-	1	1	1	1	3	5	
03	-	-	-	-	3	4	7	
04	-	-	-	1	1	3	7	
05	-	-	1	1	1	3	7	
06	-	-	1	1	1	3	5	
07	-	-	-	-	1	3	5	
08	1	2	2	2	2	5	6	
09	1	1	1	1	2	4	7	
10	1	1	1	2	3	5	7	
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	1	2	3	3	6	9	
MEAN	0	1	1	1	2	4	7	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NOTO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	2	6	8	9	16	19	23	
01	1	4	5	5	8	14	17	
02	1	1	5	7	9	14	19	
03	1	5	8	10	12	17	20	
04	1	4	8	10	12	17	20	
05	2	3	6	8	11	17	20	
06	1	3	6	6	8	14	20	
07	1	4	6	8	11	15	19	
08	1	3	5	5	8	14	19	
09	1	3	5	5	7	14	19	
10	1	2	7	7	9	12	13	
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	1	5	6	10	15	18	
MEAN	1	3	6	7	10	15	19	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NOTO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	1	2	3	4	6	9	12	
01	0	1	3	3	5	9	12	
02	1	1	2	3	4	8	10	
03	0	1	2	3	4	7	9	
04	0	1	2	3	4	7	9	
05	0	1	2	3	4	7	10	
06	0	1	2	2	4	7	10	
07	0	1	3	3	5	8	10	
08	0	1	2	3	5	8	11	
09	0	1	2	3	4	8	11	
10	0	1	2	3	4	7	10	
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	1	2	4	5	7	10	14	
MEAN	0	1	3	3	5	8	11	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NOTO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	1	3	8
01	-	-	1	1	2	5	10
02	-	-	-	-	1	3	10
03	-	-	1	1	1	3	8
04	-	-	-	1	1	3	9
05	-	-	-	-	2	5	12
06	-	-	-	1	1	2	10
07	-	-	-	1	2	3	5
08	-	-	-	1	2	3	8
09	-	-	-	1	2	3	8
10	-	-	-	1	2	3	10
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	1	1	3	9
MEAN	-	-	0	1	2	3	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NOTO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	3	6	14
01	-	1	1	2	2	4	11
02	-	1	1	1	2	3	11
03	-	-	-	-	1	4	11
04	-	-	-	-	-	1	5
05	-	-	-	-	-	1	6
06	-	-	-	-	-	1	7
07	-	-	-	-	-	3	11
08	-	-	-	-	1	3	8
09	-	-	-	-	1	1	8
10	-	-	-	-	1	2	4
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	1	1	3	4	6	13
MEAN	-	0	0	1	1	3	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NOTO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	2	6	10
01	-	-	-	1	2	5	8
02	-	-	-	-	1	3	6
03	-	-	-	1	1	5	8
04	-	-	-	1	1	2	6
05	-	-	-	-	1	3	7
06	-	-	-	1	1	3	6
07	-	-	-	1	1	3	8
08	-	-	-	1	2	5	9
09	-	-	-	-	1	3	9
10	-	-	-	2	3	5	8
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	1	1	2	6	11
MEAN	-	-	0	1	2	4	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NOTO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	2	5	8
01	-	-	-	1	3	3	9
02	-	-	-	-	1	3	7
03	-	-	-	-	-	1	5
04	-	-	-	-	-	-	5
05	-	-	-	2	2	2	7
06	-	-	-	-	1	3	8
07	-	-	-	-	1	6	9
08	-	-	-	1	2	5	8
09	-	-	-	1	3	5	7
10	-	-	-	1	2	3	7
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	1	1	4	10
MEAN	-	-	-	1	2	3	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NOTO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	1	3	6	10
01	-	-	-	1	4	6	8
02	-	-	-	1	1	5	8
03	-	-	-	2	4	6	9
04	-	-	-	1	1	3	6
05	-	-	1	1	2	4	7
06	-	-	1	1	2	3	7
07	-	-	1	3	3	5	6
08	-	-	1	1	1	5	8
09	-	-	-	1	3	4	8
10	-	-	1	1	3	4	8
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	1	3	7	10
MEAN	-	-	0	1	2	5	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NOTO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	1	3	11
01	-	-	1	1	1	2	7
02	-	-	-	1	1	5	9
03	-	-	1	1	2	4	7
04	-	-	-	1	3	3	7
05	-	-	-	2	3	3	6
06	-	-	-	1	2	5	7
07	-	-	-	1	1	5	7
08	-	-	-	-	-	1	5
09	-	-	-	-	-	-	4
10	-	-	-	-	-	2	6
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	1	1	3	5	19
MEAN	-	-	0	1	1	3	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NOTO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	5	7	14	21
01	-	-	1	6	6	14	18
02	-	-	-	4	5	10	15
03	-	-	-	3	3	11	16
04	-	-	-	2	3	8	14
05	-	-	-	4	5	8	14
06	-	1	2	2	5	10	14
07	-	-	1	5	5	8	13
08	-	-	-	1	5	8	14
09	-	-	1	3	5	8	12
10	-	-	1	5	6	9	14
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	5	7	15	23
MEAN	-	0	1	4	5	10	16

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NOTO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	1	3	3	4
01	-	-	-	-	3	4	7
02	-	-	-	-	3	4	5
03	-	-	-	-	1	3	6
04	-	-	-	-	1	1	6
05	-	-	-	-	1	1	4
06	-	-	-	1	1	1	3
07	-	-	-	-	1	1	4
08	-	-	-	1	1	2	3
09	-	-	-	-	-	3	5
10	-	-	-	-	1	3	8
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	1	2	3	5	8
MEAN	-	-	0	0	1	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NOTO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	2	3	5
01	-	-	-	-	1	2	6
02	-	-	-	-	1	2	5
03	-	-	-	1	1	1	5
04	-	-	-	1	1	1	4
05	-	-	-	-	-	1	2
06	-	-	-	-	-	2	2
07	-	-	-	-	-	1	1
08	-	-	-	-	-	1	2
09	-	-	-	-	-	1	2
10	-	-	-	-	1	1	3
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	1	1	1	5
MEAN	-	-	-	0	1	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NOTO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	1	1	2
01	-	-	-	-	1	1	2
02	-	-	-	-	-	-	1
03	-	-	-	-	-	-	1
04	-	-	-	1	1	1	1
05	-	-	-	1	1	1	2
06	-	-	-	1	1	1	2
07	-	-	-	1	1	2	3
08	-	-	-	-	-	1	3
09	-	-	-	1	1	1	2
10	-	-	-	1	1	1	3
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	1	1	1	1
MEAN	-	-	-	0	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NOTO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	-	1
01	-	-	-	1	1	2	4
02	-	-	1	1	2	2	5
03	-	-	1	1	2	3	3
04	-	-	1	1	2	3	6
05	-	-	-	1	1	2	6
06	-	-	-	-	-	1	3
07	-	-	-	-	-	2	3
08	-	-	-	1	1	4	5
09	-	-	-	-	1	1	3
10	-	-	-	-	1	1	3
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	-	1	1	3
MEAN	-	-	0	1	1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NOTO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	-	-	3	9
01	-	-	-	-	-	1	5
02	-	-	-	1	3	3	11
03	-	-	-	-	3	4	16
04	-	-	-	1	1	3	10
05	-	-	-	-	-	3	9
06	-	-	-	1	1	3	9
07	-	-	1	1	1	3	9
08	-	-	1	1	2	3	7
09	-	-	-	1	2	4	8
10	-	-	-	1	1	4	8
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	-	-	1	1	3	8
MEAN	-	-	0	1	1	3	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NOTO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 12

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	0	1	2	4	9
01	-	0	0	1	2	4	8
02	-	0	0	1	2	4	8
03	-	-	0	1	1	4	8
04	-	-	0	1	1	2	7
05	-	-	0	1	1	3	7
06	-	0	0	1	1	3	6
07	-	-	0	1	1	3	7
08	-	-	0	1	1	3	7
09	-	-	0	1	2	3	6
10	-	-	0	1	2	3	7
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	-	0	0	1	2	4	10
MEAN	-	0	0	1	2	3	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NOTO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												3
VARIABLE	14	0	-	-	-	-	-	-	-	-	-	14
[35-36-01]	3	3	0	-	-	-	-	-	-	-	-	6
[02-03-04]	6	3	0	-	-	-	-	-	-	-	-	9
[05-06-07]	4	4	0	0	-	-	-	-	-	-	-	8
[08-09-10]	1	0	0	-	-	-	-	-	-	-	-	2
[11-12-13]	1	0	-	-	-	-	-	-	-	-	-	1
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	2
[20-21-22]	3	3	1	0	-	-	-	-	-	-	-	7
[23-24-25]	4	3	1	1	0	0	0	-	-	-	-	9
[26-27-28]	7	5	2	1	0	0	-	-	-	-	-	14
[29-30-31]	7	9	1	0	-	-	-	-	-	-	-	17
[32-33-34]	4	3	0	-	-	-	-	-	-	-	-	8
TOTAL	57	33	5	2	0	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NOTO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												4)
VARIABLE	14)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[35-36-01]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	6)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[08-09-10]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	3)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[23-24-25]	3)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[26-27-28]	7)	6)	2)	1)	0)	0)	0)	0)	0)	0)	0)	16)
[29-30-31]	8)	7)	2)	0)	0)	0)	0)	0)	0)	0)	0)	17)
[32-33-34]	4)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
TOTAL	57)	31)	6)	2)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NOTO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												4
VARIABLE	12	0	-	-	-	-	-	-	-	-	-	13
[35-36-01]	3	1	-	-	-	-	-	-	-	-	-	4
[02-03-04]	5	3	0	-	-	-	-	-	-	-	-	7
[05-06-07]	7	4	1	-	-	-	-	-	-	-	-	12
[08-09-10]	2	1	0	-	-	-	-	-	-	-	-	3
[11-12-13]	1	1	0	-	-	-	-	-	-	-	-	3
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	1	0	-	-	-	-	-	-	-	-	-	1
[20-21-22]	2	3	1	0	-	-	-	-	-	-	-	7
[23-24-25]	3	4	4	2	1	0	-	-	-	-	-	14
[26-27-28]	5	5	3	1	0	-	-	-	-	-	-	14
[29-30-31]	4	6	1	0	-	-	-	-	-	-	-	11
[32-33-34]	4	2	0	-	-	-	-	-	-	-	-	6
TOTAL	50	32	10	4	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NOTO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												4
VARIABLE	12	0	-	-	-	-	-	-	-	-	-	12
[35-36-01]	2	1	-	-	-	-	-	-	-	-	-	2
[02-03-04]	4	3	0	-	-	-	-	-	-	-	-	7
[05-06-07]	10	5	0	0	-	-	-	-	-	-	-	15
[08-09-10]	4	2	0	-	-	-	-	-	-	-	-	6
[11-12-13]	3	3	0	-	-	-	-	-	-	-	-	6
[14-15-16]	1	1	0	-	-	-	-	-	-	-	-	2
[17-18-19]	1	1	0	-	-	-	-	-	-	-	-	2
[20-21-22]	3	3	1	0	0	-	-	-	-	-	-	7
[23-24-25]	3	4	4	2	1	0	0	0	-	-	-	14
[26-27-28]	4	4	3	1	0	0	0	0	-	-	-	12
[29-30-31]	4	3	0	-	-	-	-	-	-	-	-	7
[32-33-34]	3	1	0	-	-	-	-	-	-	-	-	4
TOTAL	53	30	8	3	1	0	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NOTO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												5
VARIABLE	15	0	-	-	-	-	-	-	-	-	-	15
[35-36-01]	1	0	-	-	-	-	-	-	-	-	-	1
[02-03-04]	3	1	0	-	-	-	-	-	-	-	-	3
[05-06-07]	9	2	0	0	-	-	-	-	-	-	-	11
[08-09-10]	3	2	0	-	-	-	-	-	-	-	-	5
[11-12-13]	3	3	0	-	-	-	-	-	-	-	-	6
[14-15-16]	1	1	0	-	-	-	-	-	-	-	-	2
[17-18-19]	2	1	-	-	-	-	-	-	-	-	-	2
[20-21-22]	3	3	0	0	0	-	-	-	-	-	-	6
[23-24-25]	3	6	5	2	1	0	0	-	-	-	-	18
[26-27-28]	5	5	3	0	0	-	-	-	-	-	-	13
[29-30-31]	5	2	0	-	-	-	-	-	-	-	-	8
[32-33-34]	3	1	-	-	-	-	-	-	-	-	-	3
TOTAL	57	26	8	3	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NOTO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												5)
VARIABLE	17)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	17)
[35-36-01]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[02-03-04]	6)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[05-06-07]	15)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	19)
[08-09-10]	6)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[11-12-13]	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[14-15-16]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	3)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[26-27-28]	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[29-30-31]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[32-33-34]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
TOTAL	68)	21)	4)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NOTO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												4
VARIABLE	13	0	-	-	-	-	-	-	-	-	-	13
[35-36-01]	1	0	-	-	-	-	-	-	-	-	-	1
[02-03-04]	3	1	0	-	-	-	-	-	-	-	-	4
[05-06-07]	10	1	-	-	-	-	-	-	-	-	-	11
[08-09-10]	5	1	-	-	-	-	-	-	-	-	-	6
[11-12-13]	5	1	-	-	-	-	-	-	-	-	-	6
[14-15-16]	2	0	-	-	-	-	-	-	-	-	-	2
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	2
[20-21-22]	4	4	0	0	-	-	-	-	-	-	-	8
[23-24-25]	6	12	6	2	0	-	-	-	-	-	-	26
[26-27-28]	4	6	2	0	0	-	-	-	-	-	-	12
[29-30-31]	3	0	-	-	-	-	-	-	-	-	-	3
[32-33-34]	1	0	-	-	-	-	-	-	-	-	-	1
TOTAL	58	27	9	2	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NOTO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												4
VARIABLE	17	0	-	-	-	-	-	-	-	-	-	17
[35-36-01]	4	0	-	-	-	-	-	-	-	-	-	4
[02-03-04]	9	2	-	-	-	-	-	-	-	-	-	11
[05-06-07]	13	3	1	0	-	-	-	-	-	-	-	17
[08-09-10]	4	1	0	0	0	-	-	-	-	-	-	5
[11-12-13]	4	1	-	-	-	-	-	-	-	-	-	4
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	2
[20-21-22]	3	3	0	0	0	-	-	-	-	-	-	6
[23-24-25]	3	5	3	1	0	0	0	-	-	-	-	12
[26-27-28]	4	3	0	0	-	-	-	-	-	-	-	8
[29-30-31]	4	0	-	-	-	-	-	-	-	-	-	4
[32-33-34]	3	0	-	-	-	-	-	-	-	-	-	4
TOTAL	70	20	4	1	0	0	0	-	-	-	-	

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NOTO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												4
VARIABLE	15	0	-	-	-	-	-	-	-	-	-	16
[35-36-01]	6	2	0	-	-	-	-	-	-	-	-	8
[02-03-04]	11	5	0	-	-	-	-	-	-	-	-	17
[05-06-07]	9	6	1	0	-	-	-	-	-	-	-	16
[08-09-10]	2	2	0	-	-	-	-	-	-	-	-	5
[11-12-13]	2	1	-	-	-	-	-	-	-	-	-	3
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	1	0	-	-	-	-	-	-	-	-	-	1
[20-21-22]	2	1	0	0	0	-	-	-	-	-	-	4
[23-24-25]	1	3	2	0	-	0	-	-	0	-	-	6
[26-27-28]	4	3	1	0	-	0	-	-	-	-	-	8
[29-30-31]	4	2	0	-	-	-	-	-	-	-	-	7
[32-33-34]	4	2	0	-	-	-	-	-	-	-	-	6
TOTAL	63	28	4	1	0	0	-	-	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NOTO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												3)
VARIABLE	15)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[35-36-01]	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[02-03-04]	6)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[05-06-07]	7)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[08-09-10]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	3)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[23-24-25]	3)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[26-27-28]	5)	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[29-30-31]	6)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[32-33-34]	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	60)	28)	7)	2)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NOTO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												3
VARIABLE	17	0	-	-	-	-	-	-	-	-	-	17
[35-36-01]	2	1	0	-	-	-	-	-	-	-	-	4
[02-03-04]	4	1	0	-	-	-	-	-	-	-	-	5
[05-06-07]	5	2	0	0	0	-	-	-	-	-	-	6
[08-09-10]	1	1	0	0	-	-	-	-	-	-	-	2
[11-12-13]	1	0	-	-	-	-	-	-	-	-	-	1
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	2	1	-	-	-	-	-	-	-	-	-	2
[20-21-22]	4	3	1	0	-	-	-	-	-	-	-	8
[23-24-25]	3	3	2	1	0	0	0	-	-	-	-	9
[26-27-28]	6	6	4	2	0	0	0	-	-	-	-	19
[29-30-31]	7	8	1	0	-	-	-	-	-	-	-	16
[32-33-34]	4	2	0	-	-	-	-	-	-	-	-	7
TOTAL	57	28	8	3	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NOTO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												4)
VARIABLE	15)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[35-36-01]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	6)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[05-06-07]	9)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[08-09-10]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[11-12-13]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[23-24-25]	3)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[26-27-28]	5)	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[29-30-31]	5)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[32-33-34]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	60)	27)	6)	2)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NOTO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	39	55	6	-	-	-	-	-	-
01	-	-	-	30	60	9	1	-	-	-	-	-
02	-	-	-	25	62	12	1	-	-	-	-	-
03	-	-	-	26	59	14	1	-	-	-	-	-
04	-	-	-	25	59	14	1	-	-	-	-	-
05	-	-	-	26	57	15	2	-	-	-	-	-
06	-	-	-	26	59	14	1	-	-	-	-	-
07	-	-	-	29	58	12	1	-	-	-	-	-
08	-	-	-	35	58	6	1	-	-	-	-	-
09	-	-	-	45	48	7	-	-	-	-	-	-
10	-	-	1	48	45	6	1	-	-	-	-	-
11	-	-	-	50	44	6	-	-	-	-	-	-
12	-	-	1	53	41	5	1	-	-	-	-	-
13	-	-	1	52	42	5	1	-	-	-	-	-
14	-	-	-	54	42	4	-	-	-	-	-	-
15	-	-	-	55	41	4	-	-	-	-	-	-
16	-	-	1	51	43	5	-	-	-	-	-	-
17	-	-	1	51	45	3	-	-	-	-	-	-
18	-	-	1	52	41	6	-	-	-	-	-	-
19	-	-	1	52	41	5	-	-	-	-	-	-
20	-	-	1	52	43	5	-	-	-	-	-	-
21	-	-	1	51	42	6	-	-	-	-	-	-
22	-	-	1	52	42	5	-	-	-	-	-	-
23	-	-	-	51	44	5	-	-	-	-	-	-
MEAN	-	-	0	43	49	7	0	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NOTO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	1	41	49	7	2	-	-	-	-	-
01	-	-	-	35	50	12	4	-	-	-	-	-
02	-	-	-	30	52	14	4	-	-	-	-	-
03	-	-	1	26	53	18	3	-	-	-	-	-
04	-	-	-	27	51	18	3	-	-	-	-	-
05	-	-	-	25	53	18	4	-	-	-	-	-
06	-	-	-	27	53	16	4	-	-	-	-	-
07	-	-	1	28	54	15	3	-	-	-	-	-
08	-	-	1	32	53	13	1	-	-	-	-	-
09	-	-	1	39	51	7	1	-	-	-	-	-
10	-	-	1	44	46	7	1	-	-	-	-	-
11	0)	0)	2)	47)	45)	5)	1)	0)	0)	0)	0)	0)
12	0)	0)	4)	48)	40)	6)	1)	0)	0)	0)	0)	0)
13	0)	1)	4)	48)	43)	4)	1)	0)	0)	0)	0)	0)
14	0)	0)	3)	54)	37)	5)	1)	0)	0)	0)	0)	0)
15	0)	0)	4)	50)	40)	4)	1)	0)	0)	0)	0)	0)
16	-	-	4	51	38	4	2	-	-	-	-	-
17	-	-	6	51	35	5	2	-	-	-	-	-
18	-	-	5	50	39	5	1	-	-	-	-	-
19	-	-	4	51	38	5	1	-	-	-	-	-
20	-	-	5	57	32	6	1	-	-	-	-	-
21	-	-	4	58	31	6	1	-	-	-	-	-
22	-	-	4	58	32	6	1	-	-	-	-	-
23	-	-	1	53	38	7	1	-	-	-	-	-
MEAN	0)	0)	2)	43)	44)	9)	2)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NOTO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	8	43	35	12	2	-	-	-	-
01	-	-	-	5	39	36	16	5	-	-	-	-
02	-	-	-	3	37	34	20	6	-	-	-	-
03	-	-	-	3	34	33	21	9	-	-	-	-
04	-	-	-	2	34	34	23	7	1	-	-	-
05	-	-	-	3	33	36	21	6	1	-	-	-
06	-	-	-	3	34	34	21	7	1	-	-	-
07	-	-	-	5	34	36	20	5	-	-	-	-
08	-	-	-	6	38	35	18	3	-	-	-	-
09	-	-	-	8	50	32	10	1	-	-	-	-
10	-	-	-	14	47	30	8	1	-	-	-	-
11	0)	0)	0)	16)	52)	27)	5)	1)	0)	0)	0)	0)
12	0)	0)	0)	22)	49)	23)	5)	1)	0)	0)	0)	0)
13	0)	0)	1)	24)	49)	23)	3)	1)	0)	0)	0)	0)
14	0)	0)	0)	26)	47)	23)	4)	0)	0)	0)	0)	0)
15	-	-	-	28	45	21	5	-	-	-	-	-
16	-	-	-	28	46	19	6	-	-	-	-	-
17	-	-	1	30	44	19	6	-	-	-	-	-
18	-	-	1	32	42	19	5	1	-	-	-	-
19	-	-	2	33	40	19	5	1	-	-	-	-
20	-	-	2	34	39	17	7	1	-	-	-	-
21	-	-	2	34	36	21	6	1	-	-	-	-
22	-	-	1	24	45	24	7	-	-	-	-	-
23	-	-	-	10	49	30	11	-	-	-	-	-
MEAN	0)	0)	0)	17)	42)	28)	11)	2)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: NOTO AIRPORT MONTH: APR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	7	25	43	20	4	-	-	-
01	-	-	-	-	5	22	43	25	6	-	-	-
02	-	-	-	-	5	21	34	32	7	1	-	-
03	-	-	-	-	4	19	30	37	9	1	-	-
04	-	-	-	-	5	15	37	33	10	1	-	-
05	-	-	-	-	3	17	38	31	10	1	-	-
06	-	-	-	-	5	15	39	31	9	1	-	-
07	-	-	-	-	6	18	42	25	9	-	-	-
08	-	-	-	-	8	22	45	19	6	-	-	-
09	-	-	-	-	9	34	43	13	1	-	-	-
10	-	-	-	-	14	41	37	9	-	-	-	-
11	-	-	-	1	16	49	32	3	-	-	-	-
12	-	-	-	1	18	48	31	2	-	-	-	-
13	-	-	-	-	25	44	29	3	-	-	-	-
14	-	-	-	1	29	43	24	3	-	-	-	-
15	-	-	-	3	28	40	26	3	-	-	-	-
16	-	-	-	3	31	42	23	1	-	-	-	-
17	-	-	-	3	37	36	23	1	-	-	-	-
18	-	-	-	5	32	40	21	2	-	-	-	-
19	-	-	-	3	35	37	23	1	-	-	-	-
20	-	-	-	3	33	41	21	1	-	-	-	-
21	-	-	-	2	29	45	23	1	-	-	-	-
22	-	-	-	-	17	45	31	7	-	-	-	-
23	-	-	-	-	10	38	38	13	1	-	-	-
MEAN	-	-	-	1	17	33	32	13	3	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: NOTO AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	4	17	46	31	1	-	-
01	-	-	-	-	-	4	12	40	41	3	-	-
02	-	-	-	-	-	3	13	35	41	8	-	-
03	-	-	-	-	-	2	14	33	41	10	-	-
04	-	-	-	-	-	2	11	37	39	11	-	-
05	-	-	-	-	-	2	14	30	44	10	-	-
06	-	-	-	-	-	3	15	30	44	7	-	-
07	-	-	-	-	-	3	17	35	41	4	-	-
08	-	-	-	-	-	5	20	41	34	1	-	-
09	-	-	-	-	-	5	27	49	19	-	-	-
10	-	-	-	-	-	7	40	49	4	-	-	-
11	-	-	-	-	1	10	54	34	1	-	-	-
12	-	-	-	-	2	14	55	28	1	-	-	-
13	-	-	-	-	3	17	57	23	1	-	-	-
14	-	-	-	-	3	18	57	21	1	-	-	-
15	-	-	-	-	3	22	54	20	1	-	-	-
16	-	-	-	-	5	25	57	13	1	-	-	-
17	-	-	-	-	5	22	59	14	-	-	-	-
18	-	-	-	-	5	25	56	14	-	-	-	-
19	-	-	-	-	6	26	55	13	-	-	-	-
20	-	-	-	-	5	28	52	15	-	-	-	-
21	-	-	-	-	3	13	58	26	1	-	-	-
22	-	-	-	-	-	7	43	45	5	-	-	-
23	-	-	-	-	-	5	27	52	17	-	-	-
MEAN	-	-	-	-	2	11	37	31	17	2	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NOTO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	31	63	5	-	-
01	-	-	-	-	-	-	-	22	64	14	-	-
02	-	-	-	-	-	-	-	18	63	19	-	-
03	-	-	-	-	-	-	-	15	61	23	1	-
04	-	-	-	-	-	-	-	17	58	25	-	-
05	-	-	-	-	-	-	-	16	61	23	-	-
06	-	-	-	-	-	-	-	17	61	21	-	-
07	-	-	-	-	-	-	-	21	61	17	-	-
08	-	-	-	-	-	-	-	25	67	7	-	-
09	-	-	-	-	-	-	1	39	57	2	-	-
10	-	-	-	-	-	-	4	58	38	-	-	-
11	-	-	-	-	-	-	8	77	15	-	-	-
12	-	-	-	-	-	1	11	79	9	-	-	-
13	-	-	-	-	-	1	14	76	9	-	-	-
14	-	-	-	-	-	1	20	71	7	-	-	-
15	-	-	-	-	-	1	21	71	6	-	-	-
16	-	-	-	-	-	2	26	66	6	-	-	-
17	-	-	-	-	-	2	27	67	4	-	-	-
18	-	-	-	-	-	2	28	67	3	-	-	-
19	-	-	-	-	-	1	29	64	5	-	-	-
20	-	-	-	-	-	1	27	67	5	-	-	-
21	-	-	-	-	-	-	10	80	10	-	-	-
22	-	-	-	-	-	-	4	67	29	-	-	-
23	-	-	-	-	-	-	2	42	54	2	-	-
MEAN	-	-	-	-	-	1	10	49	34	7	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NOTO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	4	54	40	2	-
01	-	-	-	-	-	-	-	3	46	43	8	-
02	-	-	-	-	-	-	-	2	39	48	12	-
03	-	-	-	-	-	-	-	1	39	45	14	-
04	-	-	-	-	-	-	-	2	35	47	15	-
05	-	-	-	-	-	-	-	3	35	48	14	-
06	-	-	-	-	-	-	-	3	34	51	12	-
07	-	-	-	-	-	-	-	3	37	52	8	-
08	-	-	-	-	-	-	-	3	49	44	4	-
09	-	-	-	-	-	-	-	5	60	35	1	-
10	-	-	-	-	-	-	-	8	75	17	1	-
11	-	-	-	-	-	-	-	15	77	8	-	-
12	-	-	-	-	-	-	-	19	75	5	-	-
13	-	-	-	-	-	-	-	23	73	5	-	-
14	-	-	-	-	-	-	-	24	74	3	-	-
15	-	-	-	-	-	-	-	25	72	4	-	-
16	-	-	-	-	-	-	-	30	68	1	-	-
17	-	-	-	-	-	-	1	28	68	2	-	-
18	-	-	-	-	-	-	1	30	67	2	-	-
19	-	-	-	-	-	-	1	30	66	2	-	-
20	-	-	-	-	-	-	1	33	65	2	-	-
21	-	-	-	-	-	-	1	21	75	3	-	-
22	-	-	-	-	-	-	-	10	74	16	-	-
23	-	-	-	-	-	-	-	7	66	26	-	-
MEAN	-	-	-	-	-	-	0	14	59	23	4	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: NOTO AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	1	36	62	1	-
01	-	-	-	-	-	-	-	1	25	61	14	-
02	-	-	-	-	-	-	-	1	19	56	25	-
03	-	-	-	-	-	-	-	1	17	54	28	-
04	-	-	-	-	-	-	-	-	22	46	32	-
05	-	-	-	-	-	-	-	-	22	48	30	-
06	-	-	-	-	-	-	-	-	23	50	27	-
07	-	-	-	-	-	-	-	-	25	57	19	-
08	-	-	-	-	-	-	-	-	31	61	8	-
09	-	-	-	-	-	-	-	1	40	59	-	-
10	-	-	-	-	-	-	-	2	58	40	-	-
11	-	-	-	-	-	-	-	6	72	22	-	-
12	-	-	-	-	-	-	-	6	80	14	-	-
13	-	-	-	-	-	-	-	12	79	10	-	-
14	-	-	-	-	-	-	-	13	81	6	-	-
15	-	-	-	-	-	-	-	15	77	8	-	-
16	-	-	-	-	-	-	-	16	74	10	-	-
17	-	-	-	-	-	-	-	15	76	9	-	-
18	-	-	-	-	-	-	-	16	79	5	-	-
19	-	-	-	-	-	-	-	15	79	6	-	-
20	-	-	-	-	-	-	-	14	81	5	-	-
21	-	-	-	-	-	-	-	10	82	8	-	-
22	-	-	-	-	-	-	-	3	65	33	-	-
23	-	-	-	-	-	-	-	1	46	53	-	-
MEAN	-	-	-	-	-	-	-	6	54	33	8	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NOTO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	19	67	13	-	-
01	-	-	-	-	-	-	-	12	69	19	1	-
02	-	-	-	-	-	-	-	13	63	21	3	-
03	-	-	-	-	-	-	-	9	65	24	2	-
04	-	-	-	-	-	-	-	8	66	23	3	-
05	-	-	-	-	-	-	-	9	63	23	5	-
06	-	-	-	-	-	-	1	13	65	18	3	-
07	-	-	-	-	-	-	-	17	63	19	1	-
08	-	-	-	-	-	-	-	27	59	13	1	-
09	-	-	-	-	-	-	1	45	44	9	-	-
10	-	-	-	-	-	-	2	56	39	3	-	-
11	0)	0)	0)	0)	0)	0)	6)	58)	35)	1)	0)	0)
12	0)	0)	0)	0)	0)	0)	8)	56)	34)	1)	0)	0)
13	0)	0)	0)	0)	0)	0)	11)	53)	35)	1)	0)	0)
14	0)	0)	0)	0)	0)	0)	11)	57)	31)	1)	0)	0)
15	0)	0)	0)	0)	0)	0)	8)	60)	31)	1)	0)	0)
16	0)	0)	0)	0)	0)	0)	10)	56)	33)	1)	0)	0)
17	0)	0)	0)	0)	0)	0)	11)	56)	32)	1)	0)	0)
18	0)	0)	0)	0)	0)	0)	10)	58)	31)	1)	0)	0)
19	0)	0)	0)	0)	0)	0)	12)	57)	31)	1)	0)	0)
20	0)	0)	0)	0)	0)	0)	11)	58)	31)	1)	0)	0)
21	0)	0)	0)	0)	0)	0)	11)	60)	29)	1)	0)	0)
22	-	-	-	-	-	-	2	50	45	3	-	-
23	-	-	-	-	-	-	-	33	56	11	-	-
MEAN	0)	0)	0)	0)	0)	0)	5)	39)	47)	9)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NOTO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	1	29	57	12	1	-	-
01	-	-	-	-	-	1	23	56	17	2	-	-
02	-	-	-	-	-	1	21	54	22	3	-	-
03	-	-	-	-	-	1	19	49	28	3	-	-
04	-	-	-	-	-	-	21	52	26	2	-	-
05	-	-	-	-	-	1	21	50	25	3	-	-
06	-	-	-	-	-	1	25	52	21	1	-	-
07	-	-	-	-	-	1	28	54	15	1	-	-
08	-	-	-	-	-	6	39	45	9	-	-	-
09	-	-	-	-	-	13	50	30	7	-	-	-
10	-	-	-	-	-	15	48	32	5	-	-	-
11	-	-	-	-	1	17	48	30	4	-	-	-
12	-	-	-	-	1	20	46	28	5	-	-	-
13	-	-	-	-	1	25	43	26	4	-	-	-
14	-	-	-	-	1	26	43	28	2	-	-	-
15	-	-	-	-	1	28	40	28	3	-	-	-
16	-	-	-	-	1	26	41	28	3	-	-	-
17	-	-	-	-	3	25	39	32	1	-	-	-
18	-	-	-	-	2	26	39	31	3	-	-	-
19	-	-	-	-	2	24	44	28	2	-	-	-
20	-	-	-	-	4	25	43	26	2	-	-	-
21	-	-	-	-	4	21	47	27	1	-	-	-
22	-	-	-	-	3	13	49	31	5	-	-	-
23	-	-	-	-	-	4	39	48	9	-	-	-
MEAN	-	-	-	-	1	13	37	39	10	1	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NOTO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	8	38	46	8	-	-	-	-
01	-	-	-	-	7	31	46	15	-	-	-	-
02	-	-	-	-	7	31	45	15	1	-	-	-
03	-	-	-	-	7	32	41	19	1	-	-	-
04	-	-	-	-	7	29	46	18	1	-	-	-
05	-	-	-	-	7	29	48	15	1	-	-	-
06	-	-	-	-	7	31	49	12	-	-	-	-
07	-	-	-	-	7	37	45	10	-	-	-	-
08	-	-	-	-	13	47	35	5	-	-	-	-
09	-	-	-	-	15	51	29	4	-	-	-	-
10	-	-	-	-	17	49	31	3	-	-	-	-
11	0)	0)	0)	0)	18)	54)	26)	2)	0)	0)	0)	0)
12	0)	0)	0)	0)	20)	50)	28)	2)	0)	0)	0)	0)
13	-	-	-	1	19	47	31	2	-	-	-	-
14	-	-	-	1	20	51	26	2	-	-	-	-
15	-	-	-	1	23	45	30	1	-	-	-	-
16	-	-	-	1	27	41	28	3	-	-	-	-
17	-	-	-	2	24	46	25	3	-	-	-	-
18	-	-	-	1	26	49	21	3	-	-	-	-
19	-	-	-	1	27	47	23	2	-	-	-	-
20	-	-	-	2	27	45	23	3	-	-	-	-
21	-	-	-	3	25	47	21	4	-	-	-	-
22	-	-	-	1	25	48	22	4	-	-	-	-
23	-	-	-	-	15	39	43	3	-	-	-	-
MEAN	0)	0)	0)	1)	17)	42)	34)	7)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NOTO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	14	51	32	4	-	-	-	-	-
01	-	-	-	6	55	30	8	-	-	-	-	-
02	-	-	-	7	52	30	11	1	-	-	-	-
03	-	-	-	7	50	30	13	-	-	-	-	-
04	-	-	-	8	47	32	13	-	-	-	-	-
05	-	-	-	8	48	29	15	-	-	-	-	-
06	-	-	-	7	50	28	15	-	-	-	-	-
07	-	-	-	9	54	30	7	-	-	-	-	-
08	-	-	-	14	54	29	3	-	-	-	-	-
09	-	-	-	17	55	26	1	1	-	-	-	-
10	-	-	1	15	62	19	3	1	-	-	-	-
11	-	-	-	17	60	21	2	-	-	-	-	-
12	-	-	-	20	55	21	3	-	-	-	-	-
13	-	-	-	20	56	21	3	-	-	-	-	-
14	-	-	-	22	56	19	3	-	-	-	-	-
15	-	-	1	22	57	17	3	-	-	-	-	-
16	-	-	1	20	53	23	4	-	-	-	-	-
17	-	-	1	23	49	24	3	-	-	-	-	-
18	-	-	1	19	55	23	3	-	-	-	-	-
19	-	-	1	19	55	23	3	-	-	-	-	-
20	-	-	1	20	53	23	3	-	-	-	-	-
21	-	-	1	19	54	23	3	-	-	-	-	-
22	-	-	2	17	58	20	3	-	-	-	-	-
23	-	-	-	16	58	23	3	-	-	-	-	-
MEAN	-	-	0	15	54	25	6	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NOTO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	0	8	18	12	13	16	22	10	0	-
01	-	-	-	6	18	12	13	15	22	12	2	-
02	-	-	-	5	18	12	12	15	21	13	3	-
03	-	-	0	5	17	12	12	15	22	13	4	-
04	-	-	-	5	17	12	13	14	22	13	4	-
05	-	-	-	5	17	12	14	14	22	13	4	-
06	-	-	-	5	17	12	14	14	21	13	4	-
07	-	-	0	6	18	13	14	14	21	13	2	-
08	-	-	0	7	19	14	14	14	21	11	1	-
09	-	-	0	9	19	15	14	16	19	9	0	-
10	-	-	0	10	19	15	15	18	18	5	0	-
11	0)	0)	0)	11)	20)	16)	15)	19)	17)	3)	0)	0)
12	0)	0)	0)	12)	19)	16)	16)	18)	17)	2)	0)	0)
13	0)	0)	0)	12)	20)	16)	16)	18)	17)	1)	0)	0)
14	0)	0)	0)	13)	20)	16)	16)	18)	16)	1)	0)	0)
15	0)	0)	0)	13)	20)	15)	16)	18)	16)	1)	0)	0)
16	0)	0)	0)	13)	20)	16)	17)	18)	15)	1)	0)	0)
17	0)	0)	1)	13)	20)	15)	17)	18)	15)	1)	0)	0)
18	0)	0)	1)	13)	20)	16)	16)	18)	15)	1)	0)	0)
19	0)	0)	1)	13)	20)	16)	17)	17)	15)	1)	0)	0)
20	0)	0)	1)	14)	20)	16)	16)	18)	15)	1)	0)	0)
21	0)	0)	1)	14)	19)	15)	15)	19)	17)	1)	0)	0)
22	-	-	1	12	18	14	14	18	19	4	-	-
23	-	-	0	11	18	12	14	17	21	8	-	-
MEAN	0)	0)	0)	10)	19)	14)	15)	17)	19)	6)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NOTO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	0.7	0.7	4.5	9.9	15.3	19.4	23.3	24.6	20.6	14.7	8.9	3.4	12.2
Daily maximum air temperature(°C)	3.4	3.7	9.1	15.7	21.4	24.5	27.7	29.3	25.2	19.6	12.8	6.4	16.6
Daily minimum air temperature(°C)	-2.6	-3.0	-0.5	4.0	9.2	14.7	19.8	20.9	16.7	9.9	4.7	-0.2	7.8
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	175.9	118.1	154.1	131.0	74.1	159.4	211.1	178.9	227.2	190.8	252.7	317.6	2190.9
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	967.7	971.5	965.3	954.7	967.1	963.8	964.6	958.5	969.5	966.4	973.0	968.1	954.7
Daily maximum air temperature(°C)	12.1*	15.4	20.8	27.2	29.5	31.6	35.1	35.0	41.4	29.3	21.5	16.0	41.4
Daily minimum air temperature(°C)	-8.8	-11.6	-7.5	-2.3*	0.2	5.8	13.6	15.5	9.6	2.4	-3.2	-10.8	-11.6
Daily precipitation(mm)	38.0	29.5	78.5	40.0	24.5*	155.5	65.0	69.5	100.5	102.5	77.0	72.0	155.5
Daily max.one-hour precipitation(mm)	9.0	10.0	8.0	16.0	12.5	30.5	30.0	37.0	36.5	21.0	19.5	12.0	37.0
Daily max.ten-minute precipitation(mm)	4.0*	4.0	3.0	4.0*	3.0	15.0	9.5	22.0	13.0	8.5	8.0	4.5	22.0
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)	91 *	110	70	2	-	-	-	-	-	-	3 *	52	110
Daily maximum wind speed(kt)	34	34	35	49	36	25	25	32	28	46	33 *	41	49
with wind direction(36DIR.)	25	27	24	25	24	24	24	23	6	23	25	26	25
Daily maximum peak gust(kt)	45	49 *	46	65	51	36	36 *	49	47	57	43	55	65
with wind direction(36DIR.)	26	28	25	25	23	25	27	23	7	24	25	26	25

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NOTO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	26.0	24.8	18.0	4.6	-	-	-	-	-	-	2.0	17.0	92.4
25.0°C	-	-	-	-	-	-	-	0.2	-	-	-	-	0.2
Daily mean air temperature < 0.0°C	13.0	12.8	2.6	-	-	-	-	-	-	-	-	3.0	31.4
25.0°C	-	-	-	-	-	-	7.6	14.4	2.6	-	-	-	24.6
Daily maximum air temperature < 0.0°C	3.6	3.2	0.2	-	-	-	-	-	-	-	-	0.6	7.6
25.0°C	-	-	-	1.0	7.2	14.0	24.8	28.2	13.8	1.8	-	-	90.8
30.0°C	-	-	-	-	-	0.6	7.0	14.2	3.2	-	-	-	25.0
Daily precipitation 0.0mm	30.0	26.4	21.8	15.4	15.8	15.8	21.6	20.4	17.2	17.8	22.8	28.2	253.2
1.0mm	24.0	18.4	15.2	11.2	10.0	8.6	11.8	10.2	11.8	11.0	18.0	24.2	174.4
5.0mm	14.0	9.2	7.2	7.0	5.0	5.8	8.0	6.8	9.8	6.6	13.0	17.8	110.2
10.0mm	5.8	3.6	4.6	4.8	3.0	3.8	6.0	5.2	6.6	4.6	9.6	13.0	70.6
30.0mm	0.4	-	1.4	1.0	-	2.0	3.2	3.0	2.2	2.4	2.6	2.0	20.2
50.0mm	-	-	0.4	-	-	0.6	1.0	0.4	1.2	0.8	0.4	0.2	5.0
70.0mm	-	-	0.2	-	-	0.2	-	-	0.4	0.6	0.2	0.2	1.8
100.0mm	-	-	-	-	-	0.2	-	-	0.2	0.2	-	-	0.6

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NOTO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	992.9	993.2	991.5	989.0	986.3	983.4	983.9	984.1	988.7	992.4	992.8	991.7	989.2
01	993.0	993.2	991.4	989.0	986.2	983.4	983.9	984.2	988.6	992.2	992.7	991.9	989.1
02	992.6	993.0	991.1	988.7	986.1	983.2	983.8	983.9	988.3	992.0	992.4	991.4	988.9
03	991.8	992.5	990.7	988.2	985.8	983.0	983.6	983.6	988.0	991.6	991.8	990.7	988.5
04	991.4	992.0	990.2	988.0	985.5	982.7	983.3	983.3	987.6	991.1	991.4	990.3	988.1
05	991.4	991.7	989.8	987.7	985.3	982.6	983.2	983.1	987.4	990.9	991.2	990.2	987.9
06	991.6	991.8	989.9	987.4	985.1	982.5	983.1	982.9	987.4	991.1	991.4	990.4	987.9
07	991.8	992.0	990.0	987.5	985.1	982.5	983.0	982.9	987.5	991.2	991.7	990.7	988.0
08	992.1	992.1	990.1	987.7	985.2	982.5	983.0	982.9	987.7	991.4	991.8	991.0	988.1
09	992.4	992.4	990.4	987.9	985.3	982.7	983.2	983.1	987.9	991.6	992.1	991.2	988.3
10	992.5	992.7	990.8	988.2	985.7	983.0	983.4	983.5	988.2	991.8	992.3	991.4	988.6
11	992.5	992.7	991.1	988.6	986.0	983.2	983.7	983.9	988.7	991.9	992.3	991.4	988.8
12	992.5	992.8	991.3	988.9	986.3	983.6	984.0	984.1	988.8	992.0	992.4	991.5	989.0
13	992.4	992.8	991.3	988.8	986.4	983.5	984.0	984.0	988.7	992.0	992.4	991.4	989.0
14	992.3	992.7	991.2	988.7	986.2	983.4	983.9	984.0	988.5	991.8	992.3	991.4	988.8
15	992.1	992.5	991.1	988.6	986.1	983.1	983.7	983.8	988.3	991.6	992.1	991.1	988.7
16	991.7	992.6	991.1	988.6	985.9	983.0	983.4	983.5	988.1	991.5	992.1	991.0	988.5
17	991.8	992.6	990.8	988.5	985.7	982.8	983.2	983.4	987.9	991.5	992.2	991.0	988.4
18	991.7	992.4	990.6	988.4	985.7	982.8	983.2	983.3	987.8	991.3	992.0	990.9	988.3
19	991.5	992.3	990.5	988.4	985.7	982.9	983.3	983.4	987.9	991.4	991.9	990.7	988.3
20	991.6	992.5	990.7	988.5	985.8	983.1	983.5	983.6	988.0	991.6	992.0	990.7	988.5
21	991.9	992.5	990.9	988.8	986.1	983.3	983.7	983.9	988.2	991.7	992.1	991.0	988.7
22	992.3	992.8	991.2	989.0	986.3	983.5	983.9	984.0	988.4	991.9	992.3	991.2	988.9
23	992.6	993.1	991.4	989.0	986.3	983.6	984.0	984.1	988.5	992.3	992.7	991.5	989.1
MEAN	992.1	992.5	990.8	988.4	985.9	983.1	983.5	983.6	988.1	991.7	992.1	991.1	988.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NOTO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	0.8	1.0	5.5	11.7	17.7	21.1	24.5	26.1	22.1	16.6	10.1	3.8	13.4
01	1.4	1.6	6.3	12.7	18.8	22.1	25.2	26.9	22.8	17.4	10.8	4.4	14.2
02	1.8	2.1	7.0	13.4	19.4	22.7	25.8	27.4	23.3	17.8	11.1	4.8	14.7
03	2.0	2.4	7.3	13.9	19.7	23.0	26.0	27.7	23.6	18.1	11.3	4.9	15.0
04	2.1	2.4	7.5	14.0	19.9	23.1	26.3	27.7	23.8	18.1	11.2	5.1	15.1
05	1.9	2.5	7.4	14.0	19.8	22.9	26.2	27.9	23.5	17.9	11.3	4.9	15.0
06	1.8	2.3	7.3	13.7	19.4	22.8	26.0	27.7	23.2	17.4	10.8	4.7	14.8
07	1.6	2.0	6.8	13.1	18.8	22.3	25.6	27.2	22.7	16.7	10.1	4.3	14.2
08	1.1	1.6	6.0	12.1	17.7	21.5	25.0	26.4	21.8	15.3	9.0	3.6	13.5
09	0.6	0.9	5.0	10.8	16.5	20.4	24.2	25.3	20.5	14.1	8.4	3.1	12.5
10	0.4	0.4	4.1	9.4	14.9	19.1	23.1	24.0	19.7	13.6	8.2	2.9	11.7
11	0.3	0.2	3.6	8.4	13.7	18.1	22.4	23.3	19.2	13.2	8.0	2.8	11.1
12	0.3	0.1	3.3	8.0	13.1	17.6	22.0	22.9	18.9	13.0	8.0	2.7	10.8
13	0.1	-0.1	3.0	7.7	12.5	17.3	21.7	22.7	18.7	12.8	7.9	2.7	10.6
14	0.0	-0.1	2.8	7.4	12.4	17.0	21.6	22.4	18.6	12.7	7.9	2.6	10.5
15	0.0	-0.2	2.7	7.3	12.0	16.8	21.4	22.3	18.5	12.6	7.8	2.5	10.3
16	0.0	-0.3	2.5	6.9	11.7	16.4	21.1	22.4	18.6	12.8	7.8	2.7	10.2
17	0.0	-0.3	2.5	6.7	11.5	16.3	21.1	22.3	18.6	12.7	7.6	2.7	10.2
18	0.0	-0.3	2.4	6.6	11.3	16.2	21.0	22.2	18.5	12.7	7.6	2.7	10.1
19	-0.1	-0.4	2.4	6.6	11.3	16.2	21.0	22.2	18.4	12.4	7.6	2.7	10.0
20	-0.1	-0.5	2.3	6.5	11.4	16.3	20.9	22.1	18.4	12.4	7.5	2.6	10.0
21	-0.1	-0.4	2.4	7.0	12.9	17.5	21.7	22.6	18.4	12.4	7.5	2.4	10.4
22	-0.2	-0.5	3.0	8.9	14.9	18.9	22.7	23.9	19.9	13.5	7.6	2.4	11.2
23	0.2	0.0	4.4	10.4	16.4	20.0	23.5	25.1	21.3	15.5	9.0	2.9	12.4
MEAN	0.7	0.7	4.5	9.9	15.3	19.4	23.3	24.6	20.5	14.7	8.9	3.4	12.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NOTO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	5.7	5.7	7.2	9.8	13.9	19.7	26.1	28.0	22.2	15.4	10.6	7.2	14.3
01	5.8	5.7	7.2	9.8	13.7	19.8	26.3	27.8	22.1	15.3	10.7	7.3	14.3
02	5.9	5.7	7.2	9.7	13.7	20.0	26.3	27.8	22.1	15.2	10.5	7.3	14.3
03	5.9	5.7	7.1	9.7	13.7	20.0	26.5	27.9	22.0	15.1	10.4	7.3	14.3
04	5.9	5.7	7.1	9.7	13.7	20.0	26.6	27.8	22.2	15.1	10.4	7.3	14.3
05	5.8	5.7	7.0	9.6	13.6	19.9	26.6	27.7	22.0	15.0	10.4	7.4	14.3
06	5.8	5.7	7.0	9.5	13.6	19.9	26.6	27.8	22.0	14.9	10.4	7.4	14.2
07	5.8	5.8	7.0	9.5	13.6	19.7	26.4	27.8	21.9	14.9	10.3	7.4	14.2
08	5.8	5.7	7.0	9.4	13.6	19.5	26.3	27.6	21.8	14.8	10.2	7.2	14.1
09	5.8	5.7	6.9	9.5	13.5	19.4	26.0	27.4	21.6	14.6	10.0	7.1	14.0
10	5.7	5.6	6.9	9.3	13.5	19.2	25.6	27.1	21.2	14.3	10.0	7.0	13.8
11	5.7	5.6	6.8	9.3	13.3	18.8	25.3	26.8	20.9	14.1	9.9	7.0	13.6
12	5.6	5.5	6.7	9.1	13.0	18.5	25.0	26.5	20.7	14.0	9.9	7.0	13.5
13	5.6	5.4	6.7	9.0	12.7	18.3	24.8	26.4	20.6	13.9	9.8	6.9	13.3
14	5.5	5.5	6.7	8.9	12.6	18.1	24.7	26.2	20.5	13.8	9.7	6.8	13.3
15	5.5	5.4	6.6	8.9	12.4	18.0	24.6	26.1	20.4	13.8	9.7	6.8	13.2
16	5.6	5.4	6.5	8.7	12.4	17.7	24.3	26.2	20.6	14.0	9.8	6.9	13.2
17	5.5	5.4	6.5	8.7	12.2	17.7	24.3	26.1	20.6	14.0	9.8	6.9	13.1
18	5.5	5.4	6.6	8.7	12.1	17.6	24.2	25.9	20.5	13.9	9.8	6.9	13.1
19	5.6	5.5	6.6	8.7	12.2	17.7	24.1	25.9	20.5	13.8	9.8	6.9	13.1
20	5.6	5.4	6.5	8.8	12.3	17.8	24.1	25.8	20.4	13.8	9.8	6.8	13.1
21	5.6	5.5	6.5	9.0	13.2	18.9	24.9	26.6	20.5	13.7	9.8	6.8	13.4
22	5.5	5.5	6.8	9.7	13.8	19.5	25.6	27.8	21.9	14.5	9.9	6.8	13.9
23	5.6	5.6	7.1	9.9	14.0	19.7	25.8	28.0	22.3	15.3	10.4	7.0	14.2
MEAN	5.7	5.6	6.9	9.3	13.2	19.0	25.5	27.0	21.3	14.5	10.1	7.1	13.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NOTO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	87	84	78	71	69	79	85	83	83	79	85	88	81
01	85	81	74	67	64	75	82	79	80	76	81	85	77
02	83	78	71	64	62	73	80	77	77	73	79	83	75
03	82	77	69	62	61	72	80	76	76	72	77	82	74
04	81	77	68	62	60	72	79	75	75	72	77	82	73
05	82	77	68	61	61	72	79	75	76	72	77	84	74
06	83	78	69	61	62	72	80	76	77	74	79	84	75
07	84	79	71	63	63	74	81	78	79	77	82	87	77
08	86	81	74	67	68	76	83	81	83	83	87	89	80
09	89	85	78	72	73	81	86	85	89	88	90)	91	83)
10	89	87	82	78	80	86	90	90	92	89	90)	91	86)
11	89	87	84	83	84	90	93	93	93	90	90	92	89
12	89	87	85	83	86	91	95	94	94	90	89	91	89
13	89	87	86	84	87	92	95	95	94	91	89	91	90
14	89	88	87	85	87	93	96	96	94	91	89	91	90
15	89	88	87	85	88	94	96	96	95	91	90	90	91
16	89	88	87	86	89	94	96	96	94	92	90	90	91
17	89	87	87	87	89	94	97	96	95	92	91	91	91
18	90	88	88	87	89	95	97	97	95	92	91	90	92
19	90	89	88	88	90	95	97	96	95	93	91	90	92
20	90	89	88	88	90	95	97	97	95	93	91	90	92
21	90	89	88	88	88	94	96	96	96	92	92	91	92
22	90	90	87	84	81	89	93	93	93	91	91	91	89
23	89	88	82	78	75	84	89	88	88	85	89	90	86
MEAN	87	85	80	77	77	85	89	88	88	85	87	88	84)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NOTO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	29	26 *	23	23	24	7	23	22	6 *	7	7	28	23
01	29	28 *	23	23	23	10 *	23	23	7	7	29 *	29	23
02	28	28	23	24	23	23	24	23 *	4	7	25 *	27	23
03	31	29	23	25	25	12	23	23	6	7	23	27	23
04	29	30	23	24	24 *	11	24	23	6	23	29	28	24
05	29	29	24	26 *	24	11	25	23 *	4	3	29 *	27	23
06	29 *	29	24	25 *	26	12	25	25	5	4	25 *	28	25
07	28	31 *	24	25	26	11	24	24 *	4	4	6 *	26	26
08	29	30	27 *	26 *	25	11	24	4	4 *	4	6	27	27
09	30	27	28	25	25	11	26	4	4	5	6	27	28
10	31 *	5	28	26	26 *	6	11	6	5	5 *	6	27	5
11	29 *	28)	4	6	7 *	6)	6	6 *	5)	5	6)	29	6)
12	28	30)	29	7	5	5	25	6	5)	5	5	28	5)
13	30	28)	6	6	6	6	6	5	4)	5	5 *	28	6)
14	29	29)	30	5	6	6	6	6	4)	5	6	27	5)
15	30	28)	29	5	5	6	5	5	5)	5	4	30	5)
16	30	31	28	5	5	6	23 *	5	5)	5	28 *	29	5)
17	29 *	31	28	6 *	5 *	5	24	5	5)	3	28	30	5)
18	30	29	27	5	6	5	24 *	6	2)	4	23	31	5)
19	29 *	31	27	5	5	5 *	24	5	5)	27	27	30	5)
20	29	30 *	5 *	5	6 *	5	25	5	5)	4	28	31 *	5)
21	28	29	27	6	6	6	23	6	6)	5 *	2	31	6)
22	28	28 *	4 *	7	24	7	24	6	5	6	26	26	6
23	27 *	28	7 *	7	23	7	23	23	7	4	7	28 *	7
ALL	29	29)	24	5	24 *	6)	24	5	5)	5	6)	28	6)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NOTO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	5.0	5.1	7.1	6.9	7.1	5.3	6.4	5.3	5.2	5.9	5.6	6.0	5.9
01	5.9	6.0	7.8	7.7	7.8	5.6	7.1	6.0	5.4	6.6	6.6	6.2	6.6
02	6.4	6.6	8.6	8.5	8.3	6.1	7.6	6.3	5.5	7.0	7.2	6.7	7.1
03	7.0	6.9	9.2	8.8	8.7	6.2	8.1	6.3	5.6	6.9	7.2	6.9	7.3
04	7.2	7.1	9.5	9.1	8.7	6.2	8.0	6.6	5.9	6.8	7.3	7.1	7.5
05	6.6	7.0	9.4	8.9	8.5	6.2	8.0	6.7	6.2	6.8	7.1	6.9	7.4
06	6.2	6.8	8.8	8.7	8.2	6.1	7.7	6.3	5.7	6.4	6.6	6.6	7.0
07	5.7	6.4	8.4	8.6	7.7	5.7	7.1	6.2	5.3	5.6	5.8	6.1	6.6
08	5.0	5.7	7.3	7.6	7.0	5.2	6.4	5.7	4.2	4.2	5.0	5.5	5.7
09	4.7	4.8	5.8	6.1	5.4	4.6	5.6	4.6	3.4	3.9	4.7	5.4	4.9
10	4.6	4.7	5.0	4.9	4.1	3.6	4.6	3.7	3.4	4.0	4.7	5.1	4.4
11	4.6	4.7	4.6	4.7	4.0	3.1	4.3	3.4	3.3	3.9	4.6	5.3	4.2
12	4.7	4.8	4.6	4.4	3.9	3.3	4.0	3.4	3.3	4.2	4.3	5.0	4.2
13	4.6	5.1	4.5	4.3	3.8	3.2	3.6	3.4	3.1	4.0	4.6	4.9	4.1
14	4.8	5.0	4.4	4.1	3.7	3.0	3.7	3.4	3.3	3.9	4.4	5.0	4.0
15	4.9	5.0	4.1	4.0	3.7	3.0	3.6	3.2	3.2	3.8	4.6	5.0	4.0
16	5.3	4.6	4.5	4.0	3.7	3.0	3.7	3.1	3.1	3.7	4.4	5.1	4.0
17	4.8	4.7	4.4	4.1	3.5	2.9	3.8	3.0	3.1	3.8	4.4	5.0	4.0
18	5.3	4.5	4.5	4.0	3.5	3.0	3.7	2.9	3.2	3.7	4.7	5.2	4.0
19	5.3	4.6	4.5	4.1	3.8	3.0	3.6	3.0	3.1	3.5	4.7	5.3	4.0
20	5.0	4.4	4.5	4.2	3.6	3.0	3.7	3.0	3.3	3.5	4.5	5.3	4.0
21	4.9	4.4	4.6	4.3	3.7	3.7	3.8	2.9	3.1	3.6	4.7	5.3	4.1
22	4.8	4.1	4.6	5.0	4.8	4.3	4.9	3.8	3.5	3.8	4.6	5.4	4.5
23	4.8	4.4	5.8	6.3	6.0	4.9	5.8	4.7	4.3	4.8	5.0	5.1	5.2
MEAN	5.4	5.3	6.1	6.0	5.6	4.3	5.4	4.5	4.1	4.8	5.3	5.6	5.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NOTO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	1.6	4.4	-1.7	0.5	3.4	-3.1	2.3	5.9	-1.8	7.7	13.2	2.2
02	1.5	4.2	-1.7	0.4	3.4	-3.1	2.5	6.1	-1.7	7.8	13.3	2.3
03	1.4	4.1	-1.7	0.4	3.3	-3.2	2.7	6.4	-1.6	7.9	13.3	2.4
04	1.3	4.0	-1.8	0.3	3.2	-3.3	2.8	6.5	-1.5	8.0	13.4	2.5
05	1.2	3.8	-1.9	0.2	3.1	-3.3	2.9	6.7	-1.4	8.0	13.4	2.6
06	1.0	3.6	-2.0	0.2	3.1	-3.3	3.0	6.9	-1.3	8.0	13.4	2.6
07	0.9	3.5	-2.1	0.1	3.0	-3.3	3.1	7.0	-1.3	8.1	13.4	2.6
08	0.8	3.3	-2.2	0.1	3.0	-3.3	3.2	7.2	-1.3	8.1	13.5	2.6
09	0.7	3.2	-2.3	0.1	2.9	-3.3	3.3	7.4	-1.3	8.2	13.6	2.6
10	0.6	3.0	-2.4	0.1	2.9	-3.3	3.4	7.6	-1.3	8.3	13.8	2.7
11	0.5	2.9	-2.5	0.1	3.0	-3.2	3.4	7.8	-1.3	8.5	14.0	2.8
12	0.4	2.9	-2.7	0.2	3.0	-3.2	3.6	8.0	-1.2	8.6	14.3	2.9
13	0.4	2.8	-2.8	0.2	3.1	-3.2	3.7	8.3	-1.2	8.8	14.5	3.0
14	0.4	2.8	-2.9	0.3	3.1	-3.1	3.9	8.5	-1.1	9.0	14.8	3.1
15	0.4	2.8	-2.9	0.4	3.2	-3.1	4.1	8.8	-1.0	9.2	15.1	3.3
16	0.4	2.9	-3.0	0.4	3.3	-3.0	4.3	9.0	-0.9	9.4	15.3	3.4
17	0.5	3.0	-3.0	0.5	3.4	-3.0	4.4	9.3	-0.7	9.7	15.6	3.6
18	0.5	3.1	-3.0	0.6	3.6	-2.9	4.6	9.5	-0.6	9.9	15.9	3.9
19	0.5	3.1	-3.0	0.7	3.7	-2.9	4.8	9.7	-0.5	10.2	16.2	4.1
20	0.6	3.2	-2.9	0.8	3.9	-2.8	4.9	9.9	-0.3	10.4	16.5	4.4
21	0.6	3.3	-2.9	1.0	4.1	-2.8	5.1	10.0	-0.2	10.7	16.8	4.6
22	0.7	3.4	-2.9	1.1	4.3	-2.7	5.3	10.2	-0.1	11.0	17.2	4.9
23	0.7	3.5	-2.8	1.2	4.5	-2.6	5.4	10.4	0.1	11.4	17.5	5.2
24	0.7	3.5	-2.8	1.4	4.7	-2.5	5.6	10.7	0.3	11.7	17.9	5.6
25	0.7	3.6	-2.8	1.6	5.0	-2.4	5.9	11.1	0.5	12.1	18.3	5.9
26	0.7	3.6	-2.8	1.8	5.2	-2.2	6.2	11.4	0.7	12.4	18.6	6.2
27	0.7	3.6	-2.8	1.9	5.4	-2.1	6.5	11.8	1.0	12.7	18.9	6.5
28	0.6	3.6	-2.8	2.1	5.7	-2.0	6.7	12.1	1.2	13.0	19.1	6.7
29	0.6	3.6	-2.9	2.2	5.8	-1.9	7.0	12.5	1.5	13.2	19.3	6.9
30	0.6	3.5	-2.9				7.3	12.8	1.7	13.4	19.5	7.0
31	0.5	3.5	-3.0				7.5	13.0	2.0			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NOTO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	13.5	19.5	7.1	18.1	24.4	11.7	20.8	25.2	16.9	25.5	30.3	21.6
02	13.5	19.6	7.2	18.2	24.4	11.9	21.0	25.4	17.2	25.5	30.4	21.6
03	13.6	19.6	7.2	18.3	24.5	12.1	21.2	25.5	17.5	25.5	30.4	21.6
04	13.6	19.6	7.3	18.4	24.5	12.4	21.4	25.7	17.8	25.4	30.3	21.5
05	13.6	19.6	7.3	18.6	24.5	12.7	21.6	25.9	18.1	25.3	30.2	21.4
06	13.7	19.6	7.3	18.7	24.6	13.0	21.8	26.0	18.4	25.2	30.1	21.4
07	13.7	19.6	7.4	18.9	24.6	13.4	22.1	26.2	18.7	25.1	29.9	21.3
08	13.8	19.7	7.5	19.1	24.7	13.8	22.3	26.4	18.9	25.0	29.8	21.2
09	13.9	19.8	7.7	19.3	24.7	14.1	22.4	26.6	19.1	24.9	29.7	21.1
10	14.0	20.0	7.9	19.5	24.8	14.5	22.6	26.8	19.3	24.8	29.5	21.0
11	14.1	20.1	8.1	19.6	24.8	14.8	22.8	27.0	19.5	24.8	29.5	21.0
12	14.3	20.3	8.3	19.7	24.8	15.1	22.9	27.1	19.6	24.7	29.4	21.0
13	14.5	20.5	8.5	19.8	24.8	15.4	23.0	27.3	19.7	24.7	29.4	21.0
14	14.6	20.7	8.7	19.9	24.7	15.6	23.1	27.4	19.8	24.7	29.4	21.0
15	14.8	21.0	8.9	19.9	24.7	15.7	23.2	27.5	19.8	24.7	29.4	21.0
16	15.1	21.2	9.1	19.9	24.6	15.8	23.3	27.6	19.9	24.8	29.4	21.1
17	15.3	21.5	9.3	19.9	24.4	15.9	23.4	27.7	20.0	24.8	29.4	21.1
18	15.5	21.7	9.4	19.8	24.3	15.9	23.5	27.9	20.0	24.8	29.4	21.1
19	15.7	21.9	9.6	19.8	24.2	15.9	23.6	28.0	20.1	24.7	29.4	21.1
20	15.9	22.2	9.7	19.7	24.1	15.8	23.7	28.1	20.2	24.7	29.3	21.0
21	16.2	22.4	9.9	19.7	24.1	15.8	23.8	28.3	20.3	24.6	29.2	20.9
22	16.4	22.7	10.1	19.6	24.1	15.8	24.0	28.5	20.4	24.5	29.0	20.8
23	16.6	22.9	10.3	19.6	24.1	15.7	24.2	28.7	20.5	24.3	28.9	20.7
24	16.9	23.1	10.4	19.7	24.2	15.7	24.3	28.9	20.6	24.1	28.7	20.5
25	17.1	23.4	10.6	19.7	24.3	15.8	24.5	29.1	20.8	24.0	28.5	20.3
26	17.3	23.6	10.8	19.9	24.4	15.9	24.7	29.4	20.9	23.8	28.3	20.1
27	17.5	23.8	11.0	20.0	24.5	16.0	24.9	29.6	21.1	23.6	28.0	20.0
28	17.6	23.9	11.1	20.2	24.7	16.2	25.1	29.8	21.2	23.4	27.8	19.8
29	17.8	24.1	11.3	20.4	24.9	16.4	25.2	30.0	21.4	23.2	27.6	19.7
30	17.9	24.2	11.4	20.6	25.0	16.6	25.3	30.2	21.5	23.1	27.4	19.5
31	18.0	24.3	11.6				25.4	30.3	21.5	22.9	27.3	19.4

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NOTO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 17.6'N, LONGITUDE: 136° 57.7'E, ELEVATION ABOVE MSL: 718 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	22.8	27.1	19.3	18.2	23.3	14.0	11.2	15.8	6.2	6.0	9.5	2.3
02	22.6	26.9	19.1	18.1	23.1	13.8	11.0	15.6	6.1	5.7	9.2	2.0
03	22.5	26.8	19.0	17.9	22.8	13.6	10.9	15.4	6.1	5.4	8.9	1.8
04	22.3	26.6	18.8	17.6	22.6	13.3	10.8	15.3	6.0	5.2	8.6	1.5
05	22.2	26.5	18.7	17.4	22.3	13.0	10.6	15.1	6.0	4.9	8.3	1.2
06	22.0	26.3	18.5	17.1	22.0	12.7	10.5	14.9	5.9	4.6	7.9	1.0
07	21.9	26.2	18.3	16.9	21.7	12.3	10.3	14.7	5.8	4.4	7.6	0.7
08	21.7	26.1	18.1	16.5	21.4	12.0	10.2	14.4	5.7	4.1	7.4	0.5
09	21.5	26.0	17.9	16.2	21.1	11.6	10.0	14.2	5.6	3.9	7.1	0.4
10	21.4	25.9	17.7	15.9	20.8	11.2	9.8	13.9	5.5	3.8	6.9	0.2
11	21.2	25.7	17.5	15.6	20.6	10.8	9.6	13.6	5.4	3.6	6.7	0.1
12	21.0	25.6	17.3	15.3	20.3	10.5	9.4	13.4	5.2	3.5	6.5	0.0
13	20.9	25.5	17.0	15.1	20.1	10.2	9.2	13.1	5.1	3.4	6.4	0.0
14	20.7	25.3	16.8	14.8	19.9	9.9	9.0	12.9	4.9	3.4	6.3	-0.1
15	20.5	25.1	16.6	14.6	19.7	9.7	8.9	12.7	4.7	3.3	6.2	-0.1
16	20.4	25.0	16.4	14.4	19.5	9.5	8.7	12.5	4.5	3.2	6.1	-0.2
17	20.2	24.8	16.2	14.3	19.3	9.3	8.6	12.4	4.4	3.2	6.1	-0.2
18	20.0	24.7	16.0	14.1	19.2	9.2	8.4	12.2	4.2	3.1	6.1	-0.3
19	19.9	24.5	15.9	14.0	19.0	9.1	8.3	12.1	4.1	3.1	6.0	-0.4
20	19.7	24.4	15.7	13.8	18.8	8.9	8.2	11.9	4.0	3.0	5.9	-0.5
21	19.6	24.3	15.5	13.6	18.6	8.8	8.0	11.7	3.9	2.9	5.9	-0.6
22	19.4	24.2	15.4	13.4	18.3	8.6	7.9	11.5	3.8	2.8	5.8	-0.7
23	19.3	24.2	15.2	13.2	18.1	8.3	7.7	11.4	3.7	2.7	5.6	-0.9
24	19.2	24.1	15.1	13.0	17.8	8.1	7.6	11.2	3.6	2.5	5.5	-1.0
25	19.1	24.1	15.0	12.7	17.5	7.8	7.4	10.9	3.5	2.4	5.4	-1.2
26	19.0	24.0	14.8	12.5	17.2	7.6	7.2	10.7	3.3	2.2	5.2	-1.3
27	18.8	23.9	14.7	12.2	16.9	7.3	7.0	10.5	3.2	2.1	5.0	-1.4
28	18.7	23.8	14.6	12.0	16.7	7.0	6.7	10.2	3.0	2.0	4.9	-1.5
29	18.6	23.7	14.4	11.7	16.4	6.8	6.5	10.0	2.8	1.9	4.8	-1.5
30	18.4	23.5	14.2	11.5	16.2	6.6	6.3	9.7	2.5	1.8	4.6	-1.6
31				11.3	16.0	6.4				1.7	4.5	-1.6