

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: HIROSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

NUMBER OF FORWARD SCATTER: RWY10

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<600	<600	<1000	<1500
00	-	-	-	1	1	1	4	5
01	-	-	-	1	1	2	4	6
02	0)	0)	0)	0)	1)	1	3	3
03	-	-	-	-	1	1	3	3
04	-	-	-	-	-	-	1	2
05	0)	0)	0)	1)	1)	1	3	5
06	-	-	1	1	1	1	1	3
07	0)	0)	0)	0)	1)	1	3	5
08	-	-	-	-	1	1	2	6
09	-	-	-	-	-	1	5	6
10	-	-	1	1	2	3	3	6
11	-	-	-	1	1	1	5	6
12	-	-	1	1	3	3	6	8
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	1	3	5
23	-	-	1	1	1	3	5	6
MEAN	0)	0)	0)	0)	1)	1	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: HIROSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

NUMBER OF FORWARD SCATTER: RWY10

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<600	<600	<1000	<1500
00	-	-	1	5	8	8	11	12
01	-	1	1	4	6	7	10	11
02	0)	0)	1)	4)	6)	6	8	11
03	-	-	-	2	7	7	11	12
04	-	-	1	2	6	6	8	10
05	-	-	1	1	4	5	7	9
06	-	-	-	3	4	4	6	11
07	-	-	-	2	4	5	7	11
08	-	-	1	4	4	4	6	8
09	-	-	1	4	5	5	9	11
10	-	-	1	2	6	6	8	11
11	-	-	1	4	5	5	8	11
12	-	-	1	3	4	5	7	11
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	2	2	6	9	12	15
23	-	-	3	6	7	6	12	14
MEAN	0)	0)	1)	3)	5)	6	9	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: HIROSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

NUMBER OF FORWARD SCATTER: RWY10

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<600	<600	<1000	<1500
00	-	-	1	3	5	6	10	13
01	-	-	1	2	5	5	10	11
02	0)	0)	2)	2)	4)	4	9	10
03	-	-	-	2	5	5	8	10
04	-	-	-	3	5	6	10	10
05	-	-	-	4	6	6	8	9
06	-	-	1	3	5	5	8	9
07	-	-	1	4	5	6	8	10
08	-	-	3	4	4	5	7	10
09	-	-	2	3	3	5	6	8
10	-	-	1	3	5	5	6	8
11	-	-	1	2	3	5	7	9
12	-	-	1	3	3	4	7	9
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	3	3	5	5	7	10
23	-	1	1	3	6	7	10	12
MEAN	0)	0)	1)	3)	5)	5	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: HIROSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

NUMBER OF FORWARD SCATTER: RWY10

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<600	<600	<1000	<1500
00	-	-	1	3	6	6	12	14
01	-	-	1	3	8	8	13	14
02	0)	0)	1)	3)	6)	7	13	15
03	-	1	1	3	5	5	12	15
04	-	-	-	3	7	7	11	13
05	0)	1)	1)	2)	5)	5	7	9
06	-	1	2	3	5	5	7	10
07	-	1	2	3	6	6	7	9
08	-	1	3	4	6	6	7	9
09	-	1	2	4	6	5	8	9
10	-	-	2	3	4	4	7	9
11	-	-	-	-	4	4	7	9
12	-	-	1	2	3	3	5	7
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	1	6	5	13	13
23	-	-	-	1	5	5	13	13
MEAN	0)	0)	1)	2)	5)	5	9	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: HIROSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

NUMBER OF FORWARD SCATTER: RWY10

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<600	<600	<1000	<1500
00	-	-	1	1	5	5	6	8
01	-	-	1	1	3	3	5	8
02	0)	0)	1)	3)	4)	4	5	10
03	-	-	1	1	4	4	8	10
04	-	-	1	3	5	5	8	8
05	-	-	-	3	5	5	8	8
06	-	-	1	1	4	5	6	8
07	-	-	2	4	6	6	8	10
08	-	-	-	2	3	5	9	10
09	-	1	3	5	5	5	8	10
10	-	-	1	3	6	8	10	10
11	-	-	1	2	5	6	8	8
12	0)	0)	0)	1)	4)	4	6	8
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	2)	3)	4)	5	7	10
23	-	-	1	2	3	4	7	9
MEAN	0)	0)	1)	2)	4)	5	7	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: HIROSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

NUMBER OF FORWARD SCATTER: RWY10

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<600	<600	<1000	<1500
00	-	-	2	4	10	10	19	26
01	-	-	1	7	13	13	19	22
02	0)	0)	1)	5)	11)	11	17	19
03	0)	0)	1)	4)	8)	8	13	18
04	-	-	2	5	11	11	13	15
05	-	1	1	3	7	8	11	16
06	0)	0)	1)	4)	7)	7	12	15
07	-	-	1	6	8	8	13	16
08	-	-	1	5	8	8	15	16
09	-	-	3	7	8	8	15	17
10	-	-	2	5	8	9	15	17
11	-	-	1	5	6	6	11	18
12	-	-	2	5	7	7	15	17
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	3	8	11	11	17	25
23	-	1	2	9	14	14	21	27
MEAN	0)	0)	2)	5)	9)	9	15	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: HIROSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

NUMBER OF FORWARD SCATTER: RWY10

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<600	<600	<1000	<1500
00	-	-	2	6	10	12	17	26
01	-	-	1	5	11	12	15	19
02	-	-	1	6	10	10	13	16
03	-	-	1	3	5	6	8	12
04	-	-	1	3	5	5	8	10
05	-	-	1	3	4	4	6	8
06	-	-	1	1	4	4	6	8
07	-	-	-	3	4	4	9	9
08	-	-	-	5	6	5	8	10
09	-	-	2	5	6	6	8	10
10	-	-	-	3	5	5	8	10
11	-	-	-	3	4	4	7	9
12	-	-	1	3	5	5	6	8
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	3	7	9	10	18	25
23	-	-	1	7	8	9	19	24
MEAN	-	0	1	4	6	7	10	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: HIROSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

NUMBER OF FORWARD SCATTER: RWY10

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<600	<600	<1000	<1500
00	-	-	1	4	7	8	11	14
01	-	-	2	4	6	6	10	15
02	-	-	1	3	6	6	10	16
03	-	-	1	3	5	5	8	10
04	-	-	1	2	4	4	6	8
05	-	-	-	1	6	6	6	9
06	-	-	-	1	5	5	5	6
07	-	-	-	1	3	3	5	6
08	-	-	-	1	4	3	5	6
09	-	-	1	1	1	1	3	5
10	-	-	1	2	3	3	6	6
11	-	-	-	1	5	5	6	6
12	-	-	1	1	2	3	5	6
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1	5	9	9	14	15
23	-	-	-	3	10	11	13	15
MEAN	-	0	0	2	5	5	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: HIROSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

NUMBER OF FORWARD SCATTER: RWY10

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<600	<600	<1000	<1500
00	-	-	-	-	3	3	6	12
01	0)	0)	0)	1)	1)	1	5	12
02	-	-	-	-	-	-	3	9
03	-	-	-	-	1	1	5	6
04	-	-	1	1	3	3	5	7
05	-	-	-	-	2	2	3	5
06	-	-	-	-	2	2	4	7
07	0)	0)	0)	1)	1)	1	2	3
08	-	-	-	1	2	2	3	5
09	-	-	-	1	2	2	2	5
10	-	-	-	-	1	1	3	5
11	-	-	1	1	2	2	3	5
12	-	-	-	2	2	2	3	7
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	2	4	3	9	13
23	-	-	-	1	2	2	3	7
MEAN	0)	0)	0)	1)	2)	2	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: HIROSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

NUMBER OF FORWARD SCATTER: RWY10

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<600	<600	<1000	<1500
00	-	-	-	1	3	3	5	5
01	0)	0)	1)	1)	1)	1	5	8
02	-	-	1	1	1	2	3	7
03	-	-	-	1	1	1	5	8
04	-	-	-	1	3	3	6	7
05	0)	0)	1)	1)	3)	3	5	8
06	0)	0)	1)	1)	2)	2	5	7
07	-	-	-	1	3	3	4	6
08	-	-	-	1	2	1	3	5
09	-	-	-	1	3	3	4	5
10	-	-	-	1	1	1	5	6
11	-	-	-	1	1	1	4	5
12	-	-	1	1	1	1	5	6
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	2	6	7
23	-	-	-	1	4	4	6	8
MEAN	0)	0)	0)	1)	2)	2	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: HIROSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

NUMBER OF FORWARD SCATTER: RWY10

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<600	<600	<1000	<1500
00	-	-	2	3	6	5	9	12
01	0)	0)	0)	2)	3)	3	7	9
02	-	-	1	3	3	4	8	9
03	-	-	1	1	3	3	7	9
04	-	-	1	2	3	3	5	9
05	-	-	1	2	3	3	5	5
06	-	-	1	3	5	4	6	7
07	-	-	1	1	3	3	5	7
08	-	-	1	3	4	4	7	7
09	-	-	1	1	3	4	5	7
10	-	-	1	2	3	4	5	7
11	-	-	1	1	1	2	3	6
12	-	-	1	1	2	3	7	7
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	2	2	3	3	6	9
23	-	-	1	2	3	5	6	9
MEAN	0)	0)	1)	2)	3)	4	6	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: HIROSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

NUMBER OF FORWARD SCATTER: RWY10

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<600	<600	<1000	<1500
00	-	-	-	1	1	3	5	7
01	0)	0)	0)	1)	1)	2	5	6
02	0)	0)	0)	1)	3)	3	5	5
03	0)	0)	0)	1)	2)	2	3	5
04	-	-	1	3	4	4	5	8
05	-	-	1	3	3	3	5	6
06	0)	0)	1)	3)	3)	3	8	9
07	-	-	1	3	3	3	6	8
08	-	-	1	2	4	4	6	8
09	-	-	1	2	3	3	8	10
10	-	-	-	2	2	2	6	8
11	-	-	1	1	3	3	8	10
12	-	-	-	2	3	3	6	10
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	1	2	2	5	8
23	-	-	-	-	1	1	5	8
MEAN	0)	0)	0)	2)	3)	3	6	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: HIROSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

NUMBER OF FORWARD SCATTER: RWY10

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<600	<600	<1000	<1500
00	-	-	1	3	5	6	9	13
01	0)	0)	1)	3)	5)	5	9	12
02	0)	0)	1)	3)	5)	5	8	11
03	0)	0)	0)	2)	4)	4	7	10
04	-	-	1	2	4	5	7	9
05	0)	0)	0)	2)	4)	4	6	8
06	0)	0)	1)	2)	4)	4	6	8
07	0)	0)	1)	2)	4)	4	7	8
08	-	0	1	3	4	4	6	8
09	-	0	1	3	4	4	7	8
10	-	-	1	2	4	4	7	9
11	-	-	0	2	3	4	6	8
12	0)	0)	1)	2)	3)	4	7	9
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	1)	3)	5)	5	10	13
23	-	0	1	3	5	6	10	13
MEAN	0)	0)	1)	2)	4)	4	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: HIROSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	-	1	2	3	5			
01	1	1	1	3	5			
02	-	-	1	1	2			
03	-	-	1	1	2			
04	-	1	1	1	1			
05	1	1	1	2	3			
06	1	1	1	1	3			
07	1	1	2	3	4			
08	1	1	1	1	5			
09	1	1	1	3	5			
10	3	3	3	3	5			
11	1	1	2	4	6			
12	2	2	3	5	6			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	1	3	4			
23	3	3	3	5	5			
MEAN	1	1	2	3	4			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: HIROSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	3	4	7	10	11			
01	4	4	6	8	9			
02	2	2	3	5	8			
03	4	4	6	8	10			
04	3	4	7	8	8			
05	4	4	5	6	8			
06	4	4	4	4	8			
07	4	4	4	5	9			
08	2	3	4	5	8			
09	3	4	6	8	11			
10	4	5	5	8	9			
11	2	3	4	6	8			
12	3	3	4	6	11			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	7	7	9	11	14			
23	4	8	8	10	11			
MEAN	3	4	5	7	10			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: HIROSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	4	5	5	8	10			
01	1	2	3	8	9			
02	1	2	4	6	8			
03	1	1	2	5	8			
04	3	3	5	5	9			
05	3	3	3	5	6			
06	2	3	3	5	7			
07	3	3	4	7	9			
08	5	5	5	7	8			
09	4	5	5	6	6			
10	3	3	5	5	8			
11	3	3	5	5	8			
12	3	3	4	5	8			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	4	4	4	6	8			
23	5	5	6	9	10			
MEAN	3	3	4	6	8			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: HIROSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	3	4	7	8	10			
01	4	4	6	7	9			
02	4	5	6	6	9			
03	3	3	4	4	5			
04	3	3	4	4	6			
05	3	3	4	5	6			
06	3	3	3	6	7			
07	2	2	5	7	8			
08	3	3	4	6	7			
09	2	3	5	7	8			
10	3	4	4	6	8			
11	1	1	3	4	7			
12	3	3	3	5	6			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	2	3	8	8	9			
23	1	2	4	8	8			
MEAN	3	3	5	6	8			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: HIROSHIMA AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	3	3	3	5	6			
01	1	1	2	4	5			
02	1	2	4	5	7			
03	1	1	1	5	6			
04	1	1	4	5	5			
05	2	3	5	7	7			
06	3	3	4	5	8			
07	4	4	5	7	10			
08	3	5	5	8	9			
09	4	6	6	7	9			
10	4	4	6	8	9			
11	2	2	4	6	8			
12	1	1	3	5	8			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	3	4	5	8			
23	3	3	4	5	7			
MEAN	2	3	4	6	7			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: HIROSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	4	5	9	13	19			
01	3	3	7	13	17			
02	3	3	8	12	15			
03	3	4	7	11	13			
04	5	5	7	10	11			
05	3	3	5	8	9			
06	3	3	5	9	11			
07	3	5	7	9	13			
08	2	4	5	9	10			
09	5	5	9	11	15			
10	5	7	10	12	15			
11	4	4	8	10	16			
12	5	5	9	12	15			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	7	7	10	14	21			
23	5	6	9	9	19			
MEAN	4	5	8	11	15			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: HIROSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	6	6	10	12	14			
01	5	6	7	10	13			
02	2	3	6	8	11			
03	3	3	4	5	6			
04	3	3	3	4	5			
05	2	2	2	4	4			
06	1	1	2	3	4			
07	2	3	4	5	5			
08	3	3	5	5	5			
09	1	3	5	5	6			
10	1	3	3	5	6			
11	2	2	2	4	6			
12	3	3	3	5	7			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	6	6	11	14	21			
23	5	6	8	14	16			
MEAN	3	3	5	7	9			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: HIROSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	3	3	6	8	9			
01	2	4	6	6	8			
02	3	3	5	6	9			
03	-	1	3	4	6			
04	2	3	3	5	5			
05	1	1	2	2	3			
06	-	-	-	1	3			
07	-	-	1	1	2			
08	1	1	1	1	3			
09	1	1	1	1	2			
10	2	2	3	3	3			
11	1	1	1	3	3			
12	2	2	2	3	3			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	4	6	10	12			
23	2	3	5	6	11			
MEAN	1	2	3	4	6			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: HIROSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	-	1	1	2	4			
01	1	1	2	3	3			
02	-	-	2	2	5			
03	1	1	2	3	4			
04	1	1	1	3	4			
05	-	-	-	2	2			
06	1	1	1	2	4			
07	-	-	1	2	3			
08	1	1	2	3	4			
09	1	1	2	2	3			
10	-	-	1	2	3			
11	1	1	3	3	4			
12	-	-	1	1	6			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	2	5	9			
23	1	1	2	2	3			
MEAN	0	1	2	2	4			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: HIROSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	1	1	3	4			
01	1	1	1	2	3			
02	1	1	2	3	3			
03	-	-	1	2	3			
04	1	1	1	3	3			
05	1	1	2	2	4			
06	1	1	1	2	3			
07	1	1	1	3	3			
08	-	-	2	2	3			
09	1	1	1	2	3			
10	1	1	1	3	6			
11	-	-	1	3	3			
12	1	1	2	3	5			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	3	4	5			
23	-	-	3	5	5			
MEAN	1	1	2	3	4			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: HIROSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	3	3	5	7	10			
01	1	1	1	5	7			
02	1	1	3	7	9			
03	1	1	3	5	7			
04	3	3	3	3	5			
05	2	2	2	3	3			
06	2	2	3	4	7			
07	2	2	3	3	5			
08	3	3	3	5	6			
09	3	3	4	5	6			
10	2	2	3	5	7			
11	1	1	2	3	5			
12	2	2	5	6	7			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	2	3	4	5	7			
23	3	3	4	5	7			
MEAN	2	2	3	5	7			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: HIROSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	1	1	1	4	5			
01	1	1	3	4	5			
02	1	1	3	3	5			
03	1	1	1	2	4			
04	2	2	3	5	7			
05	1	2	3	4	5			
06	1	3	4	5	6			
07	2	3	3	4	5			
08	1	2	4	4	6			
09	1	1	3	5	8			
10	-	1	2	5	5			
11	1	1	4	5	7			
12	1	1	3	4	8			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	1	2	5			
23	-	-	1	3	5			
MEAN	1	1	2	4	6			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: HIROSHIMA AIRPORT [ANNUAL]
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<1600	<2400	<3200	<5000	-	-	-
00	2	3	5	7	9			
01	2	3	4	6	8			
02	2	2	4	5	8			
03	1	2	3	5	6			
04	2	2	3	4	6			
05	2	2	3	4	5			
06	2	2	3	4	6			
07	2	2	3	5	6			
08	2	2	3	5	6			
09	2	3	4	5	7			
10	2	3	4	5	7			
11	2	2	3	5	7			
12	2	2	3	5	7			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	3	5	7	10			
23	3	3	5	7	9			
MEAN	2	2	4	5	7			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HIROSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	1	1	3	5
01	-	-	1	1	1	3	3
02	-	-	-	-	1	2	2
03	-	-	-	-	1	2	2
04	-	-	-	-	-	-	1
05	-	-	1	1	1	2	3
06	-	1	1	1	1	1	1
07	-	-	-	-	1	2	3
08	-	-	-	-	1	1	2
09	-	-	-	-	-	1	2
10	-	-	-	1	1	1	3
11	-	-	-	-	-	1	3
12	-	1	1	1	2	5	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	3	3
23	-	1	1	1	1	3	5
MEAN	-	0	0	0	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HIROSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	4	4	6	8	8
01	-	1	4	4	6	8	8
02	-	1	4	4	5	8	8
03	-	-	2	3	4	6	7
04	-	-	1	4	4	6	8
05	-	-	-	1	3	5	7
06	-	-	2	2	4	6	7
07	-	-	1	2	3	5	6
08	-	-	2	2	2	4	4
09	-	-	4	4	4	5	5
10	-	-	1	2	5	6	7
11	-	-	3	3	4	5	6
12	-	-	2	2	4	5	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	2	3	5	8	8
23	-	1	4	5	5	9	12
MEAN	-	0	2	3	4	6	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HIROSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	2	3	3	6	8
01	-	1	2	3	5	7	8
02	-	1	2	3	4	7	8
03	-	-	2	3	5	7	8
04	-	-	2	3	5	9	9
05	-	-	3	4	5	8	8
06	-	-	2	3	4	6	7
07	-	1	3	4	5	6	8
08	-	1	1	1	1	2	4
09	-	1	2	2	2	3	4
10	-	-	2	3	3	3	4
11	-	-	1	2	2	4	4
12	-	-	2	2	3	5	6
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	1	1	1	3	4
23	-	-	1	3	4	5	6
MEAN	-	0	2	3	3	5	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HIROSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	2	3	5	9	10
01	-	-	2	3	7	11	13
02	-	1	3	3	6	12	14
03	-	-	2	2	5	11	14
04	-	-	2	3	6	10	13
05	-	-	1	2	4	6	8
06	-	1	1	1	3	5	7
07	-	-	1	3	4	5	6
08	-	1	3	4	5	5	7
09	-	1	2	3	4	5	6
10	-	1	2	2	3	5	7
11	-	-	-	2	4	5	6
12	-	1	1	1	2	3	4
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1	3	7	9
23	-	-	1	1	4	9	11
MEAN	-	0	2	2	4	7	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HIROSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	2	3	5	5
01	-	-	1	3	3	4	6
02	-	1	2	3	3	3	6
03	-	1	1	2	4	6	8
04	-	-	2	2	5	6	6
05	-	-	3	3	4	6	7
06	-	-	1	2	3	4	5
07	-	1	3	4	5	6	6
08	-	-	1	1	1	5	5
09	-	1	3	3	3	5	6
10	-	-	1	2	5	7	8
11	-	-	1	3	5	6	6
12	-	-	1	1	3	5	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	2	2	4	6
23	-	-	1	1	2	5	5
MEAN	-	0	2	2	3	5	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HIROSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	2	5	7	13	18
01	-	1	7	9	13	15	18
02	-	1	4	6	10	15	17
03	-	1	4	5	7	10	14
04	-	-	2	3	7	8	10
05	-	-	2	3	6	7	12
06	-	1	3	5	7	9	11
07	-	1	6	7	8	12	13
08	-	1	5	6	7	11	13
09	-	1	5	6	7	13	14
10	-	1	4	5	7	11	12
11	-	-	3	3	4	7	9
12	-	1	3	3	5	9	11
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	6	7	8	10	13
23	-	1	6	6	11	17	21
MEAN	-	1	4	5	8	11	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HIROSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	2	6	9	10	15	25
01	-	1	5	6	9	12	15
02	-	-	6	6	9	12	15
03	-	-	3	4	5	6	10
04	-	1	3	3	5	8	10
05	-	1	3	3	3	5	7
06	-	-	1	2	3	5	7
07	-	-	3	4	4	8	8
08	-	-	5	5	5	7	8
09	-	1	5	6	6	8	10
10	-	-	3	3	4	6	8
11	-	-	3	4	4	6	7
12	-	-	2	3	3	4	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	5	5	6	10	12
23	-	-	5	6	7	12	17
MEAN	-	0	4	5	6	8	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HIROSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	3	3	6	9	12
01	-	1	3	3	5	10	13
02	-	1	3	4	6	10	14
03	-	1	3	3	5	7	8
04	-	1	2	3	3	5	7
05	-	-	1	2	6	6	9
06	-	-	1	2	5	5	6
07	-	-	1	2	3	5	5
08	-	-	1	1	3	5	6
09	-	-	1	1	1	3	3
10	-	1	1	1	2	5	5
11	-	-	1	2	5	5	5
12	-	1	1	1	2	4	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	4	6	8	12	13
23	-	-	3	5	10	12	12
MEAN	-	0	2	3	5	7	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HIROSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	-	2	3	6	10
01	-	-	1	1	1	3	10
02	-	-	-	-	-	3	9
03	-	-	-	-	1	4	5
04	-	1	1	1	3	5	7
05	-	-	-	1	2	3	5
06	-	-	-	1	2	3	5
07	-	-	1	1	1	1	2
08	-	-	1	1	2	2	4
09	-	-	1	1	1	1	4
10	-	-	-	1	1	2	3
11	-	1	1	1	2	3	3
12	-	-	2	2	2	3	6
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	2	2	3	6	7
23	-	-	1	1	2	3	7
MEAN	-	0	1	1	2	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HIROSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	2	3	4	5
01	-	-	1	1	1	4	8
02	-	1	1	1	1	2	5
03	-	-	1	1	1	4	7
04	-	-	1	1	3	5	6
05	-	1	1	1	3	5	6
06	-	1	1	1	2	3	6
07	-	-	1	1	3	3	5
08	-	-	1	1	1	3	4
09	-	-	1	1	2	4	5
10	-	-	1	1	1	3	3
11	-	-	1	1	1	3	4
12	-	1	1	1	1	3	3
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	1	5	6
23	-	-	1	2	4	5	6
MEAN	-	0	1	1	2	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HIROSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	3	3	5	7	9
01	-	-	2	2	3	6	7
02	-	-	2	2	3	5	5
03	-	-	1	2	3	4	6
04	-	-	1	2	2	4	7
05	-	-	1	1	3	4	4
06	-	-	3	3	4	5	5
07	-	-	1	1	2	4	5
08	-	-	2	3	3	4	5
09	-	-	-	1	1	2	2
10	-	-	1	2	3	3	3
11	-	-	-	1	1	2	3
12	-	-	1	1	1	4	4
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1	2	4	5
23	-	-	1	2	3	3	5
MEAN	-	0	1	2	2	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HIROSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	1	1	2	4
01	-	-	1	1	1	3	6
02	-	-	1	2	2	4	5
03	-	-	1	1	2	3	3
04	-	-	1	1	2	2	4
05	-	1	3	3	3	4	5
06	-	-	2	3	3	6	8
07	-	-	1	1	2	5	6
08	-	1	2	3	4	5	7
09	-	1	2	2	3	5	6
10	-	-	2	2	2	4	6
11	-	-	1	1	3	5	6
12	-	-	1	2	3	6	7
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	2	4	6
23	-	-	-	1	1	5	6
MEAN	-	0	1	2	2	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HIROSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	0	2	3	4	7	10
01	-	0	2	3	5	7	10
02	-	0	2	3	4	7	9
03	-	0	2	2	3	6	8
04	-	0	2	2	4	6	7
05	-	0	2	2	4	5	7
06	-	0	1	2	3	5	6
07	-	0	2	2	3	5	6
08	-	0	2	2	3	5	6
09	-	1	2	2	3	5	6
10	-	0	1	2	3	5	6
11	-	0	1	2	3	4	5
12	-	0	2	2	3	4	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	0	2	2	4	6	8
23	-	0	2	3	4	7	10
MEAN	-	0	2	2	3	6	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: HIROSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	10	-	-	-	-	-	-	-	-	-	-	10
[35-36-01]	3	3	1	0	-	-	-	-	-	-	-	6
[02-03-04]	2	2	0	0	-	-	-	-	-	-	-	4
[05-06-07]	3	3	0	0	-	-	-	-	-	-	-	7
[08-09-10]	2	1	0	-	-	-	-	-	-	-	-	4
[11-12-13]	2	0	-	-	-	-	-	-	-	-	-	3
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	1	0	-	-	-	-	-	-	-	-	-	1
[20-21-22]	1	0	0	-	-	-	-	-	-	-	-	2
[23-24-25]	1	1	0	-	-	-	-	-	-	-	-	3
[26-27-28]	5	6	2	0	-	-	-	-	-	-	-	13
[29-30-31]	14	9	4	2	0	-	-	-	-	-	-	29
[32-33-34]	10	5	2	0	0	-	-	-	-	-	-	17
TOTAL	55	32	10	2	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: HIROSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	10)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[35-36-01]	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[02-03-04]	3)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[05-06-07]	4)	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[08-09-10]	2)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[11-12-13]	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[14-15-16]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[20-21-22]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	4)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[29-30-31]	8)	6)	4)	1)	0)	0)	0)	0)	0)	0)	0)	20)
[32-33-34]	7)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	14)
TOTAL	53)	34)	10)	2)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: HIROSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	12)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[35-36-01]	3)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[02-03-04]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	4)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[08-09-10]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[11-12-13]	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[14-15-16]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	3)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[23-24-25]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[29-30-31]	8)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	17)
[32-33-34]	7)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	14)
TOTAL	58)	30)	9)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: HIROSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	13	0	-	-	-	-	-	-	-	-	-	13
[35-36-01]	2	3	1	-	-	-	-	-	-	-	-	6
[02-03-04]	2	2	0	-	-	-	-	-	-	-	-	4
[05-06-07]	4	5	1	0	-	-	-	-	-	-	-	11
[08-09-10]	4	3	1	0	0	-	-	-	-	-	-	8
[11-12-13]	7	2	0	-	-	-	-	-	-	-	-	9
[14-15-16]	3	2	-	-	-	-	-	-	-	-	-	5
[17-18-19]	2	1	-	-	-	-	-	-	-	-	-	3
[20-21-22]	3	4	0	-	-	-	-	-	-	-	-	8
[23-24-25]	1	2	0	0	0	-	-	-	-	-	-	4
[26-27-28]	3	2	1	0	0	-	-	-	-	-	-	6
[29-30-31]	6	4	2	1	0	0	-	-	-	-	-	12
[32-33-34]	6	3	1	-	-	-	-	-	-	-	-	10
TOTAL	57	33	8	1	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: HIROSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	16	0	-	-	-	-	-	-	-	-	-	16
[35-36-01]	2	2	1	0	-	-	-	-	-	-	-	6
[02-03-04]	2	1	0	-	-	-	-	-	-	-	-	3
[05-06-07]	4	3	0	0	-	-	-	-	-	-	-	7
[08-09-10]	2	2	1	0	0	-	-	-	-	-	-	5
[11-12-13]	7	3	0	-	-	-	-	-	-	-	-	10
[14-15-16]	6	2	-	-	-	-	-	-	-	-	-	8
[17-18-19]	3	1	-	-	-	-	-	-	-	-	-	4
[20-21-22]	4	3	-	-	-	-	-	-	-	-	-	7
[23-24-25]	2	1	0	0	-	-	-	-	-	-	-	3
[26-27-28]	3	2	0	-	-	-	-	-	-	-	-	5
[29-30-31]	8	4	1	0	-	-	-	-	-	-	-	13
[32-33-34]	7	3	1	0	-	-	-	-	-	-	-	11
TOTAL	67	27	5	1	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: HIROSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	18	-	-	-	-	-	-	-	-	-	-	18
[35-36-01]	3	2	0	-	-	-	-	-	-	-	-	5
[02-03-04]	2	1	0	-	-	-	-	-	-	-	-	3
[05-06-07]	5	6	2	0	-	-	-	-	-	-	-	13
[08-09-10]	2	5	1	0	-	-	-	-	-	-	-	9
[11-12-13]	10	3	0	-	-	-	-	-	-	-	-	13
[14-15-16]	7	2	-	-	-	-	-	-	-	-	-	8
[17-18-19]	3	1	-	-	-	-	-	-	-	-	-	4
[20-21-22]	5	2	-	-	-	-	-	-	-	-	-	6
[23-24-25]	2	1	-	-	-	-	-	-	-	-	-	3
[26-27-28]	3	1	0	-	-	-	-	-	-	-	-	4
[29-30-31]	5	2	0	-	-	-	-	-	-	-	-	7
[32-33-34]	5	1	0	0	-	-	-	-	-	-	-	7
TOTAL	71	24	4	1	-	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: HIROSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	18	0	-	-	-	-	-	-	-	-	-	18
[35-36-01]	1	0	0	0	0	-	-	-	-	-	-	2
[02-03-04]	1	0	0	-	-	-	-	-	-	-	-	1
[05-06-07]	2	1	0	0	-	-	-	-	-	-	-	4
[08-09-10]	2	1	0	-	-	-	-	-	-	-	-	3
[11-12-13]	6	2	0	-	-	-	-	-	-	-	-	9
[14-15-16]	5	1	-	-	-	-	-	-	-	-	-	5
[17-18-19]	5	1	-	-	-	-	-	-	-	-	-	7
[20-21-22]	10	6	0	-	-	-	-	-	-	-	-	16
[23-24-25]	4	2	0	-	-	-	-	-	-	-	-	7
[26-27-28]	5	3	0	0	-	-	-	-	-	-	-	8
[29-30-31]	9	3	0	0	-	-	-	-	-	-	-	13
[32-33-34]	5	1	0	0	0	-	-	-	-	-	-	6
TOTAL	74	23	1	0	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: HIROSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	18)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	18)
[35-36-01]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[05-06-07]	3)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[08-09-10]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[11-12-13]	6)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[14-15-16]	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[17-18-19]	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[20-21-22]	6)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[23-24-25]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[26-27-28]	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[29-30-31]	8)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[32-33-34]	7)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
TOTAL	72)	22)	4)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: HIROSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	14	-	-	-	-	-	-	-	-	-	-	14
[35-36-01]	4	5	1	0	0	-	-	-	-	-	-	11
[02-03-04]	4	4	1	0	-	-	-	-	-	-	-	9
[05-06-07]	7	8	1	0	-	-	-	-	-	-	-	15
[08-09-10]	3	2	1	0	-	-	-	-	-	-	-	7
[11-12-13]	8	2	0	0	-	-	-	-	-	-	-	10
[14-15-16]	6	1	-	-	-	-	-	-	-	-	-	7
[17-18-19]	3	0	-	-	-	-	-	-	-	-	-	3
[20-21-22]	3	1	-	-	-	-	-	-	-	-	-	4
[23-24-25]	1	0	-	-	-	-	-	-	-	-	-	1
[26-27-28]	2	0	-	-	-	-	-	-	-	-	-	2
[29-30-31]	5	2	0	0	-	-	-	-	-	-	-	7
[32-33-34]	5	3	1	0	0	-	-	-	-	-	-	9
TOTAL	65	28	5	1	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: HIROSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	11)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[35-36-01]	5)	7)	2)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[02-03-04]	5)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[05-06-07]	6)	9)	2)	0)	0)	0)	0)	0)	0)	0)	0)	17)
[08-09-10]	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	6)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[14-15-16]	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[29-30-31]	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[32-33-34]	7)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	13)
TOTAL	54)	36)	8)	1)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: HIROSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	11)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[35-36-01]	3)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[02-03-04]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[05-06-07]	5)	7)	1)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[08-09-10]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[14-15-16]	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[20-21-22]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[29-30-31]	9)	6)	2)	0)	0)	0)	0)	0)	0)	0)	0)	18)
[32-33-34]	8)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	14)
TOTAL	59)	33)	7)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: HIROSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	10	-	-	-	-	-	-	-	-	-	-	10
[35-36-01]	3	3	0	-	-	-	-	-	-	-	-	6
[02-03-04]	2	2	0	-	-	-	-	-	-	-	-	4
[05-06-07]	4	4	0	0	-	-	-	-	-	-	-	8
[08-09-10]	2	1	0	0	-	-	-	-	-	-	-	4
[11-12-13]	4	0	-	-	-	-	-	-	-	-	-	4
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	2
[17-18-19]	0	0	-	-	-	-	-	-	-	-	-	1
[20-21-22]	1	0	-	-	-	-	-	-	-	-	-	1
[23-24-25]	1	1	0	-	-	-	-	-	-	-	-	2
[26-27-28]	5	6	3	0	-	-	-	-	-	-	-	14
[29-30-31]	13	10	5	1	0	-	-	-	-	-	-	29
[32-33-34]	9	4	1	0	0	-	-	-	-	-	-	15
TOTAL	56	31	9	2	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: HIROSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	13)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[35-36-01]	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[02-03-04]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	4)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[08-09-10]	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	6)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[14-15-16]	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[17-18-19]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[23-24-25]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[29-30-31]	8)	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	15)
[32-33-34]	7)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	12)
TOTAL	62)	29)	7)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: HIROSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	1	16	64	19	-	-	-	-	-	-
01	-	-	1	8	57	33	1	-	-	-	-	-
02	-	-	-	3	46	48	3	-	-	-	-	-
03	-	-	-	3	39	53	5	-	-	-	-	-
04	-	-	-	2	35	55	8	-	-	-	-	-
05	-	-	-	3	29	60	8	-	-	-	-	-
06	-	-	-	3	35	57	6	-	-	-	-	-
07	-	-	-	4	40	52	4	-	-	-	-	-
08	-	-	1	5	52	40	3	-	-	-	-	-
09	-	-	1	9	57	32	1	-	-	-	-	-
10	-	-	1	12	64	23	-	-	-	-	-	-
11	-	-	1	15	63	21	1	-	-	-	-	-
12	-	-	1	18	63	18	1	-	-	-	-	-
13	-	-	1	25	62	13	-	-	-	-	-	-
14	-	-	1	26	61	12	-	-	-	-	-	-
15	-	-	1	26	64	10	-	-	-	-	-	-
16	-	-	1	28	61	10	-	-	-	-	-	-
17	-	-	1	30	60	9	-	-	-	-	-	-
18	-	-	2	30	57	11	-	-	-	-	-	-
19	-	-	3	30	57	10	-	-	-	-	-	-
20	-	-	2	32	57	10	-	-	-	-	-	-
21	-	-	3	30	59	8	-	-	-	-	-	-
22	-	-	3	30	58	9	-	-	-	-	-	-
23	-	-	1	28	61	10	-	-	-	-	-	-
MEAN	-	-	1	17	54	26	2	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: HIROSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	13	68	17	3	-	-	-	-	-
01	-	-	-	8	63	24	4	-	-	-	-	-
02	-	-	-	5	51	38	6	-	-	-	-	-
03	-	-	-	5	43	44	8	-	-	-	-	-
04	-	-	-	4	35	49	13	-	-	-	-	-
05	-	-	-	5	27	51	15	1	-	-	-	-
06	-	-	-	3	32	50	15	1	-	-	-	-
07	-	-	-	4	37	46	13	-	-	-	-	-
08	-	-	-	5	47	38	10	-	-	-	-	-
09	-	-	-	9	54	30	6	-	-	-	-	-
10	-	-	1	11	58	26	4	-	-	-	-	-
11	-	-	-	15	58	24	3	-	-	-	-	-
12	-	-	1	20	53	23	3	-	-	-	-	-
13	0)	0)	1)	22)	56)	19)	2)	0)	0)	0)	0)	0)
14	0)	0)	1)	28)	52)	18)	1)	0)	0)	0)	0)	0)
15	0)	0)	2)	29)	53)	13)	2)	0)	0)	0)	0)	0)
16	-	-	2	27	57	12	1	-	-	-	-	-
17	-	-	2	31	55	10	2	-	-	-	-	-
18	-	-	1	33	52	11	2	-	-	-	-	-
19	-	-	2	36	53	8	1	-	-	-	-	-
20	-	-	2	39	49	7	2	-	-	-	-	-
21	-	-	2	40	49	6	2	-	-	-	-	-
22	-	-	3	38	51	5	3	-	-	-	-	-
23	-	-	-	31	58	9	2	-	-	-	-	-
MEAN	0)	0)	1)	19)	50)	24)	5)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: HIROSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	2	30	41	26	1	-	-	-	-
01	-	-	-	-	21	41	32	6	-	-	-	-
02	-	-	-	1	11	43	33	12	-	-	-	-
03	-	-	-	-	10	41	30	19	-	-	-	-
04	-	-	-	1	8	35	32	23	1	-	-	-
05	-	-	-	1	8	32	34	25	1	-	-	-
06	-	-	-	1	8	35	34	22	1	-	-	-
07	-	-	-	1	8	37	32	21	1	-	-	-
08	-	-	-	1	13	39	32	16	-	-	-	-
09	-	-	-	1	18	41	34	6	-	-	-	-
10	-	-	-	1	25	40	30	4	-	-	-	-
11	-	-	-	2	28	38	31	1	-	-	-	-
12	-	-	-	3	32	37	26	1	-	-	-	-
13	-	-	-	4	37	34	25	-	-	-	-	-
14	-	-	-	6	35	38	20	1	-	-	-	-
15	-	-	-	6	39	35	20	-	-	-	-	-
16	0)	0)	0)	8)	39)	36)	16)	1)	0)	0)	0)	0)
17	0)	0)	0)	9)	39)	36)	15)	1)	0)	0)	0)	0)
18	0)	0)	0)	11)	40)	34)	15)	0)	0)	0)	0)	0)
19	0)	0)	0)	12)	42)	32)	13)	1)	0)	0)	0)	0)
20	0)	0)	0)	13)	42)	30)	14)	1)	0)	0)	0)	0)
21	-	-	-	14	43	32	11	1	-	-	-	-
22	-	-	-	12	41	34	12	1	-	-	-	-
23	-	-	-	4	37	39	19	1	-	-	-	-
MEAN	0)	0)	0)	5)	27)	37)	24)	7)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: HIROSHIMA AIRPORT MONTH: APR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	1	21	49	28	-	-	-	-
01	-	-	-	-	1	16	36	45	2	-	-	-
02	-	-	-	-	1	13	29	52	6	-	-	-
03	-	-	-	-	1	8	28	47	16	-	-	-
04	-	-	-	-	1	8	26	49	16	1	-	-
05	-	-	-	-	1	5	29	45	20	1	-	-
06	-	-	-	-	1	6	27	42	23	1	-	-
07	-	-	-	-	1	7	29	46	17	-	-	-
08	-	-	-	-	1	7	34	49	8	-	-	-
09	-	-	-	-	1	11	40	45	3	-	-	-
10	-	-	-	-	3	13	49	34	1	-	-	-
11	-	-	-	-	4	13	51	31	1	-	-	-
12	-	-	-	-	5	16	55	23	1	-	-	-
13	-	-	-	-	5	21	55	19	-	-	-	-
14	-	-	-	-	9	20	58	13	-	-	-	-
15	-	-	-	-	11	23	55	11	-	-	-	-
16	-	-	-	-	11	26	54	9	-	-	-	-
17	-	-	-	-	12	27	54	7	-	-	-	-
18	-	-	-	-	13	32	49	6	-	-	-	-
19	-	-	-	-	12	40	43	5	-	-	-	-
20	-	-	-	-	12	39	43	6	-	-	-	-
21	-	-	-	-	14	41	41	4	-	-	-	-
22	-	-	-	-	10	31	52	7	-	-	-	-
23	-	-	-	-	3	25	53	19	-	-	-	-
MEAN	-	-	-	-	6	20	43	27	5	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: HIROSHIMA AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	12	63	25	-	-	-
01	-	-	-	-	-	-	8	53	39	-	-	-
02	-	-	-	-	-	-	8	37	50	5	-	-
03	-	-	-	-	-	-	5	33	54	9	-	-
04	-	-	-	-	-	-	5	24	57	14	-	-
05	-	-	-	-	-	-	5	22	57	15	-	-
06	-	-	-	-	-	-	5	21	57	17	-	-
07	-	-	-	-	-	-	7	25	57	12	-	-
08	-	-	-	-	-	-	7	27	59	7	-	-
09	-	-	-	-	-	-	8	41	49	2	-	-
10	-	-	-	-	-	1	11	57	31	1	-	-
11	-	-	-	-	-	1	15	58	26	-	-	-
12	-	-	-	-	-	2	15	64	19	-	-	-
13	-	-	-	-	-	2	20	66	12	-	-	-
14	-	-	-	-	-	2	22	68	8	-	-	-
15	-	-	-	-	-	4	27	66	3	-	-	-
16	-	-	-	-	-	6	35	56	3	-	-	-
17	-	-	-	-	-	6	36	56	2	-	-	-
18	-	-	-	-	-	8	40	52	1	-	-	-
19	-	-	-	-	-	10	41	50	-	-	-	-
20	-	-	-	-	1	9	45	45	-	-	-	-
21	-	-	-	-	1	8	40	52	-	-	-	-
22	-	-	-	-	-	3	31	61	5	-	-	-
23	-	-	-	-	-	1	21	66	12	-	-	-
MEAN	-	-	-	-	0	3	19	48	26	3	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: HIROSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	33	65	2	-	-
01	-	-	-	-	-	-	1	19	75	5	-	-
02	-	-	-	-	-	-	1	12	77	9	1	-
03	-	-	-	-	-	-	1	15	61	23	-	-
04	-	-	-	-	-	-	1	15	63	22	-	-
05	-	-	-	-	-	-	1	15	58	26	1	-
06	-	-	-	-	-	-	1	13	61	25	1	-
07	-	-	-	-	-	-	1	13	65	21	1	-
08	-	-	-	-	-	-	1	14	71	14	-	-
09	-	-	-	-	-	-	1	19	73	7	-	-
10	-	-	-	-	-	-	1	28	68	3	-	-
11	-	-	-	-	-	-	1	33	65	1	-	-
12	-	-	-	-	-	-	1	39	59	1	-	-
13	-	-	-	-	-	-	1	45	53	1	-	-
14	-	-	-	-	-	-	2	55	43	-	-	-
15	-	-	-	-	-	-	1	59	39	-	-	-
16	-	-	-	-	-	-	3	66	31	-	-	-
17	-	-	-	-	-	-	3	71	25	-	-	-
18	-	-	-	-	-	-	4	74	22	-	-	-
19	-	-	-	-	-	-	4	75	21	-	-	-
20	-	-	-	-	-	-	5	78	17	-	-	-
21	-	-	-	-	-	-	4	79	17	-	-	-
22	-	-	-	-	-	-	2	65	33	1	-	-
23	-	-	-	-	-	-	-	45	54	1	-	-
MEAN	-	-	-	-	-	-	2	41	51	7	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: HIROSHIMA AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	2	44	54	-	-
01	-	-	-	-	-	-	-	1	36	62	1	-
02	-	-	-	-	-	-	-	2	26	70	3	-
03	-	-	-	-	-	-	-	1	23	67	9	-
04	-	-	-	-	-	-	-	2	19	65	14	-
05	-	-	-	-	-	-	-	2	19	60	19	-
06	-	-	-	-	-	-	-	2	18	61	19	-
07	-	-	-	-	-	-	-	2	21	62	15	-
08	-	-	-	-	-	-	-	3	24	64	9	-
09	-	-	-	-	-	-	-	3	29	66	2	-
10	-	-	-	-	-	-	-	2	43	55	-	-
11	-	-	-	-	-	-	-	2	52	46	-	-
12	-	-	-	-	-	-	-	5	54	41	-	-
13	-	-	-	-	-	-	-	6	63	30	-	-
14	-	-	-	-	-	-	-	6	68	26	-	-
15	-	-	-	-	-	-	-	9	74	17	-	-
16	-	-	-	-	-	-	-	11	77	12	-	-
17	-	-	-	-	-	-	-	13	81	6	-	-
18	-	-	-	-	-	-	-	12	83	5	-	-
19	-	-	-	-	-	-	-	14	83	3	-	-
20	-	-	-	-	-	-	-	15	84	1	-	-
21	-	-	-	-	-	-	-	10	88	2	-	-
22	-	-	-	-	-	-	-	6	81	14	-	-
23	-	-	-	-	-	-	-	3	57	40	-	-
MEAN	-	-	-	-	-	-	-	6	52	39	4	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: HIROSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	1	34	65	-	-
01	-	-	-	-	-	-	-	1	25	71	4	-
02	-	-	-	-	-	-	-	1	24	60	15	-
03	-	-	-	-	-	-	-	-	20	51	29	-
04	-	-	-	-	-	-	-	-	17	43	40	-
05	-	-	-	-	-	-	-	-	14	46	39	1
06	-	-	-	-	-	-	-	-	15	44	41	-
07	-	-	-	-	-	-	-	-	14	50	36	-
08	-	-	-	-	-	-	-	-	19	55	25	-
09	-	-	-	-	-	-	-	-	28	67	5	-
10	-	-	-	-	-	-	-	-	33	66	1	-
11	-	-	-	-	-	-	-	1	39	61	-	-
12	-	-	-	-	-	-	-	1	42	57	-	-
13	0)	0)	0)	0)	0)	0)	0)	2)	45)	53)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	3)	51)	46)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	3)	56)	41)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	3)	65)	32)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	3)	73)	24)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	3)	79)	18)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	3)	82)	14)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	3)	89)	8)	0)	0)
21	-	-	-	-	-	-	-	4	87	9	-	-
22	-	-	-	-	-	-	-	3	60	37	-	-
23	-	-	-	-	-	-	-	2	39	59	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	1)	44)	45)	10)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: HIROSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	16	77	7	-	-
01	-	-	-	-	-	-	-	9	73	19	-	-
02	-	-	-	-	-	-	-	6	63	31	-	-
03	-	-	-	-	-	-	-	8	51	41	-	-
04	-	-	-	-	-	-	-	5	45	49	1	-
05	-	-	-	-	-	-	-	5	47	47	1	-
06	-	-	-	-	-	-	-	5	49	45	1	-
07	-	-	-	-	-	-	-	6	57	37	-	-
08	-	-	-	-	-	-	-	7	67	26	-	-
09	-	-	-	-	-	-	-	12	73	15	-	-
10	-	-	-	-	-	-	-	19	73	8	-	-
11	-	-	-	-	-	-	-	23	71	6	-	-
12	-	-	-	-	-	-	-	27	68	5	-	-
13	-	-	-	-	-	-	-	38	61	1	-	-
14	-	-	-	-	-	-	-	41	58	1	-	-
15	-	-	-	-	-	-	1	47	53	-	-	-
16	-	-	-	-	-	-	-	45	55	-	-	-
17	-	-	-	-	-	-	1	50	49	-	-	-
18	-	-	-	-	-	-	1	49	49	-	-	-
19	-	-	-	-	-	-	2	51	47	1	-	-
20	-	-	-	-	-	-	2	53	44	1	-	-
21	-	-	-	-	-	-	2	55	43	1	-	-
22	-	-	-	-	-	-	-	48	52	-	-	-
23	-	-	-	-	-	-	-	31	68	1	-	-
MEAN	-	-	-	-	-	-	0	27	58	14	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: HIROSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	25	61	14	-	-	-
01	-	-	-	-	-	-	12	65	24	-	-	-
02	-	-	-	-	-	-	7	57	34	2	-	-
03	-	-	-	-	-	-	6	52	37	5	-	-
04	-	-	-	-	-	-	3	49	42	6	-	-
05	-	-	-	-	-	-	4	42	47	7	-	-
06	-	-	-	-	-	-	4	46	43	7	-	-
07	-	-	-	-	-	-	8	48	39	5	-	-
08	-	-	-	-	-	-	15	58	26	1	-	-
09	-	-	-	-	-	-	23	62	15	-	-	-
10	-	-	-	-	-	-	28	59	13	-	-	-
11	-	-	-	-	-	-	34	54	12	-	-	-
12	-	-	-	-	-	1	35	52	12	-	-	-
13	0)	0)	0)	0)	0)	2)	40)	47)	11)	0)	0)	0)
14	0)	0)	0)	0)	0)	3)	44)	43)	11)	0)	0)	0)
15	0)	0)	0)	0)	0)	4)	45)	41)	10)	0)	0)	0)
16	0)	0)	0)	0)	0)	4)	45)	44)	7)	0)	0)	0)
17	0)	0)	0)	0)	0)	6)	47)	41)	6)	0)	0)	0)
18	0)	0)	0)	0)	0)	6)	48)	40)	6)	0)	0)	0)
19	0)	0)	0)	0)	0)	9)	47)	38)	6)	0)	0)	0)
20	0)	0)	0)	0)	0)	10)	50)	34)	6)	0)	0)	0)
21	-	-	-	-	-	10	51	34	5	-	-	-
22	-	-	-	-	-	6	52	35	6	-	-	-
23	-	-	-	-	-	1	40	48	10	-	-	-
MEAN	0)	0)	0)	0)	0)	3)	30)	48)	19)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: HIROSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	3	35	52	11	-	-	-	-
01	-	-	-	-	1	20	61	17	-	-	-	-
02	-	-	-	-	1	18	57	25	-	-	-	-
03	-	-	-	-	1	16	46	37	1	-	-	-
04	-	-	-	-	1	14	48	37	1	-	-	-
05	-	-	-	-	1	14	49	36	1	-	-	-
06	-	-	-	-	-	16	50	33	1	-	-	-
07	-	-	-	-	1	19	51	29	-	-	-	-
08	-	-	-	-	1	27	57	14	-	-	-	-
09	-	-	-	-	3	30	57	10	-	-	-	-
10	-	-	-	-	6	34	53	7	-	-	-	-
11	-	-	-	-	6	35	52	7	-	-	-	-
12	-	-	-	-	7	39	49	6	-	-	-	-
13	0)	0)	0)	0)	10)	41)	43)	6)	0)	0)	0)	0)
14	0)	0)	0)	1)	7)	45)	42)	5)	0)	0)	0)	0)
15	0)	0)	0)	1)	11)	45)	39)	5)	0)	0)	0)	0)
16	0)	0)	0)	1)	11)	45)	39)	4)	0)	0)	0)	0)
17	0)	0)	0)	0)	11)	45)	39)	5)	0)	0)	0)	0)
18	0)	0)	0)	1)	11)	48)	34)	6)	0)	0)	0)	0)
19	0)	0)	0)	1)	11)	51)	32)	5)	0)	0)	0)	0)
20	0)	0)	0)	0)	15)	49)	30)	6)	0)	0)	0)	0)
21	-	-	-	1	14	52	29	4	-	-	-	-
22	-	-	-	1	19	48	27	5	-	-	-	-
23	-	-	-	-	5	47	39	9	-	-	-	-
MEAN	0)	0)	0)	0)	7)	35)	45)	14)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: HIROSHIMA AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	6	47	44	3	-	-	-	-	-
01	-	-	-	3	37	50	10	-	-	-	-	-
02	-	-	-	2	32	48	19	-	-	-	-	-
03	-	-	-	1	25	54	21	-	-	-	-	-
04	-	-	-	1	25	50	24	1	-	-	-	-
05	-	-	-	1	21	54	24	1	-	-	-	-
06	-	-	-	1	25	52	22	1	-	-	-	-
07	-	-	-	1	30	50	18	1	-	-	-	-
08	-	-	-	5	37	47	11	-	-	-	-	-
09	-	-	-	7	39	46	8	-	-	-	-	-
10	-	-	-	8	45	43	5	-	-	-	-	-
11	-	-	-	12	43	41	5	-	-	-	-	-
12	-	-	-	12	46	39	3	-	-	-	-	-
13	-	-	-	15	46	35	4	-	-	-	-	-
14	-	-	-	15	48	35	2	-	-	-	-	-
15	-	-	-	14	50	35	1	-	-	-	-	-
16	-	-	-	14	53	31	2	-	-	-	-	-
17	-	-	-	16	49	33	2	-	-	-	-	-
18	-	-	-	17	51	29	3	-	-	-	-	-
19	-	-	-	15	54	26	4	-	-	-	-	-
20	-	-	-	15	54	28	3	-	-	-	-	-
21	-	-	-	20	50	28	2	-	-	-	-	-
22	-	-	-	19	53	26	2	-	-	-	-	-
23	-	-	-	12	54	32	2	-	-	-	-	-
MEAN	-	-	-	10	42	40	8	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: HIROSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	0	3	18	15	14	18	22	11	-	-
01	-	-	0	2	15	15	14	18	23	13	0	-
02	-	-	-	1	12	17	13	17	23	15	2	-
03	-	-	-	1	10	18	12	18	22	16	3	-
04	-	-	-	1	9	17	13	17	22	17	5	-
05	-	-	-	1	7	18	14	16	22	17	5	0
06	-	-	-	1	8	18	14	15	22	17	5	-
07	-	-	-	1	10	18	13	16	22	16	4	-
08	-	-	0	1	13	16	14	16	23	14	3	-
09	-	-	0	2	14	16	15	17	22	13	1	-
10	-	-	0	3	16	15	15	18	22	11	0	-
11	-	-	0	4	17	14	16	18	22	10	-	-
12	-	-	0	4	17	15	16	18	21	9	-	-
13	0)	0)	0)	5)	18)	14)	16)	19)	21)	7)	0)	0)
14	0)	0)	0)	6)	18)	14)	16)	20)	20)	6)	0)	0)
15	0)	0)	0)	6)	19)	14)	16)	20)	20)	5)	0)	0)
16	0)	0)	0)	6)	19)	14)	16)	20)	20)	4)	0)	0)
17	0)	0)	0)	7)	19)	14)	17)	21)	20)	3)	0)	0)
18	0)	0)	0)	8)	19)	15)	16)	20)	20)	2)	0)	0)
19	0)	0)	0)	8)	19)	15)	16)	20)	20)	1)	0)	0)
20	0)	0)	0)	8)	19)	15)	16)	20)	20)	1)	0)	0)
21	-	-	0	9	19	15	15	20	20	1	-	-
22	-	-	0	8	19	13	15	19	20	4	-	-
23	-	-	0	6	18	14	15	19	20	9	-	-
MEAN	0)	0)	0)	4)	15)	15)	15)	18)	21)	9)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: HIROSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	2.9	3.1	7.6	12.8	17.9	20.7	24.7	25.7	21.8	16.8	10.8	4.8	14.2
Daily maximum air temperature(°C)	7.1	7.5	12.7	17.8	23.0	24.6	28.8	30.1	26.1	21.3	14.8	8.8	18.5
Daily minimum air temperature(°C)	-0.8	-0.7	3.0	8.2	13.1	17.6	21.5	22.5	18.7	13.0	7.0	1.1	10.3
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	44.0	56.5	91.9	103.8	71.9	269.5	168.2	180.2	138.5	118.0	80.4	76.1	1399.0
Snow fall(cm)	11	11	0	0	-	-	0	-	-	-	0	4	27
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	960.0	963.7	958.9	946.4	958.3	953.0	948.9	946.2	956.1	949.4	964.5	955.5	946.2
Daily maximum air temperature(°C)	14.5	16.4	21.5	26.6	29.4	31.6	33.6	35.8	31.2	28.7	21.3	16.1	35.8
Daily minimum air temperature(°C)	-8.6	-7.0	-4.7	0.0	3.5	11.1	16.5	15.8	13.3	6.7*	-1.2	-6.0	-8.6
Daily precipitation(mm)	30.0	34.0	41.0	44.0	36.0	85.0	70.5	120.0	67.0	69.0	35.0	37.5	120.0
Daily max.one-hour precipitation(mm)	6.0	9.0	14.0	11.5	19.5	39.0	26.0	47.5	21.0	24.5	13.5	9.0	47.5
Daily max.ten-minute precipitation(mm)	3.5	7.0	4.5	3.5	5.5	11.0	17.5	14.0	8.5	12.0	4.5*	2.5*	17.5
Daily totals of snowfall(cm)	12	14	1	0 *	-	-	×	-	-	-	0 *	12	14
Daily maximum of snow cover(cm)	12	15	1	-	-	-	×	-	-	-	-	8	15
Daily maximum wind speed(kt)	26 *	28	33	31	25 *	23	25 *	36	27	34	24	34	36
with wind direction(36DIR.)	30	29	30	25	28	7	35	7	36	35	29	9	7
Daily maximum peak gust(kt)	37	35 *	39	46	35	32	41	50	45	48 *	34	45	50
with wind direction(36DIR.)	31	31	31	26	29	7	35	8	1	33	29	32	8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: HIROSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	20.2	18.2	6.8	-	-	-	-	-	-	-	0.6	13.6	59.4
25.0°C	-	-	-	-	-	-	-	0.4	-	-	-	-	0.4
Daily mean air temperature < 0.0°C	3.6	2.6	0.4	-	-	-	-	-	-	-	-	1.6	8.2
25.0°C	-	-	-	-	-	0.6	17.6	19.8	2.4	-	-	-	40.4
Daily maximum air temperature < 0.0°C	0.2	0.4	-	-	-	-	-	-	-	-	-	0.2	0.8
25.0°C	-	-	-	0.6	8.4	15.4	27.8	29.2	20.2	3.8	-	-	105.4
30.0°C	-	-	-	-	-	0.8	11.6	18.0	1.6	-	-	-	32.0
Daily precipitation 0.0mm	19.2	20.0	16.6	17.0	15.8	22.8	21.2	19.6	19.4	16.8	17.6	21.8	227.8
1.0mm	5.0	8.4	8.4	10.4	7.6	11.6	9.8	8.8	8.2	7.6	7.4	8.0	101.2
5.0mm	3.0	3.8	4.2	6.0	4.4	8.8	6.8	6.4	6.2	4.4	5.0	5.2	64.2
10.0mm	1.4	1.8	3.0	3.2	2.8	7.4	5.6	5.2	4.6	3.6	3.4	3.0	45.0
30.0mm	0.2	0.2	1.0	1.0	0.6	3.8	2.0	1.6	1.2	1.4	0.4	0.2	13.6
50.0mm	-	-	-	-	-	1.4	1.0	0.8	0.6	0.4	-	-	4.2
70.0mm	-	-	-	-	-	0.4	0.2	0.4	-	-	-	-	1.0
100.0mm	-	-	-	-	-	-	-	0.2	-	-	-	-	0.2

AERODROME: HIROSHIMA AIRPORT PERIOD OF RECORD: 2012-2016
LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: HIROSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

AIR PRESSURE (hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	981.6	981.3	979.5	976.4	974.2	970.7	972.0	971.5	975.6	979.6	980.8	981.1	977.0
01	981.8	981.3	979.3	976.5	974.1	970.6	971.9	971.5	975.6	979.5	980.8	981.3	977.0
02	981.4	981.1	979.0	976.1	973.9	970.5	971.8	971.3	975.3	979.1	980.4	980.9	976.7
03	980.5	980.5	978.5	975.6	973.4	970.3	971.5	970.9	974.8	978.6	979.7	980.1	976.2
04	979.8	979.7	977.8	975.1	973.0	969.9	971.2	970.5	974.4	977.9	979.1	979.5	975.6
05	979.5	979.2	977.3	974.6	972.6	969.6	970.9	970.2	973.9	977.5	978.8	979.1	975.3
06	979.6	979.1	977.0	974.2	972.2	969.4	970.7	969.9	973.7	977.4	978.8	979.2	975.1
07	979.8	979.3	977.1	974.1	972.1	969.2	970.5	969.8	973.8	977.5	979.0	979.5	975.1
08	980.1	979.5	977.3	974.3	972.1	969.1	970.5	969.9	974.0	977.7	979.2	979.7	975.3
09	980.5	979.9	977.7	974.6	972.3	969.3	970.6	970.0	974.2	978.0	979.6	980.2	975.6
10	980.8	980.3	978.1	975.0	972.6	969.6	971.0	970.4	974.5	978.4	979.9	980.4	975.9
11	981.0	980.6	978.6	975.5	973.0	969.8	971.3	970.9	975.1	978.7	980.1	980.6	976.3
12	981.1	980.8	978.9	975.9	973.5	970.2	971.6	971.2	975.3	978.9	980.3	980.6	976.5
13	981.1	980.9	979.1	976.0	973.7	970.4	971.8	971.2	975.3	979.0	980.3	980.6	976.6
14	981.0	980.7	979.0	976.0	973.7	970.4	971.7	971.2	975.2	978.9	980.2	980.6	976.6
15	980.9	980.6	978.9	976.0	973.6	970.2	971.6	971.1	975.1	978.7	980.0	980.4	976.4
16	980.6	980.6	978.8	975.9	973.4	970.0	971.3	970.9	974.8	978.5	980.0	980.2	976.3
17	980.6	980.6	978.7	975.6	973.2	969.8	971.1	970.7	974.7	978.5	979.9	980.2	976.2
18	980.5	980.4	978.4	975.5	973.2	969.8	971.0	970.6	974.6	978.2	979.8	980.1	976.0
19	980.4	980.2	978.2	975.4	973.3	969.8	971.1	970.6	974.5	978.3	979.6	979.9	975.9
20	980.4	980.2	978.4	975.5	973.4	970.1	971.3	970.8	974.6	978.5	979.7	979.9	976.0
21	980.6	980.4	978.6	975.8	973.7	970.3	971.5	971.1	974.9	978.7	979.9	980.2	976.3
22	981.0	980.7	978.9	976.1	974.0	970.5	971.8	971.3	975.2	979.0	980.2	980.5	976.6
23	981.2	981.1	979.3	976.3	974.2	970.7	972.0	971.5	975.4	979.4	980.6	980.8	976.9
MEAN	980.6	980.4	978.4	975.5	973.3	970.0	971.3	970.8	974.8	978.5	979.9	980.2	976.1

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: HIROSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	2.7	2.8	7.3	12.8	18.1	20.7	24.8	25.9	22.1	17.0	11.0	4.8	14.2
01	3.8	3.9	8.6	13.9	19.2	21.5	25.6	26.7	23.0	18.0	12.0	5.8	15.2
02	4.8	4.7	9.7	15.0	20.1	22.2	26.3	27.4	23.8	18.9	12.7	6.6	16.0
03	5.4	5.3	10.4	15.8	20.9	22.7	26.9	28.0	24.4	19.6	13.3	7.1	16.6
04	5.9	5.9	11.0	16.2	21.4	22.9	27.3	28.4	24.7	20.0	13.6	7.4	17.0
05	6.0	6.2	11.3	16.5	21.6	23.2	27.4	28.7	24.8	20.1	13.7	7.4	17.2
06	5.8	6.2	11.2	16.5	21.6	23.2	27.4	28.7	24.7	19.9	13.5	7.3	17.2
07	5.3	5.7	10.9	16.1	21.2	22.9	27.0	28.3	24.2	19.3	12.8	6.7	16.7
08	4.4	5.1	10.1	15.4	20.6	22.4	26.5	27.6	23.4	18.2	11.7	5.7	15.9
09	3.5	4.0	8.9	14.4	19.6	21.7	25.8	26.7	22.4	17.3	11.1	5.1	15.0
10	2.9	3.4	8.0	13.3	18.5	21.0	24.9	25.8	21.9	16.8	10.7	4.7	14.3
11	2.6	3.1	7.5	12.9	17.9	20.6	24.4	25.5	21.6	16.4	10.5	4.5	14.0
12	2.4	2.7	7.2	12.4	17.5	20.3	24.2	25.2	21.4	16.1	10.2	4.2	13.7
13	1.9	2.3	6.6	11.8	16.8	19.9	23.8	24.8	20.9	15.7	9.8	3.8	13.2
14	1.8	2.1	6.2	11.4	16.4	19.6	23.5	24.4	20.6	15.4	9.5	3.6	12.9
15	1.6	1.8	5.9	11.0	15.8	19.4	23.3	24.1	20.4	15.2	9.3	3.5	12.6
16	1.4	1.6	5.5	10.6	15.4	19.1	22.9	24.0	20.3	15.2	9.3	3.5	12.4
17	1.2	1.4	5.3	10.2	15.1	18.8	22.7	23.8	20.0	15.0	9.2	3.4	12.2
18	1.1	1.3	5.0	10.1	14.7	18.6	22.6	23.5	19.9	14.7	9.0	3.3	12.0
19	1.0	1.2	4.9	9.8	14.5	18.5	22.5	23.4	19.7	14.5	8.9	3.2	11.8
20	0.9	1.0	4.8	9.6	14.3	18.3	22.3	23.3	19.6	14.3	8.8	3.2	11.7
21	0.9	0.8	4.7	9.4	14.6	18.6	22.5	23.3	19.4	14.2	8.5	3.0	11.7
22	0.8	0.8	4.9	10.5	15.8	19.2	23.2	24.0	20.1	14.6	8.5	2.9	12.1
23	1.3	1.6	6.2	11.7	17.0	20.0	24.0	25.0	21.0	15.9	9.8	3.6	13.1
MEAN	2.9	3.1	7.6	12.8	17.9	20.7	24.7	25.7	21.9	16.8	10.7	4.8	14.1

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: HIROSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	5.3	5.5	6.8	9.4	12.6	19.1	25.9	25.9	19.9	13.5	9.9	6.8	13.4
01	5.3	5.4	6.8	9.3	12.6	19.3	25.9	25.8	19.8	13.6	9.9	6.7	13.4
02	5.2	5.3	6.7	9.4	12.5	19.4	25.8	25.7	19.8	13.5	9.7	6.6	13.3
03	5.1	5.3	6.7	9.3	12.6	19.5	25.9	25.5	19.7	13.4	9.7	6.5	13.2
04	5.0	5.3	6.8	9.3	12.5	19.5	25.7	25.6	19.8	13.3	9.7	6.5	13.2
05	5.1	5.3	6.7	9.3	12.2	19.5	25.7	25.4	19.9	13.4	9.6	6.4	13.2
06	5.1	5.3	6.6	9.2	12.3	19.4	25.7	25.2	20.1	13.5	9.6	6.5	13.2
07	5.1	5.3	6.7	9.2	12.2	19.3	25.6	25.2	20.0	13.7	9.7	6.5	13.2
08	5.1	5.3	6.7	9.2	12.1	19.3	25.5	25.2	20.0	13.8	9.7	6.6	13.2
09	5.2	5.3	6.7	9.2	12.2	19.3	25.5	25.2	19.9	13.6	9.7	6.5	13.2
10	5.2	5.3	6.7	9.2	12.1	19.2	25.4	25.2	19.8	13.6	9.7	6.5	13.2
11	5.2	5.2	6.6	9.2	11.9	19.0	25.3	25.3	19.8	13.5	9.6	6.5	13.1
12	5.2	5.2	6.6	9.2	11.8	19.1	25.2	25.2	19.7	13.4	9.6	6.6	13.0
13	5.2	5.2	6.6	9.2	12.0	19.1	25.2	25.4	19.5	13.5	9.6	6.6	13.1
14	5.2	5.2	6.6	9.2	12.0	19.0	25.2	25.5	19.4	13.5	9.6	6.6	13.1
15	5.1	5.2	6.6	9.2	12.0	19.0	25.2	25.3	19.4	13.4	9.6	6.5	13.0
16	5.1	5.2	6.5	9.1	12.0	18.8	24.9	25.6	19.5	13.5	9.6	6.7	13.0
17	5.1	5.3	6.5	9.2	12.0	18.8	25.0	25.5	19.5	13.5	9.6	6.6	13.1
18	5.1	5.2	6.5	9.1	12.1	18.8	25.0	25.6	19.5	13.4	9.6	6.6	13.0
19	5.1	5.3	6.6	9.1	12.0	18.7	25.1	25.5	19.6	13.2	9.6	6.6	13.0
20	5.1	5.3	6.6	9.0	12.0	18.6	25.1	25.4	19.5	13.1	9.6	6.6	13.0
21	5.1	5.3	6.6	9.1	12.2	18.8	25.3	25.5	19.4	13.1	9.6	6.6	13.1
22	5.1	5.3	6.7	9.3	12.3	19.0	25.7	25.9	19.6	13.2	9.7	6.6	13.2
23	5.1	5.4	6.8	9.4	12.4	19.1	25.9	26.0	19.8	13.3	9.8	6.6	13.3
MEAN	5.1	5.3	6.6	9.2	12.2	19.1	25.5	25.5	19.7	13.4	9.7	6.6	13.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: HIROSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	70	71	64	62	60	78	83	78	74	68	72	76	72
01	65	65	59	58	57	76	80	74	70	64	68	71	67
02	59	61	55	55	53	73	76	71	67	61	64	66	63
03	56	58	53	52	52	71	73	69	65	58	62	62	61
04	54	56	51	51	50	71	72	67	64	57	61	61	60
05	54	55	50	50	49	70	71	66	64	57	60	61	59
06	54	55	50	50	49	69	71	65	65	58	61	62	59
07	56	57	51	51	50	70	73	67	66	60	63	65	61
08	60	59	54	53	51	72	75	69	69	65	69	69	64
09	65	63	57	56	54	75	78	73	73	67	71	72	67
10	68	66	60	59	57	78	81	76	75	69	73	74	70
11	69	67	62	61	58	79	83	78	76	70	73	75	71
12	70	68	63	62	60	80	84	79	77	71	74	77	72
13	72	70	65	65	62	82	85	82	78	73	77	79	74
14	73	71	67	67	64	83	87	84	79	74	78	80	75
15	73	72	68	68	66	84	88	84	80	75	79	81	77
16	74	73	68	69	67	84	89	86	81	76	79	81	77
17	75	75	69	71	69	86	90	87	82	76	80	81	78
18	75	75	71	71	71	87	91	88	83	77	80	82	79
19	75	76	72	72	71	87	92	88	84	77	81	83	80
20	76	77	73	73	72	88	93	89	85	77	82	82	80
21	76	78	73	74	72	87	93	89	85	78	83	83	81
22	76	78	73	71	68	85	90	87	82	77	84	83	80
23	75	76	69	67	64	82	87	82	79	72	78	81	76
MEAN	67	68	62	62	60	79	83	78	75	69	73	74	71

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: HIROSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	30	30	28	10	11	11	26	12	8	7	31 *	29	30
01	28	30	11	11	11	12	12	11	11	7 *	27	28	11
02	27	28	30	13 *	12	12	20	12 *	13	11	11	30	12
03	29	30 *	28	20	20	12	21 *	20	14	15	11 *	29	20
04	29	30	20	21	20	14	20	20	13	13	27	29	20
05	30	29	20	20	20	14	20	21	14	14	14 *	30	20
06	31	30	20	20	20	13 *	20	21	13	13	14	30	20
07	31	30	20	20	19	14	20	21	13	13	14 *	31	20
08	31	30	21	20	22	13	20	20 *	13	13	32	32	13
09	31	31	31 *	22	14 *	13 *	20	19 *	13	35	28 *	30	12 *
10	31	31 *	31	12	14 *	12	15 *	13	34	36	33	31	31
11	33	31 *	31	32	33 *	7	27	31	5	35	34	28	33
12	31	31	32	32	35	7	30	31	36	6	33	29	32
13	28	32)	32	32 *	30	6	30	32)	5	36)	30)	33	32)
14	30	31)	33	32	31	33	28	33)	33	1)	33)	31	33)
15	31	30)	32	30	31	33	31	31)	31	36)	31)	31	31)
16	30	31	31)	32	31	31	31	31)	6	5)	31)	31	31)
17	32	31	31)	31	32	7	30	32)	6	5)	31)	30	31)
18	31	32	31)	33	31 *	6	31	30)	6	6)	31)	30	31)
19	31	31 *	32)	33	31	6	31 *	32)	5	32)	32)	31	31)
20	31	32	32)	6	30	7 *	32	32)	6	6)	32)	31	31)
21	32	31	31	6	31	7	30	6	6	6	6	30	31
22	31	31	32	7 *	7	7	30	7	6	6	31 *	31	31
23	30 *	7	31	8	12	12	27	7	7	7	7	31	7
ALL	31	31)	31)	31	31	7	20	31)	6	7)	31)	30	31)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: HIROSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	4.9	5.6	5.2	5.9	4.6	4.5	4.2	4.8	5.8	6.2	5.3	5.8	5.2
01	6.0	6.5	6.1	6.4	5.2	4.7	4.8	5.1	5.9	6.5	6.4	6.3	5.8
02	7.0	7.0	6.7	6.7	5.7	5.0	4.9	5.4	5.5	6.4	6.7	7.2	6.2
03	7.6	7.2	7.1	7.3	5.9	5.3	5.4	5.4	5.5	6.3	7.0	7.6	6.5
04	8.3	7.2	7.7	7.4	6.2	5.3	5.8	5.5	5.5	6.2	6.9	7.7	6.6
05	8.4	7.8	8.1	7.4	6.3	5.5	5.7	5.7	5.6	6.1	6.9	7.9	6.8
06	8.4	7.7	7.9	7.2	6.3	5.5	5.6	5.6	5.4	6.3	6.6	8.1	6.7
07	7.9	7.4	7.6	6.8	5.9	5.2	5.2	5.5	5.3	6.1	6.6	7.3	6.4
08	6.9	6.8	7.0	6.2	5.5	5.1	4.9	5.2	4.7	5.9	5.2	6.3	5.8
09	6.2	6.0	5.8	5.3	4.6	4.2	4.2	4.4	4.0	5.2	4.8	5.7	5.1
10	5.8	5.6	5.0	4.8	4.3	4.2	3.8	3.9	4.2	5.6	4.8	5.4	4.8
11	5.3	5.9	5.4	4.7	4.5	4.0	3.6	4.3	4.6	6.0	5.1	5.2	4.9
12	5.1	5.6	5.2	4.9	4.6	4.1	3.7	4.4	5.2	5.7	4.8	5.2	4.9
13	4.9	5.4	5.0	4.9	4.5	4.3	3.8	4.0	5.0	5.7	4.7	5.0	4.8
14	5.0	5.5	4.7	4.7	4.3	4.0	3.7	4.2	5.1	5.6	4.7	5.0	4.7
15	4.7	5.2	4.6	4.7	4.4	4.2	3.9	4.3	5.0	5.5	4.7	5.1	4.7
16	4.8	5.1	4.6	4.7	4.1	4.2	3.7	4.1	4.9	5.4	4.8	5.0	4.6
17	5.0	5.3	4.4	4.8	4.2	4.1	3.6	4.1	4.9	5.5	4.9	4.8	4.6
18	5.1	5.1	4.4	4.8	3.9	4.1	3.5	4.5	4.8	5.6	4.8	4.8	4.6
19	5.1	5.0	4.7	4.8	4.0	4.2	3.7	4.3	4.7	5.7	4.8	5.2	4.7
20	4.8	5.0	4.6	4.6	3.9	4.5	3.3	4.2	4.9	5.3	4.7	4.9	4.6
21	4.8	5.2	4.6	5.3	4.0	4.5	3.3	4.3	5.0	5.6	4.7	4.9	4.7
22	4.5	5.2	4.4	5.2	4.2	4.7	3.8	4.5	5.1	5.5	4.8	4.8	4.7
23	4.7	5.0	4.6	5.6	4.5	4.5	4.1	4.9	5.5	6.0	5.0	5.4	5.0
MEAN	5.9	6.0	5.6	5.6	4.8	4.6	4.3	4.7	5.1	5.8	5.4	5.8	5.3

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: HIROSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	3.4	7.7	-0.4	3.0	7.2	-0.8	5.2	9.7	1.3	10.7	15.8	6.1
02	3.4	7.7	-0.4	3.0	7.2	-0.9	5.4	9.9	1.4	10.8	15.8	6.2
03	3.4	7.7	-0.5	2.9	7.1	-0.9	5.5	10.1	1.6	10.9	15.9	6.4
04	3.3	7.7	-0.5	2.8	7.0	-1.0	5.7	10.3	1.7	11.0	15.9	6.4
05	3.3	7.6	-0.5	2.7	6.8	-1.1	5.8	10.4	1.7	11.0	15.9	6.5
06	3.3	7.6	-0.6	2.6	6.7	-1.2	5.9	10.5	1.7	11.1	16.0	6.5
07	3.2	7.5	-0.6	2.5	6.6	-1.3	5.9	10.7	1.7	11.1	16.0	6.5
08	3.1	7.5	-0.6	2.4	6.6	-1.3	6.0	10.8	1.7	11.2	16.1	6.6
09	3.1	7.4	-0.7	2.4	6.5	-1.3	6.1	11.0	1.8	11.3	16.2	6.6
10	3.0	7.3	-0.7	2.4	6.5	-1.3	6.2	11.1	1.8	11.4	16.4	6.7
11	3.0	7.2	-0.8	2.4	6.6	-1.3	6.3	11.3	1.8	11.6	16.6	6.9
12	2.9	7.1	-0.8	2.4	6.7	-1.2	6.5	11.6	1.9	11.8	16.9	7.0
13	2.8	7.0	-0.9	2.5	6.7	-1.2	6.7	11.9	2.1	12.0	17.2	7.2
14	2.8	6.9	-0.9	2.6	6.8	-1.1	6.9	12.2	2.3	12.2	17.4	7.5
15	2.7	6.9	-0.9	2.7	7.0	-1.0	7.2	12.5	2.5	12.5	17.7	7.7
16	2.7	6.8	-0.9	2.8	7.1	-0.9	7.5	12.8	2.7	12.7	17.9	7.9
17	2.7	6.7	-1.0	2.9	7.3	-0.8	7.7	13.0	2.9	12.9	18.2	8.2
18	2.6	6.7	-1.0	3.0	7.4	-0.7	7.9	13.3	3.1	13.2	18.4	8.4
19	2.6	6.7	-1.0	3.1	7.6	-0.6	8.1	13.6	3.3	13.4	18.6	8.6
20	2.6	6.7	-1.0	3.3	7.8	-0.4	8.3	13.8	3.5	13.6	18.8	8.9
21	2.6	6.7	-1.1	3.5	8.0	-0.3	8.5	13.9	3.6	13.8	19.0	9.1
22	2.6	6.7	-1.1	3.6	8.2	-0.1	8.6	14.1	3.7	14.1	19.2	9.3
23	2.6	6.7	-1.1	3.9	8.4	0.0	8.7	14.2	3.9	14.3	19.5	9.5
24	2.6	6.8	-1.1	4.1	8.7	0.2	8.9	14.4	4.0	14.5	19.7	9.8
25	2.7	6.9	-1.1	4.3	8.9	0.4	9.1	14.5	4.2	14.7	19.9	10.0
26	2.7	7.0	-1.0	4.5	9.1	0.7	9.3	14.7	4.5	14.9	20.1	10.2
27	2.8	7.1	-1.0	4.8	9.3	0.9	9.6	14.9	4.7	15.1	20.2	10.4
28	2.9	7.1	-0.9	5.0	9.5	1.1	9.8	15.1	5.0	15.3	20.4	10.6
29	3.0	7.2	-0.9	5.1	9.6	1.2	10.0	15.3	5.3	15.5	20.5	10.7
30	3.0	7.2	-0.8				10.3	15.5	5.6	15.6	20.7	10.8
31	3.0	7.3	-0.8				10.5	15.6	5.8			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: HIROSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	15.7	20.8	10.9	19.9	24.4	15.9	22.0	25.8	19.2	26.4	30.8	23.0
02	15.8	20.9	11.0	19.9	24.3	16.0	22.2	26.0	19.4	26.4	30.9	23.1
03	15.9	21.0	11.0	19.9	24.3	16.1	22.5	26.2	19.7	26.4	30.9	23.1
04	15.9	21.1	11.0	19.9	24.3	16.3	22.7	26.5	19.9	26.4	30.9	23.1
05	16.0	21.1	11.1	20.0	24.3	16.4	22.9	26.7	20.1	26.4	30.9	23.1
06	16.1	21.2	11.1	20.1	24.3	16.6	23.2	27.0	20.3	26.4	30.9	23.1
07	16.1	21.3	11.1	20.2	24.4	16.8	23.4	27.2	20.5	26.4	30.9	23.0
08	16.2	21.4	11.2	20.3	24.5	17.0	23.6	27.4	20.7	26.4	30.9	23.0
09	16.3	21.5	11.3	20.5	24.6	17.2	23.8	27.7	20.9	26.3	30.8	23.0
10	16.5	21.7	11.4	20.6	24.7	17.3	24.0	27.9	21.1	26.3	30.8	23.0
11	16.6	21.8	11.6	20.8	24.8	17.5	24.2	28.1	21.2	26.3	30.7	22.9
12	16.8	22.0	11.7	20.9	24.8	17.7	24.3	28.4	21.3	26.2	30.7	22.9
13	17.0	22.2	11.9	21.0	24.9	17.8	24.5	28.5	21.5	26.2	30.6	22.9
14	17.2	22.4	12.1	21.0	24.9	17.9	24.6	28.7	21.5	26.2	30.6	22.9
15	17.4	22.6	12.4	21.0	24.9	17.9	24.7	28.9	21.6	26.2	30.6	22.9
16	17.7	22.9	12.6	21.0	24.9	18.0	24.8	29.0	21.7	26.1	30.5	22.9
17	17.9	23.1	12.9	21.0	24.8	18.0	24.9	29.2	21.8	26.1	30.5	22.9
18	18.2	23.4	13.2	21.0	24.7	18.0	25.0	29.3	21.9	26.0	30.4	22.8
19	18.4	23.6	13.4	21.0	24.7	18.0	25.1	29.4	21.9	25.9	30.3	22.7
20	18.7	23.8	13.7	20.9	24.7	18.1	25.2	29.5	22.0	25.8	30.2	22.7
21	18.9	24.0	14.0	20.9	24.7	18.1	25.3	29.6	22.1	25.7	30.0	22.5
22	19.1	24.2	14.3	20.9	24.7	18.1	25.4	29.8	22.2	25.5	29.8	22.4
23	19.3	24.4	14.5	20.9	24.7	18.2	25.6	29.9	22.3	25.3	29.6	22.2
24	19.5	24.5	14.8	21.0	24.8	18.2	25.7	30.0	22.4	25.1	29.3	22.0
25	19.6	24.6	15.0	21.1	24.9	18.3	25.8	30.1	22.5	24.8	29.0	21.8
26	19.8	24.6	15.2	21.2	25.0	18.4	25.9	30.2	22.6	24.6	28.7	21.6
27	19.8	24.6	15.4	21.3	25.2	18.6	26.0	30.3	22.7	24.3	28.4	21.3
28	19.9	24.6	15.5	21.5	25.3	18.7	26.1	30.4	22.8	24.1	28.1	21.1
29	19.9	24.6	15.7	21.6	25.5	18.9	26.2	30.5	22.8	23.8	27.8	20.9
30	19.9	24.5	15.8	21.8	25.6	19.0	26.2	30.6	22.9	23.6	27.6	20.7
31	19.9	24.5	15.9				26.3	30.7	23.0	23.4	27.4	20.5

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: HIROSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 26.2'N, LONGITUDE: 132° 55.2'E, ELEVATION ABOVE MSL: 1086 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	23.3	27.2	20.4	20.0	24.4	16.6	13.1	17.5	9.3	7.1	11.2	3.2
02	23.2	27.1	20.3	19.9	24.2	16.4	13.0	17.3	9.1	6.8	10.9	2.9
03	23.1	27.0	20.2	19.6	24.1	16.2	12.8	17.2	9.0	6.6	10.7	2.6
04	23.0	27.0	20.1	19.4	23.9	16.0	12.7	17.0	8.9	6.3	10.5	2.4
05	22.9	27.0	20.0	19.2	23.7	15.7	12.6	16.8	8.8	6.1	10.2	2.2
06	22.9	27.0	19.9	19.0	23.5	15.4	12.4	16.7	8.6	5.9	10.0	2.0
07	22.8	27.0	19.8	18.7	23.2	15.1	12.3	16.5	8.5	5.7	9.8	1.9
08	22.8	26.9	19.7	18.4	23.0	14.8	12.1	16.3	8.4	5.5	9.6	1.8
09	22.7	26.9	19.6	18.2	22.8	14.5	12.0	16.1	8.2	5.4	9.4	1.7
10	22.6	26.9	19.4	17.9	22.5	14.2	11.8	15.9	8.1	5.3	9.3	1.6
11	22.5	26.8	19.3	17.7	22.3	13.9	11.6	15.7	7.9	5.1	9.1	1.5
12	22.4	26.7	19.1	17.4	22.0	13.6	11.4	15.5	7.7	5.0	8.9	1.5
13	22.3	26.6	19.0	17.2	21.8	13.4	11.3	15.3	7.5	4.9	8.8	1.4
14	22.1	26.4	18.8	17.0	21.6	13.2	11.1	15.1	7.4	4.8	8.6	1.3
15	22.0	26.3	18.6	16.8	21.3	13.0	11.0	14.9	7.2	4.7	8.5	1.3
16	21.8	26.1	18.4	16.7	21.1	12.9	10.8	14.8	7.1	4.6	8.4	1.2
17	21.6	26.0	18.3	16.5	21.0	12.7	10.7	14.7	6.9	4.6	8.3	1.1
18	21.5	25.8	18.1	16.4	20.8	12.6	10.6	14.5	6.8	4.5	8.3	1.1
19	21.3	25.7	18.0	16.3	20.6	12.5	10.4	14.4	6.7	4.4	8.2	1.0
20	21.2	25.6	17.8	16.1	20.4	12.3	10.3	14.2	6.5	4.4	8.2	0.9
21	21.1	25.5	17.7	15.9	20.2	12.2	10.1	14.0	6.3	4.3	8.1	0.8
22	21.0	25.4	17.6	15.7	20.0	12.0	9.9	13.8	6.1	4.2	8.1	0.7
23	20.9	25.3	17.5	15.5	19.8	11.8	9.6	13.6	5.9	4.2	8.0	0.6
24	20.9	25.2	17.5	15.3	19.6	11.5	9.4	13.3	5.6	4.1	8.0	0.5
25	20.8	25.2	17.4	15.0	19.3	11.2	9.1	13.0	5.3	4.0	7.9	0.4
26	20.7	25.1	17.3	14.7	19.0	10.9	8.7	12.7	5.0	3.9	7.9	0.2
27	20.6	25.0	17.2	14.4	18.7	10.6	8.4	12.4	4.6	3.8	7.8	0.1
28	20.5	24.9	17.1	14.1	18.5	10.3	8.1	12.1	4.2	3.7	7.8	0.0
29	20.4	24.7	17.0	13.8	18.2	10.0	7.7	11.8	3.9	3.6	7.8	-0.2
30	20.2	24.6	16.8	13.6	17.9	9.7	7.4	11.5	3.5	3.6	7.7	-0.3
31				13.3	17.7	9.5				3.5	7.7	-0.3