

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OKAYAMA AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft****NUMBER OF FORWARD SCATTER: RWY07**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<500	<800	<1000	<600	<1000	<1500
00	—	—	1	1	1	1	3	3
01	—	—	—	2	2	1	3	3
02	—	—	1	1	2	1	3	3
03	—	—	—	—	—	1	1	3
04	—	—	1	1	2	1	3	3
05	—	—	1	1	1	1	1	3
06	0)	0)	0)	1)	1)	1	2	2
07	0)	0)	0)	1)	1)	—	1	2
08	—	—	1	1	1	1	2	3
09	—	—	—	1	1	1	1	3
10	—	—	—	2	2	1	3	3
11	—	—	—	1	1	1	2	3
12	—	—	1	2	2	2	3	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	1	1	—	1	1
23	—	—	—	1	1	1	1	2
MEAN	0)	0)	0)	1)	1)	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OKAYAMA AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft****NUMBER OF FORWARD SCATTER: RWY07**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<500	<800	<1000	<600	<1000	<1500
00	0)	1)	2)	4)	4)	4)	7)	10)
01	0)	1)	1)	2)	2)	1)	5)	10)
02	0)	0)	1)	2)	2)	1)	3)	8)
03	0)	0)	0)	1)	2)	0)	2)	4)
04	0)	0)	0)	1)	2)	0)	3)	4)
05	0)	0)	0)	2)	3)	2)	4)	7)
06	0)	0)	1)	2)	2)	1)	3)	4)
07	0)	0)	2)	3)	3)	3)	4)	4)
08	0)	0)	1)	2)	4)	2)	5)	5)
09	0)	0)	2)	4)	4)	3)	5)	6)
10	0)	0)	1)	4)	4)	2)	5)	6)
11	0)	0)	1)	1)	2)	1)	3)	6)
12	0)	0)	1)	2)	3)	2)	5)	8)
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	2)	4)	4)	7)	12)
23	0)	1)	2)	5)	7)	5)	10)	12)
MEAN	0)	0)	1)	2)	3)	2)	5)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OKAYAMA AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft****NUMBER OF FORWARD SCATTER: RWY07**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<500	<800	<1000	<600	<1000	<1500
00	1	1	3	4	5	3	5	10
01	—	—	3	6	8	5	8	10
02	0)	0)	1)	4)	5)	3	6	9
03	—	—	1	3	5	1	5	8
04	0)	0)	1)	1)	3)	1	4	8
05	0)	0)	1)	3)	3)	1	5	8
06	—	—	1	2	5	2	6	7
07	—	—	2	3	3	2	6	8
08	1)	1)	1)	4)	5)	3	6	9
09	—	—	1	3	5	4	5	8
10	—	—	3	4	4	3	5	7
11	—	—	3	3	3	3	4	7
12	1	1	2	3	3	3	4	6
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	2	4	5	4	7	10
23	1	1	3	5	5	3	6	10
MEAN	0)	0)	2)	3)	4)	3	5	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: OKAYAMA AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 15
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft
NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<500	<800	<1000	<600	<1000	<1500
00	—	—	4	5	6	5	7	10
01	—	—	4	4	5	4	6	13
02	—	—	3	6	6	5	6	10
03	0)	0)	3)	7)	7)	5	7	9
04	—	—	3	5	7	3	7	9
05	—	—	3	5	7	3	8	9
06	—	—	3	6	8	5	8	9
07	—	—	1	5	6	3	6	6
08	1	1	3	5	5	5	6	8
09	—	—	2	5	6	4	7	10
10	—	—	2	3	4	2	7	8
11	—	—	—	2	3	1	5	7
12	—	—	1	2	4	1	5	9
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	1	3	5	7	3	9	11
23	—	—	2	6	7	5	7	11
MEAN	0)	0)	2)	5)	6)	4	7	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OKAYAMA AIRPORT MONTH: MAY****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft****NUMBER OF FORWARD SCATTER: RWY07**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<500	<800	<1000	<600	<1000	<1500
00	—	—	1	4	5	3	5	8
01	—	—	3	5	5	3	5	7
02	—	—	1	4	4	3	4	5
03	0)	0)	1)	3)	3)	3	4	5
04	0)	0)	1)	5)	5)	2	6	7
05	—	—	2	4	5	3	5	6
06	—	—	3	5	6	4	6	8
07	—	—	3	3	3	3	3	6
08	—	—	3	3	4	3	4	6
09	—	1	4	4	5	4	5	6
10	—	—	3	5	5	4	6	7
11	1	1	5	6	6	5	6	8
12	—	—	4	5	6	4	6	8
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	1	1	3	3	1	5	9
23	—	—	1	5	6	3	6	8
MEAN	0)	0)	2)	4)	5)	3	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OKAYAMA AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft****NUMBER OF FORWARD SCATTER: RWY07**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<500	<800	<1000	<600	<1000	<1500
00	—	—	4	8	9	6	11	19
01	—	—	3	9	9	5	9	15
02	—	—	3	7	9	6	11	15
03	0)	0)	3)	7)	8)	5	9	15
04	0)	0)	5)	7)	8)	6	8	11
05	—	—	5	7	7	6	8	13
06	—	—	6	7	8	6	9	11
07	—	—	5	6	7	5	9	13
08	—	—	5	6	7	5	8	13
09	—	—	4	5	6	6	8	11
10	—	—	7	7	7	7	8	13
11	—	1	5	7	7	6	8	13
12	—	1	5	9	9	7	11	13
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	1	5	10	13	9	14	21
23	—	—	5	9	12	7	14	21
MEAN	0)	0)	5)	7)	8)	6	10	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: OKAYAMA AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 15
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft
NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<500	<800	<1000	<600	<1000	<1500
00	—	—	5	9	12	8	13	20
01	1	1	5	7	10	7	14	17
02	1	1	4	7	8	6	9	13
03	0)	0)	4)	5)	6)	6	7	14
04	—	—	2	5	5	3	5	9
05	—	—	3	3	4	3	4	6
06	—	—	1	3	3	1	5	10
07	—	—	2	3	3	3	4	8
08	—	—	2	3	3	3	4	5
09	—	—	1	3	4	2	4	6
10	—	—	2	2	5	3	5	6
11	—	—	1	3	5	2	5	5
12	—	—	1	3	3	2	3	4
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	7	12	18	11	26	34
23	—	—	6	13	16	10	21	28
MEAN	0)	0)	3)	5)	7)	5	8	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OKAYAMA AIRPORT MONTH: AUG****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft****NUMBER OF FORWARD SCATTER: RWY07**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<500	<800	<1000	<600	<1000	<1500
00	0)	0)	1)	4)	6)	3	7	14
01	0)	0)	2)	4)	5)	3	5	12
02	0)	0)	1)	1)	3)	1	3	6
03	0)	0)	1)	1)	2)	1	3	6
04	0)	0)	1)	2)	3)	2	4	5
05	0)	0)	1)	3)	3)	1	3	5
06	0)	0)	1)	2)	3)	2	4	6
07	0)	0)	0)	1)	3)	1	3	5
08	0)	0)	0)	2)	2)	1	2	3
09	0)	0)	1)	3)	3)	2	3	5
10	0)	0)	0)	1)	1)	1	3	5
11	0)	0)	0)	2)	3)	—	3	3
12	0)	0)	0)	1)	1)	—	3	4
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	3)	7)	8)	5	14	20
23	0)	0)	1)	8)	10)	5	11	21
MEAN	0)	0)	1)	3)	4)	2	5	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OKAYAMA AIRPORT MONTH: SEP****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft****NUMBER OF FORWARD SCATTER: RWY07**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<500	<800	<1000	<600	<1000	<1500
00	—	—	2	3	3	3	3	8
01	0)	0)	0)	2)	3)	1	3	5
02	0)	0)	2)	3)	3)	2	3	4
03	0)	0)	1)	2)	3)	1	3	5
04	0)	0)	1)	1)	3)	1	3	6
05	0)	0)	0)	2)	2)	1	2	3
06	—	—	—	1	1	1	2	5
07	—	—	1	1	1	1	4	5
08	—	—	—	1	1	1	2	6
09	—	—	1	1	1	1	1	4
10	—	—	1	1	2	1	2	3
11	—	—	1	1	2	1	3	4
12	—	—	1	1	1	1	2	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	3	5	6	3	6	13
23	—	—	1	4	4	1	5	11
MEAN	0)	0)	1)	2)	2)	1	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OKAYAMA AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft****NUMBER OF FORWARD SCATTER: RWY07**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<500	<800	<1000	<600	<1000	<1500
00	—	—	1	1	3	1	3	7
01	—	—	—	2	3	—	3	7
02	—	—	1	2	2	1	2	4
03	—	—	1	1	3	1	3	6
04	—	—	1	2	3	1	3	6
05	—	—	1	2	3	1	4	5
06	0)	0)	0)	3)	3)	1	4	5
07	—	—	1	2	3	1	3	4
08	—	—	—	—	1	—	3	3
09	—	—	—	1	1	—	2	3
10	—	—	—	1	1	—	1	5
11	—	—	—	—	1	—	1	4
12	—	—	—	—	—	—	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	2	2	3	2	4	6
23	—	—	1	1	2	1	3	5
MEAN	0)	0)	1)	1)	2)	1	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: OKAYAMA AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 15
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft
NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<500	<800	<1000	<600	<1000	<1500
00	—	—	1	5	5	4	7	7
01	0)	0)	0)	4)	5)	2	6	9
02	0)	0)	1)	2)	2)	1	2	5
03	—	—	1	3	3	1	4	7
04	—	—	1	1	3	1	4	5
05	—	—	1	2	3	2	3	6
06	—	—	—	1	2	1	3	5
07	—	—	1	1	1	1	3	5
08	—	—	—	2	3	1	4	5
09	—	—	—	3	3	3	5	7
10	—	—	1	2	3	1	3	7
11	—	—	1	3	5	1	5	5
12	—	—	1	2	4	1	5	7
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	—	1	3	5	5	3	6	9
23	—	—	3	5	5	5	7	11
MEAN	0)	0)	1)	3)	3)	2)	4)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: OKAYAMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 15
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft
NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<500	<800	<1000	<600	<1000	<1500
00	—	—	1	1	3	1	4	6
01	—	—	1	1	2	1	3	5
02	0)	0)	1)	1)	2)	1	3	4
03	—	—	1	1	1	1	3	4
04	0)	0)	1)	1)	1)	1	1	3
05	—	—	1	2	2	1	3	5
06	—	—	—	2	3	1	5	6
07	0)	0)	1)	1)	2)	1	4	6
08	0)	0)	1)	3)	3)	1	4	6
09	1	1	1	3	3	1	4	6
10	1	1	2	3	3	2	5	7
11	—	1	1	2	3	1	3	6
12	—	—	1	2	5	2	5	5
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	1	1	1	1	2	4
23	—	—	1	3	3	2	4	6
MEAN	0)	0)	1)	2)	2)	1)	3)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: OKAYAMA AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 15
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft
NUMBER OF FORWARD SCATTER: RWY07

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<500	<800	<1000	<600	<1000	<1500
00	0)	0)	2)	4)	5)	4)	6)	10)
01	0)	0)	2)	4)	5)	3)	6)	9)
02	0)	0)	1)	3)	4)	3)	4)	7)
03	0)	0)	1)	3)	3)	2)	4)	7)
04	0)	0)	1)	3)	4)	2)	4)	6)
05	0)	0)	1)	3)	3)	2)	4)	6)
06	0)	0)	1)	3)	4)	2)	5)	6)
07	0)	0)	1)	2)	3)	2)	4)	6)
08	0)	0)	1)	3)	3)	2)	4)	6)
09	0)	0)	1)	3)	4)	3)	4)	6)
10	0)	0)	2)	3)	3)	2)	4)	6)
11	0)	0)	1)	3)	3)	2)	4)	6)
12	0)	0)	1)	2)	3)	2)	4)	6)
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	3)	5)	6)	4)	8)	12)
23	0)	0)	2)	5)	6)	4)	8)	12)
MEAN	0)	0)	2)	3)	4)	2)	5)	8)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKAYAMA AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	1	1	1	1	2	3
01	—	—	—	—	—	1	2	3
02	—	—	1	1	1	1	1	2
03	1	1	1	1	1	1	1	2
04	1	1	1	1	1	2	2	3
05	—	1	1	1	1	1	1	2
06	—	—	—	—	—	1	1	1
07	—	—	—	—	—	1	1	1
08	—	—	—	—	—	1	1	3
09	—	—	—	—	—	1	1	2
10	—	—	—	—	—	1	2	3
11	—	—	—	—	—	—	2	3
12	—	1	1	1	2	2	3	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	1	1	1
23	—	—	—	—	—	1	1	2
MEAN	0	0	0	0	0	1	2	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKAYAMA AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	1)	1)	2)	2)	4)	5)	5)	10)
01	1)	1)	1)	1)	1)	4)	5)	8)
02	0)	0)	0)	1)	1)	1)	2)	6)
03	0)	0)	0)	0)	0)	1)	1)	2)
04	0)	0)	0)	0)	0)	1)	2)	2)
05	0)	0)	0)	0)	1)	2)	2)	5)
06	0)	0)	1)	1)	1)	1)	1)	2)
07	0)	0)	1)	1)	1)	2)	2)	4)
08	0)	0)	0)	1)	2)	3)	4)	5)
09	0)	0)	1)	1)	2)	3)	4)	6)
10	0)	0)	0)	0)	0)	1)	2)	5)
11	0)	0)	1)	1)	1)	1)	2)	5)
12	0)	1)	1)	1)	1)	2)	4)	7)
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1)	1)	1)	1)	2)	4)	5)	12)
23	1)	2)	4)	4)	5)	7)	8)	12)
MEAN	0)	0)	1)	1)	1)	3)	3)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKAYAMA AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	1	2	2	2	2	3	3	8
01	—	1	1	1	3	3	4	6
02	—	—	1	1	1	1	3	7
03	—	—	—	—	1	1	1	6
04	—	1	1	1	1	1	2	6
05	—	—	—	—	—	2	2	5
06	—	1	1	1	1	2	4	6
07	1	1	1	1	1	5	5	7
08	1	1	1	2	2	5	5	7
09	1	2	3	3	3	4	5	8
10	1	1	1	1	2	3	5	6
11	1	1	3	3	3	3	3	6
12	2	2	2	2	2	3	4	5
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	3	3	3	3	3	5	8
23	2	2	2	2	3	5	6	9
MEAN	1	1	1	1	2	3	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKAYAMA AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	1	1	1	1	1	3	5	5
01	—	1	1	1	1	2	3	8
02	—	1	1	2	2	3	3	6
03	—	—	1	1	3	4	4	5
04	—	—	1	1	1	4	5	7
05	—	—	—	—	—	3	5	7
06	—	1	1	1	1	5	5	6
07	—	1	1	1	1	3	3	5
08	1	1	1	1	1	3	5	7
09	—	—	1	1	2	4	5	7
10	1	1	1	1	1	1	4	5
11	—	—	—	—	—	—	2	3
12	—	—	1	1	1	1	3	5
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	1	1	1	1	3	4	7
23	—	1	2	2	2	3	4	8
MEAN	0	0	1	1	1	3	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKAYAMA AIRPORT MONTH: MAY****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	—	—	1	2	2	4
01	—	—	—	—	1	2	3	5
02	—	—	—	1	1	1	3	3
03	—	—	—	—	—	1	3	4
04	—	—	—	—	—	2	5	6
05	—	1	1	1	1	3	4	6
06	—	1	1	1	1	3	5	6
07	—	1	1	1	1	1	3	4
08	—	—	1	1	1	2	3	5
09	1	1	1	2	3	3	4	4
10	—	1	2	2	2	4	4	5
11	1	1	1	1	1	3	4	7
12	—	—	—	—	1	2	3	6
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	1	1	1	2	3	7
23	—	—	—	—	1	2	3	6
MEAN	0	0	1	1	1	2	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKAYAMA AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	1	1	1	1	3	6	11
01	—	—	1	1	1	2	4	9
02	—	—	1	1	2	5	7	11
03	—	—	1	1	1	5	7	10
04	—	—	—	1	2	4	5	9
05	—	1	1	1	1	4	7	10
06	—	—	1	1	1	4	7	10
07	—	—	1	1	1	4	7	12
08	—	—	—	1	1	3	7	13
09	—	1	1	1	1	5	7	11
10	1	1	2	2	3	5	8	11
11	1	1	2	2	3	4	8	11
12	1	1	3	3	3	6	7	11
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	2	3	3	7	9	14
23	—	1	3	4	4	7	10	13
MEAN	0	0	1	2	2	4	7	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKAYAMA AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	1	1	3	4	4	5	6	11
01	1	2	2	3	4	8	9	10
02	1	1	2	2	3	5	6	9
03	1	1	1	1	2	4	4	9
04	—	1	1	1	1	1	3	5
05	—	—	—	—	—	1	1	3
06	—	—	—	—	—	—	1	3
07	—	—	—	—	—	2	2	3
08	—	—	—	—	1	2	2	4
09	—	—	—	—	1	1	1	4
10	—	—	—	—	1	2	3	5
11	—	—	1	1	1	2	2	3
12	—	—	1	1	1	1	2	2
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	4	5	6	7	15	19	27
23	1	3	3	3	4	8	13	19
MEAN	0	1	1	1	2	4	5	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKAYAMA AIRPORT MONTH: AUG****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	—	—	—	2	3	6
01	—	—	1	1	1	1	3	5
02	—	—	—	—	—	1	1	2
03	—	—	—	1	1	1	1	3
04	—	—	—	—	1	2	3	3
05	—	—	—	—	1	1	1	1
06	—	—	—	1	1	1	1	2
07	—	—	—	—	—	1	1	1
08	—	—	—	—	—	—	—	1
09	—	—	—	—	—	1	1	3
10	—	—	—	—	—	1	2	3
11	—	—	—	—	—	—	1	1
12	—	—	—	—	—	—	1	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	1	1	1	2	6	8	14
23	—	—	1	1	1	3	4	14
MEAN	—	0	0	0	0	1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKAYAMA AIRPORT MONTH: SEP****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	—	—	1	1	1	4
01	—	—	—	—	—	1	1	3
02	—	—	—	—	—	1	1	1
03	—	—	—	—	—	1	1	1
04	—	—	—	—	—	1	1	3
05	—	—	—	—	—	1	1	1
06	—	—	—	—	—	1	1	3
07	—	—	—	—	1	2	3	3
08	—	—	—	1	1	1	1	4
09	—	1	1	1	1	1	1	3
10	—	—	—	1	1	1	1	2
11	—	—	—	—	—	—	1	1
12	—	—	—	—	—	1	1	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	1	1	1	3	3	9
23	—	—	—	1	1	1	1	6
MEAN	0	0	0	0	0	1	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKAYAMA AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	1	1	1	1	1	3
01	—	—	—	—	—	1	1	3
02	—	—	—	—	—	—	—	1
03	—	—	—	—	—	1	1	3
04	—	—	—	1	1	1	1	4
05	—	—	—	—	—	1	1	2
06	—	1	1	1	1	1	1	2
07	—	—	—	—	—	1	1	2
08	—	—	—	—	—	1	1	3
09	—	—	—	—	—	1	1	3
10	—	—	—	—	—	—	—	2
11	—	—	—	—	—	—	1	3
12	—	—	—	—	—	—	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	1	1	1	1	2	4
23	—	—	1	1	1	2	3	3
MEAN	—	0	0	0	0	1	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: OKAYAMA AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 15
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	—	1	2	2	4	5	5
01	—	—	—	—	—	2	3	7
02	—	—	—	—	—	1	1	3
03	—	—	1	1	1	1	2	5
04	—	—	—	1	1	2	3	3
05	—	—	—	—	—	1	2	3
06	—	—	—	—	—	1	1	2
07	—	—	—	—	—	2	3	3
08	—	—	1	1	1	2	3	4
09	—	—	—	1	1	1	3	5
10	—	—	—	—	—	1	2	4
11	—	—	—	—	—	1	2	3
12	—	1	1	1	1	2	2	3
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	1	1	2	3	5	8
23	1	2	4	4	4	5	6	8
MEAN	0)	0)	1)	1)	1)	2)	3)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: OKAYAMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 15
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	—	1	1	1	1	1	2	5
01	1	1	1	1	1	2	3	5
02	—	—	—	1	1	3	3	4
03	—	—	—	—	1	3	3	4
04	—	—	—	—	—	1	1	3
05	—	—	—	1	1	1	1	3
06	—	1	1	1	1	2	3	5
07	—	1	1	1	1	1	3	4
08	—	1	1	1	1	2	3	4
09	—	1	1	1	1	2	3	4
10	1	1	1	1	1	2	3	6
11	—	1	1	1	1	1	2	5
12	—	—	1	1	1	1	2	4
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	—	1	1	1	1	2	2	3
23	—	—	1	1	1	2	3	6
MEAN	0)	0)	1)	1)	1)	2)	2)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OKAYAMA AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1200	<1500	<2400	<3200	<5000
00	0)	1)	1)	1)	1)	3)	3)	6)
01	0)	0)	1)	1)	1)	2)	3)	6)
02	0)	0)	0)	1)	1)	2)	3)	5)
03	0)	0)	0)	0)	1)	2)	2)	4)
04	0)	0)	0)	0)	1)	2)	3)	4)
05	0)	0)	0)	0)	0)	2)	2)	4)
06	0)	0)	0)	1)	1)	2)	3)	4)
07	0)	0)	0)	0)	0)	2)	3)	4)
08	0)	0)	0)	1)	1)	2)	3)	5)
09	0)	0)	1)	1)	1)	2)	3)	5)
10	0)	0)	1)	1)	1)	2)	3)	5)
11	0)	0)	1)	1)	1)	1)	2)	4)
12	0)	0)	1)	1)	1)	2)	3)	4)
13	×	×	×	×	×	×	×	×
14								
15								
16								
17								
18								
19								
20								
21								
22	1)	1)	1)	2)	2)	4)	6)	10)
23	0)	1)	2)	2)	2)	4)	5)	9)
MEAN	0)	0)	1)	1)	1)	2)	3)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKAYAMA AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	1	1	1	1	2
01	—	—	—	1	2	2	3
02	—	—	1	1	1	2	3
03	—	—	—	—	—	—	2
04	—	—	1	1	1	1	1
05	—	—	1	1	1	1	1
06	—	—	—	1	1	1	1
07	—	—	—	—	1	1	1
08	—	—	1	1	1	1	2
09	—	—	—	1	1	1	2
10	—	—	—	1	2	2	2
11	—	—	—	1	1	1	1
12	—	—	1	1	2	2	2
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	—	1	1	1
23	—	—	—	1	1	1	1
MEAN	—	—	0	1	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKAYAMA AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	0)	0)	1)	1)	3)	3)	5)
01	0)	0)	1)	1)	2)	2)	5)
02	0)	0)	1)	1)	2)	2)	5)
03	0)	0)	0)	0)	1)	2)	4)
04	0)	0)	0)	0)	1)	2)	2)
05	0)	0)	0)	2)	2)	3)	5)
06	0)	0)	1)	1)	2)	2)	4)
07	0)	0)	2)	3)	3)	3)	4)
08	0)	0)	1)	2)	2)	4)	4)
09	0)	0)	2)	2)	3)	3)	3)
10	0)	0)	1)	2)	4)	4)	5)
11	0)	0)	1)	1)	1)	2)	3)
12	0)	0)	1)	2)	2)	3)	4)
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	0)	0)	0)	1)	2)	4)	5)
23	0)	0)	1)	2)	5)	7)	8)
MEAN	0)	0)	1)	1)	2)	3)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKAYAMA AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	1	2	3	4	7
01	—	—	3	5	6	8	9
02	—	—	1	3	4	5	7
03	—	—	1	1	3	5	6
04	—	—	1	1	1	3	4
05	—	—	1	1	3	3	5
06	—	—	1	2	2	5	5
07	—	—	1	1	2	3	4
08	—	—	1	2	3	4	5
09	—	—	1	2	3	4	4
10	—	—	3	3	3	3	5
11	—	—	2	2	2	3	4
12	—	—	1	1	1	1	2
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	1	2	3	4
23	—	—	1	2	3	3	5
MEAN	—	—	1	2	3	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKAYAMA AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	4	5	5	6	9
01	—	—	4	4	4	5	9
02	—	—	3	5	6	6	9
03	—	—	3	5	7	7	9
04	—	—	3	3	5	7	7
05	—	—	3	3	5	7	8
06	—	—	3	5	6	8	9
07	—	—	1	3	5	6	6
08	—	—	3	5	5	5	7
09	—	—	2	4	5	6	8
10	—	—	2	2	3	4	6
11	—	—	—	1	2	3	5
12	—	—	1	1	2	4	7
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	3	3	5	7	9
23	—	—	2	4	6	7	9
MEAN	—	—	2	4	5	6	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKAYAMA AIRPORT MONTH: MAY****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	1	3	4	5	8
01	—	—	3	3	5	5	6
02	—	—	1	3	4	4	5
03	—	—	1	3	3	3	5
04	—	—	1	2	5	5	6
05	—	—	2	3	4	5	5
06	—	—	3	4	5	6	7
07	—	—	3	3	3	3	6
08	—	—	3	3	3	4	5
09	—	—	3	3	3	4	6
10	—	—	3	4	5	5	7
11	—	—	4	5	5	5	7
12	—	—	4	4	5	6	7
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	1	1	2	2	3
23	—	—	1	3	5	6	6
MEAN	—	—	2	3	4	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKAYAMA AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	4	6	8	9	17
01	—	—	3	4	8	8	13
02	—	—	3	5	7	9	13
03	—	—	3	5	7	8	14
04	—	—	5	5	7	8	10
05	—	—	5	6	7	7	11
06	—	—	6	6	7	8	10
07	—	—	5	5	6	7	9
08	—	—	5	5	6	7	9
09	—	—	4	5	5	6	8
10	—	—	6	6	6	6	9
11	—	—	4	5	6	7	9
12	—	—	4	6	8	9	11
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	4	7	9	11	16
23	—	—	5	7	9	12	19
MEAN	—	—	4	6	7	8	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKAYAMA AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	5	6	9	12	16
01	—	—	5	6	7	10	13
02	—	—	3	5	6	7	11
03	—	—	4	5	5	6	11
04	—	—	2	3	5	5	8
05	—	—	3	3	3	4	5
06	—	—	1	1	3	3	10
07	—	—	2	3	3	3	6
08	—	—	2	2	3	3	5
09	—	—	1	1	3	4	4
10	—	—	2	2	2	5	5
11	—	—	1	2	3	5	5
12	—	—	1	2	3	3	4
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	6	9	11	17	21
23	—	—	5	8	12	15	22
MEAN	—	—	3	4	5	7	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKAYAMA AIRPORT MONTH: AUG****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	1	3	4	6	11
01	—	—	2	3	4	5	10
02	—	—	1	1	1	3	6
03	—	—	1	1	1	2	4
04	—	—	1	1	2	3	5
05	—	—	1	1	3	3	4
06	—	—	1	1	2	3	5
07	—	—	—	1	1	2	3
08	—	—	—	1	2	2	2
09	—	—	1	2	3	3	4
10	—	—	—	1	1	1	3
11	—	—	—	—	1	2	2
12	—	—	—	—	1	1	3
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	3	5	7	8	14
23	—	—	1	5	8	10	14
MEAN	—	—	1	2	3	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKAYAMA AIRPORT MONTH: SEP****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	2	3	3	3	7
01	—	—	—	1	2	3	5
02	—	—	2	2	3	3	4
03	—	—	1	1	2	3	5
04	—	—	1	1	1	3	5
05	—	—	—	1	2	2	3
06	—	—	—	1	1	1	3
07	—	—	—	—	—	1	2
08	—	—	—	—	1	1	4
09	—	—	1	1	1	1	3
10	—	—	1	1	1	2	3
11	—	—	1	1	1	2	4
12	—	—	1	1	1	1	3
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	3	3	5	6	9
23	—	—	1	1	4	4	7
MEAN	—	—	1	1	2	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKAYAMA AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	1	1	1	3	6
01	—	—	—	—	2	3	6
02	—	—	1	1	2	2	3
03	—	—	1	1	1	3	5
04	—	—	1	1	2	3	4
05	—	—	1	1	2	3	3
06	—	—	—	1	3	3	3
07	—	—	1	1	2	3	3
08	—	—	—	—	—	1	2
09	—	—	—	—	1	1	2
10	—	—	—	—	1	1	3
11	—	—	—	—	—	1	1
12	—	—	—	—	—	—	2
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	2	2	2	3	5
23	—	—	1	1	1	2	4
MEAN	—	—	1	1	1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKAYAMA AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	1	4	5	5	6
01	—	—	—	2	4	5	7
02	—	—	1	1	2	2	3
03	—	—	1	1	3	3	3
04	—	—	1	1	1	3	5
05	—	—	1	2	2	3	5
06	—	—	—	1	1	2	5
07	—	—	1	1	1	1	4
08	—	—	—	—	2	3	3
09	—	—	—	3	3	3	4
10	—	—	1	1	2	3	5
11	—	—	1	1	3	5	5
12	—	—	1	1	2	4	5
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	3	3	4	4	5
23	—	—	3	4	5	5	9
MEAN	0)	0)	1)	2)	3)	3)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: OKAYAMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 15
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	—	—	1	1	1	3	4
01	—	—	1	1	1	2	3
02	—	—	1	1	1	2	2
03	—	—	1	1	1	1	1
04	—	—	1	1	1	1	1
05	—	—	1	1	2	2	3
06	—	—	—	—	2	3	3
07	—	—	1	1	1	2	3
08	—	—	1	1	3	3	5
09	—	—	1	1	3	3	5
10	—	—	1	1	3	3	4
11	—	—	1	1	2	3	3
12	—	—	1	2	2	5	5
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	1	1	1	1	3
23	—	—	1	1	2	2	3
MEAN	0)	0)	1)	1)	2)	2)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OKAYAMA AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 15****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<800	<1000	<1500
00	0)	0)	2)	3)	4)	5)	8)
01	0)	0)	2)	3)	4)	5)	7)
02	0)	0)	1)	2)	3)	4)	6)
03	0)	0)	1)	2)	3)	3)	6)
04	0)	0)	1)	2)	3)	4)	5)
05	0)	0)	1)	2)	3)	3)	5)
06	0)	0)	1)	2)	3)	4)	5)
07	0)	0)	1)	2)	2)	3)	4)
08	0)	0)	1)	2)	3)	3)	4)
09	0)	0)	1)	2)	3)	3)	4)
10	0)	0)	2)	2)	3)	3)	5)
11	0)	0)	1)	2)	2)	3)	4)
12	0)	0)	1)	2)	2)	3)	4)
13	×	×	×	×	×	×	×
14							
15							
16							
17							
18							
19							
20							
21							
22	0)	0)	2)	3)	4)	6)	8)
23	0)	0)	2)	3)	5)	6)	9)
MEAN	0)	0)	1)	2)	3)	4)	6)

LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

[illegible]

LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

[illegible]

LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OKAYAMA AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												3
VARIABLE	18	1	—	—	—	—	—	—	—	—	—	19
[35-36-01]	4	3	0	—	—	—	—	—	—	—	—	7
[02-03-04]	4	2	0	—	—	—	—	—	—	—	—	6
[05-06-07]	4	5	0	0	—	—	—	—	—	—	—	10
[08-09-10]	4	4	1	0	—	—	—	—	—	—	—	9
[11-12-13]	4	3	1	0	—	—	—	—	—	—	—	8
[14-15-16]	2	2	0	—	—	—	—	—	—	—	—	4
[17-18-19]	1	2	—	—	—	—	—	—	—	—	—	2
[20-21-22]	2	3	1	—	—	—	—	—	—	—	—	6
[23-24-25]	3	4	1	0	0	0	—	—	—	—	—	8
[26-27-28]	3	1	1	0	0	—	—	—	—	—	—	5
[29-30-31]	3	1	1	0	—	—	—	—	—	—	—	6
[32-33-34]	4	3	0	—	—	—	—	—	—	—	—	7
TOTAL	56	34	7	1	0	0	—	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: OKAYAMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

[illegible]

LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

[illegible]

LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												4
VARIABLE	22	0	—	—	—	—	—	—	—	—	—	22
[35-36-01]	5	2	0	—	—	—	—	—	—	—	—	7
[02-03-04]	4	2	0	0	—	—	—	—	—	—	—	6
[05-06-07]	4	4	1	0	0	—	—	—	—	—	—	10
[08-09-10]	6	4	0	0	0	—	—	—	—	—	—	10
[11-12-13]	5	4	1	0	—	—	—	—	—	—	—	10
[14-15-16]	3	1	—	—	—	—	—	—	—	—	—	4
[17-18-19]	2	1	—	—	—	—	—	—	—	—	—	3
[20-21-22]	3	2	0	0	—	—	—	—	—	—	—	5
[23-24-25]	4	3	1	0	—	—	—	—	—	—	—	8
[26-27-28]	3	1	0	—	—	—	—	—	—	—	—	4
[29-30-31]	2	0	0	—	—	—	—	—	—	—	—	3
[32-33-34]	4	1	0	—	—	—	—	—	—	—	—	5
TOTAL	68	24	3	1	0	—	—	—	—	—	—	

LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

[illegible]

LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												3
VARIABLE	22	0	0	—	—	—	—	—	—	—	—	22
[35-36-01]	9	6	0	0	—	—	—	—	—	—	—	15
[02-03-04]	7	6	1	0	0	—	—	—	—	—	—	13
[05-06-07]	4	4	1	0	—	—	—	—	—	—	—	8
[08-09-10]	3	2	0	—	—	—	—	—	—	—	—	5
[11-12-13]	3	1	0	—	—	—	—	—	—	—	—	4
[14-15-16]	2	0	—	—	—	—	—	—	—	—	—	2
[17-18-19]	1	0	—	—	—	—	—	—	—	—	—	1
[20-21-22]	1	0	0	—	—	—	—	—	—	—	—	2
[23-24-25]	2	1	0	0	—	—	—	—	—	—	—	3
[26-27-28]	3	1	0	—	—	—	—	—	—	—	—	4
[29-30-31]	4	1	0	—	—	—	—	—	—	—	—	6
[32-33-34]	8	2	0	—	—	—	—	—	—	—	—	11
TOTAL	69	26	2	0	0	—	—	—	—	—	—	

LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

[illegible]

LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

[illegible]

LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKAYAMA AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	1	12	72	15	—	—	—	—	—	—
01	—	—	—	4	52	42	2	—	—	—	—	—
02	—	—	—	3	36	59	3	—	—	—	—	—
03	—	—	—	1	32	63	5	—	—	—	—	—
04	—	—	—	1	27	66	5	—	—	—	—	—
05	—	—	—	1	25	65	9	1	—	—	—	—
06	—	—	—	1	25	66	8	1	—	—	—	—
07	—	—	—	2	32	61	5	—	—	—	—	—
08	—	—	—	5	48	45	3	—	—	—	—	—
09	—	—	1	8	61	29	1	—	—	—	—	—
10	—	—	1	10	66	23	—	—	—	—	—	—
11	—	—	1	19	61	19	—	—	—	—	—	—
12	—	—	1	23	61	15	—	—	—	—	—	—
13	0)	0)	1)	25)	64)	10)	0)	0)	0)	0)	0)	0)
14	0)	0)	1)	27)	64)	8)	0)	0)	0)	0)	0)	0)
15	0)	0)	1)	31)	62)	6)	0)	0)	0)	0)	0)	0)
16	0)	0)	1)	34)	58)	7)	0)	0)	0)	0)	0)	0)
17	0)	0)	1)	36)	55)	7)	0)	0)	0)	0)	0)	0)
18	—	—	1	40	53	6	—	—	—	—	—	—
19	—	—	2	37	54	6	—	—	—	—	—	—
20	—	—	2	41	51	6	—	—	—	—	—	—
21	—	—	1	45	50	4	—	—	—	—	—	—
22	—	—	4	41	49	6	—	—	—	—	—	—
23	—	—	1	37	54	8	—	—	—	—	—	—
MEAN	0)	0)	1)	20)	50)	27)	2)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKAYAMA AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	0)	11)	67)	21)	2)	0)	0)	0)	0)	0)
01	0)	0)	0)	4)	53)	39)	3)	0)	0)	0)	0)	0)
02	0)	0)	0)	2)	38)	52)	9)	0)	0)	0)	0)	0)
03	0)	0)	0)	1)	28)	59)	11)	1)	0)	0)	0)	0)
04	0)	0)	0)	2)	23)	61)	13)	1)	0)	0)	0)	0)
05	0)	0)	0)	1)	25)	55)	18)	1)	0)	0)	0)	0)
06	0)	0)	0)	2)	25)	56)	16)	1)	0)	0)	0)	0)
07	0)	0)	0)	2)	29)	54)	14)	1)	0)	0)	0)	0)
08	0)	0)	0)	3)	41)	43)	13)	0)	0)	0)	0)	0)
09	0)	0)	0)	7)	51)	37)	6)	0)	0)	0)	0)	0)
10	0)	0)	0)	11)	62)	23)	5)	0)	0)	0)	0)	0)
11	0)	0)	0)	13)	61)	23)	3)	0)	0)	0)	0)	0)
12	0)	0)	1)	15)	59)	23)	3)	0)	0)	0)	0)	0)
13	0)	0)	1)	23)	58)	17)	2)	0)	0)	0)	0)	0)
14	0)	0)	1)	26)	54)	16)	3)	0)	0)	0)	0)	0)
15	0)	0)	1)	30)	51)	15)	2)	0)	0)	0)	0)	0)
16	0)	0)	1)	33)	50)	15)	2)	0)	0)	0)	0)	0)
17	0)	0)	1)	36)	50)	10)	2)	0)	0)	0)	0)	0)
18	0)	0)	1)	39)	48)	9)	2)	0)	0)	0)	0)	0)
19	0)	0)	1)	42)	46)	9)	1)	0)	0)	0)	0)	0)
20	0)	0)	2)	41)	47)	9)	1)	0)	0)	0)	0)	0)
21	0)	0)	2)	41)	47)	8)	2)	0)	0)	0)	0)	0)
22	0)	0)	2)	38)	50)	8)	1)	0)	0)	0)	0)	0)
23	0)	0)	0)	27)	62)	10)	1)	0)	0)	0)	0)	0)
MEAN	0)	0)	1)	19)	47)	28)	6)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKAYAMA AIRPORT MONTH: MAR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	25	49	25	1	—	—	—	—
01	—	—	—	—	15	49	29	7	—	—	—	—
02	—	—	—	—	10	40	36	14	—	—	—	—
03	—	—	—	1	6	41	30	22	1	—	—	—
04	—	—	—	1	4	35	32	26	2	—	—	—
05	—	—	—	1	6	32	31	28	3	—	—	—
06	—	—	—	1	5	32	32	27	3	—	—	—
07	—	—	—	1	6	34	35	23	1	—	—	—
08	—	—	—	1	8	39	34	18	—	—	—	—
09	—	—	—	1	17	39	34	10	—	—	—	—
10	—	—	—	1	25	39	31	5	—	—	—	—
11	—	—	—	1	30	38	30	1	—	—	—	—
12	—	—	—	4	30	42	23	1	—	—	—	—
13	0)	0)	0)	6)	36)	38)	20)	1)	0)	0)	0)	0)
14	0)	0)	0)	8)	34)	40)	17)	1)	0)	0)	0)	0)
15	0)	0)	0)	11)	35)	38)	15)	1)	0)	0)	0)	0)
16	—	—	—	13	39	35	14	—	—	—	—	—
17	—	—	—	14	41	35	10	—	—	—	—	—
18	—	—	—	14	42	33	11	—	—	—	—	—
19	—	—	—	19	38	33	10	—	—	—	—	—
20	—	—	—	19	41	31	9	—	—	—	—	—
21	—	—	—	23	39	30	9	—	—	—	—	—
22	—	—	—	15	43	34	9	—	—	—	—	—
23	—	—	—	3	41	40	15	1	—	—	—	—
MEAN	0)	0)	0)	6)	26)	37)	22)	8)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKAYAMA AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	19	51	29	1	—	—	—
01	—	—	—	—	—	15	37	42	5	—	—	—
02	—	—	—	—	1	9	32	44	15	—	—	—
03	—	—	—	—	1	6	31	39	23	1	—	—
04	—	—	—	—	—	5	25	39	30	1	—	—
05	—	—	—	—	—	6	22	40	30	2	—	—
06	—	—	—	—	—	5	25	38	29	2	—	—
07	—	—	—	—	—	7	25	42	24	2	—	—
08	—	—	—	—	1	7	30	43	19	—	—	—
09	—	—	—	—	1	11	35	46	6	—	—	—
10	—	—	—	—	3	13	44	37	2	—	—	—
11	—	—	—	—	4	18	46	32	—	—	—	—
12	—	—	—	—	6	19	50	24	1	—	—	—
13	—	—	—	—	9	22	54	15	—	—	—	—
14	—	—	—	—	9	26	53	11	—	—	—	—
15	—	—	—	—	10	27	53	10	—	—	—	—
16	—	—	—	—	13	29	53	5	—	—	—	—
17	—	—	—	—	14	35	47	5	—	—	—	—
18	—	—	—	—	17	32	47	3	—	—	—	—
19	—	—	—	1	18	37	42	3	—	—	—	—
20	—	—	—	1	19	41	36	3	—	—	—	—
21	—	—	—	1	18	41	35	5	—	—	—	—
22	—	—	—	—	11	33	48	8	—	—	—	—
23	—	—	—	—	4	25	53	17	—	—	—	—
MEAN	—	—	—	0	7	20	41	24	8	0	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: OKAYAMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	11	58	31	—	—	—
01	—	—	—	—	—	—	6	43	48	4	—	—
02	—	—	—	—	—	—	5	30	54	11	—	—
03	—	—	—	—	—	—	6	19	56	19	—	—
04	—	—	—	—	—	—	5	15	56	23	1	—
05	—	—	—	—	—	—	5	17	48	30	1	—
06	—	—	—	—	—	—	6	17	45	32	1	—
07	—	—	—	—	—	—	4	20	50	25	1	—
08	—	—	—	—	—	—	6	23	57	14	—	—
09	—	—	—	—	—	1	7	32	54	6	—	—
10	—	—	—	—	—	1	10	48	39	1	—	—
11	—	—	—	—	—	1	14	61	23	—	—	—
12	—	—	—	—	—	2	17	67	14	—	—	—
13	—	—	—	—	—	3	21	63	12	—	—	—
14	—	—	—	—	—	3	28	60	8	—	—	—
15	—	—	—	—	—	5	32	58	5	—	—	—
16	—	—	—	—	—	6	39	52	3	—	—	—
17	—	—	—	—	—	10	40	48	1	—	—	—
18	—	—	—	—	—	10	45	44	1	—	—	—
19	—	—	—	—	1	13	50	36	—	—	—	—
20	—	—	—	—	1	13	53	33	—	—	—	—
21	—	—	—	—	—	12	50	38	—	—	—	—
22	—	—	—	—	—	5	31	62	3	—	—	—
23	—	—	—	—	—	1	17	67	15	—	—	—
MEAN	—	—	—	—	0	4	21	42	26	7	0	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: OKAYAMA AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	1	25	71	3	—	—
01	—	—	—	—	—	—	—	16	75	9	—	—
02	—	—	—	—	—	—	1	9	65	25	1	—
03	—	—	—	—	—	—	1	7	53	37	3	—
04	—	—	—	—	—	—	1	7	47	42	3	—
05	—	—	—	—	—	—	1	8	44	44	3	—
06	—	—	—	—	—	—	1	7	48	41	3	—
07	—	—	—	—	—	—	1	10	48	39	3	—
08	—	—	—	—	—	—	1	9	61	29	1	—
09	—	—	—	—	—	—	1	14	69	16	1	—
10	—	—	—	—	—	—	1	20	73	6	—	—
11	—	—	—	—	—	—	1	29	67	3	—	—
12	—	—	—	—	—	—	1	31	64	3	—	—
13	—	—	—	—	—	—	3	39	57	1	—	—
14	—	—	—	—	—	—	3	45	51	1	—	—
15	—	—	—	—	—	—	3	55	42	—	—	—
16	—	—	—	—	—	—	3	65	31	1	—	—
17	—	—	—	—	—	—	5	71	24	—	—	—
18	—	—	—	—	—	—	4	76	20	—	—	—
19	—	—	—	—	—	—	6	75	19	—	—	—
20	—	—	—	—	—	1	7	76	16	1	—	—
21	—	—	—	—	—	—	4	71	24	1	—	—
22	—	—	—	—	—	—	1	59	38	1	—	—
23	—	—	—	—	—	—	—	38	60	2	—	—
MEAN	—	—	—	—	—	0	2	36	49	13	1	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKAYAMA AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	1	35	64	—	—
01	—	—	—	—	—	—	—	1	26	66	7	—
02	—	—	—	—	—	—	—	1	19	61	19	—
03	0)	0)	0)	0)	0)	0)	0)	1)	17)	50)	32)	0)
04	—	—	—	—	—	—	—	1	14	46	40	—
05	—	—	—	—	—	—	—	1	13	46	41	—
06	—	—	—	—	—	—	—	1	13	44	42	—
07	—	—	—	—	—	—	—	2	13	51	34	—
08	—	—	—	—	—	—	—	1	19	57	23	—
09	—	—	—	—	—	—	—	1	24	64	11	—
10	—	—	—	—	—	—	—	1	30	68	1	—
11	—	—	—	—	—	—	—	1	45	54	—	—
12	—	—	—	—	—	—	—	1	48	50	—	—
13	—	—	—	—	—	—	—	1	58	41	—	—
14	—	—	—	—	—	—	—	3	67	30	—	—
15	—	—	—	—	—	—	—	5	72	23	—	—
16	—	—	—	—	—	—	—	5	80	15	—	—
17	—	—	—	—	—	—	—	7	82	11	—	—
18	—	—	—	—	—	—	—	9	81	10	—	—
19	—	—	—	—	—	—	—	10	88	3	—	—
20	—	—	—	—	—	—	—	12	86	2	—	—
21	—	—	—	—	—	—	—	9	87	4	—	—
22	—	—	—	—	—	—	—	5	70	25	—	—
23	—	—	—	—	—	—	—	2	52	46	—	—
MEAN	0)	0)	0)	0)	0)	0)	0)	3)	47)	39)	10)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKAYAMA AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	—	25	74	2	—
01	—	—	—	—	—	—	—	—	19	62	19	—
02	—	—	—	—	—	—	—	—	14	47	39	—
03	—	—	—	—	—	—	—	—	10	41	48	1
04	—	—	—	—	—	—	—	—	11	34	55	—
05	—	—	—	—	—	—	—	—	8	35	57	—
06	—	—	—	—	—	—	—	—	10	38	52	—
07	—	—	—	—	—	—	—	—	10	44	46	—
08	—	—	—	—	—	—	—	—	13	51	36	—
09	—	—	—	—	—	—	—	—	18	66	16	—
10	—	—	—	—	—	—	—	—	26	70	3	—
11	—	—	—	—	—	—	—	—	32	68	1	—
12	—	—	—	—	—	—	—	—	36	63	1	—
13	—	—	—	—	—	—	—	1	43	57	—	—
14	—	—	—	—	—	—	—	1	54	46	—	—
15	—	—	—	—	—	—	—	2	64	34	—	—
16	—	—	—	—	—	—	—	2	65	34	—	—
17	—	—	—	—	—	—	—	3	69	28	—	—
18	—	—	—	—	—	—	—	3	81	16	—	—
19	—	—	—	—	—	—	—	4	85	12	—	—
20	—	—	—	—	—	—	—	4	88	8	—	—
21	—	—	—	—	—	—	—	5	85	10	—	—
22	—	—	—	—	—	—	—	1	53	46	—	—
23	—	—	—	—	—	—	—	1	37	63	—	—
MEAN	—	—	—	—	—	—	—	1	40	44	16	0

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKAYAMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	9	76	15	—	—
01	—	—	—	—	—	—	—	8	61	31	—	—
02	—	—	—	—	—	—	—	5	52	43	—	—
03	—	—	—	—	—	—	—	4	40	55	1	—
04	—	—	—	—	—	—	—	5	35	57	3	—
05	—	—	—	—	—	—	—	5	34	59	3	—
06	—	—	—	—	—	—	—	4	40	52	4	—
07	—	—	—	—	—	—	—	5	43	50	2	—
08	—	—	—	—	—	—	—	6	59	35	—	—
09	—	—	—	—	—	—	—	11	68	21	—	—
10	—	—	—	—	—	—	—	19	69	11	—	—
11	—	—	—	—	—	—	—	26	67	7	—	—
12	—	—	—	—	—	—	—	29	68	3	—	—
13	0)	0)	0)	0)	0)	0)	1)	37)	61)	1)	0)	0)
14	0)	0)	0)	0)	0)	0)	1)	44)	54)	1)	0)	0)
15	0)	0)	0)	0)	0)	0)	1)	49)	50)	1)	0)	0)
16	0)	0)	0)	0)	0)	0)	3)	46)	51)	0)	0)	0)
17	0)	0)	0)	0)	0)	0)	3)	50)	47)	0)	0)	0)
18	0)	0)	0)	0)	0)	0)	3)	51)	46)	1)	0)	0)
19	0)	0)	0)	0)	0)	0)	4)	54)	41)	1)	0)	0)
20	0)	0)	0)	0)	0)	0)	5)	56)	38)	1)	0)	0)
21	—	—	—	—	—	—	7	52	40	1	—	—
22	—	—	—	—	—	—	1	47	52	1	—	—
23	—	—	—	—	—	—	—	31	62	7	—	—
MEAN	0)	0)	0)	0)	0)	0)	1)	27)	52)	19)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: OKAYAMA AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	18	60	21	1	—	—
01	—	—	—	—	—	—	8	59	29	3	—	—
02	—	—	—	—	—	—	5	47	43	5	—	—
03	—	—	—	—	—	—	1	46	45	8	—	—
04	—	—	—	—	—	—	2	45	45	9	—	—
05	—	—	—	—	—	—	3	36	52	10	—	—
06	—	—	—	—	—	—	1	42	49	8	—	—
07	—	—	—	—	—	—	5	45	45	5	—	—
08	—	—	—	—	—	—	14	50	32	4	—	—
09	—	—	—	—	—	—	23	62	15	1	—	—
10	—	—	—	—	—	1	28	58	12	1	—	—
11	—	—	—	—	—	1	41	46	12	—	—	—
12	—	—	—	—	—	1	43	46	10	—	—	—
13	—	—	—	—	—	3	47	41	9	—	—	—
14	—	—	—	—	—	5	50	37	9	—	—	—
15	—	—	—	—	—	9	46	36	8	—	—	—
16	—	—	—	—	—	9	45	37	9	—	—	—
17	—	—	—	—	—	14	43	37	6	—	—	—
18	—	—	—	—	—	13	46	35	6	—	—	—
19	—	—	—	—	—	15	45	32	7	—	—	—
20	—	—	—	—	—	19	44	32	6	—	—	—
21	—	—	—	—	—	17	46	30	6	—	—	—
22	—	—	—	—	—	15	46	32	7	—	—	—
23	—	—	—	—	—	—	41	47	12	—	—	—
MEAN	—	—	—	—	—	5	29	43	21	2	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKAYAMA AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	3	33	49	15	—	—	—	—
01	—	—	—	—	1	22	52	25	—	—	—	—
02	—	—	—	—	1	16	49	34	—	—	—	—
03	—	—	—	—	—	13	46	38	3	—	—	—
04	—	—	—	—	—	11	45	41	3	—	—	—
05	—	—	—	—	—	12	43	42	3	—	—	—
06	—	—	—	—	—	12	47	38	3	—	—	—
07	—	—	—	—	1	18	49	32	1	—	—	—
08	—	—	—	—	1	27	51	20	—	—	—	—
09	—	—	—	—	4	33	52	11	—	—	—	—
10	—	—	—	—	6	35	49	10	—	—	—	—
11	—	—	—	—	6	42	44	8	—	—	—	—
12	—	—	—	—	9	39	46	6	—	—	—	—
13	0)	0)	0)	1)	9)	44)	40)	5)	0)	0)	0)	0)
14	0)	0)	0)	1)	12)	45)	37)	5)	0)	0)	0)	0)
15	0)	0)	0)	1)	14)	48)	33)	5)	0)	0)	0)	0)
16	0)	0)	0)	1)	16)	47)	32)	5)	0)	0)	0)	0)
17	0)	0)	0)	0)	18)	46)	31)	5)	0)	0)	0)	0)
18	0)	0)	0)	1)	17)	49)	30)	3)	0)	0)	0)	0)
19	0)	0)	0)	1)	17)	50)	29)	3)	0)	0)	0)	0)
20	0)	0)	0)	1)	19)	49)	26)	5)	0)	0)	0)	0)
21	—	—	—	2	20	49	25	4	—	—	—	—
22	—	—	—	1	21	49	26	3	—	—	—	—
23	—	—	—	—	10	48	36	6	—	—	—	—
MEAN	0)	0)	0)	0)	9)	35)	40)	15)	1)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OKAYAMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	2	54	38	5	1	—	—	—	—
01	—	—	—	1	34	48	16	1	—	—	—	—
02	—	—	—	1	25	51	22	1	—	—	—	—
03	—	—	—	—	21	52	27	1	—	—	—	—
04	—	—	—	—	18	52	28	1	—	—	—	—
05	—	—	—	—	17	51	30	3	—	—	—	—
06	—	—	—	1	19	52	27	1	—	—	—	—
07	—	—	—	1	25	54	21	1	—	—	—	—
08	—	—	—	1	39	48	10	1	—	—	—	—
09	—	—	—	4	46	41	8	—	—	—	—	—
10	—	—	—	8	46	38	7	—	—	—	—	—
11	—	—	—	13	44	37	6	—	—	—	—	—
12	—	—	—	12	46	37	5	—	—	—	—	—
13	0)	0)	0)	17)	47)	31)	5)	0)	0)	0)	0)	0)
14	0)	0)	0)	18)	52)	27)	4)	0)	0)	0)	0)	0)
15	0)	0)	0)	20)	52)	25)	3)	0)	0)	0)	0)	0)
16	—	—	—	19	54	23	4	—	—	—	—	—
17	—	—	—	20	54	21	5	—	—	—	—	—
18	—	—	—	23	52	23	3	—	—	—	—	—
19	—	—	—	24	51	22	3	—	—	—	—	—
20	—	—	—	24	54	20	3	—	—	—	—	—
21	—	—	1	26	48	22	3	—	—	—	—	—
22	—	—	—	30	45	23	2	—	—	—	—	—
23	—	—	—	12	57	28	3	—	—	—	—	—
MEAN	0)	0)	0)	12)	42)	36)	10)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: OKAYAMA AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	0)	2)	19)	15)	13)	17)	21)	13)	0)	0)
01	0)	0)	0)	1)	13)	18)	13)	17)	22)	15)	2)	0)
02	0)	0)	0)	0)	9)	19)	13)	15)	22)	16)	5)	0)
03	0)	0)	0)	0)	7)	20)	13)	15)	20)	17)	7)	0)
04	0)	0)	0)	0)	6)	20)	13)	15)	20)	17)	9)	0)
05	0)	0)	0)	0)	6)	19)	13)	15)	19)	19)	9)	0)
06	0)	0)	0)	0)	6)	19)	14)	15)	20)	18)	9)	0)
07	0)	0)	0)	0)	8)	19)	13)	15)	19)	18)	7)	0)
08	0)	0)	0)	1)	12)	18)	13)	14)	21)	16)	5)	0)
09	0)	0)	0)	2)	15)	16)	14)	16)	21)	14)	2)	0)
10	0)	0)	0)	3)	18)	14)	14)	16)	21)	13)	0)	0)
11	0)	0)	0)	4)	18)	15)	15)	17)	20)	11)	0)	0)
12	0)	0)	0)	5)	18)	15)	16)	17)	20)	10)	0)	0)
13	0)	0)	0)	6)	19)	14)	16)	17)	20)	8)	0)	0)
14	0)	0)	0)	7)	19)	14)	16)	17)	20)	6)	0)	0)
15	0)	0)	0)	8)	19)	14)	16)	18)	20)	5)	0)	0)
16	0)	0)	0)	9)	19)	14)	16)	18)	20)	4)	0)	0)
17	0)	0)	0)	9)	20)	15)	15)	19)	19)	3)	0)	0)
18	0)	0)	0)	10)	19)	15)	16)	19)	19)	2)	0)	0)
19	0)	0)	0)	11)	19)	15)	16)	18)	20)	1)	0)	0)
20	0)	0)	0)	11)	20)	16)	15)	18)	19)	1)	0)	0)
21	0)	0)	0)	12)	19)	15)	15)	18)	20)	1)	0)	0)
22	0)	0)	1)	11)	18)	14)	14)	18)	18)	6)	0)	0)
23	0)	0)	0)	7)	19)	13)	14)	17)	20)	10)	0)	0)
MEAN	0)	0)	0)	5)	15)	16)	14)	17)	20)	10)	2)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKAYAMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft**

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	2.9	3.3	7.4	12.9	18.0	21.1	25.3	26.2	22.0	16.8	10.6	4.8	14.3
Daily maximum air temperature(°C)	7.6	8.0	13.1	18.5	23.9	25.6	29.9	31.3	26.8	21.9	15.4	9.5	19.3
Daily minimum air temperature(°C)	-1.4	-1.0	2.1	7.3	12.2	17.4	21.8	22.5	18.3	12.1	6.1	0.5	9.8
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	41.2	56.4	86.8	98.9	73.0	244.8	163.8	135.9	158.6	103.8	77.2	71.8	1312.2
Snow fall(cm)	1	4	0	—	—	—	—	—	—	—	0	0	5
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	969.4	973.6*	968.8	956.9	968.1	960.6	957.9	954.7	964.0	960.1	973.5	967.8	954.7
Daily maximum air temperature(°C)	15.8	17.6	22.3	27.1	31.1	34.1	34.7	35.5*	32.1	29.4	23.3	18.9	35.5*
Daily minimum air temperature(°C)	-7.6	-7.3	-4.5*	-2.1	3.8	9.1	17.5	16.7	11.7	5.7	-2.3	-5.4	-7.6
Daily precipitation(mm)	33.0	19.0*	32.5	43.0	37.0	97.5	141.5	52.0	67.0	73.5	40.0	37.0	141.5
Daily max.one-hour precipitation(mm)	7.5*	10.0*	8.5	9.5*	12.0	25.0	22.0	45.0	31.0	14.5	11.0	13.5	45.0
Daily max.ten-minute precipitation(mm)	3.5	5.0*	2.5*	6.5	3.5	7.5	10.5*	16.0	21.0	6.5	4.0	3.5	21.0
Daily totals of snowfall(cm)	2	11	0 *	—	—	—	—	—	—	—	0	0 *	11
Daily maximum of snow cover(cm)	2	12	—	—	—	—	—	—	—	—	—	0	12
Daily maximum wind speed(kt)	23	22	21 *	32	23	15 *	33	25	25	26	18 *	25 *	33
with wind direction(36DIR.)	29	29	27	24	24	5	8	11	5	2	27	29 *	8
Daily maximum peak gust(kt)	36	35 *	33 *	47	33	23	48	42	35	39	30 *	39	48
with wind direction(36DIR.)	28	28	28	25	23	24	8	28	14	3	26	31	8

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKAYAMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft**

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	23.4	24.0	11.2	0.4	—	—	—	—	—	—	1.0	15.6	75.6
≥ 25.0°C	—	—	—	—	—	—	—	0.6	—	—	—	—	0.6
Daily mean air temperature < 0.0°C	3.2	2.4	0.2	—	—	—	—	—	—	—	—	1.0	6.8
≥ 25.0°C	—	—	—	—	—	1.0	20.0	21.8	3.6	—	—	—	46.4
Daily maximum air temperature < 0.0°C	0.2	—	—	—	—	—	—	—	—	—	—	—	0.2
≥ 25.0°C	—	—	—	1.0	13.0	18.4	29.0	30.6	22.8	4.4	—	—	119.2
≥ 30.0°C	—	—	—	—	0.2	1.4	19.0	21.4	3.6	—	—	—	45.6
Daily precipitation ≥ 0.0mm	17.4	18.2	14.4	14.4	11.0	16.6	15.4	16.4	13.6	10.2	13.0	15.4	176.0
≥ 1.0mm	5.2	7.8	7.0	10.2	7.4	12.2	10.0	9.0	9.4	7.6	7.2	6.8	99.8
≥ 5.0mm	2.4	4.0	5.6	6.0	4.2	8.4	6.8	6.0	6.6	4.4	4.2	5.0	63.6
≥ 10.0mm	1.4	2.8	3.4	3.8	3.0	7.2	5.2	4.2	4.8	3.0	3.0	3.2	45.0
≥ 30.0mm	0.2	—	0.4	0.4	0.2	2.4	1.6	2.0	1.6	1.0	0.2	0.2	10.2
≥ 50.0mm	—	—	—	—	—	1.6	0.2	0.2	0.6	0.4	—	—	3.0
≥ 70.0mm	—	—	—	—	—	0.6	0.2	—	—	0.2	—	—	1.0
≥ 100.0mm	—	—	—	—	—	—	0.2	—	—	—	—	—	0.2

LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKAYAMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft****AIR PRESSURE (hPa) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	992.2	992.3	990.2	987.2	984.7	981.1	982.1	981.7	986.0	990.2	991.5	991.7	987.6
01	992.3	992.2	990.1	987.2	984.6	981.1	982.1	981.7	986.0	990.1	991.4	991.8	987.6
02	991.9	992.0	989.7	986.8	984.3	980.9	981.9	981.4	985.6	989.7	991.0	991.4	987.2
03	991.0	991.3	989.1	986.2	983.8	980.6	981.6	981.0	985.2	989.1	990.2	990.5	986.6
04	990.3	990.5	988.4	985.7	983.4	980.2	981.2	980.7	984.7	988.4	989.6	989.9	986.1
05	990.0	990.0	987.8	985.2	982.9	979.9	980.9	980.3	984.2	988.0	989.3	989.6	985.7
06	990.1	990.0	987.6	984.8	982.6	979.7	980.7	979.9	984.0	987.9	989.4	989.7	985.6
07	990.4	990.1	987.6	984.7	982.4	979.5	980.5	979.9	984.1	988.1	989.6	990.0	985.6
08	990.7	990.4	987.8	984.9	982.4	979.4	980.5	980.0	984.3	988.2	989.9	990.3	985.8
09	991.1	990.8	988.3	985.1	982.6	979.6	980.7	980.1	984.5	988.5	990.2	990.7	986.0
10	991.5	991.2	988.8	985.5	983.0	979.9	981.0	980.5	984.9	988.9	990.6	991.1	986.4
11	991.7	991.5	989.3	986.1	983.4	980.2	981.3	981.0	985.4	989.2	990.8	991.2	986.8
12	991.8	991.8	989.6	986.6	983.9	980.7	981.8	981.4	985.7	989.4	990.9	991.2	987.1
13	991.7	991.9	989.8	986.6	984.1	980.8	981.9	981.4	985.7	989.5	991.0	991.3	987.1
14	991.7	991.8	989.7	986.7	984.1	980.7	981.9	981.4	985.6	989.4	990.9	991.3	987.1
15	991.5	991.7	989.6	986.7	984.0	980.6	981.7	981.3	985.5	989.2	990.8	991.1	987.0
16	991.2	991.7	989.6	986.6	983.8	980.4	981.4	981.1	985.2	989.0	990.7	990.8	986.8
17	991.3	991.6	989.4	986.4	983.7	980.3	981.3	981.0	985.1	989.0	990.7	990.9	986.7
18	991.3	991.4	989.2	986.2	983.7	980.2	981.2	980.9	985.0	988.8	990.5	990.7	986.6
19	991.0	991.2	989.1	986.2	983.7	980.3	981.3	980.9	985.0	988.8	990.4	990.6	986.6
20	991.1	991.2	989.2	986.3	983.9	980.5	981.5	981.1	985.1	989.0	990.4	990.5	986.7
21	991.3	991.4	989.4	986.6	984.3	980.8	981.7	981.4	985.3	989.3	990.5	990.8	986.9
22	991.6	991.7	989.7	987.0	984.5	981.0	982.0	981.6	985.6	989.6	990.9	991.1	987.2
23	991.9	992.1	990.0	987.1	984.7	981.2	982.2	981.7	985.8	990.0	991.3	991.4	987.5
MEAN	991.3	991.3	989.1	986.2	983.7	980.4	981.4	981.0	985.1	989.1	990.5	990.8	986.7

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKAYAMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft****AIR TEMPERATURE (°C) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	2.7	3.1	7.5	13.1	18.4	21.4	25.5	26.6	22.6	17.5	11.2	5.1	14.6
01	4.3	4.5	8.8	14.5	19.8	22.3	26.5	27.6	23.6	18.7	12.5	6.4	15.8
02	5.4	5.4	10.0	15.6	21.0	23.2	27.3	28.6	24.4	19.6	13.4	7.3	16.8
03	6.1	6.1	10.9	16.5	21.8	23.9	28.0	29.3	25.1	20.3	14.0	8.0	17.5
04	6.4	6.6	11.6	17.1	22.5	24.3	28.6	29.7	25.4	20.6	14.3	8.3	18.0
05	6.6	6.9	11.8	17.4	22.8	24.4	28.8	30.0	25.5	20.9	14.3	8.4	18.2
06	6.4	6.9	11.9	17.3	22.7	24.4	28.7	29.9	25.5	20.7	14.1	8.0	18.0
07	5.9	6.5	11.4	16.9	22.3	24.0	28.3	29.4	25.0	19.9	13.3	7.3	17.5
08	4.7	5.6	10.5	16.1	21.5	23.5	27.6	28.6	24.0	18.6	12.0	6.1	16.6
09	3.6	4.4	9.2	14.9	20.3	22.7	26.8	27.5	22.9	17.2	11.0	5.2	15.5
10	2.9	3.5	8.1	13.6	18.8	21.7	25.8	26.4	22.0	16.6	10.5	4.7	14.5
11	2.4	3.1	7.4	12.8	17.9	20.9	25.1	25.8	21.5	16.1	10.1	4.2	14.0
12	2.2	2.7	6.9	12.3	17.3	20.5	24.6	25.4	21.1	15.8	9.9	4.1	13.6
13	1.8	2.2	6.3	11.6	16.6	20.0	24.2	24.9	20.7	15.3	9.4	3.6	13.0
14	1.6	2.0	5.9	11.1	15.9	19.7	23.8	24.5	20.4	14.9	9.2	3.4	12.7
15	1.2	1.7	5.4	10.7	15.4	19.4	23.6	24.1	20.2	14.7	8.9	3.2	12.4
16	1.0	1.4	4.9	10.0	14.9	19.0	23.1	24.0	20.0	14.7	8.7	3.2	12.1
17	0.9	1.1	4.6	9.7	14.5	18.7	22.9	23.8	19.8	14.4	8.6	3.0	11.8
18	0.7	1.0	4.5	9.3	14.0	18.5	22.8	23.6	19.7	14.2	8.4	2.9	11.6
19	0.6	0.7	4.2	9.0	13.6	18.2	22.5	23.4	19.5	14.0	8.2	2.8	11.4
20	0.5	0.7	4.0	8.8	13.2	18.1	22.4	23.2	19.3	13.7	8.1	2.7	11.2
21	0.4	0.5	3.7	8.8	13.9	18.6	22.6	23.3	19.2	13.6	7.9	2.5	11.2
22	0.3	0.5	4.2	10.2	15.6	19.5	23.5	24.3	20.1	14.2	7.9	2.5	11.9
23	0.9	1.5	5.9	11.7	17.1	20.4	24.5	25.5	21.4	16.0	9.5	3.3	13.2
MEAN	2.9	3.3	7.5	12.9	18.0	21.1	25.3	26.2	22.1	16.7	10.6	4.8	14.3

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKAYAMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft****VAPOR PRESSURE (hPa) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	5.7	5.7)	7.3	10.4	14.1	19.9	26.4	27.1	21.2	14.7	10.5	7.0	14.0)
01	5.6	5.7)	7.3	10.2	14.1	20.0	26.6	27.1	21.1	14.7	10.3	6.8	14.0)
02	5.5	5.7)	7.3	10.1	14.1	20.1	26.6	27.0	21.2	14.5	10.1	6.7	14.0)
03	5.4	5.5)	7.3	10.1	13.8	20.1	26.6	26.9	21.0	14.4	10.0	6.5	13.9)
04	5.4	5.5)	7.3	10.1	13.6	20.0	26.9	26.6	20.7	14.3	9.9	6.5	13.8)
05	5.3	5.5)	7.2	10.0	13.6	19.8	26.6	26.5	20.7	14.2	9.9	6.4	13.7)
06	5.3	5.5)	7.2	9.9	13.4	19.7	26.5	26.5	20.6	14.3	9.7	6.4	13.6)
07	5.3	5.3)	7.1	9.8	13.2	19.5	26.4	26.3	20.6	14.2	9.7	6.4	13.5)
08	5.3	5.3)	7.1	9.7	13.1	19.4	26.1	26.1	20.6	14.1	9.7	6.3	13.4)
09	5.3	5.3)	6.9	9.7	13.0	19.2	25.9	26.0	20.3	14.0	9.7	6.4	13.3)
10	5.3	5.3)	7.0	9.7	12.9	18.9	25.4	25.6	20.1	13.9	9.8	6.4	13.2)
11	5.3	5.4)	7.0	9.7	12.9	18.9	25.3	25.5	20.1	13.9	9.7	6.4	13.2)
12	5.3	5.3)	6.9	9.7	12.9	18.9	25.1	25.3	20.0	13.8	9.7	6.4	13.1)
13	5.3	5.3)	6.9	9.7	12.9	18.9	25.1	25.4	20.0	13.8	9.6	6.4	13.1)
14	5.3	5.4)	6.9	9.8	12.9	18.9	25.0	25.4	20.0	13.8	9.6	6.3	13.1)
15	5.2	5.4)	6.8	9.8	12.9	18.9	25.0	25.4	19.9	13.7	9.5	6.4	13.1)
16	5.2	5.3)	6.8	9.6	12.9	18.6	24.9	25.5	20.0	13.9	9.6	6.5	13.1)
17	5.2	5.2)	6.8	9.6	12.9	18.6	24.8	25.4	19.9	13.8	9.6	6.5	13.1)
18	5.1	5.3)	6.7	9.6	12.9	18.6	24.8	25.4	19.9	13.7	9.5	6.5	13.1)
19	5.1	5.2)	6.7	9.6	12.8	18.6	24.7	25.3	19.8	13.6	9.5	6.5	13.0)
20	5.1	5.2)	6.7	9.5	12.7	18.5	24.7	25.3	19.7	13.4	9.4	6.4	13.0)
21	5.1	5.2)	6.7	9.6	13.4	19.1	25.5	25.8	19.7	13.3	9.4	6.3	13.2)
22	5.1	5.2)	7.0	10.3	14.0	19.5	26.1	26.8	20.6	13.9	9.6	6.3	13.6)
23	5.4	5.6)	7.4	10.4	14.1	19.7	26.4	27.2	21.0	14.5	10.3	6.8	14.0)
MEAN	5.3	5.4)	7.0	9.8	13.3	19.3	25.7	26.1	20.4	14.0	9.8	6.5	13.4)

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKAYAMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft**

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES													
TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	76	73	68	67	66	78	81	78	76	72	76	77	74
01	67	66	63	61	61	75	77	74	72	67	69	69	69
02	61	62	58	57	57	71	74	70	69	63	64	64	64
03	57	57	56	54	54	69	71	67	66	60	61	60	61
04	55	56	53	52	51	67	69	65	64	58	60	58	59
05	54	55	52	51	51	67	68	64	64	57	59	57	58
06	54	54	51	51	50	66	69	63	63	58	59	58	58
07	56	55	52	52	51	67	69	65	65	60	62	61	60
08	61	58	54	53	53	68	71	68	69	65	67	65	63
09	66	63	58	57	56	70	74	71	73	70	71	70	67
10	69	66	62	61	60	73	77	75	76	72	74	73	70
11	71	69	65	64	63	77	79	77	77	74	76	75	72
12	73	69	67	66	65	78	81	78	79	75	77	76	74
13	74	72	70	69	68	80	83	81	81	77	79	78	76
14	75	74	71	71	70	82	85	83	82	79	80	79	78
15	76	75	73	74	73	84	86	84	83	80	81	80	79
16	78	76	75	76	75	85	88	85	84	81	82	81	80
17	78	77	76	77	76	86	88	86	85	81	83	82	81
18	79	78	77	79	78	87	89	87	85	82	83	82	82
19	79	79	78	79	80	88	90	88	86	83	84	83	83
20	79	80	79	80	82	88	91	89	86	83	84	83	84
21	80	80	80	81	83	88	92	89	87	83	85	83	84
22	80	81	81	80	78	86	90	88	86	84	87	83	84
23	81	81	77	74	72	82	86	83	82	78	85	85	80
MEAN	70	69	67	66	65	77	80	77	77	73	75	73	73

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OKAYAMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft

MOST FREQUENT WIND DIRECTION (36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	27	28)	24	7	11	8	23	12	8	1	24	28	8)
01	25	25)	24	11	11 *	10	24	10	11 *	3	27	25	24)
02	25 *	29)	24	11	12 *	8 *	23 *	23	2	2 *	28	24	24)
03	30	30)	22	23	23 *	13	22)	21	12	1 *	29 *	26	23)
04	29	29)	22	21	20	13	23	12	2	1	24 *	26	23)
05	29	30)	22	13	15	13	23	22	13	2	29	27	23)
06	29	29)	21	22 *	14 *	14	23	24	11	3	30	29	23)
07	29	29)	22	14	14	11	22	24	1	2 *	13	29	22)
08	29	29)	22	22	14	13	23	12	13 *	3	26 *	30	13)
09	30	30)	23	23 *	13	11	22	12	1 *	2	3	28	11)
10	30	30)	28 *	1	11	11	11	12	3	1	29	26	1)
11	27 *	30)	31	34	1	10	11	1	34	1	30	27	1)
12	29	2)	33	1	4	2	10	1	36	2	33 *	27	2)
13	27)	29)	29)	4	4	7	7	34	35)	2	29)	27)	34)
14	30)	27)	2)	26 *	7 *	6	8	7 *	36)	35	30)	28)	35)
15	29)	27)	26)	5	5	4	5	5	34)	34	34)	27)	5)
16	29)	29)	30)	35	1	7	5	8	35)	36 *	30)	27 *	29)
17	29)	30)	28)	4	5	7	25	6	35)	35	29)	29 *	28)
18	29	28)	27 *	7	34	8	7	6	34)	34	29)	27	29)
19	27	26)	28	5	4	7	7 *	7	35)	35	35)	26	35)
20	29 *	30)	31 *	33	6 *	5	6	7	34)	34 *	36)	28	34)
21	29	29)	5	8 *	35	7	7	6	34	34 *	35	29	29)
22	28	30)	29	6	7	7	8 *	6	35	33 *	35	27	7)
23	28	28)	7	11	7	7	8	9 *	1	1	25	27	7)
ALL	29)	29)	29)	5	11	7	23)	11 *	1)	2	29)	28)	29)

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKAYAMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft****WIND SPEED (kt) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	4.5	4.8	5.3	5.7	5.0	5.0	4.7	4.6	4.8	4.8	4.5	4.9	4.9
01	5.8	6.1	5.8	6.1	5.3	4.9	5.0	4.9	5.1	5.6	5.5	6.0	5.5
02	6.6	6.9	6.1	6.7	5.5	5.1	5.5	5.2	5.2	5.5	5.9	7.3	6.0
03	7.2	7.0	6.5	6.8	6.1	5.4	5.8	5.3	5.1	5.6	6.4	7.6	6.2
04	7.5	7.2	7.3	7.4	6.2	5.7	6.2	5.8	5.2	5.6	6.2	7.9	6.5
05	7.7	7.3	7.2	7.9	6.7	6.0	6.5	5.9	5.1	5.5	6.2	7.3	6.6
06	7.7	7.3	7.7	8.0	7.1	6.2	6.8	6.1	5.2	5.5	6.0	7.6	6.8
07	7.3	7.5	7.5	7.7	7.1	5.9	6.3	6.0	5.4	5.1	5.6	6.7	6.5
08	5.9	6.8	7.0	7.5	6.7	5.7	6.2	5.7	4.8	4.7	4.4	5.5	5.9
09	5.1	5.3	5.7	6.2	5.7	5.1	5.4	5.1	4.1	4.2	3.9	4.7	5.0
10	4.6	4.9	4.6	4.6	4.3	4.6	4.3	4.3	3.8	4.0	3.8	4.6	4.4
11	4.3	4.5	4.3	4.4	4.0	3.9	3.9	4.2	3.8	3.9	3.8	4.5	4.1
12	4.2	4.4	4.0	4.4	3.7	4.0	3.7	4.0	3.7	3.9	3.3	4.4	4.0
13	4.0	4.2	3.8	4.2	3.5	3.8	3.5	4.0	3.9	3.8	3.6	4.2	3.9
14	4.2	3.9	3.8	3.9	3.6	3.9	3.4	3.8	3.7	3.4	3.7	4.2	3.8
15	3.9	4.0	3.3	3.9	3.6	4.1	3.3	3.7	3.6	3.7	3.5	4.1	3.7
16	3.8	3.9	3.5	3.7	3.5	4.0	3.2	3.6	3.7	3.7	3.7	4.1	3.7
17	3.9	3.7	3.4	3.9	3.2	3.9	3.1	3.2	3.5	4.1	3.5	4.0	3.6
18	4.1	3.6	3.4	3.8	3.1	3.9	3.1	3.4	3.8	3.8	3.5	3.9	3.6
19	4.1	3.8	3.4	3.8	3.0	3.7	3.0	3.5	3.6	3.7	3.6	3.8	3.6
20	4.2	3.8	3.4	3.8	3.2	4.0	3.0	3.3	3.7	3.8	3.3	3.9	3.6
21	4.2	3.8	3.3	3.6	3.3	3.8	3.2	3.4	3.7	3.7	3.2	3.7	3.6
22	4.0	3.7	3.3	4.1	3.9	4.4	3.8	4.1	3.9	3.7	3.1	3.6	3.8
23	3.9	3.9	3.9	5.0	4.6	4.9	4.3	4.3	4.4	4.2	3.5	4.1	4.2
MEAN	5.1	5.1	4.9	5.3	4.7	4.7	4.5	4.5	4.3	4.4	4.3	5.1	4.7

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKAYAMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	3.4	8.2	-1.0	3.0	7.7	-1.4	5.3	10.2	0.6	10.7	16.4	5.2
02	3.3	8.2	-1.1	3.0	7.7	-1.4	5.5	10.5	0.8	10.8	16.4	5.4
03	3.3	8.2	-1.1	3.0	7.7	-1.4	5.6	10.7	0.9	11.0	16.5	5.5
04	3.3	8.2	-1.2	2.9	7.6	-1.4	5.8	10.8	1.0	11.0	16.5	5.6
05	3.3	8.2	-1.2	2.9	7.6	-1.4	5.9	11.0	1.1	11.1	16.6	5.6
06	3.2	8.2	-1.2	2.9	7.6	-1.4	5.9	11.1	1.1	11.2	16.6	5.7
07	3.2	8.1	-1.2	2.8	7.5	-1.5	6.0	11.2	1.1	11.2	16.7	5.7
08	3.1	8.1	-1.2	2.8	7.5	-1.5	6.1	11.4	1.1	11.3	16.8	5.7
09	3.1	8.0	-1.2	2.8	7.6	-1.4	6.1	11.5	1.1	11.4	16.9	5.7
10	3.0	7.9	-1.2	2.8	7.6	-1.4	6.2	11.7	1.1	11.5	17.1	5.8
11	3.0	7.8	-1.2	2.8	7.6	-1.3	6.3	11.9	1.1	11.6	17.3	5.9
12	2.9	7.7	-1.2	2.9	7.7	-1.3	6.4	12.1	1.2	11.8	17.6	6.1
13	2.9	7.6	-1.2	3.0	7.7	-1.2	6.6	12.3	1.3	12.1	17.9	6.3
14	2.9	7.5	-1.2	3.0	7.8	-1.1	6.8	12.6	1.4	12.3	18.1	6.5
15	2.8	7.4	-1.2	3.1	7.9	-1.0	7.1	12.8	1.6	12.5	18.4	6.7
16	2.8	7.3	-1.2	3.2	7.9	-0.9	7.3	13.1	1.8	12.7	18.6	6.9
17	2.8	7.2	-1.3	3.3	8.0	-0.9	7.5	13.4	1.9	13.0	18.8	7.2
18	2.8	7.2	-1.3	3.4	8.1	-0.8	7.7	13.6	2.1	13.2	19.0	7.5
19	2.7	7.2	-1.4	3.5	8.3	-0.7	7.9	13.8	2.3	13.4	19.3	7.7
20	2.7	7.1	-1.4	3.7	8.4	-0.7	8.1	14.0	2.5	13.7	19.5	7.9
21	2.7	7.1	-1.5	3.8	8.6	-0.6	8.3	14.2	2.6	13.9	19.7	8.2
22	2.7	7.1	-1.6	3.9	8.7	-0.5	8.4	14.4	2.7	14.1	19.9	8.4
23	2.7	7.2	-1.6	4.1	8.9	-0.3	8.5	14.5	2.9	14.4	20.1	8.6
24	2.7	7.2	-1.7	4.3	9.1	-0.2	8.7	14.7	3.0	14.6	20.3	8.8
25	2.7	7.3	-1.7	4.5	9.4	0.0	8.9	14.9	3.2	14.8	20.5	9.1
26	2.7	7.4	-1.7	4.7	9.6	0.1	9.1	15.2	3.5	15.0	20.7	9.3
27	2.8	7.4	-1.6	4.9	9.8	0.3	9.4	15.4	3.7	15.2	20.9	9.4
28	2.8	7.5	-1.6	5.1	10.0	0.5	9.6	15.6	4.0	15.4	21.1	9.6
29	2.9	7.6	-1.5	5.2	10.1	0.6	9.9	15.8	4.3	15.6	21.3	9.8
30	3.0	7.6	-1.4				10.2	16.0	4.6	15.7	21.4	9.9
31	3.0	7.7	-1.4				10.4	16.2	4.9			

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKAYAMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	15.8	21.5	10.0	20.1	25.5	15.2	22.7	26.9	19.5	26.9	32.0	23.1
02	15.9	21.6	10.1	20.2	25.4	15.3	22.9	27.2	19.7	27.0	32.0	23.1
03	16.0	21.7	10.1	20.2	25.4	15.5	23.2	27.4	19.9	27.0	32.1	23.1
04	16.0	21.8	10.1	20.2	25.3	15.6	23.4	27.6	20.2	27.0	32.2	23.1
05	16.1	21.9	10.2	20.3	25.3	15.8	23.7	27.9	20.4	27.0	32.2	23.0
06	16.1	22.0	10.2	20.4	25.3	16.0	23.9	28.1	20.6	26.9	32.2	23.0
07	16.2	22.1	10.3	20.5	25.4	16.3	24.1	28.4	20.9	26.9	32.2	23.0
08	16.3	22.2	10.3	20.7	25.5	16.5	24.4	28.6	21.1	26.9	32.2	22.9
09	16.4	22.3	10.4	20.8	25.6	16.7	24.6	28.9	21.2	26.8	32.1	22.9
10	16.5	22.5	10.6	21.0	25.7	17.0	24.8	29.1	21.4	26.8	32.1	22.9
11	16.7	22.6	10.7	21.2	25.8	17.2	24.9	29.3	21.5	26.8	32.0	22.8
12	16.9	22.8	10.9	21.3	25.9	17.4	25.1	29.5	21.7	26.7	32.0	22.8
13	17.1	23.0	11.1	21.4	25.9	17.6	25.2	29.7	21.8	26.7	31.9	22.8
14	17.3	23.2	11.3	21.5	25.9	17.8	25.3	29.9	21.8	26.7	31.9	22.9
15	17.5	23.5	11.5	21.6	25.9	17.9	25.4	30.0	21.9	26.7	31.8	22.9
16	17.8	23.8	11.8	21.6	25.9	18.0	25.5	30.2	21.9	26.6	31.8	22.9
17	18.0	24.0	12.1	21.6	25.9	18.0	25.6	30.3	22.0	26.6	31.7	22.8
18	18.3	24.3	12.3	21.6	25.8	18.1	25.7	30.4	22.0	26.5	31.6	22.8
19	18.5	24.5	12.6	21.6	25.7	18.1	25.7	30.5	22.1	26.4	31.5	22.7
20	18.7	24.7	12.9	21.6	25.7	18.1	25.8	30.7	22.2	26.3	31.4	22.6
21	19.0	24.9	13.1	21.6	25.7	18.2	25.9	30.8	22.2	26.1	31.2	22.5
22	19.2	25.1	13.4	21.6	25.7	18.2	26.0	30.9	22.3	26.0	31.0	22.4
23	19.4	25.3	13.7	21.6	25.7	18.3	26.1	31.0	22.4	25.8	30.7	22.2
24	19.5	25.4	13.9	21.7	25.8	18.4	26.3	31.1	22.5	25.5	30.5	22.0
25	19.7	25.5	14.1	21.8	25.9	18.5	26.4	31.2	22.6	25.3	30.2	21.8
26	19.8	25.6	14.3	21.9	26.0	18.6	26.5	31.4	22.7	25.0	29.9	21.6
27	19.9	25.6	14.5	22.0	26.2	18.7	26.6	31.5	22.8	24.8	29.6	21.4
28	20.0	25.6	14.7	22.2	26.3	18.9	26.7	31.6	22.9	24.5	29.3	21.2
29	20.1	25.6	14.9	22.3	26.5	19.1	26.8	31.7	23.0	24.3	29.0	21.0
30	20.1	25.6	15.0	22.5	26.7	19.3	26.8	31.8	23.0	24.1	28.8	20.8
31	20.1	25.5	15.1				26.9	31.9	23.1	23.9	28.5	20.7

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OKAYAMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 45.4'N, LONGITUDE: 133° 51.3'E, ELEVATION ABOVE MSL: 785 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	23.8	28.4	20.5	20.2	24.9	16.0	13.1	18.3	8.2	7.2	12.0	2.4
02	23.7	28.2	20.4	20.0	24.7	15.8	12.9	18.1	8.0	7.0	11.7	2.1
03	23.6	28.1	20.3	19.8	24.5	15.6	12.8	17.9	7.9	6.7	11.5	1.8
04	23.5	28.1	20.1	19.6	24.3	15.3	12.6	17.8	7.8	6.5	11.2	1.6
05	23.4	28.0	20.0	19.3	24.1	15.0	12.5	17.6	7.7	6.3	11.0	1.4
06	23.3	28.0	19.9	19.1	23.9	14.7	12.3	17.4	7.6	6.1	10.8	1.3
07	23.2	27.9	19.7	18.8	23.7	14.4	12.2	17.2	7.5	5.9	10.6	1.1
08	23.1	27.9	19.6	18.5	23.4	14.1	12.0	17.0	7.4	5.7	10.4	1.0
09	23.1	27.8	19.4	18.3	23.2	13.7	11.8	16.8	7.2	5.5	10.2	1.0
10	22.9	27.7	19.2	18.0	23.0	13.4	11.7	16.6	7.1	5.4	10.0	0.9
11	22.8	27.6	19.1	17.7	22.7	13.0	11.5	16.3	6.9	5.2	9.8	0.8
12	22.7	27.4	18.9	17.5	22.5	12.7	11.3	16.1	6.8	5.1	9.7	0.8
13	22.5	27.3	18.7	17.2	22.3	12.4	11.1	15.9	6.6	5.0	9.5	0.8
14	22.3	27.1	18.5	17.0	22.1	12.2	10.9	15.7	6.5	4.9	9.4	0.7
15	22.2	26.9	18.3	16.8	21.9	11.9	10.8	15.5	6.3	4.8	9.2	0.7
16	22.0	26.7	18.1	16.6	21.7	11.8	10.6	15.4	6.2	4.7	9.1	0.6
17	21.8	26.5	17.9	16.4	21.6	11.6	10.5	15.2	6.1	4.6	9.1	0.6
18	21.6	26.4	17.7	16.3	21.4	11.4	10.4	15.1	6.0	4.6	9.0	0.6
19	21.5	26.2	17.6	16.1	21.3	11.3	10.3	14.9	5.9	4.5	8.9	0.5
20	21.3	26.1	17.4	15.9	21.1	11.1	10.1	14.8	5.7	4.5	8.9	0.4
21	21.2	26.0	17.3	15.8	20.9	11.0	9.9	14.6	5.5	4.4	8.8	0.4
22	21.1	25.9	17.2	15.6	20.8	10.8	9.7	14.4	5.3	4.3	8.8	0.3
23	21.1	25.8	17.0	15.3	20.5	10.5	9.5	14.1	5.1	4.2	8.7	0.2
24	21.0	25.8	16.9	15.1	20.3	10.3	9.3	13.9	4.8	4.1	8.6	0.1
25	20.9	25.7	16.9	14.8	20.1	10.0	9.0	13.6	4.5	4.0	8.6	-0.1
26	20.8	25.6	16.8	14.6	19.8	9.7	8.7	13.3	4.2	3.9	8.5	-0.2
27	20.7	25.5	16.6	14.3	19.5	9.4	8.4	13.1	3.8	3.8	8.4	-0.4
28	20.6	25.4	16.5	14.0	19.2	9.1	8.1	12.8	3.4	3.7	8.4	-0.5
29	20.5	25.2	16.4	13.7	19.0	8.8	7.8	12.5	3.1	3.6	8.3	-0.7
30	20.3	25.1	16.2	13.5	18.7	8.6	7.5	12.2	2.7	3.5	8.3	-0.8
31				13.3	18.5	8.4				3.4	8.2	-0.9