

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MATSUYAMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

NUMBER OF FORWARD SCATTER: RWY14

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	-	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	0)	0)	0)	0)	0)	-	1	2
01	0)	0)	0)	0)	0)	-	1	1
02	0)	0)	0)	0)	0)	-	1	3
03	0)	0)	0)	0)	0)	-	1	3
04	0)	0)	0)	1)	1)	1	2	3
05	0)	0)	0)	0)	1)	-	1	2
06	0)	0)	0)	0)	1)	-	1	2
07	0)	0)	0)	0)	1)	-	1	3
08	0)	0)	0)	0)	0)	-	1	1
09	0)	0)	0)	0)	0)	-	-	1
10	0)	0)	0)	0)	1)	-	1	1
11	0)	0)	0)	0)	0)	-	-	1
12	0)	0)	0)	0)	0)	-	-	-
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	0)	1)	-	1	3
23	0)	0)	0)	0)	0)	-	1	3
MEAN	0)	0)	0)	0)	0)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MATSUYAMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

NUMBER OF FORWARD SCATTER: RWY14

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	-	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	-	-	1	-	1	4
01	-	-	-	-	1	-	2	4
02	0)	0)	0)	0)	1)	-	2	4
03	-	-	-	-	1	-	1	6
04	-	-	-	-	2	-	3	6
05	-	-	-	-	1	1	3	5
06	0)	0)	0)	0)	0)	-	-	4
07	-	-	-	-	-	-	1	1
08	-	-	-	-	-	-	1	1
09	-	-	-	-	-	-	1	2
10	-	-	-	-	1	-	1	1
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	1	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	1	1	2	6
23	-	-	-	-	1	-	1	6
MEAN	0)	0)	0)	0)	1)	0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MATSUYAMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

NUMBER OF FORWARD SCATTER: RWY14

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	-	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	1	1	2	3	2	3	8
01	0)	0)	0)	1)	2)	1	3	8
02	0)	0)	0)	1)	3)	1	4	5
03	-	-	-	1	3	1	5	7
04	-	-	1	1	4	1	5	6
05	0)	0)	1)	1)	3)	1	5	10
06	0)	0)	0)	0)	1)	-	2	5
07	-	-	-	-	1	-	3	6
08	-	-	-	-	-	-	-	7
09	-	-	-	-	-	-	1	4
10	-	-	1	1	1	1	1	3
11	-	-	1	1	1	1	1	3
12	-	-	-	-	1	-	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	2	2	3	3	5	8
23	1	1	1	2	3	2	3	10
MEAN	0)	0)	0)	1)	2)	1	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MATSUYAMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

NUMBER OF FORWARD SCATTER: RWY14

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	-	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	1	1	1	1	1	-	3	4
01	-	1	1	1	1	1	2	6
02	-	1	1	1	1	1	3	6
03	-	-	-	-	1	1	2	4
04	-	-	-	-	1	-	1	3
05	-	-	-	-	1	-	3	5
06	-	-	-	-	1	-	2	4
07	-	-	-	-	-	-	1	5
08	-	-	-	-	1	-	2	5
09	-	-	-	1	1	1	3	5
10	-	-	-	-	1	-	3	5
11	-	-	-	-	1	-	2	4
12	-	-	-	-	1	-	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	1	2	8
23	-	-	-	-	-	-	3	8
MEAN	0	0	0	0	1	0	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MATSUYAMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

NUMBER OF FORWARD SCATTER: RWY14

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	-	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	1	2	3	2	4	6
01	-	-	1	1	1	1	2	6
02	-	1	1	2	1	1	4	5
03	-	1	1	1	2	1	4	6
04	-	-	1	1	1	1	2	6
05	-	-	-	1	1	1	3	5
06	-	-	-	-	1	-	1	3
07	-	-	1	1	2	1	2	3
08	-	-	-	-	1	1	1	4
09	-	-	1	1	1	1	2	4
10	-	-	1	1	3	1	3	4
11	-	-	1	1	1	1	2	3
12	-	-	1	1	1	1	1	4
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	2	3	4	3	6	8
23	-	-	1	2	3	3	5	6
MEAN	-	0	1	1	2	1	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MATSUYAMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

NUMBER OF FORWARD SCATTER: RWY14

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	-	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	3	3	7	3	9	15
01	0)	1)	3)	5)	5)	5	10	13
02	-	-	2	3	3	3	5	10
03	-	2	3	3	4	3	6	8
04	-	-	1	3	3	3	5	7
05	-	1	1	2	2	1	3	6
06	-	-	1	2	3	2	3	9
07	-	-	-	-	2	-	3	9
08	-	-	-	1	2	1	5	8
09	-	-	-	1	3	1	5	8
10	-	-	1	1	3	1	5	9
11	1	1	1	2	2	2	4	7
12	1	1	1	2	1	1	6	9
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	2	3	4	2	9	17
23	-	1	2	5	5	4	9	17
MEAN	0)	1)	1)	2)	3)	2	6	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MATSUYAMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

NUMBER OF FORWARD SCATTER: RWY14

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	-	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	-	1	1	-	1	5
01	-	-	-	-	-	-	1	4
02	-	-	1	1	1	1	2	3
03	-	-	-	-	-	-	-	3
04	-	-	-	1	1	1	1	1
05	-	-	-	-	-	-	-	1
06	-	-	-	-	-	-	1	1
07	-	-	-	-	-	-	-	1
08	-	-	-	-	1	-	1	3
09	-	-	-	-	-	-	1	2
10	-	-	-	-	-	-	-	1
11	-	-	-	-	-	-	-	2
12	-	-	-	-	-	-	-	2
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1	1	1	-	3	6
23	-	-	-	1	1	-	1	6
MEAN	-	0	0	0	0	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MATSUYAMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

NUMBER OF FORWARD SCATTER: RWY14

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	-	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	1	1	1	1	3	3
01	-	-	1	1	1	1	1	2
02	-	-	-	-	1	-	1	2
03	-	-	-	-	1	-	1	1
04	-	-	-	-	1	-	1	1
05	-	-	-	-	-	-	-	-
06	-	-	-	-	-	-	1	1
07	-	-	-	1	-	1	1	1
08	-	-	-	-	-	-	1	1
09	-	-	-	-	-	-	-	2
10	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	-	-
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	1	1	1	1	4
23	-	-	1	1	1	1	3	3
MEAN	-	-	0	0	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MATSUYAMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

NUMBER OF FORWARD SCATTER: RWY14

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	-	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	-	1	1	1	1	3
01	0)	0)	0)	1)	1)	1	1	3
02	0)	0)	0)	0)	1)	1	1	3
03	-	-	-	-	-	-	1	1
04	-	-	-	-	-	-	-	1
05	-	-	-	-	1	-	1	2
06	-	-	-	-	1	-	2	3
07	-	-	-	-	1	-	1	2
08	-	-	-	-	-	-	-	-
09	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	1
12	-	-	-	1	-	-	-	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	1	-	2	2
23	-	-	-	-	1	-	3	5
MEAN	0)	0)	0)	0)	0)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MATSUYAMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

NUMBER OF FORWARD SCATTER: RWY14

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	-	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	-	-	-	-	-	1
01	-	-	-	-	-	-	1	2
02	-	-	-	-	-	-	1	3
03	-	-	-	-	1	-	3	3
04	-	-	-	-	1	-	1	3
05	-	-	-	-	1	-	2	2
06	-	-	-	-	-	-	1	1
07	-	-	-	-	-	-	1	3
08	-	-	-	-	1	-	1	2
09	-	-	-	-	1	-	1	2
10	-	-	-	-	-	-	1	1
11	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	-	1
23	-	-	-	-	-	-	-	-
MEAN	-	-	-	-	0	-	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MATSUYAMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

NUMBER OF FORWARD SCATTER: RWY14

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	-	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	-	-	-	-	-	-	-	2
01	-	-	-	-	-	-	1	2
02	-	-	-	-	-	-	-	3
03	-	-	-	-	-	-	1	1
04	-	-	-	-	1	-	1	1
05	-	-	-	-	1	-	1	1
06	-	-	-	-	-	-	-	1
07	-	-	-	-	-	-	1	2
08	-	-	-	-	-	-	1	2
09	-	-	-	-	-	-	-	1
10	-	-	-	-	-	-	-	1
11	-	-	-	-	-	-	-	1
12	-	-	-	1	1	1	1	2
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	-	1
23	-	-	-	-	-	-	-	1
MEAN	-	-	-	0	0	0	0	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MATSUYAMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

NUMBER OF FORWARD SCATTER: RWY14

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	-	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	0)	0)	0)	0)	0)	-	1	2
01	0)	0)	0)	0)	0)	-	1	2
02	0)	0)	0)	0)	1)	-	1	1
03	0)	0)	0)	0)	1)	-	1	1
04	0)	0)	0)	0)	0)	-	-	2
05	0)	0)	0)	0)	0)	-	1	4
06	0)	0)	0)	1)	1)	1	1	3
07	0)	0)	0)	0)	1)	-	1	3
08	0)	0)	0)	0)	1)	-	1	3
09	0)	0)	0)	0)	1)	-	1	1
10	0)	0)	0)	0)	0)	-	-	1
11	0)	0)	0)	0)	0)	-	-	2
12	0)	0)	0)	0)	0)	-	-	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	0)	0)	-	-	1
23	0)	0)	0)	0)	0)	-	-	2
MEAN	0)	0)	0)	0)	0)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MATSUYAMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

NUMBER OF FORWARD SCATTER: RWY14

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<800	<1000	<1500	-	<1500	<3200	<5000
	<100	<200	<500	<600	<1000	<600	<1000	<1500
00	0)	0)	0)	1)	1)	1	2	5
01	0)	0)	0)	1)	1)	1	2	4
02	0)	0)	0)	1)	1)	1	2	4
03	0)	0)	0)	0)	1)	0	2	4
04	0)	0)	0)	0)	1)	0	2	3
05	0)	0)	0)	0)	1)	0	2	4
06	0)	0)	0)	0)	1)	0	1	3
07	0)	0)	0)	0)	1)	0	1	3
08	0)	0)	0)	0)	1)	0	1	3
09	0)	0)	0)	0)	1)	0	1	3
10	0)	0)	0)	0)	1)	0	1	2
11	0)	0)	0)	0)	0)	0	1	2
12	0)	0)	0)	0)	0)	0	1	2
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	1)	1)	1)	1	3	5
23	0)	0)	0)	1)	1)	1	2	6
MEAN	0)	0)	0)	0)	1)	0	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MATSUYAMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	1	1	2
01	-	-	-	-	-	1	1	1
02	-	-	-	-	-	-	1	1
03	-	-	-	-	-	-	1	2
04	-	-	-	-	-	1	2	3
05	-	-	-	-	-	-	1	2
06	-	-	-	-	-	-	-	2
07	-	-	-	-	-	-	1	2
08	-	-	-	-	-	1	1	1
09	-	-	-	-	-	-	-	1
10	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	-	1
23	-	-	-	-	-	-	1	3
MEAN	-	-	-	-	-	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: MATSUYAMA AIRPORT MONTH: FEB
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	4
01	-	-	-	-	-	-	1	3
02	-	-	-	-	-	1	1	4
03	-	-	-	-	-	1	1	5
04	-	-	-	-	1	1	1	5
05	-	-	-	1	1	1	2	4
06	-	-	-	-	-	-	-	4
07	-	-	-	-	1	1	1	1
08	-	-	-	-	-	-	1	1
09	-	-	-	-	-	-	1	2
10	-	-	-	-	-	-	1	1
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	1	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	1	1	5
23	-	-	-	-	-	-	1	4
MEAN	-	-	-	0	0	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MATSUYAMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	1	1	1	1	1	1	3	8
01	-	-	-	-	-	1	3	7
02	-	-	-	1	1	1	2	5
03	-	-	-	-	-	-	3	7
04	-	-	1	1	1	1	1	5
05	-	-	-	-	1	1	3	8
06	-	-	-	-	-	-	1	5
07	-	-	-	-	-	-	2	5
08	-	-	-	-	-	-	-	6
09	-	-	-	-	-	-	1	4
10	-	-	1	1	1	1	1	2
11	-	-	-	-	-	1	1	2
12	-	-	-	-	-	1	1	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	1	3	3	3	3	8
23	1	1	1	1	1	2	3	9
MEAN	0	0	0	0	0	1	2	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MATSUYAMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	1	3	4
01	-	1	1	1	1	1	2	5
02	-	-	-	1	1	1	2	5
03	-	-	-	1	1	1	1	3
04	-	-	-	-	-	-	1	1
05	-	-	-	-	-	-	1	3
06	-	-	-	-	-	-	1	3
07	-	-	-	-	-	1	1	4
08	-	-	-	-	-	-	1	3
09	-	-	-	-	-	1	2	4
10	-	-	-	-	-	1	1	3
11	-	-	-	-	-	-	1	3
12	-	-	-	-	-	-	-	2
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	1	2	7
23	-	-	-	-	-	1	3	6
MEAN	-	0	0	0	0	0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MATSUYAMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	1	1	1	1	3	6
01	-	-	-	-	-	-	2	6
02	-	-	-	-	-	1	4	5
03	1	1	1	1	1	2	4	5
04	-	-	1	1	1	2	2	4
05	-	-	-	-	1	1	2	3
06	-	-	-	-	1	1	1	2
07	-	-	-	1	1	1	1	2
08	-	-	-	1	1	1	1	2
09	-	-	-	1	1	1	2	4
10	-	-	-	-	1	1	2	3
11	-	-	-	-	-	1	2	3
12	-	-	-	-	-	1	1	4
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1	1	2	5	5	8
23	1	1	1	1	2	3	5	6
MEAN	0	0	0	0	1	1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MATSUYAMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	1	1	2	5	7	12
01	-	-	-	3	3	5	7	11
02	-	1	1	2	3	4	5	9
03	1	1	1	1	1	2	5	7
04	-	-	-	1	1	1	3	5
05	-	-	-	1	1	1	2	5
06	-	-	-	1	1	2	3	8
07	-	-	-	-	-	1	2	7
08	-	-	-	-	-	-	4	7
09	-	-	-	1	1	1	3	7
10	-	-	-	-	-	1	4	8
11	1	1	1	1	1	1	3	7
12	1	1	1	1	1	1	5	9
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	1	1	1	3	7	15
23	-	-	-	1	1	5	7	12
MEAN	0	0	0	1	1	2	4	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MATSUYAMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	1	5
01	-	-	-	-	-	-	1	3
02	-	-	-	1	1	1	2	3
03	-	-	-	-	-	-	-	3
04	-	-	-	1	1	1	1	1
05	-	-	-	-	-	-	-	1
06	-	-	-	-	-	1	1	1
07	-	-	-	-	-	-	-	1
08	-	-	-	-	1	1	1	2
09	-	-	-	-	-	-	1	2
10	-	-	-	-	-	-	-	1
11	-	-	-	-	-	-	-	2
12	-	-	-	-	-	-	-	2
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	3	5
23	-	-	-	-	-	-	1	6
MEAN	-	-	-	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MATSUYAMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	1	2	3
01	-	-	-	-	-	1	1	1
02	-	-	-	-	-	-	1	1
03	-	-	-	-	-	-	-	-
04	-	-	-	-	-	-	-	-
05	-	-	-	-	-	-	-	-
06	-	-	-	-	-	1	1	1
07	-	-	-	1	1	1	1	1
08	-	-	-	-	-	1	1	1
09	-	-	-	-	-	-	-	1
10	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	-	-
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	1	4
23	-	-	-	-	-	1	2	3
MEAN	-	-	-	0	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: MATSUYAMA AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	1	1	3
01	-	-	-	-	1	1	1	3
02	-	-	-	1	1	1	1	3
03	-	-	-	-	-	-	1	1
04	-	-	-	-	-	-	-	1
05	-	-	-	-	-	-	-	1
06	-	-	-	-	-	-	1	2
07	-	-	-	-	-	-	-	1
08	-	-	-	-	-	-	-	-
09	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	1	2	2
23	-	-	-	-	1	2	3	5
MEAN	-	-	-	0	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: MATSUYAMA AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	1
01	-	-	-	-	-	-	1	2
02	-	-	-	-	-	-	1	3
03	-	-	-	-	1	1	2	3
04	-	-	-	-	-	1	1	3
05	-	-	-	-	-	-	1	2
06	-	-	-	-	-	-	1	1
07	-	-	-	-	-	-	1	2
08	-	-	-	-	-	-	-	2
09	-	-	-	-	-	-	-	1
10	-	-	-	-	-	-	1	1
11	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
MEAN	-	-	-	-	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: MATSUYAMA AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 15
 LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	2
01	-	-	-	-	-	-	1	2
02	-	-	-	-	-	-	-	2
03	-	-	-	-	-	-	1	1
04	-	-	-	-	-	-	-	1
05	-	-	-	-	-	-	-	1
06	-	-	-	-	-	-	-	-
07	-	-	-	-	-	1	1	1
08	-	-	-	-	-	-	1	1
09	-	-	-	-	-	-	-	1
10	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	-	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	-	1
23	-	-	-	-	-	-	-	1
MEAN	-	-	-	-	-	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MATSUYAMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	1	2
01	-	-	-	-	-	-	1	2
02	-	-	-	-	-	1	1	1
03	-	-	-	-	-	-	-	1
04	-	-	-	-	-	-	-	2
05	-	-	-	-	-	-	1	3
06	-	-	-	-	-	-	1	3
07	-	-	-	-	-	-	-	2
08	-	-	-	-	-	-	1	2
09	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	1
11	-	-	-	-	-	-	-	1
12	-	-	-	-	-	-	-	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	-	1
23	-	-	-	-	-	-	-	1
MEAN	-	-	-	-	-	0	0	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MATSUYAMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<400	<600	<800	<1500	<1600	<2400	<3200	<5000
00	0	0	0	0	0	1	2	4
01	-	0	0	0	0	1	2	4
02	-	0	0	0	1	1	2	3
03	0	0	0	0	0	0	1	3
04	-	-	0	0	0	1	1	3
05	-	-	-	0	0	0	1	3
06	-	-	-	0	0	0	1	3
07	-	-	-	0	0	0	1	2
08	-	-	-	0	0	0	1	2
09	-	-	-	0	0	0	1	2
10	-	-	0	0	0	0	1	2
11	0	0	0	0	0	0	0	2
12	0	0	0	0	0	0	1	2
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0	0	0	0	1	1	2	5
23	0	0	0	0	0	1	2	5
MEAN	0	0	0	0	0	1	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MATSUYAMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	-	-	
01	-	-	-	-	-	1	
02	-	-	-	-	-	1	
03	-	-	-	-	-	1	
04	-	-	-	1	1	1	
05	-	-	-	-	1	1	
06	-	-	-	-	1	1	
07	-	-	-	-	1	1	
08	-	-	-	-	-	1	
09	-	-	-	-	-	1	
10	-	-	-	-	1	1	
11	-	-	-	-	-	1	
12	-	-	-	-	-	-	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	2	
23	-	-	-	-	-	1	
MEAN	-	-	-	0	0	1	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MATSUYAMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	1	1	
01	-	-	-	-	1	1	
02	-	-	-	-	1	1	
03	-	-	-	-	1	1	
04	-	-	-	-	2	2	
05	-	-	-	-	1	2	
06	-	-	-	-	-	1	
07	-	-	-	-	-	-	
08	-	-	-	-	-	-	
09	-	-	-	-	-	-	
10	-	-	-	-	1	1	
11	-	-	-	-	-	1	
12	-	-	-	-	-	-	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	4	
23	-	-	-	-	1	3	
MEAN	-	-	-	-	1	1	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MATSUYAMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	1	2	3	5	
01	-	-	-	1	2	4	
02	-	-	-	1	3	4	
03	-	-	-	1	3	3	
04	-	-	1	1	4	4	
05	-	-	1	1	3	4	
06	-	-	-	-	1	1	
07	-	-	-	-	1	2	
08	-	-	-	-	-	1	
09	-	-	-	-	-	1	
10	-	-	1	1	1	2	
11	-	-	1	1	1	2	
12	-	-	-	-	1	2	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	3	5	
23	-	-	1	1	3	6	
MEAN	-	-	0	1	2	3	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MATSUYAMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	1	1	
01	-	1	1	1	1	2	
02	-	-	-	-	1	1	
03	-	-	-	-	1	2	
04	-	-	-	-	1	2	
05	-	-	-	-	1	3	
06	-	-	-	-	1	2	
07	-	-	-	-	-	1	
08	-	-	-	-	1	2	
09	-	-	-	1	1	3	
10	-	-	-	-	1	1	
11	-	-	-	-	1	1	
12	-	-	-	-	1	1	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1	1	1	
23	-	-	-	-	-	3	
MEAN	-	0	0	0	1	2	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MATSUYAMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	1	2	3	3	
01	-	-	1	1	1	2	
02	-	-	1	1	1	1	
03	-	-	1	1	2	3	
04	-	-	-	-	1	4	
05	-	-	-	1	1	3	
06	-	-	-	-	1	1	
07	-	-	1	1	2	2	
08	-	-	-	-	1	2	
09	-	-	1	1	1	1	
10	-	-	1	1	3	3	
11	-	-	1	1	1	1	
12	-	-	1	1	1	1	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	3	4	5	
23	-	-	1	1	3	3	
MEAN	-	-	1	1	2	2	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MATSUYAMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	2	3	7	7	
01	-	-	2	3	5	6	
02	-	-	1	3	3	6	
03	-	-	1	3	4	5	
04	-	-	1	3	3	5	
05	-	-	1	1	2	3	
06	-	-	1	2	3	4	
07	-	-	-	-	2	3	
08	-	-	-	1	2	3	
09	-	-	-	1	3	4	
10	-	-	1	1	3	3	
11	-	-	-	1	2	2	
12	-	-	-	1	1	2	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	4	6	
23	-	-	1	3	5	9	
MEAN	-	-	1	2	3	5	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MATSUYAMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	1	1	
01	-	-	-	-	-	2	
02	-	-	1	1	1	1	
03	-	-	-	-	-	-	
04	-	-	-	-	1	1	
05	-	-	-	-	-	-	
06	-	-	-	-	-	-	
07	-	-	-	-	-	-	
08	-	-	-	-	1	1	
09	-	-	-	-	-	1	
10	-	-	-	-	-	-	
11	-	-	-	-	-	-	
12	-	-	-	-	-	1	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	3	
23	-	-	-	-	1	1	
MEAN	-	-	0	0	0	1	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MATSUYAMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	1	1	1	1	
01	-	-	1	1	1	1	
02	-	-	-	-	1	1	
03	-	-	-	-	1	1	
04	-	-	-	-	1	1	
05	-	-	-	-	-	-	
06	-	-	-	-	-	-	
07	-	-	-	-	-	-	
08	-	-	-	-	-	1	
09	-	-	-	-	-	1	
10	-	-	-	-	-	-	
11	-	-	-	-	-	-	
12	-	-	-	-	-	-	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	1	1	
23	-	-	1	1	1	1	
MEAN	-	-	0	0	0	1	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MATSUYAMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	1	1	1	
01	-	-	-	1	1	1	
02	-	-	-	-	1	1	
03	-	-	-	-	-	1	
04	-	-	-	-	-	-	
05	-	-	-	-	1	1	
06	-	-	-	-	1	1	
07	-	-	-	-	1	1	
08	-	-	-	-	-	-	
09	-	-	-	-	-	-	
10	-	-	-	-	-	-	
11	-	-	-	-	-	1	
12	-	-	-	-	-	-	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	1	
23	-	-	-	-	1	1	
MEAN	-	-	-	0	0	1	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MATSUYAMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	-	-	
01	-	-	-	-	-	-	
02	-	-	-	-	-	-	
03	-	-	-	-	1	1	
04	-	-	-	-	1	1	
05	-	-	-	-	1	1	
06	-	-	-	-	-	1	
07	-	-	-	-	-	1	
08	-	-	-	-	1	1	
09	-	-	-	-	1	1	
10	-	-	-	-	-	1	
11	-	-	-	-	-	-	
12	-	-	-	-	-	-	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	1	
23	-	-	-	-	-	-	
MEAN	-	-	-	-	0	1	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MATSUYAMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	-	-	
01	-	-	-	-	-	-	
02	-	-	-	-	-	1	
03	-	-	-	-	-	-	
04	-	-	-	-	1	1	
05	-	-	-	-	1	1	
06	-	-	-	-	-	1	
07	-	-	-	-	-	1	
08	-	-	-	-	-	1	
09	-	-	-	-	-	1	
10	-	-	-	-	-	1	
11	-	-	-	-	-	1	
12	-	-	-	1	1	1	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	-	
23	-	-	-	-	-	1	
MEAN	-	-	-	0	0	1	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MATSUYAMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	-	-	
01	-	-	-	-	-	-	
02	-	-	-	-	1	1	
03	-	-	-	-	1	1	
04	-	-	-	-	-	-	
05	-	-	-	-	-	1	
06	-	-	-	1	1	1	
07	-	-	-	-	1	1	
08	-	-	-	-	1	1	
09	-	-	-	-	1	1	
10	-	-	-	-	-	1	
11	-	-	-	-	-	1	
12	-	-	-	-	-	-	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	-	
23	-	-	-	-	-	1	
MEAN	-	-	-	0	0	1	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MATSUYAMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	0	1	1	2	
01	-	0	0	1	1	2	
02	-	-	0	0	1	2	
03	-	-	0	0	1	2	
04	-	-	0	0	1	2	
05	-	-	0	0	1	2	
06	-	-	0	0	1	1	
07	-	-	0	0	1	1	
08	-	-	-	0	1	1	
09	-	-	0	0	1	1	
10	-	-	0	0	1	1	
11	-	-	0	0	0	1	
12	-	-	0	0	0	1	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	0	1	1	2	
23	-	-	0	1	1	2	
MEAN	-	0	0	0	1	1	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MATSUYAMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	3	0	-	-	-	-	-	-	-	-	-	4
[35-36-01]	1	3	3	1	0	-	-	-	-	-	-	8
[02-03-04]	2	4	2	0	0	-	-	-	-	-	-	8
[05-06-07]	2	2	0	-	-	-	-	-	-	-	-	4
[08-09-10]	1	1	0	-	-	-	-	-	-	-	-	3
[11-12-13]	5	22	1	-	-	-	-	-	-	-	-	28
[14-15-16]	2	1	0	-	-	-	-	-	-	-	-	3
[17-18-19]	0	0	-	-	-	-	-	-	-	-	-	1
[20-21-22]	1	1	0	0	-	-	-	-	-	-	-	2
[23-24-25]	1	2	2	1	0	0	-	-	-	-	-	6
[26-27-28]	1	3	5	3	1	1	0	0	-	-	-	14
[29-30-31]	1	4	5	3	1	0	-	-	-	-	-	14
[32-33-34]	1	2	2	1	0	-	-	-	-	-	-	6
TOTAL	22	46	19	9	3	1	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MATSUYAMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	5	0	-	-	-	-	-	-	-	-	-	5
[35-36-01]	2	6	4	2	0	-	-	-	-	-	-	13
[02-03-04]	2	4	4	1	0	-	-	-	-	-	-	12
[05-06-07]	2	2	0	-	-	-	-	-	-	-	-	4
[08-09-10]	2	1	-	-	-	-	-	-	-	-	-	2
[11-12-13]	6	14	1	-	-	-	-	-	-	-	-	21
[14-15-16]	3	1	0	-	-	-	-	-	-	-	-	4
[17-18-19]	1	0	0	0	-	-	-	-	-	-	-	1
[20-21-22]	1	2	1	0	-	-	-	-	-	-	-	4
[23-24-25]	1	2	2	1	0	-	-	-	-	-	-	7
[26-27-28]	1	3	3	3	1	0	0	-	-	-	-	11
[29-30-31]	1	3	3	2	0	-	-	-	-	-	-	9
[32-33-34]	1	3	2	1	0	-	-	-	-	-	-	7
TOTAL	27	41	20	10	2	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MATSUYAMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[35-36-01]	3)	6)	4)	2)	0)	0)	0)	0)	0)	0)	0)	15)
[02-03-04]	3)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	11)
[05-06-07]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[08-09-10]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	5)	15)	1)	0)	0)	0)	0)	0)	0)	0)	0)	20)
[14-15-16]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[17-18-19]	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	3)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[23-24-25]	3)	4)	1)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[26-27-28]	2)	2)	1)	1)	1)	0)	0)	0)	0)	0)	0)	6)
[29-30-31]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[32-33-34]	2)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	6)
TOTAL	33)	45)	14)	6)	2)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MATSUYAMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	5	0	0	-	-	-	-	-	-	-	-	5
[35-36-01]	5	8	5	1	0	0	-	-	-	-	-	20
[02-03-04]	3	3	1	0	-	-	-	-	-	-	-	7
[05-06-07]	1	0	0	-	-	-	-	-	-	-	-	1
[08-09-10]	2	1	0	-	-	-	-	-	-	-	-	2
[11-12-13]	4	10	1	0	0	-	-	-	-	-	-	15
[14-15-16]	2	1	0	0	-	-	-	-	-	-	-	4
[17-18-19]	2	2	1	0	0	-	-	-	-	-	-	5
[20-21-22]	4	6	2	0	0	-	-	-	-	-	-	14
[23-24-25]	4	3	2	1	0	0	0	0	-	-	-	11
[26-27-28]	2	1	1	1	0	0	0	0	-	-	-	6
[29-30-31]	2	1	0	0	0	-	-	-	-	-	-	4
[32-33-34]	3	2	0	0	-	-	-	-	-	-	-	5
TOTAL	39	40	14	5	1	0	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MATSUYAMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	6	0	-	-	-	-	-	-	-	-	-	7
[35-36-01]	7	8	3	1	0	-	-	-	-	-	-	19
[02-03-04]	3	2	0	0	-	-	-	-	-	-	-	6
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	1	0	0	-	-	-	-	-	-	-	-	2
[11-12-13]	5	10	1	0	-	-	-	-	-	-	-	16
[14-15-16]	3	2	0	0	-	-	-	-	-	-	-	5
[17-18-19]	2	2	0	0	-	-	-	-	-	-	-	5
[20-21-22]	6	8	2	0	0	-	-	-	-	-	-	15
[23-24-25]	5	4	1	0	-	-	-	-	-	-	-	9
[26-27-28]	3	1	0	-	0	-	-	-	-	-	-	4
[29-30-31]	3	1	0	-	-	-	-	-	-	-	-	4
[32-33-34]	4	2	0	0	-	-	-	-	-	-	-	6
TOTAL	48	41	8	2	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MATSUYAMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	8	0	-	-	-	-	-	-	-	-	-	8
[35-36-01]	10	9	3	0	-	-	-	-	-	-	-	23
[02-03-04]	4	2	1	0	-	-	-	-	-	-	-	7
[05-06-07]	1	0	0	-	-	-	-	-	-	-	-	1
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	1
[11-12-13]	4	3	0	0	-	-	-	-	-	-	-	7
[14-15-16]	2	1	0	-	-	-	-	-	-	-	-	3
[17-18-19]	2	1	0	0	-	-	-	-	-	-	-	4
[20-21-22]	9	7	1	0	0	-	-	-	-	-	-	17
[23-24-25]	6	4	0	0	-	-	-	-	-	-	-	10
[26-27-28]	3	1	0	-	-	-	-	-	-	-	-	4
[29-30-31]	4	1	0	-	-	-	-	-	-	-	-	5
[32-33-34]	6	2	0	-	-	-	-	-	-	-	-	9
TOTAL	61	31	6	1	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MATSUYAMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	7	0	-	-	-	-	-	-	-	-	-	7
[35-36-01]	10	7	1	0	0	0	-	-	-	-	-	19
[02-03-04]	4	1	0	0	0	-	-	-	-	-	-	5
[05-06-07]	0	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	1	0	0	-	-	-	-	-	-	-	-	1
[11-12-13]	4	3	0	0	-	-	-	-	-	-	-	7
[14-15-16]	3	1	0	-	-	-	-	-	-	-	-	4
[17-18-19]	3	2	2	0	-	-	-	-	-	-	-	7
[20-21-22]	8	8	2	0	0	0	-	-	-	-	-	17
[23-24-25]	6	3	0	0	-	-	-	-	-	-	-	9
[26-27-28]	3	1	0	0	-	-	-	-	-	-	-	4
[29-30-31]	4	2	0	0	-	-	-	-	-	-	-	7
[32-33-34]	7	3	0	0	0	0	-	-	-	-	-	10
TOTAL	60	31	6	1	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MATSUYAMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	7	0	-	-	-	-	-	-	-	-	-	7
[35-36-01]	8	6	2	0	0	-	-	-	-	-	-	16
[02-03-04]	4	1	0	0	0	0	-	-	-	-	-	5
[05-06-07]	1	0	0	0	-	-	-	-	-	-	-	2
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	2
[11-12-13]	5	7	0	0	0	-	-	-	-	-	-	12
[14-15-16]	3	1	0	0	-	-	-	-	-	-	-	5
[17-18-19]	2	1	1	0	0	0	-	-	-	-	-	4
[20-21-22]	7	6	1	1	0	-	-	-	-	-	-	15
[23-24-25]	6	5	1	0	0	-	-	-	-	-	-	12
[26-27-28]	3	1	0	0	-	-	-	-	-	-	-	4
[29-30-31]	4	2	0	0	-	-	-	-	-	-	-	6
[32-33-34]	6	3	0	0	-	-	-	-	-	-	-	9
TOTAL	56	34	7	2	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MATSUYAMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	7	0	-	0	-	-	-	-	-	-	-	7
[35-36-01]	5	8	6	2	0	0	0	-	-	-	-	20
[02-03-04]	3	4	3	1	0	-	-	-	-	-	-	11
[05-06-07]	2	1	0	-	-	-	-	-	-	-	-	3
[08-09-10]	3	1	0	-	-	-	-	-	-	-	-	3
[11-12-13]	8	10	0	-	0	-	-	-	-	-	-	18
[14-15-16]	4	1	0	-	-	-	-	-	-	-	-	6
[17-18-19]	2	1	0	0	-	-	-	-	-	-	-	3
[20-21-22]	4	2	0	0	-	-	-	-	-	-	-	6
[23-24-25]	3	3	0	-	-	-	-	-	-	-	-	6
[26-27-28]	2	1	0	-	-	-	-	-	-	-	-	3
[29-30-31]	3	2	0	-	-	-	-	-	-	-	-	4
[32-33-34]	4	3	0	0	0	0	-	-	-	-	-	7
TOTAL	50	36	10	3	0	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MATSUYAMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	6)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[35-36-01]	2)	5)	5)	2)	0)	0)	0)	0)	0)	0)	0)	16)
[02-03-04]	3)	8)	6)	1)	0)	0)	0)	0)	0)	0)	0)	18)
[05-06-07]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[08-09-10]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	8)	17)	1)	0)	0)	0)	0)	0)	0)	0)	0)	26)
[14-15-16]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	1)	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[23-24-25]	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	2)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	3)
[29-30-31]	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[32-33-34]	2)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	35)	42)	16)	6)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MATSUYAMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[35-36-01]	2)	5)	3)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[02-03-04]	3)	4)	3)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[05-06-07]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[08-09-10]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	7)	22)	2)	0)	0)	0)	0)	0)	0)	0)	0)	31)
[14-15-16]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[20-21-22]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[26-27-28]	1)	2)	3)	3)	1)	0)	0)	0)	0)	0)	0)	10)
[29-30-31]	2)	2)	4)	2)	0)	0)	0)	0)	0)	0)	0)	10)
[32-33-34]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	29)	42)	18)	8)	2)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MATSUYAMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	3	0	-	-	-	-	-	-	-	-	-	4
[35-36-01]	1	3	2	0	0	0	-	-	-	-	-	6
[02-03-04]	2	3	2	0	-	-	-	-	-	-	-	6
[05-06-07]	2	1	0	0	-	-	-	-	-	-	-	3
[08-09-10]	2	1	0	-	-	-	-	-	-	-	-	3
[11-12-13]	5	21	2	-	0	-	-	-	-	-	-	28
[14-15-16]	2	1	-	0	-	-	-	-	-	-	-	3
[17-18-19]	0	0	0	0	0	-	-	-	-	-	-	1
[20-21-22]	0	0	0	0	0	-	-	-	-	-	-	1
[23-24-25]	1	2	1	1	0	0	-	-	-	-	-	4
[26-27-28]	1	2	5	4	2	1	0	-	-	-	-	16
[29-30-31]	1	4	6	5	2	1	-	-	-	-	-	19
[32-33-34]	1	2	1	1	0	-	-	-	-	-	-	5
TOTAL	21	40	20	12	5	2	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MATSUYAMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	6)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[35-36-01]	5)	6)	4)	1)	0)	0)	0)	0)	0)	0)	0)	15)
[02-03-04]	3)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[05-06-07]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[08-09-10]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	5)	13)	1)	0)	0)	0)	0)	0)	0)	0)	0)	19)
[14-15-16]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[23-24-25]	3)	3)	1)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[26-27-28]	2)	2)	2)	1)	1)	0)	0)	0)	0)	0)	0)	7)
[29-30-31]	2)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[32-33-34]	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
TOTAL	40)	39)	13)	5)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MATSUYAMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	37	55	6	-	-	-	-	-
01	-	-	-	-	14	72	14	-	-	-	-	-
02	-	-	-	-	9	67	23	1	-	-	-	-
03	-	-	-	-	6	63	30	1	-	-	-	-
04	-	-	-	-	6	57	36	1	-	-	-	-
05	-	-	-	-	4	58	37	1	-	-	-	-
06	-	-	-	-	5	54	39	2	-	-	-	-
07	-	-	-	1	6	59	34	1	-	-	-	-
08	-	-	-	1	10	63	27	-	-	-	-	-
09	-	-	-	1	12	66	21	-	-	-	-	-
10	-	-	-	1	19	67	13	-	-	-	-	-
11	-	-	-	1	23	65	11	-	-	-	-	-
12	-	-	-	1	28	64	7	-	-	-	-	-
13	-	-	-	1	38	55	6	-	-	-	-	-
14	-	-	-	1	45	48	6	1	-	-	-	-
15	-	-	-	1	47	47	5	-	-	-	-	-
16	-	-	-	1	51	43	6	-	-	-	-	-
17	-	-	-	1	56	39	5	-	-	-	-	-
18	-	-	-	-	56	38	6	-	-	-	-	-
19	-	-	-	1	55	36	8	-	-	-	-	-
20	-	-	-	3	55	35	6	-	-	-	-	-
21	-	-	-	3	55	36	5	-	-	-	-	-
22	-	-	-	4	54	37	5	-	-	-	-	-
23	-	-	-	2	52	40	5	1	-	-	-	-
MEAN	-	-	-	1	31	53	15	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MATSUYAMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	33	58	8	-	-	-	-	-
01	-	-	-	-	13	75	12	-	-	-	-	-
02	-	-	-	-	12	72	16	-	-	-	-	-
03	-	-	-	-	9	66	23	1	-	-	-	-
04	-	-	-	-	8	63	28	1	-	-	-	-
05	-	-	-	-	7	64	27	2	-	-	-	-
06	-	-	-	-	6	63	29	1	-	-	-	-
07	-	-	-	-	8	62	29	1	-	-	-	-
08	-	-	-	-	11	64	24	1	-	-	-	-
09	-	-	-	-	14	67	18	1	-	-	-	-
10	-	-	-	-	17	69	14	-	-	-	-	-
11	-	-	-	-	18	70	12	-	-	-	-	-
12	-	-	-	-	25	63	12	-	-	-	-	-
13	-	-	-	1	34	56	10	-	-	-	-	-
14	-	-	-	1	39	52	8	-	-	-	-	-
15	-	-	-	1	44	47	8	-	-	-	-	-
16	-	-	-	1	48	44	6	1	-	-	-	-
17	-	-	-	1	49	42	6	1	-	-	-	-
18	-	-	-	2	51	41	5	1	-	-	-	-
19	-	-	-	3	51	41	4	1	-	-	-	-
20	-	-	-	2	53	40	4	1	-	-	-	-
21	-	-	-	3	52	39	6	-	-	-	-	-
22	-	-	-	2	54	39	5	-	-	-	-	-
23	-	-	-	1	51	42	6	-	-	-	-	-
MEAN	-	-	-	1	30	56	13	1	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MATSUYAMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	4	46	40	8	1	-	-	-
01	-	-	-	-	2	39	47	10	2	-	-	-
02	-	-	-	-	2	32	52	13	2	-	-	-
03	-	-	-	-	1	26	57	13	2	-	-	-
04	-	-	-	-	1	23	57	17	1	-	-	-
05	-	-	-	-	1	22	61	16	1	-	-	-
06	-	-	-	-	1	21	59	19	1	-	-	-
07	-	-	-	-	1	21	59	19	1	-	-	-
08	-	-	-	-	1	21	63	14	1	-	-	-
09	-	-	-	-	1	28	59	12	-	-	-	-
10	-	-	-	-	2	35	53	10	-	-	-	-
11	-	-	-	-	3	42	48	8	-	-	-	-
12	-	-	-	-	5	46	41	8	-	-	-	-
13	0)	0)	0)	0)	6)	49)	38)	6)	0)	0)	0)	0)
14	-	-	-	-	7	52	37	4	-	-	-	-
15	-	-	-	-	10	52	34	3	-	-	-	-
16	-	-	-	-	14	50	31	5	-	-	-	-
17	-	-	-	-	17	50	29	5	-	-	-	-
18	-	-	-	-	19	48	28	5	-	-	-	-
19	-	-	-	-	22	49	23	6	-	-	-	-
20	-	-	-	-	22	48	25	5	-	-	-	-
21	-	-	-	-	25	47	24	4	-	-	-	-
22	-	-	-	-	23	48	25	3	1	-	-	-
23	-	-	-	-	14	50	30	5	1	-	-	-
MEAN	0)	0)	0)	0)	8)	39)	43)	9)	1)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MATSUYAMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	3	52	43	2	-	-	-
01	-	-	-	-	-	2	44	51	3	-	-	-
02	-	-	-	-	-	3	33	57	7	-	-	-
03	-	-	-	-	-	3	29	60	8	-	-	-
04	-	-	-	-	-	2	27	63	7	-	-	-
05	-	-	-	-	-	1	26	61	11	-	-	-
06	-	-	-	-	-	1	24	62	13	-	-	-
07	-	-	-	-	-	1	26	63	9	-	-	-
08	-	-	-	-	-	2	24	67	7	-	-	-
09	-	-	-	-	-	3	33	59	5	-	-	-
10	-	-	-	-	-	5	39	54	3	-	-	-
11	-	-	-	-	-	5	45	48	2	-	-	-
12	-	-	-	-	-	5	47	46	1	-	-	-
13	0)	0)	0)	0)	0)	7)	52)	40)	2)	0)	0)	0)
14	-	-	-	-	-	6	59	33	2	-	-	-
15	-	-	-	-	1	10	62	25	2	-	-	-
16	-	-	-	-	1	14	61	23	1	-	-	-
17	-	-	-	-	2	14	61	23	1	-	-	-
18	-	-	-	-	2	16	61	20	1	-	-	-
19	-	-	-	-	2	17	64	16	1	-	-	-
20	-	-	-	-	2	23	59	16	1	-	-	-
21	-	-	-	-	2	23	60	15	-	-	-	-
22	-	-	-	-	1	15	65	19	1	-	-	-
23	-	-	-	-	-	8	59	32	1	-	-	-
MEAN	0)	0)	0)	0)	1)	8)	46)	42)	4)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MATSUYAMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	6	66	27	1	-	-
01	-	-	-	-	-	-	2	59	37	2	-	-
02	-	-	-	-	-	-	1	54	45	-	-	-
03	-	-	-	-	-	-	-	49	50	1	-	-
04	-	-	-	-	-	-	-	40	57	3	-	-
05	-	-	-	-	-	-	1	39	59	2	-	-
06	-	-	-	-	-	-	1	36	59	4	-	-
07	-	-	-	-	-	-	1	37	57	4	-	-
08	-	-	-	-	-	-	1	36	61	2	-	-
09	-	-	-	-	-	-	2	43	54	1	-	-
10	-	-	-	-	-	-	3	55	42	-	-	-
11	-	-	-	-	-	-	5	61	34	-	-	-
12	-	-	-	-	-	-	6	64	30	-	-	-
13	-	-	-	-	-	-	8	70	22	1	-	-
14	-	-	-	-	-	-	10	72	17	-	-	-
15	-	-	-	-	-	-	12	72	16	-	-	-
16	-	-	-	-	-	-	17	72	10	-	-	-
17	-	-	-	-	-	-	21	72	8	-	-	-
18	-	-	-	-	-	-	23	70	6	-	-	-
19	-	-	-	-	-	1	26	68	5	-	-	-
20	-	-	-	-	-	3	26	66	5	-	-	-
21	-	-	-	-	-	3	24	66	8	-	-	-
22	-	-	-	-	-	-	13	74	14	-	-	-
23	-	-	-	-	-	-	9	66	25	1	-	-
MEAN	-	-	-	-	-	0	9	59	31	1	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MATSUYAMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	21	77	2	-	-
01	-	-	-	-	-	-	-	17	81	2	-	-
02	-	-	-	-	-	-	-	15	79	6	-	-
03	-	-	-	-	-	-	-	10	79	11	-	-
04	-	-	-	-	-	-	-	9	79	12	-	-
05	-	-	-	-	-	-	-	8	81	11	-	-
06	-	-	-	-	-	-	-	10	75	15	-	-
07	-	-	-	-	-	-	-	11	71	17	-	-
08	-	-	-	-	-	-	-	11	76	13	-	-
09	-	-	-	-	-	-	-	15	75	11	-	-
10	-	-	-	-	-	-	-	20	75	5	-	-
11	-	-	-	-	-	-	-	25	71	4	-	-
12	-	-	-	-	-	-	-	27	71	2	-	-
13	-	-	-	-	-	-	-	30	68	2	-	-
14	-	-	-	-	-	-	1	30	67	2	-	-
15	-	-	-	-	-	-	-	35	64	1	-	-
16	-	-	-	-	-	-	-	42	57	1	-	-
17	-	-	-	-	-	-	-	39	60	1	-	-
18	-	-	-	-	-	-	1	43	55	1	-	-
19	-	-	-	-	-	-	-	49	50	1	-	-
20	-	-	-	-	-	-	1	48	50	1	-	-
21	-	-	-	-	-	-	-	43	56	1	-	-
22	-	-	-	-	-	-	-	31	67	1	-	-
23	-	-	-	-	-	-	-	25	74	1	-	-
MEAN	-	-	-	-	-	-	0	26	69	5	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MATSUYAMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	1	27	65	8	-
01	-	-	-	-	-	-	-	-	25	65	11	-
02	-	-	-	-	-	-	-	-	21	61	19	-
03	-	-	-	-	-	-	-	-	19	60	21	-
04	-	-	-	-	-	-	-	-	17	60	23	-
05	-	-	-	-	-	-	-	-	17	57	26	-
06	-	-	-	-	-	-	-	-	15	59	26	-
07	-	-	-	-	-	-	-	-	19	57	24	-
08	-	-	-	-	-	-	-	1	19	60	20	-
09	-	-	-	-	-	-	-	1	22	65	13	-
10	-	-	-	-	-	-	-	1	27	61	11	-
11	-	-	-	-	-	-	-	1	37	57	6	-
12	-	-	-	-	-	-	-	1	37	61	2	-
13	-	-	-	-	-	-	-	1	41	57	2	-
14	-	-	-	-	-	-	-	1	48	50	1	-
15	-	-	-	-	-	-	-	1	50	50	-	-
16	-	-	-	-	-	-	-	1	54	45	-	-
17	-	-	-	-	-	-	-	1	57	41	-	-
18	-	-	-	-	-	-	-	1	57	41	-	-
19	-	-	-	-	-	-	-	1	61	38	-	-
20	-	-	-	-	-	-	-	2	65	33	-	-
21	-	-	-	-	-	-	-	1	54	45	-	-
22	-	-	-	-	-	-	-	1	38	61	1	-
23	-	-	-	-	-	-	-	1	34	62	4	-
MEAN	-	-	-	-	-	-	-	1	36	55	9	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MATSUYAMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	10	77	13	-
01	-	-	-	-	-	-	-	-	8	73	19	-
02	-	-	-	-	-	-	-	-	6	63	31	-
03	-	-	-	-	-	-	-	-	7	54	39	-
04	-	-	-	-	-	-	-	-	5	55	41	-
05	-	-	-	-	-	-	-	-	3	52	44	1
06	-	-	-	-	-	-	-	-	3	52	44	1
07	-	-	-	-	-	-	-	-	4	54	42	-
08	-	-	-	-	-	-	-	-	5	64	30	1
09	-	-	-	-	-	-	-	-	6	75	19	-
10	-	-	-	-	-	-	-	-	11	80	9	-
11	-	-	-	-	-	-	-	-	12	81	6	-
12	-	-	-	-	-	-	-	-	13	81	6	-
13	-	-	-	-	-	-	-	-	17	79	4	-
14	-	-	-	-	-	-	-	-	21	77	1	-
15	-	-	-	-	-	-	-	-	22	77	1	-
16	-	-	-	-	-	-	-	1	20	79	1	-
17	-	-	-	-	-	-	-	1	25	74	1	-
18	-	-	-	-	-	-	-	-	26	74	-	-
19	-	-	-	-	-	-	-	-	29	71	-	-
20	-	-	-	-	-	-	-	1	26	72	1	-
21	-	-	-	-	-	-	-	1	31	68	-	-
22	-	-	-	-	-	-	-	-	22	77	1	-
23	-	-	-	-	-	-	-	-	14	80	6	-
MEAN	-	-	-	-	-	-	-	0	14	70	15	0

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MATSUYAMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	2	61	37	1	-
01	-	-	-	-	-	-	-	1	36	63	-	-
02	-	-	-	-	-	-	-	1	31	68	1	-
03	-	-	-	-	-	-	-	1	22	75	2	-
04	-	-	-	-	-	-	-	1	19	79	2	-
05	-	-	-	-	-	-	-	1	21	75	3	-
06	-	-	-	-	-	-	-	-	21	76	3	-
07	-	-	-	-	-	-	-	-	25	72	3	-
08	-	-	-	-	-	-	-	-	31	68	1	-
09	-	-	-	-	-	-	-	-	51	49	-	-
10	-	-	-	-	-	-	-	-	56	44	-	-
11	-	-	-	-	-	-	-	1	65	35	-	-
12	-	-	-	-	-	-	-	2	72	26	-	-
13	-	-	-	-	-	-	-	5	71	23	-	-
14	-	-	-	-	-	-	-	7	73	21	-	-
15	-	-	-	-	-	-	-	9	71	20	-	-
16	-	-	-	-	-	-	-	9	75	16	-	-
17	-	-	-	-	-	-	-	13	73	14	-	-
18	-	-	-	-	-	-	-	13	73	13	-	-
19	-	-	-	-	-	-	-	19	71	10	-	-
20	-	-	-	-	-	-	-	21	71	8	-	-
21	-	-	-	-	-	-	-	21	76	3	-	-
22	-	-	-	-	-	-	-	13	72	15	-	-
23	-	-	-	-	-	-	-	3	70	27	-	-
MEAN	-	-	-	-	-	-	-	6	55	39	1	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: MATSUYAMA AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	45	48	6	-	-
01	-	-	-	-	-	-	1	32	60	8	-	-
02	-	-	-	-	-	-	1	21	66	12	-	-
03	-	-	-	-	-	-	-	19	63	19	-	-
04	-	-	-	-	-	-	-	18	62	19	1	-
05	-	-	-	-	-	-	-	15	63	21	1	-
06	-	-	-	-	-	-	-	20	59	20	1	-
07	-	-	-	-	-	-	-	19	65	15	1	-
08	-	-	-	-	-	-	-	31	58	11	-	-
09	-	-	-	-	-	-	-	39	53	8	-	-
10	-	-	-	-	-	-	1	46	46	6	-	-
11	-	-	-	-	-	-	3	54	37	6	-	-
12	-	-	-	-	-	-	6	54	37	2	-	-
13	-	-	-	-	-	-	13	52	35	1	-	-
14	-	-	-	-	-	1	15	54	29	1	-	-
15	-	-	-	-	-	-	17	52	30	1	-	-
16	-	-	-	-	-	1	19	49	30	1	-	-
17	-	-	-	-	-	-	23	48	28	1	-	-
18	-	-	-	-	-	-	25	46	27	1	-	-
19	-	-	-	-	-	-	23	50	25	1	-	-
20	-	-	-	-	-	1	26	45	26	1	-	-
21	-	-	-	-	-	1	26	48	25	1	-	-
22	-	-	-	-	-	-	23	52	25	1	-	-
23	-	-	-	-	-	-	12	52	33	3	-	-
MEAN	-	-	-	-	-	0	10	40	43	7	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MATSUYAMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	7	47	42	4	-	-	-
01	-	-	-	-	-	5	35	52	8	-	-	-
02	-	-	-	-	-	1	32	57	9	-	-	-
03	-	-	-	-	-	2	29	55	15	-	-	-
04	-	-	-	-	-	2	26	57	15	-	-	-
05	-	-	-	-	-	2	25	58	15	-	-	-
06	-	-	-	-	-	1	25	58	15	1	-	-
07	-	-	-	-	-	2	29	59	10	1	-	-
08	-	-	-	-	-	2	37	57	5	-	-	-
09	-	-	-	-	-	4	39	53	3	-	-	-
10	-	-	-	-	-	5	46	45	3	-	-	-
11	-	-	-	-	-	9	48	41	2	-	-	-
12	-	-	-	-	-	10	53	36	1	-	-	-
13	0)	0)	0)	0)	0)	15)	49)	35)	1)	0)	0)	0)
14	-	-	-	-	1	17	49	32	1	-	-	-
15	-	-	-	-	1	20	51	27	1	-	-	-
16	-	-	-	-	1	23	45	29	2	-	-	-
17	-	-	-	-	1	25	45	28	1	-	-	-
18	-	-	-	-	1	25	47	27	1	-	-	-
19	-	-	-	-	1	27	49	23	1	-	-	-
20	-	-	-	-	1	29	47	24	-	-	-	-
21	-	-	-	-	1	31	43	23	2	-	-	-
22	-	-	-	-	1	29	45	23	2	-	-	-
23	-	-	-	-	1	19	49	29	2	-	-	-
MEAN	0)	0)	0)	0)	0)	13)	41)	40)	5)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MATSUYAMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	14	55	28	3	-	-	-	-
01	-	-	-	-	5	48	43	3	1	-	-	-
02	-	-	-	-	3	43	49	5	1	-	-	-
03	-	-	-	-	3	41	49	7	1	-	-	-
04	-	-	-	-	3	35	50	11	1	-	-	-
05	-	-	-	-	2	34	54	10	1	-	-	-
06	-	-	-	-	2	35	55	7	1	-	-	-
07	-	-	-	-	2	43	48	7	-	-	-	-
08	-	-	-	-	4	48	43	5	-	-	-	-
09	-	-	-	-	5	50	43	2	-	-	-	-
10	-	-	-	-	6	55	37	2	-	-	-	-
11	-	-	-	-	8	58	34	-	-	-	-	-
12	-	-	-	-	12	57	30	1	-	-	-	-
13	-	-	-	-	14	57	29	1	-	-	-	-
14	0)	0)	0)	0)	16)	59)	24)	1)	0)	0)	0)	0)
15	-	-	-	-	22	54	23	2	-	-	-	-
16	-	-	-	-	23	55	21	1	-	-	-	-
17	-	-	-	-	23	54	20	3	-	-	-	-
18	-	-	-	-	25	54	19	3	-	-	-	-
19	-	-	-	-	26	52	19	3	-	-	-	-
20	-	-	-	-	28	51	19	3	-	-	-	-
21	-	-	-	1	29	49	18	3	-	-	-	-
22	-	-	-	1	28	53	15	3	-	-	-	-
23	-	-	-	-	26	52	19	2	1	-	-	-
MEAN	0)	0)	0)	0)	14)	50)	33)	4)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MATSUYAMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	0	7	19	16	19	21	16	2	-
01	-	-	-	-	3	20	17	19	22	18	3	-
02	-	-	-	-	2	18	17	19	22	18	4	-
03	-	-	-	-	2	17	18	18	22	18	5	-
04	-	-	-	-	2	15	19	18	22	19	6	-
05	-	-	-	-	1	15	19	18	23	18	6	0
06	-	-	-	-	1	14	19	18	22	19	6	0
07	-	-	-	0	1	16	19	18	22	19	6	-
08	-	-	-	0	2	16	18	18	22	18	4	0
09	-	-	-	0	3	18	18	19	22	18	3	-
10	-	-	-	0	4	20	17	20	22	17	2	-
11	-	-	-	0	4	21	17	20	22	15	1	-
12	-	-	-	0	6	20	17	20	22	15	1	-
13	0)	0)	0)	0)	8)	20)	17)	20)	21)	14)	0)	0)
14	0)	0)	0)	0)	9)	19)	17)	20)	22)	13)	0)	0)
15	-	-	-	0	10	19	18	19	21	13	0	-
16	-	-	-	0	11	19	17	19	21	12	0	-
17	-	-	-	0	12	19	17	19	21	11	0	-
18	-	-	-	0	13	18	18	19	21	11	-	-
19	-	-	-	0	13	19	18	20	20	10	-	-
20	-	-	-	0	13	19	18	19	20	10	0	-
21	-	-	-	1	14	19	17	19	21	10	-	-
22	-	-	-	1	13	18	16	18	20	13	0	-
23	-	-	-	0	12	18	16	18	21	15	1	-
MEAN	0)	0)	0)	0)	7)	18)	18)	19)	21)	15)	2)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MATSUYAMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	6.7	6.7	10.2	14.4	18.6	21.4	26.0	27.3	24.2	19.9	14.3	8.8	16.6
Daily maximum air temperature(°C)	10.1	9.9	13.8	18.2	22.5	24.4	29.7	30.8	27.7	23.8	17.9	12.2	20.1
Daily minimum air temperature(°C)	2.8	2.8	6.3	10.5	14.8	19.0	23.0	24.5	21.1	15.9	10.3	5.0	13.0
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	47.7	75.3	113.3	94.8	72.6	269.5	154.8	117.3	173.9	130.6	76.9	92.2	1418.9
Snow fall(cm)	0	1	0	-	-	0	-	-	-	-	0	0	1
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	997.4	1002.0	996.9	983.5	995.5	989.0	984.7	979.7	993.1	983.9	1002.2	993.9	979.7
Daily maximum air temperature(°C)	16.6	19.0	22.6	24.8	28.1	30.5	35.3*	36.3	33.3	32.2	26.8	22.0	36.3
Daily minimum air temperature(°C)	-2.5	-2.8	-0.2	3.5	7.4	14.1	18.5	19.3	15.0	8.8	2.9	-2.2	-2.8
Daily precipitation(mm)	31.0	57.0	61.0	47.5	38.5	102.5	75.5	53.0	93.5	85.5	44.5	43.5	102.5
Daily max.one-hour precipitation(mm)	11.0	21.0	19.5	11.5	13.0	28.0	66.0	31.0	41.0	18.0	16.0	24.5*	66.0
Daily max.ten-minute precipitation(mm)	2.5	7.5	6.0	5.0	5.5	12.0	19.0	9.5*	16.5	11.0	6.5	7.5	19.0
Daily totals of snowfall(cm)	2	3	0 *	-	-	×	-	-	-	-	0	0 *	3
Daily maximum of snow cover(cm)	2	3	-	-	-	×	-	-	-	-	-	-	3
Daily maximum wind speed(kt)	39	31	32	39	27	22 *	36	30	36	33	31 *	36 *	39 *
with wind direction(36DIR.)	27	27	27	26	23	20	30	17	36	36	29	12	27
Daily maximum peak gust(kt)	51	37 *	42	50	40	32	55	45	44	43	47	50	55
with wind direction(36DIR.)	28	28	20	25	27	33	30	18	35	28	24	12	30

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MATSUYAMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	3.6	3.8	0.4	-	-	-	-	-	-	-	-	0.4	8.2
25.0°C	-	-	-	-	-	-	3.4	11.8	0.2	-	-	-	15.4
Daily mean air temperature < 0.0°C	0.2	-	-	-	-	-	-	-	-	-	-	-	0.2
25.0°C	-	-	-	-	-	0.6	22.0	27.8	10.4	1.6	-	-	62.4
Daily maximum air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	-	-	-	-	4.4	12.2	29.6	30.8	27.0	10.0	0.2	-	114.2
30.0°C	-	-	-	-	-	0.2	15.2	21.6	3.6	0.4	-	-	41.0
Daily precipitation 0.0mm	14.4	14.8	13.2	13.4	10.4	17.4	13.0	13.6	13.4	10.6	14.0	15.2	163.4
1.0mm	5.8	8.6	7.8	9.6	7.6	12.0	9.4	7.6	9.2	6.4	8.2	9.8	102.0
5.0mm	2.6	4.8	5.2	4.8	4.6	9.4	6.0	5.0	6.2	5.0	4.4	5.2	63.2
10.0mm	1.8	2.2	3.4	3.0	2.8	7.6	4.8	3.6	4.4	3.4	3.0	4.2	44.2
30.0mm	0.4	0.4	1.6	0.8	0.4	2.8	1.6	1.2	1.8	1.4	0.2	0.4	13.0
50.0mm	-	0.2	0.4	-	-	1.6	0.4	0.4	1.0	0.8	-	-	4.8
70.0mm	-	-	-	-	-	0.6	0.2	-	0.4	0.4	-	-	1.6
100.0mm	-	-	-	-	-	0.2	-	-	-	-	-	-	0.2

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MATSUYAMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1021.8	1021.3	1018.8	1015.0	1012.0	1007.7	1008.7	1008.0	1012.4	1017.1	1019.5	1021.0	1015.3
01	1022.0	1021.2	1018.8	1015.0	1011.9	1007.7	1008.7	1008.0	1012.4	1017.0	1019.4	1021.2	1015.3
02	1021.6	1021.1	1018.5	1014.7	1011.7	1007.6	1008.6	1007.8	1012.0	1016.6	1019.1	1020.8	1015.0
03	1020.8	1020.5	1018.0	1014.2	1011.3	1007.3	1008.4	1007.4	1011.6	1016.0	1018.4	1020.0	1014.5
04	1020.0	1019.7	1017.4	1013.8	1010.9	1007.0	1008.0	1007.1	1011.1	1015.3	1017.8	1019.3	1014.0
05	1019.7	1019.2	1016.8	1013.3	1010.5	1006.7	1007.8	1006.7	1010.7	1014.9	1017.4	1019.0	1013.6
06	1019.6	1019.1	1016.5	1012.9	1010.1	1006.5	1007.5	1006.4	1010.5	1014.8	1017.3	1019.0	1013.3
07	1019.8	1019.1	1016.4	1012.7	1009.8	1006.3	1007.3	1006.3	1010.5	1014.9	1017.5	1019.2	1013.3
08	1020.0	1019.2	1016.6	1012.8	1009.8	1006.2	1007.2	1006.3	1010.7	1015.0	1017.8	1019.5	1013.4
09	1020.4	1019.6	1016.9	1013.0	1009.9	1006.3	1007.3	1006.4	1010.9	1015.3	1018.2	1019.8	1013.7
10	1020.8	1020.0	1017.3	1013.4	1010.2	1006.6	1007.6	1006.8	1011.2	1015.8	1018.6	1020.2	1014.0
11	1021.1	1020.3	1017.8	1013.9	1010.7	1006.9	1007.9	1007.2	1011.8	1016.1	1018.8	1020.4	1014.4
12	1021.2	1020.6	1018.1	1014.4	1011.2	1007.3	1008.4	1007.6	1012.1	1016.3	1019.0	1020.4	1014.7
13	1021.2	1020.7	1018.3	1014.5	1011.5	1007.5	1008.5	1007.7	1012.1	1016.5	1018.9	1020.5	1014.9
14	1021.2	1020.6	1018.3	1014.5	1011.5	1007.5	1008.4	1007.7	1012.1	1016.4	1018.9	1020.5	1014.8
15	1021.0	1020.5	1018.2	1014.5	1011.4	1007.3	1008.3	1007.6	1012.0	1016.3	1018.8	1020.3	1014.7
16	1020.7	1020.6	1018.2	1014.4	1011.2	1007.1	1008.0	1007.3	1011.7	1016.0	1018.8	1020.0	1014.5
17	1020.7	1020.5	1018.0	1014.2	1011.1	1006.9	1007.9	1007.2	1011.5	1016.0	1018.7	1020.1	1014.4
18	1020.7	1020.3	1017.8	1014.0	1011.0	1006.9	1007.8	1007.1	1011.4	1015.8	1018.5	1020.0	1014.3
19	1020.5	1020.1	1017.6	1013.9	1011.1	1006.9	1007.8	1007.1	1011.4	1015.8	1018.4	1019.8	1014.2
20	1020.6	1020.2	1017.8	1014.0	1011.2	1007.1	1008.0	1007.3	1011.5	1016.0	1018.3	1019.7	1014.3
21	1020.8	1020.3	1018.0	1014.3	1011.5	1007.4	1008.3	1007.5	1011.7	1016.2	1018.6	1020.0	1014.6
22	1021.2	1020.7	1018.3	1014.7	1011.8	1007.6	1008.6	1007.8	1012.1	1016.5	1019.0	1020.4	1014.9
23	1021.4	1021.1	1018.7	1014.9	1012.0	1007.7	1008.8	1007.9	1012.2	1017.0	1019.3	1020.7	1015.2
MEAN	1020.8	1020.3	1017.8	1014.0	1011.1	1007.1	1008.1	1007.3	1011.6	1016.0	1018.6	1020.1	1014.4

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MATSUYAMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	5.9	6.3	10.3	14.7	18.9	21.5	26.3	27.6	24.6	20.4	14.5	8.5	16.6
01	7.5	7.4	11.1	15.1	19.4	21.8	26.8	28.2	25.2	21.3	15.7	9.7	17.5
02	8.4	7.9	11.6	15.7	19.7	22.2	27.2	28.7	25.8	22.0	16.3	10.4	18.0
03	8.7	8.4	11.9	15.9	20.0	22.4	27.5	29.0	26.2	22.4	16.7	10.7	18.3
04	9.0	8.6	12.3	16.2	20.3	22.6	27.8	29.2	26.5	22.7	16.9	11.0	18.6
05	9.1	8.9	12.3	16.6	20.7	22.7	27.9	29.3	26.6	22.9	17.0	11.0	18.8
06	9.1	8.9	12.4	16.6	20.9	22.8	28.1	29.4	26.6	22.8	16.8	10.9	18.8
07	8.9	8.8	12.3	16.5	20.7	22.8	27.9	29.2	26.3	22.5	16.5	10.6	18.6
08	8.4	8.4	12.0	16.3	20.5	22.7	27.3	28.6	25.8	21.7	15.9	10.0	18.2
09	7.9	7.9	11.5	15.7	20.1	22.2	26.8	28.1	25.0	20.9	15.3	9.6	17.6
10	7.3	7.5	11.1	15.2	19.4	21.7	26.2	27.4	24.6	20.3	14.7	9.2	17.0
11	6.9	7.1	10.7	14.9	19.0	21.4	25.8	27.2	24.3	19.7	14.2	8.7	16.7
12	6.4	6.7	10.3	14.5	18.7	21.2	25.5	27.0	23.8	19.3	13.8	8.5	16.3
13	6.0	6.3	9.8	14.2	18.3	21.0	25.4	26.7	23.5	18.8	13.5	8.3	16.0
14	5.7	6.0	9.5	13.9	17.9	20.9	25.1	26.5	23.2	18.4	13.3	8.0	15.7
15	5.5	5.7	9.2	13.4	17.5	20.7	25.0	26.2	22.9	18.2	12.9	7.7	15.4
16	5.3	5.4	8.8	13.1	17.1	20.4	24.7	26.1	22.8	18.2	12.8	7.6	15.2
17	5.1	5.3	8.5	12.8	16.7	20.4	24.6	26.0	22.6	17.9	12.7	7.5	15.0
18	5.0	5.0	8.3	12.5	16.4	20.2	24.5	25.8	22.4	17.7	12.5	7.4	14.8
19	4.9	4.8	8.0	12.3	16.2	20.1	24.4	25.6	22.2	17.6	12.3	7.3	14.6
20	4.8	4.6	7.9	12.0	16.0	20.0	24.2	25.5	22.0	17.4	12.2	7.2	14.5
21	4.6	4.5	7.8	12.0	16.3	20.2	24.5	25.5	21.9	17.2	12.1	7.1	14.5
22	4.6	4.5	8.0	12.8	17.4	20.7	25.2	26.2	22.6	17.6	12.1	7.1	14.9
23	4.9	5.1	9.0	13.9	18.5	21.1	25.8	27.1	23.6	18.9	13.0	7.4	15.7
MEAN	6.7	6.7	10.2	14.5	18.6	21.4	26.0	27.3	24.2	19.9	14.3	8.8	16.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MATSUYAMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.2	6.4	8.6	11.8	15.5	21.1	27.0	27.9	23.2	16.1	11.5	7.4	15.2
01	6.4	6.6	8.7	12.0	15.7	21.2	27.1	28.4	23.4	16.4	11.6	7.4	15.4
02	6.3	6.5	8.8	12.1	15.8	21.5	27.1	28.5	23.7	16.5	11.5	7.4	15.5
03	6.4	6.6	8.9	12.0	15.8	21.5	27.2	28.7	23.8	16.5	11.5	7.5	15.6
04	6.4	6.6	8.9	12.1	16.0	21.6	27.2	28.7	23.7	16.5	11.6	7.5	15.6
05	6.4	6.6	8.8	11.9	16.0	21.4	27.1	28.6	23.5	16.4	11.6	7.5	15.5
06	6.3	6.6	8.8	11.9	15.6	21.5	27.1	28.4	23.3	16.2	11.4	7.4	15.4
07	6.3	6.6	8.7	11.7	15.5	21.3	26.8	28.2	23.0	16.1	11.3	7.5	15.3
08	6.2	6.6	8.7	11.6	15.3	21.0	26.6	27.9	22.9	16.1	11.2	7.4	15.1
09	6.2	6.5	8.6	11.6	15.1	20.9	26.4	27.7	22.9	16.0	11.2	7.4	15.0
10	6.1	6.6	8.5	11.5	14.8	20.7	26.1	27.7	22.8	16.1	11.2	7.4	15.0
11	6.1	6.5	8.5	11.7	14.9	20.6	26.1	27.8	22.5	16.0	11.2	7.3	14.9
12	6.1	6.5	8.4	11.6	14.9	20.6	26.2	27.8	22.5	15.9	11.2	7.3	14.9
13	6.1	6.4	8.3	11.7	14.7	20.6	26.3	27.5	22.5	15.8	11.1	7.3	14.9
14	6.0	6.4	8.2	11.4	14.6	20.6	26.2	27.3	22.1	15.6	11.0	7.3	14.7
15	6.0	6.4	8.2	11.3	14.4	20.6	26.1	27.1	21.9	15.6	11.0	7.3	14.6
16	6.0	6.3	8.0	11.1	14.2	20.3	26.0	27.1	22.0	15.7	10.9	7.4	14.6
17	6.0	6.2	8.0	11.1	14.0	20.3	25.9	27.0	21.9	15.5	11.0	7.4	14.5
18	6.0	6.2	8.0	10.9	13.9	20.2	25.9	26.8	21.9	15.5	10.9	7.3	14.5
19	6.0	6.2	7.9	10.8	13.8	20.2	25.8	26.7	21.8	15.4	10.9	7.3	14.4
20	5.9	6.2	7.9	10.7	13.7	20.2	25.7	26.5	21.8	15.3	10.9	7.3	14.3
21	6.0	6.1	7.9	10.8	14.0	20.5	26.2	26.6	21.8	15.2	10.9	7.2	14.5
22	6.0	6.1	8.1	11.2	14.6	20.8	26.4	27.1	22.2	15.6	11.0	7.2	14.7
23	6.1	6.3	8.3	11.5	15.1	21.1	26.7	27.6	22.7	15.9	11.2	7.3	15.0
MEAN	6.2	6.4	8.4	11.5	14.9	20.8	26.5	27.7	22.7	15.9	11.2	7.4	15.0

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MATSUYAMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	66	65	66	70	71	82	79	76	75	66	68	65	71
01	60	62	64	69	70	81	77	75	73	64	63	60	68
02	56	59	63	67	69	80	76	73	71	62	60	57	66
03	56	58	62	66	67	79	75	72	70	60	59	57	65
04	55	57	61	65	67	79	74	71	69	59	59	56	64
05	54	57	61	63	66	78	73	71	68	58	58	56	63
06	54	57	60	63	64	78	72	70	67	58	58	56	63
07	54	57	60	63	64	77	72	70	67	58	59	57	63
08	55	58	61	62	64	77	74	72	69	61	61	58	64
09	57	60	62	64	65	78	76	74	72	63	62	60	66
10	59	62	63	66	66	80	77	76	74	66	65	62	68
11	60	63	64	69	68	81	79	77	74	68	67	63	69
12	62	64	65	70	69	82	81	78	76	69	68	64	71
13	64	65	66	71	70	83	81	79	77	71	70	65	72
14	64	66	67	71	71	84	83	79	77	72	70	66	73
15	66	67	67	72	71	84	83	80	78	72	72	67	73
16	66	68	68	73	72	85	83	80	79	73	72	69	74
17	68	68	70	73	73	84	84	80	79	74	73	68	75
18	67	69	70	74	74	85	84	81	80	74	73	69	75
19	67	69	71	74	75	85	85	81	81	75	74	69	76
20	68	70	71	74	75	86	85	81	81	75	74	69	76
21	69	70	72	75	75	86	85	82	82	75	75	69	76
22	69	70	72	74	73	85	83	80	81	75	75	69	75
23	69	69	69	71	71	84	81	77	77	71	72	68	73
MEAN	62	64	66	69	69	82	79	77	75	68	67	63	70

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MATSUYAMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	12	12	12	36	35	35	35	35	35	2	11	12	35
01	13	1	36	35	35	35	35	35	35	36	2 *	12	35
02	29	36	35	35	35	36	35	35	35	35	1	29	35
03	29	35	35	36	35	36	21	35 *	35	35	35	29	35
04	30	35	35	35	21	23	23	23	35	35	35	30	35
05	35	35	35	35	23	23	21	23	35	35	35	29	35
06	28	35	23	21	23	23	21	23	35	35	35	26	35
07	26 *	36	22 *	22	22 *	24	21	22	35	35	1	29	23
08	28 *	1	26	20	21	21	21	22	35	1 *	3	28	21
09	28	1	25	20	21 *	21	20	22 *	21 *	4	12	28	20
10	12	3	1	19	20	20	21	20	22	12	12	12	12
11	12	12	13	13	1	20	35	20	13 *	12	12	12	12
12	12	12	12	12	13	20 *	36 *	20	13	12	12	12	12
13	11	12	13)	12	12	13	36	12	12	12)	12)	12	12)
14	12	12	12	12	13	1	35	13	12	12 *	12	12	12
15	12	13	12	12	12	1	1	36	12	12	12	12	12
16	12	13	12	12	13	1	1	13 *	12	12	12	12	12
17	12	12	12	12 *	12	2	1	13	12 *	12	12	12	12
18	12	12	13	12	13	1	1 *	13	12	12	11	12	12
19	12	11	12	13	13	13	1	12	12	12	13	12	12
20	12	11	12	12	13	36	1 *	12	13	12	11	12	12
21	12	12	12 *	12	12	1	12	12	12	12	11	12	12
22	11	12	12	12	12	36	1	12	13	12	12 *	12	12
23	12	12 *	13	1 *	35	35	35	35	2	12	12 *	12	12
ALL	12	12	12)	36	35	36	35	35	35	12)	12)	12	12)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MATSUYAMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	9.0	8.0	7.5	7.5	6.7	6.0	6.0	6.1	5.6	6.6	7.7	10.2	7.2
01	8.4	8.1	8.2	8.5	7.3	6.5	6.6	6.9	6.8	7.2	7.4	9.4	7.6
02	8.9	9.0	8.6	9.2	7.9	6.7	7.4	7.5	8.1	8.3	8.3	9.3	8.3
03	9.4	9.8	9.0	9.1	7.8	7.1	7.2	7.2	8.9	9.6	8.9	9.5	8.6
04	9.6	10.5	9.0	9.0	7.6	7.0	6.7	7.5	9.5	10.2	9.1	10.2	8.8
05	9.7	10.5	9.0	8.9	7.3	6.7	6.5	7.3	9.0	10.1	9.3	10.4	8.7
06	9.9	10.2	8.4	8.2	7.0	6.5	6.2	7.2	8.3	9.5	9.3	10.5	8.4
07	9.9	9.2	8.4	7.8	6.8	6.0	6.3	6.6	7.5	8.8	9.0	10.5	8.1
08	9.7	8.7	8.0	7.8	6.3	5.2	6.0	6.2	6.7	7.9	8.6	10.0	7.6
09	9.4	8.7	7.4	7.2	6.0	4.9	5.5	5.4	5.5	7.0	8.0	10.2	7.1
10	9.9	8.8	7.2	7.0	5.5	4.6	5.2	5.0	5.3	7.3	8.8	10.8	7.1
11	10.1	8.9	7.6	6.4	5.0	4.2	4.9	4.5	5.2	7.6	9.1	10.8	7.0
12	9.7	9.1	7.7	6.4	5.7	4.0	4.5	4.7	5.4	7.6	9.0	10.6	7.0
13	9.2	8.9	7.9	6.7	5.8	4.6	4.3	4.7	5.5	7.5	8.6	10.6	7.0
14	9.4	8.5	7.4	6.9	5.4	4.8	4.5	4.7	5.6	7.2	8.5	10.2	6.9
15	9.1	8.3	7.2	6.9	5.7	4.6	4.6	4.7	5.4	6.9	8.8	10.2	6.8
16	9.4	8.2	7.1	6.8	5.7	4.6	4.9	4.9	5.4	7.1	8.8	10.2	6.9
17	9.1	8.5	7.3	6.9	5.6	4.6	4.5	4.9	5.7	7.0	8.9	10.4	7.0
18	9.5	8.4	7.6	7.2	5.3	4.4	4.4	5.2	5.3	7.3	8.5	10.1	6.9
19	9.2	8.6	7.5	7.3	5.5	4.1	4.6	5.0	5.2	7.3	8.5	10.3	6.9
20	9.4	8.7	7.9	7.3	5.3	4.2	4.7	4.8	4.8	7.5	8.3	10.3	6.9
21	9.3	8.7	7.8	7.2	5.3	4.4	4.5	4.9	5.2	7.1	8.3	10.3	6.9
22	9.3	8.9	7.6	7.0	5.4	4.5	5.2	5.0	5.2	6.9	8.6	10.6	7.0
23	9.3	8.7	7.4	6.5	5.7	5.0	5.5	5.0	4.9	7.0	8.4	10.4	7.0
MEAN	9.4	8.9	7.9	7.5	6.2	5.2	5.4	5.7	6.2	7.8	8.6	10.3	7.4

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MATSUYAMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	7.5	10.9	3.6	6.6	9.9	2.6	8.3	11.7	4.7	12.8	16.4	9.0
02	7.4	10.8	3.6	6.6	9.8	2.6	8.4	11.8	4.8	12.9	16.5	9.1
03	7.4	10.8	3.5	6.5	9.7	2.5	8.6	12.0	5.0	13.0	16.6	9.2
04	7.3	10.7	3.5	6.4	9.6	2.4	8.7	12.1	5.1	13.0	16.6	9.3
05	7.2	10.6	3.4	6.3	9.5	2.4	8.8	12.2	5.1	13.1	16.6	9.3
06	7.2	10.5	3.3	6.3	9.4	2.3	8.9	12.3	5.1	13.1	16.7	9.4
07	7.1	10.4	3.2	6.2	9.3	2.3	8.9	12.5	5.2	13.2	16.7	9.4
08	7.0	10.3	3.1	6.2	9.3	2.3	9.0	12.6	5.2	13.2	16.8	9.5
09	6.9	10.2	3.0	6.1	9.2	2.3	9.1	12.7	5.2	13.3	16.9	9.5
10	6.8	10.1	2.9	6.1	9.2	2.4	9.2	12.8	5.2	13.4	17.0	9.6
11	6.7	10.0	2.8	6.2	9.2	2.4	9.2	12.9	5.3	13.6	17.2	9.7
12	6.6	9.9	2.6	6.2	9.3	2.5	9.4	13.1	5.4	13.7	17.4	9.9
13	6.5	9.8	2.5	6.3	9.3	2.5	9.5	13.3	5.5	13.9	17.6	10.0
14	6.5	9.8	2.5	6.3	9.4	2.6	9.7	13.5	5.7	14.1	17.9	10.2
15	6.4	9.7	2.4	6.4	9.5	2.7	9.9	13.6	5.9	14.3	18.1	10.4
16	6.4	9.7	2.4	6.4	9.5	2.8	10.1	13.8	6.1	14.5	18.3	10.5
17	6.3	9.7	2.3	6.5	9.6	2.8	10.2	14.0	6.3	14.7	18.5	10.7
18	6.3	9.7	2.3	6.6	9.7	2.9	10.4	14.1	6.4	14.8	18.7	10.8
19	6.3	9.7	2.3	6.7	9.8	3.0	10.6	14.2	6.6	15.0	18.8	11.0
20	6.3	9.7	2.4	6.8	10.0	3.1	10.7	14.4	6.8	15.1	19.0	11.1
21	6.3	9.7	2.4	6.9	10.1	3.2	10.8	14.5	6.9	15.2	19.1	11.2
22	6.3	9.7	2.5	7.0	10.3	3.4	10.9	14.6	7.0	15.4	19.3	11.3
23	6.3	9.8	2.5	7.2	10.5	3.5	11.1	14.7	7.1	15.5	19.4	11.4
24	6.4	9.8	2.5	7.4	10.7	3.7	11.2	14.9	7.3	15.7	19.6	11.6
25	6.4	9.8	2.6	7.6	10.9	3.9	11.4	15.0	7.4	15.8	19.7	11.7
26	6.5	9.9	2.6	7.7	11.1	4.1	11.6	15.3	7.6	16.0	19.9	11.9
27	6.5	9.9	2.6	7.9	11.3	4.3	11.8	15.5	7.9	16.2	20.0	12.0
28	6.6	10.0	2.7	8.1	11.5	4.5	12.0	15.7	8.1	16.3	20.2	12.2
29	6.6	10.0	2.7	8.2	11.6	4.6	12.3	15.9	8.3	16.5	20.4	12.4
30	6.6	10.0	2.7				12.5	16.1	8.6	16.6	20.5	12.5
31	6.6	9.9	2.6				12.7	16.3	8.8			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MATSUYAMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	16.8	20.6	12.7	20.4	23.8	17.4	23.2	26.4	20.7	27.8	31.5	24.7
02	16.9	20.8	12.8	20.4	23.8	17.5	23.5	26.8	20.9	27.8	31.5	24.7
03	17.0	20.9	13.0	20.4	23.7	17.6	23.7	27.1	21.1	27.9	31.4	24.8
04	17.1	21.0	13.1	20.4	23.7	17.7	23.9	27.4	21.3	27.9	31.4	24.8
05	17.2	21.2	13.2	20.5	23.8	17.8	24.2	27.6	21.5	27.8	31.3	24.8
06	17.2	21.3	13.3	20.6	23.8	17.9	24.4	27.9	21.7	27.8	31.2	24.9
07	17.3	21.4	13.3	20.7	23.9	18.1	24.6	28.2	21.8	27.8	31.1	24.9
08	17.4	21.5	13.4	20.8	24.0	18.2	24.8	28.4	22.0	27.8	31.1	24.9
09	17.5	21.6	13.5	21.0	24.2	18.4	25.0	28.6	22.2	27.7	31.0	24.9
10	17.6	21.8	13.6	21.1	24.3	18.6	25.2	28.8	22.3	27.7	31.0	24.9
11	17.7	21.9	13.7	21.3	24.4	18.8	25.3	29.0	22.4	27.7	31.0	24.9
12	17.8	22.0	13.9	21.4	24.6	18.9	25.5	29.2	22.6	27.7	31.0	24.9
13	18.0	22.1	14.0	21.5	24.7	19.1	25.6	29.3	22.7	27.7	31.0	24.9
14	18.1	22.2	14.1	21.6	24.7	19.2	25.8	29.5	22.8	27.7	31.0	24.9
15	18.2	22.3	14.3	21.7	24.8	19.3	25.9	29.6	22.9	27.7	31.0	24.9
16	18.4	22.4	14.5	21.8	24.8	19.4	26.0	29.7	23.0	27.6	31.1	24.8
17	18.5	22.5	14.7	21.8	24.8	19.5	26.2	29.8	23.1	27.6	31.1	24.8
18	18.7	22.6	14.9	21.8	24.7	19.5	26.3	29.9	23.2	27.6	31.1	24.7
19	18.9	22.8	15.1	21.8	24.7	19.6	26.4	30.0	23.4	27.5	31.1	24.7
20	19.0	22.9	15.3	21.9	24.7	19.6	26.6	30.2	23.5	27.4	31.0	24.6
21	19.2	23.0	15.5	21.9	24.7	19.6	26.7	30.3	23.6	27.3	30.9	24.5
22	19.4	23.2	15.7	21.9	24.7	19.7	26.8	30.5	23.7	27.2	30.8	24.4
23	19.6	23.3	15.9	21.9	24.7	19.7	27.0	30.6	23.8	27.1	30.7	24.2
24	19.7	23.5	16.2	22.0	24.8	19.7	27.1	30.8	24.0	26.9	30.5	24.1
25	19.9	23.6	16.4	22.1	25.0	19.8	27.3	30.9	24.1	26.7	30.3	23.9
26	20.0	23.7	16.6	22.2	25.1	19.9	27.4	31.1	24.2	26.5	30.1	23.7
27	20.1	23.8	16.7	22.4	25.3	20.0	27.5	31.2	24.3	26.4	29.8	23.5
28	20.2	23.8	16.9	22.6	25.6	20.2	27.6	31.3	24.4	26.2	29.6	23.4
29	20.3	23.8	17.0	22.8	25.9	20.3	27.7	31.4	24.5	26.0	29.4	23.2
30	20.3	23.9	17.1	23.0	26.1	20.5	27.8	31.5	24.6	25.8	29.2	23.1
31	20.3	23.8	17.3				27.8	31.5	24.6	25.7	29.0	22.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MATSUYAMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 49.6'N, LONGITUDE: 132° 42.0'E, ELEVATION ABOVE MSL: 13 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	25.6	28.9	22.8	22.9	26.7	19.2	16.5	20.4	12.3	10.9	14.7	7.0
02	25.4	28.8	22.7	22.7	26.5	19.0	16.4	20.2	12.1	10.7	14.4	6.8
03	25.4	28.7	22.6	22.6	26.4	18.8	16.2	20.1	12.0	10.4	14.2	6.5
04	25.3	28.6	22.5	22.4	26.2	18.6	16.1	19.9	11.9	10.2	14.0	6.3
05	25.2	28.6	22.4	22.2	26.0	18.4	16.0	19.8	11.9	10.0	13.8	6.1
06	25.1	28.5	22.3	22.0	25.8	18.1	15.9	19.7	11.8	9.8	13.7	5.9
07	25.1	28.5	22.3	21.7	25.5	17.8	15.8	19.5	11.8	9.7	13.5	5.8
08	25.0	28.4	22.2	21.5	25.3	17.6	15.7	19.4	11.7	9.5	13.3	5.7
09	24.9	28.3	22.1	21.2	25.0	17.3	15.6	19.2	11.6	9.4	13.1	5.6
10	24.8	28.2	22.0	21.0	24.8	17.0	15.4	19.0	11.5	9.3	12.9	5.5
11	24.7	28.2	21.8	20.7	24.6	16.7	15.3	18.8	11.4	9.2	12.7	5.5
12	24.6	28.1	21.7	20.5	24.3	16.5	15.1	18.6	11.2	9.1	12.6	5.4
13	24.5	28.0	21.5	20.2	24.1	16.3	14.9	18.5	11.1	9.0	12.4	5.4
14	24.4	27.8	21.4	20.0	23.9	16.0	14.7	18.3	10.9	8.9	12.2	5.3
15	24.3	27.7	21.2	19.8	23.7	15.8	14.6	18.1	10.7	8.8	12.0	5.2
16	24.1	27.6	21.0	19.6	23.5	15.7	14.4	17.9	10.5	8.7	11.9	5.1
17	24.0	27.5	20.8	19.4	23.3	15.5	14.3	17.8	10.3	8.6	11.8	5.1
18	23.8	27.4	20.6	19.3	23.2	15.4	14.1	17.6	10.2	8.5	11.7	5.0
19	23.7	27.3	20.4	19.2	23.1	15.2	14.0	17.5	10.0	8.5	11.7	4.9
20	23.6	27.2	20.3	19.0	22.9	15.1	13.8	17.3	9.8	8.4	11.6	4.8
21	23.6	27.2	20.2	18.9	22.8	14.9	13.6	17.2	9.7	8.3	11.5	4.7
22	23.5	27.2	20.0	18.7	22.6	14.8	13.4	17.0	9.5	8.3	11.5	4.6
23	23.4	27.1	20.0	18.5	22.5	14.6	13.2	16.8	9.3	8.2	11.4	4.5
24	23.4	27.1	19.9	18.3	22.3	14.4	13.0	16.5	9.1	8.2	11.4	4.3
25	23.4	27.1	19.8	18.1	22.1	14.1	12.7	16.3	8.8	8.1	11.3	4.2
26	23.3	27.1	19.8	17.8	21.8	13.8	12.4	16.0	8.5	8.0	11.3	4.1
27	23.3	27.1	19.7	17.6	21.6	13.5	12.1	15.7	8.2	7.9	11.2	4.0
28	23.2	27.0	19.6	17.4	21.3	13.3	11.8	15.4	7.9	7.8	11.1	3.9
29	23.1	26.9	19.5	17.1	21.1	13.0	11.5	15.2	7.6	7.7	11.1	3.8
30	23.0	26.8	19.4	16.9	20.8	12.7	11.2	14.9	7.3	7.6	11.0	3.7
31				16.7	20.6	12.5				7.5	10.9	3.7