

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: JAN

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	0)	0)	0)	0)	0)	-	-	1
01	0)	0)	0)	0)	0)	1	1	1
02	0)	0)	0)	0)	0)	1	1	1
03	0)	0)	0)	0)	2)	-	1	1
04	0)	0)	0)	0)	2)	-	-	1
05	0)	0)	0)	0)	2)	-	-	1
06	0)	0)	0)	0)	2)	-	-	2
07	0)	0)	0)	1)	3)	-	1	2
08	0)	0)	0)	0)	1)	-	-	1
09	0)	0)	0)	0)	0)	-	-	1
10	0)	0)	0)	0)	0)	-	-	-
11	0)	0)	0)	0)	0)	-	-	-
12								
13								
14								
15								
16								
17								
18								
19								
20	0)	0)	0)	0)	1)	-	-	1
21	0)	0)	0)	0)	1)	-	-	2
22	0)	0)	0)	0)	0)	-	-	2
23	0)	0)	0)	0)	0)	-	-	1
MEAN	0)	0)	0)	0)	1)	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: FEB

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	0)	0)	0)	0)	1)	1	1	4
01	0)	0)	0)	0)	1)	1	1	4
02	0)	0)	0)	0)	3)	-	1	3
03	0)	0)	0)	0)	2)	1	1	2
04	0)	0)	0)	0)	0)	-	-	2
05	0)	0)	0)	0)	1)	-	1	2
06	0)	0)	0)	0)	0)	-	1	1
07	0)	0)	0)	0)	0)	-	-	1
08	0)	0)	0)	0)	1)	-	-	1
09	0)	0)	0)	0)	0)	-	-	-
10	0)	0)	0)	0)	0)	-	-	1
11	0)	0)	0)	0)	3)	-	-	1
12								
13								
14								
15								
16								
17								
18								
19								
20	0)	0)	0)	1)	1)	-	1	1
21	0)	0)	0)	1)	1)	-	1	2
22	0)	0)	0)	1)	2)	-	2	3
23	0)	0)	0)	0)	2)	-	1	3
MEAN	0)	0)	0)	0)	1)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: MAR

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	0)	0)	1)	2)	4)	1	3	5
01	0)	0)	1)	1)	3)	1	2	4
02	0)	0)	2)	2)	3)	1	1	3
03	0)	0)	2)	2)	2)	1	3	4
04	0)	0)	1)	2)	2)	1	1	3
05	0)	0)	0)	0)	3)	-	1	3
06	0)	0)	0)	0)	3)	-	1	2
07	0)	0)	0)	0)	2)	-	1	3
08	x	x	x	x	x	-	-	3
09	x	x	x	x	x	-	1	3
10	0)	0)	0)	2)	2)	-	1	2
11	0)	0)	0)	2)	2)	-	1	3
12								
13								
14								
15								
16								
17								
18								
19								
20	0)	0)	0)	0)	1)	-	1	3
21	0)	0)	0)	0)	2)	-	1	3
22	0)	0)	0)	1)	1)	-	2	3
23	0)	0)	0)	0)	2)	-	1	3
MEAN	x	x	x	x	x	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: APR

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	0)	0)	0)	0)	1)	-	-	1
01	0)	0)	0)	1)	1)	-	1	1
02	0)	0)	0)	1)	3)	-	1	2
03	0)	0)	0)	1)	2)	-	2	2
04	0)	0)	0)	1)	2)	-	1	2
05	0)	0)	0)	0)	3)	-	-	2
06	0)	0)	0)	1)	2)	-	1	3
07	0)	0)	0)	1)	3)	-	2	3
08	0)	0)	0)	2)	3)	-	2	4
09	0)	0)	1)	2)	3)	1	2	3
10	0)	0)	0)	1)	2)	-	1	1
11	0)	0)	0)	1)	4)	-	1	3
12								
13								
14								
15								
16								
17								
18								
19								
20	0)	0)	0)	0)	1)	-	-	-
21	0)	0)	0)	0)	1)	-	-	-
22	0)	0)	0)	0)	0)	-	-	2
23	0)	0)	0)	0)	0)	-	-	1
MEAN	0)	0)	0)	1)	2)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: MAY

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	-	-	-	1	1	-	1	1
01	-	-	-	-	1	-	-	1
02	-	-	-	-	1	-	-	1
03	-	-	-	1	1	1	1	2
04	-	-	-	1	1	-	1	2
05	-	-	-	1	1	-	1	1
06	-	-	-	-	1	-	1	1
07	-	-	-	-	3	-	-	3
08	-	-	-	1	4	-	1	3
09	-	-	-	1	3	-	1	4
10	-	-	-	1	3	-	1	3
11	-	-	-	-	3	-	1	3
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	1	4	-	1	3
21	-	-	-	1	2	-	1	1
22	-	-	-	-	1	-	-	1
23	-	-	-	-	2	-	-	1
MEAN	-	-	-	0	2	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: JUN

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	-	-	-	1	2	-	1	1
01	-	-	-	-	1	-	-	-
02	-	-	-	1	3	-	-	1
03	-	-	-	-	2	-	1	1
04	-	-	-	-	-	-	1	2
05	-	-	-	-	1	-	-	1
06	-	-	1	1	3	-	-	3
07	-	-	-	-	1	-	1	3
08	-	-	-	-	2	-	1	3
09	-	-	-	1	1	-	1	1
10	-	-	-	1	2	-	2	3
11	-	-	-	1	1	-	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	1	3	-	2	4
21	-	-	-	1	7	-	1	4
22	-	-	-	1	4	-	2	3
23	-	-	-	-	5	-	-	1
MEAN	-	-	0	0	2	-	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: JUL

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	-	-	-	2	5	1	2	6
01	-	-	-	1	4	-	1	3
02	-	-	-	1	3	-	1	2
03	-	-	-	-	3	-	-	2
04	-	1	1	1	4	-	1	3
05	-	-	-	1	3	-	2	3
06	-	-	-	1	3	-	3	3
07	-	-	-	2	3	-	2	3
08	-	-	-	1	1	-	1	1
09	-	-	-	1	3	-	1	1
10	-	-	-	1	1	-	1	1
11	-	-	-	1	2	-	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	1	-	-	1
21	-	-	-	-	5	-	2	4
22	-	-	-	-	2	-	1	2
23	-	-	-	1	5	-	1	2
MEAN	-	0	0	1	3	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: AUG

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	-	-	-	-	1	-	1	1
01	-	-	-	1	1	-	1	1
02	-	-	-	1	1	-	1	1
03	-	-	-	1	2	-	1	1
04	-	-	-	-	1	-	1	1
05	-	-	-	1	1	-	1	2
06	-	-	-	1	1	-	2	2
07	-	-	-	-	1	-	-	-
08	-	-	-	-	-	-	-	1
09	-	-	1	1	2	1	1	2
10	-	-	-	-	1	-	-	-
11	-	-	-	-	-	-	2	2
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	1	1
21	-	-	-	-	2	-	1	3
22	-	-	-	-	2	-	1	2
23	-	-	-	1	1	-	1	1
MEAN	-	-	0	0	1	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: SEP

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	-	-	-	1	2	-	1	1
01	-	-	-	1	1	-	1	1
02	-	1	1	1	3	-	1	1
03	-	-	-	1	1	-	1	1
04	-	-	-	-	1	-	-	1
05	-	1	1	1	2	-	1	3
06	-	-	-	-	1	-	-	2
07	-	-	-	-	-	-	-	1
08	-	-	-	-	-	-	-	-
09	-	-	-	-	-	-	-	-
10	-	-	-	-	1	-	-	-
11	-	-	-	-	-	-	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	1	1	-	1	1
21	-	-	-	1	3	-	1	2
22	-	-	-	-	3	-	-	-
23	-	-	-	1	3	-	1	3
MEAN	-	0	0	0	1	-	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: OCT

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	-	-	-	-	-	-	1	1
01	0)	0)	0)	0)	0)	-	-	1
02	0)	0)	0)	0)	0)	-	-	-
03	-	-	-	-	-	-	-	-
04	-	-	-	-	-	-	-	1
05	-	-	-	-	-	-	-	-
06	-	-	-	-	-	-	-	-
07	-	-	-	-	-	-	-	1
08	-	-	-	-	-	-	-	1
09	-	-	-	-	-	-	1	1
10	-	-	-	-	1	-	-	-
11	-	-	-	-	1	-	-	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	1	-	-	1
21	-	-	-	-	1	-	-	-
22	-	-	-	-	-	-	-	1
23	-	-	-	-	-	-	1	1
MEAN	0)	0)	0)	0)	0)	-	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: NOV

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	0)	0)	0)	3)	4)	-	2	4
01	0)	0)	0)	1)	1)	-	1	1
02	0)	0)	0)	1)	1)	-	1	1
03	0)	0)	0)	0)	0)	-	-	1
04	0)	0)	0)	0)	1)	-	-	1
05	0)	0)	0)	0)	1)	-	1	2
06	0)	0)	0)	0)	2)	-	-	2
07	0)	0)	0)	1)	2)	-	1	3
08	0)	0)	0)	0)	1)	-	1	2
09	0)	0)	0)	1)	1)	-	1	2
10	0)	0)	0)	1)	1)	-	1	1
11	0)	0)	0)	1)	1)	-	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20	0)	0)	0)	0)	0)	-	1	1
21	0)	0)	0)	1)	1)	-	1	3
22	0)	0)	0)	2)	3)	-	2	3
23	0)	0)	0)	3)	4)	-	3	3
MEAN	0)	0)	0)	1)	2)	-	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: DEC

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	0)	0)	0)	0)	2)	-	-	1
01	0)	0)	0)	0)	0)	-	-	-
02	0)	0)	0)	0)	2)	-	-	-
03	0)	0)	0)	0)	3)	-	-	1
04	0)	0)	0)	0)	2)	-	-	1
05	0)	0)	0)	0)	1)	-	-	-
06	0)	0)	0)	0)	1)	-	-	-
07	0)	0)	0)	0)	1)	-	-	-
08	0)	0)	0)	0)	0)	-	-	1
09	0)	0)	0)	0)	1)	-	-	1
10	0)	0)	0)	0)	0)	-	-	1
11	0)	0)	0)	0)	0)	-	1	2
12								
13								
14								
15								
16								
17								
18								
19								
20	0)	0)	0)	1)	1)	-	1	1
21	0)	0)	0)	0)	2)	-	-	-
22	0)	0)	0)	0)	1)	-	-	1
23	0)	0)	0)	0)	2)	-	-	1
MEAN	0)	0)	0)	0)	1)	-	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT [ANNUAL]

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32R

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	0)	0)	0)	1)	2)	0	1	2
01	0)	0)	0)	0)	1)	0	1	1
02	0)	0)	0)	1)	2)	0	1	1
03	0)	0)	0)	0)	2)	0	1	2
04	0)	0)	0)	0)	1)	0	1	2
05	0)	0)	0)	0)	2)	-	1	2
06	0)	0)	0)	0)	2)	-	1	2
07	0)	0)	0)	0)	2)	-	1	2
08	0)	0)	0)	0)	1)	-	0	2
09	0)	0)	0)	1)	1)	0	1	2
10	0)	0)	0)	1)	1)	-	1	1
11	0)	0)	0)	0)	1)	-	1	2
12								
13								
14								
15								
16								
17								
18								
19								
20	0)	0)	0)	0)	1)	-	1	1
21	0)	0)	0)	0)	2)	-	1	2
22	0)	0)	0)	0)	2)	-	1	2
23	0)	0)	0)	0)	2)	-	1	2
MEAN	0)	0)	0)	0)	2)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: JAN

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	0)	0)	0)	0)	1)	-	-	1
01	0)	0)	1)	1)	1)	1	1	1
02	0)	0)	1)	1)	1)	1	1	1
03	0)	0)	0)	1)	2)	-	1	1
04	0)	0)	0)	0)	1)	-	-	1
05	0)	0)	0)	0)	2)	-	-	1
06	0)	0)	0)	0)	2)	-	-	2
07	0)	0)	0)	0)	2)	-	1	2
08	0)	0)	0)	0)	0)	-	-	1
09	0)	0)	0)	0)	0)	-	-	1
10	0)	0)	0)	0)	0)	-	-	-
11	0)	0)	0)	0)	0)	-	-	-
12								
13								
14								
15								
16								
17								
18								
19								
20	0)	0)	0)	0)	2)	-	-	1
21	0)	0)	0)	0)	2)	-	-	2
22	0)	0)	0)	0)	1)	-	-	2
23	0)	0)	0)	0)	0)	-	-	1
MEAN	0)	0)	0)	0)	1)	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: FEB

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	0)	0)	0)	1)	4)	1	1	4
01	0)	0)	0)	0)	2)	1	1	4
02	0)	0)	0)	0)	2)	-	1	3
03	0)	0)	0)	0)	2)	1	1	2
04	0)	0)	0)	0)	2)	-	-	2
05	0)	0)	0)	2)	2)	-	1	2
06	0)	0)	0)	1)	1)	-	1	1
07	0)	0)	0)	0)	0)	-	-	1
08	0)	0)	0)	0)	1)	-	-	1
09	0)	0)	0)	0)	0)	-	-	-
10	0)	0)	0)	0)	0)	-	-	1
11	0)	0)	0)	0)	2)	-	-	1
12								
13								
14								
15								
16								
17								
18								
19								
20	0)	0)	0)	1)	2)	-	1	1
21	0)	0)	0)	1)	4)	-	1	2
22	0)	0)	0)	2)	4)	-	2	3
23	0)	0)	0)	1)	4)	-	1	3
MEAN	0)	0)	0)	0)	2)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: MAR

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	0)	0)	1)	2)	2)	1	3	5
01	0)	0)	1)	1)	2)	1	2	4
02	0)	0)	2)	2)	2)	1	1	3
03	0)	0)	2)	2)	2)	1	3	4
04	0)	0)	1)	2)	2)	1	1	3
05	0)	0)	0)	0)	2)	-	1	3
06	0)	0)	0)	0)	2)	-	1	2
07	0)	0)	0)	0)	1)	-	1	3
08	0)	0)	0)	0)	2)	-	-	3
09	0)	0)	0)	1)	2)	-	1	3
10	0)	0)	0)	1)	2)	-	1	2
11	0)	0)	0)	1)	2)	-	1	3
12								
13								
14								
15								
16								
17								
18								
19								
20	0)	0)	0)	0)	1)	-	1	3
21	0)	0)	0)	0)	1)	-	1	3
22	0)	0)	0)	1)	1)	-	2	3
23	0)	0)	0)	0)	2)	-	1	3
MEAN	0)	0)	0)	1)	2)	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: APR

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	0)	0)	0)	0)	1)	-	-	1
01	0)	0)	0)	1)	2)	-	1	1
02	0)	0)	0)	1)	3)	-	1	2
03	0)	0)	0)	2)	3)	-	2	2
04	0)	0)	0)	2)	3)	-	1	2
05	0)	0)	0)	0)	3)	-	-	2
06	0)	0)	0)	1)	3)	-	1	3
07	0)	0)	0)	1)	3)	-	2	3
08	0)	0)	0)	3)	3)	-	2	4
09	0)	0)	1)	3)	3)	1	2	3
10	0)	0)	0)	2)	3)	-	1	1
11	0)	0)	0)	2)	5)	-	1	3
12								
13								
14								
15								
16								
17								
18								
19								
20	0)	0)	0)	0)	1)	-	-	-
21	0)	0)	0)	0)	1)	-	-	-
22	0)	0)	0)	0)	0)	-	-	2
23	0)	0)	0)	0)	0)	-	-	1
MEAN	0)	0)	0)	1)	2)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: MAY

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	0)	0)	0)	1)	2)	-	1	1
01	0)	0)	0)	0)	2)	-	-	1
02	0)	0)	0)	0)	1)	-	-	1
03	0)	0)	0)	0)	2)	1	1	2
04	0)	0)	0)	1)	2)	-	1	2
05	0)	0)	0)	1)	1)	-	1	1
06	0)	0)	0)	0)	2)	-	1	1
07	0)	0)	0)	0)	3)	-	-	3
08	0)	0)	0)	1)	2)	-	1	3
09	0)	0)	0)	1)	3)	-	1	4
10	0)	0)	0)	1)	2)	-	1	3
11	0)	0)	0)	0)	3)	-	1	3
12								
13								
14								
15								
16								
17								
18								
19								
20	0)	0)	0)	1)	4)	-	1	3
21	0)	0)	0)	1)	2)	-	1	1
22	0)	0)	0)	0)	2)	-	-	1
23	0)	0)	0)	0)	2)	-	-	1
MEAN	0)	0)	0)	0)	2)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: JUN

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	0)	0)	0)	1)	2)	-	1	1
01	0)	0)	0)	0)	1)	-	-	-
02	0)	0)	0)	0)	2)	-	-	1
03	0)	0)	0)	0)	1)	-	1	1
04	0)	0)	0)	0)	0)	-	1	2
05	0)	0)	0)	0)	1)	-	-	1
06	0)	0)	0)	1)	3)	-	-	3
07	0)	0)	0)	0)	1)	-	1	3
08	0)	0)	0)	0)	2)	-	1	3
09	0)	0)	0)	1)	1)	-	1	1
10	0)	0)	0)	1)	2)	-	2	3
11	0)	0)	0)	1)	1)	-	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20	0)	0)	0)	1)	3)	-	2	4
21	0)	0)	0)	1)	7)	-	1	4
22	0)	0)	0)	1)	4)	-	2	3
23	0)	0)	0)	0)	5)	-	-	1
MEAN	0)	0)	0)	0)	2)	-	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT MONTH: JUL

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	-	-	-	2	5	1	2	6
01	-	-	-	2	4	-	1	3
02	-	-	-	1	3	-	1	2
03	-	-	-	-	3	-	-	2
04	-	-	-	1	4	-	1	3
05	-	-	-	1	3	-	2	3
06	-	-	-	1	3	-	3	3
07	-	-	-	2	3	-	2	3
08	-	-	-	1	2	-	1	1
09	-	-	-	1	3	-	1	1
10	-	-	-	1	1	-	1	1
11	-	-	-	1	1	-	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	1	-	-	1
21	-	-	-	1	5	-	2	4
22	-	-	-	-	2	-	1	2
23	-	-	-	1	5	-	1	2
MEAN	-	-	-	1	3	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: AUG

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	-	-	-	-	1	-	1	1
01	-	-	-	1	2	-	1	1
02	-	-	-	1	1	-	1	1
03	-	-	-	1	2	-	1	1
04	-	-	-	1	1	-	1	1
05	-	-	-	-	1	-	1	2
06	-	1	1	1	1	-	2	2
07	-	-	-	-	-	-	-	-
08	-	-	-	-	-	-	-	1
09	-	-	-	-	1	1	1	2
10	-	-	-	-	1	-	-	-
11	-	-	-	-	-	-	2	2
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	1	1
21	-	-	-	-	3	-	1	3
22	-	1	1	1	3	-	1	2
23	-	-	-	1	1	-	1	1
MEAN	-	0	0	0	1	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: SEP

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	-	-	-	1	2	-	1	1
01	-	-	-	1	1	-	1	1
02	-	-	-	-	2	-	1	1
03	-	-	-	1	1	-	1	1
04	-	-	-	-	1	-	-	1
05	-	1	1	1	2	-	1	3
06	-	-	-	1	1	-	-	2
07	-	-	-	-	-	-	-	1
08	-	-	-	-	-	-	-	-
09	-	-	-	-	-	-	-	-
10	-	-	-	1	1	-	-	-
11	-	-	-	1	1	-	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	1	2	-	1	1
21	-	-	-	1	3	-	1	2
22	-	-	-	-	2	-	-	-
23	-	-	-	1	3	-	1	3
MEAN	-	0	0	1	1	-	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: OCT

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	-	-	-	-	1	-	1	1
01	-	-	-	-	-	-	-	1
02	-	-	-	-	-	-	-	-
03	-	-	-	-	-	-	-	-
04	-	-	-	-	1	-	-	1
05	-	-	-	-	-	-	-	-
06	-	-	-	-	-	-	-	-
07	-	-	-	-	-	-	-	1
08	-	-	-	-	-	-	-	1
09	-	-	-	-	-	-	1	1
10	-	-	-	-	1	-	-	-
11	-	-	-	-	1	-	-	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	1	-	-	1
21	-	-	-	-	1	-	-	-
22	-	-	-	-	-	-	-	1
23	-	-	-	-	-	-	1	1
MEAN	-	-	-	-	0	-	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

NUMBER OF FORWARD SCATTER: RWY32L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	-	-	-	2	4	-	2	4
01	-	-	-	1	2	-	1	1
02	-	-	-	1	2	-	1	1
03	-	-	-	-	1	-	-	1
04	-	-	-	-	1	-	-	1
05	0)	0)	0)	0)	2)	-	1	2
06	-	-	-	-	2	-	-	2
07	-	-	-	1	2	-	1	3
08	-	-	-	-	1	-	1	2
09	-	-	-	1	1	-	1	2
10	-	-	-	1	1	-	1	1
11	-	-	-	1	1	-	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	1	1
21	-	-	-	1	1	-	1	3
22	-	-	-	2	3	-	2	3
23	-	-	-	3	5	-	3	3
MEAN	0)	0)	0)	1)	2)	-	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT      MONTH: DEC

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	-	-	-	-	1	-	-	1
01	-	-	-	-	-	-	-	-
02	-	-	-	-	2	-	-	-
03	-	-	-	-	3	-	-	1
04	-	-	-	-	2	-	-	1
05	-	-	-	-	1	-	-	-
06	0)	0)	0)	0)	1)	-	-	-
07	0)	0)	0)	0)	1)	-	-	-
08	0)	0)	0)	0)	0)	-	-	1
09	-	-	-	-	1	-	-	1
10	-	-	-	-	-	-	-	1
11	-	-	-	-	1	-	1	2
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	1	1	-	1	1
21	-	-	-	-	1	-	-	-
22	-	-	-	-	1	-	-	1
23	-	-	-	-	1	-	-	1
MEAN	0)	0)	0)	0)	1)	-	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME : OSAKA International AIRPORT [ANNUAL]

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

NUMBER OF FORWARD SCATTER : RWY32L

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<700	<800	<1200	<1500	<1500	<3200	<5000
	<100	<300	<600	<1000	<1900	<600	<1000	<1500
00	0)	0)	0)	1)	2)	0	1	2
01	0)	0)	0)	1)	1)	0	1	1
02	0)	0)	0)	0)	2)	0	1	1
03	0)	0)	0)	0)	2)	0	1	2
04	0)	0)	0)	0)	1)	0	1	2
05	0)	0)	0)	0)	2)	-	1	2
06	0)	0)	0)	0)	2)	-	1	2
07	0)	0)	0)	0)	1)	-	1	2
08	0)	0)	0)	0)	1)	-	0	2
09	0)	0)	0)	1)	1)	0	1	2
10	0)	0)	0)	0)	1)	-	1	1
11	0)	0)	0)	0)	1)	-	1	2
12								
13								
14								
15								
16								
17								
18								
19								
20	0)	0)	0)	0)	1)	-	1	1
21	0)	0)	0)	1)	3)	-	1	2
22	0)	0)	0)	1)	2)	-	1	2
23	0)	0)	0)	1)	2)	-	1	2
MEAN	0)	0)	0)	0)	2)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME : OSAKA International AIRPORT      MONTH: JAN

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	1
01	-	-	-	-	-	-	-	1
02	-	-	-	-	-	-	-	1
03	-	-	-	-	-	-	-	1
04	-	-	-	-	-	-	-	-
05	-	-	-	-	-	-	-	1
06	-	-	-	-	-	-	-	1
07	-	-	-	-	1	1	1	1
08	-	-	-	-	-	-	-	1
09	-	-	-	-	-	-	-	1
10	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	-	1
21	-	-	-	-	-	-	-	1
22	-	-	-	-	-	-	-	2
23	-	-	-	-	-	-	-	1
MEAN	-	-	-	-	0	0	0	1

## AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME : OSAKA International AIRPORT      MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES  
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	1	1	1	1	3
01	-	-	-	1	1	1	1	2
02	-	-	-	-	1	1	1	1
03	-	-	-	1	1	1	1	2
04	-	-	-	-	-	-	-	1
05	-	-	-	-	-	-	-	1
06	-	-	-	-	-	-	-	-
07	-	-	-	-	-	-	-	1
08	-	-	-	-	-	-	-	1
09	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	1
11	-	-	-	-	-	-	-	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	1	1
21	-	-	-	-	-	-	-	1
22	-	-	-	-	-	-	1	2
23	-	-	-	-	-	-	1	2
MEAN	-	-	-	0	0	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME : OSAKA International AIRPORT      MONTH: MAR

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	1	2	4
01	-	-	-	-	-	-	2	3
02	-	-	-	-	-	-	1	3
03	-	-	-	-	-	-	1	3
04	-	-	-	-	-	-	-	3
05	-	-	-	-	-	-	1	1
06	-	-	-	-	-	-	1	1
07	-	-	-	-	-	-	1	2
08	-	-	-	-	-	-	-	2
09	-	-	-	-	-	-	-	1
10	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	2
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	1	3
21	-	-	-	-	-	-	1	2
22	-	-	-	-	-	1	1	2
23	-	-	-	-	1	1	1	3
MEAN	-	-	-	-	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME : OSAKA International AIRPORT      MONTH: APR

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	1
01	-	-	-	-	-	-	1	1
02	-	-	-	-	-	-	1	2
03	-	-	-	-	-	1	1	1
04	-	-	-	-	-	-	1	1
05	-	-	-	-	-	-	-	1
06	-	-	-	-	-	-	1	3
07	-	-	-	-	-	-	1	1
08	-	-	-	-	-	-	-	2
09	-	-	-	-	-	-	-	1
10	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	2
23	-	-	-	-	-	-	-	1
MEAN	-	-	-	-	-	0	0	1

## AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME : OSAKA International AIRPORT      MONTH: MAY

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES  
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	1
01	-	-	-	-	-	-	-	1
02	-	-	-	-	-	-	-	-
03	-	-	-	1	1	1	1	1
04	-	-	-	-	-	-	1	2
05	-	-	-	-	-	1	1	1
06	-	-	-	-	-	-	1	1
07	-	-	-	-	-	-	-	3
08	-	-	-	-	-	-	-	3
09	-	-	-	-	-	-	-	3
10	-	-	-	-	-	-	-	1
11	-	-	-	-	-	-	1	2
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	-	2
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
MEAN	-	-	-	0	0	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME : OSAKA International AIRPORT      MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	-
01	-	-	-	-	-	-	-	-
02	-	-	-	-	-	-	-	1
03	-	-	-	-	-	1	1	1
04	-	-	-	-	-	-	1	2
05	-	-	-	-	-	-	-	1
06	-	-	-	-	-	-	-	3
07	-	-	-	-	-	-	1	3
08	-	-	-	-	-	1	1	3
09	-	-	-	-	-	-	1	1
10	-	-	-	-	-	1	1	1
11	-	-	-	-	-	1	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	1	3
21	-	-	-	-	-	-	-	1
22	-	-	-	-	-	1	1	1
23	-	-	-	-	-	-	-	-
MEAN	-	-	-	-	-	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME : OSAKA International AIRPORT      MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	1	1	1	1	1	5
01	-	-	-	-	-	1	1	2
02	-	-	-	-	-	-	-	1
03	-	-	-	-	-	-	-	2
04	-	-	-	-	-	1	1	3
05	-	-	-	-	-	-	1	2
06	-	-	-	-	-	1	2	2
07	-	-	-	-	-	-	1	1
08	-	-	-	-	-	1	1	1
09	-	-	-	-	-	1	1	1
10	-	-	-	-	-	1	1	1
11	-	-	-	-	-	-	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	-	1
21	-	-	-	-	1	1	2	3
22	-	-	-	-	-	-	1	2
23	-	-	-	-	-	-	1	1
MEAN	-	-	0	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME : OSAKA International AIRPORT      MONTH: AUG

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	1	1
01	-	-	-	-	1	1	1	1
02	-	-	-	-	-	-	1	1
03	-	-	-	-	-	-	1	1
04	-	-	-	-	-	1	1	1
05	-	-	-	-	-	-	1	2
06	-	-	-	-	-	1	2	2
07	-	-	-	-	-	-	-	-
08	-	-	-	-	-	-	-	1
09	-	1	1	1	1	1	1	2
10	-	-	-	-	-	-	-	-
11	-	-	-	-	-	1	2	2
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	1	1
21	-	-	-	-	-	-	1	2
22	-	-	-	-	-	1	1	1
23	-	-	-	-	-	-	-	1
MEAN	-	0	0	0	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME : OSAKA International AIRPORT      MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	-
01	-	-	-	-	-	-	-	-
02	-	-	-	-	-	1	1	1
03	-	-	-	-	-	-	-	1
04	-	-	-	-	-	-	-	1
05	-	-	-	-	1	1	1	2
06	-	-	-	-	-	-	-	1
07	-	-	-	-	-	-	-	1
08	-	-	-	-	-	-	-	-
09	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	-	1
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	1	1
MEAN	-	-	-	-	0	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME : OSAKA International AIRPORT      MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	1	1
01	-	-	-	-	-	-	-	1
02	-	-	-	-	-	-	-	-
03	-	-	-	-	-	-	-	-
04	-	-	-	-	-	-	-	1
05	-	-	-	-	-	-	-	-
06	-	-	-	-	-	-	-	-
07	-	-	-	-	-	-	-	1
08	-	-	-	-	-	-	-	1
09	-	-	-	-	1	1	1	1
10	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	-	1
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	1
23	-	-	-	-	-	1	1	1
MEAN	-	-	-	-	0	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME : OSAKA International AIRPORT      MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES  
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	1
01	-	-	-	-	-	-	-	1
02	-	-	-	-	-	-	-	1
03	-	-	-	-	-	-	-	1
04	-	-	-	-	-	-	-	1
05	-	-	-	-	-	-	1	2
06	-	-	-	-	-	-	-	1
07	-	-	-	-	-	-	-	2
08	-	-	-	-	-	1	1	2
09	-	-	-	-	-	-	1	1
10	-	-	-	-	-	-	1	1
11	-	-	-	-	-	1	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	1	1
21	-	-	-	-	-	-	-	1
22	-	-	-	-	-	-	-	1
23	-	-	-	-	-	-	-	1
MEAN	-	-	-	-	-	0	0	1



AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME : OSAKA International AIRPORT [ANNUAL]

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	0	0	0	0	0	1
01	-	-	-	0	0	0	0	1
02	-	-	-	-	0	0	0	1
03	-	-	-	0	0	0	0	1
04	-	-	-	-	-	0	0	1
05	-	-	-	-	0	0	0	1
06	-	-	-	-	-	0	0	1
07	-	-	-	-	0	0	0	1
08	-	-	-	-	-	0	0	1
09	-	0	0	0	0	0	0	1
10	-	-	-	-	-	0	0	0
11	-	-	-	-	-	0	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20	-	-	-	-	-	-	0	1
21	-	-	-	-	0	0	0	1
22	-	-	-	-	-	0	0	1
23	-	-	-	-	0	0	0	1
MEAN	-	0	0	0	0	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME : OSAKA International AIRPORT      MONTH: JAN

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE  
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES  
AT SPECIFIED TIMES

TIME (UTC)	Hs(ft)						
	<100	<200	<300	<600	<1000	<1500	<1900
00	-	-	-	-	-	1	1
01	-	-	-	1	1	1	1
02	-	-	-	1	1	1	1
03	-	-	-	-	1	1	2
04	-	-	-	-	-	1	1
05	-	-	-	-	-	1	2
06	-	-	-	-	-	1	2
07	-	-	-	-	1	1	3
08	-	-	-	-	-	-	1
09	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-
12							
13							
14							
15							
16							
17							
18							
19							
20	-	-	-	-	-	1	1
21	-	-	-	-	-	1	1
22	-	-	-	-	-	1	1
23	-	-	-	-	-	-	-
MEAN	-	-	-	0	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME : OSAKA International AIRPORT      MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE  
 LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES  
 AT SPECIFIED TIMES

TIME (UTC)	Hs(ft)						
	<100	<200	<300	<600	<1000	<1500	<1900
00	-	-	-	-	1	1	4
01	-	-	-	-	-	2	2
02	-	-	-	-	-	2	4
03	-	-	-	-	-	1	3
04	-	-	-	-	-	1	1
05	-	-	-	-	1	1	2
06	-	-	-	-	1	1	1
07	-	-	-	-	-	-	-
08	-	-	-	-	-	1	1
09	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-
11	-	-	-	-	-	-	2
12							
13							
14							
15							
16							
17							
18							
19							
20	-	-	-	-	1	1	1
21	-	-	-	-	1	1	3
22	-	-	-	-	1	1	4
23	-	-	-	-	1	1	4
MEAN	-	-	-	-	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME : OSAKA International AIRPORT      MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE  
 LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES  
 AT SPECIFIED TIMES

TIME (UTC)	Hs(ft)						
	<100	<200	<300	<600	<1000	<1500	<1900
00	-	-	-	1	1	1	3
01	-	-	-	1	1	2	3
02	-	-	-	1	1	1	3
03	-	-	-	1	1	1	1
04	-	-	-	1	1	2	2
05	-	-	-	-	-	1	3
06	-	-	-	-	-	1	3
07	-	-	-	-	-	1	2
08	-	-	-	-	-	1	3
09	-	-	-	-	1	2	2
10	-	-	-	-	1	2	3
11	-	-	-	-	1	1	2
12							
13							
14							
15							
16							
17							
18							
19							
20	-	-	-	-	-	1	1
21	-	-	-	-	-	1	2
22	-	-	-	-	1	1	1
23	-	-	-	-	-	-	2
MEAN	-	-	-	0	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME : OSAKA International AIRPORT      MONTH: APR

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE  
 LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES  
 AT SPECIFIED TIMES

TIME (UTC)	Hs(ft)						
	<100	<200	<300	<600	<1000	<1500	<1900
00	-	-	-	-	-	1	1
01	-	-	-	-	1	1	1
02	-	-	-	-	1	2	3
03	-	-	-	-	1	2	2
04	-	-	-	-	1	2	2
05	-	-	-	-	-	1	3
06	-	-	-	-	1	1	2
07	-	-	-	-	1	1	3
08	-	-	-	-	2	3	3
09	-	-	-	1	2	3	3
10	-	-	-	-	1	1	2
11	-	-	-	-	1	3	4
12							
13							
14							
15							
16							
17							
18							
19							
20	-	-	-	-	-	-	1
21	-	-	-	-	-	-	1
22	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-
MEAN	-	-	-	0	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME : OSAKA International AIRPORT      MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE  
 LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES  
 AT SPECIFIED TIMES

TIME (UTC)	Hs(ft)						
	<100	<200	<300	<600	<1000	<1500	<1900
00	-	-	-	-	1	1	1
01	-	-	-	-	-	1	1
02	-	-	-	-	-	1	1
03	-	-	-	-	-	1	1
04	-	-	-	-	1	1	1
05	-	-	-	-	1	1	1
06	-	-	-	-	-	1	1
07	-	-	-	-	-	1	3
08	-	-	-	-	1	2	3
09	-	-	-	-	1	3	3
10	-	-	-	-	1	2	3
11	-	-	-	-	-	1	3
12							
13							
14							
15							
16							
17							
18							
19							
20	-	-	-	-	1	1	4
21	-	-	-	-	1	1	2
22	-	-	-	-	-	1	1
23	-	-	-	-	-	1	2
MEAN	-	-	-	-	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME : OSAKA International AIRPORT      MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE  
 LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES  
 AT SPECIFIED TIMES

TIME (UTC)	Hs(ft)						
	<100	<200	<300	<600	<1000	<1500	<1900
00	-	-	-	-	1	1	2
01	-	-	-	-	-	-	1
02	-	-	-	-	-	-	1
03	-	-	-	-	-	-	1
04	-	-	-	-	-	-	-
05	-	-	-	-	-	-	1
06	-	-	-	-	-	1	2
07	-	-	-	-	-	-	1
08	-	-	-	-	-	1	2
09	-	-	-	-	1	1	1
10	-	-	-	-	1	1	1
11	-	-	-	-	1	1	1
12							
13							
14							
15							
16							
17							
18							
19							
20	-	-	-	-	1	1	3
21	-	-	-	-	1	3	7
22	-	-	-	-	1	2	4
23	-	-	-	-	-	1	5
MEAN	-	-	-	-	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OSAKA International AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE  
 LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES  
 AT SPECIFIED TIMES

TIME (UTC)	Hs(ft)						
	<100	<200	<300	<600	<1000	<1500	<1900
00	-	-	-	-	1	2	5
01	-	-	-	-	1	1	3
02	-	-	-	-	1	1	3
03	-	-	-	-	-	-	3
04	-	-	-	-	1	1	3
05	-	-	-	-	1	2	3
06	-	-	-	-	1	1	3
07	-	-	-	-	1	2	3
08	-	-	-	-	1	1	1
09	-	-	-	-	1	1	3
10	-	-	-	-	1	1	1
11	-	-	-	-	1	1	1
12							
13							
14							
15							
16							
17							
18							
19							
20	-	-	-	-	-	-	1
21	-	-	-	-	-	1	3
22	-	-	-	-	-	-	2
23	-	-	-	-	1	1	5
MEAN	-	-	-	-	1	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME : OSAKA International AIRPORT      MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE  
 LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES  
 AT SPECIFIED TIMES

TIME (UTC)	Hs(ft)						
	<100	<200	<300	<600	<1000	<1500	<1900
00	-	-	-	-	-	-	1
01	-	-	-	-	-	1	1
02	-	-	-	-	-	-	1
03	-	-	-	-	-	-	1
04	-	-	-	-	-	-	1
05	-	-	-	-	-	-	-
06	-	-	-	-	-	-	1
07	-	-	-	-	-	-	-
08	-	-	-	-	-	-	-
09	-	-	-	-	-	-	1
10	-	-	-	-	-	-	1
11	-	-	-	-	-	-	-
12							
13							
14							
15							
16							
17							
18							
19							
20	-	-	-	-	-	-	-
21	-	-	-	-	-	1	2
22	-	-	-	-	-	1	2
23	-	-	-	-	1	1	1
MEAN	-	-	-	-	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME : OSAKA International AIRPORT      MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE  
 LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES  
 AT SPECIFIED TIMES

TIME (UTC)	Hs(ft)						
	<100	<200	<300	<600	<1000	<1500	<1900
00	-	-	-	-	1	1	2
01	-	-	-	-	1	1	1
02	-	-	-	-	-	-	2
03	-	-	-	-	1	1	1
04	-	-	-	-	-	-	1
05	-	-	-	-	-	1	1
06	-	-	-	-	-	1	1
07	-	-	-	-	-	-	-
08	-	-	-	-	-	-	-
09	-	-	-	-	-	-	-
10	-	-	-	-	-	-	1
11	-	-	-	-	-	-	-
12							
13							
14							
15							
16							
17							
18							
19							
20	-	-	-	-	1	1	1
21	-	-	-	-	1	2	3
22	-	-	-	-	-	-	2
23	-	-	-	-	1	3	3
MEAN	-	-	-	-	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME : OSAKA International AIRPORT      MONTH: OCT

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE  
 LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES  
 AT SPECIFIED TIMES

TIME (UTC)	Hs(ft)						
	<100	<200	<300	<600	<1000	<1500	<1900
00	-	-	-	-	-	-	-
01	-	-	-	-	-	-	-
02	-	-	-	-	-	-	-
03	-	-	-	-	-	-	-
04	-	-	-	-	-	-	-
05	-	-	-	-	-	-	-
06	-	-	-	-	-	-	-
07	-	-	-	-	-	-	-
08	-	-	-	-	-	-	-
09	-	-	-	-	-	-	-
10	-	-	-	-	-	-	1
11	-	-	-	-	-	-	1
12							
13							
14							
15							
16							
17							
18							
19							
20	-	-	-	-	-	-	1
21	-	-	-	-	-	-	1
22	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-
MEAN	-	-	-	-	-	-	0

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME : OSAKA International AIRPORT      MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE  
 LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES  
 AT SPECIFIED TIMES

TIME (UTC)	Hs(ft)						
	<100	<200	<300	<600	<1000	<1500	<1900
00	-	-	-	-	2	3	4
01	-	-	-	-	1	1	2
02	-	-	-	-	1	1	2
03	-	-	-	-	-	-	1
04	-	-	-	-	-	-	1
05	-	-	-	-	-	-	2
06	-	-	-	-	-	1	2
07	-	-	-	-	1	1	2
08	-	-	-	-	-	1	1
09	-	-	-	-	1	1	1
10	-	-	-	-	1	1	1
11	-	-	-	-	1	1	1
12							
13							
14							
15							
16							
17							
18							
19							
20	-	-	-	-	-	-	-
21	-	-	-	-	1	1	1
22	-	-	-	-	2	3	3
23	-	-	-	-	3	3	5
MEAN	-	-	-	-	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME : OSAKA International AIRPORT      MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE  
 LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES  
 AT SPECIFIED TIMES

TIME (UTC)	Hs(ft)						
	<100	<200	<300	<600	<1000	<1500	<1900
00	-	-	-	-	-	-	1
01	-	-	-	-	-	-	-
02	-	-	-	-	-	-	2
03	-	-	-	-	-	1	3
04	-	-	-	-	-	1	2
05	-	-	-	-	-	-	1
06	-	-	-	-	-	-	1
07	-	-	-	-	-	-	1
08	-	-	-	-	-	-	-
09	-	-	-	-	-	1	1
10	-	-	-	-	-	-	-
11	-	-	-	-	-	-	1
12							
13							
14							
15							
16							
17							
18							
19							
20	-	-	-	-	1	1	1
21	-	-	-	-	-	-	1
22	-	-	-	-	-	1	1
23	-	-	-	-	-	1	1
MEAN	-	-	-	-	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME : OSAKA International AIRPORT [ANNUAL]

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 16

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE  
 LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES  
 AT SPECIFIED TIMES

TIME (UTC)	Hs(ft)						
	<100	<200	<300	<600	<1000	<1500	<1900
00	-	-	-	0	1	1	2
01	-	-	-	0	0	1	1
02	-	-	-	0	0	1	2
03	-	-	-	0	0	1	1
04	-	-	-	0	0	1	1
05	-	-	-	-	0	1	1
06	-	-	-	-	0	1	1
07	-	-	-	-	0	1	1
08	-	-	-	-	0	1	1
09	-	-	-	0	1	1	1
10	-	-	-	-	0	1	1
11	-	-	-	-	0	1	1
12							
13							
14							
15							
16							
17							
18							
19							
20	-	-	-	-	0	0	1
21	-	-	-	-	0	1	2
22	-	-	-	-	0	1	2
23	-	-	-	-	0	1	2
MEAN	-	-	-	0	0	1	2





AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME : OSAKA International AIRPORT      MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT  
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL	
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50		
CALM													1
VARIABLE	15	0	-	-	-	-	-	-	-	-	-	-	15
[35-36-01]	3	4	3	0	-	-	-	-	-	-	-	-	10
[02-03-04]	2	1	0	-	-	-	-	-	-	-	-	-	3
[05-06-07]	4	3	1	0	-	-	-	-	-	-	-	-	7
[08-09-10]	2	1	0	-	-	-	-	-	-	-	-	-	4
[11-12-13]	1	0	-	-	-	-	-	-	-	-	-	-	2
[14-15-16]	1	-	-	-	-	-	-	-	-	-	-	-	1
[17-18-19]	1	0	-	-	-	-	-	-	-	-	-	-	1
[20-21-22]	3	4	0	-	-	-	-	-	-	-	-	-	7
[23-24-25]	3	5	1	-	-	-	-	-	-	-	-	-	9
[26-27-28]	2	1	0	-	-	-	-	-	-	-	-	-	4
[29-30-31]	10	3	1	0	-	-	-	-	-	-	-	-	14
[32-33-34]	8	9	6	1	0	0	-	-	-	-	-	-	25
TOTAL	54	32	11	2	0	0	-	-	-	-	-	-	











AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME : OSAKA International AIRPORT      MONTH : SEP

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 24

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT  
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL	
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50		
CALM													1
VARIABLE	15	0	-	-	-	-	-	-	-	-	-	-	15
[35-36-01]	3	5	2	0	0	-	-	-	-	-	-	-	10
[02-03-04]	2	1	0	0	-	-	-	-	-	-	-	-	4
[05-06-07]	6	6	1	-	-	-	-	-	-	-	-	-	14
[08-09-10]	3	4	1	0	-	-	-	-	-	-	-	-	8
[11-12-13]	1	1	0	-	-	-	-	-	-	-	-	-	2
[14-15-16]	0	0	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	0	0	0	-	-	-	-	-	-	-	-	-	1
[20-21-22]	2	2	0	-	-	-	-	-	-	-	-	-	3
[23-24-25]	2	3	0	-	-	-	-	-	-	-	-	-	5
[26-27-28]	1	0	0	-	-	-	-	-	-	-	-	-	1
[29-30-31]	8	2	0	0	-	-	-	-	-	-	-	-	10
[32-33-34]	12	11	2	1	0	0	0	-	-	-	-	-	26
TOTAL	56	35	7	1	0	0	0	-	-	-	-	-	









AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME : OSAKA International AIRPORT      MONTH: JAN

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ( )											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	61	37	1	-	-	-	-	-
01	-	-	-	-	35	61	4	-	-	-	-	-
02	-	-	-	-	17	71	12	-	-	-	-	-
03	-	-	-	-	10	74	16	-	-	-	-	-
04	-	-	-	-	6	73	19	1	-	-	-	-
05	-	-	-	-	3	68	28	1	-	-	-	-
06	-	-	-	-	6	68	25	1	-	-	-	-
07	-	-	-	1	9	70	20	-	-	-	-	-
08	-	-	-	1	24	64	12	-	-	-	-	-
09	-	-	-	1	33	61	5	-	-	-	-	-
10	-	-	-	1	39	57	3	-	-	-	-	-
11	-	-	-	1	49	49	1	-	-	-	-	-
12	-	-	-	1	57	40	1	-	-	-	-	-
13	-	-	-	3	61	35	1	-	-	-	-	-
14	-	-	-	6	64	30	-	-	-	-	-	-
15	-	-	-	10	63	27	-	-	-	-	-	-
16	-	-	-	12	63	25	1	-	-	-	-	-
17	-	-	-	17	62	20	1	-	-	-	-	-
18	-	-	-	19	61	19	1	-	-	-	-	-
19	-	-	-	22	60	17	1	-	-	-	-	-
20	-	-	-	22	60	18	-	-	-	-	-	-
21	-	-	-	26	54	19	-	-	-	-	-	-
22	-	-	-	25	58	17	-	-	-	-	-	-
23	-	-	-	12	68	20	-	-	-	-	-	-
MEAN	-	-	-	7	43	43	6	0	-	-	-	-

NOTE : THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME : OSAKA International AIRPORT      MONTH: FEB

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ( )											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	56	36	7	1	-	-	-	-
01	-	-	-	-	27	63	9	1	-	-	-	-
02	-	-	-	-	17	68	14	1	1	-	-	-
03	-	-	-	-	10	70	18	1	1	-	-	-
04	-	-	-	-	9	65	22	3	1	-	-	-
05	-	-	-	-	10	61	24	5	1	-	-	-
06	-	-	-	-	13	58	24	6	-	-	-	-
07	-	-	-	1	14	56	25	4	-	-	-	-
08	-	-	-	-	23	53	23	1	-	-	-	-
09	-	-	-	1	29	52	18	-	-	-	-	-
10	-	-	-	1	41	44	14	-	-	-	-	-
11	-	-	-	1	49	37	14	-	-	-	-	-
12	-	-	-	1	55	33	11	-	-	-	-	-
13	-	-	-	1	59	34	6	-	-	-	-	-
14	-	-	-	3	64	29	4	-	-	-	-	-
15	-	-	-	6	62	27	4	-	-	-	-	-
16	-	-	-	7	65	24	4	1	-	-	-	-
17	-	-	-	13	60	23	4	1	-	-	-	-
18	-	-	-	18	59	18	4	1	-	-	-	-
19	-	-	-	20	57	18	4	1	-	-	-	-
20	-	-	-	20	57	19	4	-	-	-	-	-
21	-	-	-	25	54	16	5	-	-	-	-	-
22	-	-	-	25	53	16	6	-	-	-	-	-
23	-	-	-	5	68	20	6	1	-	-	-	-
MEAN	-	-	-	6	42	39	11	1	0	-	-	-

NOTE : THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME : OSAKA International AIRPORT      MONTH: MAR

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ( )											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	8	53	31	8	-	-	-	-
01	-	-	-	-	4	41	39	17	-	-	-	-
02	-	-	-	-	1	35	41	23	1	-	-	-
03	-	-	-	-	1	31	41	26	1	-	-	-
04	-	-	-	-	1	21	45	28	5	-	-	-
05	-	-	-	-	1	23	41	31	4	-	-	-
06	-	-	-	-	1	23	42	28	6	-	-	-
07	-	-	-	-	2	25	37	33	3	-	-	-
08	-	-	-	-	3	29	36	30	2	-	-	-
09	-	-	-	-	6	37	34	22	-	-	-	-
10	-	-	-	-	10	37	36	16	-	-	-	-
11	-	-	-	-	13	40	36	11	-	-	-	-
12	-	-	-	-	16	41	34	9	-	-	-	-
13	-	-	-	-	25	37	31	7	-	-	-	-
14	-	-	-	-	28	35	31	5	-	-	-	-
15	-	-	-	-	31	39	26	4	-	-	-	-
16	-	-	-	1	34	38	25	2	-	-	-	-
17	-	-	-	1	39	37	22	2	-	-	-	-
18	-	-	-	4	37	39	19	1	-	-	-	-
19	-	-	-	6	39	34	21	1	-	-	-	-
20	-	-	-	7	37	36	19	1	-	-	-	-
21	-	-	-	8	39	35	16	2	-	-	-	-
22	-	-	-	3	41	35	20	2	-	-	-	-
23	-	-	-	-	21	48	27	4	-	-	-	-
MEAN	-	-	-	1	18	35	31	13	1	-	-	-

NOTE : THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME : OSAKA International AIRPORT MONTH: APR

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 24

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ( )											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	9	35	50	6	-	-	-
01	-	-	-	-	-	5	26	54	15	-	-	-
02	-	-	-	-	-	4	23	47	25	1	-	-
03	-	-	-	-	-	3	19	43	33	3	-	-
04	-	-	-	-	-	1	18	38	39	4	-	-
05	-	-	-	-	-	1	17	39	41	3	-	-
06	-	-	-	-	-	3	15	39	39	3	-	-
07	-	-	-	-	-	3	17	41	37	1	-	-
08	-	-	-	-	-	3	21	49	27	-	-	-
09	-	-	-	-	-	7	22	51	20	-	-	-
10	-	-	-	-	-	9	26	53	11	-	-	-
11	-	-	-	-	-	10	30	53	7	-	-	-
12	-	-	-	-	-	14	32	49	5	-	-	-
13	-	-	-	-	1	17	37	43	3	-	-	-
14	-	-	-	-	1	20	37	40	1	-	-	-
15	-	-	-	-	3	21	42	34	1	-	-	-
16	0)	0)	0)	0)	3)	25)	45)	27)	0)	0)	0)	0)
17	-	-	-	-	4	29	42	25	-	-	-	-
18	-	-	-	-	6	29	43	22	-	-	-	-
19	-	-	-	-	7	33	42	18	-	-	-	-
20	-	-	-	-	10	31	41	17	-	-	-	-
21	-	-	-	-	9	31	43	17	-	-	-	-
22	-	-	-	-	3	21	53	23	-	-	-	-
23	-	-	-	-	-	17	45	37	1	-	-	-
MEAN	0)	0)	0)	0)	2)	14)	32)	38)	13)	1)	0)	0)

NOTE : THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME : OSAKA International AIRPORT      MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ( )											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	4	38	55	3	-	-
01	-	-	-	-	-	-	3	23	60	14	-	-
02	-	-	-	-	-	-	1	17	55	27	-	-
03	-	-	-	-	-	-	1	15	47	37	1	-
04	-	-	-	-	-	-	1	12	46	39	3	-
05	-	-	-	-	-	-	-	12	45	41	2	-
06	-	-	-	-	-	-	1	14	45	40	1	-
07	-	-	-	-	-	-	1	17	45	34	3	-
08	-	-	-	-	-	-	2	18	52	26	2	-
09	-	-	-	-	-	-	5	19	61	15	-	-
10	-	-	-	-	-	-	5	28	61	7	-	-
11	-	-	-	-	-	1	5	34	56	4	-	-
12	-	-	-	-	-	1	6	43	48	1	-	-
13	-	-	-	-	-	1	10	48	39	1	-	-
14	-	-	-	-	-	1	14	52	33	-	-	-
15	-	-	-	-	-	2	19	54	25	-	-	-
16	-	-	-	-	-	3	25	57	15	-	-	-
17	-	-	-	-	-	3	28	59	10	-	-	-
18	-	-	-	-	-	5	32	55	8	-	-	-
19	-	-	-	-	-	6	37	49	8	-	-	-
20	-	-	-	-	-	7	37	51	5	-	-	-
21	-	-	-	-	-	5	31	55	10	-	-	-
22	-	-	-	-	-	1	15	62	22	-	-	-
23	-	-	-	-	-	-	9	51	39	1	-	-
MEAN	-	-	-	-	-	1	12	37	37	12	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME : OSAKA International AIRPORT      MONTH: JUN

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ( )											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	3	66	31	-	-
01	-	-	-	-	-	-	-	2	49	47	1	-
02	-	-	-	-	-	-	-	3	35	61	2	-
03	-	-	-	-	-	-	-	2	29	63	7	-
04	-	-	-	-	-	-	-	1	29	61	9	1
05	-	-	-	-	-	-	-	1	27	62	9	-
06	-	-	-	-	-	-	-	2	25	61	11	1
07	-	-	-	-	-	-	-	2	32	60	6	-
08	-	-	-	-	-	-	-	2	39	53	5	-
09	-	-	-	-	-	-	-	3	51	43	4	-
10	-	-	-	-	-	-	-	5	66	27	1	-
11	-	-	-	-	-	-	-	7	77	16	-	-
12	-	-	-	-	-	-	-	11	78	11	-	-
13	0)	0)	0)	0)	0)	0)	0)	15)	77)	9)	0)	0)
14	-	-	-	-	-	-	-	14	80	6	-	-
15	-	-	-	-	-	-	-	20	76	4	-	-
16	-	-	-	-	-	-	1	23	73	3	-	-
17	-	-	-	-	-	-	2	27	69	1	-	-
18	-	-	-	-	-	-	2	35	62	1	-	-
19	-	-	-	-	-	-	2	37	59	1	-	-
20	-	-	-	-	-	-	3	39	57	1	-	-
21	-	-	-	-	-	-	1	29	68	3	-	-
22	-	-	-	-	-	-	-	13	83	3	-	-
23	-	-	-	-	-	-	-	8	81	11	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	13)	58)	27)	2)	0)

NOTE : THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME : OSAKA International AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 47.1'N, LONGITUDE: 135° 26.4'E, ELEVATION ABOVE MSL: 39 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ( )											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	17	61	22	-
01	-	-	-	-	-	-	-	-	13	48	39	-
02	-	-	-	-	-	-	-	-	10	36	54	-
03	-	-	-	-	-	-	-	-	9	30	60	1
04	-	-	-	-	-	-	-	-	10	23	63	5
05	-	-	-	-	-	-	-	-	7	23	65	5
06	-	-	-	-	-	-	-	-	8	26	62	5
07	-	-	-	-	-	-	-	-	6	32	58	3
08	-	-	-	-	-	-	-	-	6	45	48	1
09	-	-	-	-	-	-	-	-	7	57	34	1
10	-	-	-	-	-	-	-	-	10	72	18	-
11	-	-	-	-	-	-	-	-	12	80	8	-
12	-	-	-	-	-	-	-	-	17	78	5	-
13	0)	0)	0)	0)	0)	0)	0)	0)	20)	78)	2)	0)
14	0)	0)	0)	0)	0)	0)	0)	0)	27)	71)	3)	0)
15	0)	0)	0)	0)	0)	0)	0)	0)	31)	68)	1)	0)
16	0)	0)	0)	0)	0)	0)	0)	1)	37)	61)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	2)	39)	59)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	2)	42)	56)	0)	0)
19	-	-	-	-	-	-	-	1	48	51	-	-
20	-	-	-	-	-	-	-	3	46	52	-	-
21	-	-	-	-	-	-	-	-	45	55	-	-
22	-	-	-	-	-	-	-	-	32	67	1	-
23	-	-	-	-	-	-	-	-	19	77	4	-
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	22)	54)	23)	1)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME : OSAKA International AIRPORT      MONTH: AUG

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ( )											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	5	49	46	-
01	-	-	-	-	-	-	-	-	5	35	61	-
02	-	-	-	-	-	-	-	-	3	24	70	3
03	-	-	-	-	-	-	-	-	2	23	63	12
04	-	-	-	-	-	-	-	-	2	17	61	19
05	-	-	-	-	-	-	-	-	2	17	57	24
06	-	-	-	-	-	-	-	-	3	17	59	21
07	-	-	-	-	-	-	-	-	3	20	62	15
08	-	-	-	-	-	-	-	-	5	25	63	8
09	-	-	-	-	-	-	-	-	6	45	46	3
10	-	-	-	-	-	-	-	-	6	65	30	-
11	-	-	-	-	-	-	-	-	7	74	19	-
12	-	-	-	-	-	-	-	-	10	77	13	-
13	-	-	-	-	-	-	-	-	12	80	8	-
14	-	-	-	-	-	-	-	-	19	77	5	-
15	-	-	-	-	-	-	-	-	19	80	1	-
16	-	-	-	-	-	-	-	-	25	75	-	-
17	-	-	-	-	-	-	-	-	25	75	-	-
18	-	-	-	-	-	-	-	-	27	73	-	-
19	-	-	-	-	-	-	-	1	31	68	-	-
20	-	-	-	-	-	-	-	1	34	65	-	-
21	-	-	-	-	-	-	-	1	30	69	-	-
22	-	-	-	-	-	-	-	-	18	80	2	-
23	-	-	-	-	-	-	-	-	8	75	17	-
MEAN	-	-	-	-	-	-	-	0	13	54	28	4

NOTE : THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME : OSAKA International AIRPORT      MONTH: SEP

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ( )											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	1	53	45	2	-
01	-	-	-	-	-	-	-	-	35	61	4	-
02	-	-	-	-	-	-	-	-	23	64	13	-
03	-	-	-	-	-	-	-	-	19	61	21	-
04	-	-	-	-	-	-	-	1	16	56	27	-
05	-	-	-	-	-	-	-	1	16	53	30	-
06	-	-	-	-	-	-	-	1	15	55	29	-
07	-	-	-	-	-	-	-	1	20	55	25	-
08	-	-	-	-	-	-	-	1	27	62	10	-
09	-	-	-	-	-	-	-	-	43	54	3	-
10	-	-	-	-	-	-	-	2	54	44	-	-
11	-	-	-	-	-	-	-	2	62	36	-	-
12	-	-	-	-	-	-	-	5	66	29	-	-
13	-	-	-	-	-	-	-	7	69	24	-	-
14	-	-	-	-	-	-	-	11	70	19	-	-
15	-	-	-	-	-	-	-	17	66	17	-	-
16	-	-	-	-	-	-	-	20	65	15	-	-
17	-	-	-	-	-	-	-	23	66	11	-	-
18	-	-	-	-	-	-	-	26	64	10	-	-
19	-	-	-	-	-	-	-	33	59	9	-	-
20	-	-	-	-	-	-	1	33	59	8	-	-
21	-	-	-	-	-	-	2	31	59	7	-	-
22	-	-	-	-	-	-	-	18	65	17	-	-
23	-	-	-	-	-	-	-	5	67	29	-	-
MEAN	-	-	-	-	-	-	0	10	48	35	7	-

NOTE : THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME : OSAKA International AIRPORT      MONTH: OCT

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ( )											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	7	51	35	7	-	-
01	-	-	-	-	-	-	3	39	49	10	-	-
02	-	-	-	-	-	-	1	29	54	16	-	-
03	-	-	-	-	-	-	1	24	55	19	1	-
04	-	-	-	-	-	-	1	20	50	26	3	-
05	-	-	-	-	-	-	1	19	48	29	3	-
06	-	-	-	-	-	-	-	21	49	27	3	-
07	-	-	-	-	-	-	-	32	46	20	2	-
08	-	-	-	-	-	-	1	36	51	12	-	-
09	-	-	-	-	-	-	5	44	42	10	-	-
10	-	-	-	-	-	-	8	47	35	9	-	-
11	-	-	-	-	-	-	12	52	30	6	-	-
12	-	-	-	-	-	-	20	52	23	5	-	-
13	0)	0)	0)	0)	0)	0)	23)	53)	22)	3)	0)	0)
14	-	-	-	-	-	-	27	50	20	3	-	-
15	-	-	-	-	-	1	30	46	19	3	-	-
16	-	-	-	-	-	1	30	47	19	3	-	-
17	-	-	-	-	-	3	35	40	20	1	-	-
18	-	-	-	-	-	4	35	42	19	-	-	-
19	-	-	-	-	-	5	37	39	18	-	-	-
20	-	-	-	-	-	7	39	38	15	-	-	-
21	-	-	-	-	-	8	37	36	18	-	-	-
22	-	-	-	-	-	5	29	45	20	1	-	-
23	-	-	-	-	-	-	17	54	26	3	-	-
MEAN	0)	0)	0)	0)	0)	1)	17)	40)	33)	9)	1)	0)

NOTE : THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME : OSAKA International AIRPORT      MONTH: NOV

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ( )											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	21	51	28	-	-	-	-
01	-	-	-	-	-	6	49	43	1	-	-	-
02	-	-	-	-	-	3	44	47	5	-	-	-
03	-	-	-	-	-	2	39	51	9	-	-	-
04	-	-	-	-	-	1	36	50	13	-	-	-
05	-	-	-	-	-	1	33	53	13	-	-	-
06	-	-	-	-	-	1	35	51	13	-	-	-
07	-	-	-	-	-	3	37	55	6	-	-	-
08	-	-	-	-	-	5	45	46	3	-	-	-
09	-	-	-	-	-	11	48	38	3	-	-	-
10	-	-	-	-	-	17	53	29	1	-	-	-
11	-	-	-	-	-	24	51	24	1	-	-	-
12	-	-	-	-	1	29	51	19	1	-	-	-
13	-	-	-	-	2	32	47	19	-	-	-	-
14	-	-	-	-	3	35	44	18	-	-	-	-
15	-	-	-	-	5	35	43	17	-	-	-	-
16	-	-	-	-	3	41	40	15	-	-	-	-
17	-	-	-	-	6	42	39	13	-	-	-	-
18	-	-	-	-	7	43	38	12	-	-	-	-
19	-	-	-	-	10	41	37	12	-	-	-	-
20	-	-	-	-	12	41	35	13	-	-	-	-
21	-	-	-	-	12	45	31	12	-	-	-	-
22	-	-	-	-	14	40	35	11	-	-	-	-
23	-	-	-	-	3	32	49	16	-	-	-	-
MEAN	-	-	-	-	3	23	42	29	3	-	-	-

NOTE : THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME : OSAKA International AIRPORT      MONTH: DEC

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 24

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ( )											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	29	55	15	1	-	-	-	-
01	-	-	-	-	11	62	25	2	-	-	-	-
02	-	-	-	-	5	56	36	3	-	-	-	-
03	-	-	-	-	3	50	38	8	-	-	-	-
04	-	-	-	-	2	44	43	11	-	-	-	-
05	-	-	-	-	2	45	42	12	-	-	-	-
06	-	-	-	-	2	48	41	9	-	-	-	-
07	-	-	-	-	4	50	38	8	1	-	-	-
08	-	-	-	-	7	56	34	3	-	-	-	-
09	-	-	-	-	13	58	28	1	-	-	-	-
10	-	-	-	-	16	63	19	2	-	-	-	-
11	-	-	-	-	24	57	17	2	-	-	-	-
12	-	-	-	-	30	57	13	1	-	-	-	-
13	0)	0)	0)	0)	37)	50)	12)	1)	0)	0)	0)	0)
14	0)	0)	0)	2)	38)	49)	10)	1)	0)	0)	0)	0)
15	0)	0)	0)	3)	42)	45)	10)	1)	0)	0)	0)	0)
16	0)	0)	0)	4)	45)	40)	10)	1)	0)	0)	0)	0)
17	0)	0)	0)	6)	47)	36)	10)	1)	0)	0)	0)	0)
18	0)	0)	0)	5)	49)	36)	10)	1)	0)	0)	0)	0)
19	-	-	-	5	54	30	10	1	-	-	-	-
20	-	-	-	6	53	30	10	1	-	-	-	-
21	-	-	-	10	53	28	9	1	-	-	-	-
22	-	-	-	10	51	30	8	1	-	-	-	-
23	-	-	-	2	47	39	12	1	-	-	-	-
MEAN	0)	0)	0)	2)	28)	46)	21)	3)	0)	0)	0)	0)

NOTE : THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME : OSAKA International AIRPORT [ANNUAL]

PERIOD OF RECORD : 2012-2016

TOTAL NUMBER OF OBSERVATIONS : 24

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ( )											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	0	13	17	13	15	20	16	6	-
01	-	-	-	-	6	20	13	15	19	18	9	-
02	-	-	-	-	3	20	14	14	18	19	12	0
03	-	-	-	-	2	19	14	14	17	19	13	1
04	-	-	-	-	1	17	15	14	17	19	14	2
05	-	-	-	-	1	16	15	15	17	19	14	2
06	-	-	-	-	2	17	15	14	17	19	14	2
07	-	-	-	0	2	17	15	16	17	19	13	2
08	-	-	-	0	5	17	14	16	18	19	11	1
09	-	-	-	0	7	19	14	15	19	19	7	0
10	-	-	-	0	9	19	14	15	20	19	4	-
11	-	-	-	0	11	18	14	15	21	18	2	-
12	-	-	-	0	13	18	14	16	21	17	2	-
13	0)	0)	0)	0)	15)	17)	14)	16)	20)	16)	1)	0)
14	0)	0)	0)	1)	16)	17)	14)	16)	21)	15)	1)	0)
15	0)	0)	0)	2)	17)	16)	15)	16)	20)	14)	0)	0)
16	0)	0)	0)	2)	18)	16)	15)	16)	20)	13)	0)	0)
17	0)	0)	0)	3)	18)	16)	15)	16)	19)	12)	0)	0)
18	0)	0)	0)	4)	18)	16)	15)	16)	18)	12)	0)	0)
19	-	-	-	4	19	15	16	16	19	11	-	-
20	-	-	-	5	19	16	16	16	18	11	-	-
21	-	-	-	6	18	16	15	15	19	11	-	-
22	-	-	-	5	18	14	14	15	20	14	0	-
23	-	-	-	2	17	15	14	15	20	17	2	-
MEAN	0)	0)	0)	1)	11)	17)	14)	15)	19)	16)	5)	0)

NOTE : THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME : OSAKA International AIRPORT

PERIOD OF RECORD : 2012-2016

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	4.9	5.4	9.4	14.8	19.9	23.4	27.5	28.7	24.4	19.1	12.7	7.1	16.5
Daily maximum air temperature(°C)	9.5	9.9	14.5	20.1	25.6	28.1	32.0	33.9	29.5	24.3	17.4	11.6	21.4
Daily minimum air temperature(°C)	0.3	1.0	4.1	9.3	14.2	19.5	23.9	24.8	20.3	14.4	7.9	2.6	11.9
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	51.4	72.2	112.4	102.0	82.3	198.6	176.6	206.6	187.6	108.9	84.4	76.7	1459.7
Snow fall(cm)	0	0	0	-	-	-	-	-	-	-	-	0	0
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	993.1	999.0	992.3	981.8	993.1	979.3	987.3	981.4	981.6	984.3	997.6	991.0	979.3
Daily maximum air temperature(°C)	16.2	21.6	22.5	29.0	31.7	37.9	37.3	39.8	34.8	32.2	25.1	21.6	39.8
Daily minimum air temperature(°C)	-5.0	-5.5	-2.8	-0.4	6.2	11.5	18.5	18.8	13.8	6.8	0.0	-4.5	-5.5
Daily precipitation(mm)	49.5	65.0	41.5	60.0	63.0	74.0	208.5	148.0	103.5	75.0	41.0	48.0	208.5
Daily max.one-hour precipitation(mm)	9.5	24.0	14.5	41.5	24.0	39.5	27.5	66.0	30.5	31.5	17.0	23.5	66.0
Daily max.ten-minute precipitation(mm)	2.5	12.0	4.5	27.0	10.5	16.0	12.0	20.5	15.0	12.5	6.5*	7.0	27.0
Daily totals of snowfall(cm)	0 *	0 *	0 *	-	-	-	-	-	-	-	-	0 *	0 *
Daily maximum of snow cover(cm)	-	0 *	-	-	-	-	-	-	-	-	-	0 *	0 *
Daily maximum wind speed(kt)	26	26	31	31	23	27	28	25 *	44	36	23	25	44
with wind direction(36DIR.)	33	33	34	25	34	7	7	8	34	34	33	33	34
Daily maximum peak gust(kt)	36	36	40	47	33	37 *	40	41	53	45	30 *	36	53
with wind direction(36DIR.)	8	27	34	24	7	8	8	21	33	34	33	28	33

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME : OSAKA International AIRPORT

PERIOD OF RECORD : 2012-2016

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	14.6	12.8	3.4	0.2	-	-	-	-	-	-	-	7.4	38.4
25.0°C	-	-	-	-	-	-	10.8	16.6	0.8	-	-	-	28.2
Daily mean air temperature < 0.0°C	0.2	-	-	-	-	-	-	-	-	-	-	-	0.2
25.0°C	-	-	-	-	0.4	5.4	26.2	29.4	12.4	1.8	-	-	75.6
Daily maximum air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	-	-	-	2.4	19.2	26.2	30.4	31.0	28.0	13.8	0.2	-	151.2
30.0°C	-	-	-	-	2.2	7.4	23.4	28.2	13.0	1.4	-	-	75.6
Daily precipitation 0.0mm	17.4	19.8	19.2	19.6	21.6	23.6	22.8	21.0	21.8	20.2	17.8	19.4	244.2
1.0mm	4.4	6.6	8.2	9.4	7.6	10.2	9.4	9.4	11.2	7.2	7.4	6.4	97.4
5.0mm	2.8	4.0	5.6	5.2	4.2	7.2	5.6	5.6	7.6	4.8	5.0	4.8	62.4
10.0mm	1.8	2.6	4.2	2.6	3.0	6.0	4.4	4.6	6.0	3.2	2.4	3.0	43.8
30.0mm	0.4	0.4	1.2	1.0	0.4	1.8	1.4	1.8	2.0	1.0	0.6	0.6	12.6
50.0mm	-	0.2	-	0.4	0.2	1.2	0.6	0.8	0.4	0.4	-	-	4.2
70.0mm	-	-	-	-	-	0.4	0.2	0.8	0.2	0.2	-	-	1.8
100.0mm	-	-	-	-	-	-	0.2	0.8	0.2	-	-	-	1.2



## AERODROME CLIMATOLOGICAL SUMMARY

AERODROME : OSAKA International AIRPORT

PERIOD OF RECORD : 2012-2016

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

## AIR PRESSURE (hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1019.9	1019.8	1017.7	1014.4	1011.2	1007.1	1008.1	1007.5	1011.9	1016.5	1018.6	1019.1	1014.3
01	1019.9	1019.6	1017.4	1014.2	1011.0	1007.0	1008.0	1007.4	1011.8	1016.3	1018.4	1019.1	1014.2
02	1019.3	1019.2	1016.9	1013.8	1010.6	1006.8	1007.7	1006.9	1011.4	1015.9	1017.8	1018.5	1013.7
03	1018.3	1018.5	1016.3	1013.1	1010.1	1006.5	1007.3	1006.5	1010.8	1015.2	1017.0	1017.6	1013.1
04	1017.6	1017.7	1015.5	1012.5	1009.6	1006.0	1006.9	1006.0	1010.2	1014.5	1016.3	1016.9	1012.5
05	1017.2	1017.2	1014.9	1011.9	1009.2	1005.7	1006.6	1005.6	1009.8	1014.1	1016.0	1016.6	1012.1
06	1017.4	1017.2	1014.7	1011.6	1008.8	1005.5	1006.3	1005.3	1009.6	1014.1	1016.1	1016.7	1012.0
07	1017.7	1017.4	1014.7	1011.5	1008.7	1005.3	1006.2	1005.3	1009.7	1014.2	1016.4	1017.1	1012.0
08	1018.0	1017.6	1015.0	1011.8	1008.8	1005.3	1006.2	1005.5	1010.0	1014.4	1016.7	1017.4	1012.2
09	1018.5	1018.1	1015.4	1012.1	1009.0	1005.6	1006.5	1005.7	1010.4	1014.8	1017.1	1017.9	1012.6
10	1018.8	1018.6	1016.0	1012.5	1009.5	1006.1	1006.9	1006.3	1010.9	1015.3	1017.5	1018.2	1013.1
11	1019.1	1018.9	1016.5	1013.2	1010.0	1006.4	1007.3	1006.8	1011.6	1015.6	1017.7	1018.5	1013.5
12	1019.2	1019.1	1016.9	1013.8	1010.6	1006.9	1007.8	1007.3	1011.8	1015.9	1017.9	1018.5	1013.8
13	1019.2	1019.2	1017.1	1013.8	1010.8	1007.1	1008.1	1007.3	1011.8	1015.9	1017.9	1018.5	1013.9
14	1019.2	1019.1	1017.2	1013.8	1010.9	1007.1	1008.1	1007.4	1011.7	1015.8	1017.9	1018.5	1013.9
15	1019.1	1019.0	1017.0	1013.9	1010.7	1006.8	1007.9	1007.2	1011.6	1015.7	1017.7	1018.4	1013.7
16	1018.8	1019.2	1017.1	1013.8	1010.6	1006.7	1007.7	1007.0	1011.2	1015.4	1017.7	1018.1	1013.6
17	1018.9	1019.1	1016.9	1013.6	1010.4	1006.5	1007.5	1006.8	1011.1	1015.3	1017.7	1018.2	1013.5
18	1018.8	1018.8	1016.7	1013.5	1010.4	1006.5	1007.5	1006.8	1011.0	1015.1	1017.6	1018.1	1013.4
19	1018.6	1018.8	1016.7	1013.6	1010.5	1006.6	1007.5	1006.8	1011.1	1015.2	1017.5	1018.0	1013.4
20	1018.7	1018.8	1016.9	1013.7	1010.7	1006.8	1007.7	1007.0	1011.1	1015.5	1017.6	1017.9	1013.5
21	1019.0	1019.0	1017.1	1014.0	1011.0	1007.0	1007.9	1007.3	1011.5	1015.7	1017.8	1018.3	1013.8
22	1019.3	1019.3	1017.4	1014.3	1011.3	1007.2	1008.1	1007.5	1011.7	1016.0	1018.1	1018.6	1014.1
23	1019.6	1019.7	1017.6	1014.4	1011.3	1007.3	1008.2	1007.5	1011.8	1016.4	1018.5	1018.8	1014.3
MEAN	1018.8	1018.7	1016.5	1013.3	1010.2	1006.5	1007.4	1006.7	1011.1	1015.4	1017.5	1018.1	1013.3

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME : OSAKA International AIRPORT

PERIOD OF RECORD : 2012-2016

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

AIR TEMPERATURE( ) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	4.4	5.1	9.4	15.0	20.5	23.8	27.8	29.2	24.8	19.6	12.8	7.1	16.6
01	5.9	6.4	10.7	16.3	21.9	24.7	28.7	30.2	26.0	20.9	14.2	8.4	17.8
02	7.1	7.4	11.8	17.4	22.9	25.5	29.5	31.1	26.9	21.8	15.2	9.4	18.9
03	7.8	8.1	12.4	18.1	23.6	26.1	30.1	31.9	27.4	22.5	15.9	10.0	19.5
04	8.3	8.5	13.0	18.7	24.0	26.5	30.5	32.4	28.0	22.9	16.3	10.4	20.0
05	8.5	8.8	13.2	18.8	24.3	26.7	30.7	32.5	28.1	23.0	16.4	10.6	20.1
06	8.3	8.7	13.3	18.7	24.1	26.6	30.6	32.4	27.9	22.9	16.3	10.4	20.0
07	7.8	8.4	13.0	18.3	23.7	26.2	30.2	31.7	27.5	22.3	15.6	9.8	19.5
08	7.0	7.7	12.3	17.6	22.9	25.4	29.4	31.0	26.6	21.3	14.7	9.0	18.8
09	6.3	6.8	11.3	16.6	21.9	24.6	28.6	29.9	25.6	20.2	13.8	8.2	17.8
10	5.7	6.2	10.5	15.8	20.9	23.8	27.9	28.9	24.7	19.5	13.1	7.6	17.0
11	5.2	5.7	9.9	15.3	20.2	23.2	27.4	28.3	24.1	18.9	12.7	7.1	16.5
12	4.5	5.2	9.1	14.7	19.4	22.7	26.9	27.8	23.6	18.3	12.1	6.7	15.9
13	4.1	4.6	8.5	14.1	18.7	22.3	26.6	27.4	23.2	17.8	11.5	6.2	15.4
14	3.6	4.1	8.1	13.4	18.1	22.0	26.3	27.1	22.7	17.4	11.2	5.8	15.0
15	3.2	3.8	7.6	12.8	17.5	21.7	26.0	26.8	22.4	17.0	10.8	5.5	14.6
16	3.0	3.5	7.1	12.2	16.7	21.2	25.6	26.5	22.2	17.0	10.6	5.3	14.2
17	2.7	3.3	6.6	11.8	16.3	20.9	25.3	26.2	21.9	16.6	10.3	5.0	13.9
18	2.5	3.0	6.3	11.3	15.9	20.6	25.0	26.0	21.7	16.3	10.1	4.9	13.6
19	2.3	2.8	6.0	10.9	15.5	20.4	24.8	25.7	21.4	16.1	9.9	4.7	13.4
20	2.1	2.6	5.8	10.7	15.3	20.2	24.5	25.6	21.3	15.9	9.8	4.5	13.2
21	2.0	2.5	5.6	10.8	16.0	20.8	24.9	25.8	21.2	15.7	9.6	4.4	13.3
22	1.9	2.6	6.3	12.1	17.5	21.8	25.9	26.9	22.3	16.6	9.8	4.4	14.0
23	2.8	3.8	7.9	13.6	19.1	22.8	26.8	28.1	23.7	18.1	11.3	5.4	15.3
MEAN	4.9	5.4	9.4	14.8	19.9	23.4	27.5	28.7	24.4	19.1	12.7	7.1	16.4

## AERODROME CLIMATOLOGICAL SUMMARY

AERODROME : OSAKA International AIRPORT

PERIOD OF RECORD : 2012-2016

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

## VAPOR PRESSURE (hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	5.7	5.9	7.4	10.2	13.5	19.0	25.8	25.8	21.1	14.6	10.4	6.9	13.9
01	5.6	5.8	7.3	10.0	13.4	18.9	25.7	25.5	20.9	14.4	10.1	6.7	13.7
02	5.5	5.6	7.2	9.9	13.0	18.7	25.3	25.0	20.5	14.1	9.9	6.6	13.5
03	5.4	5.6	7.3	9.8	12.9	18.6	25.0	24.6	20.1	14.0	9.9	6.5	13.3
04	5.4	5.5	7.3	9.7	12.9	18.5	25.0	24.3	19.8	13.9	9.7	6.4	13.2
05	5.4	5.6	7.2	9.7	12.8	18.4	24.9	24.3	19.6	13.6	9.8	6.4	13.1
06	5.5	5.6	7.2	9.7	12.7	18.4	24.8	24.0	19.4	13.6	9.7	6.3	13.1
07	5.5	5.6	7.2	9.8	12.9	18.5	24.8	24.3	19.4	13.7	9.7	6.4	13.2
08	5.6	5.6	7.3	9.9	13.1	18.8	25.0	24.7	19.7	13.9	9.8	6.6	13.3
09	5.6	5.7	7.4	10.1	13.3	18.9	25.2	25.1	20.1	14.3	10.0	6.6	13.5
10	5.7	5.8	7.5	10.4	13.5	19.2	25.5	25.6	20.4	14.5	10.1	6.6	13.8
11	5.7	5.8	7.6	10.6	13.9	19.4	25.7	25.9	20.6	14.6	10.1	6.7	13.9
12	5.7	5.8	7.6	10.7	14.1	19.6	26.1	25.9	20.8	14.6	10.2	6.6	14.0
13	5.7	5.8	7.6	10.7	14.0	19.6	26.1	26.1	20.9	14.7	10.2	6.7	14.0
14	5.7	5.8	7.6	10.5	13.9	19.7	26.1	26.0	21.1	14.7	10.2	6.7	14.0
15	5.7	5.8	7.5	10.5	13.8	19.6	26.0	26.1	21.2	14.8	10.1	6.7	14.0
16	5.6	5.9	7.3	10.3	13.6	19.3	25.9	26.3	21.4	15.0	10.2	6.7	14.0
17	5.7	5.8	7.4	10.2	13.6	19.2	25.9	26.4	21.4	14.9	10.2	6.8	14.0
18	5.6	5.8	7.3	10.1	13.6	19.2	25.9	26.3	21.5	14.9	10.2	6.8	13.9
19	5.6	5.8	7.3	10.1	13.5	19.1	25.8	26.2	21.4	14.8	10.2	6.8	13.9
20	5.6	5.8	7.2	10.1	13.4	19.1	25.8	26.2	21.4	14.8	10.1	6.8	13.9
21	5.5	5.8	7.3	10.2	13.7	19.3	26.0	26.3	21.4	14.7	10.2	6.8	13.9
22	5.6	5.8	7.3	10.3	13.8	19.3	26.0	26.3	21.5	14.9	10.2	6.8	14.0
23	5.7	5.9	7.4	10.2	13.7	19.2	25.9	26.1	21.4	14.7	10.4	6.9	14.0
MEAN	5.6	5.7	7.4	10.1	13.5	19.1	25.6	25.6	20.7	14.5	10.1	6.7	13.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME : OSAKA International AIRPORT

PERIOD OF RECORD : 2012-2016

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	67	65	59	58	55	64	70	64	67	63	68	66	64
01	60	58	55	53	51	61	66	60	62	57	61	59	59
02	54	53	51	50	47	58	62	56	59	53	56	55	55
03	50	51	50	48	45	56	60	53	56	51	54	52	52
04	48	49	48	46	44	55	58	51	53	49	52	50	50
05	48	49	47	45	43	54	58	51	52	48	51	49	50
06	49	49	46	46	44	55	58	51	53	49	52	49	50
07	52	50	47	47	46	56	59	53	54	51	54	52	52
08	55	52	49	49	48	59	62	57	57	54	57	56	55
09	58	56	54	53	52	62	65	61	61	59	61	59	59
10	61	59	57	57	55	65	69	65	66	63	65	61	62
11	63	61	60	60	59	69	71	68	68	65	67	64	64
12	66	64	63	62	62	71	74	69	71	68	70	66	67
13	69	66	65	65	64	73	75	72	73	70	72	68	69
14	71	69	68	67	66	74	76	73	76	72	74	70	71
15	72	70	69	69	68	75	77	74	77	74	76	72	73
16	73	72	70	70	71	76	79	76	79	75	78	74	74
17	75	73	72	72	72	77	80	78	81	77	79	75	76
18	76	74	73	73	74	78	81	79	82	78	80	76	77
19	76	76	74	75	75	79	82	79	83	79	80	77	78
20	77	76	75	76	76	80	83	80	83	80	81	78	79
21	77	77	76	76	74	78	82	80	84	80	82	78	79
22	78	77	73	71	68	74	78	75	79	77	82	78	76
23	75	72	66	64	61	69	74	69	73	69	75	74	70
MEAN	65	63	61	61	59	68	71	66	68	65	68	65	65

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME : OSAKA International AIRPORT

PERIOD OF RECORD : 2012-2016

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	32	33	32	7	8	8	22	23	7	7	7	31	7
01	32	30	33	8	8	8	24	22	7	8	7	33	7
02	33 *	34	33	7	22	7	22	22	34	7	6	32	7
03	30	34	33 *	22	23	7	24	22	34	34	7	33 *	23
04	33	33	22 *	22	22	23	23	22	34	34	33	34	22
05	33	34	23 *	22	22	22	23	23	34 *	34	34 *	33	22
06	33 *	34	22	23	22	23	23	23	33	35 *	24	33 *	23
07	34	33	23	23	22	23	23 *	23	34	35	33	25	23
08	33	34	34	24	23	22	23	23	34	35	33	33 *	23
09	31	34	34 *	23	24	23	23	23	35	34	34	29 *	23
10	31 *	31	34	24 *	23	23	23	24	35	33	35	31	23
11	31 *	32	34	23 *	24	23	24	23	33	33 *	31	31	32
12	31 *	31	33	24 *	24	24	24	24	23	34	32	31	32 *
13	31	31	34	32	25	33	24 )	24	32	32 )	32	32 )	32 )
14	31	32 )	32	32	32 *	7	24 )	24	32 *	32	32	31 )	31 )
15	31	32	32	31	31	32	23 )	31	31	31	32	31 )	31 )
16	32	31	31	32 )	31	31	25 )	31	32	31	32	31 )	31 )
17	31	32	32	31	31	31 *	31 )	32	32	32	31 *	32 )	32 )
18	32	31	32	31	31	31	31 )	32	31	32	31	32 )	31 )
19	32	32	32	31	31	31	32	32 *	32 *	32	31	32	32
20	32	31	32	31	31	31	31	31	32	32	31	32	31
21	31	31	31	31	31	7	32	31	31	31	31	32	31
22	31	32	32	32	32	32	24 *	32	32	32	32	31	32
23	31	32	32	7	8	7	7	8	6	32 *	32	32	32
ALL	31	32 )	32	7 )	31	7	23 )	23	32	32 )	32	31 )	32 )

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME : OSAKA International AIRPORT

PERIOD OF RECORD : 2012-2016

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	4.3	5.0	5.5	5.8	5.1	5.7	4.8	5.2	5.2	5.9	4.1	4.2	5.1
01	4.8	5.8	6.2	6.5	5.2	5.9	5.1	5.6	5.5	6.4	4.8	5.3	5.6
02	5.4	6.8	6.7	6.7	5.8	6.3	5.7	5.9	6.0	6.9	5.8	5.9	6.2
03	6.6	7.3	7.4	7.1	6.6	6.5	6.3	6.2	6.1	7.1	6.1	6.9	6.7
04	7.0	7.8	7.3	7.9	7.3	7.1	6.6	6.8	6.6	7.3	6.5	7.4	7.1
05	7.6	8.4	8.0	8.4	7.8	7.6	7.1	7.3	7.1	7.7	6.8	7.3	7.6
06	7.7	8.5	8.4	8.8	8.0	7.8	7.7	7.9	7.8	8.2	6.9	7.4	7.9
07	7.6	8.5	8.6	9.0	8.3	7.8	8.0	8.1	8.0	8.3	6.9	7.0	8.0
08	6.7	7.9	8.5	8.7	8.2	7.6	7.8	8.4	8.1	7.7	6.1	6.3	7.7
09	5.4	6.7	7.7	8.0	7.6	7.3	7.3	8.0	7.5	7.1	5.2	5.2	6.9
10	4.8	5.6	6.7	7.0	7.0	6.8	6.6	6.9	6.4	6.7	5.0	5.1	6.2
11	4.9	5.4	6.1	6.4	6.6	6.1	6.1	6.4	6.0	6.5	5.4	4.9	5.9
12	5.0	5.4	5.6	5.7	6.2	5.9	5.3	5.9	5.6	6.0	4.7	4.8	5.5
13	4.6	5.1	5.6	5.5	5.5	5.5	5.0	5.5	5.1	5.6	4.4	4.8	5.2
14	4.5	4.8	5.2	5.4	5.2	5.4	4.5	5.0	5.4	5.2	4.6	4.8	5.0
15	4.6	4.7	5.0	5.1	4.8	4.8	4.4	4.6	4.8	5.0	4.5	4.7	4.8
16	4.6	4.5	4.5	5.2	4.6	5.1	4.2	4.5	4.8	4.8	4.1	4.6	4.6
17	4.2	4.7	4.8	5.2	4.2	4.9	4.1	4.5	4.4	4.6	3.9	4.5	4.5
18	4.4	4.5	4.6	5.0	4.3	4.8	4.0	4.5	4.3	4.4	3.9	4.6	4.5
19	4.4	4.7	4.1	4.8	4.2	4.7	3.9	4.3	4.1	4.3	3.8	4.4	4.3
20	4.1	4.4	4.2	4.7	4.3	4.6	3.7	4.3	4.2	4.3	3.7	4.3	4.2
21	4.2	4.3	4.4	4.6	4.3	4.7	3.7	4.1	4.2	4.6	3.8	4.0	4.2
22	4.0	4.1	4.1	5.0	4.6	5.2	4.1	4.5	4.2	4.5	3.4	4.1	4.3
23	4.1	4.4	4.7	5.3	5.0	5.7	4.3	5.1	4.5	5.4	3.6	4.1	4.7
MEAN	5.2	5.8	6.0	6.3	5.9	6.0	5.4	5.8	5.6	6.0	4.9	5.3	5.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME : OSAKA International AIRPORT

PERIOD OF RECORD : 2012-2016

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ( )												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.									
01	5.3	10.2	0.8	5.2	9.6	0.7	7.4	12.0	2.7	12.5	17.8	7.1
02	5.3	10.1	0.7	5.1	9.6	0.7	7.6	12.2	2.9	12.7	18.0	7.3
03	5.2	10.1	0.6	5.1	9.5	0.7	7.7	12.4	3.0	12.8	18.0	7.5
04	5.2	10.0	0.6	5.1	9.5	0.7	7.9	12.6	3.1	12.9	18.1	7.6
05	5.1	10.0	0.5	5.0	9.4	0.6	8.0	12.8	3.2	12.9	18.1	7.7
06	5.1	9.9	0.5	4.9	9.4	0.6	8.0	12.9	3.2	13.0	18.1	7.7
07	5.0	9.9	0.4	4.9	9.3	0.5	8.1	13.0	3.2	13.0	18.2	7.8
08	5.0	9.8	0.4	4.8	9.3	0.5	8.1	13.1	3.2	13.1	18.2	7.8
09	4.9	9.7	0.3	4.8	9.3	0.4	8.1	13.2	3.2	13.2	18.3	7.8
10	4.9	9.6	0.3	4.8	9.3	0.4	8.2	13.3	3.2	13.3	18.4	7.9
11	4.8	9.5	0.3	4.8	9.3	0.4	8.3	13.4	3.2	13.5	18.6	8.0
12	4.8	9.4	0.2	4.8	9.3	0.4	8.4	13.6	3.2	13.7	18.8	8.1
13	4.8	9.3	0.2	4.8	9.3	0.5	8.5	13.7	3.3	13.9	19.1	8.3
14	4.8	9.3	0.2	4.9	9.4	0.5	8.7	14.0	3.4	14.1	19.4	8.5
15	4.8	9.2	0.2	5.0	9.5	0.6	9.0	14.2	3.6	14.3	19.7	8.7
16	4.8	9.2	0.2	5.0	9.5	0.7	9.2	14.4	3.8	14.6	20.0	8.9
17	4.8	9.1	0.2	5.1	9.6	0.8	9.4	14.6	4.0	14.8	20.2	9.1
18	4.8	9.1	0.3	5.2	9.7	0.9	9.6	14.8	4.2	15.1	20.5	9.4
19	4.8	9.1	0.3	5.4	9.9	1.0	9.8	15.0	4.3	15.3	20.8	9.6
20	4.8	9.1	0.3	5.5	10.0	1.1	10.0	15.2	4.5	15.6	21.1	9.9
21	4.8	9.2	0.3	5.7	10.2	1.3	10.1	15.3	4.6	15.8	21.3	10.1
22	4.8	9.2	0.3	5.8	10.4	1.4	10.2	15.5	4.8	16.0	21.5	10.4
23	4.8	9.2	0.3	6.0	10.6	1.6	10.4	15.6	4.9	16.3	21.8	10.6
24	4.8	9.3	0.3	6.3	10.8	1.8	10.5	15.8	5.0	16.5	22.0	10.9
25	4.9	9.3	0.3	6.5	11.0	1.9	10.7	16.0	5.2	16.7	22.2	11.1
26	4.9	9.4	0.4	6.7	11.3	2.1	11.0	16.3	5.4	16.9	22.5	11.4
27	5.0	9.5	0.4	6.9	11.5	2.3	11.2	16.5	5.6	17.2	22.7	11.6
28	5.0	9.5	0.5	7.2	11.8	2.5	11.5	16.8	5.9	17.3	22.9	11.8
29	5.1	9.6	0.5	7.3	11.9	2.6	11.8	17.1	6.2	17.5	23.0	12.0
30	5.1	9.6	0.6				12.0	17.4	6.5	17.6	23.1	12.2
31	5.1	9.6	0.6				12.3	17.6	6.8			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME : OSAKA International AIRPORT

PERIOD OF RECORD : 2012-2016

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ( )												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.									
01	17.7	23.2	12.3	22.3	27.7	17.4	24.8	29.1	21.5	29.4	34.6	25.4
02	17.8	23.3	12.4	22.3	27.8	17.5	25.1	29.3	21.7	29.4	34.7	25.4
03	17.9	23.4	12.4	22.4	27.8	17.7	25.3	29.5	22.0	29.4	34.8	25.4
04	17.9	23.5	12.5	22.4	27.8	17.8	25.5	29.7	22.2	29.4	34.9	25.4
05	18.0	23.6	12.5	22.5	27.8	18.0	25.8	29.9	22.5	29.4	34.9	25.3
06	18.1	23.6	12.6	22.6	27.9	18.2	26.0	30.2	22.7	29.4	34.9	25.3
07	18.1	23.7	12.6	22.7	28.0	18.4	26.3	30.4	23.0	29.4	34.9	25.2
08	18.2	23.8	12.6	22.9	28.0	18.6	26.5	30.6	23.2	29.3	34.8	25.1
09	18.3	24.0	12.7	23.0	28.1	18.9	26.7	30.8	23.4	29.3	34.8	25.1
10	18.5	24.1	12.8	23.2	28.2	19.1	26.9	31.1	23.6	29.3	34.7	25.1
11	18.6	24.3	12.9	23.3	28.3	19.3	27.1	31.3	23.7	29.2	34.7	25.0
12	18.8	24.5	13.1	23.5	28.4	19.5	27.3	31.5	23.8	29.2	34.6	25.0
13	19.0	24.8	13.2	23.6	28.4	19.7	27.4	31.6	23.9	29.2	34.5	25.1
14	19.2	25.0	13.4	23.7	28.4	19.8	27.5	31.8	24.0	29.1	34.5	25.1
15	19.4	25.3	13.6	23.7	28.4	19.9	27.6	31.9	24.1	29.1	34.4	25.1
16	19.6	25.6	13.8	23.7	28.3	20.0	27.7	32.1	24.1	29.1	34.3	25.2
17	19.9	25.8	14.1	23.7	28.3	20.0	27.8	32.2	24.1	29.0	34.3	25.2
18	20.1	26.1	14.3	23.7	28.2	20.1	27.8	32.3	24.1	29.0	34.2	25.2
19	20.3	26.3	14.5	23.7	28.1	20.1	27.9	32.4	24.2	28.9	34.1	25.2
20	20.5	26.6	14.8	23.7	28.1	20.1	28.0	32.6	24.2	28.8	34.0	25.1
21	20.8	26.8	15.0	23.7	28.1	20.1	28.1	32.7	24.3	28.7	33.8	25.0
22	21.0	27.0	15.3	23.7	28.1	20.2	28.2	32.9	24.4	28.5	33.6	24.8
23	21.2	27.1	15.6	23.7	28.1	20.2	28.3	33.0	24.5	28.3	33.4	24.7
24	21.4	27.3	15.8	23.8	28.2	20.3	28.4	33.2	24.6	28.1	33.1	24.4
25	21.6	27.4	16.1	23.9	28.2	20.4	28.6	33.4	24.7	27.8	32.8	24.2
26	21.7	27.5	16.3	24.0	28.4	20.5	28.7	33.6	24.9	27.6	32.5	24.0
27	21.9	27.6	16.5	24.1	28.5	20.7	28.9	33.7	25.0	27.4	32.2	23.7
28	22.0	27.7	16.7	24.3	28.6	20.9	29.0	33.9	25.1	27.1	31.9	23.5
29	22.1	27.7	16.9	24.4	28.8	21.1	29.1	34.1	25.2	26.9	31.6	23.3
30	22.2	27.7	17.1	24.6	29.0	21.3	29.2	34.3	25.3	26.7	31.4	23.1
31	22.2	27.7	17.2				29.3	34.4	25.4	26.5	31.1	22.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME : OSAKA International AIRPORT

PERIOD OF RECORD : 2012-2016

LATITUDE : 34° 47.1'N, LONGITUDE : 135° 26.4'E, ELEVATION ABOVE MSL : 39 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ( )												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.									
01	26.3	30.9	22.7	22.6	27.8	18.2	15.2	20.3	10.2	9.3	14.1	4.4
02	26.1	30.8	22.5	22.5	27.6	18.1	15.0	20.1	10.0	9.1	13.9	4.1
03	26.0	30.7	22.4	22.3	27.4	17.9	14.9	19.9	9.9	8.8	13.6	3.9
04	25.8	30.6	22.2	22.1	27.2	17.7	14.7	19.7	9.7	8.6	13.4	3.7
05	25.7	30.5	22.0	21.8	27.0	17.4	14.5	19.5	9.6	8.4	13.2	3.5
06	25.6	30.4	21.9	21.6	26.7	17.1	14.4	19.3	9.5	8.1	13.0	3.3
07	25.5	30.4	21.7	21.3	26.5	16.9	14.2	19.1	9.3	8.0	12.8	3.2
08	25.4	30.3	21.5	21.1	26.2	16.5	14.1	18.9	9.2	7.8	12.6	3.1
09	25.3	30.3	21.3	20.8	25.9	16.2	13.9	18.7	9.1	7.6	12.5	3.0
10	25.2	30.2	21.2	20.5	25.6	15.8	13.7	18.5	8.9	7.5	12.3	2.9
11	25.0	30.1	21.0	20.2	25.3	15.5	13.5	18.2	8.8	7.4	12.1	2.9
12	24.9	30.0	20.8	19.9	25.1	15.2	13.3	18.0	8.6	7.3	11.9	2.9
13	24.8	29.9	20.6	19.6	24.8	14.9	13.1	17.8	8.4	7.2	11.7	2.8
14	24.6	29.7	20.5	19.3	24.5	14.6	12.9	17.6	8.3	7.1	11.6	2.8
15	24.5	29.6	20.3	19.1	24.3	14.3	12.8	17.4	8.1	7.1	11.4	2.8
16	24.3	29.4	20.1	18.9	24.1	14.1	12.6	17.3	8.0	7.0	11.3	2.7
17	24.2	29.2	20.0	18.7	23.9	13.8	12.5	17.1	7.9	6.9	11.1	2.7
18	24.0	29.1	19.8	18.5	23.7	13.6	12.3	17.0	7.7	6.9	11.0	2.7
19	23.9	29.0	19.7	18.3	23.5	13.5	12.2	16.8	7.6	6.8	10.9	2.6
20	23.8	28.8	19.5	18.1	23.3	13.3	12.0	16.7	7.4	6.7	10.9	2.5
21	23.6	28.8	19.4	17.9	23.1	13.0	11.9	16.5	7.2	6.7	10.8	2.4
22	23.6	28.7	19.2	17.7	22.8	12.8	11.7	16.3	7.0	6.6	10.7	2.3
23	23.5	28.6	19.1	17.5	22.6	12.6	11.5	16.1	6.8	6.5	10.6	2.2
24	23.4	28.6	19.0	17.2	22.4	12.3	11.3	15.9	6.5	6.3	10.6	2.0
25	23.3	28.5	18.9	16.9	22.1	12.0	11.0	15.6	6.2	6.2	10.5	1.9
26	23.2	28.4	18.8	16.7	21.9	11.7	10.8	15.4	5.9	6.1	10.5	1.7
27	23.1	28.3	18.7	16.4	21.6	11.4	10.5	15.1	5.6	5.9	10.4	1.5
28	23.0	28.2	18.6	16.1	21.3	11.1	10.2	14.8	5.3	5.8	10.3	1.3
29	22.9	28.1	18.5	15.8	21.1	10.9	9.9	14.6	5.0	5.7	10.3	1.2
30	22.8	28.0	18.4	15.6	20.8	10.6	9.6	14.3	4.7	5.5	10.2	1.0
31				15.4	20.6	10.4				5.4	10.2	0.9