

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TAKAMATSU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

NUMBER OF FORWARD SCATTER: RWY26

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<600	<800	<1000	<1200	<1500	<3200	<5000
	<100	<300	<500	<800	<1000	<600	<1000	<1500
00	0)	0)	0)	2)	3)	2	4	6
01	0)	0)	0)	2)	3)	2	5	6
02	0)	1)	2)	2)	3)	2	3	5
03	1)	1)	2)	4)	4)	4	4	4
04	1)	1)	4)	4)	4)	4	4	5
05	0)	1)	2)	4)	4)	3	5	6
06	0)	0)	0)	3)	3)	3	5	5
07	0)	0)	0)	0)	0)	2	2	3
08	0)	0)	1)	2)	2)	3	3	4
09	0)	0)	0)	2)	2)	2	2	3
10	0)	0)	2)	2)	3)	3	3	5
11	0)	0)	1)	2)	2)	3	5	5
12	0)	0)	2)	2)	2)	3	5	5
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1)	1)	3)	4)	4)	5	5	5
23	0)	0)	2)	3)	4)	3	6	6
MEAN	0)	0)	1)	3)	3)	3	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TAKAMATSU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

NUMBER OF FORWARD SCATTER: RWY26

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<600	<800	<1000	<1200	<1500	<3200	<5000
	<100	<300	<500	<800	<1000	<600	<1000	<1500
00	x	x	x	x	x	6	14	18
01	x	x	x	x	x	7	11	13
02	x	x	x	x	x	6	8	12
03	x	x	x	x	x	5	8	10
04	x	x	x	x	x	4	6	11
05	x	x	x	x	x	4	8	11
06	x	x	x	x	x	4	8	9
07	x	x	x	x	x	3	6	7
08	x	x	x	x	x	3	4	6
09	x	x	x	x	x	1	3	7
10	x	x	x	x	x	3	4	8
11	x	x	x	x	x	3	4	6
12	x	x	x	x	x	2	4	8
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	8	13	14
23	x	x	x	x	x	10	11	14
MEAN	x	x	x	x	x	5	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TAKAMATSU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

NUMBER OF FORWARD SCATTER: RWY26

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<600	<800	<1000	<1200	<1500	<3200	<5000
	<100	<300	<500	<800	<1000	<600	<1000	<1500
00	2)	2)	4)	6)	8)	5	8	11
01	0)	2)	5)	8)	9)	7	9	12
02	1)	1)	4)	8)	9)	6	10	10
03	0)	1)	5)	10)	10)	8	10	11
04	0)	1)	5)	6)	6)	6	7	10
05	0)	1)	3)	6)	7)	4	8	10
06	0)	0)	2)	5)	8)	5	9	10
07	0)	1)	3)	6)	7)	5	7	10
08	0)	0)	3)	4)	5)	4	6	11
09	0)	0)	3)	5)	7)	4	7	9
10	0)	1)	3)	3)	3)	3	5	8
11	1)	1)	3)	5)	5)	5	6	8
12	1)	1)	4)	5)	5)	4	7	8
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1)	2)	4)	6)	6)	6	10	11
23	1)	1)	3)	6)	8)	4	9	10
MEAN	0)	1)	4)	6)	7)	5	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TAKAMATSU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

NUMBER OF FORWARD SCATTER: RWY26

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<600	<800	<1000	<1200	<1500	<3200	<5000
	<100	<300	<500	<800	<1000	<600	<1000	<1500
00	-	1	4	7	8	7	9	11
01	-	1	3	7	7	5	7	8
02	-	2	4	5	5	5	5	7
03	-	2	4	5	5	5	7	8
04	-	1	3	4	5	3	5	9
05	-	1	1	3	3	3	5	5
06	-	-	2	3	5	3	5	8
07	-	-	2	2	3	2	4	5
08	1	1	3	5	6	4	7	7
09	1	1	3	4	5	3	5	7
10	1	1	1	3	3	3	3	8
11	1	1	3	4	5	4	5	5
12	-	-	2	3	3	3	3	5
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	4	5	7	7	7	11	14
23	-	1	5	8	8	9	10	11
MEAN	0	1	3	5	5	4	6	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TAKAMATSU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

NUMBER OF FORWARD SCATTER: RWY26

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<600	<800	<1000	<1200	<1500	<3200	<5000
	<100	<300	<500	<800	<1000	<600	<1000	<1500
00	-	-	2	3	4	3	5	7
01	-	-	1	3	3	3	5	6
02	-	-	1	3	3	2	3	5
03	-	-	1	3	3	2	3	3
04	-	1	1	3	3	1	3	3
05	-	-	3	4	4	4	4	5
06	-	1	2	3	3	3	4	5
07	-	1	2	3	3	2	3	4
08	-	1	1	2	3	2	3	5
09	1	1	2	3	3	2	4	5
10	1	1	1	1	2	1	3	4
11	1	1	3	3	3	3	5	5
12	-	1	3	3	5	4	5	7
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	3	4	4	5	6	10
23	-	-	3	5	6	5	8	9
MEAN	0	0	2	3	3	3	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TAKAMATSU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

NUMBER OF FORWARD SCATTER: RWY26

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<600	<800	<1000	<1200	<1500	<3200	<5000
	<100	<300	<500	<800	<1000	<600	<1000	<1500
00	-	1	5	7	11	5	13	18
01	-	1	3	5	7	3	9	15
02	-	1	2	5	6	3	9	13
03	-	1	5	7	8	5	9	10
04	-	1	5	7	7	5	7	9
05	-	2	3	5	6	5	7	9
06	-	1	3	6	6	5	7	8
07	-	2	3	6	8	5	9	11
08	-	1	3	9	11	5	11	11
09	-	1	4	5	7	5	9	13
10	1	1	3	5	5	3	5	9
11	-	1	3	4	5	3	5	9
12	-	2	3	5	5	5	6	9
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	7	9	12	11	14	17
23	-	2	3	9	10	6	11	18
MEAN	0	1	4	6	8	5	9	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TAKAMATSU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

NUMBER OF FORWARD SCATTER: RWY26

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<600	<800	<1000	<1200	<1500	<3200	<5000
	<100	<300	<500	<800	<1000	<600	<1000	<1500
00	-	-	2	4	4	3	5	9
01	-	-	1	3	3	2	3	6
02	-	-	1	1	3	1	3	4
03	-	-	1	2	2	1	2	2
04	-	-	1	1	1	1	1	3
05	-	-	1	2	2	1	2	4
06	1	1	1	1	2	1	2	2
07	1	1	1	1	2	1	2	2
08	1	1	1	2	3	1	3	4
09	-	1	1	3	4	3	4	5
10	-	1	2	3	3	3	4	5
11	-	1	2	3	3	3	3	5
12	-	1	1	2	3	2	3	5
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	2	3	6	6	6	9	10
23	-	2	3	4	6	4	7	9
MEAN	0	1	1	3	3	2	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TAKAMATSU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

NUMBER OF FORWARD SCATTER: RWY26

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<600	<800	<1000	<1200	<1500	<3200	<5000
	<100	<300	<500	<800	<1000	<600	<1000	<1500
00	-	-	-	3	3	-	3	5
01	-	-	-	2	3	1	3	5
02	-	-	-	1	3	1	4	4
03	-	-	-	1	2	1	3	4
04	-	-	-	1	2	1	3	3
05	-	-	-	1	2	1	2	3
06	-	-	1	3	3	2	4	4
07	0)	0)	1)	1)	1)	1	2	3
08	-	-	-	1	2	-	3	3
09	-	-	1	3	3	1	3	3
10	-	-	1	2	2	1	3	3
11	-	-	1	2	2	1	3	3
12	-	-	-	1	2	-	1	2
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	-	3	6
23	-	-	-	1	3	-	5	5
MEAN	0)	0)	0)	2)	2)	1	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TAKAMATSU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

NUMBER OF FORWARD SCATTER: RWY26

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<600	<800	<1000	<1200	<1500	<3200	<5000
	<100	<300	<500	<800	<1000	<600	<1000	<1500
00	0)	0)	2)	6)	6)	5	7	11
01	0)	0)	1)	3)	4)	3	4	9
02	0)	0)	1)	3)	3)	2	4	9
03	0)	0)	1)	3)	3)	1	3	8
04	0)	0)	1)	4)	5)	2	7	7
05	0)	0)	0)	4)	4)	1	6	7
06	0)	0)	1)	3)	4)	3	4	6
07	0)	0)	2)	4)	4)	2	5	5
08	0)	0)	0)	3)	4)	1	4	4
09	0)	0)	1)	4)	5)	3	6	7
10	0)	1)	2)	4)	4)	3	5	5
11	0)	0)	1)	1)	1)	1	1	3
12	0)	0)	1)	3)	3)	3	3	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	1)	3)	4)	5)	5	7	8
23	0)	1)	2)	5)	5)	4	7	9
MEAN	0)	0)	1)	3)	4)	3	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TAKAMATSU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

NUMBER OF FORWARD SCATTER: RWY26

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<600	<800	<1000	<1200	<1500	<3200	<5000
	<100	<300	<500	<800	<1000	<600	<1000	<1500
00	0)	0)	1)	2)	2)	1	3	6
01	0)	0)	1)	3)	4)	2	3	6
02	0)	0)	1)	3)	3)	1	5	5
03	0)	0)	2)	2)	4)	2	4	5
04	0)	0)	1)	2)	4)	1	4	6
05	0)	0)	1)	2)	2)	1	3	5
06	0)	0)	2)	2)	3)	2	3	5
07	0)	0)	3)	3)	3)	3	3	4
08	0)	2)	4)	5)	6)	3	5	6
09	0)	0)	1)	2)	4)	1	5	6
10	0)	1)	1)	2)	2)	2	3	5
11	0)	0)	0)	0)	1)	1	1	5
12	0)	0)	0)	0)	1)	1	3	4
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	1)	2)	2)	1	4	5
23	0)	0)	1)	2)	2)	1	2	3
MEAN	0)	0)	1)	2)	3)	1	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TAKAMATSU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

NUMBER OF FORWARD SCATTER: RWY26

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<600	<800	<1000	<1200	<1500	<3200	<5000
	<100	<300	<500	<800	<1000	<600	<1000	<1500
00	x	x	x	x	x	2	3	4
01	x	x	x	x	x	1	3	6
02	x	x	x	x	x	1	2	4
03	x	x	x	x	x	2	5	7
04	x	x	x	x	x	3	6	9
05	x	x	x	x	x	3	4	7
06	x	x	x	x	x	3	3	5
07	x	x	x	x	x	3	3	5
08	x	x	x	x	x	3	4	6
09	x	x	x	x	x	3	4	6
10	x	x	x	x	x	3	5	5
11	x	x	x	x	x	4	5	6
12	x	x	x	x	x	2	5	5
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	2	4	6
23	x	x	x	x	x	1	3	5
MEAN	x	x	x	x	x	2	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TAKAMATSU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

NUMBER OF FORWARD SCATTER: RWY26

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<600	<800	<1000	<1200	<1500	<3200	<5000
	<100	<300	<500	<800	<1000	<600	<1000	<1500
00	x	x	x	x	x	3	4	5
01	x	x	x	x	x	2	3	3
02	x	x	x	x	x	1	3	3
03	x	x	x	x	x	3	5	7
04	x	x	x	x	x	3	5	5
05	x	x	x	x	x	3	5	5
06	x	x	x	x	x	3	5	6
07	x	x	x	x	x	3	5	5
08	x	x	x	x	x	3	6	6
09	x	x	x	x	x	2	5	6
10	x	x	x	x	x	3	5	6
11	x	x	x	x	x	3	5	5
12	x	x	x	x	x	3	3	5
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	2	5	6
23	x	x	x	x	x	3	5	6
MEAN	x	x	x	x	x	3	5	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TAKAMATSU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

NUMBER OF FORWARD SCATTER: RWY26

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<600	<800	<1000	<1200	<1500	<3200	<5000
	<100	<300	<500	<800	<1000	<600	<1000	<1500
00	0)	1)	2)	4)	5)	3	7	9
01	0)	1)	2)	4)	5)	3	6	8
02	0)	1)	2)	3)	4)	3	5	7
03	0)	0)	2)	4)	4)	3	5	7
04	0)	0)	2)	4)	4)	3	5	7
05	0)	0)	2)	3)	4)	3	5	6
06	0)	0)	2)	3)	4)	3	5	6
07	0)	0)	2)	3)	3)	3	4	5
08	0)	1)	2)	3)	4)	3	5	6
09	0)	1)	2)	3)	4)	3	5	6
10	0)	1)	2)	3)	3)	3	4	6
11	0)	1)	2)	3)	3)	3	4	5
12	0)	1)	2)	3)	3)	3	4	5
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	1)	3)	5)	5)	5	7	9
23	0)	1)	3)	5)	6)	4	7	9
MEAN	0)	1)	2)	3)	4)	3	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TAKAMATSU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	1	1	1	3	3	3	5	
01	1	1	2	3	5	5	6	
02	1	2	2	3	3	3	4	
03	1	1	2	3	3	3	4	
04	1	1	2	2	3	3	5	
05	1	1	1	2	4	4	5	
06	-	1	2	2	3	3	4	
07	-	1	1	2	2	2	3	
08	1	1	2	2	2	3	4	
09	1	1	1	1	2	2	3	
10	1	1	1	2	2	3	5	
11	-	1	1	2	2	3	3	
12	-	1	2	2	4	4	4	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	2	3	4	5	5	
23	1	1	1	3	4	4	5	
MEAN	1	1	2	2	3	3	4	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TAKAMATSU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	3	5	6	6	8	14	15	
01	1	3	6	7	8	9	13	
02	1	2	5	5	7	8	12	
03	-	1	4	4	6	8	10	
04	-	1	2	3	3	4	10	
05	-	1	3	3	4	6	9	
06	-	1	2	3	5	7	8	
07	1	1	1	1	3	4	7	
08	-	1	2	2	3	4	6	
09	-	-	1	1	2	3	7	
10	-	1	1	1	4	4	8	
11	-	-	1	2	2	4	6	
12	1	2	2	2	2	4	8	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	3	8	8	10	13	14	
23	1	5	10	10	11	11	14	
MEAN	1	2	4	4	5	7	10	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TAKAMATSU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	3	4	4	5	6	7	8	
01	2	5	5	5	6	7	9	
02	1	3	4	4	6	8	10	
03	1	1	3	3	5	6	10	
04	-	-	3	5	6	6	8	
05	-	1	3	3	3	5	8	
06	-	-	3	3	4	5	8	
07	1	1	3	5	5	5	9	
08	-	1	2	3	3	5	10	
09	-	1	2	2	4	5	9	
10	-	1	1	1	2	4	7	
11	-	2	3	3	4	6	7	
12	1	2	3	3	5	6	8	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	2	5	6	7	9	10	10	
23	1	3	3	4	5	7	8	
MEAN	1	2	3	4	5	6	9	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TAKAMATSU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	1	4	4	5	7	9	
01	-	-	2	3	5	5	7	
02	-	2	3	3	4	5	6	
03	-	1	2	3	3	6	7	
04	-	1	1	2	2	3	6	
05	-	1	3	3	3	3	4	
06	-	1	1	1	2	2	5	
07	-	-	-	2	2	3	3	
08	1	1	1	1	3	4	5	
09	1	1	1	1	1	4	7	
10	1	1	1	1	2	2	7	
11	1	1	2	2	2	3	4	
12	-	-	-	-	1	1	3	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	3	5	6	9	11	14	
23	1	1	5	5	7	9	11	
MEAN	0	1	2	3	3	5	6	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TAKAMATSU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	-	1	1	3	4	7	
01	-	-	1	1	1	3	6	
02	-	-	1	1	1	1	5	
03	-	-	1	1	1	2	3	
04	1	1	1	1	1	1	3	
05	1	1	1	1	2	3	4	
06	-	-	1	1	1	3	4	
07	1	1	1	1	2	2	3	
08	1	1	1	1	1	2	3	
09	1	1	1	1	1	3	5	
10	1	1	1	1	2	2	3	
11	1	1	1	2	3	3	5	
12	1	1	3	3	4	4	6	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	2	3	5	6	9	
23	-	1	1	2	3	7	9	
MEAN	0	1	1	1	2	3	5	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TAKAMATSU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	-	1	3	4	7	11	
01	-	-	1	1	3	6	12	
02	-	-	1	1	3	4	9	
03	-	-	2	3	4	6	9	
04	-	1	3	3	4	5	7	
05	1	2	3	3	4	5	7	
06	-	1	1	1	4	5	7	
07	1	1	1	1	4	6	11	
08	-	2	2	3	4	5	10	
09	1	1	2	2	2	5	10	
10	1	1	1	1	2	3	7	
11	1	1	2	2	3	3	7	
12	1	3	3	3	4	5	8	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	7	7	8	11	16	
23	-	1	3	3	3	6	15	
MEAN	0	1	2	2	4	5	10	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TAKAMATSU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	-	1	1	1	2	8	
01	-	-	1	1	1	1	3	
02	-	-	-	-	-	-	2	
03	-	-	-	-	-	-	1	
04	-	-	-	-	-	-	1	
05	-	-	-	-	-	-	2	
06	1	1	1	1	1	1	2	
07	1	1	1	1	1	1	2	
08	1	1	1	1	2	2	4	
09	-	-	1	3	3	3	4	
10	-	-	1	2	3	3	4	
11	-	1	1	1	3	3	4	
12	-	1	1	1	1	1	3	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	2	5	6	7	8	10	
23	-	1	3	3	5	5	8	
MEAN	0	0	1	1	2	2	4	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TAKAMATSU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	-	-	-	1	1	3	
01	-	-	1	1	1	2	5	
02	-	-	1	1	2	3	3	
03	-	-	-	-	-	2	3	
04	-	-	-	-	-	1	1	
05	-	-	-	-	-	1	1	
06	-	-	1	1	1	2	4	
07	-	-	-	-	-	1	3	
08	-	-	-	-	2	3	3	
09	-	-	-	-	1	2	3	
10	-	-	-	-	1	1	2	
11	-	-	1	1	1	2	3	
12	-	-	-	-	-	-	-	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	1	5	
23	-	-	-	-	-	2	3	
MEAN	-	-	0	0	1	2	3	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TAKAMATSU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	-	2	3	3	3	7	
01	-	-	-	1	2	2	6	
02	-	-	1	1	1	3	5	
03	-	-	1	1	1	2	5	
04	-	-	-	-	-	1	4	
05	-	-	1	1	1	2	4	
06	1	1	1	2	2	2	4	
07	-	-	1	1	1	1	3	
08	-	-	-	-	-	2	2	
09	-	-	-	-	1	3	6	
10	-	1	1	1	1	2	4	
11	-	-	-	-	-	1	3	
12	-	-	-	-	-	1	3	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	3	4	4	5	7	
23	-	-	2	4	5	6	9	
MEAN	0	0	1	1	1	2	5	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TAKAMATSU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	-	-	-	1	1	5	
01	-	-	-	-	1	1	5	
02	-	-	-	1	1	3	5	
03	-	-	-	-	1	2	4	
04	-	-	-	-	-	-	2	
05	-	-	-	-	1	1	1	
06	-	-	-	-	1	2	3	
07	-	-	1	1	1	3	3	
08	-	1	1	1	2	3	4	
09	-	-	-	-	-	1	3	
10	-	-	1	1	1	1	3	
11	-	-	1	1	1	1	2	
12	-	1	1	1	1	1	1	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	1	4	
23	-	-	-	-	-	-	3	
MEAN	-	0	0	0	1	1	3	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TAKAMATSU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	-	1	1	1	3	3	
01	1	1	1	1	2	3	6	
02	-	-	-	1	1	1	3	
03	1	1	1	1	2	3	5	
04	-	-	1	2	3	3	6	
05	-	-	1	1	3	3	5	
06	-	-	1	1	2	3	5	
07	-	1	2	3	3	3	5	
08	1	2	2	2	2	3	5	
09	1	1	2	2	3	3	5	
10	2	3	3	3	3	3	5	
11	1	3	3	4	4	5	6	
12	-	-	1	2	3	5	5	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	2	3	3	4	5	
23	-	1	1	1	2	3	5	
MEAN	0	1	2	2	2	3	5	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TAKAMATSU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	-	1	1	1	1	1	3	
01	-	-	-	-	-	1	3	
02	-	-	1	1	1	3	3	
03	-	-	1	1	2	3	5	
04	1	2	2	2	2	2	4	
05	1	1	1	1	1	3	4	
06	-	2	3	3	3	3	5	
07	1	1	2	3	3	5	5	
08	1	2	3	4	5	5	5	
09	-	1	1	1	2	4	5	
10	-	1	3	3	3	4	5	
11	-	1	3	3	3	3	5	
12	1	3	3	3	3	3	4	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	1	1	3	3	6	
23	1	1	2	3	3	3	4	
MEAN	0	1	2	2	2	3	4	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: TAKAMATSU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1500	<1600	<2400	<3200	<5000	-
00	0	1	2	2	3	4	7	
01	0	1	2	2	3	4	7	
02	0	1	1	2	2	3	5	
03	0	0	1	2	2	4	5	
04	0	1	1	2	2	3	5	
05	0	1	1	2	2	3	4	
06	0	1	1	2	2	3	5	
07	0	0	1	2	2	3	5	
08	0	1	1	2	2	3	5	
09	0	1	1	1	2	3	5	
10	0	1	1	1	2	3	5	
11	0	1	2	2	2	3	4	
12	0	1	1	2	2	3	4	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	3	4	5	7	9	
23	0	1	2	3	4	5	8	
MEAN	0	1	2	2	3	4	6	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TAKAMATSU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<800	<1000	<1500
00	-	-	-	1	2	3	4
01	-	-	-	1	2	3	3
02	-	1	2	2	3	3	3
03	-	1	2	3	3	3	3
04	-	1	3	3	3	3	3
05	-	1	1	2	3	3	4
06	-	1	1	1	3	3	3
07	-	-	1	1	1	1	1
08	-	-	1	2	2	2	2
09	-	-	1	1	1	1	2
10	-	1	2	3	3	3	3
11	-	-	1	2	3	3	3
12	-	-	1	3	3	3	3
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	4	5	5	5	5
23	-	-	1	2	3	5	5
MEAN	-	0	1	2	3	3	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TAKAMATSU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<800	<1000	<1500
00	-	1	3	3	4	4	8
01	-	1	3	3	5	6	8
02	-	2	4	4	4	4	6
03	-	1	1	3	3	4	6
04	-	1	1	2	4	4	4
05	-	-	3	3	4	5	8
06	-	-	2	3	4	5	6
07	-	-	1	2	2	4	5
08	-	-	1	1	1	1	3
09	-	1	1	1	1	2	3
10	-	1	1	3	3	3	4
11	-	1	1	2	2	2	2
12	-	1	2	2	2	2	4
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	5	6	7	7	8
23	-	1	4	6	7	8	8
MEAN	-	1	2	3	4	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TAKAMATSU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<800	<1000	<1500
00	-	1	3	3	4	5	6
01	-	1	4	6	7	8	9
02	-	1	4	6	8	8	8
03	-	1	5	7	9	10	10
04	-	1	5	6	6	6	8
05	-	1	3	3	6	7	8
06	-	-	2	4	5	8	8
07	-	1	3	4	6	6	8
08	-	-	3	3	4	5	6
09	-	-	3	3	5	7	7
10	-	1	3	3	3	3	5
11	-	1	3	5	5	5	6
12	-	-	3	3	3	4	4
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	2	3	3	5	6
23	-	1	2	3	5	6	8
MEAN	-	1	3	4	5	6	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TAKAMATSU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<800	<1000	<1500
00	-	1	4	7	7	8	9
01	-	1	3	5	7	7	7
02	-	2	4	5	5	5	6
03	-	2	3	5	5	5	7
04	-	1	3	3	4	5	6
05	-	1	1	1	3	3	4
06	-	-	2	3	3	5	5
07	-	-	2	2	2	3	5
08	-	1	2	3	5	5	5
09	-	1	2	3	3	5	5
10	-	-	1	2	3	3	4
11	-	1	3	3	3	5	5
12	-	-	2	3	3	3	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	2	3	5	6	6	9
23	-	1	4	7	7	7	9
MEAN	-	1	3	4	4	5	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TAKAMATSU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<800	<1000	<1500
00	-	-	2	3	3	4	5
01	-	-	1	3	3	3	4
02	-	-	1	2	3	3	4
03	-	-	1	2	3	3	3
04	-	-	1	1	3	3	3
05	-	-	2	3	3	3	4
06	-	1	2	3	3	3	3
07	-	1	2	2	3	3	4
08	-	-	1	1	1	2	4
09	-	1	1	1	3	3	3
10	-	-	1	1	1	1	1
11	-	1	2	2	2	3	3
12	-	-	2	2	2	3	3
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	3	4	4	4	5
23	-	-	3	4	5	6	6
MEAN	-	0	2	2	3	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TAKAMATSU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<800	<1000	<1500
00	-	1	5	5	7	11	14
01	-	1	3	3	5	7	10
02	-	1	2	3	5	6	9
03	-	1	5	5	7	8	8
04	-	1	5	5	7	7	9
05	-	2	3	5	5	6	7
06	-	1	3	5	6	6	7
07	-	1	3	5	6	8	10
08	-	1	3	5	9	11	11
09	-	1	4	5	5	7	8
10	-	-	3	3	4	4	5
11	-	1	3	3	3	4	5
12	-	1	3	5	5	5	7
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	6	8	9	11	11
23	-	2	3	6	8	9	10
MEAN	-	1	4	5	6	7	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TAKAMATSU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<800	<1000	<1500
00	-	-	2	3	4	4	5
01	-	-	1	2	3	3	5
02	-	-	1	1	1	3	3
03	-	-	1	1	2	2	2
04	-	-	1	1	1	1	2
05	-	-	1	1	2	2	3
06	-	-	1	1	1	2	2
07	-	-	1	1	1	1	1
08	-	-	1	1	1	2	2
09	-	1	1	3	3	4	5
10	-	1	2	3	3	3	4
11	-	1	2	3	3	3	3
12	-	1	1	1	2	2	2
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	2	4	6	6	6
23	-	2	3	4	4	6	6
MEAN	-	0	1	2	2	3	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TAKAMATSU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<800	<1000	<1500
00	-	-	-	-	3	3	3
01	-	-	-	-	2	3	3
02	-	-	-	-	1	3	3
03	-	-	-	1	1	2	3
04	-	-	-	1	1	2	2
05	-	-	-	1	1	2	3
06	-	-	-	1	3	3	3
07	-	-	1	1	1	1	3
08	-	-	-	-	1	2	3
09	-	-	1	1	3	3	3
10	-	-	1	1	2	2	2
11	-	-	1	1	2	2	2
12	-	-	-	-	1	1	2
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	1	2
23	-	-	-	-	1	3	3
MEAN	-	-	0	1	2	2	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TAKAMATSU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<800	<1000	<1500
00	-	-	2	4	6	6	9
01	-	-	1	3	3	3	7
02	-	-	1	2	3	3	7
03	-	-	1	1	3	3	7
04	-	-	1	2	3	7	7
05	-	-	1	1	5	5	7
06	-	-	2	3	4	4	5
07	-	-	2	2	5	5	5
08	-	-	1	1	3	4	4
09	-	-	2	3	5	5	5
10	-	1	3	3	4	4	4
11	-	-	1	1	1	1	1
12	-	-	1	3	3	3	3
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	3	4	5	6	7
23	-	1	2	4	5	5	7
MEAN	-	0	2	3	4	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TAKAMATSU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<800	<1000	<1500
00	-	-	1	1	1	2	4
01	-	-	1	2	3	3	4
02	-	-	1	1	3	3	4
03	-	-	1	2	3	4	4
04	-	-	1	1	2	4	5
05	-	-	1	1	2	3	5
06	-	-	2	2	2	3	5
07	-	-	3	3	3	3	4
08	-	1	3	3	4	5	6
09	-	-	1	1	2	5	5
10	-	1	1	2	2	3	4
11	-	-	1	1	1	1	3
12	-	-	1	1	1	2	3
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	2	3	3
23	-	-	1	1	1	2	2
MEAN	-	0	1	1	2	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TAKAMATSU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<800	<1000	<1500
00	-	-	-	2	2	3	3
01	-	-	1	1	1	3	3
02	-	-	1	1	1	1	1
03	-	-	1	1	3	3	5
04	-	-	2	3	4	5	6
05	-	-	3	3	3	4	6
06	-	1	2	3	3	3	5
07	-	1	2	3	3	3	5
08	-	2	2	3	4	4	5
09	-	1	2	3	3	3	5
10	-	-	2	2	2	3	3
11	-	3	3	3	4	4	5
12	-	1	1	2	2	3	3
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	2	3	3	5
23	-	-	1	1	1	1	2
MEAN	-	1	2	2	3	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TAKAMATSU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<800	<1000	<1500
00	-	-	1	2	2	4	5
01	-	-	1	2	2	2	2
02	-	-	1	1	3	3	3
03	-	-	2	3	3	4	5
04	-	1	3	3	5	5	5
05	-	1	2	3	3	4	4
06	-	-	3	3	3	4	5
07	-	-	2	2	2	3	3
08	-	-	1	3	3	4	4
09	-	1	1	2	2	3	4
10	-	-	3	3	3	4	5
11	-	-	1	2	3	4	4
12	-	1	2	2	2	2	3
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	2	2	3	4	5
23	-	1	2	2	3	4	5
MEAN	-	0	2	2	3	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: TAKAMATSU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<300	<500	<600	<800	<1000	<1500
00	-	0	2	3	4	5	6
01	-	0	1	2	4	4	5
02	-	1	2	2	3	4	5
03	-	0	2	3	4	4	5
04	-	0	2	3	4	4	5
05	-	0	2	2	3	4	5
06	-	0	2	3	3	4	5
07	-	0	2	2	3	3	4
08	-	0	2	2	3	4	5
09	-	0	2	2	3	4	4
10	-	0	2	2	3	3	4
11	-	1	2	2	3	3	3
12	-	0	1	2	2	3	3
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	3	4	5	5	6
23	-	1	2	3	4	5	6
MEAN	-	0	2	3	3	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TAKAMATSU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	6	0	-	-	-	-	-	-	-	-	-	6
[35-36-01]	1	1	0	-	-	-	-	-	-	-	-	2
[02-03-04]	1	0	0	-	-	-	-	-	-	-	-	2
[05-06-07]	2	1	0	-	-	-	-	-	-	-	-	4
[08-09-10]	2	1	0	-	-	-	-	-	-	-	-	4
[11-12-13]	2	0	-	-	-	-	-	-	-	-	-	2
[14-15-16]	6	9	-	-	-	-	-	-	-	-	-	15
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	2
[20-21-22]	5	3	-	-	-	-	-	-	-	-	-	8
[23-24-25]	6	11	2	0	0	-	-	-	-	-	-	19
[26-27-28]	3	10	7	4	1	0	-	-	-	-	-	24
[29-30-31]	1	5	3	1	0	0	-	-	-	-	-	11
[32-33-34]	1	1	0	0	-	-	-	-	-	-	-	3
TOTAL	38	42	13	5	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TAKAMATSU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	10	0	-	-	-	-	-	-	-	-	-	10
[35-36-01]	2	1	-	-	-	-	-	-	-	-	-	3
[02-03-04]	2	1	-	-	-	-	-	-	-	-	-	3
[05-06-07]	3	3	0	-	-	-	-	-	-	-	-	7
[08-09-10]	3	2	0	-	-	-	-	-	-	-	-	5
[11-12-13]	2	0	-	-	-	-	-	-	-	-	-	2
[14-15-16]	8	7	-	-	-	-	-	-	-	-	-	15
[17-18-19]	1	0	-	-	-	-	-	-	-	-	-	2
[20-21-22]	3	2	-	-	-	-	-	-	-	-	-	5
[23-24-25]	5	10	2	0	0	-	-	-	-	-	-	17
[26-27-28]	2	7	7	3	0	0	-	-	-	-	-	19
[29-30-31]	1	3	4	1	0	-	-	-	-	-	-	10
[32-33-34]	1	1	0	-	-	-	-	-	-	-	-	2
TOTAL	44	38	14	4	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TAKAMATSU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	10)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[35-36-01]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[02-03-04]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[05-06-07]	4)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[08-09-10]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[11-12-13]	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	6)	11)	0)	0)	0)	0)	0)	0)	0)	0)	0)	18)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[23-24-25]	4)	7)	2)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[26-27-28]	2)	6)	5)	2)	1)	0)	0)	0)	0)	0)	0)	16)
[29-30-31]	2)	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[32-33-34]	1)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
TOTAL	45)	41)	9)	3)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TAKAMATSU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	12	0	-	-	-	-	-	-	-	-	-	12
[35-36-01]	3	2	0	-	-	-	-	-	-	-	-	5
[02-03-04]	3	1	-	-	-	-	-	-	-	-	-	5
[05-06-07]	4	6	1	0	-	-	-	-	-	-	-	12
[08-09-10]	3	2	0	0	-	-	-	-	-	-	-	6
[11-12-13]	3	0	-	-	-	-	-	-	-	-	-	3
[14-15-16]	7	12	0	-	-	-	-	-	-	-	-	19
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	2
[20-21-22]	2	2	0	-	-	-	-	-	-	-	-	4
[23-24-25]	3	6	1	1	0	0	-	-	-	-	-	12
[26-27-28]	2	4	3	2	1	0	0	0	-	-	-	12
[29-30-31]	1	3	1	1	0	-	-	-	-	-	-	6
[32-33-34]	1	1	0	0	-	-	-	-	-	-	-	2
TOTAL	48	40	7	3	1	0	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TAKAMATSU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	11	0	-	-	-	-	-	-	-	-	-	11
[35-36-01]	3	1	0	-	-	-	-	-	-	-	-	4
[02-03-04]	3	1	0	0	-	-	-	-	-	-	-	4
[05-06-07]	5	5	1	0	-	-	-	-	-	-	-	10
[08-09-10]	3	3	0	-	-	-	-	-	-	-	-	6
[11-12-13]	2	0	-	-	-	-	-	-	-	-	-	2
[14-15-16]	9	16	0	-	-	-	-	-	-	-	-	26
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	3
[20-21-22]	3	1	-	-	-	-	-	-	-	-	-	4
[23-24-25]	3	6	1	0	0	0	-	-	-	-	-	10
[26-27-28]	2	4	2	1	0	-	-	-	-	-	-	10
[29-30-31]	2	3	1	0	-	-	-	-	-	-	-	6
[32-33-34]	2	1	0	0	-	-	-	-	-	-	-	3
TOTAL	50	43	5	1	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TAKAMATSU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	15	0	-	-	-	-	-	-	-	-	-	15
[35-36-01]	2	1	0	-	-	-	-	-	-	-	-	2
[02-03-04]	3	1	0	-	-	-	-	-	-	-	-	4
[05-06-07]	6	8	2	-	-	-	-	-	-	-	-	16
[08-09-10]	7	3	0	-	-	-	-	-	-	-	-	10
[11-12-13]	3	0	-	-	-	-	-	-	-	-	-	3
[14-15-16]	13	7	-	-	-	-	-	-	-	-	-	20
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	2
[20-21-22]	3	1	-	-	-	-	-	-	-	-	-	4
[23-24-25]	4	5	1	0	-	-	-	-	-	-	-	10
[26-27-28]	2	3	1	0	-	-	-	-	-	-	-	7
[29-30-31]	2	2	0	-	-	-	-	-	-	-	-	4
[32-33-34]	1	0	0	-	-	-	-	-	-	-	-	2
TOTAL	63	31	5	0	-	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TAKAMATSU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	14	0	-	-	-	-	-	-	-	-	-	14
[35-36-01]	2	0	-	-	-	-	-	-	-	-	-	3
[02-03-04]	3	1	-	-	-	-	-	-	-	-	-	4
[05-06-07]	5	4	0	0	0	0	-	-	-	-	-	9
[08-09-10]	4	1	0	0	-	-	-	-	-	-	-	5
[11-12-13]	3	0	-	-	-	-	-	-	-	-	-	3
[14-15-16]	15	7	-	-	-	-	-	-	-	-	-	22
[17-18-19]	3	0	-	-	-	-	-	-	-	-	-	3
[20-21-22]	5	1	-	-	-	-	-	-	-	-	-	6
[23-24-25]	6	7	1	0	-	-	-	-	-	-	-	13
[26-27-28]	2	5	4	0	-	-	-	-	-	-	-	11
[29-30-31]	2	2	0	-	-	-	-	-	-	-	-	5
[32-33-34]	2	0	-	-	-	-	-	-	-	-	-	2
TOTAL	65	29	5	0	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TAKAMATSU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	14	0	-	-	-	-	-	-	-	-	-	15
[35-36-01]	2	0	-	-	-	-	-	-	-	-	-	2
[02-03-04]	2	1	-	-	-	-	-	-	-	-	-	3
[05-06-07]	4	5	1	0	0	-	-	-	-	-	-	10
[08-09-10]	4	4	1	0	0	-	-	-	-	-	-	9
[11-12-13]	4	0	-	-	-	-	-	-	-	-	-	4
[14-15-16]	17	11	-	-	-	-	-	-	-	-	-	28
[17-18-19]	3	0	-	-	-	-	-	-	-	-	-	4
[20-21-22]	4	1	-	-	-	-	-	-	-	-	-	5
[23-24-25]	4	5	0	0	-	-	-	-	-	-	-	9
[26-27-28]	1	4	1	0	0	0	-	-	-	-	-	7
[29-30-31]	1	2	0	0	-	-	-	-	-	-	-	4
[32-33-34]	1	0	-	-	-	-	-	-	-	-	-	2
TOTAL	62	33	3	1	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TAKAMATSU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	17	0	-	-	-	-	-	-	-	-	-	17
[35-36-01]	1	0	0	-	-	-	-	-	-	-	-	2
[02-03-04]	3	1	-	-	-	-	-	-	-	-	-	4
[05-06-07]	5	6	0	0	-	-	-	-	-	-	-	11
[08-09-10]	5	4	0	-	-	-	-	-	-	-	-	9
[11-12-13]	4	0	-	-	-	-	-	-	-	-	-	4
[14-15-16]	20	11	-	-	-	-	-	-	-	-	-	31
[17-18-19]	3	0	-	-	-	-	-	-	-	-	-	3
[20-21-22]	3	1	-	-	-	-	-	-	-	-	-	4
[23-24-25]	3	3	0	-	-	-	-	-	-	-	-	6
[26-27-28]	1	2	0	-	-	-	-	-	-	-	-	4
[29-30-31]	1	1	0	0	-	-	-	-	-	-	-	2
[32-33-34]	1	0	0	-	-	-	-	-	-	-	-	2
TOTAL	68	31	1	0	-	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TAKAMATSU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	14)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[35-36-01]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[02-03-04]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[05-06-07]	4)	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[08-09-10]	5)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[11-12-13]	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	15)	15)	0)	0)	0)	0)	0)	0)	0)	0)	0)	30)
[17-18-19]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	3)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[26-27-28]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[29-30-31]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[32-33-34]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
TOTAL	57)	38)	4)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TAKAMATSU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	11	0	-	-	-	-	-	-	-	-	-	11
[35-36-01]	2	1	0	-	-	-	-	-	-	-	-	3
[02-03-04]	1	0	-	-	-	-	-	-	-	-	-	2
[05-06-07]	3	3	0	-	-	-	-	-	-	-	-	6
[08-09-10]	3	2	0	-	-	-	-	-	-	-	-	5
[11-12-13]	2	0	-	-	-	-	-	-	-	-	-	2
[14-15-16]	13	13	0	-	-	-	-	-	-	-	-	26
[17-18-19]	3	0	-	-	-	-	-	-	-	-	-	3
[20-21-22]	5	3	-	-	-	-	-	-	-	-	-	8
[23-24-25]	4	8	2	0	-	-	-	-	-	-	-	14
[26-27-28]	2	5	4	1	0	-	-	-	-	-	-	12
[29-30-31]	2	3	2	0	-	-	-	-	-	-	-	7
[32-33-34]	1	0	-	-	-	-	-	-	-	-	-	1
TOTAL	51	39	7	2	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TAKAMATSU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	8	0	-	-	-	-	-	-	-	-	-	8
[35-36-01]	1	1	0	-	-	-	-	-	-	-	-	2
[02-03-04]	1	0	-	-	-	-	-	-	-	-	-	2
[05-06-07]	2	2	0	-	-	-	-	-	-	-	-	4
[08-09-10]	2	1	0	-	-	-	-	-	-	-	-	2
[11-12-13]	2	0	-	-	-	-	-	-	-	-	-	2
[14-15-16]	9	9	-	-	-	-	-	-	-	-	-	18
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	2
[20-21-22]	4	3	0	-	-	-	-	-	-	-	-	7
[23-24-25]	5	12	2	0	-	-	-	-	-	-	-	19
[26-27-28]	2	9	7	4	1	0	-	-	-	-	-	22
[29-30-31]	1	4	4	2	0	-	-	-	-	-	-	11
[32-33-34]	1	1	-	-	-	-	-	-	-	-	-	2
TOTAL	39	41	13	6	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TAKAMATSU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	12)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[35-36-01]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[02-03-04]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[05-06-07]	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[08-09-10]	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	12)	11)	0)	0)	0)	0)	0)	0)	0)	0)	0)	22)
[17-18-19]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[23-24-25]	4)	7)	1)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[26-27-28]	2)	5)	3)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[29-30-31]	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[32-33-34]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
TOTAL	53)	37)	7)	2)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TAKAMATSU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	3	61	34	1	-	-	-	-	-
01	-	-	-	1	43	50	5	-	-	-	-	-
02	-	-	-	1	30	63	6	-	-	-	-	-
03	-	-	-	1	22	66	11	-	-	-	-	-
04	-	-	-	1	22	63	14	1	-	-	-	-
05	-	-	-	1	19	68	12	1	-	-	-	-
06	-	-	-	1	19	69	10	1	-	-	-	-
07	-	-	-	1	25	70	5	-	-	-	-	-
08	-	-	-	1	42	55	3	-	-	-	-	-
09	-	-	-	2	55	40	3	-	-	-	-	-
10	-	-	-	5	62	31	3	-	-	-	-	-
11	-	-	-	5	62	30	3	-	-	-	-	-
12	-	-	-	8	61	30	1	-	-	-	-	-
13	-	-	-	11	62	25	2	-	-	-	-	-
14	-	-	-	13	61	25	1	-	-	-	-	-
15	-	-	-	15	63	21	1	-	-	-	-	-
16	-	-	-	16	65	19	1	-	-	-	-	-
17	-	-	-	17	65	17	1	-	-	-	-	-
18	-	-	-	19	65	15	1	-	-	-	-	-
19	-	-	-	19	63	17	-	-	-	-	-	-
20	-	-	-	22	64	14	-	-	-	-	-	-
21	-	-	-	21	65	15	-	-	-	-	-	-
22	-	-	-	24	63	13	-	-	-	-	-	-
23	-	-	-	14	70	15	-	-	-	-	-	-
MEAN	-	-	-	9	51	36	3	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TAKAMATSU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	6	62	27	4	1	-	-	-	-
01	-	-	-	3	45	45	6	1	-	-	-	-
02	-	-	-	1	36	51	9	2	-	-	-	-
03	-	-	-	1	33	54	11	1	-	-	-	-
04	-	-	-	-	30	53	15	1	-	-	-	-
05	-	-	-	1	26	56	17	1	-	-	-	-
06	-	-	-	2	23	57	17	1	-	-	-	-
07	-	-	-	1	26	57	15	1	-	-	-	-
08	-	-	-	1	34	51	13	1	-	-	-	-
09	-	-	-	2	47	43	8	-	-	-	-	-
10	-	-	-	5	58	32	6	-	-	-	-	-
11	-	-	-	8	63	23	6	1	-	-	-	-
12	-	-	-	11	60	26	4	-	-	-	-	-
13	-	-	-	15	58	23	4	-	-	-	-	-
14	-	-	-	14	61	23	3	-	-	-	-	-
15	-	-	-	17	60	19	4	-	-	-	-	-
16	-	-	-	18	58	20	4	-	-	-	-	-
17	-	-	-	21	58	18	3	-	-	-	-	-
18	-	-	-	26	56	15	4	-	-	-	-	-
19	-	-	-	27	57	13	4	-	-	-	-	-
20	-	-	-	30	56	13	1	-	-	-	-	-
21	-	-	-	31	54	13	2	-	-	-	-	-
22	-	-	-	32	51	16	1	-	-	-	-	-
23	-	-	-	16	64	18	1	1	-	-	-	-
MEAN	-	-	-	12	49	32	7	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TAKAMATSU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	19	50	26	4	1	-	-	-
01	-	-	-	-	10	45	35	8	2	-	-	-
02	-	-	-	-	6	43	33	15	2	-	-	-
03	-	-	-	-	5	41	31	23	-	-	-	-
04	-	-	-	-	5	39	27	26	2	-	-	-
05	-	-	-	-	2	36	31	28	3	-	-	-
06	-	-	-	-	3	34	34	28	2	-	-	-
07	-	-	-	-	4	34	35	25	2	-	-	-
08	-	-	-	1	6	37	31	26	-	-	-	-
09	-	-	-	1	8	45	32	15	-	-	-	-
10	-	-	-	1	15	45	33	6	-	-	-	-
11	-	-	-	1	19	46	30	5	-	-	-	-
12	-	-	-	1	27	43	26	3	-	-	-	-
13	0)	0)	0)	1)	32)	39)	27)	2)	0)	0)	0)	0)
14	0)	0)	0)	2)	34)	38)	23)	3)	0)	0)	0)	0)
15	0)	0)	0)	3)	34)	40)	21)	2)	0)	0)	0)	0)
16	-	-	-	5	35	41	17	1	-	-	-	-
17	-	-	-	6	36	40	18	-	-	-	-	-
18	-	-	-	8	39	39	14	1	-	-	-	-
19	-	-	-	8	43	35	14	1	-	-	-	-
20	-	-	-	8	42	36	13	1	-	-	-	-
21	-	-	-	10	41	35	13	1	-	-	-	-
22	-	-	-	8	38	37	15	1	-	-	-	-
23	-	-	-	1	32	43	23	1	1	-	-	-
MEAN	0)	0)	0)	3)	22)	40)	25)	9)	1)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TAKAMATSU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	2	16	39	40	3	-	-	-
01	-	-	-	-	1	9	33	51	5	-	-	-
02	-	-	-	-	1	7	31	45	17	-	-	-
03	-	-	-	-	-	7	28	42	22	1	-	-
04	-	-	-	-	-	5	28	43	22	3	-	-
05	-	-	-	-	-	5	23	44	25	3	-	-
06	-	-	-	-	-	5	23	45	25	2	-	-
07	-	-	-	-	-	7	23	44	25	1	-	-
08	-	-	-	-	-	7	24	49	19	1	-	-
09	-	-	-	-	-	9	33	46	13	-	-	-
10	-	-	-	-	-	13	39	45	3	-	-	-
11	-	-	-	-	-	19	47	33	1	-	-	-
12	-	-	-	-	1	21	50	27	1	-	-	-
13	-	-	-	-	3	25	51	21	1	-	-	-
14	-	-	-	-	5	24	53	17	1	-	-	-
15	-	-	-	-	5	27	53	14	-	-	-	-
16	-	-	-	-	8	29	51	12	-	-	-	-
17	-	-	-	-	9	33	50	9	-	-	-	-
18	-	-	-	-	8	33	51	8	-	-	-	-
19	-	-	-	-	9	35	49	7	-	-	-	-
20	-	-	-	-	8	37	50	5	-	-	-	-
21	-	-	-	-	9	37	48	5	-	-	-	-
22	-	-	-	-	5	33	49	13	-	-	-	-
23	-	-	-	-	2	23	47	27	1	-	-	-
MEAN	-	-	-	-	3	19	41	29	8	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TAKAMATSU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	8	50	41	1	-	-
01	-	-	-	-	-	-	5	33	57	5	-	-
02	-	-	-	-	-	-	4	25	58	14	-	-
03	-	-	-	-	-	-	3	17	59	21	-	-
04	-	-	-	-	-	-	2	17	58	23	-	-
05	-	-	-	-	-	-	3	15	54	28	-	-
06	-	-	-	-	-	-	3	17	51	29	1	-
07	-	-	-	-	-	-	1	21	48	29	1	-
08	-	-	-	-	-	-	3	23	52	21	1	-
09	-	-	-	-	-	-	4	30	54	13	-	-
10	-	-	-	-	-	-	6	45	47	1	-	-
11	-	-	-	-	-	-	12	61	27	-	-	-
12	-	-	-	-	-	1	17	67	15	-	-	-
13	-	-	-	-	-	3	20	68	9	-	-	-
14	-	-	-	-	-	3	27	63	7	-	-	-
15	-	-	-	-	-	3	31	61	5	-	-	-
16	-	-	-	-	-	4	36	58	2	-	-	-
17	-	-	-	-	-	5	42	50	3	-	-	-
18	-	-	-	-	-	6	46	46	2	-	-	-
19	-	-	-	-	1	9	45	43	2	-	-	-
20	-	-	-	-	1	8	49	40	3	-	-	-
21	-	-	-	-	-	8	43	47	3	-	-	-
22	-	-	-	-	-	2	25	66	7	-	-	-
23	-	-	-	-	-	-	12	63	25	-	-	-
MEAN	-	-	-	-	0	2	19	43	29	8	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TAKAMATSU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	21	72	7	-	-
01	-	-	-	-	-	-	-	15	69	16	-	-
02	-	-	-	-	-	-	-	11	59	29	1	-
03	-	-	-	-	-	-	-	9	54	35	1	-
04	-	-	-	-	-	-	-	8	50	38	4	-
05	-	-	-	-	-	-	1	7	50	38	4	-
06	-	-	-	-	-	-	1	7	49	39	4	-
07	-	-	-	-	-	-	1	9	47	41	3	-
08	-	-	-	-	-	-	1	11	51	35	2	-
09	-	-	-	-	-	-	1	14	61	23	1	-
10	-	-	-	-	-	-	1	18	69	12	-	-
11	-	-	-	-	-	-	1	25	69	5	-	-
12	-	-	-	-	-	-	1	32	63	4	-	-
13	-	-	-	-	-	-	1	38	59	3	-	-
14	-	-	-	-	-	-	2	47	49	3	-	-
15	-	-	-	-	-	-	3	53	42	2	-	-
16	-	-	-	-	-	-	4	59	36	1	-	-
17	-	-	-	-	-	-	4	59	36	1	-	-
18	-	-	-	-	-	-	5	68	26	1	-	-
19	-	-	-	-	-	-	5	71	25	-	-	-
20	-	-	-	-	-	-	5	73	22	-	-	-
21	-	-	-	-	-	-	5	71	24	1	-	-
22	-	-	-	-	-	-	-	49	50	1	-	-
23	-	-	-	-	-	-	-	33	63	5	-	-
MEAN	-	-	-	-	-	-	2	34	50	14	1	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TAKAMATSU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	1	27	68	3	-
01	-	-	-	-	-	-	-	1	16	68	15	-
02	-	-	-	-	-	-	-	-	13	54	34	-
03	-	-	-	-	-	-	-	-	11	54	35	-
04	-	-	-	-	-	-	-	-	12	45	43	-
05	-	-	-	-	-	-	-	-	10	41	48	-
06	-	-	-	-	-	-	-	-	10	43	48	-
07	-	-	-	-	-	-	-	-	12	43	45	-
08	-	-	-	-	-	-	-	1	14	52	34	-
09	-	-	-	-	-	-	-	1	15	61	23	-
10	-	-	-	-	-	-	-	1	22	73	5	-
11	-	-	-	-	-	-	-	1	32	68	-	-
12	-	-	-	-	-	-	-	1	43	56	1	-
13	-	-	-	-	-	-	-	2	53	45	-	-
14	-	-	-	-	-	-	-	3	61	36	-	-
15	-	-	-	-	-	-	-	3	70	26	-	-
16	-	-	-	-	-	-	-	6	77	17	-	-
17	-	-	-	-	-	-	-	6	78	15	-	-
18	-	-	-	-	-	-	-	7	79	14	-	-
19	-	-	-	-	-	-	-	7	78	15	-	-
20	-	-	-	-	-	-	-	10	77	14	-	-
21	-	-	-	-	-	-	-	5	82	12	1	-
22	-	-	-	-	-	-	-	2	57	40	1	-
23	-	-	-	-	-	-	-	1	37	61	1	-
MEAN	-	-	-	-	-	-	-	2	41	43	14	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TAKAMATSU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	1	19	70	10	-
01	-	-	-	-	-	-	-	1	12	57	30	-
02	-	-	-	-	-	-	-	-	10	43	46	-
03	-	-	-	-	-	-	-	-	10	36	54	-
04	-	-	-	-	-	-	-	-	10	30	61	-
05	-	-	-	-	-	-	-	-	9	32	57	2
06	-	-	-	-	-	-	-	-	11	33	54	2
07	-	-	-	-	-	-	-	-	11	36	52	1
08	-	-	-	-	-	-	-	-	12	43	46	-
09	-	-	-	-	-	-	-	1	15	52	32	-
10	-	-	-	-	-	-	-	1	20	72	8	-
11	-	-	-	-	-	-	-	1	28	70	1	-
12	-	-	-	-	-	-	-	1	41	58	-	-
13	-	-	-	-	-	-	-	1	45	55	-	-
14	-	-	-	-	-	-	-	1	59	39	-	-
15	-	-	-	-	-	-	-	1	66	34	-	-
16	-	-	-	-	-	-	-	1	70	30	-	-
17	-	-	-	-	-	-	-	1	74	25	-	-
18	-	-	-	-	-	-	-	2	77	21	-	-
19	-	-	-	-	-	-	-	1	81	17	-	-
20	-	-	-	-	-	-	-	2	82	16	-	-
21	-	-	-	-	-	-	-	2	87	11	-	-
22	-	-	-	-	-	-	-	1	50	48	-	-
23	-	-	-	-	-	-	-	1	30	68	1	-
MEAN	-	-	-	-	-	-	-	1	39	41	19	0

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TAKAMATSU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	6	71	23	-	-
01	-	-	-	-	-	-	-	6	60	33	1	-
02	-	-	-	-	-	-	-	5	48	46	1	-
03	-	-	-	-	-	-	-	3	43	52	2	-
04	-	-	-	-	-	-	-	3	39	54	4	-
05	-	-	-	-	-	-	-	3	37	56	3	-
06	-	-	-	-	-	-	-	5	40	52	3	-
07	-	-	-	-	-	-	-	6	41	51	2	-
08	-	-	-	-	-	-	-	5	56	38	1	-
09	-	-	-	-	-	-	-	9	67	25	-	-
10	-	-	-	-	-	-	-	23	63	14	-	-
11	-	-	-	-	-	-	-	29	61	10	-	-
12	-	-	-	-	-	-	-	33	63	3	-	-
13	-	-	-	-	-	-	1	37	59	3	-	-
14	-	-	-	-	-	-	1	41	57	1	-	-
15	-	-	-	-	-	-	1	43	55	1	-	-
16	-	-	-	-	-	-	3	42	55	1	-	-
17	-	-	-	-	-	-	2	45	53	-	-	-
18	-	-	-	-	-	-	2	47	51	-	-	-
19	-	-	-	-	-	-	3	48	49	-	-	-
20	-	-	-	-	-	-	2	51	47	-	-	-
21	-	-	-	-	-	-	3	51	47	-	-	-
22	-	-	-	-	-	-	1	43	55	1	-	-
23	-	-	-	-	-	-	-	19	72	9	-	-
MEAN	-	-	-	-	-	-	1	25	54	20	1	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TAKAMATSU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	10	65	24	1	-	-
01	-	-	-	-	-	-	6	58	32	4	-	-
02	-	-	-	-	-	-	1	48	41	9	-	-
03	-	-	-	-	-	-	1	43	46	10	-	-
04	-	-	-	-	-	-	1	39	50	10	-	-
05	-	-	-	-	-	-	1	37	52	10	-	-
06	-	-	-	-	-	-	1	39	51	8	-	-
07	-	-	-	-	-	-	3	44	45	8	-	-
08	-	-	-	-	-	-	6	52	35	6	-	-
09	-	-	-	-	-	-	21	57	20	2	-	-
10	-	-	-	-	-	1	29	52	16	1	-	-
11	-	-	-	-	-	1	34	50	14	1	-	-
12	-	-	-	-	-	2	36	46	15	1	-	-
13	0)	0)	0)	0)	0)	3)	38)	45)	13)	1)	0)	0)
14	0)	0)	0)	0)	0)	4)	40)	44)	12)	0)	0)	0)
15	-	-	-	-	-	5	41	41	13	-	-	-
16	-	-	-	-	-	5	38	46	11	-	-	-
17	-	-	-	-	-	6	41	44	10	-	-	-
18	-	-	-	-	-	7	42	42	9	-	-	-
19	-	-	-	-	-	6	46	39	8	-	-	-
20	-	-	-	-	-	7	48	38	6	-	-	-
21	-	-	-	-	-	10	47	36	7	-	-	-
22	-	-	-	-	-	6	45	41	9	-	-	-
23	-	-	-	-	-	1	28	55	17	-	-	-
MEAN	0)	0)	0)	0)	0)	3)	25)	46)	23)	3)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TAKAMATSU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	1	21	59	18	-	-	-	-
01	-	-	-	-	1	13	55	30	1	-	-	-
02	-	-	-	-	-	12	45	43	1	-	-	-
03	-	-	-	-	-	9	45	44	2	-	-	-
04	-	-	-	-	-	9	41	47	3	-	-	-
05	-	-	-	-	-	9	43	46	3	-	-	-
06	-	-	-	-	-	11	42	45	2	-	-	-
07	-	-	-	-	-	13	48	38	1	-	-	-
08	-	-	-	-	1	19	56	25	-	-	-	-
09	-	-	-	-	1	31	52	16	-	-	-	-
10	-	-	-	-	1	37	49	13	-	-	-	-
11	-	-	-	-	2	39	47	12	-	-	-	-
12	-	-	-	-	3	42	46	9	-	-	-	-
13	-	-	-	-	4	40	47	9	-	-	-	-
14	-	-	-	-	3	42	45	9	-	-	-	-
15	-	-	-	-	5	42	42	11	-	-	-	-
16	-	-	-	-	5	42	43	10	-	-	-	-
17	-	-	-	-	7	42	41	10	-	-	-	-
18	-	-	-	-	7	45	39	10	-	-	-	-
19	-	-	-	-	9	43	39	9	-	-	-	-
20	-	-	-	-	9	43	39	9	-	-	-	-
21	-	-	-	-	9	45	38	9	-	-	-	-
22	-	-	-	-	11	43	37	10	-	-	-	-
23	-	-	-	-	3	39	46	12	-	-	-	-
MEAN	-	-	-	-	3	30	45	21	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TAKAMATSU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	37	52	8	1	-	-	-	-
01	-	-	-	1	19	55	23	1	-	-	-	-
02	-	-	-	-	15	53	30	1	-	-	-	-
03	-	-	-	-	15	52	31	2	-	-	-	-
04	-	-	-	-	11	50	36	3	-	-	-	-
05	-	-	-	-	11	53	33	3	-	-	-	-
06	-	-	-	-	14	52	34	1	-	-	-	-
07	-	-	-	-	19	54	26	1	-	-	-	-
08	-	-	-	1	26	57	15	1	-	-	-	-
09	-	-	-	1	35	54	10	1	-	-	-	-
10	-	-	-	1	37	54	8	-	-	-	-	-
11	-	-	-	1	44	49	6	-	-	-	-	-
12	-	-	-	3	43	48	6	-	-	-	-	-
13	-	-	-	3	46	45	6	-	-	-	-	-
14	-	-	-	5	46	43	6	-	-	-	-	-
15	-	-	-	3	52	38	7	-	-	-	-	-
16	-	-	-	4	49	41	6	-	-	-	-	-
17	-	-	-	5	52	36	7	-	-	-	-	-
18	-	-	-	6	49	39	5	-	-	-	-	-
19	-	-	-	6	52	36	6	-	-	-	-	-
20	-	-	-	6	50	39	5	-	-	-	-	-
21	-	-	-	6	53	36	5	-	-	-	-	-
22	-	-	-	6	50	37	6	-	-	-	-	-
23	-	-	-	3	51	41	5	1	-	-	-	-
MEAN	-	-	-	2	37	47	14	1	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TAKAMATSU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	15	17	13	17	22	14	1	-
01	-	-	-	0	10	18	14	17	21	15	4	-
02	-	-	-	0	7	19	13	16	21	16	7	-
03	-	-	-	0	6	19	13	15	21	17	8	-
04	-	-	-	0	6	18	14	16	21	17	9	-
05	-	-	-	0	5	19	14	15	20	17	10	0
06	-	-	-	0	5	19	14	16	20	17	9	0
07	-	-	-	0	6	19	13	16	19	17	9	0
08	-	-	-	0	9	19	13	16	20	16	7	-
09	-	-	-	0	12	18	13	16	20	15	5	-
10	-	-	-	1	14	18	14	17	20	15	1	-
11	-	-	-	1	16	17	15	18	19	13	0	-
12	-	-	-	2	16	18	15	18	20	10	0	-
13	0)	0)	0)	2)	17)	17)	16)	19)	20)	9)	0)	0)
14	0)	0)	0)	3)	17)	17)	17)	19)	21)	7)	0)	0)
15	0)	0)	0)	3)	18)	16)	17)	19)	21)	5)	0)	0)
16	-	-	-	4	18	17	17	20	21	4	-	-
17	-	-	-	4	19	16	17	19	21	3	-	-
18	-	-	-	5	18	17	17	19	20	3	-	-
19	-	-	-	5	19	16	17	19	20	3	-	-
20	-	-	-	5	19	16	18	19	20	3	-	-
21	-	-	-	5	19	16	17	19	21	2	0	-
22	-	-	-	6	18	16	15	19	19	8	0	-
23	-	-	-	3	18	15	13	18	20	12	0	-
MEAN	0)	0)	0)	2)	14)	17)	15)	18)	20)	11)	3)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TAKAMATSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	4.1	4.2	8.4	13.5	18.4	21.4	25.9	26.5	22.2	17.4	11.6	6.2	15.0
Daily maximum air temperature(°C)	8.1	8.4	13.5	18.7	24.2	25.8	30.5	31.6	26.7	22.2	15.9	10.1	19.7
Daily minimum air temperature(°C)	0.4	0.3	3.4	8.1	12.8	17.7	22.0	22.7	18.6	13.2	7.8	2.4	10.8
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	48.9	63.0	79.4	80.9	61.5	207.0	135.6	204.4	226.5	123.6	71.4	80.7	1382.9
Snow fall(cm)	0	6	0	-	0	-	-	-	-	-	0	0	6
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	974.6	979.7	975.0	963.1	974.2	965.4	958.5	954.7	970.5	961.4	980.3	974.0	954.7
Daily maximum air temperature(°C)	16.4	18.1	23.0	26.9	31.2	34.5	35.1	35.9	32.1	30.2	23.5	19.4	35.9
Daily minimum air temperature(°C)	-5.3	-4.8	-3.6	-0.6	2.9	11.2	17.4	18.4	11.0	6.2	-0.4	-4.9	-5.3
Daily precipitation(mm)	35.5	22.0	46.5	34.0	37.0	135.0	144.0	120.5	193.5	101.0	32.5	38.0	193.5
Daily max.one-hour precipitation(mm)	13.0	7.0*	9.5	16.0	13.5	27.5	36.5	47.0	40.0	24.5	9.5	19.5	47.0
Daily max.ten-minute precipitation(mm)	3.0*	3.5	2.5	11.0	6.5	8.0*	17.0	18.5	13.0	5.5*	3.5	8.0	18.5
Daily totals of snowfall(cm)	1	9	0 *	-	×	-	-	-	-	-	0 *	0 *	9
Daily maximum of snow cover(cm)	1	9	-	-	×	-	-	-	-	-	-	0 *	9
Daily maximum wind speed(kt)	33	33	32	45	29	19	34	30	21	26 *	31	31	45
with wind direction(36DIR.)	26	27	26	26	26	26	7	8	26	25	25	28	26
Daily maximum peak gust(kt)	43 *	43	44	61	43	28	49	41	31	42	42	46	61
with wind direction(36DIR.)	29	25	25	27	27	11	6	12	10	25	27	27	27

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TAKAMATSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	14.2	14.6	5.0	0.2	-	-	-	-	-	-	0.4	5.2	39.6
25.0°C	-	-	-	-	-	-	0.6	1.2	-	-	-	-	1.8
Daily mean air temperature < 0.0°C	0.6	1.4	-	-	-	-	-	-	-	-	-	0.2	2.2
25.0°C	-	-	-	-	-	1.0	21.8	24.6	3.6	-	-	-	51.0
Daily maximum air temperature < 0.0°C	0.2	-	-	-	-	-	-	-	-	-	-	-	0.2
25.0°C	-	-	-	1.2	14.0	19.8	29.4	30.2	22.6	4.8	-	-	122.0
30.0°C	-	-	-	-	0.6	1.8	19.8	22.8	3.2	0.2	-	-	48.4
Daily precipitation 0.0mm	14.4	16.2	15.2	14.8	11.2	18.0	14.4	16.8	16.8	12.0	16.0	17.8	183.6
1.0mm	6.6	9.0	8.8	11.2	7.2	12.6	8.2	9.8	11.8	6.4	9.4	10.0	111.0
5.0mm	2.4	4.4	5.0	5.8	3.6	8.4	5.0	6.8	6.8	3.6	4.6	5.2	61.6
10.0mm	1.6	2.8	3.0	2.6	2.0	5.6	4.0	5.2	5.4	3.2	2.8	2.6	40.8
30.0mm	0.6	-	0.2	0.2	0.6	2.4	0.8	2.2	2.2	1.2	0.2	0.4	11.0
50.0mm	-	-	-	-	-	0.8	0.6	1.4	1.0	0.8	-	-	4.6
70.0mm	-	-	-	-	-	0.4	0.2	0.4	0.6	0.6	-	-	2.2
100.0mm	-	-	-	-	-	0.2	0.2	0.2	0.4	0.2	-	-	1.2

AERODROME: TAKAMATSU AIRPORT PERIOD OF RECORD: 2012-2016
LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TAKAMATSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	999.2	999.0	996.8	993.6	990.9	987.2	988.3	987.8	992.1	996.4	998.0	998.5	994.0
01	999.3	998.9	996.7	993.6	990.8	987.1	988.2	987.7	992.0	996.3	997.9	998.6	993.9
02	998.8	998.6	996.3	993.2	990.6	986.9	988.1	987.5	991.7	995.9	997.4	998.1	993.6
03	997.9	997.9	995.8	992.6	990.1	986.6	987.8	987.1	991.3	995.3	996.7	997.3	993.0
04	997.2	997.2	995.1	992.1	989.7	986.3	987.4	986.7	990.8	994.6	996.1	996.6	992.5
05	996.9	996.7	994.5	991.7	989.3	986.0	987.2	986.3	990.4	994.2	995.8	996.3	992.1
06	997.0	996.7	994.3	991.3	988.9	985.7	986.9	986.1	990.2	994.2	995.9	996.4	992.0
07	997.2	996.7	994.3	991.1	988.7	985.5	986.7	986.0	990.3	994.3	996.1	996.7	992.0
08	997.5	996.9	994.4	991.2	988.6	985.5	986.6	986.0	990.4	994.4	996.3	997.0	992.1
09	997.9	997.3	994.8	991.5	988.7	985.6	986.8	986.2	990.6	994.7	996.7	997.4	992.3
10	998.2	997.7	995.3	991.8	989.1	985.9	987.1	986.6	990.9	995.1	997.0	997.8	992.7
11	998.5	998.1	995.8	992.5	989.6	986.2	987.4	987.1	991.5	995.4	997.2	998.0	993.1
12	998.6	998.4	996.2	993.0	990.1	986.7	987.8	987.4	991.7	995.6	997.3	998.0	993.4
13	998.7	998.5	996.3	993.1	990.4	986.9	988.0	987.5	991.7	995.7	997.4	998.0	993.5
14	998.6	998.4	996.4	993.1	990.4	986.8	987.9	987.4	991.7	995.5	997.3	998.0	993.5
15	998.5	998.3	996.2	993.0	990.3	986.6	987.7	987.3	991.6	995.4	997.2	997.8	993.3
16	998.1	998.3	996.3	993.0	990.1	986.5	987.5	987.1	991.3	995.3	997.2	997.5	993.2
17	998.2	998.3	996.1	992.8	990.0	986.3	987.4	986.9	991.1	995.1	997.1	997.6	993.1
18	998.1	998.1	995.8	992.6	989.9	986.3	987.3	986.9	991.0	995.0	996.9	997.5	992.9
19	997.9	997.9	995.7	992.6	990.0	986.4	987.4	986.9	991.0	995.0	996.8	997.3	992.9
20	998.0	997.9	995.9	992.7	990.2	986.6	987.7	987.1	991.1	995.3	996.9	997.3	993.1
21	998.2	998.1	996.1	993.0	990.5	986.8	987.9	987.4	991.4	995.5	997.1	997.6	993.3
22	998.6	998.4	996.4	993.3	990.8	987.0	988.2	987.6	991.7	995.8	997.4	997.9	993.6
23	998.9	998.8	996.7	993.5	991.0	987.2	988.3	987.7	991.9	996.3	997.8	998.2	993.9
MEAN	998.2	998.0	995.8	992.6	990.0	986.5	987.6	987.0	991.2	995.3	997.0	997.6	993.1

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TAKAMATSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	4.0	4.2	8.5	13.8	19.2	21.8	26.4	27.3	23.0	18.3	12.3	6.4	15.4
01	5.3	5.1	9.6	15.0	20.5	22.7	27.4	28.3	23.9	19.3	13.3	7.6	16.5
02	6.0	5.9	10.5	16.0	21.5	23.3	28.1	29.0	24.6	20.0	14.0	8.2	17.3
03	6.5	6.5	11.2	16.7	22.2	23.9	28.5	29.6	25.2	20.6	14.5	8.5	17.8
04	6.8	6.9	11.6	17.1	22.5	24.2	28.9	30.0	25.4	20.9	14.7	8.9	18.2
05	6.9	7.0	12.0	17.3	22.8	24.4	29.1	30.1	25.5	21.0	14.7	8.8	18.3
06	6.8	7.0	12.0	17.2	22.9	24.4	29.2	30.0	25.2	20.8	14.4	8.6	18.2
07	6.4	6.8	11.8	17.1	22.7	24.2	29.0	29.7	24.9	20.3	13.8	8.0	17.9
08	5.4	6.1	11.2	16.6	22.2	23.8	28.5	29.2	24.3	19.3	12.7	7.0	17.2
09	4.6	5.1	10.1	15.6	21.2	23.2	27.8	28.1	23.2	17.8	11.8	6.3	16.2
10	4.0	4.4	9.0	14.2	19.6	22.2	26.7	26.9	22.1	17.0	11.2	5.9	15.3
11	3.7	4.0	8.2	13.3	18.2	21.3	25.7	25.9	21.6	16.5	11.0	5.5	14.6
12	3.4	3.5	7.7	12.6	17.3	20.7	25.0	25.3	21.1	16.2	10.7	5.3	14.1
13	3.2	3.2	7.2	12.1	16.6	20.3	24.5	25.0	20.9	15.9	10.5	5.1	13.7
14	3.0	3.0	6.9	11.7	16.1	19.9	24.2	24.6	20.6	15.7	10.3	5.0	13.4
15	2.8	2.9	6.5	11.4	15.7	19.6	23.9	24.3	20.4	15.5	10.1	4.9	13.2
16	2.7	2.7	6.1	10.8	15.2	19.2	23.5	24.1	20.2	15.6	10.1	4.9	13.0
17	2.6	2.5	5.8	10.5	14.9	19.0	23.2	23.9	20.0	15.3	10.1	4.8	12.8
18	2.4	2.3	5.6	10.4	14.6	18.9	23.0	23.7	19.8	15.1	10.0	4.8	12.6
19	2.4	2.2	5.3	10.1	14.4	18.6	22.9	23.5	19.7	15.0	9.8	4.7	12.4
20	2.3	2.1	5.3	9.8	14.1	18.5	22.7	23.4	19.5	14.8	9.6	4.7	12.3
21	2.2	2.0	5.2	9.8	14.6	18.9	23.1	23.5	19.6	14.7	9.5	4.6	12.3
22	2.1	1.9	5.6	11.0	16.3	19.9	24.3	24.7	20.3	15.2	9.5	4.6	13.0
23	2.5	2.7	7.2	12.6	18.0	21.0	25.4	26.2	21.9	16.8	10.7	5.0	14.2
MEAN	4.1	4.2	8.3	13.5	18.5	21.4	25.9	26.5	22.2	17.4	11.6	6.2	15.0

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TAKAMATSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	5.9	6.0	7.6	10.8	14.4	20.5	26.6	27.0	22.4	15.9	11.2	7.4	14.7
01	5.9	6.0	7.7	10.8	14.3	20.5	26.8	27.3	22.3	15.7	11.2	7.4	14.7
02	5.8	6.0	7.7	10.8	14.1	20.5	26.9	27.1	22.2	15.7	11.1	7.3	14.6
03	5.7	6.0	7.8	10.8	14.0	20.5	26.9	27.2	22.1	15.5	11.0	7.3	14.6
04	5.7	5.9	7.7	10.7	14.1	20.6	26.9	27.1	21.9	15.3	10.9	7.2	14.5
05	5.7	5.9	7.6	10.6	13.7	20.4	26.9	26.9	22.0	15.2	10.9	7.1	14.4
06	5.7	5.9	7.6	10.5	13.6	20.3	26.9	26.7	21.8	15.2	11.0	7.2	14.4
07	5.8	5.9	7.5	10.5	13.3	20.2	26.7	26.4	21.7	15.2	11.0	7.2	14.3
08	5.8	5.9	7.5	10.4	13.3	20.3	26.5	26.3	21.6	15.5	11.1	7.2	14.3
09	5.8	6.0	7.7	10.6	13.6	20.3	26.4	26.6	21.9	15.8	11.1	7.3	14.4
10	5.8	6.1	7.7	10.8	13.9	20.5	26.5	26.8	21.9	15.6	11.0	7.2	14.5
11	5.8	6.0	7.7	10.7	14.0	20.5	26.5	26.8	21.6	15.3	10.9	7.1	14.4
12	5.8	5.9	7.5	10.6	13.8	20.5	26.2	26.4	21.4	15.2	10.7	7.1	14.3
13	5.7	5.9	7.5	10.5	13.5	20.2	25.8	26.0	21.2	15.1	10.7	7.0	14.1
14	5.7	5.8	7.4	10.4	13.4	20.0	25.5	25.8	21.1	15.1	10.6	7.0	14.0
15	5.7	5.9	7.4	10.4	13.3	19.8	25.3	25.5	21.1	15.0	10.5	7.0	13.9
16	5.7	5.8	7.3	10.3	13.1	19.5	25.0	25.5	21.2	15.1	10.6	7.1	13.8
17	5.7	5.8	7.3	10.2	13.0	19.4	25.0	25.5	21.1	15.1	10.6	7.1	13.8
18	5.7	5.8	7.2	10.2	12.9	19.3	24.8	25.4	21.1	15.1	10.5	7.1	13.8
19	5.7	5.8	7.2	10.1	12.9	19.2	24.7	25.4	21.0	15.1	10.5	7.1	13.7
20	5.6	5.8	7.1	10.1	12.9	19.1	24.6	25.4	20.9	15.0	10.4	7.0	13.7
21	5.6	5.8	7.2	10.1	13.1	19.4	24.9	25.6	20.9	15.0	10.5	7.0	13.7
22	5.6	5.8	7.3	10.4	13.8	19.9	25.7	26.3	21.3	15.1	10.5	7.1	14.0
23	5.7	5.9	7.5	10.8	14.2	20.3	26.4	26.9	22.1	15.8	10.9	7.2	14.5
MEAN	5.8	5.9	7.5	10.5	13.6	20.1	26.0	26.3	21.6	15.3	10.8	7.2	14.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TAKAMATSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	71	71	67	67	64	79	77	75	79	74	76	74	73
01	66	67	63	62	59	75	74	71	75	69	71	69	69
02	61	62	59	59	55	72	71	68	72	66	68	65	65
03	58	60	58	56	53	70	70	67	69	63	65	64	63
04	57	59	56	55	52	69	69	65	68	61	64	62	61
05	57	58	54	54	51	68	68	64	68	60	64	61	61
06	58	58	54	54	50	68	67	64	69	61	65	63	61
07	59	58	54	55	50	69	68	64	69	63	68	66	62
08	64	61	56	55	51	70	69	66	72	68	73	70	65
09	67	66	61	60	56	73	72	71	77	76	78	73	69
10	70	69	66	65	61	77	76	76	81	79	80	75	73
11	71	71	68	69	67	81	81	80	83	80	80	76	76
12	72	73	69	71	69	84	83	82	84	80	81	76	77
13	73	74	71	73	71	85	84	82	85	81	82	77	78
14	74	75	72	74	72	86	85	84	86	82	82	78	79
15	75	76	74	75	73	87	85	84	87	83	82	78	80
16	75	76	74	77	75	87	87	85	89	83	83	79	81
17	76	77	76	78	76	87	88	86	89	84	83	80	82
18	77	78	77	78	77	88	88	87	90	85	83	80	82
19	76	79	78	79	77	89	88	87	90	86	84	80	83
20	77	79	78	80	78	89	89	88	91	87	84	80	84
21	77	79	78	80	77	88	88	88	91	87	85	80	83
22	77	80	77	76	73	86	85	84	89	86	85	80	82
23	76	77	72	72	68	82	81	80	84	81	82	79	78
MEAN	70	70	67	68	65	80	79	77	81	76	77	74	73

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TAKAMATSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	24	26	26 *	7	6	5	29	6	7	8 *	14	24	26
01	28	29	27	6	1	6	28	6	7	7	29	25	28
02	28	29	28	7	27	7	28	7	6	7	28	28	28
03	29	28	27	6	7	6	5 *	6	7 *	6	28	28	28
04	28	29	28	7	7	7	6	6	7	7	6	29	6
05	28	29	27	7	7	7	7	7	6 *	5	29	28	7
06	28	28	28	6	7	7	27 *	7	7	7	29	28 *	7
07	29	26	26	7	8	7	7	7	8	8 *	8	29 *	7
08	28	26	26	7	7	7	8	7 *	8 *	9 *	25 *	28	7
09	25	25	26	7	25	7	25	8	15	15	15	15	25
10	15	15	15	15	15	8	24	15	15	15	15	15	15
11	15	15	15	15	15	15	15	15	15	15	15	15	15
12	15	15	15	15	15	15	15	15	15	15	15	15	15
13	15	15	15)	15	15	15	15	15	15	15)	15	15	15)
14	15	15	15)	15	15	15	15	15	15	15)	15	15	15)
15	15	15	15)	15	15	15	15	15	15	15	15	15	15)
16	15	15	15	15	15	15	15	15	15	15	15	15	15
17	15	15	15	15	15	15	15	15	15	15	15	15	15
18	15	15	15	15	15	15	15	15	15	15	15	15	15
19	15	15	15	15	15	15	15	15	15	15	15	15	15
20	15	15	15	15	15	15	15	15	15	15	15	15	15
21	15	15	15	15	15	15	15	15	15	15	15	15	15
22	15	15	15	15	14	14	14	15	15	15	15	15	15
23	15	15	24	28	28	7	25	25	14	15 *	15	15	15
ALL	15	15	15)	15	15	15	15	15	15	15)	15	15	15)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TAKAMATSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.8	6.8	6.2	6.4	5.4	5.1	4.6	4.7	4.4	4.8	5.1	6.8	5.6
01	7.6	7.8	7.2	7.3	6.2	5.4	5.7	5.4	4.8	5.7	6.3	8.0	6.4
02	8.8	8.3	7.9	7.8	6.5	5.6	6.0	5.9	5.2	6.0	7.0	9.2	7.0
03	9.4	8.6	8.3	8.2	6.8	6.0	6.5	6.2	5.4	6.2	7.6	9.6	7.4
04	9.7	8.8	8.5	8.2	7.0	6.2	6.7	6.4	5.6	6.3	7.9	9.8	7.6
05	10.0	8.9	8.6	8.0	7.0	6.1	6.7	6.6	5.6	6.1	7.6	9.4	7.5
06	9.6	9.1	8.4	7.7	6.9	6.2	6.7	6.2	5.4	5.9	7.1	9.0	7.3
07	8.7	8.5	8.1	7.3	6.6	5.7	6.5	5.9	4.8	5.2	6.2	8.0	6.8
08	7.0	7.4	7.5	6.8	6.4	5.4	6.1	5.2	4.1	4.3	5.1	6.7	6.0
09	6.3	6.0	6.0	5.9	5.0	4.8	5.2	4.3	3.6	4.6	5.0	6.2	5.3
10	6.4	5.9	5.4	5.4	4.4	4.1	4.0	4.1	3.8	4.9	5.2	6.0	5.0
11	6.6	6.1	5.7	5.8	4.9	4.3	4.1	4.4	4.0	5.0	5.5	6.3	5.2
12	6.6	6.2	5.9	5.3	5.3	4.4	4.4	4.7	4.5	5.2	5.6	6.5	5.4
13	6.7	6.2	5.9	5.3	5.8	4.5	4.6	4.8	4.6	5.3	5.6	6.7	5.5
14	6.6	6.0	6.0	5.5	5.6	4.7	4.5	5.1	4.8	5.3	5.7	6.8	5.6
15	6.8	6.0	5.7	5.6	5.7	4.7	4.7	4.8	4.7	5.2	5.7	6.9	5.6
16	6.9	6.2	6.1	5.6	6.0	4.8	4.7	4.9	4.8	5.6	5.9	6.9	5.7
17	6.7	6.1	6.0	5.6	6.1	4.6	4.7	4.9	4.6	5.4	5.6	6.7	5.6
18	6.8	6.0	6.0	5.9	5.9	4.8	4.7	5.1	4.6	5.5	5.8	6.9	5.7
19	6.8	6.1	6.2	5.9	6.0	4.6	4.4	5.1	4.7	5.4	5.8	7.0	5.7
20	6.7	5.9	6.1	6.3	6.1	4.8	4.7	4.9	4.8	5.1	5.8	7.1	5.7
21	6.9	6.0	6.4	6.2	5.8	4.6	4.5	5.0	4.8	5.4	5.6	6.9	5.7
22	6.8	6.1	5.8	5.5	4.9	4.2	3.9	4.4	4.7	5.2	5.9	7.0	5.4
23	7.0	6.2	5.6	5.5	4.9	4.7	3.9	4.4	3.7	4.7	5.3	7.0	5.3
MEAN	7.4	6.9	6.7	6.4	5.9	5.0	5.1	5.1	4.7	5.4	6.0	7.4	6.0

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TAKAMATSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	4.8	9.0	1.0	4.1	8.3	0.2	6.1	10.7	1.9	11.4	16.8	6.2
02	4.8	9.0	1.0	4.1	8.3	0.1	6.3	10.9	2.1	11.5	16.9	6.4
03	4.7	8.9	0.9	4.0	8.2	0.1	6.4	11.1	2.2	11.7	16.9	6.6
04	4.7	8.9	0.9	3.9	8.1	0.1	6.6	11.3	2.3	11.7	17.0	6.7
05	4.6	8.8	0.9	3.8	7.9	0.0	6.7	11.4	2.4	11.8	17.0	6.8
06	4.5	8.7	0.8	3.8	7.8	-0.1	6.8	11.6	2.5	11.9	17.1	6.8
07	4.5	8.6	0.8	3.7	7.7	-0.1	6.8	11.7	2.5	11.9	17.1	6.9
08	4.4	8.5	0.7	3.6	7.6	-0.2	6.9	11.8	2.5	12.0	17.1	6.9
09	4.3	8.4	0.7	3.6	7.6	-0.2	7.0	12.0	2.5	12.1	17.2	6.9
10	4.2	8.2	0.6	3.6	7.6	-0.2	7.1	12.1	2.6	12.2	17.3	7.0
11	4.1	8.1	0.5	3.6	7.6	-0.2	7.2	12.3	2.6	12.3	17.5	7.1
12	4.0	8.0	0.5	3.6	7.6	-0.2	7.3	12.5	2.7	12.5	17.7	7.2
13	4.0	7.9	0.4	3.6	7.7	-0.1	7.5	12.7	2.8	12.7	17.9	7.3
14	3.9	7.8	0.4	3.7	7.8	-0.1	7.7	12.9	2.9	12.9	18.1	7.5
15	3.8	7.7	0.4	3.8	7.9	0.0	7.9	13.2	3.1	13.1	18.3	7.7
16	3.8	7.6	0.3	3.8	8.0	0.1	8.2	13.4	3.3	13.3	18.6	7.9
17	3.8	7.6	0.3	3.9	8.1	0.1	8.4	13.6	3.4	13.5	18.8	8.1
18	3.7	7.6	0.3	4.0	8.3	0.2	8.6	13.9	3.6	13.8	19.0	8.4
19	3.7	7.5	0.2	4.2	8.4	0.3	8.8	14.1	3.7	14.0	19.3	8.6
20	3.7	7.6	0.2	4.3	8.6	0.4	9.0	14.3	3.9	14.2	19.5	8.8
21	3.7	7.6	0.1	4.5	8.8	0.5	9.2	14.5	4.0	14.4	19.8	9.0
22	3.7	7.6	0.1	4.6	9.0	0.7	9.3	14.6	4.1	14.6	20.0	9.2
23	3.8	7.7	0.0	4.8	9.2	0.8	9.4	14.8	4.2	14.8	20.3	9.4
24	3.8	7.8	0.0	5.0	9.5	1.0	9.6	15.0	4.3	15.1	20.5	9.6
25	3.9	7.9	0.0	5.3	9.7	1.2	9.8	15.2	4.4	15.3	20.8	9.8
26	3.9	8.0	0.0	5.5	10.0	1.3	10.0	15.5	4.6	15.5	21.0	10.0
27	4.0	8.1	0.0	5.7	10.2	1.5	10.2	15.7	4.9	15.7	21.2	10.2
28	4.0	8.2	0.1	5.9	10.4	1.7	10.5	15.9	5.1	15.9	21.4	10.3
29	4.1	8.3	0.1	6.0	10.6	1.8	10.7	16.2	5.4	16.1	21.6	10.5
30	4.1	8.3	0.1				11.0	16.4	5.7	16.2	21.8	10.6
31	4.1	8.4	0.2				11.2	16.6	5.9			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TAKAMATSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	16.4	21.9	10.7	20.5	25.8	15.6	23.2	27.4	19.8	27.3	32.5	23.2
02	16.5	22.0	10.8	20.5	25.7	15.7	23.4	27.6	20.0	27.3	32.5	23.3
03	16.6	22.1	10.9	20.5	25.7	15.9	23.7	27.9	20.2	27.3	32.6	23.3
04	16.6	22.1	10.9	20.5	25.6	16.0	23.9	28.2	20.5	27.3	32.6	23.3
05	16.7	22.2	11.0	20.6	25.6	16.2	24.1	28.4	20.7	27.3	32.6	23.3
06	16.8	22.3	11.1	20.7	25.6	16.4	24.3	28.7	20.9	27.3	32.6	23.3
07	16.8	22.3	11.2	20.8	25.6	16.6	24.6	28.9	21.1	27.2	32.6	23.2
08	16.9	22.4	11.3	21.0	25.7	16.9	24.8	29.1	21.2	27.2	32.5	23.2
09	17.0	22.5	11.4	21.1	25.8	17.1	25.0	29.3	21.4	27.2	32.5	23.2
10	17.1	22.7	11.5	21.3	26.0	17.3	25.2	29.6	21.5	27.1	32.5	23.1
11	17.3	22.8	11.7	21.5	26.1	17.6	25.3	29.8	21.7	27.1	32.4	23.1
12	17.4	23.0	11.8	21.6	26.2	17.8	25.5	30.0	21.8	27.0	32.3	23.1
13	17.6	23.2	12.0	21.8	26.2	18.0	25.6	30.1	21.9	27.0	32.3	23.0
14	17.8	23.5	12.2	21.9	26.3	18.2	25.7	30.3	21.9	27.0	32.2	23.0
15	18.0	23.7	12.4	21.9	26.2	18.3	25.8	30.5	22.0	26.9	32.2	23.0
16	18.2	24.0	12.6	21.9	26.2	18.4	25.9	30.6	22.1	26.9	32.1	22.9
17	18.4	24.3	12.8	21.9	26.1	18.5	26.0	30.7	22.1	26.8	32.0	22.9
18	18.6	24.5	13.0	21.9	26.0	18.5	26.1	30.9	22.2	26.7	31.9	22.8
19	18.8	24.8	13.2	21.9	25.9	18.6	26.2	31.0	22.3	26.6	31.8	22.7
20	19.1	25.0	13.4	21.8	25.9	18.6	26.3	31.1	22.4	26.5	31.7	22.6
21	19.3	25.2	13.6	21.8	25.8	18.6	26.5	31.3	22.4	26.4	31.5	22.5
22	19.5	25.5	13.8	21.8	25.8	18.6	26.6	31.4	22.5	26.2	31.3	22.4
23	19.7	25.6	14.0	21.9	25.8	18.7	26.7	31.6	22.6	26.0	31.0	22.3
24	19.9	25.8	14.2	21.9	25.9	18.7	26.8	31.7	22.7	25.8	30.8	22.1
25	20.0	25.9	14.4	22.0	26.0	18.8	26.9	31.8	22.8	25.6	30.5	21.9
26	20.2	26.0	14.6	22.2	26.2	18.9	27.0	32.0	22.9	25.4	30.2	21.8
27	20.3	26.1	14.8	22.3	26.4	19.0	27.1	32.1	23.0	25.1	29.9	21.6
28	20.4	26.1	15.0	22.5	26.6	19.2	27.2	32.2	23.1	24.9	29.6	21.4
29	20.4	26.1	15.2	22.7	26.9	19.4	27.2	32.3	23.1	24.7	29.3	21.3
30	20.5	26.0	15.3	22.9	27.1	19.6	27.3	32.3	23.2	24.4	29.0	21.1
31	20.5	26.0	15.5				27.3	32.4	23.2	24.2	28.8	21.0

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TAKAMATSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 12.9'N, LONGITUDE: 134° 0.9'E, ELEVATION ABOVE MSL: 607 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	24.1	28.6	20.8	20.5	25.2	16.5	13.9	18.7	9.7	8.4	12.6	4.5
02	23.9	28.4	20.7	20.3	25.0	16.3	13.8	18.5	9.6	8.2	12.4	4.3
03	23.8	28.2	20.6	20.2	24.8	16.1	13.7	18.3	9.5	8.0	12.2	4.0
04	23.6	28.1	20.5	20.0	24.6	15.9	13.5	18.1	9.4	7.8	12.0	3.8
05	23.5	27.9	20.4	19.8	24.4	15.7	13.4	17.9	9.3	7.6	11.8	3.7
06	23.4	27.9	20.2	19.6	24.2	15.5	13.3	17.8	9.2	7.4	11.6	3.5
07	23.3	27.8	20.1	19.3	23.9	15.2	13.2	17.6	9.2	7.2	11.3	3.4
08	23.2	27.7	20.0	19.1	23.7	14.9	13.1	17.4	9.1	7.0	11.1	3.2
09	23.1	27.6	19.8	18.8	23.4	14.6	12.9	17.3	8.9	6.8	10.9	3.1
10	23.0	27.5	19.6	18.6	23.2	14.3	12.7	17.1	8.8	6.7	10.7	3.0
11	22.9	27.4	19.5	18.3	23.0	14.1	12.6	16.9	8.7	6.5	10.5	2.9
12	22.7	27.3	19.3	18.1	22.7	13.8	12.4	16.7	8.5	6.4	10.3	2.8
13	22.6	27.1	19.1	17.8	22.5	13.6	12.2	16.5	8.3	6.3	10.1	2.7
14	22.4	27.0	18.9	17.6	22.3	13.4	12.0	16.3	8.2	6.1	10.0	2.6
15	22.3	26.8	18.7	17.4	22.1	13.2	11.8	16.1	8.0	6.0	9.8	2.5
16	22.1	26.6	18.5	17.2	21.9	13.0	11.7	16.0	7.9	5.9	9.7	2.4
17	21.9	26.4	18.3	17.0	21.7	12.9	11.5	15.8	7.7	5.9	9.6	2.3
18	21.8	26.3	18.1	16.9	21.6	12.8	11.4	15.6	7.6	5.8	9.6	2.2
19	21.6	26.1	18.0	16.7	21.4	12.6	11.2	15.4	7.5	5.7	9.5	2.1
20	21.5	26.0	17.8	16.6	21.3	12.5	11.1	15.2	7.4	5.7	9.4	2.1
21	21.4	25.9	17.7	16.4	21.2	12.3	10.9	14.9	7.2	5.6	9.4	2.0
22	21.3	25.9	17.5	16.2	21.0	12.2	10.7	14.7	7.0	5.5	9.3	1.9
23	21.2	25.8	17.4	16.1	20.9	11.9	10.5	14.5	6.8	5.5	9.3	1.8
24	21.2	25.8	17.3	15.8	20.7	11.7	10.3	14.2	6.6	5.4	9.2	1.7
25	21.1	25.8	17.2	15.6	20.5	11.4	10.0	14.0	6.3	5.3	9.2	1.6
26	21.0	25.7	17.1	15.4	20.2	11.1	9.8	13.7	6.0	5.2	9.1	1.5
27	20.9	25.6	17.0	15.1	20.0	10.8	9.5	13.5	5.7	5.1	9.1	1.4
28	20.9	25.6	16.9	14.8	19.7	10.5	9.2	13.2	5.4	5.0	9.1	1.3
29	20.7	25.4	16.7	14.6	19.5	10.3	9.0	13.0	5.0	5.0	9.0	1.2
30	20.6	25.3	16.6	14.3	19.2	10.1	8.7	12.8	4.8	4.9	9.0	1.1
31				14.1	18.9	9.9				4.9	9.0	1.1