

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AOMORI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

NUMBER OF FORWARD SCATTER: RWY24

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	-	5	10	28	39	46
01	-	-	-	3	10	24	38	44
02	-	-	-	3	8	30	37	43
03	-	-	1	5	13	28	35	38
04	-	-	-	2	9	21	35	39
05	-	-	-	3	6	23	34	37
06	-	-	-	1	5	23	32	37
07	-	-	-	4	6	23	34	38
08	-	-	-	1	6	22	34	42
09	0)	0)	0)	2)	4)	19	30	35
10	-	-	1	3	3	17	32	37
11	-	-	1	2	5	21	32	37
12	-	-	1	2	4	16	34	37
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	4	8	23	37	43
23	-	-	-	2	6	24	38	42
MEAN	0)	0)	0)	3)	7)	23	35	40

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AOMORI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

NUMBER OF FORWARD SCATTER: RWY24

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	-	2	8	15	25	27
01	-	-	-	1	4	15	23	31
02	-	-	-	1	2	11	20	25
03	-	-	1	4	7	16	23	32
04	-	-	1	3	5	16	27	31
05	-	-	1	2	4	11	25	30
06	-	-	1	4	8	15	27	32
07	-	-	1	3	6	15	25	28
08	-	-	-	3	4	16	26	30
09	-	-	-	3	4	11	22	29
10	-	-	-	1	4	13	27	32
11	-	-	-	3	5	13	28	32
12	-	-	-	2	4	15	25	35
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	1	5	14	21	30
23	-	-	-	3	4	14	27	30
MEAN	-	-	0	2	5	14	25	30

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AOMORI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

NUMBER OF FORWARD SCATTER: RWY24

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	2	6	8	12	20	23
01	0)	0)	2)	4)	5)	12	17	21
02	0)	0)	1)	3)	6)	10	16	20
03	0)	0)	2)	5)	6)	10	14	19
04	-	-	1	4	7	10	14	19
05	-	-	1	6	7	11	15	17
06	-	-	2	5	7	8	10	14
07	-	-	1	5	6	9	14	17
08	-	-	1	5	8	10	15	17
09	-	-	2	6	6	11	12	18
10	-	-	1	5	7	10	16	20
11	-	-	3	6	7	12	15	19
12	-	-	2	5	7	11	16	21
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	2	6	8	12	18	22
23	-	-	1	4	9	15	18	24
MEAN	0)	0)	2)	5)	7)	11	15	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AOMORI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

NUMBER OF FORWARD SCATTER: RWY24

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	3	4	5	8	10	13
01	-	1	2	3	3	5	7	8
02	-	-	1	2	3	5	8	10
03	-	-	1	1	2	3	6	7
04	-	-	1	4	5	6	8	11
05	-	-	1	3	3	4	6	10
06	-	-	-	2	3	3	5	8
07	-	-	1	4	4	5	6	8
08	-	-	1	4	5	6	8	10
09	-	-	3	5	6	6	9	11
10	-	-	1	3	5	9	12	13
11	-	-	1	5	7	7	10	12
12	-	-	4	6	7	9	11	15
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	2	7	10	11	12	17	20
23	-	1	5	9	11	13	16	19
MEAN	-	0	2	4	5	7	9	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AOMORI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

NUMBER OF FORWARD SCATTER: RWY24

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	5	5	6	8	9
01	-	-	1	2	3	3	4	6
02	-	-	1	1	2	2	5	6
03	-	-	1	2	2	3	5	6
04	-	-	1	2	3	3	3	5
05	-	-	1	1	3	3	3	4
06	-	1	1	3	3	3	5	6
07	-	1	1	2	4	5	6	7
08	-	-	2	4	4	5	6	8
09	-	-	2	5	5	6	8	8
10	-	-	2	5	5	6	9	11
11	-	-	1	5	8	10	12	13
12	-	-	3	10	10	12	15	17
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	4	6	8	10	12	15
23	-	1	2	4	6	7	9	13
MEAN	-	0	2	4	5	5	7	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AOMORI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

NUMBER OF FORWARD SCATTER: RWY24

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	7	9	13	17	23	31
01	0)	0)	4)	11)	14)	14	17	24
02	0)	1)	3)	7)	9)	11	14	20
03	0)	0)	2)	5)	5)	7	12	15
04	-	-	1	7	7	9	11	14
05	0)	0)	3)	5)	5)	7	10	13
06	-	-	1	3	4	5	8	12
07	-	-	2	3	5	5	9	14
08	-	-	1	6	6	9	12	19
09	-	-	7	9	12	15	20	25
10	-	1	5	10	13	16	21	25
11	-	1	7	12	15	17	23	27
12	-	-	7	19	22	26	31	35
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	7	15	26	31	37	39	46
23	-	3	9	21	24	29	33	40
MEAN	0)	1)	5)	10)	12)	15	19	24

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AOMORI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

NUMBER OF FORWARD SCATTER: RWY24

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	6	14	17	18	22	26
01	-	1	5	11	12	15	16	19
02	-	-	4	8	10	12	14	15
03	-	-	2	6	8	9	12	16
04	0)	0)	1)	5)	7)	8	12	14
05	0)	0)	1)	6)	8)	9	14	16
06	0)	1)	3)	8)	10)	12	14	15
07	0)	1)	4)	8)	10)	10	12	14
08	0)	0)	3)	9)	9)	10	14	19
09	0)	1)	3)	8)	10)	14	17	20
10	0)	1)	4)	10)	10)	13	16	19
11	0)	0)	5)	10)	13)	17	19	22
12	0)	1)	7)	14)	16)	19	21	25
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	6	14	22	26	27	34	37
23	-	3	10	19	24	25	29	35
MEAN	0)	1)	5)	11)	13)	15	18	21

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AOMORI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

NUMBER OF FORWARD SCATTER: RWY24

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	3	8	9	10	13	17
01	-	-	1	3	3	5	10	13
02	0)	0)	1)	2)	3)	5	9	12
03	-	-	-	-	-	1	5	9
04	-	-	1	1	2	3	6	10
05	-	-	-	1	2	4	8	10
06	-	-	1	2	3	3	4	8
07	-	-	-	1	3	4	5	8
08	-	-	-	3	3	4	6	10
09	-	-	1	4	4	5	9	11
10	-	-	2	5	6	6	10	12
11	-	-	2	5	6	8	11	14
12	-	-	4	7	7	8	10	15
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	5	8	12	16	20	24
23	-	1	5	9	10	11	17	21
MEAN	0)	0)	2)	4)	5)	6	10	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AOMORI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

NUMBER OF FORWARD SCATTER: RWY24

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	3	4	4	4	6
01	0)	0)	1)	2)	3)	5	6	6
02	0)	0)	1)	1)	2)	2	4	5
03	0)	0)	1)	1)	1)	2	5	6
04	-	-	1	2	3	3	3	5
05	-	-	1	2	2	3	5	5
06	0)	0)	0)	3)	4)	4	6	9
07	-	-	-	1	1	3	7	8
08	-	-	-	2	3	5	7	9
09	-	-	1	2	3	3	4	6
10	-	-	1	1	2	2	3	5
11	-	-	1	1	2	2	3	5
12	-	-	1	1	2	3	3	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	5	7	7	7	11	13
23	-	-	1	5	5	7	7	8
MEAN	0)	0)	1)	2)	3)	4	5	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AOMORI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

NUMBER OF FORWARD SCATTER: RWY24

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	-	1	2	3	4	5
01	-	-	1	2	2	2	3	4
02	-	-	-	1	2	2	2	3
03	-	-	-	1	1	1	2	3
04	-	-	-	-	-	1	3	4
05	0)	0)	0)	1)	1)	1	2	4
06	-	-	1	1	1	2	2	2
07	-	-	1	1	1	2	3	4
08	-	-	-	1	1	2	3	4
09	-	-	-	1	2	2	3	3
10	-	-	1	2	2	2	4	6
11	-	-	1	3	3	3	3	5
12	-	-	1	3	3	4	5	7
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1	5	5	6	6	6
23	-	-	1	1	1	1	3	4
MEAN	0)	0)	0)	2)	2)	2	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AOMORI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

NUMBER OF FORWARD SCATTER: RWY24

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	3	4	8	11	13
01	0)	0)	1)	4)	6)	9	15	17
02	-	-	1	3	5	7	12	15
03	-	-	-	3	6	10	15	17
04	-	-	-	1	3	5	10	13
05	-	-	-	1	2	3	9	13
06	-	-	-	1	2	3	9	13
07	-	-	1	1	3	7	11	16
08	-	-	1	1	3	7	10	11
09	-	-	1	3	3	6	9	11
10	-	-	-	2	2	4	7	8
11	-	-	-	1	1	3	7	10
12	-	-	1	2	3	5	7	7
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	2	3	3	8	10
23	-	-	-	1	1	3	7	10
MEAN	0)	0)	0)	2)	3)	6	10	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AOMORI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

NUMBER OF FORWARD SCATTER: RWY24

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	3	6	17	30	33
01	-	-	1	4	6	15	27	38
02	-	-	1	3	5	14	26	31
03	-	-	1	4	6	19	27	30
04	-	-	1	3	5	16	23	27
05	0)	0)	1)	3)	6)	18	28	32
06	0)	0)	1)	4)	5)	14	22	28
07	-	-	1	2	5	15	20	26
08	-	-	-	1	4	12	23	29
09	-	-	-	1	5	12	21	25
10	-	-	1	1	5	12	22	28
11	-	-	-	3	6	13	23	28
12	0)	0)	0)	3)	6)	17	23	27
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	1	6	17	26	31
23	-	-	1	1	4	12	28	34
MEAN	0)	0)	1)	2)	5)	15	25	30

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AOMORI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

NUMBER OF FORWARD SCATTER: RWY24

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<100	<200	<400	<550	<800	<1500	<3200	<5000
	-	<100	<200	<400	<500	<600	<1000	<1500
00	-	0	2	5	8	12	17	21
01	0)	0)	1)	4)	6)	10	15	19
02	0)	0)	1)	3)	5)	9	14	17
03	0)	0)	1)	3)	5)	9	13	16
04	0)	0)	1)	3)	5)	8	13	16
05	0)	0)	1)	3)	4)	8	13	16
06	0)	0)	1)	3)	5)	8	12	15
07	0)	0)	1)	3)	4)	9	13	16
08	0)	0)	1)	3)	5)	9	14	17
09	0)	0)	2)	4)	5)	9	14	17
10	0)	0)	2)	4)	5)	9	15	18
11	0)	0)	2)	5)	6)	10	15	19
12	0)	0)	3)	6)	8)	12	17	20
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0	1	4	8	11	15	21	25
23	-	1	3	7	9	13	19	23
MEAN	0)	0)	2)	4)	6)	10	15	18

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AOMORI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1400	<1500	<1600	<2400	<3200	<5000	-
00	21	26	26	27	31	37	43	
01	16	19	19	21	29	35	42	
02	15	23	24	25	33	35	39	
03	18	23	25	25	30	32	36	
04	12	17	17	20	25	31	37	
05	17	22	23	25	28	32	35	
06	17	21	21	23	26	32	37	
07	12	19	19	23	26	32	38	
08	16	19	21	23	27	33	42	
09	12	17	18	18	24	30	34	
10	12	14	14	15	25	28	35	
11	10	17	18	18	26	30	37	
12	12	13	13	15	27	31	35	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	14	22	22	22	28	35	40	
23	17	23	23	24	29	35	41	
MEAN	15	20	20	22	28	33	38	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AOMORI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1400	<1500	<1600	<2400	<3200	<5000	-
00	10	13	13	15	20	24	27	
01	8	14	14	14	18	21	30	
02	7	11	11	12	17	20	25	
03	11	14	14	15	18	22	30	
04	7	14	14	15	19	25	30	
05	8	8	10	11	17	23	30	
06	10	13	14	15	22	27	32	
07	8	12	13	14	18	22	28	
08	6	11	13	14	20	25	29	
09	10	11	11	12	18	21	26	
10	8	12	12	12	19	25	30	
11	8	11	11	11	23	26	30	
12	7	11	12	12	19	25	35	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	8	12	13	13	17	20	28	
23	8	13	13	13	20	24	27	
MEAN	8	12	13	13	19	23	29	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AOMORI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1400	<1500	<1600	<2400	<3200	<5000	-
00	5	8	8	8	11	17	19	
01	8	9	9	9	12	13	16	
02	3	7	7	8	10	12	17	
03	5	6	8	8	9	12	15	
04	7	9	9	9	11	12	15	
05	6	10	10	10	12	13	14	
06	3	5	5	5	6	8	12	
07	3	5	5	6	8	12	13	
08	6	7	7	7	10	14	15	
09	7	8	8	8	10	12	15	
10	6	7	7	7	11	15	19	
11	5	8	8	8	10	14	18	
12	6	9	9	10	12	14	17	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	8	10	10	10	14	17	21	
23	8	12	12	12	16	17	21	
MEAN	6	8	8	8	11	13	17	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AOMORI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1400	<1500	<1600	<2400	<3200	<5000	-
00	5	5	5	5	6	8	10	
01	2	2	2	3	3	3	7	
02	2	3	3	3	4	5	7	
03	2	2	2	2	2	3	5	
04	3	3	3	3	3	7	9	
05	1	2	2	3	3	5	7	
06	-	-	-	1	1	1	4	
07	1	3	3	3	3	3	6	
08	1	3	3	3	5	5	7	
09	3	3	4	4	5	5	6	
10	3	3	3	3	5	6	7	
11	4	4	4	4	5	6	7	
12	6	6	6	6	6	7	9	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	9	10	10	11	11	11	13	
23	7	8	9	10	11	13	15	
MEAN	3	4	4	4	5	6	8	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AOMORI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1400	<1500	<1600	<2400	<3200	<5000	-
00	1	3	3	3	5	5	5	
01	1	1	1	1	1	3	3	
02	1	1	1	1	1	1	2	
03	1	1	1	1	1	1	1	
04	1	2	2	2	2	2	2	
05	2	2	2	2	2	2	2	
06	1	1	1	2	2	3	4	
07	2	2	2	3	3	4	4	
08	2	2	2	2	4	5	5	
09	3	3	3	3	4	5	6	
10	4	4	5	5	5	5	8	
11	5	5	5	5	6	7	9	
12	4	4	4	5	6	8	12	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	4	4	5	7	8	9	
23	3	3	3	3	3	5	6	
MEAN	2	2	2	3	3	4	5	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AOMORI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1400	<1500	<1600	<2400	<3200	<5000	-
00	5	8	8	8	9	12	17	
01	3	4	4	5	7	11	15	
02	3	3	3	3	5	5	8	
03	1	3	3	3	4	5	7	
04	1	3	3	4	5	6	7	
05	2	3	3	3	4	4	5	
06	1	2	2	2	3	5	5	
07	3	3	3	3	3	5	8	
08	3	3	3	3	3	5	6	
09	5	6	6	6	7	8	9	
10	6	7	7	7	9	11	14	
11	7	8	8	8	11	13	17	
12	9	10	10	10	15	17	23	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	15	17	17	17	20	25	31	
23	9	9	9	9	11	15	23	
MEAN	5	6	6	6	8	10	13	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AOMORI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1400	<1500	<1600	<2400	<3200	<5000	-
00	5	8	8	10	12	15	18	
01	3	5	6	7	8	10	13	
02	3	5	5	5	8	8	10	
03	3	3	3	3	5	6	11	
04	1	1	2	2	6	9	10	
05	2	3	3	3	6	10	12	
06	3	5	5	6	8	12	13	
07	3	5	5	5	8	10	11	
08	3	5	5	5	6	8	14	
09	5	6	6	6	8	10	12	
10	6	8	8	8	11	13	16	
11	6	7	7	7	10	14	15	
12	8	9	9	10	13	14	17	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	14	15	15	15	17	21	23	
23	6	9	9	11	16	18	22	
MEAN	5	6	6	7	10	12	14	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AOMORI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1400	<1500	<1600	<2400	<3200	<5000	-
00	2	3	3	4	5	6	6	
01	1	1	1	1	2	3	5	
02	1	1	1	1	2	3	5	
03	1	1	1	1	1	1	3	
04	1	1	1	1	1	2	3	
05	-	1	1	1	1	3	4	
06	-	1	1	1	1	2	3	
07	-	1	1	1	1	1	3	
08	-	1	1	1	1	3	5	
09	1	1	1	1	1	5	6	
10	1	3	3	3	4	5	6	
11	3	3	3	4	5	6	8	
12	3	4	4	5	6	8	11	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	6	8	8	8	8	12	16	
23	4	6	6	6	7	8	12	
MEAN	2	2	2	3	3	5	6	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AOMORI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1400	<1500	<1600	<2400	<3200	<5000	-
00	1	1	1	1	2	2	3	
01	-	-	-	1	1	1	3	
02	-	1	1	1	1	1	2	
03	-	1	1	1	1	1	1	
04	1	1	1	1	1	1	1	
05	1	1	1	1	1	1	3	
06	-	-	-	-	-	3	5	
07	-	-	-	-	-	2	3	
08	-	-	-	1	1	3	5	
09	1	1	1	1	1	3	3	
10	1	1	1	1	1	3	3	
11	1	1	1	1	1	2	3	
12	1	1	1	1	1	1	1	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	4	6	6	6	7	9	10	
23	-	1	1	1	2	3	5	
MEAN	1	1	1	1	2	2	4	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AOMORI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1400	<1500	<1600	<2400	<3200	<5000	-
00	-	-	-	-	-	1	3	
01	1	1	1	1	1	3	3	
02	-	-	-	-	-	1	3	
03	-	-	-	-	1	1	3	
04	-	-	-	-	-	1	3	
05	-	-	-	-	-	1	3	
06	-	1	1	1	1	1	2	
07	1	1	1	1	1	1	3	
08	-	-	-	1	1	2	3	
09	-	-	-	-	1	1	3	
10	1	1	1	1	1	2	4	
11	-	-	-	-	2	3	5	
12	1	1	1	1	1	3	7	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	1	1	2	3	6	
23	-	1	1	1	1	1	4	
MEAN	0	0	0	0	1	2	3	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AOMORI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1400	<1500	<1600	<2400	<3200	<5000	-
00	3	4	4	5	6	6	7	
01	2	6	6	7	7	10	10	
02	3	5	5	5	7	9	13	
03	3	3	3	4	7	9	11	
04	1	1	1	1	2	4	7	
05	1	1	1	3	4	7	7	
06	-	-	-	-	1	5	8	
07	3	5	5	5	5	6	11	
08	3	5	5	5	7	8	10	
09	3	3	3	3	4	7	9	
10	1	1	1	1	3	5	6	
11	1	1	1	3	3	3	8	
12	2	3	3	3	5	7	7	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	1	3	4	7	9	
23	1	1	1	1	3	5	9	
MEAN	2	3	3	3	4	6	9	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AOMORI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1400	<1500	<1600	<2400	<3200	<5000	-
00	9	15	15	16	22	27	30	
01	10	14	14	15	21	25	36	
02	9	14	14	15	19	25	27	
03	14	16	16	17	21	23	25	
04	11	15	15	15	17	21	25	
05	10	17	17	17	23	26	30	
06	8	12	12	14	17	20	25	
07	10	14	14	14	15	17	24	
08	8	9	9	10	15	22	28	
09	5	7	7	7	14	17	22	
10	6	9	9	10	15	20	23	
11	8	11	11	12	18	20	25	
12	8	10	12	14	17	21	26	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	8	14	14	15	20	22	29	
23	8	10	11	12	19	25	31	
MEAN	9	12	13	14	18	22	27	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AOMORI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1000	<1400	<1500	<1600	<2400	<3200	<5000	-
00	6	8	8	9	11	13	16	
01	5	6	6	7	9	12	15	
02	4	6	6	6	9	11	13	
03	5	6	6	7	8	10	12	
04	4	5	6	6	8	10	12	
05	4	6	6	6	8	11	12	
06	4	5	5	6	7	10	12	
07	4	6	6	6	8	10	13	
08	4	5	6	6	8	11	14	
09	4	6	6	6	8	10	12	
10	5	6	6	6	9	11	14	
11	5	6	6	7	10	12	15	
12	6	7	7	8	11	13	17	
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	8	10	10	10	13	16	20	
23	6	8	8	9	12	14	18	
MEAN	5	6	7	7	9	12	14	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AOMORI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<0	<100	<200	<400	<600	<1000	<1500
00	-	-	-	4	8	19	26
01	-	-	-	1	8	21	26
02	-	-	-	3	15	23	30
03	-	-	-	4	12	17	22
04	-	-	-	1	6	19	24
05	-	-	-	2	5	13	21
06	-	-	-	1	6	14	19
07	-	-	-	4	12	19	25
08	-	-	-	1	8	15	18
09	-	-	-	2	5	12	19
10	-	-	1	3	6	15	20
11	-	-	-	1	5	16	20
12	-	-	-	1	6	14	21
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	3	8	17	26
23	-	-	-	2	10	19	25
MEAN	-	-	0	2	8	17	23

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AOMORI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<0	<100	<200	<400	<600	<1000	<1500
00	-	-	-	2	6	12	16
01	-	-	-	1	8	15	20
02	-	-	-	1	4	10	12
03	-	-	-	3	7	11	16
04	-	-	-	1	4	12	19
05	-	-	-	1	4	9	15
06	-	-	1	3	7	13	20
07	-	-	1	2	6	13	16
08	-	-	-	2	7	14	17
09	-	-	-	3	5	8	17
10	-	-	-	1	7	15	23
11	-	-	-	2	6	15	18
12	-	-	-	2	8	14	18
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	7	11	17
23	-	-	-	2	4	14	20
MEAN	-	-	0	2	6	13	18

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AOMORI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<0	<100	<200	<400	<600	<1000	<1500
00	-	-	1	4	8	12	14
01	-	-	2	4	7	13	17
02	-	-	1	3	6	10	13
03	-	-	1	4	5	10	12
04	-	-	1	4	7	8	13
05	-	-	1	5	6	12	14
06	-	-	1	4	5	6	8
07	-	-	1	5	6	10	12
08	-	-	-	4	4	7	12
09	-	-	1	5	5	7	12
10	-	-	1	3	5	7	11
11	-	-	1	5	8	10	14
12	-	-	1	5	6	11	13
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	4	6	8	11
23	-	-	1	3	8	12	14
MEAN	-	-	1	4	6	10	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AOMORI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<0	<100	<200	<400	<600	<1000	<1500
00	-	-	1	2	4	7	9
01	-	-	1	2	4	5	6
02	-	-	1	1	3	6	7
03	-	-	1	1	2	4	5
04	-	-	1	4	5	6	7
05	-	-	1	2	3	5	7
06	-	-	-	2	3	5	7
07	-	-	-	3	3	5	7
08	-	-	1	3	5	7	9
09	-	-	1	2	3	7	9
10	-	-	-	1	5	8	9
11	-	-	-	2	3	6	7
12	-	-	1	3	5	7	10
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	2	5	6	11	13
23	-	-	4	7	9	11	14
MEAN	-	-	1	3	4	7	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AOMORI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<0	<100	<200	<400	<600	<1000	<1500
00	-	-	1	5	5	7	8
01	-	-	1	2	3	4	6
02	-	-	1	1	2	5	6
03	-	-	-	1	2	4	5
04	-	-	1	1	2	3	5
05	-	-	1	1	1	2	3
06	-	-	-	3	3	4	5
07	-	-	-	1	3	4	5
08	-	-	1	3	3	4	6
09	-	-	1	4	4	5	6
10	-	-	1	3	3	6	7
11	-	-	1	5	7	9	10
12	-	-	2	8	10	13	14
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	5	7	9	12
23	-	-	1	3	5	6	10
MEAN	-	-	1	3	4	6	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AOMORI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<0	<100	<200	<400	<600	<1000	<1500
00	-	-	5	7	13	17	26
01	-	-	3	9	12	13	20
02	-	-	2	6	11	13	19
03	-	-	1	4	7	11	14
04	-	-	1	6	8	10	13
05	-	-	2	4	6	9	11
06	-	-	1	2	3	5	9
07	-	-	1	2	3	7	11
08	-	-	-	4	6	9	16
09	-	-	4	6	13	17	23
10	-	-	3	9	12	17	20
11	-	-	4	8	11	16	20
12	-	-	4	13	17	21	26
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	5	14	23	25	31
23	-	-	2	13	21	25	31
MEAN	-	-	2	7	11	14	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AOMORI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<0	<100	<200	<400	<600	<1000	<1500
00	-	-	4	11	14	17	21
01	-	-	5	10	14	14	17
02	-	-	4	7	11	12	14
03	-	-	1	5	7	10	12
04	-	-	1	5	8	9	12
05	-	-	1	5	8	11	12
06	-	-	1	8	10	10	12
07	-	-	3	7	9	10	11
08	-	-	1	6	8	11	14
09	-	-	2	6	10	12	15
10	-	-	1	8	9	11	12
11	-	-	3	8	12	14	15
12	-	-	4	10	14	15	19
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	6	14	19	24	27
23	-	-	4	14	19	22	28
MEAN	-	-	3	8	11	14	16

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AOMORI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<0	<100	<200	<400	<600	<1000	<1500
00	-	-	2	8	9	12	17
01	-	-	1	3	4	8	10
02	-	-	-	1	4	7	9
03	-	-	-	-	1	5	7
04	-	-	-	1	2	5	8
05	-	-	-	1	4	7	9
06	-	-	1	2	3	4	7
07	-	-	-	1	3	4	6
08	-	-	-	3	4	5	8
09	-	-	1	3	5	6	8
10	-	-	2	5	6	8	11
11	-	-	2	4	8	10	12
12	-	-	3	5	6	6	9
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	3	6	12	14	16
23	-	-	3	6	8	14	17
MEAN	-	-	1	3	5	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AOMORI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<0	<100	<200	<400	<600	<1000	<1500
00	-	-	1	3	4	4	5
01	-	-	1	2	5	6	6
02	-	-	1	1	2	4	5
03	-	-	1	1	2	5	6
04	-	-	1	2	3	3	4
05	-	-	1	2	3	4	5
06	-	-	-	3	4	5	8
07	-	-	-	1	3	6	7
08	-	-	-	2	5	5	7
09	-	-	1	2	3	3	5
10	-	-	1	1	1	1	2
11	-	-	1	1	1	1	2
12	-	-	1	1	2	2	2
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	3	5	5	7	7
23	-	-	1	5	7	7	8
MEAN	-	-	1	2	3	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AOMORI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<0	<100	<200	<400	<600	<1000	<1500
00	-	-	-	1	3	4	4
01	-	-	1	2	2	3	3
02	-	-	-	1	2	2	3
03	-	-	-	1	1	1	2
04	-	-	-	-	1	1	2
05	-	-	-	1	1	1	2
06	-	-	1	1	1	1	1
07	-	-	1	1	2	3	3
08	-	-	-	1	2	3	3
09	-	-	-	1	2	3	3
10	-	-	1	1	1	3	4
11	-	-	1	3	3	3	4
12	-	-	-	2	3	3	4
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	4	5	6	6
23	-	-	1	1	1	2	3
MEAN	-	-	0	1	2	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AOMORI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<0	<100	<200	<400	<600	<1000	<1500
00	-	-	-	2	6	8	10
01	-	-	-	3	7	11	14
02	-	-	-	2	5	9	10
03	-	-	-	3	8	11	15
04	-	-	-	1	4	7	11
05	-	-	-	1	3	5	10
06	-	-	-	1	3	7	9
07	-	-	1	1	5	8	11
08	-	-	1	1	4	7	9
09	-	-	1	3	4	6	8
10	-	-	-	2	3	5	5
11	-	-	-	1	1	5	6
12	-	-	1	2	2	3	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1	3	5	6
23	-	-	-	1	3	4	6
MEAN	-	-	0	2	4	7	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AOMORI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<0	<100	<200	<400	<600	<1000	<1500
00	-	-	1	3	9	16	22
01	-	-	1	3	5	14	17
02	-	-	-	1	3	12	16
03	-	-	-	3	10	19	22
04	-	-	1	3	7	16	19
05	-	-	-	1	8	15	18
06	-	-	1	2	6	15	23
07	-	-	-	1	8	13	17
08	-	-	-	1	6	10	18
09	-	-	-	1	7	12	17
10	-	-	-	1	6	12	19
11	-	-	-	1	7	14	18
12	-	-	-	3	9	15	18
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	8	15	21
23	-	-	1	1	6	15	22
MEAN	-	-	0	2	7	14	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AOMORI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<0	<100	<200	<400	<600	<1000	<1500
00	-	-	1	4	7	11	15
01	-	-	1	4	7	11	13
02	-	-	1	2	6	9	12
03	-	-	0	2	5	9	11
04	-	-	0	2	5	8	11
05	-	-	0	2	4	8	11
06	-	-	0	3	5	8	11
07	-	-	1	3	5	8	11
08	-	-	0	3	5	8	11
09	-	-	1	3	6	8	12
10	-	-	1	3	5	9	12
11	-	-	1	3	6	10	12
12	-	-	1	5	7	10	13
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	2	5	9	13	16
23	-	-	1	5	8	13	16
MEAN	-	-	1	3	6	10	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AOMORI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	4	0	-	-	-	-	-	-	-	-	-	4
[35-36-01]	0	0	0	-	-	-	-	-	-	-	-	0
[02-03-04]	1	1	0	-	-	-	-	-	-	-	-	2
[05-06-07]	1	0	0	0	0	-	-	-	-	-	-	2
[08-09-10]	1	0	0	-	-	-	-	-	-	-	-	1
[11-12-13]	1	0	-	-	-	-	-	-	-	-	-	1
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	2	2	1	0	-	-	-	-	-	-	-	5
[20-21-22]	4	12	8	2	0	-	-	-	-	-	-	25
[23-24-25]	2	16	15	3	0	0	-	-	-	-	-	36
[26-27-28]	1	8	7	2	0	-	-	-	-	-	-	18
[29-30-31]	1	1	1	0	-	-	-	-	-	-	-	2
[32-33-34]	0	0	-	-	-	-	-	-	-	-	-	1
TOTAL	20	40	31	7	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AOMORI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	5	0	-	-	-	-	-	-	-	-	-	5
[35-36-01]	1	0	0	-	-	-	-	-	-	-	-	1
[02-03-04]	2	2	1	0	0	-	-	-	-	-	-	4
[05-06-07]	3	1	0	0	0	-	-	-	-	-	-	4
[08-09-10]	2	0	0	-	-	-	-	-	-	-	-	2
[11-12-13]	1	0	-	-	-	-	-	-	-	-	-	1
[14-15-16]	1	0	0	-	-	-	-	-	-	-	-	1
[17-18-19]	2	3	0	0	-	-	-	-	-	-	-	6
[20-21-22]	4	11	6	2	0	0	-	-	-	-	-	24
[23-24-25]	2	11	10	4	0	0	-	-	-	-	-	29
[26-27-28]	1	5	9	3	0	0	-	-	-	-	-	19
[29-30-31]	1	2	1	0	-	-	-	-	-	-	-	4
[32-33-34]	1	0	0	-	-	-	-	-	-	-	-	1
TOTAL	25	35	29	9	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AOMORI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	6	0	-	-	-	-	-	-	-	-	-	6
[35-36-01]	2	0	-	-	-	-	-	-	-	-	-	2
[02-03-04]	2	2	1	0	-	-	-	-	-	-	-	5
[05-06-07]	2	1	0	-	-	-	-	-	-	-	-	3
[08-09-10]	2	0	0	-	-	-	-	-	-	-	-	2
[11-12-13]	1	0	0	-	-	-	-	-	-	-	-	1
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	2	3	0	0	0	-	-	-	-	-	-	6
[20-21-22]	4	11	8	4	1	0	-	-	-	-	-	28
[23-24-25]	3	9	7	4	1	0	0	-	-	-	-	24
[26-27-28]	2	5	6	3	1	0	-	-	-	-	-	18
[29-30-31]	1	1	1	0	0	-	-	-	-	-	-	3
[32-33-34]	1	0	-	-	-	-	-	-	-	-	-	1
TOTAL	27	32	24	12	3	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AOMORI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	8	0	0	-	-	-	-	-	-	-	-	8
[35-36-01]	3	1	0	-	-	-	-	-	-	-	-	4
[02-03-04]	4	3	0	0	-	-	-	-	-	-	-	6
[05-06-07]	5	3	0	0	-	-	-	-	-	-	-	8
[08-09-10]	2	0	-	-	-	-	-	-	-	-	-	3
[11-12-13]	1	0	-	-	-	-	-	-	-	-	-	1
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	3	3	1	0	-	-	-	-	-	-	-	6
[20-21-22]	4	7	6	3	1	0	0	-	0	0	-	21
[23-24-25]	2	8	6	3	1	0	0	0	-	-	-	20
[26-27-28]	1	5	6	2	1	0	0	-	-	-	-	15
[29-30-31]	1	2	1	0	-	-	-	-	-	-	-	4
[32-33-34]	1	0	-	-	-	-	-	-	-	-	-	2
TOTAL	35	32	20	9	2	0	0	0	0	0	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AOMORI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	8)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[35-36-01]	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[02-03-04]	5)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[05-06-07]	7)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[08-09-10]	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	3)	7)	7)	3)	1)	0)	0)	0)	0)	0)	0)	21)
[23-24-25]	2)	7)	4)	3)	1)	0)	0)	0)	0)	0)	0)	17)
[26-27-28]	1)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[29-30-31]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
TOTAL	40)	33)	16)	8)	2)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AOMORI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	11)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[35-36-01]	7)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[02-03-04]	8)	7)	1)	0)	0)	0)	0)	0)	0)	0)	0)	16)
[05-06-07]	10)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	16)
[08-09-10]	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	3)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[23-24-25]	3)	7)	2)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[26-27-28]	3)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[29-30-31]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[32-33-34]	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
TOTAL	55)	36)	6)	2)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AOMORI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	12	0	-	-	-	-	-	-	-	-	-	12
[35-36-01]	7	3	0	-	-	-	-	-	-	-	-	10
[02-03-04]	8	5	0	-	-	-	-	-	-	-	-	13
[05-06-07]	8	3	0	0	-	-	-	-	-	-	-	11
[08-09-10]	3	0	-	-	-	-	-	-	-	-	-	4
[11-12-13]	1	0	-	-	-	-	-	-	-	-	-	1
[14-15-16]	0	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	2	1	0	0	-	-	-	-	-	-	-	3
[20-21-22]	4	7	5	1	0	0	0	-	-	-	-	17
[23-24-25]	3	5	2	0	0	0	-	-	-	-	-	11
[26-27-28]	3	4	2	0	0	-	-	-	-	-	-	9
[29-30-31]	1	1	0	-	-	-	-	-	-	-	-	2
[32-33-34]	3	2	0	-	-	-	-	-	-	-	-	5
TOTAL	56	32	9	2	0	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AOMORI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	16	0	0	-	-	-	-	-	-	-	-	16
[35-36-01]	6	2	0	-	-	-	-	-	-	-	-	8
[02-03-04]	7	5	1	0	-	-	-	-	-	-	-	13
[05-06-07]	6	3	1	0	0	0	-	-	-	-	-	10
[08-09-10]	3	0	0	0	0	-	-	-	-	-	-	4
[11-12-13]	1	0	0	-	-	-	-	-	-	-	-	2
[14-15-16]	1	0	0	-	-	-	-	-	-	-	-	1
[17-18-19]	3	2	0	0	-	-	-	-	-	-	-	6
[20-21-22]	5	5	4	1	0	0	-	-	-	-	-	16
[23-24-25]	3	5	1	0	0	-	-	-	-	-	-	10
[26-27-28]	2	5	1	0	-	-	-	-	-	-	-	8
[29-30-31]	1	1	0	-	-	-	-	-	-	-	-	3
[32-33-34]	3	1	-	-	-	-	-	-	-	-	-	4
TOTAL	57	31	9	2	0	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AOMORI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												2
VARIABLE	16	0	-	-	-	-	-	-	-	-	-	16
[35-36-01]	4	1	0	-	-	-	-	-	-	-	-	6
[02-03-04]	4	4	1	0	0	-	-	-	-	-	-	9
[05-06-07]	3	2	1	0	0	-	-	-	-	-	-	6
[08-09-10]	2	1	0	-	-	-	-	-	-	-	-	3
[11-12-13]	2	0	0	-	-	-	-	-	-	-	-	2
[14-15-16]	2	0	0	-	-	-	-	-	-	-	-	2
[17-18-19]	5	2	0	-	-	-	-	-	-	-	-	8
[20-21-22]	11	7	2	0	0	-	-	-	-	-	-	20
[23-24-25]	4	4	2	0	0	-	-	-	-	-	-	11
[26-27-28]	3	4	2	0	-	-	-	-	-	-	-	9
[29-30-31]	2	1	0	-	-	-	-	-	-	-	-	3
[32-33-34]	3	1	-	-	-	-	-	-	-	-	-	3
TOTAL	61	27	8	2	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AOMORI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	8	0	-	-	-	-	-	-	-	-	-	8
[35-36-01]	2	0	0	-	-	-	-	-	-	-	-	2
[02-03-04]	2	1	1	0	-	-	-	-	-	-	-	4
[05-06-07]	1	1	1	0	-	-	-	-	-	-	-	3
[08-09-10]	1	1	0	-	-	-	-	-	-	-	-	2
[11-12-13]	2	0	0	-	-	-	-	-	-	-	-	2
[14-15-16]	2	0	0	-	-	-	-	-	-	-	-	2
[17-18-19]	5	5	1	0	-	-	-	-	-	-	-	10
[20-21-22]	8	12	5	1	0	0	-	-	-	-	-	27
[23-24-25]	3	9	5	1	0	0	-	-	-	-	-	19
[26-27-28]	2	6	5	1	0	-	0	-	-	-	-	15
[29-30-31]	1	2	1	0	-	-	-	-	-	-	-	3
[32-33-34]	1	0	0	-	-	-	-	-	-	-	-	1
TOTAL	37	39	19	4	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AOMORI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	8	0	-	-	-	-	-	-	-	-	-	8
[35-36-01]	1	0	-	-	-	-	-	-	-	-	-	1
[02-03-04]	2	1	0	-	-	-	-	-	-	-	-	3
[05-06-07]	2	1	0	-	-	-	-	-	-	-	-	3
[08-09-10]	2	0	-	-	-	-	-	-	-	-	-	2
[11-12-13]	1	0	-	-	-	-	-	-	-	-	-	2
[14-15-16]	2	0	-	-	-	-	-	-	-	-	-	2
[17-18-19]	4	6	1	0	-	-	-	-	-	-	-	11
[20-21-22]	7	13	6	2	0	0	-	-	-	-	-	28
[23-24-25]	4	10	8	3	1	0	-	-	-	-	-	24
[26-27-28]	1	5	4	2	0	0	-	-	-	-	-	13
[29-30-31]	1	1	0	-	-	-	-	-	-	-	-	2
[32-33-34]	1	0	-	-	-	-	-	-	-	-	-	1
TOTAL	35	37	20	6	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AOMORI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	5	0	-	-	-	-	-	-	-	-	-	5
[35-36-01]	1	0	0	-	-	-	-	-	-	-	-	1
[02-03-04]	1	1	0	0	-	-	-	-	-	-	-	2
[05-06-07]	1	0	0	-	-	-	-	-	-	-	-	2
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	1
[11-12-13]	1	0	0	-	-	-	-	-	-	-	-	1
[14-15-16]	1	0	0	0	-	-	-	-	-	-	-	1
[17-18-19]	3	5	1	0	-	-	-	-	-	-	-	8
[20-21-22]	5	13	7	2	0	0	-	-	-	-	-	27
[23-24-25]	3	12	13	6	1	-	-	-	-	-	-	35
[26-27-28]	1	5	5	2	1	0	-	-	-	-	-	14
[29-30-31]	1	1	0	0	-	-	-	-	-	-	-	2
[32-33-34]	1	0	-	-	-	-	-	-	-	-	-	1
TOTAL	24	36	27	10	2	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AOMORI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	9)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[35-36-01]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[05-06-07]	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[08-09-10]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	3)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[20-21-22]	5)	9)	6)	2)	0)	0)	0)	0)	0)	0)	0)	22)
[23-24-25]	3)	9)	6)	2)	1)	0)	0)	0)	0)	0)	0)	21)
[26-27-28]	2)	5)	4)	1)	0)	0)	0)	0)	0)	0)	0)	13)
[29-30-31]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
TOTAL	39)	34)	18)	6)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: AOMORI AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	30	59	11	1	-	-	-	-	-	-
01	-	-	22	60	17	1	-	-	-	-	-	-
02	-	-	19	59	20	2	-	-	-	-	-	-
03	-	-	16	59	23	2	-	-	-	-	-	-
04	-	-	16	57	26	1	-	-	-	-	-	-
05	-	-	17	58	25	1	-	-	-	-	-	-
06	-	-	19	59	21	1	-	-	-	-	-	-
07	-	-	24	59	17	1	-	-	-	-	-	-
08	-	-	28	59	12	1	-	-	-	-	-	-
09	-	1	28	57	12	1	-	-	-	-	-	-
10	-	1	30	55	14	-	-	-	-	-	-	-
11	-	1	28	60	12	-	-	-	-	-	-	-
12	-	-	27	63	10	-	-	-	-	-	-	-
13	1	-	32	59	9	-	-	-	-	-	-	-
14	-	1	33	57	8	1	-	-	-	-	-	-
15	-	1	33	56	10	1	-	-	-	-	-	-
16	1	1	35	52	10	-	-	-	-	-	-	-
17	-	1	34	52	12	-	-	-	-	-	-	-
18	1	2	34	52	12	-	-	-	-	-	-	-
19	-	1	36	50	12	-	-	-	-	-	-	-
20	-	2	36	52	10	1	-	-	-	-	-	-
21	-	3	36	52	9	1	-	-	-	-	-	-
22	-	2	39	47	11	1	-	-	-	-	-	-
23	-	1	39	48	11	1	-	-	-	-	-	-
MEAN	0	1	29	56	14	1	-	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AOMORI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	1	26	49	22	2	1	-	-	-	-	-
01	-	-	23	47	27	2	1	-	-	-	-	-
02	-	-	19	46	32	1	1	-	-	-	-	-
03	-	-	17	48	33	1	1	-	-	-	-	-
04	-	-	15	48	34	2	1	-	-	-	-	-
05	-	-	15	46	37	1	1	-	-	-	-	-
06	-	-	18	46	34	2	-	-	-	-	-	-
07	-	-	18	51	29	2	-	-	-	-	-	-
08	-	-	23	52	24	1	-	-	-	-	-	-
09	-	1	27	47	22	3	-	-	-	-	-	-
10	-	-	33	46	18	2	-	-	-	-	-	-
11	-	-	35	45	18	2	-	-	-	-	-	-
12	-	-	37	44	15	4	-	-	-	-	-	-
13	-	1	37	46	13	3	-	-	-	-	-	-
14	-	1	37	47	11	4	-	-	-	-	-	-
15	-	2	35	49	11	3	-	-	-	-	-	-
16	-	1	38	46	11	3	-	-	-	-	-	-
17	-	1	36	48	13	3	-	-	-	-	-	-
18	-	1	37	46	13	2	-	-	-	-	-	-
19	-	1	39	46	12	2	-	-	-	-	-	-
20	-	1	40	43	14	2	-	-	-	-	-	-
21	-	1	44	41	11	3	-	-	-	-	-	-
22	-	-	42	41	15	2	-	-	-	-	-	-
23	-	1	33	47	17	1	1	-	-	-	-	-
MEAN	-	1	30	47	20	2	0	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: AOMORI AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	3	30	46	18	3	-	-	-	-	-
01	-	-	2	27	49	17	5	-	-	-	-	-
02	-	-	2	23	50	19	5	-	-	-	-	-
03	-	-	1	23	49	22	5	-	-	-	-	-
04	-	-	1	21	52	20	6	-	-	-	-	-
05	-	-	1	22	50	21	6	-	-	-	-	-
06	-	-	1	19	54	21	5	-	-	-	-	-
07	-	-	1	23	50	23	3	-	-	-	-	-
08	-	-	2	26	50	17	5	-	-	-	-	-
09	-	-	3	35	46	15	1	-	-	-	-	-
10	-	-	2	38	49	9	2	-	-	-	-	-
11	-	-	5	41	43	10	1	-	-	-	-	-
12	-	-	6	42	39	12	1	-	-	-	-	-
13	-	-	6	45	36	11	1	-	-	-	-	-
14	-	-	6	49	31	12	1	-	-	-	-	-
15	-	-	7	51	30	10	1	-	-	-	-	-
16	-	-	7	51	31	10	1	-	-	-	-	-
17	-	1	5	55	29	10	1	-	-	-	-	-
18	-	1	6	56	29	8	1	-	-	-	-	-
19	-	1	5	56	28	9	1	-	-	-	-	-
20	-	1	7	50	32	10	-	-	-	-	-	-
21	-	1	7	50	32	10	-	-	-	-	-	-
22	-	1	5	48	35	11	1	-	-	-	-	-
23	-	-	3	40	41	14	2	-	-	-	-	-
MEAN	-	0	4	38	41	14	2	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AOMORI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	28	45	19	5	2	-	-	-
01	-	-	-	2	19	49	19	8	3	-	-	-
02	-	-	-	1	17	45	23	10	4	-	-	-
03	-	-	-	2	15	43	25	11	4	-	-	-
04	-	-	-	1	13	43	26	11	4	1	-	-
05	-	-	-	1	14	44	27	11	3	1	-	-
06	-	-	-	-	18	42	27	11	3	-	-	-
07	-	-	-	1	16	47	25	9	3	-	-	-
08	-	-	-	2	23	44	23	7	1	-	-	-
09	-	-	-	3	29	48	17	3	-	-	-	-
10	-	-	-	5	43	43	6	3	-	-	-	-
11	-	-	-	7	49	35	7	1	-	-	-	-
12	-	-	-	5	59	29	5	2	-	-	-	-
13	-	-	-	10	56	27	5	2	-	-	-	-
14	-	-	-	9	56	29	3	2	-	-	-	-
15	-	-	-	9	61	22	6	1	-	-	-	-
16	-	-	-	13	57	26	3	1	-	-	-	-
17	-	-	-	12	61	23	3	1	-	-	-	-
18	-	-	-	15	56	25	2	1	-	-	-	-
19	-	-	-	15	58	21	4	1	-	-	-	-
20	-	-	1	17	53	25	3	1	-	-	-	-
21	-	-	-	11	50	32	5	1	-	-	-	-
22	-	-	-	5	43	38	11	3	-	-	-	-
23	-	-	-	3	34	43	15	5	1	-	-	-
MEAN	-	-	0	6	39	36	13	5	1	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AOMORI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	1	10	41	37	9	1	-	-
01	-	-	-	-	-	6	39	37	15	2	-	-
02	-	-	-	-	-	6	30	41	19	3	-	-
03	-	-	-	-	-	5	28	43	21	3	-	-
04	-	-	-	-	-	5	30	38	23	5	-	-
05	-	-	-	-	-	5	29	40	23	3	-	-
06	-	-	-	-	-	6	30	43	19	3	-	-
07	-	-	-	-	-	8	33	43	15	1	-	-
08	-	-	-	-	1	10	41	38	11	-	-	-
09	-	-	-	-	2	14	46	34	5	-	-	-
10	-	-	-	-	3	23	55	19	1	-	-	-
11	-	-	-	-	3	34	50	13	-	-	-	-
12	-	-	-	-	4	39	48	8	-	-	-	-
13	-	-	-	-	5	43	43	10	-	-	-	-
14	0)	0)	0)	1)	7)	43)	41)	8)	1)	0)	0)	0)
15	-	-	-	-	9	45	37	8	1	-	-	-
16	-	-	-	-	10	49	35	6	-	-	-	-
17	-	-	-	1	10	50	35	3	1	-	-	-
18	-	-	-	1	11	52	32	4	1	-	-	-
19	-	-	-	-	12	51	33	4	1	-	-	-
20	-	-	-	-	12	46	37	5	1	-	-	-
21	-	-	-	-	5	38	48	8	1	-	-	-
22	-	-	-	-	2	23	53	20	3	-	-	-
23	-	-	-	-	1	15	52	25	6	-	-	-
MEAN	0)	0)	0)	0)	4)	26)	39)	22)	7)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AOMORI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	1	17	64	18	-	-	-
01	-	-	-	-	-	-	10	57	31	2	-	-
02	-	-	-	-	-	-	6	57	33	3	-	-
03	-	-	-	-	-	-	5	46	44	5	-	-
04	-	-	-	-	-	-	5	44	45	5	-	-
05	-	-	-	-	-	1	5	47	40	8	-	-
06	-	-	-	-	-	1	4	49	42	5	-	-
07	-	-	-	-	-	1	5	55	37	3	-	-
08	-	-	-	-	-	1	7	59	33	-	-	-
09	-	-	-	-	-	1	16	61	22	-	-	-
10	-	-	-	-	-	1	28	69	3	-	-	-
11	-	-	-	-	-	1	45	53	1	-	-	-
12	-	-	-	-	-	4	57	38	1	-	-	-
13	-	-	-	-	-	5	60	33	1	-	-	-
14	0)	0)	0)	0)	0)	6)	63)	32)	0)	0)	0)	0)
15	0)	0)	0)	0)	0)	8)	61)	30)	0)	0)	0)	0)
16	0)	0)	0)	0)	0)	10)	66)	23)	0)	0)	0)	0)
17	0)	0)	0)	0)	0)	12)	63)	25)	0)	0)	0)	0)
18	0)	0)	0)	0)	0)	14)	64)	22)	0)	0)	0)	0)
19	0)	0)	0)	0)	0)	13)	65)	22)	0)	0)	0)	0)
20	0)	0)	0)	0)	0)	13)	64)	23)	0)	0)	0)	0)
21	-	-	-	-	-	2	61	37	-	-	-	-
22	-	-	-	-	-	1	43	54	3	-	-	-
23	-	-	-	-	-	1	27	66	6	-	-	-
MEAN	0)	0)	0)	0)	0)	4)	35)	45)	15)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AOMORI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	30	54	16	-	-
01	-	-	-	-	-	-	-	17	60	21	1	-
02	-	-	-	-	-	-	-	12	60	26	2	-
03	-	-	-	-	-	-	-	10	54	33	3	-
04	-	-	-	-	-	-	-	8	56	32	4	-
05	-	-	-	-	-	-	-	9	57	32	2	-
06	-	-	-	-	-	-	-	12	59	28	2	-
07	-	-	-	-	-	-	-	14	63	22	1	-
08	-	-	-	-	-	-	-	21	60	18	1	-
09	-	-	-	-	-	-	1	28	57	14	-	-
10	-	-	-	-	-	-	1	48	45	6	-	-
11	-	-	-	-	-	-	1	59	35	5	-	-
12	-	-	-	-	-	-	5	65	26	5	-	-
13	-	-	-	-	-	-	9	60	27	4	-	-
14	-	-	-	-	-	-	13	59	25	4	-	-
15	-	-	-	-	-	-	15	56	25	3	-	-
16	-	-	-	-	-	-	14	61	23	2	-	-
17	-	-	-	-	-	-	17	61	21	1	-	-
18	-	-	-	-	-	-	18	59	21	3	-	-
19	-	-	-	-	-	1	19	57	22	1	-	-
20	-	-	-	-	-	-	14	63	21	3	-	-
21	-	-	-	-	-	-	6	65	28	1	-	-
22	-	-	-	-	-	-	1	57	35	7	-	-
23	-	-	-	-	-	-	1	46	42	11	-	-
MEAN	-	-	-	-	-	0	6	41	41	12	1	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: AOMORI AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	5	65	30	-	-
01	-	-	-	-	-	-	-	3	55	39	3	-
02	-	-	-	-	-	-	-	3	46	46	5	-
03	-	-	-	-	-	-	-	3	38	53	6	-
04	-	-	-	-	-	-	-	3	35	54	8	-
05	-	-	-	-	-	-	-	3	43	50	5	-
06	-	-	-	-	-	-	-	3	42	52	4	-
07	-	-	-	-	-	-	-	5	48	46	1	-
08	-	-	-	-	-	-	-	7	59	34	-	-
09	-	-	-	-	-	-	-	15	63	22	-	-
10	-	-	-	-	-	-	1	25	66	9	-	-
11	-	-	-	-	-	-	1	33	62	5	-	-
12	-	-	-	-	-	-	2	39	55	5	-	-
13	-	-	-	-	-	-	3	39	52	6	-	-
14	-	-	-	-	-	-	3	41	51	5	-	-
15	-	-	-	-	-	-	5	43	46	6	-	-
16	-	-	-	-	-	-	4	43	45	8	-	-
17	-	-	-	-	-	-	6	41	46	7	-	-
18	-	-	-	-	-	-	8	41	45	6	-	-
19	-	-	-	-	-	-	8	41	44	7	-	-
20	-	-	-	-	-	-	8	44	43	6	-	-
21	-	-	-	-	-	-	4	36	52	8	-	-
22	-	-	-	-	-	-	-	25	65	10	-	-
23	-	-	-	-	-	-	-	18	64	18	-	-
MEAN	-	-	-	-	-	-	2	23	51	22	1	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: AOMORI AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	2	47	41	9	-	-
01	-	-	-	-	-	-	2	36	49	13	1	-
02	-	-	-	-	-	-	1	27	55	16	1	-
03	-	-	-	-	-	-	1	23	57	17	3	-
04	-	-	-	-	-	-	1	25	55	18	2	-
05	-	-	-	-	-	-	2	23	55	18	2	-
06	-	-	-	-	-	-	3	32	49	14	1	-
07	-	-	-	-	-	-	3	41	44	11	1	-
08	-	-	-	-	-	-	7	53	33	8	-	-
09	-	-	-	-	-	1	19	52	25	3	-	-
10	-	-	-	-	-	1	25	55	19	1	-	-
11	-	-	-	-	-	2	27	53	18	-	-	-
12	-	-	-	-	-	3	28	56	13	1	-	-
13	-	-	-	-	-	6	30	52	12	-	-	-
14	-	-	-	-	1	5	33	49	12	-	-	-
15	-	-	-	-	-	6	35	48	11	-	-	-
16	-	-	-	-	1	5	37	45	12	-	-	-
17	-	-	-	-	1	9	31	50	9	-	-	-
18	-	-	-	-	1	8	33	50	9	-	-	-
19	-	-	-	-	1	7	36	47	9	-	-	-
20	-	-	-	-	1	9	36	45	9	-	-	-
21	-	-	-	-	1	9	29	50	11	-	-	-
22	-	-	-	-	-	1	21	55	23	-	-	-
23	-	-	-	-	-	-	5	58	33	4	-	-
MEAN	-	-	-	-	0	3	19	45	28	6	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: AOMORI AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	1	16	53	29	1	-	-	-
01	-	-	-	-	1	15	46	37	2	-	-	-
02	-	-	-	-	1	14	44	35	6	-	-	-
03	-	-	-	-	1	13	36	40	10	-	-	-
04	-	-	-	-	1	11	39	39	10	-	-	-
05	-	-	-	-	1	14	37	38	10	-	-	-
06	-	-	-	-	1	14	41	39	5	-	-	-
07	-	-	-	-	1	17	52	26	4	-	-	-
08	-	-	-	-	4	31	46	17	1	-	-	-
09	-	-	-	-	6	37	42	14	1	-	-	-
10	-	-	-	-	8	41	41	9	1	-	-	-
11	-	-	-	-	10	42	36	11	1	-	-	-
12	-	-	-	1	15	43	31	10	1	-	-	-
13	-	-	-	1	15	38	35	10	1	-	-	-
14	-	-	-	-	16	45	29	10	1	-	-	-
15	-	-	-	1	13	50	27	8	1	-	-	-
16	-	-	-	1	16	41	32	10	1	-	-	-
17	-	-	-	1	17	45	28	10	1	-	-	-
18	-	-	-	1	15	45	28	10	1	-	-	-
19	-	-	-	1	14	42	35	8	1	-	-	-
20	-	-	-	1	13	46	32	8	1	-	-	-
21	-	-	-	1	14	45	32	9	-	-	-	-
22	-	-	-	-	8	40	39	13	-	-	-	-
23	-	-	-	-	1	23	53	23	-	-	-	-
MEAN	-	-	-	0	8	32	38	19	2	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: AOMORI AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	7	33	37	21	1	-	-	-	-
01	-	-	-	6	29	38	25	3	-	-	-	-
02	-	-	-	7	25	39	25	5	-	-	-	-
03	-	-	-	7	23	40	25	6	-	-	-	-
04	-	-	-	5	28	32	29	6	-	-	-	-
05	-	-	-	6	27	35	27	5	-	-	-	-
06	-	-	-	6	29	37	24	4	-	-	-	-
07	-	-	-	7	39	36	16	2	-	-	-	-
08	-	-	-	8	43	39	10	1	-	-	-	-
09	-	-	-	11	45	33	9	1	-	-	-	-
10	-	-	-	13	47	31	8	1	-	-	-	-
11	-	-	-	14	47	30	9	1	-	-	-	-
12	-	-	-	20	41	31	7	1	-	-	-	-
13	-	-	-	21	39	32	7	1	-	-	-	-
14	-	-	-	19	41	32	8	-	-	-	-	-
15	-	-	-	21	43	28	8	-	-	-	-	-
16	-	-	-	19	45	29	7	-	-	-	-	-
17	-	-	1	15	47	29	8	-	-	-	-	-
18	-	-	1	15	48	30	7	-	-	-	-	-
19	-	-	-	21	43	29	7	-	-	-	-	-
20	-	-	-	19	48	27	7	-	-	-	-	-
21	-	-	-	21	44	27	7	1	-	-	-	-
22	-	-	-	21	43	28	8	1	-	-	-	-
23	-	-	-	9	45	29	15	1	-	-	-	-
MEAN	-	-	0	13	39	32	14	2	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AOMORI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	7	46	38	8	1	-	-	-	-	-
01	-	-	6	43	38	12	1	-	-	-	-	-
02	-	-	6	40	38	14	3	-	-	-	-	-
03	-	-	4	42	37	14	3	-	-	-	-	-
04	-	-	3	43	36	16	3	-	-	-	-	-
05	-	-	3	43	35	17	2	-	-	-	-	-
06	-	-	5	41	37	15	2	-	-	-	-	-
07	-	1	5	46	39	7	2	-	-	-	-	-
08	-	1	8	50	36	5	1	-	-	-	-	-
09	-	1	6	55	32	5	1	-	-	-	-	-
10	-	1	5	55	33	5	1	-	-	-	-	-
11	-	1	8	54	35	3	1	-	-	-	-	-
12	-	1	11	53	31	5	-	-	-	-	-	-
13	-	1	8	56	31	4	-	-	-	-	-	-
14	-	1	12	53	31	3	1	-	-	-	-	-
15	-	-	11	55	31	2	1	-	-	-	-	-
16	-	-	13	52	31	3	1	-	-	-	-	-
17	-	-	11	54	31	3	1	-	-	-	-	-
18	-	1	12	54	30	3	1	-	-	-	-	-
19	-	-	13	51	30	6	-	-	-	-	-	-
20	-	1	13	50	31	5	1	-	-	-	-	-
21	-	2	10	50	32	6	-	-	-	-	-	-
22	-	1	9	52	33	5	1	-	-	-	-	-
23	-	1	10	48	34	7	-	-	-	-	-	-
MEAN	-	0	8	49	34	7	1	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AOMORI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	0	5	16	15	11	13	18	16	5	-	-
01	-	-	4	15	15	12	12	17	18	6	0	-
02	-	-	4	15	15	12	12	16	19	8	1	-
03	-	-	3	15	15	12	11	15	19	9	1	-
04	-	-	3	15	16	11	12	15	19	10	1	-
05	-	-	3	15	16	11	11	15	19	9	1	-
06	-	-	4	14	16	12	11	16	18	8	1	-
07	-	0	4	15	16	12	12	16	18	7	0	-
08	-	0	5	16	16	12	12	17	17	5	0	-
09	-	0	5	17	16	13	13	17	15	3	-	-
10	-	0	6	18	18	13	14	19	11	1	-	-
11	-	0	6	18	18	13	15	19	10	1	-	-
12	-	0	7	19	18	14	15	18	8	1	-	-
13	0	0	7	20	17	14	16	17	8	1	-	-
14	0)	0)	7)	20)	17)	15)	16)	17)	8)	1)	0)	0)
15	0)	0)	7)	20)	17)	15)	16)	16)	7)	1)	0)	0)
16	0)	0)	8)	19)	18)	15)	17)	16)	7)	1)	0)	0)
17	0)	0)	7)	20)	18)	15)	16)	16)	7)	1)	0)	0)
18	0)	0)	7)	20)	18)	16)	16)	16)	6)	1)	0)	0)
19	0)	0)	8)	20)	18)	15)	17)	15)	6)	1)	0)	0)
20	0)	0)	8)	19)	18)	15)	17)	16)	6)	1)	0)	0)
21	-	0	8	19	16	14	16	17	8	1	-	-
22	-	0	8	18	16	12	15	19	11	1	-	-
23	-	0	7	16	15	11	14	20	13	3	-	-
MEAN	0)	0)	6)	17)	17)	13)	14)	17)	12)	4)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AOMORI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	-3.4	-2.8	1.1	6.1	12.7	16.2	20.6	22.3	18.2	11.2	5.0	-0.5	8.9
Daily maximum air temperature(°C)	-0.9	0.3	4.7	11.4	18.7	21.5	25.4	26.9	23.5	16.1	9.3	2.6	13.3
Daily minimum air temperature(°C)	-6.6	-6.6	-3.0	0.7	6.5	11.6	16.4	17.9	13.1	5.5	0.4	-4.0	4.3
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	96.0	57.2	63.2	67.9	56.4	60.1	163.5	177.4	112.8	155.1	127.4	99.0	1236.0
Snow fall(cm)	501	262	98	14	-	-	-	-	-	0	44	316	1235
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	968.0	961.9	962.9	939.7	966.3	965.3	968.1	952.0	969.9	960.5	968.3	963.3	939.7
Daily maximum air temperature(°C)	7.9	13.1	15.1	26.8	28.9	27.9	33.3	33.0	33.0	25.1	19.8	15.4	33.3
Daily minimum air temperature(°C)	-17.6	-14.2	-13.3	-5.5	-2.2	4.6	9.5	10.5	2.9	-2.8	-7.9	-13.9*	-17.6
Daily precipitation(mm)	31.5	16.5	41.5	20.5	27.5	44.5	148.5	109.5	133.0	76.5	47.0	26.5	148.5
Daily max.one-hour precipitation(mm)	11.0	4.5*	6.5	7.0	14.0	16.0	41.0	29.0	29.0	40.5	14.0	6.0	41.0
Daily max.ten-minute precipitation(mm)	3.5	2.5	2.5	4.5	5.5	6.5	15.0	14.5	12.0	14.5	5.5	2.5	15.0
Daily totals of snowfall(cm)	68	47	26	17	-	-	-	-	-	0 *	35	62	68
Daily maximum of snow cover(cm)													
Daily maximum wind speed(kt)	30	32 *	34	57	34	33	34	37	27	37	34	33 *	57
with wind direction(36DIR.)	6	21	24	21	7	5	21	7	4	25	25	27	21
Daily maximum peak gust(kt)	40 *	46	57	70	43	52	48	49	41	55	44	46	70
with wind direction(36DIR.)	5	26	26	21	6	6	21	8	8	25	25	27	21

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AOMORI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	30.8	27.6	26.6	13.2	1.0	-	-	-	-	1.4	15.2	28.4	144.2
25.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
Daily mean air temperature < 0.0°C	28.0	22.0	12.4	0.8	-	-	-	-	-	-	2.8	17.6	83.6
25.0°C	-	-	-	-	-	-	2.4	4.0	0.4	-	-	-	6.8
Daily maximum air temperature < 0.0°C	19.4	14.8	3.4	-	-	-	-	-	-	-	0.6	8.8	47.0
25.0°C	-	-	-	0.4	2.2	4.2	17.4	24.0	8.0	0.2	-	-	56.4
30.0°C	-	-	-	-	-	-	3.0	4.4	1.8	-	-	-	9.2
Daily precipitation 0.0mm	29.4	25.4	23.4	16.4	18.6	18.4	20.6	20.0	18.2	22.2	23.2	27.4	263.2
1.0mm	19.6	12.8	12.8	10.0	10.0	7.6	9.8	10.0	10.0	15.4	17.0	19.4	154.4
5.0mm	7.6	4.4	3.8	5.4	4.2	3.8	5.4	6.4	7.2	8.8	9.0	7.4	73.4
10.0mm	2.6	1.0	1.0	2.2	1.6	2.0	3.8	4.6	3.0	4.4	3.6	2.0	31.8
30.0mm	0.2	-	0.2	-	-	0.4	1.4	1.6	0.4	1.0	0.4	-	5.6
50.0mm	-	-	-	-	-	-	0.6	0.8	0.4	0.6	-	-	2.4
70.0mm	-	-	-	-	-	-	0.6	0.6	0.2	0.2	-	-	1.6
100.0mm	-	-	-	-	-	-	0.2	0.2	0.2	-	-	-	0.6

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AOMORI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	991.2	992.1	990.6	989.8	987.2	986.1	985.9	986.4	991.2	993.3	993.0	990.4	989.8
01	991.3	992.0	990.5	989.7	987.2	986.0	985.8	986.3	991.0	993.2	992.9	990.4	989.7
02	990.9	991.8	990.3	989.4	986.9	985.8	985.6	986.1	990.6	992.9	992.5	989.8	989.4
03	990.3	991.3	989.9	989.1	986.7	985.6	985.4	985.8	990.3	992.4	992.0	989.2	989.0
04	990.0	990.9	989.5	988.8	986.4	985.4	985.1	985.5	989.9	992.0	991.7	988.8	988.7
05	990.1	990.8	989.3	988.5	986.1	985.2	985.0	985.3	989.8	991.9	991.7	988.8	988.5
06	990.3	991.0	989.3	988.4	986.0	985.2	984.9	985.3	989.8	992.1	991.9	989.2	988.6
07	990.6	991.1	989.4	988.5	986.1	985.1	985.0	985.4	990.0	992.2	992.1	989.5	988.7
08	990.8	991.3	989.7	988.6	986.2	985.2	985.0	985.4	990.2	992.4	992.3	989.7	988.9
09	991.0	991.6	990.0	988.8	986.4	985.5	985.2	985.6	990.4	992.7	992.6	989.9	989.2
10	991.1	991.8	990.3	989.2	986.7	985.7	985.5	986.0	990.8	992.9	992.7	990.0	989.4
11	991.2	991.9	990.4	989.6	987.1	986.0	985.8	986.4	991.2	993.0	992.7	990.0	989.6
12	991.2	991.9	990.6	989.7	987.3	986.3	986.0	986.4	991.1	993.1	992.7	990.0	989.7
13	991.1	991.9	990.6	989.7	987.2	986.3	985.9	986.4	991.1	993.0	992.6	989.9	989.7
14	991.0	991.8	990.5	989.6	987.2	986.0	985.8	986.3	990.9	992.8	992.4	989.9	989.5
15	990.7	991.6	990.4	989.5	987.0	985.8	985.7	986.1	990.8	992.7	992.3	989.7	989.4
16	990.4	991.6	990.4	989.4	986.8	985.6	985.5	985.8	990.5	992.6	992.3	989.8	989.2
17	990.5	991.6	990.2	989.2	986.7	985.5	985.3	985.7	990.5	992.4	992.4	990.0	989.2
18	990.3	991.4	989.9	989.2	986.7	985.4	985.3	985.6	990.4	992.4	992.3	989.8	989.1
19	990.2	991.3	990.0	989.1	986.8	985.6	985.4	985.7	990.5	992.5	992.2	989.7	989.1
20	990.2	991.4	990.2	989.3	986.9	985.8	985.6	985.9	990.7	992.7	992.3	989.7	989.2
21	990.5	991.5	990.3	989.5	987.2	986.1	985.8	986.2	990.9	992.8	992.5	989.9	989.4
22	990.7	991.8	990.4	989.7	987.3	986.2	986.0	986.3	991.1	993.1	992.7	990.1	989.6
23	991.0	992.0	990.6	989.7	987.3	986.2	986.0	986.3	991.1	993.4	993.0	990.3	989.7
MEAN	990.7	991.5	990.1	989.3	986.8	985.7	985.5	985.9	990.6	992.7	992.4	989.8	989.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AOMORI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	-3.4	-2.5	1.8	7.8	14.8	17.5	21.8	23.7	20.4	13.1	6.2	-0.1	10.1
01	-2.8	-1.9	2.2	8.6	15.8	18.5	22.8	24.4	21.3	13.8	6.8	0.4	10.8
02	-2.4	-1.4	2.7	9.3	16.5	19.1	23.4	25.1	21.9	14.3	7.3	0.7	11.4
03	-2.2	-1.3	2.9	9.7	16.9	19.7	23.9	25.6	22.3	14.6	7.6	1.0	11.7
04	-2.2	-1.1	3.0	9.9	16.9	19.9	23.8	25.7	22.2	14.6	7.8	1.1	11.8
05	-2.3	-1.2	3.1	9.7	16.8	19.9	23.8	25.6	22.0	14.5	7.4	1.0	11.7
06	-2.5	-1.4	2.9	9.4	16.5	19.6	23.5	25.3	21.5	14.0	7.0	0.7	11.4
07	-3.0	-1.8	2.6	9.1	15.9	19.1	23.0	24.8	21.0	13.2	5.9	0.1	10.8
08	-3.3	-2.4	2.1	8.1	14.9	18.4	22.3	23.9	19.8	11.7	5.0	-0.4	10.0
09	-3.5	-2.8	1.4	6.8	13.7	17.3	21.4	22.9	18.1	10.7	4.6	-0.8	9.2
10	-3.5	-3.0	0.8	5.4	12.1	16.0	20.4	21.7	17.4	10.2	4.2	-0.8	8.4
11	-3.6	-3.1	0.5	4.9	11.1	15.0	19.6	21.1	16.9	9.8	4.1	-1.0	8.0
12	-3.7	-3.2	0.5	4.3	10.5	14.3	19.2	20.7	16.5	9.5	4.0	-1.2	7.6
13	-3.9	-3.4	0.2	4.0	10.1	14.0	18.9	20.5	16.0	9.3	4.0	-1.3	7.4
14	-3.9	-3.4	0.1	3.9	9.8	13.8	18.6	20.2	15.8	9.1	3.9	-1.2	7.2
15	-3.9	-3.6	-0.1	3.8	9.7	13.5	18.5	19.9	15.6	8.8	3.8	-1.2	7.1
16	-4.0	-3.6	-0.3	3.5	9.2	13.3	18.2	20.1	15.6	9.1	3.9	-1.2	7.0
17	-3.9	-3.7	-0.5	3.4	9.1	13.1	18.0	19.9	15.4	9.0	3.8	-1.2	6.9
18	-4.0	-3.7	-0.5	3.2	9.0	13.1	17.9	19.8	15.2	9.0	3.7	-1.3	6.8
19	-3.9	-3.7	-0.4	3.3	9.0	13.1	17.9	19.7	15.3	9.1	3.6	-1.3	6.8
20	-4.0	-3.8	-0.4	3.3	9.3	13.3	18.0	19.7	15.1	9.1	3.4	-1.2	6.8
21	-4.1	-3.7	-0.4	4.1	10.7	14.4	18.9	20.5	15.6	9.1	3.4	-1.2	7.3
22	-4.1	-3.8	0.1	5.6	12.3	15.3	19.9	21.7	17.6	10.2	3.7	-1.2	8.1
23	-3.9	-3.2	1.0	6.7	13.6	16.4	20.8	22.7	19.3	12.0	5.0	-0.8	9.1
MEAN	-3.4	-2.8	1.1	6.1	12.7	16.1	20.6	22.3	18.3	11.2	5.0	-0.5	8.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AOMORI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	4.0	3.9	4.9	6.5	10.9	15.5	20.7	23.0	18.0	11.0	7.5	5.1	10.9
01	4.0	3.9	4.9	6.6	10.8	15.7	20.8	23.0	17.9	10.9	7.6	5.1	10.9
02	4.1	3.9	4.8	6.5	10.7	15.7	20.9	23.1	17.8	10.8	7.6	5.2	10.9
03	4.1	4.0	4.8	6.5	10.8	16.0	20.9	23.1	17.8	10.9	7.6	5.1	11.0
04	4.1	4.0	4.8	6.6	10.8	15.9	21.0	23.2	17.8	10.9	7.5	5.2	11.0
05	4.1	4.0	4.9	6.5	10.8	16.0	21.2	23.3	17.9	10.9	7.6	5.2	11.0
06	4.1	4.1	4.9	6.5	10.7	15.9	21.1	23.3	18.0	10.8	7.6	5.2	11.0
07	4.1	4.1	5.0	6.6	10.8	15.7	21.0	23.2	18.0	10.9	7.6	5.2	11.0
08	4.1	4.2	5.2	6.8	10.8	15.7	20.9	23.0	18.2	10.9	7.5	5.1	11.0
09	4.0	4.2	5.2	6.8	10.9	15.6	20.7	23.0	18.2	10.8	7.4	5.1	11.0
10	4.0	4.1	5.2	6.7	10.9	15.5	20.7	22.8	17.9	10.6	7.2	5.0	10.9
11	4.0	4.1	5.1	6.7	10.8	15.4	20.5	22.6	17.6	10.5	7.2	5.0	10.8
12	4.0	4.1	5.1	6.5	10.7	15.1	20.2	22.4	17.3	10.3	7.1	4.9	10.6
13	4.0	4.1	5.1	6.5	10.5	15.0	20.1	22.3	17.0	10.3	7.2	4.9	10.6
14	4.0	4.1	5.0	6.5	10.4	15.0	19.9	22.1	16.9	10.1	7.1	4.9	10.5
15	4.0	4.0	4.9	6.5	10.3	14.8	19.9	21.8	16.7	10.0	7.1	4.9	10.4
16	4.0	4.0	4.8	6.3	10.2	14.5	19.6	21.9	16.8	10.2	7.1	4.9	10.4
17	4.0	4.0	4.8	6.3	10.1	14.4	19.5	21.7	16.7	10.1	7.1	4.9	10.3
18	3.9	4.0	4.8	6.3	10.1	14.3	19.4	21.6	16.6	10.2	7.0	4.8	10.3
19	4.0	3.9	4.7	6.2	10.1	14.4	19.4	21.4	16.6	10.2	6.9	4.8	10.2
20	3.9	4.0	4.8	6.2	10.2	14.5	19.5	21.4	16.5	10.2	6.9	4.9	10.2
21	3.9	4.0	4.8	6.4	10.8	15.0	20.2	22.2	16.9	10.2	6.9	4.9	10.5
22	3.9	3.9	4.9	6.5	10.9	15.2	20.5	22.6	18.1	10.8	7.0	4.9	10.8
23	4.0	4.0	5.0	6.6	10.9	15.4	20.5	22.8	18.3	11.1	7.4	5.0	10.9
MEAN	4.0	4.0	4.9	6.5	10.6	15.2	20.4	22.6	17.5	10.5	7.3	5.0	10.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AOMORI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	83	76	70	63	66	78	79	78	74	72	77	83	75
01	81	73	68	60	62	74	76	75	70	68	75	81	72
02	79	71	66	57	59	72	73	72	67	66	73	79	69
03	78	70	64	56	58	70	71	71	65	64	72	78	68
04	78	70	64	55	58	70	72	71	66	65	70	77	68
05	78	71	65	56	58	70	72	71	67	65	72	78	69
06	80	73	65	56	58	70	73	72	69	67	74	79	70
07	83	76	68	58	61	72	75	74	72	70	80	82	73
08	84	79	72	63	64	75	78	77	78	77	84	85	76
09	84	82	76	69	69	79	81	82	86	81	85	85	80
10	84	82	79	74	77	85	86	87	88	83	85	86	83
11	84	83	79	76	80	90	89	90	90	84	84	85	85
12	85	83	79	78	83	92	91	91	91	85	85	86	86
13	85	83	80	79	84	93	91	92	92	85	85	86	86
14	85	83	80	79	85	94	92	93	93	85	85	86	87
15	86	84	79	80	85	94	93	93	92	86	86	86	87
16	86	83	80	79	86	94	93	92	93	86	86	86	87
17	85	84	80	80	87	94	93	93	93	85	86	86	87
18	85	84	81	81	87	94	94	92	94	86	86	85	87
19	85	83	80	81	87	94	94	93	93	86	86	86	87
20	85	84	80	80	86	94	94	93	93	86	86	86	87
21	86	84	80	78	83	92	92	92	93	86	87	86	87
22	86	83	78	73	77	87	88	86	89	84	86	86	84
23	86	80	75	68	71	83	83	82	81	78	83	85	79
MEAN	83	79	74	70	74	84	84	84	83	79	81	84	80

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AOMORI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	22	21	23	23	21	6	5	21	22	21	23	22	22
01	22	24	25	25 *	5	5	5	6	24 *	27	22	24	22
02	25 *	24	26	26	5	4	24	6	27	26 *	21	24	24
03	24	24	23	27	5	4	5	4	27 *	27	26	24	25 *
04	25	27	26 *	28	5	4	3	4	3	27 *	26	24	26
05	25	27	27	25	4	5	4 *	5	28	27	27	26	27
06	25	26 *	27	27	5	4	4	28	28	26	27	25	27
07	24	27	25	28	6	5 *	3 *	3	28	26	24	25	27
08	24 *	26	27	27	5 *	1	27	36	27	22	24	24	27
09	24	24	26	26	24	36	36	2 *	23 *	21	21	24	24
10	24	23	24 *	21	24	2 *	21	22	21	22	22	24	24
11	24	23	23	21	20	22	20 *	20	21	21	25	22	21
12	23	22	21	20	21	23 *	21	20	21	22	20 *	23	22
13	22	22	20	20	21	24	22	19	21	21	22	22	22
14	23	21	22	20	21)	24)	21	20	21	22	21	23	22)
15	22	22 *	21	19	22	1)	21	19	21	21	24	24	22)
16	24	23	20	24	21 *	2)	21	20	20	21	23	22	20)
17	24	23	22	21	21	24)	21	22	21	20	22	23 *	21)
18	23	22	21	20	20	5)	22	20 *	21	21	22	23	22)
19	22	24	22	21	21	23)	21	19	20	20	22 *	24 *	21)
20	22	23	22	19	20	23)	20	20 *	21	21	21	23 *	22)
21	23	21	21	21	22	23	23	21 *	21	20	21	23	21
22	22	21	21	21	22	24 *	21	21	22	21	20	22	21
23	22	21	22	23	24	5	23 *	21	21	20	19	22	22 *
ALL	24	24	22	21	21)	5)	21	21	21	21	22	24	22)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AOMORI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	9.1	9.5	10.4	9.6	9.0	6.3	6.2	6.1	5.9	8.0	7.8	9.3	8.1
01	9.3	9.9	10.9	10.0	9.8	6.5	6.7	6.7	6.4	8.5	8.3	9.6	8.5
02	10.1	10.3	11.3	10.5	9.8	7.0	7.0	7.2	7.0	9.0	8.6	10.5	9.1
03	10.5	11.0	11.6	10.9	10.2	7.4	7.6	7.6	7.4	9.3	9.2	10.5	9.4
04	10.6	11.0	11.7	11.1	10.1	7.8	7.4	7.8	7.6	9.3	9.3	10.5	9.5
05	10.7	11.0	11.6	11.0	10.1	8.0	7.3	8.0	7.4	9.1	9.1	10.5	9.5
06	10.3	10.5	11.2	10.6	9.7	7.5	7.2	7.5	7.0	8.9	8.7	9.8	9.1
07	9.6	10.4	11.1	10.3	9.5	7.4	7.3	7.3	6.5	7.9	7.8	9.7	8.7
08	9.3	9.4	10.3	9.4	8.6	6.5	6.6	6.6	5.6	7.4	7.6	9.2	8.0
09	9.1	8.7	9.0	8.1	7.9	5.9	5.9	5.7	4.6	6.8	7.5	9.1	7.4
10	9.4	9.0	8.7	7.6	6.8	5.2	5.3	5.0	4.5	6.9	7.3	9.1	7.1
11	9.6	8.8	8.7	7.6	7.0	4.9	5.1	4.7	4.4	6.8	7.6	9.1	7.0
12	9.1	8.8	8.5	7.3	6.8	4.8	5.1	4.6	4.6	6.7	7.6	9.2	6.9
13	9.1	8.4	8.7	6.9	6.4	4.4	4.8	4.3	4.4	6.7	7.9	9.4	6.8
14	9.2	8.7	8.7	7.3	6.6	4.6	4.8	4.3	4.4	7.0	7.9	9.6	6.9
15	9.1	8.5	8.7	7.4	6.7	4.5	4.9	4.3	4.4	6.7	7.3	9.4	6.8
16	9.2	8.7	8.4	7.3	6.5	4.8	4.8	4.3	4.2	6.9	7.5	9.1	6.8
17	9.2	8.4	8.4	7.3	6.6	4.5	4.6	4.4	4.0	6.9	7.8	9.1	6.8
18	8.9	8.6	8.3	7.2	6.6	4.6	4.7	4.6	4.1	6.8	7.6	9.0	6.8
19	9.2	8.5	8.3	7.4	6.5	4.5	4.6	4.6	4.1	7.1	7.6	8.7	6.8
20	8.9	8.4	8.2	7.4	6.5	4.7	4.5	4.6	4.0	6.8	7.4	8.8	6.7
21	8.7	8.6	8.5	7.5	6.9	4.8	4.6	4.7	4.2	7.2	7.3	8.6	6.8
22	8.6	8.7	8.8	8.0	7.6	5.1	5.0	4.9	4.4	6.9	7.4	8.8	7.0
23	8.7	8.9	9.5	8.8	8.4	5.9	5.5	5.6	5.2	7.3	7.4	8.9	7.5
MEAN	9.4	9.3	9.6	8.6	7.9	5.7	5.7	5.7	5.3	7.6	7.9	9.4	7.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AOMORI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	-2.4	0.0	-5.2	-3.4	-0.3	-7.1	-1.4	2.0	-5.6	3.8	8.1	-0.8
02	-2.4	-0.2	-5.2	-3.4	-0.3	-7.1	-1.2	2.2	-5.4	3.8	8.2	-0.8
03	-2.6	-0.3	-5.2	-3.4	-0.3	-7.2	-1.1	2.4	-5.2	3.9	8.3	-0.7
04	-2.7	-0.5	-5.3	-3.4	-0.3	-7.2	-0.9	2.6	-5.0	4.0	8.4	-0.7
05	-2.8	-0.7	-5.3	-3.4	-0.4	-7.3	-0.8	2.8	-4.8	4.1	8.5	-0.7
06	-3.0	-0.9	-5.5	-3.4	-0.4	-7.3	-0.7	2.9	-4.7	4.2	8.6	-0.6
07	-3.1	-1.1	-5.6	-3.4	-0.4	-7.2	-0.6	3.0	-4.5	4.3	8.7	-0.6
08	-3.3	-1.2	-5.8	-3.4	-0.4	-7.2	-0.5	3.2	-4.4	4.4	8.8	-0.5
09	-3.4	-1.4	-6.0	-3.3	-0.3	-7.0	-0.4	3.3	-4.3	4.5	9.0	-0.4
10	-3.6	-1.5	-6.2	-3.2	-0.3	-6.9	-0.3	3.4	-4.2	4.7	9.1	-0.3
11	-3.7	-1.6	-6.4	-3.1	-0.2	-6.8	-0.1	3.5	-4.1	4.8	9.4	-0.1
12	-3.8	-1.6	-6.6	-3.0	-0.2	-6.6	0.0	3.6	-4.0	5.0	9.6	0.0
13	-3.9	-1.7	-6.8	-2.9	-0.1	-6.4	0.2	3.8	-3.8	5.2	9.9	0.2
14	-3.9	-1.6	-7.0	-2.8	0.0	-6.3	0.4	4.0	-3.6	5.4	10.1	0.4
15	-3.9	-1.6	-7.2	-2.7	0.1	-6.2	0.7	4.2	-3.4	5.6	10.4	0.5
16	-3.9	-1.5	-7.3	-2.6	0.2	-6.1	0.9	4.3	-3.3	5.9	10.8	0.7
17	-3.8	-1.3	-7.4	-2.6	0.2	-6.0	1.1	4.5	-3.1	6.1	11.2	0.9
18	-3.8	-1.2	-7.5	-2.5	0.3	-6.0	1.3	4.7	-2.9	6.4	11.6	1.0
19	-3.7	-1.1	-7.5	-2.5	0.4	-6.0	1.4	4.9	-2.7	6.7	12.1	1.2
20	-3.6	-0.9	-7.5	-2.4	0.4	-6.0	1.6	5.1	-2.5	7.0	12.6	1.3
21	-3.6	-0.8	-7.4	-2.4	0.5	-6.1	1.8	5.3	-2.3	7.3	13.1	1.5
22	-3.5	-0.6	-7.4	-2.3	0.7	-6.1	1.9	5.5	-2.1	7.7	13.6	1.6
23	-3.4	-0.5	-7.3	-2.2	0.8	-6.1	2.1	5.7	-2.0	8.0	14.2	1.8
24	-3.4	-0.4	-7.2	-2.1	0.9	-6.1	2.3	5.9	-1.8	8.4	14.7	2.0
25	-3.4	-0.4	-7.1	-2.0	1.1	-6.1	2.5	6.2	-1.6	8.7	15.1	2.2
26	-3.3	-0.3	-7.1	-1.9	1.3	-6.0	2.8	6.5	-1.5	9.1	15.5	2.4
27	-3.3	-0.3	-7.0	-1.7	1.5	-5.9	3.0	6.8	-1.3	9.4	15.8	2.6
28	-3.3	-0.2	-7.0	-1.6	1.8	-5.7	3.1	7.1	-1.2	9.7	16.1	2.9
29	-3.3	-0.2	-7.0	-1.5	1.9	-5.6	3.3	7.4	-1.1	9.9	16.3	3.1
30	-3.3	-0.2	-7.0				3.5	7.7	-1.0	10.1	16.5	3.4
31	-3.3	-0.2	-7.0				3.7	7.9	-0.9			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AOMORI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	10.3	16.6	3.6	15.5	21.7	9.5	18.1	23.6	13.4	23.3	28.0	19.1
02	10.5	16.6	3.8	15.5	21.7	9.7	18.3	23.8	13.7	23.3	28.0	19.1
03	10.6	16.7	4.0	15.5	21.6	9.8	18.6	24.0	14.0	23.3	28.0	19.1
04	10.7	16.7	4.2	15.5	21.5	10.0	18.8	24.1	14.2	23.3	28.0	19.0
05	10.8	16.7	4.3	15.5	21.4	10.2	19.0	24.3	14.5	23.2	27.9	18.8
06	10.9	16.7	4.5	15.6	21.4	10.4	19.2	24.4	14.7	23.1	27.8	18.7
07	10.9	16.7	4.6	15.6	21.3	10.6	19.4	24.5	14.9	23.1	27.7	18.6
08	11.0	16.7	4.8	15.7	21.2	10.8	19.6	24.6	15.1	23.0	27.6	18.5
09	11.1	16.8	4.9	15.7	21.2	11.0	19.7	24.7	15.3	22.9	27.5	18.3
10	11.2	16.8	5.1	15.8	21.2	11.2	19.8	24.7	15.4	22.8	27.4	18.2
11	11.2	16.9	5.2	15.9	21.2	11.5	19.9	24.8	15.6	22.7	27.4	18.2
12	11.4	17.1	5.4	16.0	21.2	11.7	20.0	24.8	15.7	22.6	27.3	18.1
13	11.5	17.2	5.6	16.1	21.2	11.9	20.0	24.8	15.7	22.6	27.2	18.1
14	11.6	17.4	5.8	16.2	21.2	12.1	20.1	24.8	15.8	22.6	27.2	18.1
15	11.8	17.6	6.0	16.3	21.3	12.3	20.1	24.8	15.9	22.6	27.1	18.2
16	12.0	17.9	6.2	16.4	21.3	12.4	20.1	24.8	15.9	22.5	27.1	18.2
17	12.2	18.1	6.4	16.4	21.3	12.5	20.2	24.9	16.0	22.5	27.0	18.2
18	12.5	18.4	6.6	16.5	21.4	12.6	20.2	24.9	16.1	22.4	26.9	18.2
19	12.8	18.8	6.8	16.6	21.5	12.6	20.3	25.0	16.2	22.4	26.9	18.1
20	13.0	19.1	7.0	16.6	21.6	12.6	20.5	25.1	16.4	22.3	26.8	18.1
21	13.3	19.5	7.3	16.7	21.7	12.6	20.7	25.3	16.6	22.2	26.7	18.0
22	13.6	19.8	7.5	16.7	21.8	12.5	20.9	25.5	16.9	22.0	26.6	17.8
23	13.9	20.2	7.7	16.8	21.9	12.5	21.1	25.7	17.2	21.9	26.4	17.6
24	14.2	20.5	8.0	16.9	22.1	12.5	21.4	26.0	17.5	21.7	26.3	17.4
25	14.5	20.8	8.2	17.0	22.3	12.5	21.7	26.3	17.8	21.5	26.2	17.1
26	14.7	21.1	8.5	17.1	22.5	12.6	22.0	26.7	18.1	21.4	26.1	16.9
27	15.0	21.3	8.7	17.3	22.7	12.7	22.3	27.0	18.4	21.3	26.0	16.7
28	15.1	21.5	8.9	17.5	22.9	12.8	22.6	27.3	18.7	21.1	26.0	16.6
29	15.3	21.6	9.0	17.7	23.1	13.0	22.9	27.5	18.9	21.0	25.9	16.4
30	15.4	21.7	9.2	17.9	23.4	13.2	23.0	27.7	19.0	20.9	25.8	16.3
31	15.4	21.7	9.4				23.2	27.9	19.1	20.8	25.8	16.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AOMORI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 40° 44.0'N, LONGITUDE: 140° 41.1'E, ELEVATION ABOVE MSL: 650 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	20.8	25.7	16.2	14.8	20.2	9.1	8.0	12.7	2.7	1.8	5.4	-2.0
02	20.7	25.6	16.1	14.6	19.9	8.9	7.8	12.5	2.5	1.5	5.1	-2.2
03	20.5	25.5	16.0	14.3	19.5	8.6	7.7	12.3	2.3	1.3	4.8	-2.3
04	20.4	25.4	15.9	14.0	19.2	8.3	7.5	12.1	2.1	1.0	4.5	-2.5
05	20.3	25.2	15.8	13.6	18.8	8.0	7.3	11.9	2.0	0.8	4.2	-2.7
06	20.1	25.0	15.6	13.3	18.5	7.7	7.1	11.7	1.8	0.6	3.9	-2.8
07	19.9	24.9	15.4	13.1	18.2	7.5	6.8	11.5	1.6	0.4	3.6	-3.0
08	19.8	24.7	15.2	12.8	17.9	7.2	6.6	11.2	1.5	0.2	3.4	-3.1
09	19.6	24.5	15.0	12.5	17.6	6.9	6.4	11.0	1.3	0.1	3.1	-3.3
10	19.4	24.4	14.7	12.2	17.3	6.7	6.1	10.7	1.1	-0.1	2.9	-3.4
11	19.2	24.2	14.4	12.0	17.1	6.4	5.9	10.4	1.0	-0.2	2.8	-3.5
12	19.0	24.1	14.2	11.8	16.9	6.2	5.7	10.2	0.9	-0.2	2.7	-3.6
13	18.8	23.9	13.9	11.5	16.6	5.9	5.5	9.9	0.7	-0.3	2.7	-3.7
14	18.6	23.8	13.6	11.3	16.4	5.7	5.2	9.7	0.6	-0.3	2.6	-3.8
15	18.4	23.6	13.3	11.1	16.3	5.5	5.0	9.4	0.4	-0.4	2.6	-3.8
16	18.2	23.5	13.0	10.9	16.1	5.2	4.8	9.1	0.3	-0.5	2.6	-3.9
17	18.0	23.4	12.6	10.7	15.9	5.0	4.6	8.8	0.2	-0.5	2.6	-4.0
18	17.7	23.2	12.3	10.5	15.7	4.8	4.4	8.6	0.0	-0.6	2.5	-4.1
19	17.5	23.0	12.0	10.4	15.5	4.6	4.2	8.3	-0.2	-0.7	2.5	-4.2
20	17.3	22.9	11.7	10.2	15.2	4.5	4.0	8.0	-0.3	-0.8	2.4	-4.4
21	17.1	22.7	11.4	10.0	15.0	4.3	3.8	7.7	-0.5	-0.9	2.2	-4.5
22	16.9	22.5	11.2	9.8	14.8	4.2	3.6	7.5	-0.7	-1.1	2.1	-4.6
23	16.7	22.3	10.9	9.6	14.5	4.1	3.4	7.2	-0.8	-1.2	1.9	-4.7
24	16.5	22.1	10.7	9.5	14.3	4.0	3.2	7.0	-1.0	-1.4	1.7	-4.9
25	16.2	21.9	10.5	9.3	14.1	3.8	3.0	6.8	-1.1	-1.5	1.4	-5.0
26	16.0	21.6	10.3	9.1	13.8	3.7	2.8	6.6	-1.3	-1.7	1.2	-5.1
27	15.8	21.4	10.1	8.9	13.6	3.5	2.6	6.3	-1.4	-1.8	1.0	-5.1
28	15.6	21.1	9.9	8.7	13.4	3.4	2.4	6.1	-1.6	-2.0	0.8	-5.2
29	15.4	20.8	9.6	8.5	13.2	3.2	2.2	5.9	-1.7	-2.1	0.6	-5.2
30	15.1	20.5	9.4	8.4	13.0	3.0	2.0	5.7	-1.8	-2.2	0.4	-5.2
31				8.2	12.9	2.8				-2.3	0.2	-5.2