

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: FUKUSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	-	-	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	1	1	3	2	2	5	6	8
01	1	1	3	2	3	6	6	8
02	-	1	3	3	3	5	5	6
03	-	1	4	4	5	5	6	6
04	1	1	3	3	4	5	6	6
05	-	-	3	4	5	5	6	6
06	-	-	2	3	4	5	5	6
07	-	-	3	4	5	5	5	5
08	1	1	3	3	3	4	7	8
09	-	-	4	5	5	6	6	8
10	-	-	3	4	4	5	6	8
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	3	3	3	4	6	8
23	1	1	4	2	2	4	7	8
MEAN	0	1	3	3	3	5	6	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: FUKUSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	-	-	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	-	2	2	4	8	8	10
01	1	1	1	1	2	6	8	8
02	-	-	2	3	4	5	6	7
03	-	-	1	1	2	4	6	8
04	1	1	1	1	2	4	9	12
05	1	1	2	2	3	5	8	11
06	-	-	2	4	4	4	9	10
07	-	-	1	2	2	4	8	8
08	-	-	2	3	3	4	8	8
09	-	-	3	3	3	5	8	9
10	-	-	4	3	4	5	7	7
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	6	6	6	8	9	13
23	0)	0)	4)	4)	4)	6	8	9
MEAN	0)	0)	2)	3)	3)	5	8	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: FUKUSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	-	-	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	1	1	6	5	6	7	10	14
01	0)	0)	5)	5)	5)	6	9	12
02	1)	1)	6)	5)	5)	5	8	14
03	1)	1)	5)	5)	6)	7	10	12
04	-	-	5	5	6	7	10	12
05	-	-	5	6	6	6	9	10
06	1	1	5	5	5	6	10	12
07	-	-	5	5	6	8	10	12
08	-	-	5	5	7	8	10	11
09	1	1	5	6	6	7	9	9
10	-	-	6	6	6	7	9	10
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	2	5	3	4	6	10	14
23	1	1	5	3	3	5	10	14
MEAN	0)	0)	5)	5)	6)	7	10	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: FUKUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	-	-	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	-	3	3	4	4	6	11
01	-	-	4	5	6	6	8	11
02	-	-	3	3	5	5	10	11
03	-	-	3	3	5	5	10	10
04	-	-	2	3	3	3	7	9
05	-	-	3	3	3	3	5	7
06	-	-	3	3	3	3	6	8
07	-	-	3	3	3	3	5	7
08	-	-	4	4	4	5	7	10
09	-	-	3	3	3	3	7	9
10	-	-	3	4	4	5	9	11
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	2	2	6	5	6	8	11	12
23	-	1	5	5	6	7	9	11
MEAN	0)	0)	3)	4)	4)	5)	8)	10)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: FUKUSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	-	-	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	-	3	3	3	3	5	8
01	-	-	1	2	3	3	4	6
02	-	-	1	1	1	1	4	6
03	-	-	2	2	2	2	3	5
04	-	-	1	1	1	2	3	3
05	-	-	1	1	2	2	3	3
06	-	-	1	1	2	2	3	3
07	-	-	1	1	1	2	4	5
08	-	-	1	1	2	3	3	5
09	-	-	1	1	2	2	4	5
10	-	-	1	1	2	2	3	4
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	3	4	5	5	10	17
23	-	-	2	3	3	3	8	10
MEAN	0)	0)	1)	2)	2)	2)	4)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: FUKUSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	-	-	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	-	3	4	5	5	7	13
01	-	-	3	3	5	5	7	10
02	-	-	1	2	2	3	6	9
03	-	-	1	1	2	2	4	6
04	-	-	1	1	1	1	5	6
05	0)	0)	1)	1)	1)	1	1	5
06	0)	0)	1)	1)	1)	1	2	5
07	0)	0)	1)	1)	1)	1	1	3
08	-	-	1	1	1	1	4	5
09	-	-	-	-	-	-	2	5
10	-	-	1	1	2	2	7	9
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	9	9	11	11	18	26
23	-	-	4	5	7	7	13	19
MEAN	0)	0)	2)	2)	3)	3)	6)	9)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: FUKUSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	-	-	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	0)	0)	3)	5)	8)	9	13	20
01	-	-	1	3	5	5	9	13
02	-	-	1	1	1	1	5	8
03	-	-	-	1	1	1	5	8
04	-	-	-	-	-	-	5	8
05	-	-	-	-	-	-	1	4
06	-	-	-	-	-	-	1	3
07	1	1	1	1	1	2	2	5
08	-	-	1	1	1	1	3	6
09	-	-	2	2	3	3	5	6
10	-	-	1	1	1	1	2	5
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	7	9	12	12	19	32
23	1	1	3	3	5	6	15	27
MEAN	0)	0)	1)	2)	3)	3)	7)	11)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: FUKUSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	-	-	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	-	5	5	6	7	14	17
01	-	-	2	4	6	6	8	13
02	-	-	2	4	5	6	10	12
03	-	-	3	3	4	4	7	8
04	1	1	3	3	3	4	5	7
05	0)	0)	2)	2)	3)	3	5	7
06	-	-	2	2	3	3	6	8
07	-	-	1	2	3	3	6	8
08	-	-	3	3	4	4	8	8
09	-	-	3	3	3	3	6	8
10	-	-	5	5	5	6	8	9
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	11	12	15	17	25	32
23	-	-	6	8	10	11	18	25
MEAN	0)	0)	4)	4)	5)	6)	10)	13)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: FUKUSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	-	-	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	-	5	8	8	9	15	21
01	0)	0)	4)	5)	7)	7	15	17
02	-	-	4	5	5	5	11	15
03	-	-	3	3	4	4	9	12
04	-	-	3	3	3	3	6	9
05	0)	0)	3)	3)	3)	3	7	9
06	0)	0)	3)	3)	3)	3	7	9
07	-	-	3	4	4	4	7	8
08	-	-	4	5	5	5	8	9
09	-	-	5	5	5	5	9	11
10	-	-	6	5	5	6	9	10
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	3	11	9	10	15	29	35
23	-	2	9	11	13	14	23	28
MEAN	0)	0)	5)	5)	6)	6)	12)	15)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: FUKUSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	-	-	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	1	3	5	7	7	11	12
01	-	-	3	4	6	6	10	10
02	-	-	1	2	3	4	6	8
03	-	-	2	3	3	3	5	7
04	-	-	1	1	2	2	3	5
05	0)	0)	0)	1)	1)	2	3	5
06	-	-	2	2	3	3	6	8
07	0)	0)	2)	2)	3)	4	8	8
08	-	-	2	3	5	5	6	7
09	-	-	3	3	3	3	6	8
10	-	-	3	4	4	5	6	8
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	2	2	8	5	5	9	17	20
23	3	3	6	5	6	7	12	15
MEAN	0)	0)	3)	3)	4)	5)	8)	9)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: FUKUSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	-	-	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	2	3	3	3	3	5	14	16
01	1	1	3	3	3	6	11	13
02	1	1	3	3	5	5	9	12
03	1	1	3	3	4	5	7	9
04	1	1	3	3	4	5	6	8
05	-	-	2	2	3	4	7	11
06	1	1	3	4	5	5	7	9
07	-	-	3	3	5	5	8	9
08	-	-	4	5	5	5	8	11
09	-	-	5	5	7	7	9	11
10	1	1	5	5	5	5	7	8
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	2)	4)	8)	4)	5)	9	13	19
23	2	3	6	6	6	8	13	15
MEAN	1)	1)	4)	4)	5)	6)	9)	12)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: FUKUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	-	-	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	2	2	3	1	2	5	8	8
01	-	1	4	3	3	6	6	8
02	0)	0)	2)	2)	5)	6	8	9
03	-	-	1	1	3	4	7	8
04	0)	0)	1)	1)	2)	3	5	6
05	1)	1)	3)	3)	3)	4	6	6
06	1	1	1	1	1	3	3	3
07	-	1	1	1	1	2	4	5
08	-	-	-	1	1	3	3	6
09	-	-	1	1	1	1	3	5
10	-	-	2	2	3	3	5	6
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	2	4	3	3	6	8	9
23	3	4	6	4	4	7	7	8
MEAN	1)	1)	2)	2)	2)	4)	6)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: FUKUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

NUMBER OF FORWARD SCATTER: RWY01

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	-	-	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	0)	1)	4)	4)	5)	6	10	13
01	0)	0)	3)	3)	5)	6	8	11
02	0)	0)	2)	3)	4)	4	7	10
03	0)	0)	2)	3)	3)	4	6	8
04	0)	0)	2)	2)	3)	3	6	8
05	0)	0)	2)	2)	3)	3	5	7
06	0)	0)	2)	2)	3)	3	5	7
07	0)	0)	2)	2)	3)	4	6	7
08	0	0	2	3	3	4	6	8
09	0	0	3	3	3	4	6	8
10	0	0	3	3	4	4	6	8
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1)	2)	7)	6)	7)	9	15	20
23	1)	1)	5)	5)	6)	7	12	16
MEAN	0)	0)	3)	3)	4)	5)	8)	10)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: FUKUSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<600	<900	<1100	<1500	<1600	<2400	<3200	<5000
00	3	3	3	4	5	5	6	7
01	3	3	4	5	6	6	6	7
02	2	4	4	5	5	5	5	6
03	1	3	3	3	3	5	5	6
04	2	3	3	4	5	5	6	6
05	1	3	3	4	4	5	5	5
06	1	1	3	5	5	5	5	5
07	1	3	3	5	5	5	5	5
08	1	3	3	4	4	5	7	8
09	1	2	3	5	5	6	6	8
10	1	3	3	4	4	6	6	8
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	3	3	3	5	6	6	7
23	3	3	3	3	5	5	6	8
MEAN	2	3	3	4	5	5	6	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: FUKUSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<600	<900	<1100	<1500	<1600	<2400	<3200	<5000
00	1	1	4	5	6	6	7	10
01	1	1	4	5	5	5	6	6
02	-	1	3	5	5	6	6	6
03	-	-	1	3	4	4	6	6
04	1	1	1	4	4	6	7	9
05	1	1	2	4	4	7	7	9
06	-	1	1	4	4	4	5	8
07	-	-	1	2	4	6	7	8
08	1	1	2	3	4	7	7	8
09	1	3	3	4	5	6	7	8
10	1	3	3	4	4	6	7	7
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	4	5	7	8	8	8	11
23	-	1	2	5	7	8	8	8
MEAN	1	1	2	4	5	6	7	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: FUKUSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<600	<900	<1100	<1500	<1600	<2400	<3200	<5000
00	2	4	5	5	6	8	8	10
01	-	1	3	5	5	6	6	8
02	-	2	2	3	5	6	7	10
03	-	1	1	3	5	6	8	10
04	1	1	2	3	4	5	6	9
05	1	3	3	4	5	5	5	7
06	1	3	3	3	4	5	6	8
07	3	3	4	4	5	6	6	8
08	1	2	2	3	3	5	6	10
09	3	4	5	5	6	7	7	9
10	1	4	4	5	5	5	6	8
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	2	3	4	4	5	8	9	10
23	1	2	3	3	5	7	8	10
MEAN	1	2	3	4	5	6	7	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: FUKUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<600	<900	<1100	<1500	<1600	<2400	<3200	<5000
00	-	-	1	1	2	3	3	5
01	-	1	2	3	3	3	3	5
02	-	1	1	1	2	3	5	7
03	-	1	1	2	3	3	5	7
04	-	1	1	1	2	3	5	5
05	-	1	1	1	1	3	5	5
06	-	1	1	1	1	3	5	5
07	-	1	1	1	2	4	5	5
08	-	1	1	2	3	5	5	8
09	-	1	1	1	2	5	5	7
10	1	1	1	3	3	6	7	11
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	4	5	5	5	7	8	10
23	-	1	2	4	4	5	7	7
MEAN	0)	1)	2)	2)	3)	4)	5)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: FUKUSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<600	<900	<1100	<1500	<1600	<2400	<3200	<5000
00	1	1	1	1	2	2	3	4
01	-	-	-	1	1	3	3	4
02	-	-	-	-	-	1	2	5
03	-	-	-	-	1	2	2	3
04	-	-	1	1	1	2	2	2
05	-	-	-	-	-	2	3	3
06	-	-	-	-	-	1	1	3
07	-	-	-	1	1	1	1	3
08	-	-	-	1	1	1	3	3
09	-	-	-	-	-	2	3	4
10	-	-	-	-	-	1	1	4
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	2	2	2	3	5	6	9
23	-	1	1	2	2	3	3	5
MEAN	0)	0)	0)	1)	1)	2)	3)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: FUKUSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<600	<900	<1100	<1500	<1600	<2400	<3200	<5000
00	-	-	1	1	1	2	4	5
01	-	1	1	1	1	4	5	5
02	1	1	1	1	1	3	3	5
03	-	-	-	1	1	2	3	3
04	-	-	-	-	1	1	2	3
05	-	-	-	-	-	-	1	3
06	-	-	-	-	1	1	1	3
07	-	-	-	-	1	1	1	1
08	-	-	-	1	1	1	1	2
09	-	-	-	-	-	1	1	3
10	-	-	-	-	-	1	5	7
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	2	3	3	4	9	11	17
23	1	1	1	1	3	3	7	10
MEAN	0)	0)	0)	1)	1)	2)	3)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: FUKUSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<600	<900	<1100	<1500	<1600	<2400	<3200	<5000
00	1	1	1	1	3	4	6	6
01	-	-	-	-	1	3	3	5
02	-	-	-	-	-	1	1	5
03	-	-	-	-	1	1	3	5
04	-	-	-	-	1	1	3	5
05	-	-	-	-	-	-	1	1
06	-	-	-	-	-	1	1	2
07	1	1	1	1	1	1	1	3
08	1	1	1	1	1	2	3	5
09	-	-	1	1	1	1	4	6
10	-	-	-	-	1	2	2	4
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	2	3	4	8	15	21
23	1	1	1	1	1	3	8	11
MEAN	0)	0)	0)	1)	1)	2)	4)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: FUKUSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<600	<900	<1100	<1500	<1600	<2400	<3200	<5000
00	1	1	2	3	3	3	5	8
01	-	1	1	2	2	3	5	6
02	-	-	1	1	3	6	7	8
03	-	-	1	1	1	3	5	6
04	-	1	1	1	2	3	4	5
05	-	-	1	1	2	3	3	5
06	-	-	1	2	2	3	4	5
07	-	-	1	1	1	3	4	6
08	1	1	1	1	2	5	6	7
09	1	1	1	1	3	3	5	6
10	1	2	2	2	3	4	5	5
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	2	3	4	5	10	14	19	23
23	-	1	2	3	4	7	9	12
MEAN	0)	1)	1)	2)	3)	4)	6)	8)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: FUKUSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<600	<900	<1100	<1500	<1600	<2400	<3200	<5000
00	1	1	1	2	3	7	9	13
01	1	1	2	3	3	5	7	9
02	-	-	-	1	4	5	7	9
03	-	-	1	1	3	5	7	9
04	-	-	-	-	2	2	3	4
05	-	-	-	-	1	4	5	7
06	-	-	-	1	1	3	5	5
07	-	1	1	1	3	5	5	6
08	-	1	1	1	3	4	5	7
09	1	1	1	2	4	5	7	8
10	-	-	1	3	3	5	7	7
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	5	7	8	10	12	17	23	28
23	2	3	5	7	9	13	18	23
MEAN	1)	1)	2)	2)	4)	6)	8)	10)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: FUKUSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<600	<900	<1100	<1500	<1600	<2400	<3200	<5000
00	1	1	1	1	2	5	6	8
01	-	1	1	1	1	3	4	5
02	1	1	1	1	1	1	2	3
03	1	1	1	1	1	1	2	4
04	-	-	-	-	1	2	2	3
05	-	-	-	1	1	1	1	1
06	-	1	1	1	2	2	3	3
07	-	-	1	1	2	2	5	6
08	-	-	1	2	2	3	3	5
09	-	1	1	2	3	3	4	6
10	1	1	1	1	2	3	5	6
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	5	6	6	8	12	15	19
23	2	3	3	5	5	6	8	12
MEAN	1)	1)	1)	2)	2)	3)	5)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: FUKUSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<600	<900	<1100	<1500	<1600	<2400	<3200	<5000
00	3	3	3	4	6	9	12	13
01	1	1	2	5	7	7	9	9
02	1	2	2	2	4	5	7	9
03	1	2	3	3	3	5	6	7
04	1	3	3	3	4	5	5	6
05	-	1	1	1	1	4	6	9
06	1	1	1	2	4	4	5	7
07	1	2	2	2	3	5	7	9
08	1	1	1	1	3	4	5	9
09	2	2	3	3	4	5	7	9
10	1	3	3	3	6	6	6	8
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	5	7	7	8	9	10	11	16
23	3	5	6	7	7	10	11	13
MEAN	2)	3)	3)	3)	5)	6)	8)	10)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: FUKUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<600	<900	<1100	<1500	<1600	<2400	<3200	<5000
00	3	3	4	4	6	7	8	8
01	1	3	5	6	6	6	6	7
02	1	3	3	3	4	4	5	6
03	1	2	3	3	3	3	5	6
04	1	2	2	3	3	3	4	5
05	2	3	3	3	3	3	5	5
06	1	1	1	2	2	2	3	3
07	1	1	1	1	2	3	4	4
08	1	1	2	2	2	3	3	5
09	-	-	-	-	1	3	3	3
10	1	1	1	2	2	3	4	5
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	3	4	5	6	7	8	9
23	3	5	5	6	6	7	7	8
MEAN	1)	2)	2)	3)	3)	4)	5)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: FUKUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<600	<900	<1100	<1500	<1600	<2400	<3200	<5000
00	1	2	2	3	4	5	7	8
01	1	1	2	3	3	4	5	6
02	0	1	1	2	3	4	5	6
03	0	1	1	2	2	3	5	6
04	0	1	1	2	2	3	4	5
05	0	1	1	2	2	3	4	5
06	0	1	1	2	2	3	4	5
07	1	1	1	2	3	3	4	5
08	0	1	1	2	2	4	5	6
09	1	1	1	2	3	4	5	6
10	1	1	1	2	3	4	5	7
11	x	x	x	x	x	x	x	x
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	2	4	4	5	7	9	12	15
23	1	2	3	4	5	6	8	11
MEAN	1)	1)	2)	2)	3)	4)	5)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: FUKUSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	2	2	2	3	5
01	-	-	2	2	3	3	4
02	-	-	3	3	3	4	5
03	-	-	3	4	5	5	5
04	-	-	3	3	4	5	5
05	-	-	3	4	5	5	5
06	-	-	2	3	4	4	5
07	-	-	3	4	5	5	5
08	-	-	3	3	3	3	3
09	-	-	4	5	5	5	6
10	-	-	3	4	4	5	5
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	3	3	3	4	5
23	-	-	2	2	2	2	3
MEAN	-	-	3	3	3	4	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: FUKUSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	2	2	4	7	8
01	-	-	1	1	2	6	7
02	-	-	2	3	4	5	6
03	-	-	1	1	2	4	5
04	-	-	1	1	2	5	6
05	-	-	1	2	3	4	8
06	-	-	2	4	4	7	8
07	-	-	1	2	2	4	6
08	-	-	1	3	3	4	4
09	-	-	1	3	3	4	5
10	-	-	2	3	4	4	5
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	6	6	6	7	9
23	-	-	4	4	4	6	8
MEAN	-	-	2	3	3	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: FUKUSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	5	5	6	9	12
01	-	-	5	5	5	8	10
02	-	-	5	5	5	6	11
03	-	-	5	5	6	8	10
04	-	-	5	5	6	8	10
05	-	-	5	6	6	9	10
06	-	-	5	5	5	8	10
07	-	-	5	5	6	8	10
08	-	-	5	5	7	9	9
09	-	-	5	6	6	6	7
10	-	-	6	6	6	8	8
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	3	3	4	6	10
23	-	-	3	3	3	6	10
MEAN	-	-	4	5	6	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: FUKUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	3	3	4	6	10
01	-	-	4	5	6	8	10
02	-	-	3	3	5	10	11
03	-	-	3	3	5	9	9
04	-	-	2	3	3	5	7
05	-	-	3	3	3	5	6
06	-	-	3	3	3	4	6
07	-	-	3	3	3	5	5
08	-	-	4	4	4	7	8
09	-	-	3	3	3	6	7
10	-	-	3	4	4	7	9
11	x	x	x	x	x	x	x
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	5	5	6	8	9
23	-	-	5	5	6	8	9
MEAN	0)	0)	3)	4)	4)	7)	8)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: FUKUSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	3	3	3	5	8
01	-	-	1	2	3	3	5
02	-	-	1	1	1	3	5
03	-	-	2	2	2	3	3
04	-	-	1	1	1	3	3
05	-	-	1	1	2	3	3
06	-	-	1	1	2	2	3
07	-	-	1	1	1	3	4
08	-	-	1	1	2	3	4
09	-	-	1	1	2	3	4
10	-	-	1	1	2	2	2
11	x	x	x	x	x	x	x
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	2	4	5	7	12
23	-	-	2	3	3	6	9
MEAN	0)	0)	1)	2)	2)	3)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: FUKUSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	3	4	5	5	13
01	-	-	3	3	5	6	9
02	-	-	1	2	2	5	7
03	-	-	1	1	2	4	6
04	-	-	1	1	1	4	6
05	-	-	1	1	1	1	3
06	-	-	1	1	1	1	3
07	-	-	1	1	1	1	3
08	-	-	1	1	1	3	4
09	-	-	-	-	-	1	3
10	-	-	1	1	2	3	5
11	x	x	x	x	x	x	x
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	9	9	11	16	21
23	-	-	4	5	7	11	17
MEAN	0)	0)	2)	2)	3)	5)	8)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: FUKUSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	3	5	8	12	18
01	-	-	1	3	5	8	12
02	-	-	1	1	1	4	6
03	-	-	-	1	1	3	5
04	-	-	-	-	-	3	6
05	-	-	-	-	-	1	3
06	-	-	-	-	-	-	1
07	-	-	1	1	1	2	5
08	-	-	1	1	1	3	3
09	-	-	2	2	3	4	5
10	-	-	1	1	1	2	3
11	x	x	x	x	x	x	x
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	6	9	12	14	21
23	-	-	2	3	5	10	21
MEAN	0)	0)	1)	2)	3)	5)	8)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: FUKUSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	5	5	6	14	16
01	-	-	2	4	6	8	11
02	-	-	2	4	5	9	10
03	-	-	3	3	4	6	6
04	-	-	2	3	3	3	5
05	-	-	2	2	3	3	5
06	-	-	2	2	3	5	6
07	-	-	1	2	3	3	5
08	-	-	3	3	4	5	6
09	-	-	3	3	3	3	3
10	-	-	5	5	5	6	8
11	x	x	x	x	x	x	x
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	10	12	15	18	23
23	-	-	6	8	10	16	22
MEAN	0)	0)	3)	4)	5)	8)	10)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: FUKUSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	5	8	8	11	14
01	-	-	4	5	7	13	15
02	-	-	4	5	5	8	11
03	-	-	3	3	4	7	9
04	-	-	3	3	3	6	8
05	-	-	3	3	3	7	9
06	-	-	3	3	3	5	7
07	-	-	3	4	4	5	7
08	-	-	4	5	5	6	7
09	-	-	5	5	5	7	8
10	-	-	5	5	5	7	7
11	x	x	x	x	x	x	x
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	8	9	10	16	20
23	-	-	7	11	13	15	17
MEAN	0)	0)	5)	5)	6)	9)	11)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: FUKUSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	3	5	7	9	10
01	-	-	3	4	6	10	10
02	-	-	1	2	3	5	7
03	-	-	2	3	3	4	6
04	-	-	1	1	2	3	5
05	-	-	-	1	1	3	5
06	-	-	2	2	3	5	7
07	-	-	2	2	3	6	7
08	-	-	2	3	5	6	6
09	-	-	3	3	3	5	7
10	-	-	3	4	4	5	7
11	x	x	x	x	x	x	x
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	5	5	5	7	9
23	-	-	4	5	6	8	10
MEAN	0)	0)	2)	3)	4)	6)	8)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: FUKUSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	3	3	5	7
01	-	-	2	3	3	5	7
02	-	-	2	3	5	6	9
03	-	-	3	3	4	5	7
04	-	-	3	3	4	5	7
05	-	-	1	2	3	5	7
06	-	-	3	4	5	6	7
07	-	-	3	3	5	6	7
08	-	-	4	5	5	6	7
09	-	-	5	5	7	7	9
10	-	-	5	5	5	5	5
11	x	x	x	x	x	x	x
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	3	4	5	6	9
23	-	1	4	6	6	7	8
MEAN	0)	0)	3)	4)	5)	6)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: FUKUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	1	2	3	5
01	-	-	3	3	3	5	5
02	-	-	2	2	5	7	8
03	-	-	1	1	3	4	5
04	-	-	1	1	2	3	5
05	-	-	3	3	3	4	5
06	-	-	1	1	1	2	3
07	-	-	1	1	1	2	3
08	-	-	-	1	1	3	5
09	-	-	1	1	1	2	4
10	-	-	2	2	3	3	4
11	x	x	x	x	x	x	x
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	2	3	3	4	5
23	-	-	3	4	4	5	5
MEAN	0)	0)	2)	2)	2)	3)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: FUKUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	3	4	5	7	10
01	-	-	2	3	5	7	9
02	-	-	2	3	4	6	8
03	-	-	2	3	3	5	6
04	-	-	2	2	3	4	6
05	-	-	2	2	3	4	6
06	-	-	2	2	3	4	5
07	-	-	2	2	3	4	5
08	-	-	2	3	3	5	6
09	-	-	3	3	3	4	6
10	-	-	3	3	4	5	6
11	x	x	x	x	x	x	x
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	5	6	7	9	13
23	-	0	4	5	6	8	12
MEAN	0)	0)	3)	3)	4)	6)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: FUKUSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	8	0	-	-	-	-	-	-	-	-	-	8
[35-36-01]	5	11	5	1	0	-	-	-	-	-	-	21
[02-03-04]	3	2	0	-	-	-	-	-	-	-	-	6
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	1
[11-12-13]	4	0	-	-	-	-	-	-	-	-	-	4
[14-15-16]	4	1	-	-	-	-	-	-	-	-	-	5
[17-18-19]	2	1	0	-	-	-	-	-	-	-	-	3
[20-21-22]	2	1	0	-	-	-	-	-	-	-	-	3
[23-24-25]	1	0	-	-	-	-	-	-	-	-	-	1
[26-27-28]	2	2	0	-	-	-	-	-	-	-	-	3
[29-30-31]	2	7	5	1	-	0	-	-	-	-	-	15
[32-33-34]	3	12	10	3	0	0	-	-	-	-	-	29
TOTAL	37	37	21	5	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: FUKUSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	7	0	-	-	-	-	-	-	-	-	-	7
[35-36-01]	5	11	7	1	0	-	-	-	-	-	-	24
[02-03-04]	3	2	0	0	0	-	-	-	-	-	-	5
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	1
[11-12-13]	4	1	-	-	-	-	-	-	-	-	-	5
[14-15-16]	5	1	0	-	-	-	-	-	-	-	-	6
[17-18-19]	2	1	0	-	-	-	-	-	-	-	-	4
[20-21-22]	2	1	0	0	-	-	-	-	-	-	-	3
[23-24-25]	1	1	0	-	-	-	-	-	-	-	-	2
[26-27-28]	1	1	0	0	-	-	-	-	-	-	-	2
[29-30-31]	1	4	4	1	0	-	-	-	-	-	-	11
[32-33-34]	2	9	12	4	1	0	-	-	-	-	-	28
TOTAL	34	33	25	7	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: FUKUSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	8)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[35-36-01]	4)	12)	7)	2)	0)	0)	0)	0)	0)	0)	0)	25)
[02-03-04]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[08-09-10]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[11-12-13]	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[14-15-16]	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[17-18-19]	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[20-21-22]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[29-30-31]	2)	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[32-33-34]	2)	6)	9)	3)	1)	0)	0)	0)	0)	0)	0)	21)
TOTAL	35)	34)	22)	7)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: FUKUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	11	0	-	-	-	-	-	-	-	-	-	11
[35-36-01]	3	8	6	1	0	0	-	-	-	-	-	19
[02-03-04]	2	2	0	0	-	-	-	-	-	-	-	5
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	1	1	0	-	-	-	-	-	-	-	-	2
[11-12-13]	6	3	0	-	-	-	-	-	-	-	-	9
[14-15-16]	7	4	0	-	-	-	-	-	-	-	-	11
[17-18-19]	2	5	3	1	0	0	-	-	-	-	-	11
[20-21-22]	2	3	1	0	-	-	-	-	-	-	-	6
[23-24-25]	1	1	0	0	0	-	-	-	-	-	-	2
[26-27-28]	1	0	0	0	0	-	-	-	-	-	-	2
[29-30-31]	1	2	2	1	0	-	-	-	-	-	-	6
[32-33-34]	2	5	6	2	0	-	-	-	-	-	-	14
TOTAL	39	34	20	5	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: FUKUSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	10	0	-	-	-	-	-	-	-	-	-	10
[35-36-01]	4	10	5	1	-	-	-	-	-	-	-	19
[02-03-04]	3	2	0	-	-	-	-	-	-	-	-	5
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	1	0	0	-	-	-	-	-	-	-	-	2
[11-12-13]	7	2	0	-	-	-	-	-	-	-	-	9
[14-15-16]	7	4	0	-	-	-	-	-	-	-	-	11
[17-18-19]	3	6	4	0	-	-	-	-	-	-	-	13
[20-21-22]	2	3	1	0	-	-	-	-	-	-	-	6
[23-24-25]	1	1	0	-	-	-	-	-	-	-	-	2
[26-27-28]	1	0	0	0	-	-	-	-	-	-	-	2
[29-30-31]	1	1	1	0	-	-	-	-	-	-	-	4
[32-33-34]	1	6	7	2	0	-	-	-	-	-	-	16
TOTAL	42	36	18	3	0	-	-	-	-	-	-	

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: FUKUSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	15	0	-	-	-	-	-	-	-	-	-	15
[35-36-01]	4	8	3	0	-	-	-	-	-	-	-	16
[02-03-04]	4	2	0	-	-	-	-	-	-	-	-	6
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	2	0	-	-	-	-	-	-	-	-	-	2
[11-12-13]	8	2	-	-	-	-	-	-	-	-	-	10
[14-15-16]	12	2	0	-	-	-	-	-	-	-	-	15
[17-18-19]	7	6	1	0	-	-	-	-	-	-	-	14
[20-21-22]	4	3	0	-	-	-	-	-	-	-	-	6
[23-24-25]	2	1	-	-	-	-	-	-	-	-	-	3
[26-27-28]	1	0	0	-	-	-	-	-	-	-	-	2
[29-30-31]	1	1	0	-	-	-	-	-	-	-	-	2
[32-33-34]	2	3	1	0	-	-	-	-	-	-	-	7
TOTAL	64	28	6	0	-	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: FUKUSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												2
VARIABLE	18	0	-	-	-	-	-	-	-	-	-	18
[35-36-01]	5	8	2	0	0	-	-	-	-	-	-	15
[02-03-04]	3	2	0	0	-	-	-	-	-	-	-	5
[05-06-07]	1	1	0	-	-	-	-	-	-	-	-	2
[08-09-10]	2	1	0	0	-	-	-	-	-	-	-	3
[11-12-13]	9	3	0	-	-	-	-	-	-	-	-	12
[14-15-16]	12	2	0	-	-	-	-	-	-	-	-	14
[17-18-19]	6	3	0	0	0	-	-	-	-	-	-	10
[20-21-22]	3	2	0	0	-	-	-	-	-	-	-	6
[23-24-25]	2	0	-	-	-	-	-	-	-	-	-	2
[26-27-28]	1	0	0	-	-	-	-	-	-	-	-	2
[29-30-31]	2	1	0	-	-	-	-	-	-	-	-	3
[32-33-34]	3	4	1	0	0	-	-	-	-	-	-	8
TOTAL	67	27	4	0	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: FUKUSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	16)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	16)
[35-36-01]	6)	12)	3)	0)	0)	0)	0)	0)	0)	0)	0)	21)
[02-03-04]	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[05-06-07]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[08-09-10]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[11-12-13]	10)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[14-15-16]	8)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[17-18-19]	3)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[20-21-22]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[23-24-25]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[32-33-34]	3)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	10)
TOTAL	60)	31)	7)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: FUKUSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	12)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[35-36-01]	6)	12)	5)	1)	0)	0)	0)	0)	0)	0)	0)	25)
[02-03-04]	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[05-06-07]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[08-09-10]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[14-15-16]	7)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[17-18-19]	2)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[20-21-22]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[32-33-34]	3)	7)	5)	1)	0)	0)	0)	0)	0)	0)	0)	16)
TOTAL	48)	33)	14)	3)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: FUKUSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	12)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[35-36-01]	5)	12)	4)	0)	0)	0)	0)	0)	0)	0)	0)	22)
[02-03-04]	4)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[05-06-07]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[08-09-10]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[14-15-16]	6)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[17-18-19]	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[20-21-22]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[29-30-31]	2)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[32-33-34]	2)	7)	7)	2)	0)	0)	0)	0)	0)	0)	0)	18)
TOTAL	48)	34)	15)	2)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: FUKUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	11	0	-	-	-	-	-	-	-	-	-	11
[35-36-01]	5	9	3	1	-	-	-	-	-	-	-	18
[02-03-04]	3	2	0	-	-	-	-	-	-	-	-	5
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	1	-	-	-	-	-	-	-	-	-	-	1
[11-12-13]	5	0	-	-	-	-	-	-	-	-	-	5
[14-15-16]	5	1	-	-	-	-	-	-	-	-	-	6
[17-18-19]	3	2	0	0	-	-	-	-	-	-	-	5
[20-21-22]	2	1	0	-	-	-	-	-	-	-	-	2
[23-24-25]	2	1	-	-	-	-	-	-	-	-	-	2
[26-27-28]	2	2	0	-	-	-	-	-	-	-	-	4
[29-30-31]	3	7	4	1	0	-	-	-	-	-	-	15
[32-33-34]	3	10	8	2	0	-	-	-	-	-	-	24
TOTAL	45	34	17	3	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: FUKUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	12)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[35-36-01]	5)	10)	4)	1)	0)	0)	0)	0)	0)	0)	0)	20)
[02-03-04]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[08-09-10]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	7)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[14-15-16]	7)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[17-18-19]	3)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[20-21-22]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[29-30-31]	2)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[32-33-34]	2)	7)	6)	2)	0)	0)	0)	0)	0)	0)	0)	17)
TOTAL	48)	33)	15)	3)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: FUKUSHIMA AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	50	45	5	-	-	-	-	-	-
01	-	-	-	37	55	6	1	-	-	-	-	-
02	-	-	-	23	63	12	1	-	-	-	-	-
03	-	-	-	20	61	17	1	-	-	-	-	-
04	-	-	-	17	63	19	1	-	-	-	-	-
05	-	-	-	19	61	18	2	-	-	-	-	-
06	-	-	-	23	59	17	2	-	-	-	-	-
07	-	-	-	28	60	10	1	-	-	-	-	-
08	-	-	-	45	48	6	1	-	-	-	-	-
09	-	-	-	55	41	4	1	-	-	-	-	-
10	-	-	1	59	37	4	-	-	-	-	-	-
11	-	-	3	59	35	3	-	-	-	-	-	-
12	-	-	4	63	31	2	-	-	-	-	-	-
13	-	-	5	65	28	2	-	-	-	-	-	-
14	-	-	5	66	27	2	-	-	-	-	-	-
15	-	-	6	69	23	2	-	-	-	-	-	-
16	-	-	6	69	23	1	-	-	-	-	-	-
17	-	-	5	73	20	2	-	-	-	-	-	-
18	-	-	5	75	19	1	-	-	-	-	-	-
19	-	-	10	70	19	1	-	-	-	-	-	-
20	-	-	6	73	20	1	-	-	-	-	-	-
21	-	-	6	74	19	1	-	-	-	-	-	-
22	-	-	8	72	20	1	-	-	-	-	-	-
23	-	-	3	68	28	1	-	-	-	-	-	-
MEAN	-	-	3	53	38	6	0	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: FUKUSHIMA AIRPORT MONTH: FEB
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	1	51	39	8	1	-	-	-	-	-
01	-	-	1	37	50	10	1	-	-	-	-	-
02	-	-	1	29	53	14	3	-	-	-	-	-
03	-	-	1	24	55	16	4	-	-	-	-	-
04	-	-	1	22	54	19	4	1	-	-	-	-
05	-	-	2	19	56	18	3	2	-	-	-	-
06	-	-	1	23	53	19	2	1	-	-	-	-
07	-	-	2	29	48	18	3	-	-	-	-	-
08	-	-	2	39	44	13	2	-	-	-	-	-
09	-	-	4	46	42	6	1	-	-	-	-	-
10	-	-	2	50	41	6	1	-	-	-	-	-
11	-	-	6	51	37	6	1	-	-	-	-	-
12	-	-	6	53	32	8	1	-	-	-	-	-
13	-	-	8	55	30	6	1	-	-	-	-	-
14	-	-	7	57	30	5	1	-	-	-	-	-
15	-	-	7	58	29	5	1	-	-	-	-	-
16	-	-	9	62	24	4	1	-	-	-	-	-
17	-	-	11	59	28	1	1	-	-	-	-	-
18	-	-	11	63	23	4	1	-	-	-	-	-
19	-	-	9	65	21	4	1	-	-	-	-	-
20	-	-	9	68	19	4	1	-	-	-	-	-
21	-	-	12	67	17	4	1	-	-	-	-	-
22	-	-	10	69	17	4	1	-	-	-	-	-
23	-	-	5	62	27	6	1	-	-	-	-	-
MEAN	-	-	5	48	36	9	1	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: FUKUSHIMA AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	10	46	26	17	-	-	-	-	-
01	-	-	-	6	41	30	21	3	-	-	-	-
02	-	-	-	2	39	30	21	9	-	-	-	-
03	-	-	-	3	30	32	22	12	-	-	-	-
04	-	-	-	3	25	39	18	14	1	-	-	-
05	-	-	-	2	28	34	19	16	1	-	-	-
06	-	-	-	3	28	34	18	15	1	-	-	-
07	-	-	-	5	34	29	21	12	-	-	-	-
08	-	-	-	5	43	25	20	6	-	-	-	-
09	-	-	-	10	41	30	15	3	-	-	-	-
10	-	-	-	12	44	28	13	3	-	-	-	-
11	-	-	-	15	47	23	15	-	-	-	-	-
12	0)	0)	0)	19)	45)	28)	8)	0)	0)	0)	0)	0)
13	0)	0)	0)	21)	43)	29)	7)	0)	0)	0)	0)	0)
14	-	-	-	24	43	26	6	-	-	-	-	-
15	-	-	1	27	43	24	6	-	-	-	-	-
16	-	-	-	29	45	20	6	-	-	-	-	-
17	-	-	1	28	43	23	5	-	-	-	-	-
18	-	-	-	33	43	19	5	-	-	-	-	-
19	-	-	1	35	43	16	5	-	-	-	-	-
20	-	-	1	39	39	17	5	-	-	-	-	-
21	-	-	1	37	42	16	4	-	-	-	-	-
22	-	-	-	28	44	22	6	-	-	-	-	-
23	-	-	-	15	50	25	10	-	-	-	-	-
MEAN	0)	0)	0)	17)	40)	26)	12)	4)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: FUKUSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	9	31	45	14	1	-	-	-
01	-	-	-	1	6	25	40	25	3	-	-	-
02	-	-	-	-	5	22	38	29	5	1	-	-
03	-	-	-	-	5	20	31	37	7	1	-	-
04	-	-	-	-	3	20	33	34	8	2	-	-
05	-	-	-	-	3	21	31	35	8	2	-	-
06	-	-	-	-	5	23	30	31	9	2	-	-
07	-	-	-	-	5	23	36	26	8	2	-	-
08	-	-	-	-	8	25	38	23	5	1	-	-
09	-	-	-	1	9	30	39	19	3	-	-	-
10	-	-	-	1	11	36	38	12	2	-	-	-
11	-	-	-	1	13	38	39	8	1	-	-	-
12	-	-	-	1	14	42	37	5	-	-	-	-
13	-	-	-	1	16	44	35	4	-	-	-	-
14	-	-	-	2	17	42	35	3	-	-	-	-
15	-	-	-	3	17	44	34	2	-	-	-	-
16	-	-	-	3	21	44	31	1	-	-	-	-
17	-	-	-	3	25	39	31	1	-	-	-	-
18	-	-	-	4	25	42	29	-	-	-	-	-
19	-	-	-	5	25	43	27	-	-	-	-	-
20	-	-	-	5	28	43	23	-	-	-	-	-
21	-	-	-	5	25	45	25	-	-	-	-	-
22	-	-	-	3	19	42	33	2	-	-	-	-
23	-	-	-	1	13	37	39	8	1	-	-	-
MEAN	-	-	-	2	14	34	34	13	3	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: FUKUSHIMA AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	3	25	56	15	-	-	-
01	-	-	-	-	-	1	16	50	30	2	-	-
02	-	-	-	-	-	1	15	39	41	4	-	-
03	-	-	-	-	-	1	11	35	43	10	-	-
04	-	-	-	-	-	1	10	34	39	16	-	-
05	-	-	-	-	-	1	13	30	43	13	-	-
06	-	-	-	-	-	1	11	35	41	12	-	-
07	-	-	-	-	-	1	12	38	40	8	-	-
08	-	-	-	-	-	3	12	45	35	5	-	-
09	-	-	-	-	-	3	20	49	26	2	-	-
10	-	-	-	-	-	5	31	52	12	-	-	-
11	-	-	-	-	-	7	37	48	7	-	-	-
12	-	-	-	-	1	8	44	44	3	-	-	-
13	-	-	-	-	1	10	48	38	3	-	-	-
14	-	-	-	-	1	11	52	35	-	-	-	-
15	-	-	-	-	1	12	55	32	-	-	-	-
16	-	-	-	-	1	18	58	23	-	-	-	-
17	-	-	-	-	2	19	57	22	-	-	-	-
18	-	-	-	-	3	23	54	20	-	-	-	-
19	-	-	-	-	3	25	54	18	-	-	-	-
20	-	-	-	-	3	25	55	16	1	-	-	-
21	-	-	-	-	-	17	61	23	-	-	-	-
22	-	-	-	-	-	9	51	39	1	-	-	-
23	-	-	-	-	-	5	35	54	6	-	-	-
MEAN	-	-	-	-	1	9	35	36	16	3	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: FUKUSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	4	49	47	-	-	-
01	-	-	-	-	-	-	2	33	60	5	-	-
02	-	-	-	-	-	-	1	23	65	12	-	-
03	-	-	-	-	-	-	1	23	57	19	-	-
04	-	-	-	-	-	-	1	19	57	23	-	-
05	-	-	-	-	-	-	1	21	52	25	1	-
06	-	-	-	-	-	-	1	21	57	21	-	-
07	-	-	-	-	-	-	1	23	61	16	-	-
08	-	-	-	-	-	-	1	33	59	7	-	-
09	-	-	-	-	-	-	3	45	50	2	-	-
10	-	-	-	-	-	-	4	63	32	1	-	-
11	-	-	-	-	-	-	7	75	18	-	-	-
12	0)	0)	0)	0)	0)	0)	10)	76)	14)	0)	0)	0)
13	0)	0)	0)	0)	0)	0)	12)	80)	8)	0)	0)	0)
14	0)	0)	0)	0)	0)	0)	14)	82)	4)	0)	0)	0)
15	0)	0)	0)	0)	0)	1)	16)	80)	3)	0)	0)	0)
16	0)	0)	0)	0)	0)	1)	21)	75)	2)	0)	0)	0)
17	0)	0)	0)	0)	0)	1)	22)	75)	2)	0)	0)	0)
18	0)	0)	0)	0)	0)	2)	26)	70)	2)	0)	0)	0)
19	0)	0)	0)	0)	0)	3)	27)	68)	2)	0)	0)	0)
20	0)	0)	0)	0)	0)	3)	26)	70)	1)	0)	0)	0)
21	-	-	-	-	-	1	19	79	1	-	-	-
22	-	-	-	-	-	-	12	77	11	-	-	-
23	-	-	-	-	-	-	7	65	27	-	-	-
MEAN	0)	0)	0)	0)	0)	1)	10)	55)	29)	6)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: FUKUSHIMA AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	15	52	33	-	-
01	-	-	-	-	-	-	-	10	44	45	1	-
02	-	-	-	-	-	-	-	8	38	47	6	-
03	-	-	-	-	-	-	-	9	34	45	12	-
04	-	-	-	-	-	-	-	6	32	46	15	-
05	-	-	-	-	-	-	-	5	30	51	14	-
06	-	-	-	-	-	-	-	6	34	48	12	-
07	-	-	-	-	-	-	-	8	37	46	8	-
08	-	-	-	-	-	-	-	6	44	45	5	-
09	-	-	-	-	-	-	-	10	52	36	2	-
10	-	-	-	-	-	-	-	15	61	23	-	-
11	-	-	-	-	-	-	1	20	66	13	-	-
12	-	-	-	-	-	-	1	22	68	10	-	-
13	-	-	-	-	-	-	1	26	66	6	-	-
14	-	-	-	-	-	-	1	34	60	5	-	-
15	-	-	-	-	-	-	1	37	61	2	-	-
16	-	-	-	-	-	-	1	43	56	1	-	-
17	-	-	-	-	-	-	2	43	55	-	-	-
18	-	-	-	-	-	-	3	45	52	-	-	-
19	-	-	-	-	-	-	3	46	52	-	-	-
20	-	-	-	-	-	-	3	45	52	-	-	-
21	-	-	-	-	-	-	2	41	57	1	-	-
22	-	-	-	-	-	-	-	35	59	6	-	-
23	-	-	-	-	-	-	-	21	61	18	-	-
MEAN	-	-	-	-	-	-	1	23	51	22	3	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: FUKUSHIMA AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	8	37	55	-	-
01	-	-	-	-	-	-	-	6	26	59	8	-
02	-	-	-	-	-	-	-	6	22	55	17	-
03	-	-	-	-	-	-	-	6	20	46	28	-
04	-	-	-	-	-	-	-	5	20	41	34	-
05	-	-	-	-	-	-	-	6	21	35	38	-
06	-	-	-	-	-	-	-	5	24	39	32	-
07	-	-	-	-	-	-	-	6	23	48	23	-
08	-	-	-	-	-	-	-	8	30	54	8	-
09	-	-	-	-	-	-	-	8	40	51	1	-
10	-	-	-	-	-	-	-	11	52	37	-	-
11	-	-	-	-	-	-	-	12	62	26	-	-
12	-	-	-	-	-	-	-	15	68	17	-	-
13	-	-	-	-	-	-	-	17	72	11	-	-
14	-	-	-	-	-	-	-	17	77	5	-	-
15	-	-	-	-	-	-	-	21	75	3	-	-
16	-	-	-	-	-	-	-	19	78	3	-	-
17	-	-	-	-	-	-	-	23	75	2	-	-
18	-	-	-	-	-	-	-	25	75	-	-	-
19	-	-	-	-	-	-	-	24	75	1	-	-
20	-	-	-	-	-	-	-	25	75	-	-	-
21	-	-	-	-	-	-	-	23	75	3	-	-
22	-	-	-	-	-	-	-	18	72	10	-	-
23	-	-	-	-	-	-	-	12	54	34	-	-
MEAN	-	-	-	-	-	-	-	14	52	26	8	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: FUKUSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	3	45	41	11	-	-
01	-	-	-	-	-	-	1	35	48	16	-	-
02	-	-	-	-	-	-	1	21	55	24	-	-
03	-	-	-	-	-	-	1	18	53	29	-	-
04	-	-	-	-	-	-	-	15	54	30	1	-
05	-	-	-	-	-	-	-	17	52	28	3	-
06	-	-	-	-	-	-	-	18	53	29	-	-
07	-	-	-	-	-	-	-	24	51	25	-	-
08	-	-	-	-	-	-	-	36	48	16	-	-
09	-	-	-	-	-	-	1	49	45	5	-	-
10	-	-	-	-	-	-	4	51	45	1	-	-
11	-	-	-	-	-	-	6	53	41	1	-	-
12	0)	0)	0)	0)	0)	0)	11)	50)	39)	0)	0)	0)
13	0)	0)	0)	0)	0)	0)	13)	51)	36)	0)	0)	0)
14	0)	0)	0)	0)	0)	0)	13)	54)	32)	0)	0)	0)
15	0)	0)	0)	0)	0)	0)	18)	52)	30)	0)	0)	0)
16	-	-	-	-	-	1	20	50	29	-	-	-
17	-	-	-	-	-	1	23	47	29	-	-	-
18	-	-	-	-	-	1	23	51	25	-	-	-
19	-	-	-	-	-	2	25	49	25	-	-	-
20	-	-	-	-	-	2	25	50	23	-	-	-
21	-	-	-	-	-	2	26	46	26	-	-	-
22	-	-	-	-	-	-	19	46	35	-	-	-
23	-	-	-	-	-	-	9	50	39	2	-	-
MEAN	0)	0)	0)	0)	0)	0)	10)	41)	40)	9)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: FUKUSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	5	45	42	7	1	-	-
01	-	-	-	-	-	3	35	51	11	1	-	-
02	-	-	-	-	-	2	26	57	15	1	-	-
03	-	-	-	-	-	2	19	57	20	2	-	-
04	-	-	-	-	-	1	18	56	21	3	-	-
05	-	-	-	-	-	2	19	55	21	3	-	-
06	-	-	-	-	-	2	23	55	17	3	-	-
07	-	-	-	-	-	3	31	55	12	-	-	-
08	-	-	-	-	-	5	41	46	7	-	-	-
09	-	-	-	-	-	6	55	34	5	-	-	-
10	-	-	-	-	-	10	58	27	5	-	-	-
11	-	-	-	-	-	12	57	27	4	-	-	-
12	0)	0)	0)	0)	0)	18)	55)	24)	3)	0)	0)	0)
13	0)	0)	0)	0)	1)	19)	55)	22)	3)	0)	0)	0)
14	0)	0)	0)	0)	1)	24)	52)	22)	3)	0)	0)	0)
15	0)	0)	0)	0)	1)	23)	52)	22)	2)	0)	0)	0)
16	0)	0)	0)	0)	0)	29)	45)	25)	1)	0)	0)	0)
17	0)	0)	0)	0)	1)	31)	45)	21)	3)	0)	0)	0)
18	0)	0)	0)	0)	1)	32)	47)	17)	2)	0)	0)	0)
19	0)	0)	0)	0)	1)	33)	46)	18)	3)	0)	0)	0)
20	0)	0)	0)	0)	0)	37)	44)	18)	1)	0)	0)	0)
21	-	-	-	-	2	38	41	17	1	-	-	-
22	-	-	-	-	1	28	48	20	3	-	-	-
23	-	-	-	-	-	11	52	31	6	-	-	-
MEAN	0)	0)	0)	0)	0)	16)	42)	34)	7)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: FUKUSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	1	15	47	35	1	-	-	-	-
01	-	-	-	1	9	47	39	5	-	-	-	-
02	-	-	-	1	6	37	47	10	-	-	-	-
03	-	-	-	1	4	35	47	13	1	-	-	-
04	-	-	-	1	5	34	45	15	1	-	-	-
05	-	-	-	1	5	33	49	12	1	-	-	-
06	-	-	-	-	7	33	49	11	-	-	-	-
07	-	-	-	-	11	42	41	7	-	-	-	-
08	-	-	-	1	15	47	33	4	-	-	-	-
09	-	-	-	1	20	49	26	4	-	-	-	-
10	-	-	-	1	24	50	22	3	-	-	-	-
11	-	-	-	1	26	50	22	1	-	-	-	-
12	0)	0)	0)	1)	26)	52)	20)	1)	0)	0)	0)	0)
13	0)	0)	0)	1)	28)	49)	20)	1)	0)	0)	0)	0)
14	0)	0)	0)	1)	32)	45)	22)	1)	0)	0)	0)	0)
15	0)	0)	0)	3)	35)	42)	20)	0)	0)	0)	0)	0)
16	0)	0)	0)	2)	34)	44)	19)	1)	0)	0)	0)	0)
17	0)	0)	0)	1)	36)	44)	18)	0)	0)	0)	0)	0)
18	0)	0)	0)	1)	41)	40)	18)	0)	0)	0)	0)	0)
19	0)	0)	1)	3)	37)	41)	18)	0)	0)	0)	0)	0)
20	0)	0)	1)	5)	36)	41)	17)	0)	0)	0)	0)	0)
21	-	-	1	5	39	39	17	-	-	-	-	-
22	-	-	-	3	37	43	17	-	-	-	-	-
23	-	-	-	1	25	51	21	1	-	-	-	-
MEAN	0)	0)	0)	1)	23)	43)	28)	4)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: FUKUSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	18	57	21	5	-	-	-	-	-
01	-	-	-	12	49	34	5	-	-	-	-	-
02	-	-	-	9	45	38	8	-	-	-	-	-
03	-	-	-	6	43	39	12	-	-	-	-	-
04	-	-	-	6	39	41	14	-	-	-	-	-
05	-	-	-	5	41	41	13	-	-	-	-	-
06	-	-	-	6	45	39	10	-	-	-	-	-
07	-	-	1	8	49	35	7	-	-	-	-	-
08	-	-	-	14	57	27	3	-	-	-	-	-
09	-	-	1	15	57	25	2	-	-	-	-	-
10	-	-	1	19	55	22	3	-	-	-	-	-
11	-	-	1	21	58	18	3	-	-	-	-	-
12	-	-	1	27	52	19	1	-	-	-	-	-
13	-	-	1	28	54	15	2	-	-	-	-	-
14	-	-	1	32	51	15	1	-	-	-	-	-
15	-	-	1	30	54	15	1	-	-	-	-	-
16	-	-	1	33	49	15	2	-	-	-	-	-
17	-	-	1	33	50	15	2	-	-	-	-	-
18	-	-	1	35	51	10	3	-	-	-	-	-
19	-	-	2	33	54	10	1	-	-	-	-	-
20	-	-	2	35	50	12	1	-	-	-	-	-
21	-	-	2	36	50	10	2	-	-	-	-	-
22	-	-	1	41	46	10	2	-	-	-	-	-
23	-	-	-	30	55	12	3	-	-	-	-	-
MEAN	-	-	1	22	50	23	4	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: FUKUSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	0	11	18	12	15	19	17	8	-	-
01	-	-	0	8	17	13	13	18	19	11	1	-
02	-	-	0	5	18	13	13	17	20	12	2	-
03	-	-	0	4	16	14	12	18	20	13	3	-
04	-	-	0	4	16	15	12	17	19	14	4	-
05	-	-	0	4	16	14	12	17	19	13	5	-
06	-	-	0	5	16	14	12	17	20	13	4	-
07	-	-	0	6	17	13	13	17	19	12	3	-
08	-	-	0	9	18	13	13	17	19	11	1	-
09	-	-	0	11	17	13	14	18	19	8	0	-
10	-	-	0	12	18	13	15	20	18	5	-	-
11	-	-	1	12	18	13	16	20	17	3	-	-
12	0)	0)	1)	14)	17)	15)	16)	20)	16)	2)	0)	0)
13	0)	0)	1)	14)	17)	15)	16)	20)	16)	1)	0)	0)
14	0)	0)	1)	15)	17)	14)	17)	21)	15)	1)	0)	0)
15	0)	0)	1)	16)	17)	14)	17)	20)	14)	0)	0)	0)
16	0)	0)	1)	16)	16)	15)	17)	20)	14)	0)	0)	0)
17	0)	0)	1)	16)	17)	15)	17)	19)	14)	0)	0)	0)
18	0)	0)	1)	17)	17)	15)	17)	19)	13)	0)	0)	0)
19	0)	0)	2)	17)	17)	15)	17)	18)	13)	0)	0)	0)
20	0)	0)	2)	19)	16)	15)	17)	19)	13)	0)	0)	0)
21	-	-	2	19	16	14	17	19	14	0	-	-
22	-	-	1	18	15	13	16	20	15	1	-	-
23	-	-	1	15	17	12	15	20	16	5	-	-
MEAN	0)	0)	1)	12)	17)	14)	15)	19)	17)	6)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: FUKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	-0.1	0.1	4.7	10.0	15.9	18.9	22.8	24.0	19.8	14.2	8.0	2.9	11.7
Daily maximum air temperature(°C)	3.7	4.1	9.9	15.6	21.8	24.0	27.2	29.1	24.5	19.0	12.6	6.7	16.5
Daily minimum air temperature(°C)	-3.7	-3.4	0.1	4.9	10.4	14.9	19.2	20.2	16.1	9.7	3.4	-1.1	7.5
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	27.6	29.4	68.5	114.2	85.4	93.5	170.9	150.2	165.5	119.8	62.8	51.0	1138.8
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	945.2	951.2	943.4	943.0	946.9	945.2	949.1	948.3	944.9	942.8	952.7	946.4	942.8
Daily maximum air temperature(°C)	14.4	17.1	21.5	28.1	29.5	31.0	33.9	35.5	30.7	27.3	21.0	15.2*	35.5
Daily minimum air temperature(°C)	-10.1	-9.6	-7.3	-4.3	2.4	6.7	13.7*	15.0	7.5	2.3	-6.0	-7.4	-10.1
Daily precipitation(mm)	38.0	28.5	40.5	47.5	47.0	44.0	158.0	104.5	70.5	84.5	23.0	31.5	158.0
Daily max.one-hour precipitation(mm)	9.5	7.0	8.0*	18.0*	11.5	21.5	42.0	35.5	29.0	17.5	9.0*	11.0	42.0
Daily max.ten-minute precipitation(mm)	3.0	1.5	3.0	11.0	7.0	8.5	14.0	17.0	14.5	4.5	4.0	4.5	17.0
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)	33	25	23	5	-	-	-	-	-	-	2 *	14	33
Daily maximum wind speed(kt)	41	33 *	31	36	23 *	25	20	31	31	39	30	34	41
with wind direction(36DIR.)	32	30 *	32	18	32	1	36	34	17	36	33	33	32
Daily maximum peak gust(kt)	51	45	48	50 *	38	40	29	43	49	48 *	42	45	51
with wind direction(36DIR.)	33	33	32	32	29	10	16	34	14	35	33	33	33

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: FUKUSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	29.4	24.8	17.4	3.2	-	-	-	-	-	-	4.4	20.6	99.8
25.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
Daily mean air temperature < 0.0°C	16.8	15.4	2.6	-	-	-	-	-	-	-	0.2	5.6	40.6
25.0°C	-	-	-	-	-	-	6.6	13.6	0.6	-	-	-	20.8
Daily maximum air temperature < 0.0°C	3.2	3.0	-	-	-	-	-	-	-	-	-	0.2	6.4
25.0°C	-	-	-	0.8	6.6	12.4	24.0	25.8	12.6	1.6	-	-	83.8
30.0°C	-	-	-	-	-	0.4	7.2	14.8	2.2	-	-	-	24.6
Daily precipitation 0.0mm	24.0	21.4	20.0	18.2	18.4	21.6	25.4	23.0	21.4	19.4	18.4	23.6	254.8
1.0mm	3.6	4.4	7.2	9.2	9.4	9.2	11.4	11.2	11.4	7.0	8.4	6.8	99.2
5.0mm	2.0	2.4	3.8	6.8	5.4	5.2	5.8	7.4	7.2	3.8	4.0	3.2	57.0
10.0mm	0.8	1.0	2.2	4.4	2.6	3.4	3.6	4.4	5.2	3.2	2.6	1.8	35.2
30.0mm	0.2	-	0.2	0.8	0.4	0.6	1.8	1.2	2.0	1.2	-	0.2	8.6
50.0mm	-	-	-	-	-	-	0.6	0.4	0.2	0.6	-	-	1.8
70.0mm	-	-	-	-	-	-	0.4	0.4	0.2	0.4	-	-	1.4
100.0mm	-	-	-	-	-	-	0.4	0.2	-	-	-	-	0.6

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: FUKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

AIR PRESSURE (hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	972.1	972.8	971.9	971.3	968.8	966.8	967.4	967.7	972.0	974.2	974.3	971.9	970.9
01	972.0	972.6	971.7	971.2	968.6	966.7	967.3	967.6	971.7	974.2	974.0	971.7	970.8
02	971.4	972.2	971.2	970.7	968.2	966.4	967.1	967.2	971.3	973.5	973.4	971.0	970.3
03	970.6	971.5	970.7	970.2	967.7	966.1	966.8	966.8	970.8	973.0	972.7	970.2	969.7
04	970.1	970.9	970.0	969.7	967.3	965.7	966.4	966.6	970.4	972.5	972.3	969.7	969.3
05	970.1	970.8	969.7	969.3	967.0	965.5	966.2	966.3	970.1	972.4	972.2	969.7	969.1
06	970.4	970.9	969.7	969.1	966.9	965.4	966.0	966.2	970.1	972.6	972.4	970.0	969.1
07	970.8	971.1	969.7	969.1	966.9	965.4	966.0	966.3	970.2	972.8	972.7	970.3	969.3
08	971.2	971.4	970.1	969.4	967.1	965.5	966.1	966.2	970.5	973.1	973.0	970.6	969.5
09	971.5	971.9	970.5	969.7	967.4	965.9	966.4	966.5	970.8	973.5	973.4	970.9	969.9
10	971.7	972.1	970.8	970.1	967.9	966.3	966.8	967.0	971.4	973.8	973.6	971.1	970.2
11	971.8	972.2	971.1	970.9	968.3	966.6	967.2	967.5	971.8	974.0	973.7	971.1	970.5
12	971.8	972.3	971.4	970.9	968.7	967.0	967.5	967.7	971.8	974.1	973.8	971.2	970.7
13	971.7	972.3	971.4	970.8	968.7	966.9	967.5	967.6	971.7	974.1	973.6	971.2	970.6
14	971.6	972.1	971.3	970.8	968.7	966.8	967.4	967.6	971.6	973.8	973.5	971.1	970.5
15	971.3	972.0	971.2	970.6	968.5	966.5	967.2	967.4	971.4	973.6	973.3	970.8	970.3
16	971.0	972.0	971.2	970.3	968.3	966.3	966.9	967.0	971.1	973.4	973.3	970.9	970.2
17	971.1	971.9	971.0	970.2	968.1	966.1	966.7	966.9	971.0	973.2	973.3	971.0	970.0
18	970.9	971.7	970.8	970.4	968.1	966.1	966.7	966.9	971.0	973.1	973.2	970.8	970.0
19	970.7	971.7	970.9	970.5	968.2	966.3	966.8	967.0	971.0	973.2	973.1	970.7	970.0
20	970.8	971.8	971.1	970.6	968.4	966.5	967.1	967.2	971.2	973.5	973.3	970.8	970.2
21	971.1	972.1	971.4	971.0	968.7	966.8	967.3	967.4	971.6	973.5	973.5	971.1	970.5
22	971.5	972.4	971.6	971.3	968.9	967.0	967.5	967.6	971.8	973.9	973.9	971.4	970.7
23	971.8	972.8	971.9	971.3	968.9	967.0	967.5	967.7	971.9	974.2	974.2	971.6	970.9
MEAN	971.2	971.9	970.9	970.4	968.1	966.3	966.9	967.1	971.2	973.5	973.3	970.9	970.1

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: FUKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	0.1	0.3	5.1	10.9	16.8	19.7	23.3	24.7	20.4	15.1	8.4	3.1	12.3
01	1.1	1.2	6.2	12.0	18.1	20.8	24.2	25.8	21.5	16.1	9.6	4.1	13.4
02	1.8	2.0	7.2	13.0	19.0	21.6	25.0	26.6	22.4	17.0	10.5	4.8	14.3
03	2.3	2.5	7.9	13.6	19.9	22.1	25.5	27.4	23.0	17.6	11.1	5.3	14.9
04	2.7	2.7	8.3	13.9	20.3	22.5	25.9	27.7	23.4	17.7	11.3	5.5	15.2
05	2.6	2.9	8.5	14.0	20.3	22.6	26.1	27.7	23.4	17.7	11.1	5.5	15.2
06	2.2	2.6	8.1	13.7	20.1	22.4	25.9	27.3	23.2	17.3	10.6	5.1	14.9
07	1.5	2.1	7.5	13.2	19.6	21.9	25.4	26.8	22.5	16.4	9.6	4.3	14.2
08	0.5	1.2	6.5	12.3	18.7	21.2	24.8	25.7	21.4	15.1	8.6	3.4	13.3
09	-0.1	0.4	5.4	11.1	17.4	20.1	23.9	24.6	20.2	14.3	8.2	2.9	12.4
10	-0.4	0.0	4.7	10.0	16.2	19.0	23.0	23.8	19.6	13.8	7.8	2.7	11.7
11	-0.6	-0.2	4.3	9.5	15.4	18.3	22.4	23.2	19.2	13.5	7.4	2.4	11.2
12	-0.9	-0.5	4.0	9.1	14.7	17.8	22.0	22.8	18.7	13.1	7.2	2.3	10.9
13	-1.1	-0.6	3.6	8.7	14.1	17.4	21.5	22.4	18.5	12.8	7.0	2.0	10.5
14	-1.1	-0.8	3.2	8.4	13.6	17.1	21.2	22.2	18.2	12.6	6.8	1.9	10.3
15	-1.3	-0.9	3.0	8.2	13.3	16.8	21.0	21.9	17.9	12.3	6.5	1.7	10.0
16	-1.5	-1.3	2.7	7.6	12.7	16.5	20.6	21.8	17.9	12.3	6.4	1.7	9.8
17	-1.5	-1.4	2.5	7.3	12.4	16.2	20.4	21.5	17.8	12.2	6.3	1.7	9.6
18	-1.5	-1.5	2.3	7.1	12.1	15.9	20.2	21.3	17.6	11.9	6.1	1.4	9.4
19	-1.6	-1.6	2.0	6.7	12.0	15.8	20.0	21.2	17.4	11.7	5.9	1.3	9.2
20	-1.6	-1.7	1.8	6.6	11.8	15.9	20.0	21.0	17.2	11.6	5.7	1.1	9.1
21	-1.8	-1.8	1.8	6.8	12.8	16.6	20.5	21.4	17.3	11.4	5.6	1.1	9.3
22	-1.7	-1.6	2.6	8.1	14.0	17.6	21.4	22.4	18.1	12.4	5.8	1.1	10.0
23	-1.0	-0.8	3.8	9.4	15.4	18.7	22.3	23.5	19.2	13.8	7.2	1.9	11.1
MEAN	-0.1	0.1	4.7	10.0	15.9	18.9	22.8	24.0	19.8	14.2	7.9	2.9	11.8

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: FUKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	4.3	4.5	5.8	8.2	12.2	17.2	23.2	24.8	20.2	13.3	8.8	5.7	12.3
01	4.2	4.5	5.8	8.1	12.1	17.1	23.2	24.6	20.0	13.2	8.8	5.7	12.3
02	4.2	4.4	5.7	8.0	11.9	16.9	23.2	24.4	19.8	13.0	8.8	5.7	12.1
03	4.1	4.4	5.7	8.0	11.7	16.9	23.1	23.9	19.7	12.9	8.7	5.7	12.1
04	4.1	4.5	5.6	8.1	11.8	16.7	23.1	23.9	19.6	12.8	8.7	5.6	12.1
05	4.1	4.5	5.5	8.1	11.8	16.8	23.1	23.8	19.7	12.8	8.8	5.7	12.0
06	4.2	4.5	5.6	8.1	11.8	17.1	23.2	24.1	19.6	12.9	8.7	5.7	12.1
07	4.2	4.6	5.7	8.3	11.8	17.2	23.2	24.5	20.0	13.1	8.7	5.7	12.2
08	4.3	4.5	5.8	8.3	11.8	17.3	23.3	24.7	20.1	13.1	8.7	5.7	12.3
09	4.3	4.5	5.9	8.5	12.0	17.5	23.4	24.8	20.0	13.2	8.6	5.7	12.4
10	4.3	4.5	5.9	8.5	12.1	17.4	23.4	24.8	20.0	13.1	8.6	5.7	12.4
11	4.3	4.5	5.9	8.5	12.1	17.5	23.4	24.8	19.9	13.0	8.6	5.7	12.4
12	4.3	4.6	6.0	8.5	12.1	17.3	23.3	24.6	19.7	12.9	8.6	5.7	12.3
13	4.3	4.5	6.0	8.5	12.1	17.3	23.2	24.5	19.6	13.0	8.6	5.7	12.3
14	4.2	4.5	5.9	8.5	12.2	17.2	23.2	24.4	19.5	12.8	8.5	5.6	12.2
15	4.2	4.5	5.8	8.5	12.1	17.2	23.1	24.4	19.4	12.8	8.4	5.6	12.2
16	4.3	4.4	5.7	8.3	12.1	16.9	22.7	24.4	19.5	12.9	8.3	5.6	12.1
17	4.2	4.4	5.7	8.3	12.1	16.8	22.7	24.3	19.4	12.8	8.3	5.6	12.0
18	4.2	4.4	5.6	8.2	12.1	16.7	22.6	24.3	19.3	12.7	8.3	5.6	12.0
19	4.1	4.4	5.6	8.1	12.1	16.6	22.5	24.2	19.2	12.6	8.2	5.6	11.9
20	4.2	4.4	5.6	8.1	12.1	16.7	22.4	24.1	19.1	12.5	8.2	5.5	11.9
21	4.1	4.3	5.6	8.2	12.4	17.1	22.9	24.5	19.2	12.5	8.1	5.5	12.1
22	4.2	4.4	5.7	8.4	12.5	17.2	23.2	24.9	19.8	13.0	8.2	5.5	12.3
23	4.2	4.5	5.8	8.4	12.4	17.3	23.2	25.0	20.0	13.2	8.6	5.7	12.4
MEAN	4.2	4.5	5.7	8.3	12.1	17.1	23.1	24.4	19.7	12.9	8.5	5.7	12.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: FUKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	69	69	65	62	64	75	81	80	83	76	77	73	73
01	64	64	60	58	59	71	77	75	78	71	72	68	68
02	60	60	57	55	55	67	74	71	73	66	68	64	64
03	57	59	54	53	52	65	72	67	70	63	65	63	62
04	55	59	53	52	51	62	70	66	68	63	64	61	61
05	56	59	52	52	51	63	69	66	69	63	65	62	61
06	58	60	53	53	52	64	71	68	70	65	67	63	62
07	62	63	56	56	54	67	73	71	73	69	71	66	65
08	67	67	60	59	56	70	75	75	78	75	75	71	69
09	70	70	65	65	61	75	79	80	83	79	77	73	73
10	71	72	68	68	66	79	83	85	86	81	79	75	76
11	73	73	70	70	69	83	86	87	87	82	80	75	78
12	73	74	72	71	72	85	88	89	89	83	81	76	80
13	74	75	73	73	74	86	90	90	90	85	82	78	81
14	74	75	74	75	77	87	92	91	92	85	83	78	82
15	75	76	75	76	78	89	92	92	92	86	83	79	83
16	76	76	75	77	81	89	93	93	93	87	84	79	84
17	76	76	75	78	82	90	94	94	93	88	84	79	84
18	75	76	75	78	84	91	95	95	94	88	85	80	85
19	76	77	76	79	84	91	95	96	95	89	86	81	85
20	76	77	77	81	85	92	95	96	95	89	86	81	86
21	76	78	77	80	82	90	94	95	95	90	86	81	85
22	76	77	75	75	77	85	91	92	94	88	86	81	83
23	74	74	71	69	70	80	86	86	89	82	82	79	79
MEAN	69	70	67	67	68	79	84	83	85	79	78	74	75

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: FUKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	32	32	35	36	36	35	20	20	35	35	35	32	35
01	32	33 *	32 *	35	34	35	35	20	35	35	31	33	35
02	31	32	33	35 *	20	36	36	34	36	34	36 *	32	34
03	32	31	33	35	35	36	20	35 *	34	35	32	32	35
04	32	33	35	33	35	17	22	34	34	34	34	32	35
05	33	32	35	35	34	18	36	34 *	36	34	33	32	35
06	32	32	35	36	32 *	14	35	34 *	35	34	35	32	35
07	34	35	34 *	36 *	33	17	36	19	35	35	33	34	35
08	33 *	33 *	35 *	35	33	15	35	35	12	35	36	33	35
09	34	35	36	12	34	13	35	13 *	12	35	35	33	35
10	33	34 *	35	17	35	13	13	12	12	36	1	33	35
11	33	33	36	13	36	14	14	14	13	35	36	32	36
12	32	36	35)	35 *	35	14)	13	15	12)	36)	1)	32	35)
13	33	36	35)	15	36	13)	17	16	14)	36)	35)	33	36)
14	33	36	33	14 *	14 *	14)	15	14	35)	36)	35)	33	14)
15	33	36	36	13	13	13)	16	14	36)	36)	1)	1	36)
16	33	32	35	35	1	14)	15	13	1	1)	1)	1	1)
17	33	36	35	36	36	12)	14	14	13	36)	34)	32	36)
18	34	34	1	36	13 *	13)	14	15	1	1)	36)	33	36)
19	33	33	36	35 *	35	13)	16	13 *	1	36)	35)	1	1)
20	34	33	36	35	36	13)	14	14	1	1	36)	34 *	35)
21	33	34	36	36 *	36	14	16	15	36	36 *	1	32	36
22	33	33	36	36	36	1 *	18 *	36	36	1	36	33	36
23	31	31	1	36	36	35	18	19 *	36	35	1	33	36
ALL	33	33	35)	35	36	13)	35	14	35)	35)	35)	33	35)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: FUKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.9	8.0	8.0	7.5	7.5	5.4	4.9	4.8	5.5	6.7	6.0	6.8	6.5
01	8.3	9.1	8.2	8.6	8.0	5.7	5.5	5.1	5.7	7.7	6.8	8.0	7.2
02	9.5	9.9	9.0	9.2	8.6	6.3	5.8	5.3	6.3	8.2	7.7	8.7	7.9
03	10.0	10.2	9.3	9.5	8.9	6.5	6.2	5.5	6.5	8.7	8.0	9.0	8.2
04	10.2	10.3	10.1	10.2	9.2	6.7	6.4	6.0	7.0	8.6	8.5	9.1	8.5
05	10.4	10.4	10.5	10.5	9.5	7.0	6.8	6.1	6.5	8.6	8.6	8.9	8.7
06	10.3	10.8	10.8	10.4	10.0	7.1	7.0	6.5	6.6	8.5	8.6	8.8	8.8
07	9.6	10.5	10.9	10.5	9.7	7.0	6.9	6.5	6.7	8.0	7.9	8.3	8.6
08	8.3	9.8	10.3	9.8	9.3	7.0	6.4	6.3	6.3	7.3	7.0	7.6	7.9
09	7.6	8.9	8.9	8.7	8.2	6.6	5.9	5.5	5.7	7.0	6.5	6.9	7.2
10	7.5	8.5	8.1	7.7	7.4	5.8	5.4	5.0	5.4	6.5	6.1	6.5	6.7
11	7.2	7.8	7.6	7.1	6.8	5.4	5.0	4.8	5.1	6.2	5.8	6.1	6.3
12	7.0	7.6	7.2	6.8	6.3	4.9	4.8	4.5	4.8	6.0	5.9	6.0	6.0
13	6.8	7.1	7.0	6.5	6.1	4.8	4.4	4.3	4.5	5.7	5.7	5.7	5.7
14	6.7	7.1	7.1	6.3	5.9	4.6	4.2	4.1	4.6	5.8	5.8	5.7	5.6
15	6.5	7.3	6.9	6.0	5.3	4.5	4.0	3.8	4.4	5.8	5.9	6.0	5.5
16	6.5	7.3	6.9	5.8	5.6	4.0	3.7	3.7	4.3	5.6	5.6	5.8	5.4
17	6.4	7.2	7.1	5.8	5.5	3.8	3.7	3.6	4.5	5.5	5.7	5.5	5.3
18	6.7	7.1	6.9	6.0	5.4	3.8	3.6	3.6	4.3	5.2	5.4	5.6	5.3
19	6.6	7.4	6.9	5.8	4.8	3.9	3.5	3.6	4.2	5.0	5.6	5.9	5.3
20	6.7	7.0	6.7	5.7	5.1	3.9	3.7	3.4	4.1	5.0	5.5	5.9	5.2
21	6.7	6.7	6.8	5.9	5.5	4.0	3.6	3.3	4.3	5.0	5.3	6.2	5.3
22	6.4	7.0	6.4	6.0	5.9	4.3	4.2	3.5	4.3	5.0	5.0	5.7	5.3
23	6.3	7.0	7.0	7.1	6.7	5.0	4.5	4.1	4.8	5.9	5.1	6.0	5.8
MEAN	7.7	8.3	8.1	7.6	7.2	5.3	5.0	4.7	5.3	6.6	6.4	6.9	6.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: FUKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	1.0	4.9	-2.8	-0.3	3.5	-4.1	1.9	6.0	-1.6	7.8	13.2	2.7
02	0.9	4.9	-2.8	-0.3	3.5	-4.1	2.1	6.3	-1.5	7.9	13.3	2.8
03	0.9	4.8	-2.9	-0.4	3.4	-4.1	2.3	6.5	-1.4	7.9	13.3	3.0
04	0.7	4.7	-3.0	-0.4	3.4	-4.1	2.4	6.8	-1.2	8.0	13.3	3.0
05	0.6	4.6	-3.1	-0.5	3.4	-4.1	2.6	7.0	-1.2	8.0	13.3	3.1
06	0.5	4.5	-3.1	-0.5	3.3	-4.1	2.7	7.2	-1.1	8.0	13.4	3.1
07	0.4	4.4	-3.2	-0.5	3.3	-4.1	2.8	7.4	-1.1	8.1	13.5	3.2
08	0.2	4.2	-3.3	-0.5	3.4	-4.1	3.0	7.7	-1.1	8.2	13.7	3.2
09	0.1	4.1	-3.4	-0.5	3.4	-4.0	3.1	7.9	-1.0	8.3	13.8	3.3
10	0.0	3.9	-3.5	-0.4	3.5	-4.0	3.3	8.2	-0.9	8.4	14.1	3.4
11	-0.1	3.8	-3.6	-0.4	3.6	-3.9	3.5	8.5	-0.9	8.6	14.3	3.5
12	-0.3	3.6	-3.7	-0.3	3.7	-3.8	3.7	8.8	-0.8	8.8	14.6	3.7
13	-0.3	3.5	-3.7	-0.2	3.8	-3.7	4.0	9.1	-0.6	9.0	14.9	3.9
14	-0.4	3.4	-3.8	-0.1	3.9	-3.7	4.2	9.5	-0.4	9.2	15.1	4.2
15	-0.5	3.3	-3.8	-0.1	4.0	-3.6	4.5	9.8	-0.2	9.5	15.4	4.4
16	-0.5	3.2	-3.9	0.0	4.1	-3.5	4.8	10.1	0.1	9.7	15.6	4.6
17	-0.5	3.1	-3.9	0.1	4.2	-3.4	5.0	10.4	0.3	10.0	15.8	4.9
18	-0.5	3.1	-3.9	0.2	4.3	-3.3	5.2	10.7	0.4	10.2	16.1	5.1
19	-0.5	3.1	-3.9	0.3	4.4	-3.2	5.4	10.9	0.6	10.5	16.3	5.4
20	-0.4	3.1	-3.9	0.4	4.4	-3.1	5.6	11.2	0.8	10.8	16.6	5.6
21	-0.4	3.1	-3.9	0.5	4.5	-2.9	5.7	11.3	0.9	11.1	16.9	5.9
22	-0.4	3.1	-3.9	0.6	4.6	-2.8	5.9	11.5	1.0	11.4	17.2	6.2
23	-0.3	3.2	-4.0	0.8	4.8	-2.7	6.0	11.7	1.0	11.7	17.5	6.5
24	-0.3	3.2	-4.0	0.9	4.9	-2.5	6.2	11.8	1.1	12.1	17.9	6.8
25	-0.3	3.3	-4.0	1.1	5.1	-2.3	6.3	12.1	1.3	12.4	18.2	7.1
26	-0.3	3.4	-4.0	1.3	5.3	-2.1	6.6	12.3	1.4	12.8	18.6	7.4
27	-0.2	3.4	-4.1	1.5	5.5	-2.0	6.8	12.5	1.6	13.1	18.9	7.7
28	-0.2	3.5	-4.1	1.7	5.8	-1.8	7.0	12.7	1.8	13.4	19.2	7.9
29	-0.2	3.5	-4.1	1.8	5.9	-1.7	7.2	12.9	2.0	13.6	19.4	8.1
30	-0.2	3.5	-4.1				7.4	13.0	2.3	13.8	19.6	8.3
31	-0.3	3.5	-4.1				7.6	13.2	2.5			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: FUKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	13.9	19.8	8.5	18.2	24.1	13.0	20.2	24.6	16.7	24.9	30.3	20.7
02	14.0	19.9	8.5	18.2	24.1	13.1	20.4	24.8	17.0	24.9	30.5	20.7
03	14.1	20.0	8.6	18.2	24.0	13.3	20.7	25.0	17.3	25.0	30.6	20.7
04	14.2	20.0	8.7	18.2	23.9	13.4	21.0	25.2	17.6	25.0	30.6	20.7
05	14.2	20.1	8.7	18.3	23.8	13.6	21.2	25.4	17.9	25.0	30.6	20.7
06	14.3	20.2	8.8	18.3	23.8	13.8	21.5	25.7	18.1	24.9	30.5	20.7
07	14.3	20.2	8.8	18.4	23.7	14.1	21.8	26.0	18.4	24.8	30.4	20.6
08	14.4	20.3	8.9	18.5	23.7	14.3	22.1	26.3	18.6	24.7	30.2	20.6
09	14.5	20.5	9.0	18.6	23.7	14.6	22.3	26.6	18.9	24.6	30.1	20.5
10	14.7	20.6	9.1	18.7	23.7	14.8	22.5	26.8	19.0	24.5	29.9	20.5
11	14.8	20.8	9.3	18.8	23.8	15.0	22.7	27.0	19.2	24.5	29.7	20.5
12	14.9	20.9	9.4	18.9	23.9	15.3	22.8	27.2	19.3	24.4	29.6	20.5
13	15.1	21.0	9.5	19.0	24.0	15.4	22.9	27.3	19.4	24.3	29.5	20.5
14	15.2	21.2	9.7	19.1	24.1	15.6	23.0	27.4	19.5	24.3	29.4	20.6
15	15.4	21.4	9.8	19.2	24.1	15.7	23.0	27.4	19.5	24.3	29.3	20.6
16	15.5	21.6	9.9	19.3	24.2	15.8	22.9	27.4	19.5	24.2	29.3	20.6
17	15.7	21.7	10.1	19.3	24.3	15.8	22.9	27.3	19.4	24.2	29.2	20.6
18	15.9	21.9	10.2	19.4	24.3	15.9	22.9	27.3	19.4	24.1	29.1	20.6
19	16.1	22.1	10.4	19.4	24.3	15.8	22.8	27.3	19.4	24.1	29.0	20.5
20	16.3	22.3	10.6	19.4	24.3	15.8	22.8	27.3	19.4	23.9	28.8	20.4
21	16.5	22.5	10.8	19.4	24.3	15.8	22.9	27.4	19.4	23.8	28.6	20.3
22	16.7	22.8	11.1	19.4	24.3	15.7	23.0	27.5	19.4	23.6	28.4	20.1
23	16.9	23.0	11.4	19.4	24.3	15.7	23.1	27.7	19.5	23.4	28.1	19.9
24	17.2	23.3	11.6	19.4	24.2	15.7	23.3	27.9	19.6	23.1	27.9	19.7
25	17.4	23.5	11.9	19.5	24.2	15.7	23.5	28.2	19.7	22.9	27.6	19.5
26	17.6	23.7	12.1	19.5	24.2	15.8	23.7	28.6	19.8	22.7	27.4	19.3
27	17.7	23.9	12.3	19.6	24.3	15.9	23.9	28.9	20.0	22.6	27.2	19.2
28	17.9	24.0	12.5	19.7	24.3	16.0	24.2	29.2	20.2	22.4	27.0	19.0
29	18.0	24.1	12.7	19.9	24.4	16.2	24.4	29.6	20.3	22.3	26.9	18.9
30	18.1	24.1	12.8	20.0	24.5	16.5	24.6	29.9	20.5	22.2	26.8	18.8
31	18.1	24.1	12.9				24.7	30.1	20.6	22.1	26.7	18.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: FUKUSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 37° 13.1'N, LONGITUDE: 140° 25.1'E, ELEVATION ABOVE MSL: 1220 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	22.1	26.6	18.7	17.4	22.0	13.4	10.8	15.8	5.8	5.2	9.4	1.0
02	22.0	26.6	18.6	17.2	21.8	13.2	10.6	15.6	5.6	5.0	9.2	0.8
03	21.9	26.5	18.5	17.0	21.6	13.1	10.4	15.3	5.4	4.8	9.0	0.6
04	21.9	26.4	18.4	16.9	21.4	12.8	10.3	15.1	5.3	4.5	8.8	0.4
05	21.8	26.3	18.3	16.6	21.2	12.6	10.1	14.9	5.2	4.3	8.6	0.2
06	21.7	26.2	18.2	16.4	21.0	12.3	9.9	14.6	5.0	4.1	8.4	-0.1
07	21.5	26.1	18.1	16.1	20.8	12.0	9.8	14.4	4.9	3.9	8.2	-0.3
08	21.4	26.0	17.9	15.9	20.6	11.6	9.6	14.1	4.7	3.7	8.0	-0.5
09	21.2	25.8	17.7	15.6	20.4	11.3	9.4	13.9	4.6	3.4	7.8	-0.6
10	21.0	25.6	17.5	15.3	20.2	10.9	9.2	13.6	4.5	3.3	7.5	-0.8
11	20.8	25.4	17.3	15.1	20.0	10.6	9.1	13.4	4.3	3.1	7.3	-0.9
12	20.6	25.3	17.0	14.8	19.8	10.3	8.9	13.2	4.1	3.0	7.1	-1.0
13	20.4	25.1	16.8	14.6	19.6	10.0	8.7	13.0	4.0	2.9	6.9	-1.0
14	20.2	24.9	16.6	14.4	19.4	9.7	8.5	12.9	3.8	2.8	6.7	-1.0
15	20.0	24.6	16.3	14.2	19.2	9.5	8.3	12.7	3.6	2.7	6.6	-1.1
16	19.7	24.4	16.0	14.0	19.0	9.3	8.0	12.6	3.4	2.7	6.5	-1.1
17	19.5	24.1	15.8	13.8	18.8	9.1	7.8	12.4	3.2	2.6	6.4	-1.1
18	19.2	23.9	15.5	13.6	18.6	9.0	7.6	12.2	3.0	2.6	6.3	-1.1
19	19.0	23.7	15.2	13.4	18.4	8.8	7.4	12.0	2.8	2.5	6.2	-1.2
20	18.8	23.4	14.9	13.3	18.2	8.7	7.2	11.8	2.6	2.5	6.1	-1.2
21	18.6	23.2	14.7	13.1	18.0	8.5	6.9	11.6	2.4	2.4	6.0	-1.3
22	18.4	23.0	14.5	12.9	17.8	8.3	6.7	11.3	2.2	2.2	5.9	-1.4
23	18.2	22.9	14.3	12.7	17.6	8.1	6.5	11.1	2.0	2.1	5.8	-1.6
24	18.1	22.7	14.1	12.5	17.4	7.9	6.3	10.8	1.9	2.0	5.7	-1.7
25	17.9	22.6	13.9	12.3	17.2	7.6	6.1	10.6	1.8	1.8	5.5	-1.9
26	17.8	22.5	13.8	12.0	17.0	7.4	6.0	10.3	1.7	1.7	5.4	-2.1
27	17.8	22.4	13.7	11.8	16.8	7.1	5.8	10.1	1.6	1.5	5.3	-2.2
28	17.7	22.3	13.7	11.6	16.6	6.8	5.6	9.9	1.4	1.4	5.2	-2.4
29	17.6	22.2	13.6	11.4	16.4	6.5	5.5	9.7	1.3	1.3	5.1	-2.5
30	17.5	22.1	13.5	11.2	16.2	6.3	5.3	9.5	1.2	1.2	5.1	-2.6
31				11.0	16.0	6.0				1.1	5.0	-2.7