

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AKITA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

NUMBER OF FORWARD SCATTER: RWY28

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1600	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	1	1	9	12	14	26	31
01	-	-	3	5	7	10	23	26
02	-	-	1	3	4	5	14	20
03	-	1	1	3	3	5	16	22
04	-	-	1	5	6	8	14	23
05	0)	0)	1)	3)	6)	6	16	19
06	-	-	3	6	9	13	20	23
07	-	1	3	4	8	12	22	29
08	-	1	3	6	8	11	21	25
09	-	-	3	3	4	8	14	19
10	1	1	3	4	6	7	18	21
11	-	-	3	4	6	5	13	17
12	-	-	3	6	6	8	14	19
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	2	4	6	6	15	22
23	-	1	5	8	12	13	23	31
MEAN	0)	0)	2)	5)	7)	9	18	23

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AKITA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

NUMBER OF FORWARD SCATTER: RWY28

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1600	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	1	4	7	10	11	21	27
01	-	-	4	8	10	11	24	29
02	-	-	2	5	6	8	21	23
03	-	-	1	6	9	10	16	21
04	1	1	3	6	8	9	15	20
05	-	-	2	3	3	4	13	20
06	-	-	1	1	3	6	14	19
07	-	-	1	5	6	6	12	18
08	-	-	3	6	10	13	20	23
09	-	-	3	5	8	7	13	15
10	-	-	4	6	8	10	16	18
11	-	-	2	3	6	4	11	18
12	-	1	4	6	7	8	16	21
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	4	8	9	13	17	25
23	-	1	4	5	8	11	22	27
MEAN	0	0	3	5	7	9	17	22

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AKITA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

NUMBER OF FORWARD SCATTER: RWY28

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1600	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	1	1	6	7	8	7	13	17
01	-	1	4	4	5	5	12	15
02	-	-	1	2	3	3	9	15
03	-	-	-	1	4	4	7	12
04	-	-	-	1	3	3	6	11
05	0)	0)	1)	3)	3)	3	7	10
06	0)	0)	2)	3)	5)	3	7	10
07	-	-	3	3	4	5	10	12
08	-	-	2	3	5	4	9	10
09	-	-	2	3	3	3	6	8
10	-	-	1	3	5	5	8	12
11	-	-	3	4	4	3	7	14
12	-	-	1	3	3	4	10	13
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	4	8	12	14	14	23	25
23	2	4	8	10	11	12	21	24
MEAN	0)	1)	3)	4)	5)	5	10	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AKITA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

NUMBER OF FORWARD SCATTER: RWY28

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1600	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	-	1	2	3	3	9	11
01	-	-	1	2	3	3	8	10
02	-	-	1	3	4	5	7	9
03	-	-	1	2	4	4	6	8
04	-	-	1	2	5	5	5	6
05	-	-	1	2	5	5	6	7
06	-	-	1	2	4	4	9	10
07	-	1	1	1	3	3	9	10
08	-	-	2	2	3	3	8	11
09	-	1	2	3	5	5	9	13
10	-	-	1	1	1	1	6	10
11	-	-	1	2	3	3	6	11
12	-	-	2	3	5	5	7	12
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	4	7	9	9	9	13	19
23	1	1	4	6	7	6	10	13
MEAN	0	0	2	3	4	4	8	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AKITA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

NUMBER OF FORWARD SCATTER: RWY28

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1600	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	1	4	4	5	5	11	16
01	-	-	2	3	5	5	10	13
02	-	-	2	2	3	3	8	11
03	-	-	1	3	4	4	8	12
04	0)	0)	1)	2)	3)	3	8	13
05	-	-	1	1	2	2	7	11
06	-	-	-	-	1	1	6	9
07	-	-	-	-	1	1	6	10
08	0)	0)	0)	0)	1)	1	8	12
09	-	-	-	1	2	2	7	12
10	-	-	1	2	2	2	7	12
11	-	-	1	1	3	3	6	13
12	-	-	1	2	3	3	8	14
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	2	4	8	9	11	10	16	25
23	1	1	3	5	7	7	14	19
MEAN	0)	0)	2)	2)	4)	3	9	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AKITA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

NUMBER OF FORWARD SCATTER: RWY28

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1600	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	-	1	2	3	3	7	10
01	-	-	1	2	3	2	7	9
02	-	-	1	1	1	1	5	7
03	-	-	1	1	1	2	6	8
04	0)	0)	1)	1)	3)	3	5	7
05	0)	1)	1)	2)	3)	3	4	5
06	-	-	-	1	1	1	3	6
07	-	1	1	1	1	1	4	6
08	-	-	-	-	1	1	5	5
09	-	-	-	-	1	1	3	5
10	-	-	-	-	1	1	5	7
11	-	-	-	1	1	1	3	3
12	-	-	-	1	1	1	3	5
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	5	6	7	7	9	16
23	-	-	1	1	1	1	7	11
MEAN	0)	0)	1)	1)	2)	2	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AKITA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

NUMBER OF FORWARD SCATTER: RWY28

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1600	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	-	3	4	6	6	14	19
01	-	-	1	2	5	5	13	18
02	-	-	1	3	3	3	12	18
03	-	-	1	1	4	4	8	14
04	-	-	1	2	4	4	10	13
05	-	-	2	5	5	5	10	14
06	-	-	1	5	5	5	12	17
07	-	1	1	4	5	5	13	17
08	-	1	1	5	5	5	17	19
09	-	-	2	5	7	7	17	18
10	-	-	3	5	6	6	16	20
11	-	-	2	5	7	7	15	19
12	-	-	3	6	8	7	15	20
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	8	10	14	12	25	31
23	-	-	2	6	8	6	13	19
MEAN	0	0	2	4	6	6	14	18

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AKITA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

NUMBER OF FORWARD SCATTER: RWY28

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1600	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	-	1	2	3	2	6	8
01	-	-	1	1	3	2	5	6
02	-	-	1	1	1	1	3	6
03	-	-	1	1	1	1	2	5
04	-	-	-	1	1	1	2	3
05	-	-	-	1	1	1	2	6
06	-	-	-	1	1	1	3	5
07	-	-	-	-	-	-	-	3
08	-	-	-	-	1	-	-	3
09	-	-	-	-	1	-	1	5
10	-	-	1	1	1	1	2	6
11	-	-	-	1	2	2	3	5
12	-	-	1	1	1	1	3	5
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	2	4	7	10	11	10	14	20
23	-	1	3	4	6	5	8	12
MEAN	0	0	1	2	2	2	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AKITA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

NUMBER OF FORWARD SCATTER: RWY28

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1600	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	1	3	5	7	7	10	11
01	-	-	-	1	1	1	2	2
02	-	-	-	-	-	-	1	2
03	-	-	1	1	1	1	1	3
04	-	-	-	-	1	1	1	3
05	1)	1)	1)	1)	2)	1	2	5
06	0)	0)	0)	0)	2)	2	3	4
07	0)	0)	0)	1)	1)	1	2	3
08	-	-	-	1	2	1	3	5
09	-	-	-	1	1	1	2	4
10	-	-	1	1	2	1	2	2
11	-	-	-	1	1	-	2	2
12	-	-	1	1	1	1	2	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	8	14	19	23	25	24	29	29
23	1	7	11	13	14	14	18	19
MEAN	1)	2)	2)	3)	4)	4	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AKITA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

NUMBER OF FORWARD SCATTER: RWY28

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1600	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	2	5	6	6	6	7	9
01	-	1	3	3	3	3	5	6
02	-	-	1	1	1	1	2	3
03	-	-	1	1	1	1	2	4
04	-	-	1	1	1	1	3	5
05	0)	0)	1)	2)	2)	2	5	7
06	-	-	-	1	1	-	5	6
07	-	-	1	1	1	1	4	6
08	-	-	2	2	2	2	4	6
09	-	-	1	1	1	1	3	3
10	-	-	2	2	2	2	3	5
11	-	1	3	3	3	3	4	5
12	-	-	3	3	3	3	3	5
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	7	11	13	15	15	12	15	18
23	3	5	7	7	8	7	9	11
MEAN	1)	1)	3)	3)	3)	3	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AKITA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

NUMBER OF FORWARD SCATTER: RWY28

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1600	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	4	7	11	11	13	13	17	21
01	1	3	7	9	11	11	16	18
02	-	-	4	5	6	7	10	13
03	-	-	1	3	4	6	11	13
04	-	-	1	2	2	3	7	11
05	-	-	1	3	7	5	12	13
06	-	1	1	1	3	3	7	9
07	1	1	1	3	3	3	5	9
08	1	1	2	3	3	3	5	7
09	-	1	5	5	6	4	5	7
10	1	1	2	2	3	4	8	9
11	1	1	5	5	7	5	7	11
12	1	3	5	6	6	6	10	11
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	6	10	16	17	21	18	22	25
23	5	11	16	17	19	18	22	24
MEAN	1	3	5	6	7	7	11	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AKITA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

NUMBER OF FORWARD SCATTER: RWY28

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1600	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	3	5	6	10	11	22	26
01	-	-	5	7	9	12	21	28
02	-	-	1	5	6	7	19	24
03	-	-	1	5	8	6	19	25
04	-	-	2	5	6	6	15	22
05	0)	0)	3)	5)	8)	10	16	22
06	-	1	2	2	7	8	15	21
07	-	1	5	8	10	9	17	23
08	-	1	4	5	7	9	14	17
09	1	1	6	8	10	12	16	18
10	1	2	6	8	10	8	17	22
11	1	1	6	8	11	12	16	21
12	1	5	8	10	12	11	18	23
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	4	7	10	14	15	25	29
23	1	5	9	12	15	19	28	32
MEAN	0)	1)	5)	7)	10)	10	19	24

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: AKITA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

NUMBER OF FORWARD SCATTER: RWY28

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1200	<1600	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	0	1	4	5	7	7	14	17
01	0	0	2	4	5	6	12	15
02	-	-	1	2	3	4	9	13
03	-	0	1	2	4	4	8	12
04	0)	0)	1)	2)	4)	4	8	11
05	0)	0)	1)	2)	4)	4	8	11
06	0)	0)	1)	2)	3)	4	9	12
07	0)	0)	1)	2)	4)	4	9	12
08	0)	0)	2)	3)	4)	4	9	12
09	0	0	2	3	4	4	8	11
10	0	0	2	3	4	4	9	12
11	0	0	2	3	4	4	8	12
12	0	1	3	4	5	5	9	12
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	5	9	11	13	12	19	24
23	1	3	6	8	10	10	16	20
MEAN	0)	1)	3)	4)	5)	5	10	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AKITA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1200	<1500	<1600	<2400	<3200	<5000
00	3	4	11	12	12	18	23	28
01	2	2	5	8	8	16	22	25
02	2	2	2	3	3	8	14	17
03	1	1	3	5	5	10	14	19
04	1	1	3	6	7	12	14	22
05	1	2	2	5	5	9	15	18
06	2	4	8	12	12	14	19	23
07	-	1	6	10	10	14	21	26
08	1	2	6	10	10	16	20	25
09	-	1	2	6	6	12	14	18
10	1	1	4	5	8	12	18	21
11	-	-	1	1	3	9	12	14
12	1	1	3	6	6	10	12	18
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	1	4	5	6	11	15	20
23	1	2	6	10	11	19	21	30
MEAN	1	2	4	7	7	13	17	22

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AKITA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1200	<1500	<1600	<2400	<3200	<5000
00	1	1	5	7	8	11	15	25
01	2	2	6	8	9	13	21	26
02	1	1	4	6	6	11	15	20
03	1	1	5	7	7	11	13	18
04	-	1	4	7	7	11	14	17
05	-	-	2	4	4	6	13	17
06	-	-	1	6	6	8	11	15
07	1	1	3	4	5	6	11	17
08	1	2	7	12	13	15	20	23
09	-	-	1	3	4	8	12	15
10	-	1	4	6	7	12	14	17
11	-	-	1	3	4	8	9	15
12	-	1	4	6	6	10	15	19
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	2	6	10	11	13	16	23
23	1	1	6	11	11	15	20	24
MEAN	1	1	4	7	7	11	15	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AKITA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1200	<1500	<1600	<2400	<3200	<5000
00	1	2	3	3	3	5	8	14
01	-	1	1	2	2	6	11	14
02	1	1	1	1	1	3	6	11
03	1	1	1	1	1	3	5	8
04	-	-	-	1	1	3	4	8
05	-	-	1	2	2	4	5	6
06	-	-	1	1	2	5	6	6
07	1	1	3	3	3	5	8	10
08	-	-	1	2	2	5	6	8
09	-	-	1	1	1	2	4	6
10	1	1	2	3	3	3	3	5
11	-	-	-	-	-	2	4	7
12	-	-	3	3	3	4	5	10
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	5	8	10	10	14	19	21
23	3	5	7	8	8	12	15	20
MEAN	1	1	2	3	3	5	7	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AKITA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1200	<1500	<1600	<2400	<3200	<5000
00	-	1	1	1	1	1	3	3
01	-	-	-	-	-	1	3	5
02	-	-	-	1	1	1	3	5
03	-	-	-	-	-	-	3	4
04	-	-	-	-	-	-	2	2
05	-	-	-	1	1	1	1	1
06	-	-	1	1	1	1	3	5
07	-	-	-	1	1	1	2	3
08	-	-	1	1	1	1	3	4
09	-	-	1	1	1	2	5	8
10	-	-	-	-	1	1	2	3
11	-	-	-	-	-	-	3	5
12	-	-	1	1	1	3	5	6
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	2	3	5	5	5	7	10	13
23	1	1	2	2	3	5	5	8
MEAN	0	0	1	1	1	2	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AKITA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1200	<1500	<1600	<2400	<3200	<5000
00	-	1	1	1	1	2	4	7
01	-	-	-	-	-	1	3	4
02	-	-	-	1	1	2	2	3
03	-	-	-	-	-	2	2	3
04	-	-	-	-	-	2	3	3
05	-	-	-	-	-	-	1	3
06	-	-	-	-	-	-	1	1
07	-	-	-	-	-	-	1	3
08	-	-	-	-	-	-	1	1
09	-	-	-	-	-	1	3	4
10	-	-	-	-	-	1	3	3
11	-	-	-	-	-	-	1	4
12	-	-	-	-	-	-	3	6
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	4	5	5	6	8	11	15
23	1	1	1	1	1	3	4	6
MEAN	0	0	0	1	1	1	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AKITA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	1	2	5
01	-	-	-	-	-	1	5	7
02	-	-	-	-	-	1	1	2
03	-	-	-	1	1	1	5	5
04	-	-	-	-	1	2	2	3
05	1	1	1	1	1	3	3	4
06	-	-	-	-	-	-	1	2
07	-	-	-	-	-	1	2	3
08	-	-	-	-	-	-	1	3
09	-	-	-	-	-	-	1	2
10	-	-	-	-	-	1	1	4
11	-	-	-	-	-	1	1	2
12	-	-	1	1	1	1	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	1	5	9
23	-	-	-	-	-	1	3	5
MEAN	0	0	0	0	0	1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AKITA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	3	6	11
01	-	-	1	1	1	3	6	7
02	-	-	-	-	-	1	3	5
03	-	-	-	-	-	1	3	3
04	-	-	-	-	1	3	5	6
05	-	-	-	1	1	1	5	6
06	-	-	-	1	1	2	5	8
07	-	1	1	1	1	1	3	8
08	-	-	1	1	1	3	6	9
09	-	-	-	1	1	3	5	8
10	-	-	1	1	1	3	5	9
11	-	-	-	-	1	1	3	8
12	-	-	-	-	-	2	5	6
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1	2	3	7	16	19
23	-	-	-	1	1	3	6	10
MEAN	-	0	0	1	1	2	5	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AKITA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	1	1	4
01	-	-	-	-	-	1	3	3
02	-	-	-	-	-	-	3	4
03	-	-	-	-	-	1	1	2
04	-	-	-	-	-	-	1	2
05	-	-	-	-	-	1	1	2
06	-	-	-	-	-	1	1	3
07	-	-	-	-	-	-	-	1
08	-	-	-	-	-	-	-	1
09	-	-	-	-	-	-	-	2
10	-	-	-	-	-	1	1	3
11	-	-	-	-	-	1	1	2
12	-	-	-	-	-	-	1	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	3	5	5	5	6	10	14
23	-	1	1	1	1	2	3	6
MEAN	0	0	0	0	0	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AKITA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	1	1	1	3	4	5
01	-	-	-	-	-	-	1	1
02	-	-	-	-	-	1	1	2
03	-	-	-	-	-	1	1	3
04	-	-	-	-	-	1	1	3
05	-	-	-	-	-	1	1	3
06	-	-	-	-	-	-	-	1
07	-	-	-	-	-	-	1	2
08	-	-	-	-	-	1	2	3
09	-	-	-	-	1	1	1	2
10	-	-	1	1	1	1	1	1
11	-	-	-	-	1	1	1	1
12	-	-	-	-	-	1	1	1
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	9	10	16	18	18	19	23	26
23	1	2	7	8	8	9	13	13
MEAN	1	1	2	2	2	3	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AKITA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1200	<1500	<1600	<2400	<3200	<5000
00	1	1	2	3	3	4	6	9
01	-	-	1	1	1	2	5	6
02	-	-	-	1	1	1	2	3
03	-	-	-	-	-	-	1	4
04	-	-	-	-	-	-	1	4
05	-	-	-	-	-	1	2	5
06	-	-	-	-	-	1	3	6
07	-	-	-	-	-	1	3	4
08	-	-	-	1	1	1	3	4
09	-	-	-	1	1	1	1	1
10	-	-	-	1	1	1	2	4
11	-	-	1	1	1	2	3	4
12	-	-	1	1	1	1	1	3
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	9	10	10	12	12	14	15	17
23	4	6	6	6	6	8	8	10
MEAN	1	1	1	2	2	2	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AKITA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1200	<1500	<1600	<2400	<3200	<5000
00	3	6	9	9	10	11	13	17
01	1	1	3	4	4	6	11	13
02	-	-	2	3	3	6	8	11
03	-	1	1	3	3	4	8	10
04	-	-	-	1	1	2	4	7
05	-	-	-	1	1	3	7	9
06	-	-	2	2	2	3	5	6
07	-	1	1	2	3	3	4	7
08	1	1	2	2	2	3	3	5
09	1	1	1	1	1	2	4	4
10	1	1	1	3	3	5	7	7
11	1	1	2	2	2	3	5	7
12	2	3	5	5	5	5	7	7
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	7	11	11	14	14	17	19	21
23	9	10	13	13	13	17	21	22
MEAN	2	2	4	4	4	6	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AKITA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1200	<1500	<1600	<2400	<3200	<5000
00	2	3	6	8	9	14	21	25
01	1	1	5	7	7	13	17	23
02	-	1	1	3	4	10	15	21
03	-	-	1	3	6	10	15	21
04	-	-	2	3	3	10	14	19
05	1	1	5	8	9	12	14	19
06	1	1	5	7	8	12	14	19
07	1	3	5	6	6	8	12	19
08	1	1	5	7	8	9	11	13
09	1	1	4	6	8	8	12	15
10	1	2	4	5	5	11	14	18
11	1	1	6	10	10	10	14	17
12	1	3	8	9	9	13	17	22
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	4	5	8	12	12	18	24	27
23	5	7	14	14	15	19	24	30
MEAN	1	2	5	7	8	12	16	21

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: AKITA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1200	<1500	<1600	<2400	<3200	<5000
00	1	1	3	4	4	6	9	13
01	0	1	2	3	3	5	9	11
02	0	0	1	1	2	4	6	9
03	0	0	1	2	2	4	6	8
04	0	0	1	1	2	4	5	8
05	0	0	1	2	2	3	6	8
06	0	0	1	2	3	4	6	8
07	0	1	1	2	2	3	6	9
08	0	0	2	3	3	4	6	8
09	0	0	1	2	2	3	5	7
10	0	0	1	2	2	4	6	8
11	0	0	1	1	2	3	5	7
12	0	1	2	3	3	4	6	9
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	4	7	8	8	11	15	19
23	2	3	5	6	6	9	12	15
MEAN	1	1	2	3	3	5	7	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AKITA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	5	6	15	17
01	-	-	3	4	4	10	13
02	-	-	1	3	3	7	13
03	-	-	1	2	2	9	13
04	-	-	1	3	4	8	10
05	-	-	1	2	2	9	13
06	-	-	2	5	6	10	13
07	-	1	3	3	6	14	21
08	-	-	3	6	7	15	17
09	-	-	3	3	3	8	11
10	-	-	3	4	4	8	10
11	-	-	3	3	4	6	10
12	-	-	2	5	5	9	10
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	3	4	8	12
23	-	-	4	6	8	14	16
MEAN	-	0	2	4	5	10	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AKITA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	4	6	8	15	18
01	-	-	3	7	7	15	18
02	-	-	2	3	3	15	15
03	-	-	1	4	6	11	14
04	-	-	2	5	7	12	16
05	-	-	1	2	2	8	13
06	-	-	1	1	2	8	13
07	-	-	1	4	5	7	9
08	-	-	3	6	9	13	16
09	-	-	3	4	6	11	13
10	-	-	3	5	7	12	14
11	-	-	2	3	4	9	14
12	-	1	4	5	6	12	13
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	4	7	8	13	18
23	-	1	4	4	4	12	16
MEAN	-	0	2	4	6	12	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AKITA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	6	6	6	9	11
01	-	-	3	4	5	9	10
02	-	-	1	2	3	5	8
03	-	-	-	1	3	4	6
04	-	-	-	1	3	4	6
05	-	-	1	2	2	6	9
06	-	-	2	3	3	4	8
07	-	-	2	2	3	6	8
08	-	-	2	3	3	7	9
09	-	-	2	3	3	5	6
10	-	-	1	3	4	6	9
11	-	-	3	3	3	5	12
12	-	-	1	2	3	8	11
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	2	7	9	12	17	19
23	-	3	8	8	10	16	19
MEAN	-	0	3	3	4	7	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AKITA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	2	3	7	11
01	-	-	1	2	3	8	9
02	-	-	1	3	4	6	7
03	-	-	1	2	4	6	8
04	-	-	1	2	5	5	6
05	-	-	1	2	4	6	7
06	-	-	1	1	3	8	9
07	-	1	1	1	3	9	9
08	-	-	2	2	3	7	9
09	-	1	2	3	5	8	9
10	-	-	1	1	1	6	9
11	-	-	1	2	3	5	8
12	-	-	2	3	4	6	11
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	3	7	9	9	12	16
23	-	1	4	5	6	9	11
MEAN	-	0	2	3	4	7	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AKITA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	4	4	5	11	15
01	-	-	2	3	5	10	13
02	-	-	2	2	3	8	11
03	-	-	1	3	4	8	11
04	-	-	1	2	3	8	13
05	-	-	1	1	2	7	10
06	-	-	-	-	1	5	8
07	-	-	-	-	1	6	10
08	-	-	-	-	1	8	12
09	-	-	-	1	2	6	10
10	-	-	1	2	2	6	11
11	-	-	1	1	3	5	10
12	-	-	1	2	3	6	10
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	4	8	9	10	15	23
23	-	1	3	5	7	14	19
MEAN	-	0	2	2	3	8	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AKITA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	2	3	5	7
01	-	-	1	1	2	6	8
02	-	-	1	1	1	5	7
03	-	-	1	1	1	5	7
04	-	-	1	1	3	5	7
05	-	1	1	2	3	3	4
06	-	-	-	1	1	3	5
07	-	-	-	-	1	3	5
08	-	-	-	-	1	5	5
09	-	-	-	-	1	3	5
10	-	-	-	-	1	5	6
11	-	-	-	1	1	3	3
12	-	-	-	1	1	3	4
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	5	6	7	8	13
23	-	-	1	1	1	5	9
MEAN	-	0	1	1	2	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AKITA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	3	4	6	13	16
01	-	-	1	2	5	12	17
02	-	-	1	3	3	12	17
03	-	-	1	1	4	8	14
04	-	-	1	2	4	9	12
05	-	-	2	5	5	10	14
06	-	-	1	5	5	12	16
07	-	1	1	4	5	13	17
08	-	1	1	5	5	17	19
09	-	-	2	5	7	17	18
10	-	-	3	5	6	15	19
11	-	-	2	5	7	15	18
12	-	-	3	5	7	14	19
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	1	8	9	12	19	24
23	-	-	2	6	6	11	17
MEAN	-	0	2	4	6	13	17

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AKITA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	2	2	5	6
01	-	-	1	1	2	3	5
02	-	-	1	1	1	1	3
03	-	-	1	1	1	2	5
04	-	-	-	1	1	2	3
05	-	-	-	-	1	1	5
06	-	-	-	1	1	1	5
07	-	-	-	-	-	-	3
08	-	-	-	-	-	-	2
09	-	-	-	-	-	1	3
10	-	-	1	1	1	2	4
11	-	-	-	1	2	3	5
12	-	-	1	1	1	3	5
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	3	7	8	10	12	15
23	-	1	3	4	5	8	10
MEAN	-	0	1	1	2	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AKITA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	3	5	7	9	9
01	-	-	-	1	1	1	1
02	-	-	-	-	-	1	1
03	-	-	1	1	1	1	1
04	-	-	-	-	1	1	1
05	-	-	-	1	1	2	5
06	-	-	-	-	2	3	4
07	-	-	-	1	1	1	2
08	-	-	-	1	1	2	3
09	-	-	-	1	1	1	2
10	-	-	-	1	1	1	1
11	-	-	-	-	-	2	2
12	-	-	1	1	1	2	2
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	13	18	21	21	25	25
23	-	7	10	12	13	15	16
MEAN	-	1	2	3	3	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AKITA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	2	5	6	6	6	7
01	-	1	3	3	3	4	5
02	-	-	1	1	1	1	1
03	-	-	1	1	1	1	1
04	-	-	1	1	1	1	3
05	-	-	1	2	2	3	5
06	-	-	-	-	-	2	2
07	-	-	1	1	1	2	3
08	-	-	2	2	2	3	5
09	-	-	1	1	1	2	3
10	-	-	2	2	2	2	3
11	-	1	3	3	3	3	4
12	-	-	3	3	3	3	3
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	10	10	10	11	12	14
23	-	5	7	7	7	8	8
MEAN	-	1	3	3	3	4	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AKITA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	7	11	11	12	14	17
01	-	3	7	8	10	11	13
02	-	-	4	5	5	7	11
03	-	-	1	3	4	6	8
04	-	-	1	2	2	5	7
05	-	-	1	3	5	10	10
06	-	-	1	1	2	5	7
07	-	-	1	2	2	4	5
08	-	1	2	3	3	4	6
09	-	1	3	3	4	4	6
10	-	1	2	2	3	7	8
11	-	1	4	4	4	7	7
12	-	2	5	5	5	7	9
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	8	13	14	15	18	19
23	-	10	15	16	17	19	21
MEAN	-	2	5	5	6	9	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AKITA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	2	4	5	7	15	19
01	-	-	5	6	8	13	15
02	-	-	1	3	4	11	13
03	-	-	1	3	5	12	13
04	-	-	2	4	5	11	14
05	-	-	3	3	5	10	14
06	-	1	2	2	4	10	14
07	-	1	5	7	8	13	16
08	-	1	3	4	6	13	16
09	-	1	5	8	9	12	14
10	-	1	5	6	6	9	12
11	-	1	5	5	8	12	15
12	-	3	6	7	7	12	15
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	4	7	9	10	14	17
23	-	3	8	10	13	21	23
MEAN	-	1	4	5	7	13	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: AKITA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 15

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	1	4	5	6	10	13
01	-	0	2	3	4	9	11
02	-	-	1	2	3	7	9
03	-	-	1	2	3	6	8
04	-	-	1	2	3	6	8
05	-	0	1	2	3	6	9
06	-	0	1	2	2	6	9
07	-	0	1	2	3	7	9
08	-	0	1	2	3	8	10
09	-	0	2	3	3	7	8
10	-	0	2	3	3	7	9
11	-	0	2	3	3	6	9
12	-	0	2	3	4	7	9
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	4	8	9	11	14	18
23	-	3	6	7	8	13	15
MEAN	-	1	2	3	4	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AKITA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	8	-	-	-	-	-	-	-	-	-	-	8
[35-36-01]	2	1	0	-	-	-	-	-	-	-	-	3
[02-03-04]	1	0	-	-	-	-	-	-	-	-	-	1
[05-06-07]	1	-	-	-	-	-	-	-	-	-	-	1
[08-09-10]	2	0	0	-	-	-	-	-	-	-	-	2
[11-12-13]	9	3	0	-	-	-	-	-	-	-	-	12
[14-15-16]	9	1	-	-	-	-	-	-	-	-	-	10
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	2
[20-21-22]	0	-	-	-	-	-	-	-	-	-	-	0
[23-24-25]	0	0	0	-	-	-	-	-	-	-	-	1
[26-27-28]	1	2	2	2	1	0	0	-	-	-	-	9
[29-30-31]	3	10	12	6	2	0	0	-	-	-	-	33
[32-33-34]	5	9	3	0	-	-	-	-	-	-	-	17
TOTAL	43	26	18	9	3	1	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AKITA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	9	0	-	-	-	-	-	-	-	-	-	9
[35-36-01]	2	0	-	-	-	-	-	-	-	-	-	2
[02-03-04]	1	0	-	-	-	-	-	-	-	-	-	1
[05-06-07]	0	0	-	-	-	-	-	-	-	-	-	0
[08-09-10]	2	0	0	0	-	-	-	-	-	-	-	3
[11-12-13]	9	4	1	0	-	-	-	-	-	-	-	14
[14-15-16]	9	2	0	-	-	-	-	-	-	-	-	11
[17-18-19]	2	0	-	0	-	-	-	-	-	-	-	2
[20-21-22]	0	0	-	0	-	-	-	-	-	-	-	1
[23-24-25]	0	0	0	0	0	0	-	-	-	-	-	1
[26-27-28]	1	2	2	2	1	0	0	-	-	-	-	10
[29-30-31]	4	8	11	7	2	0	-	-	-	-	-	32
[32-33-34]	4	6	2	0	-	-	-	-	-	-	-	13
TOTAL	44	24	17	10	3	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AKITA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	9	0	-	-	-	-	-	-	-	-	-	9
[35-36-01]	1	0	-	-	-	-	-	-	-	-	-	1
[02-03-04]	0	0	0	-	-	-	-	-	-	-	-	1
[05-06-07]	0	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	3	1	-	-	-	-	-	-	-	-	-	4
[11-12-13]	10	5	0	-	-	-	-	-	-	-	-	16
[14-15-16]	9	2	-	-	-	-	-	-	-	-	-	11
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	2
[20-21-22]	1	1	-	-	-	-	-	-	-	-	-	2
[23-24-25]	1	3	2	1	0	0	-	-	-	-	-	7
[26-27-28]	2	3	4	3	2	1	0	-	-	-	-	15
[29-30-31]	3	8	7	5	2	0	-	-	-	-	-	26
[32-33-34]	3	2	1	0	-	-	-	-	-	-	-	5
TOTAL	45	26	14	9	4	1	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AKITA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	10	0	0	-	-	-	-	-	-	-	-	10
[35-36-01]	1	0	-	-	-	-	-	-	-	-	-	1
[02-03-04]	0	0	-	-	-	-	-	-	-	-	-	1
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	4	1	0	-	-	-	-	-	-	-	-	4
[11-12-13]	10	9	3	1	0	-	-	-	-	-	-	22
[14-15-16]	9	4	0	0	0	-	-	-	-	-	-	14
[17-18-19]	1	-	-	-	-	-	-	-	-	-	-	1
[20-21-22]	1	0	0	0	-	-	0	-	-	-	-	1
[23-24-25]	1	3	2	1	0	-	0	0	-	-	-	7
[26-27-28]	2	5	5	2	1	0	0	-	0	-	-	16
[29-30-31]	3	7	4	2	0	0	-	-	-	-	-	18
[32-33-34]	2	1	0	0	-	-	-	-	-	-	-	3
TOTAL	45	31	15	6	2	1	0	0	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AKITA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	11	0	-	-	-	-	-	-	-	-	-	11
[35-36-01]	1	-	-	-	-	-	-	-	-	-	-	1
[02-03-04]	1	0	-	-	-	-	-	-	-	-	-	1
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	3	1	0	-	-	-	-	-	-	-	-	4
[11-12-13]	10	9	2	0	-	-	-	-	-	-	-	21
[14-15-16]	9	4	0	-	-	-	-	-	-	-	-	13
[17-18-19]	1	0	-	-	-	-	-	-	-	-	-	1
[20-21-22]	1	1	0	-	-	-	-	-	-	-	-	2
[23-24-25]	3	5	4	1	0	-	-	-	-	-	-	12
[26-27-28]	2	8	6	2	0	-	-	-	-	-	-	19
[29-30-31]	4	6	2	0	-	-	-	-	-	-	-	12
[32-33-34]	1	0	0	-	-	-	-	-	-	-	-	2
TOTAL	47	34	15	3	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AKITA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	12	0	-	-	-	-	-	-	-	-	-	12
[35-36-01]	1	-	-	-	-	-	-	-	-	-	-	1
[02-03-04]	0	0	-	-	-	-	-	-	-	-	-	1
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	4	1	0	-	-	-	-	-	-	-	-	6
[11-12-13]	11	13	5	0	-	-	-	-	-	-	-	30
[14-15-16]	9	4	0	-	-	-	-	-	-	-	-	13
[17-18-19]	1	0	-	-	-	-	-	-	-	-	-	1
[20-21-22]	1	0	-	-	-	-	-	-	-	-	-	1
[23-24-25]	1	2	1	0	-	-	-	-	-	-	-	5
[26-27-28]	2	7	3	0	0	-	-	-	-	-	-	13
[29-30-31]	5	8	2	0	0	-	-	-	-	-	-	15
[32-33-34]	1	1	-	-	-	-	-	-	-	-	-	2
TOTAL	50	36	11	1	0	-	-	-	-	-	-	

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AKITA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	15	-	-	-	-	-	-	-	-	-	-	15
[35-36-01]	0	0	-	-	-	-	-	-	-	-	-	1
[02-03-04]	0	0	-	-	-	-	-	-	-	-	-	0
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	4	1	-	-	-	-	-	-	-	-	-	5
[11-12-13]	17	10	2	0	-	-	-	-	-	-	-	29
[14-15-16]	13	3	0	-	-	-	-	-	-	-	-	15
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	2
[20-21-22]	1	0	-	-	-	-	-	-	-	-	-	2
[23-24-25]	2	4	1	0	0	-	-	-	-	-	-	6
[26-27-28]	2	6	2	0	-	-	-	-	-	-	-	10
[29-30-31]	4	5	1	0	-	-	-	-	-	-	-	10
[32-33-34]	1	1	0	-	-	-	-	-	-	-	-	2
TOTAL	62	30	6	1	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AKITA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	14)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[35-36-01]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[02-03-04]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[05-06-07]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[08-09-10]	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	18)	12)	2)	0)	0)	0)	0)	0)	0)	0)	0)	33)
[14-15-16]	14)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	16)
[17-18-19]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	2)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[29-30-31]	4)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[32-33-34]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
TOTAL	65)	27)	6)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AKITA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	12	-	-	-	-	-	-	-	-	-	-	12
[35-36-01]	1	0	-	-	-	-	-	-	-	-	-	1
[02-03-04]	1	0	-	-	-	-	-	-	-	-	-	1
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	4	1	0	-	-	-	-	-	-	-	-	4
[11-12-13]	15	8	1	-	-	-	-	-	-	-	-	25
[14-15-16]	14	2	0	-	-	-	-	-	-	-	-	16
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	2
[20-21-22]	1	0	0	-	-	-	-	-	-	-	-	1
[23-24-25]	1	1	0	0	-	-	-	-	-	-	-	2
[26-27-28]	1	2	1	1	0	0	0	-	-	-	-	6
[29-30-31]	4	7	6	3	0	0	-	-	-	-	-	20
[32-33-34]	3	3	1	0	0	-	-	-	-	-	-	8
TOTAL	59	25	11	4	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AKITA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	11)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[35-36-01]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[05-06-07]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[08-09-10]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	14)	8)	1)	0)	0)	0)	0)	0)	0)	0)	0)	22)
[14-15-16]	16)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	20)
[17-18-19]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	1)	1)	2)	2)	1)	1)	0)	0)	0)	0)	0)	7)
[29-30-31]	3)	5)	5)	2)	1)	0)	0)	0)	0)	0)	0)	16)
[32-33-34]	4)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
TOTAL	59)	24)	10)	4)	2)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AKITA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	10	0	-	-	-	-	-	-	-	-	-	10
[35-36-01]	2	0	-	-	-	-	-	-	-	-	-	2
[02-03-04]	1	0	-	-	-	-	-	-	-	-	-	1
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	3	0	0	-	-	-	-	-	-	-	-	3
[11-12-13]	10	5	0	-	-	-	-	-	-	-	-	16
[14-15-16]	13	2	-	-	-	-	-	-	-	-	-	16
[17-18-19]	2	0	-	-	-	-	-	-	-	-	-	3
[20-21-22]	1	0	-	-	-	-	-	-	-	-	-	1
[23-24-25]	0	0	0	0	0	-	-	-	-	-	-	1
[26-27-28]	1	1	1	2	1	0	0	0	-	-	-	8
[29-30-31]	3	6	9	5	3	1	0	-	-	-	-	26
[32-33-34]	4	7	3	0	-	-	-	-	-	-	-	13
TOTAL	50	23	14	8	4	1	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: AKITA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	11)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[35-36-01]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[02-03-04]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[05-06-07]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[08-09-10]	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	12)	8)	2)	0)	0)	0)	0)	0)	0)	0)	0)	22)
[14-15-16]	11)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[17-18-19]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[26-27-28]	2)	4)	3)	1)	1)	0)	0)	0)	0)	0)	0)	11)
[29-30-31]	4)	7)	5)	3)	1)	0)	0)	0)	0)	0)	0)	19)
[32-33-34]	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
TOTAL	53)	28)	12)	5)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: AKITA AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	6	65	29	-	-	-	-	-	-	-
01	-	-	1	64	34	1	-	-	-	-	-	-
02	-	-	1	55	41	2	-	-	-	-	-	-
03	-	-	-	50	48	2	-	-	-	-	-	-
04	-	-	-	50	48	3	-	-	-	-	-	-
05	-	-	1	46	49	4	-	-	-	-	-	-
06	-	-	3	49	46	3	-	-	-	-	-	-
07	-	-	2	57	39	2	-	-	-	-	-	-
08	-	-	5	62	34	-	-	-	-	-	-	-
09	-	-	4	66	30	-	-	-	-	-	-	-
10	-	-	3	68	29	-	-	-	-	-	-	-
11	-	-	3	68	28	-	-	-	-	-	-	-
12	-	-	3	73	23	1	-	-	-	-	-	-
13	-	-	5	72	23	-	-	-	-	-	-	-
14	-	-	6	74	20	1	-	-	-	-	-	-
15	-	-	8	70	22	1	-	-	-	-	-	-
16	-	-	10	66	23	-	-	-	-	-	-	-
17	-	1	10	67	22	-	-	-	-	-	-	-
18	-	1	9	68	21	1	-	-	-	-	-	-
19	-	-	12	66	22	1	-	-	-	-	-	-
20	-	-	11	68	21	-	-	-	-	-	-	-
21	-	-	12	65	22	1	-	-	-	-	-	-
22	-	-	12	68	21	-	-	-	-	-	-	-
23	-	-	10	68	22	-	-	-	-	-	-	-
MEAN	-	0	6	64	30	1	-	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AKITA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	6	65	25	3	-	-	-	-	-	-
01	-	-	1	62	32	4	-	-	-	-	-	-
02	-	-	1	50	44	4	1	-	-	-	-	-
03	-	-	1	44	49	6	1	-	-	-	-	-
04	-	-	1	42	49	8	1	-	-	-	-	-
05	-	-	1	42	46	10	1	-	-	-	-	-
06	-	-	1	44	44	11	-	-	-	-	-	-
07	-	-	1	46	43	9	-	-	-	-	-	-
08	-	-	3	49	44	4	-	-	-	-	-	-
09	-	-	4	54	40	3	-	-	-	-	-	-
10	-	-	5	55	37	3	-	-	-	-	-	-
11	-	-	5	61	32	2	-	-	-	-	-	-
12	-	-	6	62	32	1	-	-	-	-	-	-
13	-	-	8	61	30	1	-	-	-	-	-	-
14	-	-	9	63	27	1	-	-	-	-	-	-
15	-	-	11	63	26	-	-	-	-	-	-	-
16	-	-	12	63	24	1	-	-	-	-	-	-
17	-	-	12	64	23	1	-	-	-	-	-	-
18	-	-	14	63	20	2	-	-	-	-	-	-
19	-	-	13	64	20	2	-	-	-	-	-	-
20	-	-	13	66	19	2	-	-	-	-	-	-
21	-	-	12	67	19	2	-	-	-	-	-	-
22	-	1	13	64	20	1	-	-	-	-	-	-
23	-	-	8	68	23	1	-	-	-	-	-	-
MEAN	-	0	7	58	32	3	0	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: AKITA AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	15	58	23	4	-	-	-	-	-
01	-	-	-	13	50	31	6	-	-	-	-	-
02	-	-	-	7	48	34	10	1	-	-	-	-
03	-	-	-	5	46	36	12	2	-	-	-	-
04	-	-	-	5	42	39	12	2	-	-	-	-
05	-	-	-	6	43	35	15	1	-	-	-	-
06	-	-	-	7	43	33	15	1	-	-	-	-
07	-	-	-	8	44	32	15	1	-	-	-	-
08	-	-	-	10	45	32	13	-	-	-	-	-
09	-	-	-	12	54	30	5	-	-	-	-	-
10	-	-	-	14	56	26	4	-	-	-	-	-
11	-	-	-	16	59	22	3	-	-	-	-	-
12	-	-	-	21	57	21	1	-	-	-	-	-
13	-	-	-	23	61	15	2	-	-	-	-	-
14	-	-	1	26	57	15	1	-	-	-	-	-
15	-	-	-	29	55	15	1	-	-	-	-	-
16	-	-	1	33	53	14	-	-	-	-	-	-
17	-	-	1	34	53	12	-	-	-	-	-	-
18	-	-	1	37	49	13	-	-	-	-	-	-
19	-	-	1	40	46	13	-	-	-	-	-	-
20	-	-	1	43	46	10	-	-	-	-	-	-
21	-	-	-	44	46	10	-	-	-	-	-	-
22	-	-	-	39	46	14	1	-	-	-	-	-
23	-	-	1	25	55	17	2	-	-	-	-	-
MEAN	-	-	0	21	51	23	5	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AKITA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	15	41	37	7	1	-	-	-
01	-	-	-	-	8	37	41	9	4	-	-	-
02	-	-	-	-	6	29	43	15	5	1	-	-
03	-	-	-	-	5	27	45	18	4	1	-	-
04	-	-	-	-	6	27	39	21	6	1	-	-
05	-	-	-	-	5	29	37	23	6	1	-	-
06	-	-	-	-	5	27	41	21	6	1	-	-
07	-	-	-	-	7	30	40	18	4	1	-	-
08	-	-	-	-	9	33	37	18	3	1	-	-
09	-	-	-	-	12	38	38	10	2	-	-	-
10	-	-	-	-	13	47	30	9	1	-	-	-
11	-	-	-	1	17	48	29	6	-	-	-	-
12	-	-	-	-	25	48	24	3	-	-	-	-
13	-	-	-	1	31	44	23	2	-	-	-	-
14	-	-	-	1	33	44	21	2	-	-	-	-
15	-	-	-	2	33	48	16	1	-	-	-	-
16	-	-	-	3	41	41	15	-	-	-	-	-
17	-	-	-	5	41	43	11	-	-	-	-	-
18	-	-	-	7	41	43	9	-	-	-	-	-
19	-	-	-	10	38	43	9	-	-	-	-	-
20	-	-	-	13	37	39	11	-	-	-	-	-
21	-	-	-	11	38	41	11	-	-	-	-	-
22	-	-	-	2	35	47	17	-	-	-	-	-
23	-	-	-	-	23	49	26	3	-	-	-	-
MEAN	-	-	-	2	22	39	27	8	2	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AKITA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	6	38	41	15	-	-	-
01	-	-	-	-	-	6	26	40	27	1	-	-
02	-	-	-	-	-	5	23	37	28	7	-	-
03	-	-	-	-	-	6	20	35	28	12	-	-
04	-	-	-	-	-	5	21	34	26	14	1	-
05	-	-	-	-	-	4	21	37	26	12	1	-
06	-	-	-	-	-	4	20	39	30	6	1	-
07	-	-	-	-	-	4	25	37	29	5	-	-
08	-	-	-	-	-	5	27	41	23	4	-	-
09	-	-	-	-	-	5	31	44	19	1	-	-
10	-	-	-	-	-	8	38	44	10	1	-	-
11	-	-	-	-	-	11	45	38	6	-	-	-
12	-	-	-	-	1	13	50	32	4	-	-	-
13	-	-	-	-	-	17	52	27	4	-	-	-
14	0)	0)	0)	0)	0)	20)	52)	27)	1)	0)	0)	0)
15	-	-	-	-	-	23	53	23	1	-	-	-
16	-	-	-	-	1	26	55	17	-	-	-	-
17	-	-	-	-	2	26	55	17	-	-	-	-
18	-	-	-	-	2	27	56	15	-	-	-	-
19	-	-	-	-	3	27	56	14	-	-	-	-
20	-	-	-	-	1	32	54	13	-	-	-	-
21	-	-	-	-	1	28	56	14	-	-	-	-
22	-	-	-	-	-	19	54	26	1	-	-	-
23	-	-	-	-	-	8	52	35	6	-	-	-
MEAN	0)	0)	0)	0)	0)	14)	41)	30)	12)	3)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AKITA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	2	42	53	3	-	-
01	-	-	-	-	-	-	3	30	54	13	-	-
02	-	-	-	-	-	-	3	24	51	23	-	-
03	-	-	-	-	-	-	3	21	48	27	1	-
04	-	-	-	-	-	-	2	20	45	31	2	-
05	-	-	-	-	-	-	3	18	46	31	2	-
06	-	-	-	-	-	-	2	19	49	29	1	-
07	-	-	-	-	-	-	2	28	47	23	1	-
08	-	-	-	-	-	-	3	29	52	16	1	-
09	-	-	-	-	-	-	3	33	56	7	-	-
10	-	-	-	-	-	-	4	51	43	2	-	-
11	-	-	-	-	-	-	7	55	37	1	-	-
12	-	-	-	-	-	-	11	61	28	-	-	-
13	-	-	-	-	-	-	13	67	20	-	-	-
14	-	-	-	-	-	-	17	67	16	-	-	-
15	-	-	-	-	-	-	19	70	11	-	-	-
16	-	-	-	-	-	1	25	67	7	-	-	-
17	-	-	-	-	-	1	29	65	5	-	-	-
18	-	-	-	-	-	1	31	62	5	-	-	-
19	-	-	-	-	-	2	32	62	4	-	-	-
20	-	-	-	-	-	2	32	62	4	-	-	-
21	-	-	-	-	-	1	27	66	7	-	-	-
22	-	-	-	-	-	-	11	75	13	-	-	-
23	-	-	-	-	-	-	5	63	32	-	-	-
MEAN	-	-	-	-	-	0	12	48	31	9	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AKITA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	6	76	18	-	-
01	-	-	-	-	-	-	-	4	61	34	1	-
02	-	-	-	-	-	-	-	3	52	39	5	-
03	-	-	-	-	-	-	-	3	46	45	6	-
04	-	-	-	-	-	-	-	2	39	50	8	-
05	-	-	-	-	-	-	-	1	42	49	8	-
06	-	-	-	-	-	-	-	1	48	42	8	-
07	-	-	-	-	-	-	-	1	54	39	6	-
08	-	-	-	-	-	-	-	3	60	34	3	-
09	-	-	-	-	-	-	-	3	65	30	1	-
10	-	-	-	-	-	-	-	6	74	19	1	-
11	-	-	-	-	-	-	-	12	75	13	-	-
12	-	-	-	-	-	-	-	19	71	10	-	-
13	-	-	-	-	-	-	-	26	67	7	-	-
14	0)	0)	0)	0)	0)	0)	0)	29)	64)	7)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	35)	60)	5)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	44)	54)	2)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	49)	49)	2)	0)	0)
18	0)	0)	0)	0)	0)	0)	2)	47)	49)	2)	0)	0)
19	0)	0)	0)	0)	0)	0)	3)	47)	49)	2)	0)	0)
20	0)	0)	0)	0)	0)	0)	3)	48)	48)	1)	0)	0)
21	0)	0)	0)	0)	0)	0)	0)	45)	53)	2)	0)	0)
22	-	-	-	-	-	-	-	30	65	5	-	-
23	-	-	-	-	-	-	-	14	74	12	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	20)	58)	20)	2)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AKITA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	2	44	53	1	-
01	-	-	-	-	-	-	-	1	32	60	7	-
02	-	-	-	-	-	-	-	1	24	57	18	-
03	-	-	-	-	-	-	-	1	21	55	23	-
04	-	-	-	-	-	-	-	1	19	56	25	-
05	-	-	-	-	-	-	-	-	21	51	28	-
06	-	-	-	-	-	-	-	-	22	54	23	1
07	-	-	-	-	-	-	-	-	26	59	15	-
08	-	-	-	-	-	-	-	-	31	63	6	-
09	-	-	-	-	-	-	-	2	38	59	1	-
10	-	-	-	-	-	-	-	3	54	44	-	-
11	-	-	-	-	-	-	-	6	55	39	-	-
12	-	-	-	-	-	-	-	10	60	30	-	-
13	-	-	-	-	-	-	-	14	67	19	-	-
14	0)	0)	0)	0)	0)	0)	0)	16)	73)	11)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	17)	75)	8)	0)	0)
16	0)	0)	0)	0)	0)	0)	1)	17)	77)	6)	0)	0)
17	0)	0)	0)	0)	0)	0)	1)	18)	77)	5)	0)	0)
18	0)	0)	0)	0)	0)	0)	1)	22)	73)	5)	0)	0)
19	0)	0)	0)	0)	0)	0)	1)	26)	70)	3)	0)	0)
20	-	-	-	-	-	-	1	27	68	3	-	-
21	-	-	-	-	-	-	1	28	67	4	-	-
22	-	-	-	-	-	-	-	16	75	8	-	-
23	-	-	-	-	-	-	-	7	54	39	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	10)	51)	33)	6)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AKITA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	3	43	41	13	-	-
01	-	-	-	-	-	-	-	27	55	15	2	-
02	-	-	-	-	-	-	-	13	65	17	5	-
03	-	-	-	-	-	-	-	11	61	22	7	-
04	-	-	-	-	-	-	-	9	59	23	9	-
05	-	-	-	-	-	-	-	9	60	23	9	-
06	-	-	-	-	-	-	-	11	60	19	9	-
07	-	-	-	-	-	-	-	13	65	15	7	-
08	-	-	-	-	-	-	-	23	60	15	1	-
09	-	-	-	-	-	-	1	37	50	11	-	-
10	-	-	-	-	-	-	3	42	44	11	-	-
11	-	-	-	-	-	-	7	48	37	7	-	-
12	-	-	-	-	-	-	9	55	31	5	-	-
13	-	-	-	-	-	-	14	51	33	2	-	-
14	0)	0)	0)	0)	0)	1)	18)	51)	28)	2)	0)	0)
15	0)	0)	0)	0)	0)	2)	21)	49)	27)	1)	0)	0)
16	0)	0)	0)	0)	0)	1)	22)	50)	26)	1)	0)	0)
17	0)	0)	0)	0)	0)	1)	24)	49)	26)	0)	0)	0)
18	0)	0)	0)	0)	0)	1)	26)	48)	24)	0)	0)	0)
19	0)	0)	0)	0)	0)	1)	28)	50)	21)	0)	0)	0)
20	0)	0)	0)	0)	0)	1)	28)	49)	21)	0)	0)	0)
21	-	-	-	-	-	1	29	47	23	-	-	-
22	-	-	-	-	-	1	23	47	26	3	-	-
23	-	-	-	-	-	-	13	47	32	9	-	-
MEAN	0)	0)	0)	0)	0)	1)	11)	37)	41)	9)	2)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AKITA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	18	52	26	3	-	-	-
01	-	-	-	-	-	7	49	37	7	-	-	-
02	-	-	-	-	-	6	35	48	10	1	-	-
03	-	-	-	-	-	5	26	54	14	1	-	-
04	-	-	-	-	-	5	30	47	17	1	-	-
05	-	-	-	-	-	5	29	48	17	1	-	-
06	-	-	-	-	-	5	28	50	16	1	-	-
07	-	-	-	-	-	5	39	41	14	1	-	-
08	-	-	-	-	-	10	48	34	8	-	-	-
09	-	-	-	-	-	14	58	24	4	-	-	-
10	-	-	-	-	-	21	55	21	3	-	-	-
11	-	-	-	-	-	25	55	18	3	-	-	-
12	-	-	-	-	1	28	53	16	3	-	-	-
13	-	-	-	-	1	36	46	15	3	-	-	-
14	-	-	-	-	1	43	40	15	1	-	-	-
15	-	-	-	-	1	44	39	14	1	-	-	-
16	-	-	-	-	3	43	35	16	2	-	-	-
17	-	-	-	-	4	45	32	17	1	-	-	-
18	-	-	-	-	5	46	31	17	1	-	-	-
19	-	-	-	-	5	50	30	15	-	-	-	-
20	-	-	-	-	7	50	31	12	1	-	-	-
21	-	-	-	-	7	52	29	11	1	-	-	-
22	-	-	-	-	5	50	28	17	-	-	-	-
23	-	-	-	-	1	38	41	18	2	-	-	-
MEAN	-	-	-	-	2	27	39	26	5	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AKITA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	3	35	48	15	-	-	-	-	-
01	-	-	-	2	27	41	29	1	-	-	-	-
02	-	-	-	1	21	41	34	2	-	-	-	-
03	-	-	-	-	17	43	34	6	-	-	-	-
04	-	-	-	-	19	38	35	8	-	-	-	-
05	-	-	-	1	19	35	37	8	-	-	-	-
06	-	-	-	1	19	37	35	9	-	-	-	-
07	-	-	-	1	20	40	33	6	-	-	-	-
08	-	-	-	1	25	45	27	1	-	-	-	-
09	-	-	-	2	25	51	21	1	-	-	-	-
10	-	-	-	2	31	48	18	1	-	-	-	-
11	-	-	-	3	33	45	17	1	-	-	-	-
12	-	-	-	3	39	41	15	1	-	-	-	-
13	-	-	-	4	41	39	14	1	-	-	-	-
14	0)	0)	0)	5)	41)	39)	15)	1)	0)	0)	0)	0)
15	0)	0)	0)	4)	43)	40)	13)	0)	0)	0)	0)	0)
16	0)	0)	0)	6)	41)	38)	15)	0)	0)	0)	0)	0)
17	0)	0)	0)	6)	44)	34)	16)	0)	0)	0)	0)	0)
18	0)	0)	0)	7)	45)	34)	14)	0)	0)	0)	0)	0)
19	0)	0)	0)	8)	40)	39)	14)	0)	0)	0)	0)	0)
20	0)	0)	0)	7)	43)	40)	11)	0)	0)	0)	0)	0)
21	-	-	-	7	46	37	10	-	-	-	-	-
22	-	-	-	9	45	37	9	-	-	-	-	-
23	-	-	-	5	43	39	13	-	-	-	-	-
MEAN	0)	0)	0)	4)	33)	40)	21)	2)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AKITA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	1	37	52	10	1	-	-	-	-	-
01	-	-	-	31	55	14	1	-	-	-	-	-
02	-	-	-	26	52	21	1	-	-	-	-	-
03	-	-	1	21	54	24	1	-	-	-	-	-
04	-	-	1	20	52	25	3	-	-	-	-	-
05	-	-	1	19	54	23	4	-	-	-	-	-
06	-	-	1	19	55	22	3	-	-	-	-	-
07	-	-	1	24	58	15	3	-	-	-	-	-
08	-	-	1	27	54	17	1	-	-	-	-	-
09	-	-	1	28	58	13	1	-	-	-	-	-
10	-	-	1	34	54	10	1	-	-	-	-	-
11	-	-	1	36	52	11	1	-	-	-	-	-
12	-	-	1	37	52	10	-	-	-	-	-	-
13	-	-	1	41	50	9	-	-	-	-	-	-
14	0)	0)	1)	44)	47)	8)	0)	0)	0)	0)	0)	0)
15	0)	0)	1)	44)	47)	8)	0)	0)	0)	0)	0)	0)
16	-	-	1	44	46	9	-	-	-	-	-	-
17	-	-	2	44	47	7	-	-	-	-	-	-
18	-	-	3	41	50	6	1	-	-	-	-	-
19	-	-	2	45	48	5	1	-	-	-	-	-
20	-	-	3	41	50	5	1	-	-	-	-	-
21	-	-	3	42	49	6	1	-	-	-	-	-
22	-	-	4	41	49	6	1	-	-	-	-	-
23	-	-	4	36	52	8	-	-	-	-	-	-
MEAN	0)	0)	1)	34)	51)	12)	1)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: AKITA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	1	15	18	12	13	14	19	7	0	-
01	-	-	0	14	17	12	13	12	20	10	1	-
02	-	-	0	12	18	12	13	12	20	12	2	-
03	-	-	0	10	18	12	12	13	18	14	3	-
04	-	-	0	10	18	12	12	12	18	15	4	-
05	-	-	0	9	18	12	12	12	18	14	4	-
06	-	-	0	10	18	12	12	13	19	13	4	0
07	-	-	0	11	18	11	13	12	20	12	2	-
08	-	-	1	12	17	12	13	13	20	11	1	-
09	-	-	1	13	18	13	13	13	20	9	0	-
10	-	-	1	14	18	14	13	15	19	6	0	-
11	-	-	1	15	18	14	14	15	18	5	-	-
12	-	-	1	16	19	14	14	16	17	4	-	-
13	-	-	1	17	20	13	14	17	16	2	-	-
14	0)	0)	1)	18)	19)	14)	14)	17)	15)	2)	0)	0)
15	0)	0)	2)	18)	19)	15)	14)	17)	15)	1)	0)	0)
16	0)	0)	2)	18)	19)	15)	14)	17)	14)	1)	0)	0)
17	0)	0)	2)	18)	20)	14)	14)	18)	13)	1)	0)	0)
18	0)	0)	2)	19)	19)	15)	14)	17)	13)	1)	0)	0)
19	0)	0)	2)	19)	19)	15)	14)	18)	12)	0)	0)	0)
20	0)	0)	2)	20)	19)	15)	14)	17)	12)	0)	0)	0)
21	0)	0)	2)	19)	19)	15)	14)	18)	13)	0)	0)	0)
22	-	0	2	18	18	15	12	18	15	1	-	-
23	-	-	2	17	18	13	13	15	17	5	-	-
MEAN	0)	0)	1)	15)	18)	13)	13)	15)	17)	6)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AKITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	-1.4	-1.0	3.0	8.6	14.8	19.2	22.6	24.2	20.0	12.9	6.6	1.3	10.9
Daily maximum air temperature(°C)	1.2	2.1	7.1	13.9	20.1	24.3	26.9	28.9	25.1	17.8	10.6	4.2	15.2
Daily minimum air temperature(°C)	-4.1	-4.0	-0.7	3.5	10.1	15.0	19.1	20.5	16.2	8.5	2.8	-1.4	7.1
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	84.5	90.0	115.3	109.6	99.9	105.6	233.9	187.0	137.3	206.8	235.9	176.9	1782.7
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	980.9	980.6	979.6	964.6	978.8	977.5	979.2	968.0	974.7	977.0	984.3	978.2	964.6
Daily maximum air temperature(°C)	9.0	13.0	19.1	29.1	31.4	32.3	35.3	35.5	34.0	26.6	19.6	14.4	35.5
Daily minimum air temperature(°C)	-13.0	-12.9	-6.4	-3.1	3.7	7.2	13.2	14.2	7.2	1.7	-4.3	-9.6	-13.0
Daily precipitation(mm)	21.0	27.0	38.0	36.5	42.0	63.5	104.5	73.5	55.0	60.5	57.5	32.5	104.5
Daily max.one-hour precipitation(mm)	8.0	6.0	8.5	9.0	21.5	14.0	28.0	37.5	21.0	29.0	23.0	10.0	37.5
Daily max.ten-minute precipitation(mm)	2.5	2.0	3.0	3.5	13.0	11.0	17.5	14.5	17.0	10.5	7.5	6.0	17.5
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)	97	94	78	3	-	-	-	-	×	-	17	56	97
Daily maximum wind speed(kt)	40	36 *	39 *	49	30	25 *	27	26	27	34	40 *	40	49
with wind direction(36DIR.)	28	27 *	27	25	27	29 *	25	25	32	30	28	29	25
Daily maximum peak gust(kt)	48	54	51	67	41	34	37	48	40	47	53	52	67
with wind direction(36DIR.)	28	26	28	27	28	28	26	25	31	29	27	28	27

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AKITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	29.8	26.4	20.4	6.0	-	-	-	-	-	-	5.2	22.4	110.2
25.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
Daily mean air temperature < 0.0°C	23.0	19.2	4.6	-	-	-	-	-	-	-	0.4	10.4	57.6
25.0°C	-	-	-	-	-	0.2	4.0	14.4	2.6	-	-	-	21.2
Daily maximum air temperature < 0.0°C	9.6	7.6	0.2	-	-	-	-	-	-	-	-	2.6	20.0
25.0°C	-	-	-	0.4	5.8	13.8	23.0	27.4	13.0	0.6	-	-	84.0
30.0°C	-	-	-	-	0.2	1.4	4.2	12.2	3.0	-	-	-	21.0
Daily precipitation 0.0mm	29.8	26.8	25.8	22.0	24.4	21.2	26.6	22.4	21.8	25.6	27.2	28.2	301.8
1.0mm	19.8	16.2	13.8	10.4	11.0	8.6	11.8	10.6	11.6	15.0	18.8	21.8	169.4
5.0mm	5.6	6.8	7.2	6.6	6.8	5.4	8.0	6.8	7.8	10.8	12.6	12.6	97.0
10.0mm	1.8	2.2	4.6	4.8	3.4	3.0	6.6	4.8	5.8	7.4	8.6	7.0	60.0
30.0mm	-	-	0.8	0.4	0.4	1.0	2.6	2.2	0.6	1.4	2.0	0.2	11.6
50.0mm	-	-	-	-	-	0.4	1.4	1.0	0.2	0.6	0.8	-	4.4
70.0mm	-	-	-	-	-	-	0.4	0.2	-	-	-	-	0.6
100.0mm	-	-	-	-	-	-	0.2	-	-	-	-	-	0.2

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AKITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1005.7	1006.4	1004.9	1003.5	1000.5	998.2	998.2	998.4	1003.5	1006.5	1006.7	1004.7	1003.1
01	1005.8	1006.3	1004.8	1003.4	1000.4	998.1	998.2	998.4	1003.2	1006.3	1006.6	1004.7	1003.0
02	1005.3	1006.1	1004.5	1003.1	1000.1	997.9	997.9	998.1	1002.8	1006.0	1006.2	1004.0	1002.7
03	1004.6	1005.5	1004.1	1002.7	999.8	997.6	997.7	997.8	1002.4	1005.4	1005.6	1003.3	1002.2
04	1004.3	1005.1	1003.6	1002.3	999.5	997.3	997.5	997.5	1002.0	1005.0	1005.2	1003.0	1001.9
05	1004.3	1004.9	1003.4	1002.0	999.3	997.1	997.3	997.3	1001.8	1004.9	1005.1	1003.0	1001.7
06	1004.6	1005.1	1003.4	1001.8	999.2	997.0	997.2	997.2	1001.8	1005.1	1005.3	1003.2	1001.7
07	1004.8	1005.3	1003.4	1001.8	999.2	996.9	997.2	997.2	1001.9	1005.2	1005.5	1003.5	1001.8
08	1005.1	1005.5	1003.6	1001.9	999.2	997.0	997.2	997.3	1002.2	1005.3	1005.7	1003.7	1002.0
09	1005.3	1005.8	1003.9	1002.1	999.4	997.2	997.3	997.5	1002.4	1005.6	1006.1	1004.0	1002.2
10	1005.5	1006.0	1004.1	1002.5	999.7	997.5	997.6	997.8	1002.8	1005.9	1006.2	1004.2	1002.5
11	1005.4	1006.0	1004.4	1003.0	1000.0	997.8	997.9	998.2	1003.2	1006.0	1006.2	1004.2	1002.7
12	1005.4	1006.1	1004.5	1003.1	1000.3	998.2	998.2	998.4	1003.2	1006.1	1006.2	1004.2	1002.8
13	1005.3	1006.0	1004.5	1003.1	1000.2	998.2	998.2	998.3	1003.2	1006.1	1006.2	1004.1	1002.8
14	1005.3	1005.9	1004.5	1003.1	1000.2	998.1	998.0	998.3	1003.0	1005.9	1006.0	1004.2	1002.7
15	1005.0	1005.8	1004.4	1003.0	1000.1	997.9	997.8	998.1	1002.9	1005.8	1005.8	1003.9	1002.5
16	1004.6	1005.8	1004.4	1002.9	1000.0	997.7	997.6	997.8	1002.6	1005.5	1005.9	1003.8	1002.4
17	1004.7	1005.8	1004.2	1002.7	999.8	997.6	997.4	997.7	1002.6	1005.4	1006.0	1004.0	1002.4
18	1004.6	1005.5	1004.0	1002.7	999.9	997.6	997.4	997.7	1002.6	1005.4	1005.8	1003.8	1002.3
19	1004.4	1005.5	1004.1	1002.7	1000.0	997.8	997.5	997.8	1002.6	1005.6	1005.8	1003.7	1002.3
20	1004.5	1005.6	1004.3	1002.9	1000.2	998.0	997.7	998.0	1002.8	1005.8	1005.9	1003.7	1002.5
21	1004.8	1005.7	1004.4	1003.2	1000.5	998.2	998.1	998.3	1003.1	1005.9	1006.0	1004.0	1002.7
22	1005.0	1006.0	1004.7	1003.4	1000.6	998.3	998.2	998.4	1003.3	1006.2	1006.4	1004.2	1002.9
23	1005.4	1006.4	1004.8	1003.4	1000.6	998.4	998.3	998.4	1003.3	1006.5	1006.7	1004.5	1003.1
MEAN	1005.0	1005.8	1004.2	1002.8	999.9	997.7	997.7	997.9	1002.7	1005.7	1006.0	1003.9	1002.4

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AKITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	-1.7	-1.2	3.1	9.5	15.6	20.2	23.2	25.1	20.5	13.1	6.3	1.0	11.3
01	-1.1	-0.6	4.1	10.8	17.0	21.3	24.2	26.2	22.1	14.5	7.3	1.6	12.3
02	-0.5	0.1	4.8	11.7	17.9	22.1	24.9	27.1	23.1	15.7	8.1	2.1	13.1
03	-0.1	0.5	5.4	12.3	18.5	22.7	25.4	27.5	23.7	16.2	8.7	2.5	13.6
04	0.0	0.8	5.6	12.6	18.7	23.1	25.8	27.7	24.0	16.5	9.1	2.9	13.9
05	0.0	0.8	5.6	12.5	18.6	23.0	25.7	27.8	24.1	16.6	9.1	2.9	13.9
06	-0.2	0.7	5.6	12.3	18.3	22.7	25.5	27.5	23.8	16.3	9.0	2.7	13.7
07	-0.6	0.4	5.3	11.7	17.8	22.3	25.1	27.0	23.2	15.6	8.3	2.2	13.2
08	-1.0	-0.1	4.8	11.1	17.1	21.6	24.5	26.3	22.2	14.4	7.6	1.8	12.5
09	-1.2	-0.6	4.0	10.2	16.3	20.8	23.9	25.4	21.0	13.5	7.1	1.6	11.8
10	-1.4	-1.0	3.5	9.1	15.2	19.7	23.0	24.5	20.2	12.9	6.6	1.4	11.1
11	-1.5	-1.2	3.0	8.4	14.5	18.9	22.4	23.8	19.5	12.4	6.2	1.1	10.6
12	-1.6	-1.3	2.6	7.8	13.9	18.2	21.9	23.3	19.0	12.1	6.0	1.0	10.3
13	-1.8	-1.5	2.3	7.3	13.4	17.7	21.5	22.8	18.5	11.7	5.8	0.8	9.9
14	-1.9	-1.7	1.9	6.9	13.0	17.3	21.2	22.4	18.1	11.4	5.6	0.7	9.6
15	-2.0	-1.8	1.7	6.5	12.7	17.0	20.9	22.1	17.8	11.1	5.5	0.7	9.3
16	-2.1	-2.0	1.3	6.0	12.2	16.6	20.5	22.0	17.8	11.1	5.5	0.7	9.2
17	-2.2	-2.0	1.1	5.5	11.9	16.2	20.2	21.8	17.6	10.9	5.4	0.6	8.9
18	-2.2	-2.1	1.0	5.3	11.6	15.9	20.1	21.6	17.4	10.7	5.2	0.6	8.7
19	-2.2	-2.2	0.8	5.0	11.4	15.8	19.9	21.3	17.2	10.4	5.1	0.5	8.6
20	-2.2	-2.2	0.7	4.9	11.3	15.8	19.8	21.2	17.0	10.2	5.0	0.4	8.5
21	-2.2	-2.2	0.7	5.1	11.7	16.3	20.1	21.4	17.1	10.0	4.8	0.4	8.6
22	-2.2	-2.3	1.1	6.1	12.8	17.5	21.0	22.3	17.8	10.4	4.9	0.4	9.2
23	-2.1	-1.8	2.1	7.9	14.2	18.9	22.2	23.7	19.1	11.6	5.4	0.5	10.1
MEAN	-1.4	-1.0	3.0	8.6	14.8	19.2	22.6	24.3	20.1	12.9	6.6	1.3	10.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AKITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	4.5	4.5	5.8	8.0	12.2	16.5	22.0	24.0	19.1	11.9	8.1	5.6	11.9
01	4.5	4.6	5.8	7.8	12.1	16.4	21.9	23.7	19.0	11.9	8.2	5.7	11.8
02	4.5	4.6	5.8	7.7	12.0	16.4	22.0	23.6	18.7	11.7	8.4	5.7	11.8
03	4.5	4.6	5.9	7.7	11.8	16.4	21.8	23.6	18.5	11.5	8.4	5.7	11.7
04	4.6	4.5	5.8	7.6	11.8	16.4	21.8	23.7	18.3	11.4	8.4	5.7	11.7
05	4.6	4.5	5.8	7.7	11.8	16.5	21.8	23.7	18.4	11.5	8.4	5.8	11.7
06	4.6	4.6	5.9	7.6	11.8	16.5	21.8	23.8	18.4	11.7	8.5	5.8	11.7
07	4.7	4.6	5.9	7.7	11.9	16.6	22.0	24.0	18.6	11.8	8.5	5.8	11.8
08	4.7	4.6	6.0	7.7	12.2	16.5	22.1	24.0	18.8	12.0	8.4	5.8	11.9
09	4.6	4.7	6.0	7.9	12.3	16.6	22.2	24.2	18.9	12.0	8.4	5.8	12.0
10	4.6	4.7	6.0	8.0	12.4	16.8	22.3	24.2	18.8	12.0	8.3	5.7	12.0
11	4.6	4.6	5.9	8.0	12.4	16.7	22.3	24.1	18.8	11.9	8.2	5.6	12.0
12	4.6	4.6	5.9	8.0	12.5	16.7	22.2	23.9	18.7	11.8	8.2	5.6	11.9
13	4.6	4.6	5.9	8.0	12.3	16.6	22.1	23.7	18.5	11.7	8.1	5.6	11.8
14	4.6	4.6	5.8	7.9	12.3	16.5	22.0	23.5	18.4	11.6	8.0	5.6	11.7
15	4.5	4.6	5.8	7.8	12.2	16.4	21.9	23.4	18.2	11.5	8.0	5.5	11.7
16	4.5	4.6	5.6	7.7	11.9	16.1	21.5	23.5	18.4	11.6	8.0	5.5	11.6
17	4.5	4.5	5.6	7.6	11.9	16.0	21.3	23.4	18.2	11.5	7.8	5.5	11.5
18	4.5	4.5	5.6	7.6	11.8	15.9	21.2	23.3	18.1	11.4	7.8	5.5	11.5
19	4.5	4.5	5.5	7.5	11.8	15.8	21.1	23.1	18.0	11.4	7.8	5.5	11.4
20	4.5	4.5	5.5	7.5	11.7	15.8	21.1	23.1	17.9	11.2	7.7	5.5	11.4
21	4.4	4.5	5.5	7.6	11.9	16.0	21.3	23.1	17.9	11.1	7.7	5.4	11.4
22	4.4	4.4	5.6	7.8	12.1	16.4	21.6	23.6	18.3	11.3	7.7	5.4	11.6
23	4.4	4.5	5.7	7.9	12.2	16.5	21.9	23.9	18.9	11.7	7.9	5.5	11.7
MEAN	4.5	4.5	5.8	7.8	12.1	16.4	21.8	23.7	18.5	11.6	8.1	5.6	11.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AKITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES													
TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	83	80	74	67	70	70	77	75	79	77	83	84	77
01	79	77	70	61	64	66	73	70	71	70	79	82	72
02	77	73	67	57	61	63	71	66	66	65	76	79	68
03	75	71	65	55	58	61	68	64	63	62	74	77	66
04	74	70	63	54	57	60	66	64	61	60	71	76	65
05	74	69	64	54	58	60	67	64	61	60	72	76	65
06	75	71	64	55	59	61	68	65	62	62	73	78	66
07	79	73	65	57	61	63	70	68	65	66	76	80	69
08	82	76	69	59	64	65	72	70	70	71	79	82	72
09	82	79	72	64	67	69	75	75	75	75	81	83	75
10	83	81	74	69	73	73	79	78	78	78	82	83	78
11	82	82	76	72	76	77	82	81	82	80	84	84	80
12	83	82	78	75	78	80	84	83	84	82	85	85	82
13	84	84	80	77	80	82	86	85	85	83	86	86	83
14	85	85	81	78	82	83	87	86	87	84	85	86	84
15	85	85	82	79	83	84	88	88	88	85	86	85	85
16	86	85	82	81	84	85	88	89	88	85	86	85	85
17	86	84	83	83	85	86	89	89	89	86	86	85	86
18	85	85	83	83	85	87	90	90	90	87	86	86	86
19	85	85	84	84	86	88	90	91	90	88	86	87	87
20	85	85	84	85	87	88	91	91	91	88	87	86	87
21	84	85	85	85	85	86	89	90	90	88	87	86	87
22	84	85	83	81	81	82	86	87	88	88	87	86	85
23	84	83	79	74	76	76	82	81	85	84	86	85	81
MEAN	82	80	75	70	73	75	80	79	79	78	82	83	78

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AKITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	29	30	14	14	13	12	13	13 *	13	13	14	14	13
01	30	30	29	13	14	13	13	12	13	13	15	13	13
02	29	13	29	27	13	13	13	13	13	30	14	13	13
03	30	30 *	29	28	28	28	26	12	12	29 *	30	30	30
04	30	30	28	29	24	29	27	27	12	29	31	29 *	29
05	30	30	29	28	28	29 *	28	27	29	29	30 *	30	29
06	30	30	29	29	27	29	29	29	29	29	29	30	29
07	30	30 *	29	28	28	29	29	29	29	29	29	30	29
08	30	30	29	29	28	29	29 *	28	29	31	32	29	29
09	31 *	30	29	29	28 *	29	29	29	31	30 *	32	29	29
10	30	31	29	29	29	30	28	30	13 *	12	12	30	30
11	30	31	29	13	12 *	12	12	13	12	12	12	29	12
12	30	29	30	12	13	12	13	12	13	12	13	31 *	12
13	32	29	29	12	13	12	13	13	13	12	13	32	13
14	30	29	30 *	13	13	12	13)	13	13)	12	12)	30	13)
15	30 *	30	30	13	13	12	12)	13	13)	13 *	13)	29	13)
16	29	29	29 *	13	13	13 *	13)	13	14)	14	14)	30	13)
17	29	30	13	13	14	12	14)	14	13)	13	14)	31	14)
18	29	30	30	13	13	13	14)	14	13)	14	13)	31	13)
19	30	30	13	14	13	13	13)	13	13)	13	14)	13	13)
20	30	31 *	13	14	14	13	13)	14	13)	14	14	30	14)
21	30	30	14	14	14	14	14	13	13	14	14	29	14
22	31	31	13	13	14	14	13	14	14	14 *	14	14	14
23	30 *	31	14	14	14	13	13	13 *	13	14	14	14	14
ALL	30	30	29	13	13	13	13)	13	13)	13	13)	30	13)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AKITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	8.3	8.5	7.9	7.9	6.8	6.0	5.2	5.4	5.3	6.7	6.8	7.8	6.9
01	8.9	8.9	8.9	8.5	7.8	6.6	5.6	5.9	5.7	7.4	7.4	7.9	7.5
02	9.5	9.5	10.0	10.0	8.4	7.1	6.4	6.7	5.9	7.9	7.7	8.1	8.1
03	10.1	9.9	10.5	10.6	9.1	7.7	6.8	7.3	6.7	8.2	7.9	8.4	8.6
04	10.2	10.2	11.0	11.2	9.6	8.5	7.4	7.6	7.2	8.2	7.7	8.8	9.0
05	9.9	10.3	11.1	11.0	9.8	9.1	7.6	8.1	7.9	8.4	7.7	8.7	9.1
06	9.4	10.0	10.9	11.1	9.7	9.0	7.5	7.7	7.4	8.2	7.5	8.5	8.9
07	8.6	9.1	10.0	10.4	8.8	8.9	7.3	7.3	6.9	7.0	6.6	8.1	8.3
08	7.5	8.4	9.4	9.1	8.0	8.1	6.6	6.5	5.9	5.8	6.1	7.6	7.4
09	7.2	7.6	7.8	7.5	6.7	6.7	5.6	5.5	4.5	5.2	5.8	7.0	6.4
10	7.3	7.3	7.3	6.3	5.4	5.5	4.7	4.1	4.1	5.0	5.8	7.4	5.9
11	7.2	7.1	6.7	5.8	5.0	4.8	4.0	3.9	3.9	5.0	5.4	7.8	5.6
12	7.6	7.5	6.9	5.6	4.9	4.5	3.8	3.5	3.9	5.1	5.7	7.9	5.6
13	7.5	7.4	6.6	5.4	4.7	4.4	3.6	3.8	4.0	5.3	5.6	7.3	5.5
14	7.2	7.1	6.9	5.5	5.0	4.6	3.8	3.7	3.7	5.0	5.6	7.8	5.5
15	7.5	7.0	6.9	5.8	5.1	4.7	3.7	3.6	3.8	5.0	5.9	8.0	5.6
16	7.3	7.3	6.8	5.8	5.5	4.8	3.8	3.5	3.6	5.1	5.8	8.0	5.6
17	7.1	7.0	6.7	5.7	5.2	4.7	4.0	3.7	3.9	5.3	6.1	8.0	5.6
18	7.6	7.1	6.7	5.7	5.3	4.9	4.2	3.7	3.8	5.2	5.9	7.8	5.7
19	7.4	7.3	6.4	5.6	5.3	4.7	4.0	3.9	3.8	5.2	6.0	7.6	5.6
20	7.6	7.3	6.3	5.6	5.3	4.4	4.1	3.9	3.8	5.2	6.2	7.4	5.6
21	7.7	7.1	6.5	5.5	5.5	4.8	4.3	4.1	3.9	5.3	6.3	7.4	5.7
22	7.8	7.3	6.7	6.2	6.3	5.7	4.6	4.4	4.3	5.2	6.3	7.0	6.0
23	8.0	7.3	7.4	7.1	6.7	5.8	5.0	5.1	5.0	5.8	6.3	7.1	6.4
MEAN	8.1	8.1	8.0	7.5	6.6	6.1	5.2	5.1	5.0	6.1	6.4	7.8	6.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AKITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	-0.5	2.0	-3.0	-1.5	1.5	-4.2	0.5	4.2	-2.9	5.8	10.8	1.0
02	-0.6	1.8	-3.1	-1.5	1.5	-4.2	0.7	4.5	-2.7	6.0	11.0	1.1
03	-0.8	1.7	-3.2	-1.5	1.5	-4.3	0.9	4.7	-2.5	6.1	11.1	1.2
04	-0.9	1.5	-3.3	-1.5	1.4	-4.3	1.1	4.9	-2.3	6.2	11.2	1.3
05	-1.0	1.4	-3.4	-1.5	1.4	-4.3	1.3	5.0	-2.1	6.3	11.3	1.4
06	-1.1	1.2	-3.5	-1.6	1.3	-4.4	1.4	5.2	-2.0	6.4	11.4	1.5
07	-1.3	1.1	-3.7	-1.6	1.3	-4.4	1.5	5.3	-1.8	6.5	11.5	1.6
08	-1.4	0.9	-3.8	-1.6	1.3	-4.4	1.7	5.5	-1.7	6.6	11.6	1.7
09	-1.5	0.8	-3.9	-1.5	1.3	-4.4	1.8	5.6	-1.6	6.8	11.8	1.8
10	-1.6	0.8	-4.0	-1.5	1.4	-4.3	1.9	5.7	-1.4	6.9	12.0	2.0
11	-1.7	0.7	-4.1	-1.4	1.5	-4.3	2.0	5.9	-1.3	7.1	12.2	2.1
12	-1.7	0.7	-4.2	-1.3	1.5	-4.2	2.2	6.0	-1.2	7.3	12.4	2.3
13	-1.7	0.7	-4.2	-1.3	1.6	-4.1	2.4	6.2	-1.1	7.5	12.7	2.5
14	-1.7	0.7	-4.3	-1.2	1.7	-4.0	2.5	6.4	-0.9	7.8	12.9	2.8
15	-1.7	0.8	-4.3	-1.1	1.9	-4.0	2.7	6.6	-0.8	8.0	13.2	3.0
16	-1.6	0.9	-4.3	-1.0	2.0	-3.9	2.9	6.9	-0.7	8.3	13.5	3.3
17	-1.6	1.0	-4.3	-0.9	2.1	-3.8	3.1	7.1	-0.5	8.6	13.8	3.6
18	-1.5	1.1	-4.3	-0.8	2.2	-3.8	3.3	7.3	-0.4	8.9	14.1	3.8
19	-1.5	1.2	-4.3	-0.8	2.3	-3.7	3.5	7.5	-0.3	9.1	14.4	4.1
20	-1.4	1.3	-4.3	-0.7	2.4	-3.7	3.6	7.7	-0.2	9.5	14.8	4.4
21	-1.4	1.4	-4.3	-0.7	2.6	-3.7	3.8	7.9	-0.1	9.8	15.2	4.7
22	-1.3	1.5	-4.3	-0.6	2.7	-3.7	3.9	8.1	0.0	10.1	15.6	5.0
23	-1.3	1.5	-4.3	-0.5	2.9	-3.6	4.1	8.3	0.0	10.5	16.0	5.3
24	-1.3	1.6	-4.3	-0.4	3.1	-3.6	4.2	8.6	0.1	10.8	16.4	5.6
25	-1.3	1.6	-4.3	-0.2	3.3	-3.5	4.4	8.8	0.2	11.2	16.7	5.9
26	-1.3	1.6	-4.3	-0.1	3.5	-3.4	4.6	9.2	0.3	11.5	17.1	6.3
27	-1.3	1.6	-4.3	0.1	3.7	-3.3	4.8	9.5	0.4	11.8	17.4	6.6
28	-1.4	1.6	-4.3	0.3	3.9	-3.1	5.0	9.8	0.5	12.1	17.7	6.9
29	-1.4	1.6	-4.2	0.4	4.1	-3.0	5.3	10.1	0.6	12.3	17.9	7.2
30	-1.4	1.6	-4.2				5.5	10.4	0.8	12.5	18.0	7.5
31	-1.4	1.6	-4.2				5.7	10.6	0.9			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AKITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	12.7	18.1	7.7	17.8	23.5	12.7	20.8	25.6	16.8	25.0	29.6	21.5
02	12.8	18.2	7.9	17.9	23.6	12.9	20.9	25.6	17.0	25.1	29.7	21.5
03	12.9	18.2	8.0	18.1	23.7	13.0	21.0	25.7	17.2	25.1	29.7	21.5
04	12.9	18.2	8.1	18.2	23.8	13.3	21.2	25.7	17.4	25.1	29.7	21.5
05	13.0	18.2	8.2	18.4	23.9	13.5	21.3	25.7	17.6	25.1	29.7	21.4
06	13.0	18.2	8.2	18.6	24.0	13.8	21.3	25.7	17.8	25.0	29.6	21.3
07	13.0	18.2	8.3	18.8	24.1	14.1	21.4	25.8	18.0	24.9	29.5	21.2
08	13.0	18.2	8.3	18.9	24.2	14.3	21.5	25.8	18.1	24.9	29.4	21.1
09	13.1	18.3	8.4	19.1	24.3	14.6	21.6	25.9	18.2	24.8	29.3	21.0
10	13.2	18.4	8.5	19.3	24.3	14.9	21.7	26.0	18.4	24.7	29.2	20.9
11	13.4	18.5	8.7	19.4	24.3	15.1	21.9	26.0	18.5	24.6	29.1	20.8
12	13.5	18.7	8.8	19.5	24.3	15.4	22.0	26.1	18.6	24.5	29.1	20.7
13	13.7	18.9	9.0	19.6	24.3	15.5	22.1	26.2	18.7	24.5	29.0	20.7
14	13.9	19.1	9.2	19.6	24.3	15.7	22.2	26.4	18.7	24.4	29.0	20.7
15	14.1	19.3	9.4	19.6	24.2	15.8	22.3	26.5	18.8	24.4	28.9	20.7
16	14.4	19.6	9.7	19.6	24.1	15.8	22.3	26.6	18.9	24.4	28.9	20.7
17	14.6	19.9	9.9	19.5	24.0	15.8	22.4	26.7	19.0	24.3	28.9	20.7
18	14.9	20.2	10.1	19.5	24.0	15.8	22.6	26.8	19.1	24.3	28.8	20.7
19	15.1	20.5	10.4	19.4	24.0	15.8	22.7	27.0	19.2	24.2	28.8	20.6
20	15.4	20.7	10.6	19.4	24.0	15.8	22.8	27.1	19.3	24.2	28.7	20.6
21	15.7	21.1	10.9	19.4	24.1	15.7	23.0	27.3	19.4	24.1	28.6	20.5
22	16.0	21.4	11.1	19.5	24.2	15.7	23.2	27.5	19.6	23.9	28.6	20.3
23	16.2	21.7	11.3	19.6	24.3	15.7	23.4	27.7	19.8	23.8	28.5	20.2
24	16.5	22.0	11.6	19.7	24.5	15.8	23.6	27.9	20.0	23.7	28.4	20.0
25	16.7	22.3	11.8	19.8	24.7	15.8	23.8	28.2	20.3	23.5	28.2	19.8
26	17.0	22.5	11.9	20.0	24.9	15.9	24.0	28.4	20.5	23.4	28.1	19.7
27	17.1	22.7	12.1	20.2	25.0	16.0	24.2	28.7	20.7	23.3	28.0	19.5
28	17.3	22.9	12.2	20.3	25.2	16.2	24.4	28.9	20.9	23.2	27.9	19.4
29	17.5	23.1	12.4	20.5	25.4	16.4	24.6	29.1	21.1	23.0	27.8	19.3
30	17.6	23.3	12.5	20.7	25.5	16.6	24.8	29.3	21.3	22.9	27.7	19.2
31	17.7	23.4	12.6				24.9	29.5	21.4	22.8	27.6	19.1

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: AKITA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 39° 36.2'N, LONGITUDE: 140° 13.0'E, ELEVATION ABOVE MSL: 305 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	22.7	27.5	19.0	16.9	22.1	12.4	9.4	13.8	5.4	3.7	7.1	0.5
02	22.6	27.3	19.0	16.7	21.9	12.1	9.2	13.7	5.2	3.5	6.8	0.4
03	22.4	27.2	18.9	16.4	21.6	11.8	9.1	13.5	5.1	3.2	6.5	0.2
04	22.3	27.0	18.7	16.1	21.2	11.5	8.9	13.3	4.9	2.9	6.2	0.0
05	22.1	26.8	18.6	15.8	20.9	11.2	8.8	13.2	4.7	2.7	5.9	-0.2
06	21.9	26.6	18.4	15.5	20.6	10.9	8.6	13.0	4.6	2.4	5.6	-0.4
07	21.7	26.4	18.2	15.2	20.3	10.6	8.4	12.8	4.4	2.2	5.3	-0.6
08	21.5	26.2	18.0	14.8	19.9	10.3	8.2	12.6	4.2	2.0	5.0	-0.7
09	21.3	26.0	17.8	14.5	19.6	10.1	8.0	12.3	4.1	1.8	4.7	-0.9
10	21.1	25.9	17.6	14.2	19.3	9.8	7.8	12.0	3.9	1.6	4.5	-1.0
11	20.9	25.7	17.3	13.9	19.0	9.5	7.6	11.8	3.7	1.5	4.4	-1.1
12	20.7	25.6	17.1	13.6	18.7	9.2	7.4	11.5	3.5	1.4	4.3	-1.1
13	20.5	25.5	16.8	13.3	18.5	8.9	7.1	11.2	3.3	1.4	4.2	-1.2
14	20.3	25.3	16.6	13.1	18.2	8.6	6.9	10.9	3.1	1.3	4.2	-1.2
15	20.1	25.2	16.3	12.8	17.9	8.4	6.6	10.7	2.9	1.3	4.1	-1.2
16	19.8	25.0	16.0	12.6	17.7	8.1	6.4	10.4	2.7	1.3	4.1	-1.3
17	19.6	24.9	15.7	12.4	17.4	7.9	6.1	10.1	2.5	1.2	4.1	-1.3
18	19.4	24.7	15.4	12.1	17.2	7.7	5.9	9.9	2.3	1.2	4.1	-1.4
19	19.2	24.5	15.1	11.9	16.9	7.5	5.7	9.7	2.1	1.1	4.0	-1.5
20	19.0	24.3	14.9	11.7	16.7	7.3	5.5	9.4	1.9	1.0	3.9	-1.6
21	18.8	24.1	14.6	11.6	16.4	7.2	5.3	9.2	1.8	0.9	3.8	-1.8
22	18.6	24.0	14.4	11.4	16.2	7.0	5.1	9.0	1.6	0.8	3.7	-1.9
23	18.4	23.8	14.2	11.2	15.9	6.9	4.9	8.8	1.5	0.6	3.5	-2.1
24	18.2	23.6	14.0	11.0	15.6	6.8	4.8	8.6	1.4	0.5	3.3	-2.3
25	18.1	23.4	13.8	10.8	15.4	6.6	4.7	8.4	1.2	0.3	3.2	-2.4
26	17.9	23.2	13.6	10.6	15.1	6.5	4.5	8.2	1.1	0.2	3.0	-2.5
27	17.8	23.1	13.4	10.4	14.9	6.3	4.4	8.0	1.0	0.0	2.8	-2.7
28	17.6	22.9	13.1	10.2	14.6	6.2	4.2	7.8	0.9	-0.1	2.6	-2.8
29	17.4	22.6	12.9	10.0	14.4	6.0	4.1	7.5	0.8	-0.2	2.5	-2.8
30	17.2	22.4	12.6	9.8	14.2	5.8	3.9	7.3	0.7	-0.3	2.3	-2.9
31				9.6	14.0	5.6				-0.4	2.1	-3.0