

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SENDAI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	x	x	x	x	x	1	5	8
01	x	x	x	x	x	3	5	6
02	x	x	x	x	x	2	5	6
03	x	x	x	x	x	2	5	6
04	x	x	x	x	x	2	4	6
05	x	x	x	x	x	2	3	6
06	x	x	x	x	x	2	3	4
07	x	x	x	x	x	3	4	4
08	x	x	x	x	x	3	3	4
09	x	x	x	x	x	1	3	4
10	x	x	x	x	x	2	2	4
11	x	x	x	x	x	2	2	3
12	x	x	x	x	x	1	2	4
13								
14								
15								
16								
17								
18								
19								
20								
21	x	x	x	x	x	1	5	6
22	x	x	x	x	x	1	6	8
23	x	x	x	x	x	1	6	8
MEAN	x	x	x	x	x	2	4	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SENDAI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	0)	0)	1)	2)	2)	1	4	7
01	0)	0)	0)	2)	2)	3	6	6
02	0)	0)	2)	2)	2)	2	5	7
03	0)	0)	0)	1)	4)	3	5	5
04	0)	0)	1)	1)	4)	4	6	6
05	0)	0)	0)	0)	2)	1	5	6
06	x	x	x	x	x	1	4	6
07	0)	0)	0)	1)	1)	2	5	8
08	0)	0)	0)	0)	0)	1	4	6
09	0)	0)	0)	0)	1)	1	3	6
10	0)	0)	0)	0)	2)	1	4	6
11	0)	0)	0)	1)	2)	1	4	6
12	0)	0)	0)	1)	2)	1	4	5
13								
14								
15								
16								
17								
18								
19								
20								
21	0)	0)	0)	0)	1)	1	3	8
22	0)	0)	0)	1)	4)	4	7	10
23	0)	0)	2)	2)	3)	3	6	8
MEAN	0)	0)	0)	1)	2)	2	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SENDAI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	0)	0)	1)	1)	1)	1	5	9
01	0)	0)	1)	1)	1)	2	5	8
02	0)	0)	1)	1)	1)	3	5	8
03	0)	0)	1)	1)	1)	2	6	10
04	0)	0)	1)	1)	2)	3	8	12
05	0)	0)	1)	1)	3)	5	9	10
06	0)	0)	1)	1)	3)	4	8	9
07	0)	0)	1)	2)	3)	4	8	10
08	0)	0)	1)	2)	3)	3	6	10
09	0)	0)	0)	2)	2)	3	5	11
10	0)	0)	1)	1)	3)	5	6	10
11	1)	1)	3)	4)	4)	6	8	11
12	1)	2)	4)	4)	4)	5	8	12
13								
14								
15								
16								
17								
18								
19								
20								
21	1)	1)	1)	1)	1)	3	8	10
22	1)	1)	3)	3)	4)	3	7	10
23	0)	0)	1)	1)	3)	2	7	10
MEAN	0)	0)	1)	2)	3)	3	7	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SENDAI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	-	1	2	4	4	9	12
01	0)	0)	1)	1)	3)	3	5	10
02	-	-	-	-	1	1	5	9
03	-	-	-	1	2	2	7	7
04	-	-	1	1	3	3	5	6
05	-	-	1	2	4	4	5	6
06	-	-	1	2	3	3	5	8
07	-	-	1	2	3	3	7	7
08	-	-	3	3	3	3	7	9
09	-	-	3	4	5	5	9	11
10	-	-	1	3	5	5	9	11
11	-	-	2	2	4	4	9	9
12	-	1	5	5	5	5	8	11
13								
14								
15								
16								
17								
18								
19								
20								
21	3	3	5	6	8	8	13	16
22	-	-	5	5	7	7	10	15
23	-	-	-	1	4	4	8	13
MEAN	0)	0)	2)	2)	4)	4	7	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SENDAI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	-	5	6	10	10	13	15
01	-	1	5	6	10	10	12	14
02	-	-	6	7	10	10	11	12
03	-	-	4	5	7	7	8	12
04	-	-	4	4	5	5	8	9
05	-	-	5	5	5	5	10	12
06	0)	0)	4)	5)	6)	6	10	12
07	0)	0)	5)	6)	6)	6	10	12
08	-	-	5	7	9	8	14	14
09	-	-	5	6	9	9	11	14
10	-	-	2	6	8	8	14	18
11	-	-	4	7	8	8	14	19
12	-	-	5	6	8	8	14	19
13								
14								
15								
16								
17								
18								
19								
20								
21	2	3	8	10	12	12	21	25
22	1	1	6	9	12	12	20	25
23	-	-	5	6	9	9	15	20
MEAN	0)	0)	5)	6)	8)	8	13	16

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SENDAI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	-	7	10	13	13	21	28
01	-	-	5	8	13	13	24	29
02	-	-	5	9	12	12	21	25
03	-	-	3	8	10	10	15	19
04	1	1	6	9	11	11	17	21
05	0)	0)	7)	8)	11)	11	19	21
06	-	-	7	9	12	13	20	21
07	-	-	6	10	12	13	23	25
08	-	-	9	11	17	17	23	26
09	-	-	7	11	15	15	27	31
10	-	-	9	13	17	17	30	33
11	-	-	11	17	19	19	29	32
12	-	-	11	18	22	22	31	34
13								
14								
15								
16								
17								
18								
19								
20								
21	-	1	9	13	17	17	32	45
22	-	-	11	16	17	17	29	42
23	-	-	9	13	17	17	25	35
MEAN	0)	0)	8)	12)	15)	15	24	29

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SENDAI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	-	-	1	5	9	9	19	28
01	0)	0)	2)	6)	7)	7	15	22
02	-	-	3	5	7	7	14	20
03	-	-	3	5	7	7	15	21
04	-	-	3	5	6	6	13	18
05	-	-	2	3	6	6	14	19
06	-	-	2	3	5	5	15	21
07	-	-	2	4	9	9	18	23
08	-	-	2	5	7	7	17	25
09	-	-	3	7	8	8	20	26
10	-	-	3	8	11	11	17	25
11	-	-	3	10	14	14	21	26
12	-	-	2	10	12	12	23	27
13								
14								
15								
16								
17								
18								
19								
20								
21	1	2	6	12	14	14	28	39
22	-	-	5	8	12	12	25	35
23	-	-	3	7	10	10	21	30
MEAN	0)	0)	3)	6)	9)	9	18	25

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SENDAI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	0)	0)	1)	3)	5)	5	12	19
01	0)	0)	0)	2)	3)	3	10	15
02	0)	0)	1)	3)	3)	3	7	14
03	0)	0)	2)	2)	4)	5	9	13
04	0)	0)	2)	3)	5)	5	9	12
05	0)	0)	1)	2)	2)	3	10	10
06	0)	0)	0)	1)	3)	4	10	12
07	0)	0)	0)	0)	2)	3	7	10
08	0)	0)	2)	2)	4)	4	9	15
09	0)	0)	1)	2)	6)	6	14	19
10	0)	0)	1)	5)	6)	7	15	20
11	0)	0)	2)	2)	6)	7	17	21
12	0)	0)	0)	2)	5)	6	19	23
13								
14								
15								
16								
17								
18								
19								
20								
21	0)	0)	4)	6)	9)	12	23	28
22	1)	1)	4)	6)	10)	10	19	23
23	0)	0)	0)	5)	9)	10	16	24
MEAN	0)	0)	1)	3)	5)	6	13	17

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SENDAI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	0)	0)	2)	3)	3)	2	5	11
01	0)	0)	0)	2)	4)	3	5	9
02	0)	0)	0)	0)	0)	-	7	11
03	x	x	x	x	x	1	7	12
04	0)	0)	0)	0)	2)	1	7	10
05	x	x	x	x	x	-	3	7
06	0)	0)	0)	0)	1)	1	5	7
07	0)	0)	1)	2)	3)	3	3	8
08	0)	0)	1)	2)	3)	2	4	9
09	0)	0)	0)	0)	3)	2	7	11
10	0)	0)	1)	2)	2)	1	6	11
11	0)	0)	1)	2)	3)	2	7	11
12	0)	0)	1)	1)	3)	3	7	12
13								
14								
15								
16								
17								
18								
19								
20								
21	0)	2)	3)	3)	3)	2	8	13
22	0)	0)	0)	2)	3)	3	8	14
23	0)	0)	2)	3)	3)	3	9	13
MEAN	x	x	x	x	x	2	6	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SENDAI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	0)	0)	1)	1)	2)	1	4	6
01	0)	0)	1)	1)	2)	2	5	5
02	0)	0)	1)	1)	1)	1	3	3
03	0)	0)	0)	0)	1)	1	3	4
04	0)	0)	0)	1)	2)	1	3	4
05	0)	0)	0)	1)	1)	1	2	4
06	0)	0)	0)	1)	2)	1	2	3
07	0)	0)	1)	1)	1)	1	1	3
08	0)	0)	0)	1)	1)	1	2	3
09	0)	0)	0)	1)	2)	1	2	3
10	0)	1)	1)	1)	1)	1	3	4
11	0)	1)	1)	1)	2)	1	3	4
12	0)	0)	1)	1)	1)	1	3	3
13								
14								
15								
16								
17								
18								
19								
20								
21	0)	1)	2)	2)	2)	1	5	9
22	0)	1)	1)	1)	1)	1	4	5
23	0)	1)	1)	2)	2)	1	5	8
MEAN	0)	0)	1)	1)	1)	1	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SENDAI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	x	x	x	x	x	1	2	5
01	x	x	x	x	x	1	3	6
02	x	x	x	x	x	-	1	5
03	x	x	x	x	x	1	3	7
04	x	x	x	x	x	2	3	6
05	x	x	x	x	x	3	5	9
06	x	x	x	x	x	3	4	7
07	x	x	x	x	x	2	4	7
08	x	x	x	x	x	1	3	7
09	x	x	x	x	x	1	5	7
10	x	x	x	x	x	1	2	5
11	x	x	x	x	x	1	1	3
12	x	x	x	x	x	1	2	3
13								
14								
15								
16								
17								
18								
19								
20								
21	x	x	x	x	x	1	3	5
22	x	x	x	x	x	2	3	5
23	x	x	x	x	x	1	3	5
MEAN	x	x	x	x	x	1	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SENDAI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	x	x	x	x	x	1	5	6
01	x	x	x	x	x	1	3	5
02	x	x	x	x	x	1	3	5
03	x	x	x	x	x	-	3	5
04	x	x	x	x	x	-	1	5
05	x	x	x	x	x	-	1	2
06	x	x	x	x	x	-	1	5
07	x	x	x	x	x	-	3	3
08	x	x	x	x	x	-	1	2
09	x	x	x	x	x	-	-	1
10	x	x	x	x	x	-	1	1
11	x	x	x	x	x	-	2	2
12	x	x	x	x	x	-	2	3
13								
14								
15								
16								
17								
18								
19								
20								
21	x	x	x	x	x	-	-	2
22	x	x	x	x	x	1	2	5
23	x	x	x	x	x	1	1	3
MEAN	x	x	x	x	x	0	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: SENDAI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 16

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

NUMBER OF FORWARD SCATTER: RWY27

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	<600	<600	<1000	<1500
00	0)	0)	2)	3)	5)	4	9	13
01	0)	0)	1)	3)	4)	4	8	11
02	0)	0)	2)	3)	4)	3	7	10
03	0)	0)	1)	2)	4)	3	7	10
04	0)	0)	2)	3)	4)	4	7	10
05	0)	0)	2)	2)	4)	3	7	9
06	0)	0)	1)	2)	4)	4	7	10
07	0)	0)	2)	3)	4)	4	8	10
08	0)	0)	2)	3)	5)	4	8	11
09	0)	0)	2)	3)	5)	4	9	12
10	0)	0)	2)	4)	5)	5	9	12
11	0)	0)	3)	4)	6)	5	10	12
12	0)	0)	3)	5)	6)	5	10	13
13								
14								
15								
16								
17								
18								
19								
20								
21	1)	1)	4)	5)	7)	6	12	17
22	0)	0)	4)	5)	7)	6	12	16
23	0)	0)	2)	4)	6)	5	10	15
MEAN	0)	0)	2)	3)	5)	4	9	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: SENDAI AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1500	<1600	<2400	<3200	<5000	-
00	-	1	1	1	3	4	8	
01	-	1	3	3	3	5	6	
02	-	1	2	3	3	4	5	
03	-	1	1	2	2	5	5	
04	-	1	2	2	2	3	5	
05	-	1	1	1	3	3	5	
06	-	1	1	1	1	2	3	
07	-	1	1	1	3	3	3	
08	-	1	1	1	3	3	4	
09	-	1	1	1	1	1	3	
10	-	-	1	1	2	2	3	
11	-	-	1	1	1	2	2	
12	-	-	-	-	1	1	2	
13								
14								
15								
16								
17								
18								
19								
20								
21	-	-	1	1	3	3	5	
22	-	-	1	1	3	5	7	
23	-	-	1	1	4	5	7	
MEAN	-	1	1	1	2	3	4	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: SENDAI AIRPORT MONTH: FEB
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1500	<1600	<2400	<3200	<5000	-
00	-	1	1	1	2	4	6	
01	-	1	2	2	3	5	6	
02	-	1	1	1	4	4	6	
03	-	2	2	2	3	3	4	
04	-	1	3	3	3	4	5	
05	-	1	1	1	2	2	4	
06	-	1	1	1	3	3	4	
07	-	-	2	3	3	4	6	
08	-	1	1	1	2	2	4	
09	-	1	1	1	1	3	4	
10	-	-	-	-	1	3	4	
11	-	-	-	-	1	1	4	
12	-	1	1	1	1	3	4	
13								
14								
15								
16								
17								
18								
19								
20								
21	-	-	1	1	1	3	6	
22	1	3	4	4	5	7	10	
23	1	1	2	3	4	6	8	
MEAN	0	1	1	2	2	4	5	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: SENDAI AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1500	<1600	<2400	<3200	<5000	-
00	-	-	1	1	1	2	6	
01	-	-	1	1	2	5	5	
02	-	-	-	-	1	4	6	
03	-	-	-	-	1	3	5	
04	-	1	1	2	3	5	7	
05	-	2	2	2	3	6	8	
06	-	1	1	1	3	4	6	
07	-	2	2	2	2	3	5	
08	-	2	2	2	3	3	6	
09	1	2	2	2	2	3	5	
10	1	2	2	2	3	3	5	
11	1	3	3	3	4	4	8	
12	2	3	3	3	5	6	9	
13								
14								
15								
16								
17								
18								
19								
20								
21	1	1	2	3	5	6	7	
22	1	1	3	3	3	5	8	
23	-	1	2	2	3	4	7	
MEAN	0	1	2	2	3	4	6	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: SENDAI AIRPORT MONTH: APR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1500	<1600	<2400	<3200	<5000	-
00	-	1	1	1	1	3	5	
01	-	-	-	1	1	3	5	
02	-	-	-	-	-	1	3	
03	-	-	-	-	1	3	3	
04	-	1	1	1	1	3	3	
05	-	-	1	1	1	2	4	
06	-	-	-	-	1	3	5	
07	-	1	1	1	2	3	5	
08	-	1	1	1	3	5	6	
09	-	1	1	1	3	5	7	
10	-	1	1	1	2	3	4	
11	-	1	1	1	1	3	5	
12	-	-	1	3	4	4	5	
13								
14								
15								
16								
17								
18								
19								
20								
21	3	4	5	5	7	9	10	
22	-	1	1	2	3	6	9	
23	-	-	-	-	-	-	5	
MEAN	0	1	1	1	2	3	5	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: SENDAI AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1500	<1600	<2400	<3200	<5000	-
00	-	3	3	3	4	6	11	
01	-	1	1	3	4	8	8	
02	-	1	2	3	5	6	8	
03	-	-	-	1	1	5	8	
04	-	-	-	1	3	3	5	
05	-	2	2	3	3	3	6	
06	-	-	-	1	1	3	6	
07	-	1	2	3	3	5	8	
08	-	-	1	2	3	8	9	
09	-	1	2	3	3	5	8	
10	-	1	1	1	3	4	8	
11	-	-	1	1	2	3	6	
12	-	1	1	1	3	6	8	
13								
14								
15								
16								
17								
18								
19								
20								
21	3	4	5	6	8	14	19	
22	1	3	3	3	6	10	19	
23	-	2	3	3	4	8	13	
MEAN	0	1	2	2	3	6	9	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: SENDAI AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1500	<1600	<2400	<3200	<5000	-
00	-	1	2	3	4	7	10	
01	1	3	3	3	4	5	11	
02	-	1	1	1	2	7	10	
03	1	1	1	2	3	4	9	
04	1	1	1	1	3	6	9	
05	-	-	1	1	3	7	9	
06	1	1	2	3	6	8	9	
07	-	3	3	3	3	8	12	
08	-	3	5	5	7	11	12	
09	-	3	3	5	8	12	15	
10	-	3	4	5	6	11	15	
11	-	2	3	4	7	10	16	
12	-	3	3	4	5	10	15	
13								
14								
15								
16								
17								
18								
19								
20								
21	-	4	5	7	10	15	22	
22	-	2	3	5	7	11	19	
23	-	1	1	3	6	9	15	
MEAN	0	2	3	3	5	9	13	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: SENDAI AIRPORT MONTH: JUL
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1500	<1600	<2400	<3200	<5000	-
00	-	1	1	1	1	2	6	
01	-	1	1	1	1	3	8	
02	-	1	1	1	2	3	5	
03	-	-	1	1	1	3	4	
04	-	-	-	-	1	1	3	
05	-	-	-	1	2	2	5	
06	1	1	1	1	1	2	5	
07	-	-	1	1	1	3	6	
08	-	1	1	2	3	4	6	
09	1	2	3	3	3	5	6	
10	-	1	1	1	1	3	6	
11	-	1	1	1	2	3	4	
12	-	1	2	3	3	4	6	
13								
14								
15								
16								
17								
18								
19								
20								
21	1	3	5	5	6	14	20	
22	-	3	3	3	5	8	14	
23	-	1	1	1	1	6	12	
MEAN	0	1	1	2	2	4	7	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: SENDAI AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1500	<1600	<2400	<3200	<5000	-
00	-	-	-	1	1	3	6	
01	-	-	-	1	1	3	4	
02	-	-	1	1	1	2	3	
03	-	-	1	2	2	3	3	
04	-	-	-	-	2	4	5	
05	-	-	-	-	1	1	3	
06	-	-	-	-	1	2	3	
07	-	-	-	-	-	1	3	
08	-	1	2	2	3	5	6	
09	-	1	1	1	2	3	6	
10	-	-	1	1	1	4	5	
11	-	-	1	1	1	2	6	
12	-	-	-	-	1	1	5	
13								
14								
15								
16								
17								
18								
19								
20								
21	-	1	3	3	5	11	15	
22	-	1	1	1	5	10	13	
23	-	-	-	1	3	6	10	
MEAN	-	0	1	1	2	4	6	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: SENDAI AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1500	<1600	<2400	<3200	<5000	-
00	-	-	-	-	-	1	5	
01	-	-	-	-	1	1	2	
02	-	-	-	-	1	2	3	
03	-	-	-	-	1	3	5	
04	-	-	1	1	2	4	5	
05	-	-	-	-	-	-	2	
06	-	-	-	1	1	2	3	
07	-	-	-	-	1	1	3	
08	-	-	-	-	1	2	3	
09	-	-	-	1	1	2	5	
10	-	-	1	1	1	1	2	
11	-	-	1	1	1	1	2	
12	-	-	-	-	-	1	3	
13								
14								
15								
16								
17								
18								
19								
20								
21	-	1	1	2	5	6	9	
22	-	1	1	1	2	3	5	
23	-	-	-	-	1	3	7	
MEAN	-	0	0	0	1	2	4	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: SENDAI AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1500	<1600	<2400	<3200	<5000	-
00	-	-	-	-	1	2	3	
01	-	-	-	-	-	3	3	
02	-	-	-	-	1	1	1	
03	-	-	-	-	1	2	3	
04	-	-	-	-	1	3	3	
05	-	-	-	1	1	1	2	
06	-	-	-	-	1	1	2	
07	-	1	1	1	1	1	3	
08	1	1	1	1	1	1	2	
09	1	1	1	1	2	2	2	
10	-	1	1	1	1	2	2	
11	-	1	1	1	1	1	3	
12	-	-	-	-	1	2	2	
13								
14								
15								
16								
17								
18								
19								
20								
21	-	1	1	1	1	3	4	
22	1	1	1	1	1	2	3	
23	-	1	1	1	1	3	3	
MEAN	0	0	0	0	1	2	3	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: SENDAI AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1500	<1600	<2400	<3200	<5000	-
00	-	-	-	-	1	1	2	
01	-	-	-	-	1	3	4	
02	-	-	-	-	-	1	3	
03	-	-	-	-	1	1	3	
04	-	-	-	1	1	1	3	
05	-	-	-	-	1	1	3	
06	-	-	-	-	1	1	4	
07	-	-	-	-	1	3	5	
08	-	-	-	-	-	1	3	
09	-	-	-	-	1	1	2	
10	-	-	-	-	1	1	1	
11	-	-	-	-	1	1	1	
12	-	1	1	1	1	1	1	
13								
14								
15								
16								
17								
18								
19								
20								
21	-	1	1	1	1	1	2	
22	1	1	1	1	1	3	3	
23	1	1	1	1	1	1	4	
MEAN	0	0	0	0	1	1	3	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: SENDAI AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1500	<1600	<2400	<3200	<5000	-
00	-	-	-	-	2	3	5	
01	-	-	-	-	-	-	1	
02	-	-	-	-	-	1	2	
03	-	-	-	-	-	1	3	
04	-	-	-	1	1	1	3	
05	-	-	-	-	-	-	1	
06	-	-	-	-	1	1	3	
07	-	-	-	1	1	3	3	
08	-	-	-	-	1	1	1	
09	-	-	-	-	-	-	1	
10	-	-	-	1	1	1	1	
11	-	-	-	-	1	2	2	
12	-	-	-	1	1	1	1	
13								
14								
15								
16								
17								
18								
19								
20								
21	-	-	-	-	-	-	1	
22	-	-	-	-	-	1	3	
23	-	-	-	-	-	-	2	
MEAN	-	-	-	0	0	1	2	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: SENDAI AIRPORT [ANNUAL]
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<1000	<1500	<1600	<2400	<3200	<5000	-
00	-	1	1	1	2	3	6	
01	0	0	1	1	2	4	5	
02	-	0	1	1	2	3	5	
03	0	0	1	1	1	3	5	
04	0	0	1	1	2	3	5	
05	-	0	1	1	2	2	4	
06	0	0	1	1	2	2	4	
07	-	1	1	1	2	3	5	
08	0	1	1	1	2	4	5	
09	0	1	1	1	2	3	5	
10	0	1	1	1	2	3	5	
11	0	1	1	1	2	3	5	
12	0	1	1	1	2	3	5	
13								
14								
15								
16								
17								
18								
19								
20								
21	1	2	2	3	4	7	10	
22	0	1	2	2	3	6	9	
23	0	1	1	1	2	4	8	
MEAN	0	1	1	1	2	4	6	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: SENDAI AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	-	-	-	1	2
01	-	-	-	1	1	1	2
02	-	-	1	1	1	2	4
03	-	-	-	1	1	1	3
04	-	-	-	1	1	3	4
05	-	-	-	1	1	2	3
06	-	-	-	-	1	3	3
07	-	-	-	1	3	3	3
08	-	-	-	1	1	2	2
09	-	-	-	-	-	2	3
10	-	-	1	1	1	2	3
11	-	-	1	1	1	2	3
12	-	-	-	1	1	1	4
13							
14							
15							
16							
17							
18							
19							
20							
21	-	-	-	-	-	3	5
22	-	-	-	-	-	2	4
23	-	-	-	-	-	1	3
MEAN	-	-	0	0	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: SENDAI AIRPORT MONTH: FEB
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	1	1	1	4
01	-	-	-	1	1	2	4
02	-	-	1	1	1	2	5
03	-	-	-	1	1	4	4
04	-	-	1	1	2	4	5
05	-	-	-	-	1	4	6
06	-	-	-	-	-	4	4
07	-	-	-	1	1	4	4
08	-	-	-	-	-	3	4
09	-	-	-	-	1	2	5
10	-	-	-	-	1	2	4
11	-	-	-	1	1	4	4
12	-	-	-	1	1	3	3
13							
14							
15							
16							
17							
18							
19							
20							
21	-	-	-	-	-	1	2
22	-	-	-	1	1	3	4
23	-	-	1	1	1	2	4
MEAN	-	-	0	1	1	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: SENDAI AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	1	1	4	7
01	-	-	1	1	1	3	7
02	-	-	1	1	3	4	7
03	-	-	1	1	2	5	9
04	-	-	1	1	3	6	10
05	-	-	1	2	4	8	9
06	-	-	1	2	3	8	8
07	-	-	2	3	4	7	9
08	-	-	1	2	2	6	8
09	-	-	-	1	1	4	8
10	-	-	1	1	3	5	8
11	-	1	3	4	5	6	8
12	-	-	2	3	3	6	9
13							
14							
15							
16							
17							
18							
19							
20							
21	-	-	1	1	1	5	7
22	-	-	1	1	1	3	6
23	-	-	1	1	1	5	6
MEAN	-	0	1	2	2	5	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: SENDAI AIRPORT MONTH: APR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	2	4	8	11
01	-	-	1	1	3	5	8
02	-	-	-	-	1	5	9
03	-	-	-	1	2	6	6
04	-	-	1	1	3	4	5
05	-	-	1	2	4	5	6
06	-	-	1	2	3	5	7
07	-	-	1	2	3	6	6
08	-	-	3	3	3	5	7
09	-	-	3	4	5	8	9
10	-	-	1	3	5	9	9
11	-	-	2	2	4	9	9
12	-	-	5	5	5	8	10
13							
14							
15							
16							
17							
18							
19							
20							
21	-	1	4	5	7	10	12
22	-	-	5	5	7	9	12
23	-	-	-	1	4	8	11
MEAN	-	0	2	2	4	7	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: SENDAI AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	5	6	10	12	13
01	-	1	5	6	10	12	14
02	-	-	6	7	10	10	11
03	-	-	4	5	7	8	10
04	-	-	4	4	5	8	8
05	-	-	5	5	5	10	11
06	-	-	4	5	6	10	12
07	-	-	5	6	6	10	10
08	-	-	5	7	8	10	12
09	-	-	5	6	8	10	11
10	-	-	2	6	8	13	15
11	-	-	4	7	8	14	18
12	-	-	4	6	7	12	16
13							
14							
15							
16							
17							
18							
19							
20							
21	-	-	5	8	9	16	17
22	-	1	6	8	12	17	21
23	-	-	5	6	9	13	15
MEAN	-	0	4	6	8	12	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: SENDAI AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	7	10	12	19	27
01	-	-	5	7	13	23	27
02	-	-	5	9	12	21	24
03	-	-	3	7	9	13	17
04	-	-	5	8	10	15	19
05	-	-	7	8	11	19	21
06	-	-	6	9	11	19	20
07	-	-	5	9	11	22	23
08	-	-	9	11	16	21	24
09	-	-	7	10	15	27	29
10	-	-	9	13	17	30	33
11	-	-	11	16	19	29	31
12	-	-	11	18	21	29	32
13							
14							
15							
16							
17							
18							
19							
20							
21	-	-	7	11	15	28	39
22	-	-	10	15	16	26	39
23	-	-	9	13	16	24	34
MEAN	-	-	7	11	14	23	27

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: SENDAI AIRPORT MONTH: JUL
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	5	8	19	25
01	-	-	2	6	7	15	22
02	-	-	3	5	7	14	19
03	-	-	3	5	7	15	19
04	-	-	3	5	6	13	17
05	-	-	2	3	6	14	18
06	-	-	1	2	4	14	19
07	-	-	2	4	9	16	21
08	-	-	2	5	7	17	24
09	-	-	2	6	7	19	25
10	-	-	3	8	10	16	23
11	-	-	3	9	13	20	26
12	-	-	2	9	11	21	25
13							
14							
15							
16							
17							
18							
19							
20							
21	-	-	5	10	12	23	31
22	-	-	5	8	11	23	32
23	-	-	3	6	10	19	27
MEAN	-	-	2	6	9	17	23

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: SENDAI AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE(IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	3	5	11	17
01	-	-	-	1	3	10	14
02	-	-	1	3	3	7	12
03	-	-	1	3	4	8	12
04	-	-	3	3	5	8	12
05	-	-	1	2	3	10	10
06	-	-	-	1	4	8	12
07	-	-	-	1	3	6	9
08	-	-	3	3	4	8	14
09	-	-	2	3	6	14	17
10	-	-	2	6	7	15	19
11	-	-	2	3	6	17	20
12	-	-	1	3	6	19	23
13							
14							
15							
16							
17							
18							
19							
20							
21	-	1	5	8	10	21	25
22	-	1	5	7	10	18	22
23	-	-	1	6	10	14	22
MEAN	-	0	2	3	6	12	16

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: SENDAI AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	2	2	5	9
01	-	-	-	1	3	5	9
02	-	-	-	-	-	5	9
03	-	-	-	-	1	7	11
04	-	-	-	-	1	5	9
05	-	-	-	-	-	3	6
06	-	-	-	-	1	4	7
07	-	-	1	1	3	3	7
08	-	-	1	1	2	4	9
09	-	-	-	-	2	6	10
10	-	-	1	1	1	6	11
11	-	-	1	1	2	6	10
12	-	-	1	1	3	7	11
13							
14							
15							
16							
17							
18							
19							
20							
21	-	1	1	1	2	4	10
22	-	-	-	1	3	7	12
23	-	-	1	2	3	7	12
MEAN	-	0	0	1	2	5	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: SENDAI AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE(IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	1	1	4	5
01	-	-	1	1	2	4	5
02	-	-	1	1	1	3	3
03	-	-	-	-	1	3	4
04	-	-	-	1	1	3	3
05	-	-	-	1	1	1	3
06	-	-	-	1	1	2	3
07	-	-	1	1	1	1	2
08	-	-	-	-	-	1	2
09	-	-	-	1	1	1	2
10	-	1	1	1	1	3	3
11	-	1	1	1	1	2	3
12	-	-	1	1	1	2	2
13							
14							
15							
16							
17							
18							
19							
20							
21	-	1	1	1	1	4	8
22	-	-	-	-	-	3	5
23	-	1	1	1	1	4	8
MEAN	-	0	0	1	1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: SENDAI AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	-	1	1	1	3
01	-	-	-	-	1	1	5
02	-	-	-	-	-	1	3
03	-	-	1	1	1	3	6
04	-	-	1	1	2	3	5
05	-	-	1	1	3	5	9
06	-	-	-	1	3	4	7
07	-	-	-	1	2	3	6
08	-	-	-	-	1	3	7
09	-	-	1	1	1	4	6
10	-	-	1	1	1	2	4
11	-	-	1	1	1	1	3
12	-	-	1	1	1	2	3
13							
14							
15							
16							
17							
18							
19							
20							
21	-	-	1	1	1	2	3
22	-	-	-	1	1	2	3
23	-	-	-	1	1	2	4
MEAN	-	-	0	1	1	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: SENDAI AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	1	1	1	3	3
01	-	-	-	-	1	3	4
02	-	-	-	-	1	3	3
03	-	-	-	-	-	2	3
04	-	-	-	-	-	1	3
05	-	-	-	-	-	1	1
06	-	-	-	-	-	-	2
07	-	-	-	-	-	-	1
08	-	-	-	-	-	-	1
09	-	-	-	-	-	-	1
10	-	-	-	-	-	1	1
11	-	-	-	-	-	1	1
12	-	-	-	-	-	1	2
13							
14							
15							
16							
17							
18							
19							
20							
21	-	-	-	-	-	-	2
22	-	-	1	1	1	2	5
23	-	-	1	1	1	1	3
MEAN	-	-	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: SENDAI AIRPORT [ANNUAL]
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 16
 LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	-	-	2	3	4	7	11
01	-	0	1	2	4	7	10
02	-	-	1	2	3	6	9
03	-	-	1	2	3	6	9
04	-	-	1	2	3	6	8
05	-	-	1	2	3	7	9
06	-	-	1	2	3	7	9
07	-	-	1	2	4	7	8
08	-	-	2	3	4	7	9
09	-	-	2	3	4	8	11
10	-	0	2	3	5	9	11
11	-	0	2	4	5	9	11
12	-	-	2	4	5	9	12
13							
14							
15							
16							
17							
18							
19							
20							
21	-	0	2	4	5	10	14
22	-	0	3	4	5	10	14
23	-	0	2	3	5	8	13
MEAN	-	0	2	3	4	8	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SENDAI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	11)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[35-36-01]	6)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[02-03-04]	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[05-06-07]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[08-09-10]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[23-24-25]	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[26-27-28]	5)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[29-30-31]	5)	6)	7)	5)	1)	0)	0)	0)	0)	0)	0)	23)
[32-33-34]	6)	6)	2)	1)	0)	0)	0)	0)	0)	0)	0)	15)
TOTAL	48)	28)	14)	7)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SENDAI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	12)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[35-36-01]	5)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[02-03-04]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[08-09-10]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[11-12-13]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[26-27-28]	4)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[29-30-31]	4)	4)	5)	5)	2)	1)	0)	0)	0)	0)	0)	20)
[32-33-34]	6)	6)	3)	1)	0)	0)	0)	0)	0)	0)	0)	16)
TOTAL	49)	27)	12)	8)	3)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SENDAI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	11	0	-	-	-	-	-	-	-	-	-	11
[35-36-01]	5	4	1	0	-	-	-	-	-	-	-	10
[02-03-04]	3	1	0	0	-	-	-	-	-	-	-	5
[05-06-07]	2	1	0	0	-	-	-	-	-	-	-	4
[08-09-10]	2	2	0	0	-	-	-	-	-	-	-	4
[11-12-13]	2	4	1	-	-	-	-	-	-	-	-	7
[14-15-16]	1	3	2	0	-	-	-	-	-	-	-	6
[17-18-19]	2	1	0	0	-	-	-	-	-	-	-	4
[20-21-22]	2	2	1	-	-	-	-	-	-	-	-	5
[23-24-25]	3	2	1	1	0	-	-	-	-	-	-	7
[26-27-28]	4	1	1	1	1	1	0	0	0	-	-	10
[29-30-31]	4	3	4	4	1	0	0	0	-	-	-	16
[32-33-34]	5	3	2	1	0	-	-	-	-	-	-	12
TOTAL	46	29	13	7	3	1	0	0	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SENDAI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	11	0	-	-	-	-	-	-	-	-	-	11
[35-36-01]	4	3	0	-	-	-	-	-	-	-	-	8
[02-03-04]	3	1	0	0	-	-	-	-	-	-	-	5
[05-06-07]	3	2	0	0	-	-	-	-	-	-	-	5
[08-09-10]	2	3	1	-	-	-	-	-	-	-	-	7
[11-12-13]	3	7	2	0	-	-	-	-	-	-	-	12
[14-15-16]	2	4	4	1	0	0	-	-	-	-	-	12
[17-18-19]	2	2	1	0	0	-	-	-	-	-	-	5
[20-21-22]	2	1	0	0	-	-	-	-	-	-	-	3
[23-24-25]	3	1	1	0	0	-	0	-	-	-	-	5
[26-27-28]	3	1	1	1	1	0	0	0	0	-	-	7
[29-30-31]	3	2	3	2	1	0	0	0	-	-	-	12
[32-33-34]	5	2	1	1	0	-	-	-	-	-	-	8
TOTAL	46	30	14	6	2	1	0	0	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SENDAI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	12)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[35-36-01]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[02-03-04]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[08-09-10]	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[11-12-13]	5)	9)	1)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[14-15-16]	3)	6)	4)	1)	0)	0)	0)	0)	0)	0)	0)	14)
[17-18-19]	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[20-21-22]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	3)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[26-27-28]	3)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[29-30-31]	3)	2)	2)	2)	0)	0)	0)	0)	0)	0)	0)	9)
[32-33-34]	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
TOTAL	49)	32)	12)	5)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SENDAI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	10	0	-	-	-	-	-	-	-	-	-	11
[35-36-01]	3	2	0	0	-	-	-	-	-	-	-	5
[02-03-04]	3	1	0	0	-	-	-	-	-	-	-	5
[05-06-07]	3	2	1	0	0	0	0	-	-	-	-	7
[08-09-10]	4	5	1	0	0	0	-	-	-	-	-	10
[11-12-13]	7	12	3	0	-	-	-	-	-	-	-	23
[14-15-16]	5	10	4	0	0	-	-	-	-	-	-	19
[17-18-19]	2	2	0	0	-	-	-	-	-	-	-	4
[20-21-22]	2	0	0	-	-	-	-	-	-	-	-	2
[23-24-25]	2	1	0	0	0	-	-	-	-	-	-	3
[26-27-28]	2	0	0	0	0	0	0	-	-	-	-	3
[29-30-31]	2	0	1	0	0	0	-	-	-	-	-	4
[32-33-34]	3	0	0	0	0	-	-	-	-	-	-	3
TOTAL	50	36	11	2	0	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SENDAI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	14	-	-	-	-	-	-	-	-	-	-	14
[35-36-01]	4	1	0	-	-	-	-	-	-	-	-	6
[02-03-04]	4	1	0	-	-	-	-	-	-	-	-	5
[05-06-07]	3	1	0	0	-	-	-	-	-	-	-	5
[08-09-10]	4	3	0	-	-	-	-	-	-	-	-	8
[11-12-13]	8	10	1	-	-	-	-	-	-	-	-	19
[14-15-16]	7	10	3	0	-	-	-	-	-	-	-	20
[17-18-19]	3	2	1	-	-	-	-	-	-	-	-	6
[20-21-22]	3	1	0	-	-	-	-	-	-	-	-	3
[23-24-25]	3	1	0	0	-	-	-	-	-	-	-	4
[26-27-28]	2	0	0	0	0	-	-	-	-	-	-	3
[29-30-31]	2	0	0	0	-	-	-	-	-	-	-	3
[32-33-34]	3	0	0	0	-	-	-	-	-	-	-	3
TOTAL	60	32	6	1	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SENDAI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	12	-	-	-	-	-	-	-	-	-	-	12
[35-36-01]	5	2	0	0	-	-	-	-	-	-	-	8
[02-03-04]	3	1	0	0	-	-	-	-	-	-	-	5
[05-06-07]	3	2	1	0	0	0	-	-	-	-	-	6
[08-09-10]	3	4	1	0	0	0	-	-	-	-	-	8
[11-12-13]	6	10	1	0	0	-	-	0	-	-	-	18
[14-15-16]	4	8	3	0	0	-	-	-	-	-	-	15
[17-18-19]	2	2	0	0	-	0	-	-	-	-	-	4
[20-21-22]	3	1	0	-	-	-	-	-	-	-	-	4
[23-24-25]	3	1	0	0	-	-	-	-	-	-	-	4
[26-27-28]	4	0	0	0	-	-	-	-	-	-	-	4
[29-30-31]	4	1	0	0	0	0	-	-	-	-	-	5
[32-33-34]	5	1	0	-	-	-	-	-	-	-	-	6
TOTAL	57	33	7	1	0	0	-	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SENDAI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	12)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[35-36-01]	6)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[02-03-04]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[05-06-07]	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[08-09-10]	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	3)	8)	1)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[14-15-16]	3)	7)	2)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[17-18-19]	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[20-21-22]	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[23-24-25]	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[29-30-31]	5)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[32-33-34]	7)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
TOTAL	57)	31)	8)	2)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SENDAI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	12	-	-	-	-	-	-	-	-	-	-	12
[35-36-01]	6	5	1	0	0	0	-	-	-	-	-	12
[02-03-04]	3	2	0	0	-	-	-	-	-	-	-	4
[05-06-07]	1	1	0	-	0	-	-	-	-	-	-	3
[08-09-10]	1	1	0	0	-	-	-	-	-	-	-	3
[11-12-13]	2	4	1	-	0	-	-	-	-	-	-	7
[14-15-16]	1	3	1	0	-	-	0	-	-	-	-	6
[17-18-19]	2	1	0	0	-	-	-	-	-	-	-	3
[20-21-22]	3	2	0	0	-	-	-	-	-	-	-	5
[23-24-25]	4	2	0	0	-	-	-	-	-	-	-	6
[26-27-28]	6	2	1	0	0	-	-	-	-	-	-	9
[29-30-31]	6	3	3	2	1	0	0	0	-	-	-	14
[32-33-34]	8	5	2	0	0	0	-	-	-	-	-	15
TOTAL	55	30	9	3	1	0	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SENDAI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	14	0	-	-	-	-	-	-	-	-	-	14
[35-36-01]	6	4	0	-	-	-	-	-	-	-	-	10
[02-03-04]	3	2	0	-	-	-	-	-	-	-	-	5
[05-06-07]	1	1	0	-	-	-	-	-	-	-	-	2
[08-09-10]	1	0	0	-	-	-	-	-	-	-	-	2
[11-12-13]	2	1	0	0	-	-	-	-	-	-	-	3
[14-15-16]	1	2	0	0	-	-	-	-	-	-	-	3
[17-18-19]	2	1	0	-	-	-	-	-	-	-	-	3
[20-21-22]	3	2	0	-	-	-	-	-	-	-	-	6
[23-24-25]	4	4	1	0	0	-	-	-	-	-	-	10
[26-27-28]	7	2	1	1	0	0	-	-	-	-	-	11
[29-30-31]	6	4	3	2	1	0	-	-	-	-	-	16
[32-33-34]	8	5	2	0	0	-	-	-	-	-	-	14
TOTAL	58	28	9	3	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SENDAI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	14	0	-	-	-	-	-	-	-	-	-	14
[35-36-01]	5	4	1	0	-	-	-	-	-	-	-	10
[02-03-04]	3	1	0	-	-	-	-	-	-	-	-	5
[05-06-07]	1	0	-	-	-	-	-	-	-	-	-	1
[08-09-10]	1	0	-	-	-	-	-	-	-	-	-	1
[11-12-13]	1	0	-	-	-	-	-	-	-	-	-	2
[14-15-16]	1	0	-	-	-	-	-	-	-	-	-	1
[17-18-19]	1	1	0	-	-	-	-	-	-	-	-	2
[20-21-22]	3	2	1	0	-	-	-	-	-	-	-	6
[23-24-25]	5	5	2	1	0	-	-	-	-	-	-	13
[26-27-28]	5	3	2	1	0	0	0	0	-	-	-	12
[29-30-31]	5	4	6	3	1	0	0	-	-	-	-	19
[32-33-34]	7	5	2	0	-	-	-	-	-	-	-	14
TOTAL	53	26	12	6	1	0	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: SENDAI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	12)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[35-36-01]	5)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[02-03-04]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[08-09-10]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[11-12-13]	4)	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[14-15-16]	3)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[17-18-19]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[26-27-28]	4)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[29-30-31]	4)	2)	3)	2)	1)	0)	0)	0)	0)	0)	0)	12)
[32-33-34]	5)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
TOTAL	52)	30)	11)	4)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SENDAI AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	1	24	67	8	-	-	-	-	-	-
01	-	-	-	13	63	23	2	-	-	-	-	-
02	-	-	-	6	63	28	3	-	-	-	-	-
03	-	-	-	3	55	39	2	-	-	-	-	-
04	-	-	-	3	50	43	5	-	-	-	-	-
05	-	-	-	5	48	43	5	-	-	-	-	-
06	-	-	-	5	56	35	4	-	-	-	-	-
07	-	-	-	10	64	24	3	-	-	-	-	-
08	-	-	-	16	68	14	3	-	-	-	-	-
09	-	-	-	19	70	10	1	-	-	-	-	-
10	-	-	-	25	66	9	1	-	-	-	-	-
11	-	-	-	39	55	6	-	-	-	-	-	-
12	-	-	-	45	52	3	-	-	-	-	-	-
13	0)	0)	1)	49)	47)	3)	0)	0)	0)	0)	0)	0)
14	0)	0)	2)	51)	44)	3)	0)	0)	0)	0)	0)	0)
15	0)	0)	1)	50)	47)	1)	1)	0)	0)	0)	0)	0)
16	-	-	3	52	43	3	-	-	-	-	-	-
17	-	-	4	52	40	4	-	-	-	-	-	-
18	-	-	5	54	39	3	-	-	-	-	-	-
19	-	-	5	51	39	5	-	-	-	-	-	-
20	-	-	6	54	37	4	-	-	-	-	-	-
21	-	-	8	55	33	4	-	-	-	-	-	-
22	-	-	10	56	30	4	-	-	-	-	-	-
23	-	-	1	50	45	5	-	-	-	-	-	-
MEAN	0)	0)	2)	33)	51)	14)	1)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SENDAI AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	23	63	13	1	-	-	-	-	-
01	-	-	-	11	68	17	4	-	-	-	-	-
02	-	-	-	10	61	23	6	-	-	-	-	-
03	-	-	-	8	54	31	6	1	-	-	-	-
04	-	-	-	6	55	32	6	1	1	-	-	-
05	-	-	-	5	56	35	4	-	1	-	-	-
06	-	-	-	6	56	34	4	1	-	-	-	-
07	-	-	-	6	61	30	3	1	-	-	-	-
08	-	-	-	15	60	23	2	1	-	-	-	-
09	-	-	-	18	61	19	1	1	-	-	-	-
10	-	-	-	28	58	13	1	-	-	-	-	-
11	-	-	-	32	56	11	1	-	-	-	-	-
12	-	-	1	36	53	10	1	-	-	-	-	-
13	-	-	1	44	46	8	1	-	-	-	-	-
14	-	-	1	49	42	7	1	-	-	-	-	-
15	-	-	4	46	43	7	-	-	-	-	-	-
16	0)	0)	6)	48)	40)	6)	0)	0)	0)	0)	0)	0)
17	0)	0)	6)	50)	38)	6)	0)	0)	0)	0)	0)	0)
18	-	-	7	54	35	5	-	-	-	-	-	-
19	-	-	7	52	37	4	-	-	-	-	-	-
20	-	-	6	56	34	5	-	-	-	-	-	-
21	-	-	8	55	33	4	-	-	-	-	-	-
22	-	-	6	57	32	4	1	-	-	-	-	-
23	-	-	1	43	47	8	1	-	-	-	-	-
MEAN	0)	0)	2)	32)	49)	15)	2)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SENDAI AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	41	43	16	1	-	-	-	-
01	-	-	-	-	30	46	21	3	-	-	-	-
02	-	-	-	-	23	48	26	4	-	-	-	-
03	-	-	-	-	17	49	28	6	-	-	-	-
04	-	-	-	1	14	53	26	5	1	-	-	-
05	-	-	-	-	15	52	28	6	-	-	-	-
06	-	-	-	-	17	49	28	6	-	-	-	-
07	-	-	-	-	21	51	23	5	-	-	-	-
08	-	-	-	1	26	50	21	3	-	-	-	-
09	-	-	-	2	35	47	15	-	-	-	-	-
10	-	-	-	2	41	43	14	-	-	-	-	-
11	-	-	-	3	43	43	12	-	-	-	-	-
12	-	-	-	3	52	37	9	-	-	-	-	-
13	-	-	-	5	54	32	9	-	-	-	-	-
14	-	-	-	8	55	31	5	-	-	-	-	-
15	-	-	-	12	54	30	5	-	-	-	-	-
16	-	-	-	18	49	31	2	-	-	-	-	-
17	-	-	-	19	51	27	3	-	-	-	-	-
18	-	-	-	22	50	25	3	-	-	-	-	-
19	-	-	-	25	50	23	3	-	-	-	-	-
20	-	-	-	27	46	23	3	1	-	-	-	-
21	-	-	1	26	49	22	1	-	-	-	-	-
22	-	-	-	16	52	30	2	-	-	-	-	-
23	-	-	-	3	48	41	8	-	-	-	-	-
MEAN	-	-	0	8	39	39	13	2	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SENDAI AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	2	31	53	13	1	-	-	-
01	-	-	-	-	1	25	55	17	2	-	-	-
02	-	-	-	-	1	21	51	23	3	-	-	-
03	-	-	-	-	1	21	51	24	3	1	-	-
04	-	-	-	-	1	19	49	25	5	1	-	-
05	-	-	-	-	-	20	51	25	4	-	-	-
06	-	-	-	-	-	21	52	24	3	-	-	-
07	-	-	-	-	1	27	50	20	3	-	-	-
08	-	-	-	-	1	30	47	20	1	-	-	-
09	-	-	-	-	4	33	51	11	1	-	-	-
10	-	-	-	-	5	36	53	6	-	-	-	-
11	-	-	-	-	7	40	50	3	-	-	-	-
12	-	-	-	-	7	43	46	3	-	-	-	-
13	-	-	-	-	11	46	40	3	-	-	-	-
14	-	-	-	-	15	49	35	2	-	-	-	-
15	-	-	-	1	16	50	32	1	-	-	-	-
16	-	-	-	-	22	50	28	-	-	-	-	-
17	-	-	-	1	26	47	25	1	-	-	-	-
18	-	-	-	1	29	47	23	-	-	-	-	-
19	-	-	-	1	31	46	21	-	-	-	-	-
20	-	-	-	3	30	47	21	-	-	-	-	-
21	-	-	-	1	27	48	23	1	-	-	-	-
22	-	-	-	-	11	51	36	2	-	-	-	-
23	-	-	-	-	5	37	51	7	-	-	-	-
MEAN	-	-	-	0	11	37	41	10	1	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SENDAI AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	2	18	66	12	2	-	-
01	-	-	-	-	-	3	15	63	17	3	-	-
02	-	-	-	-	-	2	10	63	21	4	-	-
03	-	-	-	-	-	1	14	61	20	5	-	-
04	-	-	-	-	-	1	15	57	22	5	-	-
05	-	-	-	-	-	1	15	60	17	6	-	-
06	-	-	-	-	-	1	20	57	19	3	-	-
07	-	-	-	-	-	1	21	59	17	2	-	-
08	-	-	-	-	-	1	26	57	12	3	-	-
09	-	-	-	-	-	2	32	58	8	1	-	-
10	-	-	-	-	-	3	43	50	4	-	-	-
11	-	-	-	-	-	3	48	47	2	-	-	-
12	-	-	-	-	-	3	52	43	2	-	-	-
13	0)	0)	0)	0)	0)	3)	55)	40)	1)	0)	0)	0)
14	0)	0)	0)	0)	0)	6)	55)	38)	1)	0)	0)	0)
15	0)	0)	0)	0)	0)	12)	55)	32)	1)	0)	0)	0)
16	0)	0)	0)	0)	0)	12)	59)	29)	1)	0)	0)	0)
17	0)	0)	0)	0)	0)	14)	58)	27)	1)	0)	0)	0)
18	0)	0)	0)	0)	0)	17)	60)	23)	0)	0)	0)	0)
19	0)	0)	0)	0)	0)	19)	60)	20)	1)	0)	0)	0)
20	0)	0)	0)	0)	0)	18)	62)	18)	1)	0)	0)	0)
21	-	-	-	-	-	9	60	30	1	-	-	-
22	-	-	-	-	-	4	52	41	4	-	-	-
23	-	-	-	-	-	3	31	57	10	-	-	-
MEAN	0)	0)	0)	0)	0)	6)	39)	46)	8)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SENDAI AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	2	47	49	2	-	-
01	-	-	-	-	-	-	3	39	54	4	-	-
02	-	-	-	-	-	-	1	39	55	4	-	-
03	-	-	-	-	-	-	1	36	59	5	-	-
04	-	-	-	-	-	-	1	38	57	5	-	-
05	-	-	-	-	-	-	1	39	57	3	-	-
06	-	-	-	-	-	-	1	44	53	2	-	-
07	-	-	-	-	-	-	1	45	51	3	-	-
08	-	-	-	-	-	-	2	50	47	1	-	-
09	-	-	-	-	-	-	3	55	41	1	-	-
10	-	-	-	-	-	-	5	63	33	-	-	-
11	-	-	-	-	-	-	5	69	26	-	-	-
12	-	-	-	-	-	-	7	69	25	-	-	-
13	-	-	-	-	-	-	7	73	20	-	-	-
14	-	-	-	-	-	-	9	75	16	-	-	-
15	-	-	-	-	-	-	10	78	12	-	-	-
16	-	-	-	-	-	-	13	79	9	-	-	-
17	-	-	-	-	-	-	13	79	7	-	-	-
18	-	-	-	-	-	1	15	79	5	-	-	-
19	-	-	-	-	-	1	17	77	5	-	-	-
20	-	-	-	-	-	1	15	78	7	-	-	-
21	-	-	-	-	-	-	12	77	11	-	-	-
22	-	-	-	-	-	-	7	67	27	-	-	-
23	-	-	-	-	-	-	3	56	40	1	-	-
MEAN	-	-	-	-	-	0	6	60	32	1	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SENDAI AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	10	57	32	2	-
01	-	-	-	-	-	-	-	9	56	33	2	-
02	-	-	-	-	-	-	-	8	55	34	3	-
03	-	-	-	-	-	-	-	8	54	34	3	-
04	-	-	-	-	-	-	-	7	54	35	4	-
05	-	-	-	-	-	-	-	6	55	35	3	-
06	-	-	-	-	-	-	-	8	55	34	3	-
07	-	-	-	-	-	-	-	9	56	34	1	-
08	-	-	-	-	-	-	-	12	55	32	1	-
09	-	-	-	-	-	-	-	14	57	28	1	-
10	-	-	-	-	-	-	-	18	59	23	-	-
11	-	-	-	-	-	-	-	19	64	17	-	-
12	-	-	-	-	-	-	-	19	66	14	-	-
13	-	-	-	-	-	-	-	23	65	12	-	-
14	-	-	-	-	-	-	-	23	69	8	-	-
15	-	-	-	-	-	-	-	24	68	8	-	-
16	-	-	-	-	-	-	-	29	66	5	-	-
17	-	-	-	-	-	-	-	30	66	5	-	-
18	-	-	-	-	-	-	-	34	63	3	-	-
19	-	-	-	-	-	-	-	39	57	3	-	-
20	-	-	-	-	-	-	-	38	60	2	-	-
21	-	-	-	-	-	-	-	28	66	5	-	-
22	-	-	-	-	-	-	-	17	67	16	-	-
23	-	-	-	-	-	-	-	14	59	26	1	-
MEAN	-	-	-	-	-	-	-	19	60	20	1	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SENDAI AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	5	32	55	7	-
01	-	-	-	-	-	-	-	4	30	59	8	-
02	-	-	-	-	-	-	-	3	26	59	12	-
03	-	-	-	-	-	-	-	2	23	62	13	1
04	-	-	-	-	-	-	-	2	25	62	11	1
05	-	-	-	-	-	-	-	1	26	65	8	1
06	-	-	-	-	-	-	-	2	28	61	8	1
07	-	-	-	-	-	-	-	2	30	61	8	-
08	-	-	-	-	-	-	-	2	36	56	6	-
09	-	-	-	-	-	-	-	4	41	52	3	-
10	-	-	-	-	-	-	-	5	50	45	-	-
11	-	-	-	-	-	-	-	5	54	41	-	-
12	-	-	-	-	-	-	-	5	55	40	-	-
13	-	-	-	-	-	-	-	6	60	34	-	-
14	-	-	-	-	-	-	-	6	65	30	-	-
15	-	-	-	-	-	-	-	8	68	25	-	-
16	-	-	-	-	-	-	-	8	69	23	-	-
17	-	-	-	-	-	-	-	10	70	20	-	-
18	-	-	-	-	-	-	-	14	73	14	-	-
19	-	-	-	-	-	-	-	11	76	13	-	-
20	-	-	-	-	-	-	-	13	76	11	-	-
21	-	-	-	-	-	-	-	10	73	17	-	-
22	-	-	-	-	-	-	-	6	55	39	-	-
23	-	-	-	-	-	-	-	7	39	53	1	-
MEAN	-	-	-	-	-	-	-	6	49	42	4	0

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SENDAI AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	22	59	19	-	-
01	-	-	-	-	-	-	-	9	66	25	-	-
02	-	-	-	-	-	-	-	9	65	27	-	-
03	-	-	-	-	-	-	-	6	66	27	1	-
04	-	-	-	-	-	-	-	6	65	29	1	-
05	-	-	-	-	-	-	-	7	64	27	2	-
06	-	-	-	-	-	-	-	7	65	26	1	-
07	-	-	-	-	-	-	-	11	64	25	-	-
08	-	-	-	-	-	-	-	14	64	21	1	-
09	-	-	-	-	-	-	-	20	61	19	-	-
10	-	-	-	-	-	-	-	27	57	17	-	-
11	-	-	-	-	-	-	-	37	49	14	-	-
12	-	-	-	-	-	-	1	41	48	10	-	-
13	-	-	-	-	-	-	3	43	47	7	-	-
14	-	-	-	-	-	-	4	45	47	4	-	-
15	0)	0)	0)	0)	0)	0)	3)	50)	44)	3)	0)	0)
16	0)	0)	0)	0)	0)	0)	6)	47)	45)	2)	0)	0)
17	0)	0)	0)	0)	0)	0)	10)	45)	44)	1)	0)	0)
18	-	-	-	-	-	-	13	42	43	1	-	-
19	-	-	-	-	-	-	14	45	40	1	-	-
20	-	-	-	-	-	-	17	47	36	-	-	-
21	-	-	-	-	-	-	15	46	38	1	-	-
22	-	-	-	-	-	-	2	51	43	5	-	-
23	-	-	-	-	-	-	-	37	50	13	-	-
MEAN	0)	0)	0)	0)	0)	0)	4)	30)	53)	13)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SENDAI AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	30	54	15	1	-	-
01	-	-	-	-	-	-	19	57	23	1	-	-
02	-	-	-	-	-	-	14	57	28	1	-	-
03	-	-	-	-	-	-	10	57	30	3	-	-
04	-	-	-	-	-	-	9	55	32	3	-	-
05	-	-	-	-	-	-	9	58	30	3	-	-
06	-	-	-	-	-	-	10	63	24	3	-	-
07	-	-	-	-	-	-	12	66	20	2	-	-
08	-	-	-	-	-	1	21	61	17	-	-	-
09	-	-	-	-	-	2	30	55	13	1	-	-
10	-	-	-	-	-	3	37	48	12	-	-	-
11	-	-	-	-	-	4	48	39	9	-	-	-
12	-	-	-	-	-	6	50	35	8	-	-	-
13	-	-	-	-	-	9	54	30	6	-	-	-
14	-	-	-	-	1	12	54	27	6	-	-	-
15	-	-	-	-	-	15	54	25	7	-	-	-
16	-	-	-	-	-	16	52	25	7	-	-	-
17	-	-	-	-	-	19	52	23	6	-	-	-
18	-	-	-	-	-	25	47	23	5	1	-	-
19	-	-	-	-	1	28	41	25	4	1	-	-
20	-	-	-	-	1	29	44	22	4	1	-	-
21	-	-	-	-	2	28	48	17	5	-	-	-
22	-	-	-	-	-	17	50	26	6	1	-	-
23	-	-	-	-	-	5	49	38	7	1	-	-
MEAN	-	-	-	-	0	9	35	41	14	1	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SENDAI AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	3	45	43	8	-	-	-	-
01	-	-	-	-	2	33	50	14	1	-	-	-
02	-	-	-	-	1	30	47	21	1	-	-	-
03	-	-	-	-	1	25	47	27	-	-	-	-
04	-	-	-	-	1	23	49	27	1	-	-	-
05	-	-	-	-	1	23	49	26	1	-	-	-
06	-	-	-	-	1	25	51	23	1	-	-	-
07	-	-	-	-	2	33	49	17	-	-	-	-
08	-	-	-	-	3	39	49	9	-	-	-	-
09	-	-	-	-	7	45	42	6	-	-	-	-
10	-	-	-	-	9	50	36	5	-	-	-	-
11	-	-	-	-	11	55	29	5	-	-	-	-
12	-	-	-	-	15	53	26	6	-	-	-	-
13	-	-	-	1	17	54	23	5	-	-	-	-
14	-	-	-	1	22	51	22	4	-	-	-	-
15	-	-	-	1	25	52	18	3	-	-	-	-
16	-	-	-	1	25	52	20	2	-	-	-	-
17	-	-	-	1	28	49	20	2	-	-	-	-
18	-	-	-	1	33	47	19	1	-	-	-	-
19	-	-	-	3	31	47	19	1	-	-	-	-
20	-	-	-	3	33	43	21	-	-	-	-	-
21	-	-	-	4	33	43	19	1	-	-	-	-
22	-	-	-	5	26	45	23	1	-	-	-	-
23	-	-	-	-	15	49	33	3	-	-	-	-
MEAN	-	-	-	1	14	42	34	9	0	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SENDAI AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	3	58	35	5	-	-	-	-	-
01	-	-	-	1	41	48	9	-	-	-	-	-
02	-	-	-	1	24	58	17	-	-	-	-	-
03	-	-	-	1	18	60	20	1	-	-	-	-
04	-	-	-	1	15	60	22	1	-	-	-	-
05	-	-	-	1	18	57	24	-	-	-	-	-
06	-	-	-	1	23	56	20	-	-	-	-	-
07	-	-	-	1	38	47	13	1	-	-	-	-
08	-	-	-	3	46	40	10	1	-	-	-	-
09	-	-	-	6	54	34	6	1	-	-	-	-
10	-	-	-	8	55	30	5	1	-	-	-	-
11	-	-	-	13	54	29	5	-	-	-	-	-
12	-	-	-	12	59	24	4	1	-	-	-	-
13	-	-	-	18	55	23	3	1	-	-	-	-
14	-	-	-	23	52	23	2	1	-	-	-	-
15	-	-	-	24	55	19	1	1	-	-	-	-
16	-	-	-	22	57	21	-	1	-	-	-	-
17	-	-	1	25	52	20	2	-	-	-	-	-
18	-	-	-	27	52	18	3	-	-	-	-	-
19	-	-	1	27	54	15	3	1	-	-	-	-
20	-	-	-	28	53	17	1	1	-	-	-	-
21	-	-	-	26	56	15	1	1	-	-	-	-
22	-	-	1	30	53	14	2	-	-	-	-	-
23	-	-	-	14	62	23	2	-	-	-	-	-
MEAN	-	-	0	13	46	33	7	0	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SENDAI AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	0	4	19	15	14	19	19	9	1	-
01	-	-	-	2	17	16	15	18	21	10	1	-
02	-	-	-	1	14	17	15	19	21	11	1	-
03	-	-	-	1	12	19	15	19	21	11	1	0
04	-	-	-	1	11	19	15	19	22	12	1	0
05	-	-	-	1	11	19	15	19	21	12	1	0
06	-	-	-	1	13	18	16	20	21	11	1	0
07	-	-	-	1	15	18	14	20	20	11	1	-
08	-	-	-	3	17	16	15	19	19	10	1	-
09	-	-	-	4	19	16	15	19	19	9	0	-
10	-	-	-	5	19	16	16	19	18	7	-	-
11	-	-	-	7	19	16	17	19	17	6	-	-
12	-	-	0	8	20	15	16	19	17	5	-	-
13	0)	0)	0)	10)	19)	15)	16)	19)	17)	5)	0)	0)
14	0)	0)	0)	11)	19)	15)	16)	18)	17)	4)	0)	0)
15	0)	0)	0)	11)	20)	15)	15)	18)	17)	3)	0)	0)
16	0)	0)	1)	12)	20)	16)	15)	18)	17)	3)	0)	0)
17	0)	0)	1)	12)	20)	16)	15)	18)	16)	2)	0)	0)
18	0)	0)	1)	13)	20)	16)	15)	18)	16)	2)	0)	0)
19	0)	0)	1)	13)	20)	16)	15)	18)	15)	1)	0)	0)
20	0)	0)	1)	14)	19)	16)	15)	18)	15)	1)	0)	0)
21	-	-	1	14	19	14	15	18	16	2	-	-
22	-	-	1	14	17	14	15	17	17	5	-	-
23	-	-	0	9	18	14	15	18	17	8	0	-
MEAN	0)	0)	0)	7)	17)	16)	15)	19)	18)	7)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SENDAI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	1.3	1.6	5.5	10.2	15.5	18.9	22.6	24.6	21.3	15.6	9.2	4.1	12.5
Daily maximum air temperature(°C)	5.8	5.9	10.4	14.8	20.1	22.1	25.8	28.0	24.9	20.2	13.9	8.7	16.7
Daily minimum air temperature(°C)	-3.2	-2.9	0.6	5.3	11.3	16.2	20.1	22.0	17.8	10.8	4.3	-0.4	8.5
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	26.5	24.1	83.7	88.2	80.1	126.9	123.8	132.3	202.2	107.4	55.7	39.4	1090.3
Snow fall(cm)	18	19	9	0	-	-	-	-	-	-	0	3	49
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	988.0	991.4	986.6	975.5	988.1	989.6	990.9	974.2	981.9	980.9	993.9	988.0	974.2
Daily maximum air temperature(°C)	14.0	22.0	21.1	26.8	30.2	29.5	32.8	36.0	32.7	28.5	22.8	17.7	36.0
Daily minimum air temperature(°C)	-10.0	-11.8	-5.8	-2.0	4.8	9.2	16.1*	17.5*	10.7	3.6	-3.4	-6.4	-11.8
Daily precipitation(mm)	44.5	35.5	67.5	52.0	72.5	55.0	53.5	64.0	103.5	102.5	32.5	39.0	103.5
Daily max.one-hour precipitation(mm)	6.5	7.5	24.0	12.0	15.0	18.0	24.0	30.0	54.5	40.0	10.5	6.5	54.5
Daily max.ten-minute precipitation(mm)	1.5	2.0	6.0	3.5	6.5	5.5	6.5*	20.0	19.0	8.5	5.0	1.5*	20.0
Daily totals of snowfall(cm)	27	18	15	0 *	-	-	-	-	-	-	0 *	3 *	27
Daily maximum of snow cover(cm)	23	25	15	0	-	-	-	-	-	-	-	3 *	25
Daily maximum wind speed(kt)	42	37 *	43 *	51	39	36 *	24	40	37	39	33	40	51
with wind direction(36DIR.)	27	28	27 *	28	26	28	28	13	33	29	29	26	28
Daily maximum peak gust(kt)	55	50	55	65	48 *	51	31	54	53	52	44	52	65
with wind direction(36DIR.)	28	30	28	28	27	26	28	31	14	32	29	26	28

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SENDAI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	28.2	23.8	14.8	1.8	-	-	-	-	-	-	2.8	18.4	89.8
25.0°C	-	-	-	-	-	-	-	1.4	-	-	-	-	1.4
Daily mean air temperature < 0.0°C	8.4	8.2	0.2	-	-	-	-	-	-	-	-	1.4	18.2
25.0°C	-	-	-	-	-	-	6.8	15.4	3.8	-	-	-	26.0
Daily maximum air temperature < 0.0°C	0.2	0.8	-	-	-	-	-	-	-	-	-	-	1.0
25.0°C	-	-	-	0.2	2.4	2.8	17.0	26.0	12.8	2.8	-	-	64.0
30.0°C	-	-	-	-	0.2	-	4.0	7.6	1.2	-	-	-	13.0
Daily precipitation 0.0mm	21.6	19.8	19.6	15.8	17.4	22.4	24.6	21.8	19.6	18.6	19.0	24.0	244.2
1.0mm	3.6	4.0	5.8	7.0	7.8	10.4	10.6	10.6	11.2	7.8	6.4	5.2	90.4
5.0mm	1.4	1.4	3.2	5.0	4.2	5.2	5.4	7.2	7.4	4.2	3.8	2.2	50.6
10.0mm	0.8	1.0	2.6	3.0	2.8	3.4	4.2	5.4	5.2	2.8	2.0	1.0	34.2
30.0mm	0.2	0.2	0.8	0.6	0.4	1.8	1.0	1.2	1.8	1.0	0.4	0.2	9.6
50.0mm	-	-	0.2	0.2	0.2	0.2	0.2	0.2	1.2	0.6	-	-	3.0
70.0mm	-	-	-	-	0.2	-	-	-	0.8	0.4	-	-	1.4
100.0mm	-	-	-	-	-	-	-	-	0.4	0.2	-	-	0.6

AERODROME: SENDAI AIRPORT PERIOD OF RECORD: 2012-2016
LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SENDAI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1017.0	1017.9	1016.4	1015.0	1011.7	1009.7	1009.4	1009.5	1014.6	1017.4	1018.2	1016.2	1014.4
01	1016.9	1017.6	1016.1	1014.9	1011.6	1009.6	1009.3	1009.4	1014.3	1017.1	1018.0	1016.0	1014.3
02	1016.2	1017.3	1015.7	1014.4	1011.3	1009.4	1009.2	1009.1	1014.0	1016.6	1017.3	1015.2	1013.8
03	1015.3	1016.5	1015.1	1013.8	1010.9	1009.2	1008.9	1008.8	1013.5	1016.0	1016.5	1014.3	1013.3
04	1014.8	1015.9	1014.4	1013.5	1010.5	1008.9	1008.6	1008.5	1013.1	1015.5	1016.1	1013.9	1012.8
05	1014.8	1015.7	1014.1	1013.0	1010.2	1008.7	1008.4	1008.2	1012.8	1015.4	1016.0	1013.8	1012.6
06	1015.2	1015.9	1014.2	1012.9	1010.0	1008.5	1008.3	1008.1	1012.7	1015.6	1016.3	1014.2	1012.7
07	1015.5	1016.2	1014.3	1012.9	1010.1	1008.5	1008.2	1008.1	1012.9	1015.9	1016.6	1014.5	1012.8
08	1015.9	1016.5	1014.5	1013.2	1010.1	1008.5	1008.2	1008.3	1013.2	1016.2	1016.8	1014.9	1013.0
09	1016.3	1016.9	1014.9	1013.4	1010.4	1008.8	1008.5	1008.5	1013.4	1016.6	1017.2	1015.2	1013.3
10	1016.6	1017.1	1015.3	1013.9	1010.8	1009.1	1008.7	1008.9	1013.9	1016.9	1017.4	1015.4	1013.7
11	1016.7	1017.2	1015.6	1014.4	1011.2	1009.5	1009.1	1009.4	1014.3	1017.0	1017.5	1015.4	1013.9
12	1016.7	1017.4	1015.7	1014.6	1011.5	1009.9	1009.4	1009.4	1014.3	1017.2	1017.6	1015.4	1014.1
13	1016.5	1017.3	1015.8	1014.6	1011.5	1009.8	1009.4	1009.4	1014.2	1017.1	1017.5	1015.5	1014.0
14	1016.4	1017.2	1015.7	1014.5	1011.4	1009.6	1009.3	1009.4	1014.0	1016.9	1017.3	1015.4	1013.9
15	1016.1	1017.0	1015.6	1014.4	1011.2	1009.4	1009.0	1009.1	1013.9	1016.7	1017.2	1015.2	1013.8
16	1015.9	1016.9	1015.7	1014.2	1011.1	1009.1	1008.8	1008.9	1013.7	1016.5	1017.2	1015.2	1013.6
17	1016.1	1016.9	1015.5	1014.2	1010.9	1008.9	1008.6	1008.7	1013.6	1016.3	1017.2	1015.4	1013.5
18	1015.8	1016.8	1015.3	1014.1	1011.0	1009.0	1008.6	1008.7	1013.5	1016.2	1017.0	1015.2	1013.4
19	1015.7	1016.9	1015.4	1014.2	1011.1	1009.1	1008.7	1008.8	1013.6	1016.4	1017.1	1015.1	1013.5
20	1015.7	1017.0	1015.7	1014.5	1011.5	1009.4	1009.0	1009.0	1013.8	1016.7	1017.3	1015.2	1013.7
21	1016.1	1017.2	1016.0	1014.8	1011.7	1009.6	1009.2	1009.3	1014.2	1016.8	1017.5	1015.5	1014.0
22	1016.4	1017.6	1016.3	1015.1	1011.9	1009.8	1009.4	1009.4	1014.4	1017.2	1017.9	1015.8	1014.3
23	1016.7	1018.0	1016.5	1015.0	1011.8	1009.8	1009.4	1009.5	1014.4	1017.5	1018.3	1016.0	1014.4
MEAN	1016.1	1017.0	1015.4	1014.2	1011.0	1009.2	1008.9	1008.9	1013.7	1016.6	1017.2	1015.2	1013.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SENDAI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1.7	2.1	6.3	11.5	17.0	19.9	23.6	25.8	22.3	16.8	10.1	4.5	13.5
01	3.0	3.2	7.3	12.2	17.5	20.3	23.9	26.2	23.1	17.8	11.2	5.8	14.3
02	3.9	4.0	8.0	12.7	17.9	20.6	24.1	26.5	23.4	18.5	12.1	6.7	14.9
03	4.4	4.4	8.5	13.0	18.0	20.6	24.3	26.7	23.7	18.8	12.5	7.2	15.2
04	4.8	4.7	8.6	13.2	18.1	20.7	24.5	26.6	23.8	19.0	12.7	7.3	15.3
05	4.7	4.6	8.6	13.1	18.0	20.5	24.4	26.5	23.8	18.9	12.6	7.3	15.3
06	4.3	4.4	8.4	12.9	17.7	20.3	24.1	26.3	23.6	18.6	12.3	6.8	15.0
07	3.6	3.9	7.9	12.5	17.3	20.1	23.8	26.1	23.2	18.0	11.5	6.0	14.5
08	2.7	3.2	7.2	12.0	16.8	19.7	23.5	25.6	22.6	17.2	10.6	5.3	13.9
09	1.9	2.5	6.4	11.1	16.1	19.3	23.0	25.1	22.1	16.5	9.8	4.5	13.2
10	1.4	1.9	5.9	10.5	15.3	18.8	22.5	24.6	21.8	15.8	9.3	4.0	12.7
11	0.9	1.4	5.6	10.1	14.9	18.6	22.3	24.3	21.4	15.2	8.9	3.5	12.3
12	0.5	1.1	5.0	9.8	14.7	18.3	22.1	24.1	20.9	14.7	8.6	3.4	12.0
13	0.1	0.6	4.5	9.3	14.4	18.1	21.9	23.8	20.5	14.2	8.1	3.0	11.5
14	-0.2	0.3	4.2	8.8	14.1	17.9	21.7	23.6	20.1	13.8	7.8	2.7	11.2
15	-0.3	0.0	3.8	8.4	13.7	17.8	21.6	23.4	19.8	13.5	7.5	2.5	11.0
16	-0.4	-0.3	3.3	7.7	13.4	17.5	21.3	23.2	19.7	13.5	7.3	2.4	10.7
17	-0.5	-0.6	3.1	7.4	13.2	17.3	21.1	23.0	19.3	13.2	7.1	2.4	10.5
18	-0.5	-0.6	3.0	7.2	12.9	17.1	21.0	22.8	19.1	13.0	6.8	2.2	10.3
19	-0.7	-0.8	2.6	7.0	12.6	17.0	20.9	22.7	18.9	12.8	6.7	2.2	10.2
20	-0.8	-0.9	2.4	6.7	12.6	17.1	20.9	22.6	18.6	12.5	6.6	2.0	10.0
21	-1.0	-1.0	2.4	7.2	13.6	17.7	21.4	23.0	18.8	12.4	6.4	1.9	10.3
22	-1.1	-0.7	3.3	8.9	14.9	18.5	22.3	24.0	19.9	13.5	6.9	1.8	11.0
23	0.0	0.7	5.0	10.5	16.1	19.3	23.1	25.0	21.2	15.2	8.6	3.1	12.3
MEAN	1.3	1.6	5.5	10.2	15.5	18.9	22.6	24.6	21.3	15.6	9.2	4.1	12.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SENDAI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	4.6	4.5	5.7	8.1	12.5	18.2	24.0	25.8	20.9	12.7	8.5	5.8	12.6
01	4.5	4.5	5.6	8.2	12.5	18.3	24.1	26.0	21.0	12.6	8.4	5.8	12.6
02	4.4	4.5	5.7	8.2	12.5	18.4	24.1	26.2	21.3	12.7	8.4	5.7	12.7
03	4.3	4.5	5.8	8.4	12.7	18.4	23.9	26.2	21.3	12.9	8.4	5.6	12.7
04	4.3	4.5	5.9	8.4	12.6	18.5	23.8	26.1	21.2	13.0	8.5	5.7	12.7
05	4.3	4.6	6.0	8.4	12.7	18.5	23.8	26.3	21.1	12.9	8.5	5.7	12.7
06	4.4	4.6	6.0	8.5	12.8	18.3	23.7	26.1	21.1	13.0	8.6	5.7	12.7
07	4.4	4.6	6.1	8.6	12.8	18.3	23.7	26.1	21.3	13.0	8.7	5.9	12.8
08	4.4	4.6	6.2	8.7	12.9	18.3	23.7	26.3	21.2	13.0	8.7	5.9	12.8
09	4.5	4.7	6.3	8.7	12.9	18.5	23.8	26.4	21.4	13.1	8.7	5.9	12.9
10	4.5	4.7	6.3	8.9	13.1	18.6	23.9	26.5	21.5	13.1	8.6	6.0	13.0
11	4.5	4.7	6.3	8.9	13.3	18.7	23.9	26.5	21.4	13.0	8.6	5.9	13.0
12	4.5	4.7	6.3	8.8	13.4	18.7	23.9	26.5	21.4	12.9	8.5	5.9	13.0
13	4.5	4.6	6.2	8.7	13.3	18.8	24.0	26.5	21.2	12.9	8.4	5.9	12.9
14	4.4	4.6	6.2	8.7	13.2	18.7	23.9	26.4	21.0	12.8	8.3	5.8	12.8
15	4.4	4.5	6.1	8.6	13.2	18.6	23.8	26.2	20.8	12.7	8.3	5.8	12.8
16	4.5	4.5	5.9	8.3	13.0	18.3	23.5	26.0	20.9	12.9	8.3	5.8	12.7
17	4.4	4.4	5.8	8.2	12.8	18.1	23.4	25.8	20.7	12.8	8.2	5.8	12.6
18	4.4	4.4	5.8	8.1	12.7	17.9	23.3	25.6	20.5	12.7	8.1	5.7	12.4
19	4.4	4.4	5.7	7.9	12.5	17.9	23.2	25.5	20.3	12.6	8.0	5.6	12.3
20	4.4	4.4	5.6	7.8	12.4	17.9	23.2	25.3	20.1	12.4	8.0	5.6	12.3
21	4.4	4.4	5.5	8.1	12.7	18.1	23.6	25.7	20.3	12.3	8.0	5.6	12.4
22	4.4	4.4	5.8	8.3	12.6	18.0	23.7	25.8	20.9	12.8	8.2	5.5	12.5
23	4.6	4.5	5.7	8.1	12.5	18.0	23.8	25.8	20.9	13.0	8.5	5.8	12.6
MEAN	4.4	4.5	5.9	8.4	12.8	18.3	23.7	26.1	21.0	12.8	8.4	5.8	12.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SENDAI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES													
TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	66	63	59	59	65	77)	82	78	77	65	68	68	69)
01	59	57	55	58	63	75)	82	76	74	61	62	62	65)
02	55	55	53	57	62	75	80	76	73	59	59	57	63
03	52	53	53	57	63	75	79	75	72	59	57	55	62
04	50	53	53	56	62	75	78	75	72	59	57	55	62
05	51	54	54	56	63	76	78	76	71	59	58	55	63
06	53	55	55	58	64	76	79	76	72	60	59	57	64
07	56	57	57	60	66	77	81	77	74	62	62	61	66
08	59	59	61	62	69	79	82	80	76	65	66	65	69
09	64	62	64	65	72	82	85	83	79	68	70	68	72
10	66	65	66	69	76	85	87	85	81	71	72	71	74
11	68	67	68	71	78	86)	89	87	83	73	73	73	76)
12	69	69	70	71	79	88)	90	88	85	75	74	74	77)
13	72	71	72	73	80	89)	91	89	86	77	76	76	79)
14	73	72	73	74	81	89)	91	90	87	79	77	77	80)
15	74	73	74	76	83	90)	92	90	88	80	78	77	81)
16	74	73	75	77	83	90)	93	91	90	80	79	78	82)
17	74	74	74	77	84	90)	93	91	90	82	79	79	82)
18	75	74	74	77	84	90)	93	92	91	82	80	78	83)
19	75	75	75	77	84	91)	93	92	91	83	80	77	83)
20	76	75	75	78	84	90)	93	92	92	83	80	78	83)
21	76	75	75	78	81	88)	92	91	92	83	81	78	82)
22	77	75	73	71	74	83)	88	86	88	81	80	78	80)
23	75	70	65	63	68	79)	84	81	82	73	75	75	74)
MEAN	66	66	66	68	74	83)	87	84	82	72	71	70	74)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SENDAI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	35 *	30	32	13 *	12	12	13	12	12	36	35	29	12
01	29	32 *	30	12	12	12	11	12	12	36 *	24	30	12
02	29	30	30 *	12	12	12 *	12	12	12	12	24	30	12
03	31	30	31	12	12 *	12	14	12	12	12	32	31	12
04	30	31	13	12	12	12	14	13	12	12	29	30	12
05	30	31 *	31 *	15	15 *	12	15	13	14	13	31	30	12
06	31 *	31	31	16	16	14	14	14 *	13	31 *	31	30	14
07	31	30	15	16	16	14	16	15	14	30	32	31	16
08	30	33 *	29 *	17	16	14	15	16	16	32	30	31	16
09	30 *	31	29 *	16	16	16	16	16	16	31	31	29	16
10	29	31	31	16	16 *	16	16	14	14	34 *	34	29 *	16
11	35	33 *	27	16	17	16	16	15	14	31	29	29	29
12	30	30	25 *	30 *	17	15	15	10	17	35	32	24	30
13	33)	29	30	33	17)	14	14 *	11 *	31)	31 *	30	25	33)
14	29)	29	33 *	32	17)	16	14	34 *	34	34	28	26 *	33)
15	29)	28 *	32 *	29 *	27)	8	14	34	35)	34	33 *	30	34)
16	29	33)	32 *	33	2)	16	14 *	35 *	35)	33	35	33	33)
17	29	31)	33	29	29)	11	35 *	35 *	35)	34	34 *	29 *	29)
18	30 *	36	36 *	34	2)	29 *	1	36	35	34	29 *	32	36)
19	29	32 *	34 *	35	34)	9 *	34	33	35	33 *	33	30	34)
20	30	26 *	25	35	34)	3	36	35	27	34 *	30	26	35)
21	27	31	30	35	25	12	35	35	32	33	29	29	35
22	31	31	32	35	30 *	35	13 *	36 *	34	34	28	28	34
23	30	30	35	24	13	12	12	12	35	35	33	24	35
ALL	30)	30)	30	12	16)	12	14	12	12)	31	30	29	30)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SENDAI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.6	7.0	7.8	7.7	7.0	6.3	5.4	5.4	5.0	6.3	6.1	7.1	6.5
01	8.0	8.2	9.1	9.0	8.6	7.3	6.6	6.7	6.3	6.7	6.6	8.1	7.6
02	9.5	9.6	10.0	10.2	9.2	8.0	7.4	7.6	7.1	7.8	7.5	8.5	8.5
03	10.6	10.6	11.2	11.2	10.0	8.6	7.9	8.4	8.1	8.8	8.5	9.6	9.4
04	11.3	11.2	11.7	11.8	10.5	9.2	8.1	9.0	8.7	9.6	8.7	10.1	10.0
05	11.7	11.2	11.9	12.2	11.3	9.2	8.4	9.0	8.7	9.8	9.0	9.7	10.2
06	11.2	11.1	11.9	12.1	11.0	9.0	8.1	8.7	8.7	9.6	8.8	9.2	10.0
07	9.6	9.6	11.2	11.8	10.1	8.7	7.5	8.1	8.1	8.4	7.5	7.4	9.0
08	8.1	8.7	10.2	10.4	9.4	8.1	7.0	7.6	7.3	6.7	6.4	6.5	8.0
09	7.5	7.8	8.5	8.7	8.0	7.3	6.0	6.4	6.2	6.1	5.8	6.2	7.0
10	6.9	6.9	6.9	7.2	6.2	6.1	5.3	5.5	6.0	5.7	5.7	5.9	6.2
11	6.2	6.8	6.0	6.5	5.3	5.3	4.6	5.1	5.4	5.3	5.0	5.4	5.6
12	5.9	6.0	5.9	5.5	5.1	5.3	4.1	4.7	5.0	5.2	5.1	5.5	5.3
13	5.4	5.6	5.6	5.3	4.9	4.5	3.6	4.2	4.6	4.9	4.6	5.2	4.9
14	5.4	5.5	5.5	5.1	4.8	4.6	3.3	4.0	4.8	5.1	4.9	5.2	4.8
15	5.6	5.9	5.7	4.7	4.6	4.5	3.2	3.8	4.5	4.9	4.7	5.0	4.8
16	5.2	5.6	5.3	4.6	4.3	4.5	3.1	3.7	3.9	5.1	4.8	5.1	4.6
17	5.5	5.8	5.4	4.7	4.3	4.3	3.1	3.6	3.7	4.9	4.7	5.4	4.6
18	5.5	5.8	5.2	4.6	4.0	4.1	3.1	3.7	3.7	5.0	4.8	5.3	4.6
19	5.2	5.9	5.6	4.6	4.3	3.8	3.2	3.4	3.7	4.7	4.7	5.8	4.6
20	5.2	5.6	5.4	4.6	4.4	4.0	3.3	3.6	3.7	4.7	5.1	6.0	4.6
21	5.4	6.1	5.4	4.4	4.1	4.4	3.2	3.6	3.9	4.4	5.3	6.1	4.7
22	5.0	5.9	5.3	5.1	4.8	4.7	3.7	4.3	4.1	4.4	4.7	5.8	4.8
23	5.6	6.4	6.5	6.4	5.8	5.3	4.2	4.8	4.3	5.4	5.2	6.1	5.5
MEAN	7.2	7.5	7.6	7.4	6.8	6.1	5.1	5.6	5.6	6.2	6.0	6.7	6.5

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SENDAI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	2.4	7.0	-2.3	1.1	5.4	-3.3	3.1	7.6	-1.4	8.1	13.1	3.0
02	2.3	6.9	-2.3	1.0	5.4	-3.3	3.3	7.8	-1.2	8.2	13.2	3.2
03	2.3	6.8	-2.4	1.0	5.3	-3.4	3.5	8.0	-1.0	8.3	13.3	3.3
04	2.1	6.7	-2.5	1.0	5.3	-3.4	3.7	8.2	-0.8	8.4	13.3	3.5
05	2.0	6.5	-2.6	0.9	5.2	-3.4	3.8	8.3	-0.6	8.5	13.4	3.6
06	1.9	6.4	-2.7	0.9	5.2	-3.4	3.9	8.5	-0.5	8.6	13.5	3.6
07	1.8	6.2	-2.9	0.9	5.2	-3.4	4.0	8.6	-0.4	8.7	13.6	3.7
08	1.6	6.1	-3.0	1.0	5.2	-3.4	4.1	8.7	-0.3	8.8	13.7	3.8
09	1.5	6.0	-3.2	1.0	5.3	-3.4	4.3	8.8	-0.2	8.9	13.8	3.9
10	1.3	5.8	-3.3	1.1	5.4	-3.3	4.4	9.0	-0.1	9.1	13.9	4.0
11	1.2	5.7	-3.4	1.2	5.5	-3.3	4.5	9.1	-0.1	9.2	14.1	4.1
12	1.1	5.6	-3.6	1.2	5.6	-3.2	4.6	9.2	0.0	9.4	14.2	4.2
13	1.0	5.5	-3.7	1.3	5.7	-3.1	4.7	9.4	0.1	9.5	14.4	4.4
14	1.0	5.4	-3.7	1.4	5.8	-3.0	4.9	9.6	0.2	9.7	14.5	4.6
15	0.9	5.4	-3.8	1.5	5.9	-3.0	5.1	9.8	0.3	9.9	14.6	4.8
16	0.9	5.3	-3.8	1.6	6.0	-2.9	5.3	10.1	0.5	10.0	14.7	5.1
17	0.9	5.3	-3.7	1.7	6.1	-2.8	5.5	10.3	0.6	10.2	14.9	5.3
18	1.0	5.3	-3.6	1.8	6.2	-2.7	5.7	10.6	0.7	10.4	15.0	5.5
19	1.0	5.4	-3.5	1.9	6.3	-2.6	5.9	10.8	0.8	10.6	15.2	5.8
20	1.1	5.4	-3.5	1.9	6.4	-2.6	6.1	11.0	1.0	10.8	15.3	6.0
21	1.1	5.4	-3.4	2.0	6.5	-2.5	6.3	11.3	1.1	11.0	15.5	6.2
22	1.2	5.5	-3.3	2.1	6.6	-2.5	6.4	11.5	1.2	11.2	15.7	6.5
23	1.2	5.5	-3.2	2.2	6.7	-2.4	6.6	11.7	1.3	11.4	15.9	6.8
24	1.3	5.6	-3.2	2.3	6.8	-2.3	6.7	11.9	1.4	11.7	16.2	7.0
25	1.3	5.6	-3.1	2.5	6.9	-2.1	6.9	12.1	1.5	12.0	16.4	7.3
26	1.3	5.6	-3.1	2.6	7.1	-2.0	7.1	12.3	1.7	12.2	16.7	7.6
27	1.2	5.6	-3.2	2.8	7.2	-1.8	7.2	12.5	1.9	12.5	16.9	7.9
28	1.2	5.6	-3.2	3.0	7.4	-1.6	7.4	12.6	2.1	12.7	17.2	8.2
29	1.2	5.6	-3.2	3.1	7.5	-1.5	7.6	12.8	2.3	12.9	17.4	8.4
30	1.1	5.6	-3.3				7.8	12.9	2.5	13.1	17.6	8.7
31	1.1	5.5	-3.3				7.9	13.0	2.8			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SENDAI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	13.3	17.9	8.9	17.5	21.4	14.1	20.5	23.4	18.0	25.0	28.5	22.2
02	13.5	18.1	9.1	17.6	21.4	14.3	20.6	23.6	18.2	25.1	28.6	22.3
03	13.7	18.3	9.2	17.6	21.4	14.4	20.9	23.8	18.4	25.2	28.7	22.4
04	13.8	18.4	9.4	17.7	21.4	14.5	21.1	24.1	18.6	25.3	28.8	22.4
05	14.0	18.6	9.5	17.8	21.4	14.7	21.3	24.3	18.8	25.3	28.8	22.4
06	14.1	18.7	9.5	17.9	21.4	14.9	21.5	24.6	19.0	25.3	28.9	22.4
07	14.2	18.9	9.6	18.0	21.5	15.1	21.7	24.9	19.2	25.3	28.8	22.3
08	14.3	19.0	9.7	18.1	21.5	15.3	21.9	25.1	19.4	25.2	28.8	22.3
09	14.4	19.1	9.7	18.2	21.6	15.5	22.1	25.3	19.5	25.2	28.8	22.3
10	14.5	19.2	9.8	18.4	21.7	15.7	22.2	25.5	19.6	25.1	28.7	22.2
11	14.6	19.4	9.9	18.5	21.8	16.0	22.4	25.7	19.7	25.1	28.6	22.2
12	14.7	19.5	10.1	18.7	21.9	16.2	22.4	25.8	19.8	25.0	28.5	22.2
13	14.9	19.6	10.2	18.8	22.0	16.4	22.5	25.8	19.9	25.0	28.4	22.2
14	15.0	19.8	10.3	19.0	22.2	16.6	22.5	25.8	19.9	25.0	28.4	22.2
15	15.1	19.9	10.5	19.1	22.3	16.8	22.5	25.8	20.0	25.0	28.3	22.2
16	15.3	20.1	10.7	19.3	22.5	17.0	22.5	25.7	20.0	25.0	28.3	22.3
17	15.4	20.2	10.9	19.4	22.6	17.1	22.4	25.7	20.1	24.9	28.2	22.3
18	15.6	20.3	11.2	19.5	22.7	17.2	22.5	25.6	20.1	24.9	28.2	22.3
19	15.8	20.5	11.4	19.6	22.8	17.2	22.5	25.6	20.2	24.8	28.1	22.2
20	15.9	20.6	11.7	19.7	22.8	17.3	22.6	25.7	20.3	24.8	28.0	22.2
21	16.1	20.7	11.9	19.7	22.9	17.3	22.7	25.8	20.4	24.6	27.9	22.1
22	16.3	20.8	12.2	19.8	22.9	17.3	22.8	26.0	20.5	24.5	27.7	21.9
23	16.5	20.9	12.5	19.8	22.9	17.3	23.0	26.2	20.7	24.4	27.5	21.8
24	16.6	21.0	12.7	19.8	22.9	17.3	23.3	26.4	20.9	24.2	27.4	21.6
25	16.8	21.1	13.0	19.9	22.9	17.3	23.5	26.7	21.1	24.0	27.2	21.4
26	16.9	21.2	13.2	19.9	22.9	17.3	23.7	27.0	21.3	23.9	27.0	21.2
27	17.1	21.3	13.4	20.0	23.0	17.4	24.0	27.3	21.5	23.8	26.9	21.1
28	17.2	21.3	13.6	20.1	23.0	17.5	24.2	27.6	21.6	23.6	26.7	21.0
29	17.3	21.3	13.8	20.2	23.1	17.6	24.5	27.9	21.8	23.6	26.6	20.9
30	17.3	21.4	13.9	20.3	23.2	17.8	24.7	28.1	22.0	23.5	26.6	20.8
31	17.4	21.4	14.0				24.8	28.3	22.1	23.4	26.5	20.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SENDAI AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 38° 8.1'N, LONGITUDE: 140° 55.0'E, ELEVATION ABOVE MSL: 6 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	23.4	26.4	20.6	18.9	23.0	14.7	12.0	17.0	6.8	6.4	10.9	1.9
02	23.3	26.4	20.5	18.8	22.8	14.5	11.8	16.9	6.6	6.2	10.7	1.7
03	23.2	26.3	20.4	18.6	22.7	14.3	11.6	16.7	6.4	5.9	10.5	1.5
04	23.2	26.2	20.3	18.3	22.6	14.0	11.5	16.5	6.2	5.7	10.3	1.3
05	23.1	26.1	20.1	18.1	22.4	13.7	11.3	16.3	6.1	5.5	10.1	1.0
06	23.0	26.0	20.0	17.9	22.2	13.4	11.1	16.1	5.9	5.2	9.9	0.8
07	22.8	25.9	19.8	17.6	22.0	13.1	10.9	15.8	5.8	5.0	9.7	0.6
08	22.7	25.8	19.6	17.3	21.8	12.7	10.8	15.6	5.6	4.8	9.5	0.4
09	22.5	25.7	19.4	17.0	21.6	12.4	10.6	15.4	5.5	4.6	9.3	0.2
10	22.3	25.6	19.1	16.7	21.4	12.0	10.4	15.2	5.4	4.5	9.1	0.0
11	22.2	25.4	18.9	16.5	21.2	11.7	10.2	15.0	5.2	4.3	8.9	-0.1
12	22.0	25.3	18.6	16.2	21.0	11.3	10.0	14.7	5.1	4.3	8.8	-0.2
13	21.8	25.2	18.3	15.9	20.8	11.0	9.8	14.5	4.9	4.2	8.7	-0.2
14	21.6	25.1	18.1	15.7	20.6	10.7	9.6	14.3	4.7	4.1	8.6	-0.3
15	21.4	24.9	17.8	15.5	20.4	10.5	9.4	14.1	4.5	4.1	8.6	-0.3
16	21.2	24.8	17.5	15.3	20.2	10.2	9.2	13.9	4.3	4.1	8.5	-0.4
17	20.9	24.6	17.2	15.1	20.0	10.1	9.0	13.7	4.0	4.0	8.4	-0.4
18	20.7	24.5	17.0	14.9	19.8	9.9	8.8	13.5	3.8	4.0	8.4	-0.4
19	20.5	24.3	16.7	14.7	19.6	9.7	8.5	13.3	3.6	3.9	8.3	-0.5
20	20.3	24.1	16.5	14.6	19.4	9.6	8.3	13.1	3.4	3.8	8.3	-0.6
21	20.1	24.0	16.3	14.4	19.2	9.5	8.1	12.9	3.2	3.7	8.2	-0.7
22	20.0	23.8	16.1	14.2	19.0	9.3	7.9	12.6	3.1	3.6	8.1	-0.9
23	19.8	23.7	15.9	14.1	18.8	9.1	7.7	12.4	2.9	3.5	8.0	-1.0
24	19.7	23.6	15.8	13.9	18.6	8.9	7.6	12.2	2.8	3.3	7.8	-1.2
25	19.6	23.5	15.7	13.6	18.4	8.7	7.4	12.0	2.7	3.2	7.7	-1.4
26	19.5	23.4	15.5	13.4	18.2	8.4	7.2	11.8	2.6	3.0	7.6	-1.6
27	19.4	23.3	15.4	13.2	18.0	8.2	7.1	11.6	2.4	2.9	7.5	-1.7
28	19.3	23.2	15.3	12.9	17.8	7.9	6.9	11.4	2.3	2.8	7.4	-1.9
29	19.2	23.2	15.1	12.7	17.6	7.6	6.7	11.2	2.2	2.7	7.3	-2.0
30	19.1	23.1	14.9	12.5	17.4	7.3	6.6	11.1	2.0	2.6	7.2	-2.1
31				12.2	17.2	7.1				2.5	7.1	-2.2