

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						—	1	3
01						—	1	3
02						—	1	3
03						—	—	1
04						—	1	2
05						1	1	2
06						1	1	2
07						—	—	1
08						—	—	2
09						×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						—	1	1
23						—	1	3
MEAN						0)	1)	2)

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						—	1	4
01						—	1	1
02						—	3	4
03						—	2	7
04						—	1	4
05						1	1	4
06						—	3	7
07						—	4	6
08						1	4	6
09						×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						—	1	3
23						—	1	2
MEAN						0)	2)	5)

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						0)	2)	6)
01						0)	2)	5)
02						0)	1)	3)
03						1)	1)	3)
04						1)	3)	8)
05						1)	4)	6)
06						1)	5)	10)
07						1)	6)	11)
08						2)	8)	11)
09						×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						1)	3)	5)
23						0)	3)	5)
MEAN						1)	3)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: HACHIJOJIMA AIRPORT **MONTH:** APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 11

LATITUDE: 33° 6.9'N, **LONGITUDE:** 139° 47.2'E, **ELEVATION ABOVE MSL:** 301ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						3)	6)	9)
01						4)	7)	11)
02						3	7	10
03						3	7	11
04						2	5	9
05						1	4	10
06						1	9	13
07						2	7	13
08						2	5	9
09						×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						3)	5)	7)
23						2)	4)	8)
MEAN						2)	6)	10)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: HACHIJOJIMA AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 11
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft
NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						5	11	14
01						6	10	12
02						3	8	10
03						4	6	10
04						5	8	12
05						5	9	10
06						5	8	10
07						6	8	10
08						5	8	10
09						×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						2	6	12
23						3	6	9
MEAN						4)	8)	11)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: HACHIJOJIMA AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 11****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft****NUMBER OF FORWARD SCATTER:**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						11)	18)	25)
01						11)	16)	24)
02						9)	17)	22)
03						10)	16)	23)
04						8)	14)	23)
05						7)	17)	23)
06						11)	19)	27)
07						11)	18)	25)
08						11)	18)	26)
09						×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						11)	17)	21)
23						9)	15)	22)
MEAN						10)	17)	24)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: HACHIJOJIMA AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 11****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft****NUMBER OF FORWARD SCATTER:**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1)	11)	14)
01						3	5	12
02						2	6	14
03						1	5	8
04						2	6	12
05						3	8	12
06						3	5	10
07						4	7	11
08						6	8	15
09						×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						3)	10)	12)
23						3)	12)	18)
MEAN						3)	7)	12)

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						0)	1)	2)
01						0)	1)	1)
02						0)	1)	1)
03						0)	0)	0)
04						—	—	1
05						—	1	3
06						—	1	3
07						—	1	3
08						—	1	3
09						×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						0)	0)	0)
23						0)	1)	1)
MEAN						0)	1)	2)

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						—	1	2
01						1	2	3
02						—	1	2
03						—	—	3
04						—	1	1
05						—	—	1
06						—	—	1
07						—	—	1
08						—	—	3
09						×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						—	1	1
23						—	1	3
MEAN						0)	1)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: HACHIJOJIMA AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 11
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft
NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1	3	5
01						—	3	5
02						1	1	2
03						1	2	3
04						1	3	4
05						—	3	6
06						1	3	6
07						1	2	5
08						1	2	4
09						×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						1	1	3
23						1	1	5
MEAN						1) 1)	2) 2)	5) 5)

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						—	1	3
01						—	1	3
02						—	—	1
03						—	1	1
04						—	2	4
05						—	2	3
06						1	2	3
07						—	1	1
08						—	1	1
09						×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						—	—	2
23						—	2	3
MEAN						0)	1)	2)

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1)	1)	3)
01						—	1	1
02						1	2	3
03						—	1	2
04						—	—	1
05						—	—	—
06						—	—	1
07						1	1	1
08						—	1	2
09						×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						0)	1)	1)
23						0)	1)	1)
MEAN						0)	1)	2)

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						2)	5)	8)
01						2)	4)	7)
02						2)	4)	6)
03						2)	3)	6)
04						1)	4)	7)
05						2)	4)	7)
06						2)	5)	8)
07						2)	5)	7)
08						2)	5)	8)
09						×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						2)	4)	6)
23						1)	4)	7)
MEAN						2)	4)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: HACHIOJIMA AIRPORT **MONTH:** JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 11

LATITUDE: 33° 6.9'N, **LONGITUDE:** 139° 47.2'E, **ELEVATION ABOVE MSL:** 301ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<700	<800	<900	<1000	<1100	<1500	<3200	<5000
00	—	—	—	—	—	—	1	2
01	—	—	—	—	—	—	1	1
02	—	—	—	—	—	—	1	3
03	—	—	—	—	—	—	—	1
04	—	—	—	—	—	—	1	1
05	—	—	—	—	—	—	—	1
06	—	—	—	—	—	—	1	2
07	—	—	—	—	—	—	—	—
08	—	—	—	—	—	—	—	1
09	×	×	×	×	×	×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	—	1
23	—	—	—	—	—	—	1	1
MEAN	0)	0)	0)	0)	0)	0)	1)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: HACHIJOJIMA AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 11****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<700	<800	<900	<1000	<1100	<1500	<3200	<5000
00	—	—	—	—	—	—	1	4
01	—	—	—	—	—	—	—	—
02	—	—	—	—	—	—	1	1
03	—	—	—	—	—	—	1	5
04	—	—	—	—	—	—	—	2
05	—	—	—	—	1	1	1	1
06	—	—	—	—	—	—	1	4
07	—	—	—	—	—	—	1	3
08	—	—	—	—	—	1	3	4
09	×	×	×	×	×	×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	1	2
23	—	—	—	—	—	—	1	1
MEAN	0)	0)	0)	0)	0)	0)	1)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: HACHIJOJIMA AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 11****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<700	<800	<900	<1000	<1100	<1500	<3200	<5000
00	0)	0)	0)	0)	0)	0)	1)	3)
01	0)	0)	0)	0)	0)	0)	1)	3)
02	0)	0)	0)	0)	0)	0)	1)	2)
03	0)	0)	0)	0)	0)	0)	1)	2)
04	0)	0)	0)	0)	0)	0)	2)	5)
05	1)	1)	1)	1)	1)	1)	3)	5)
06	0)	0)	0)	0)	0)	0)	3)	7)
07	0)	0)	0)	0)	0)	0)	4)	6)
08	0)	0)	0)	0)	0)	1)	4)	6)
09	×	×	×	×	×	×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	0)	0)	0)	1)	1)
23	0)	0)	0)	0)	0)	0)	1)	2)
MEAN	0)	0)	0)	0)	0)	0)	2)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: HACHIJOJIMA AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 11****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<700	<800	<900	<1000	<1100	<1500	<3200	<5000
00	2)	2)	2)	2)	2)	2)	3)	5)
01	3)	3)	3)	3)	3)	3)	5)	7)
02	1	1	1	1	2	2	6	8
03	1	1	1	1	1	1	5	6
04	2	2	2	2	2	2	3	5
05	1	1	1	1	1	1	3	5
06	1	1	1	1	1	1	3	7
07	1	1	1	1	1	1	3	6
08	1	1	1	1	1	1	3	3
09	×	×	×	×	×	×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	2)	3)	3)	3)	3)	3)	4)	5)
23	1)	1)	1)	1)	1)	1)	3)	4)
MEAN	1)	1)	1)	1)	2)	2)	4)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: HACHIJOJIMA AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 11
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<700	<800	<900	<1000	<1100	<1500	<3200	<5000
00	1	1	1	1	1	1	6	9
01	1	1	1	1	1	1	5	6
02	1	1	1	1	1	1	6	8
03	1	2	2	2	3	3	5	5
04	1	1	1	1	1	2	4	6
05	2	2	2	2	3	3	6	7
06	1	1	3	3	3	3	6	6
07	1	1	2	2	3	3	5	6
08	1	1	2	2	2	2	5	5
09	×	×	×	×	×	×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	3	5
23	—	—	—	—	—	—	3	6
MEAN	1)	1)	1)	1)	2)	2)	5)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: HACHIJOJIMA AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 11****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<700	<800	<900	<1000	<1100	<1500	<3200	<5000
00	3)	3)	3)	3)	5)	5)	9)	13)
01	3)	3)	3)	3)	5)	5)	8)	15)
02	2)	2)	2)	2)	3)	3)	7)	11)
03	2)	2)	2)	2)	3)	3)	9)	12)
04	3)	3)	3)	3)	3)	3)	5)	9)
05	1)	1)	1)	1)	2)	2)	5)	11)
06	3)	3)	3)	3)	6)	7)	9)	13)
07	5)	5)	5)	5)	6)	6)	8)	10)
08	3)	3)	3)	3)	6)	6)	9)	13)
09	×	×	×	×	×	×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	4)	4)	4)	4)	5)	5)	9)	11)
23	3)	3)	3)	3)	3)	3)	5)	11)
MEAN	3)	3)	3)	3)	4)	5)	8)	12)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: HACHIJOJIMA AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 11
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<700	<800	<900	<1000	<1100	<1500	<3200	<5000
00	0)	0)	0)	0)	0)	0)	1)	1)
01	—	—	—	—	—	1	1	2
02	—	—	—	—	—	—	—	1
03	1	1	1	1	1	1	1	1
04	—	—	—	—	—	—	—	1
05	1	1	1	1	1	1	3	3
06	1	1	1	1	1	1	1	1
07	1	1	1	1	1	1	1	2
08	1	1	1	1	1	1	1	3
09	×	×	×	×	×	×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1)	1)	1)	1)	1)	1)	1)	2)
23	0)	0)	0)	0)	0)	1)	2)	3)
MEAN	0)	0)	0)	0)	0)	1)	1)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: HACHIJOJIMA AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 11
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<700	<800	<900	<1000	<1100	<1500	<3200	<5000
00	0)	0)	0)	0)	0)	0)	1)	2)
01	0)	0)	0)	0)	0)	0)	1)	1)
02	0)	0)	0)	0)	0)	0)	1)	1)
03	0)	0)	0)	0)	0)	0)	0)	0)
04	—	—	—	—	—	—	—	—
05	—	—	—	—	—	—	1	1
06	—	—	—	—	—	—	1	1
07	—	—	—	—	—	—	—	1
08	—	—	—	—	—	—	1	1
09	×	×	×	×	×	×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	0)	0)	0)	0)	0)
23	0)	0)	0)	0)	0)	0)	1)	1)
MEAN	0)	0)	0)	0)	0)	0)	1)	1)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: HACHIJOJIMA AIRPORT **MONTH:** SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 11

LATITUDE: 33° 6.9'N, **LONGITUDE:** 139° 47.2'E, **ELEVATION ABOVE MSL:** 301ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<700	<800	<900	<1000	<1100	<1500	<3200	<5000
00	—	—	—	—	—	—	—	1
01	1	1	1	1	1	1	1	2
02	—	—	—	—	—	—	1	1
03	—	—	—	—	—	—	—	—
04	—	—	—	—	—	—	1	1
05	—	—	—	—	—	—	—	—
06	—	—	—	—	—	—	—	—
07	—	—	—	—	—	—	—	—
08	—	—	—	—	—	—	—	1
09	×	×	×	×	×	×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	1	1
23	—	—	—	—	—	—	—	1
MEAN	0)	0)	0)	0)	0)	0)	0)	1)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: HACHIJOJIMA AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 11****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<700	<800	<900	<1000	<1100	<1500	<3200	<5000
00	1	1	1	1	1	1	3	3
01	—	—	—	—	—	—	2	3
02	—	—	—	—	—	—	—	1
03	—	—	—	—	—	—	2	3
04	—	—	—	—	—	—	3	3
05	—	—	—	—	—	—	3	6
06	—	—	—	—	—	—	3	4
07	—	—	—	—	—	—	1	3
08	—	—	—	—	—	—	1	3
09	×	×	×	×	×	×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	1	1	1	1	1	2
23	1	1	1	1	1	1	1	4
MEAN	0)	0)	0)	0)	0)	0)	2)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: HACHIJOJIMA AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 11****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<700	<800	<900	<1000	<1100	<1500	<3200	<5000
00	—	—	—	—	—	—	1	2
01	—	—	—	—	—	—	1	1
02	—	—	—	—	—	—	—	1
03	—	—	—	—	—	—	—	1
04	—	—	—	—	—	—	2	4
05	—	—	—	—	—	—	2	3
06	—	—	1	1	1	1	1	2
07	—	—	—	—	—	—	1	1
08	—	—	—	—	—	—	—	1
09	×	×	×	×	×	×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	—	1
23	—	—	—	—	—	—	2	2
MEAN	0)	0)	0)	0)	0)	0)	1)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: HACHIJOJIMA AIRPORT **MONTH:** DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 11

LATITUDE: 33° 6.9'N, **LONGITUDE:** 139° 47.2'E, **ELEVATION ABOVE MSL:** 301ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<700	<800	<900	<1000	<1100	<1500	<3200	<5000
00	0)	0)	0)	0)	1)	1)	1)	2)
01	—	—	—	—	—	—	1	1
02	—	—	—	—	1	1	1	3
03	—	—	—	—	—	—	1	1
04	—	—	—	—	—	—	—	—
05	—	—	—	—	—	—	—	—
06	—	—	—	—	—	—	—	1
07	—	—	—	—	1	1	1	1
08	—	—	—	—	—	—	1	2
09	×	×	×	×	×	×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	0)	0)	0)	1)	1)
23	0)	0)	0)	0)	0)	0)	1)	1)
MEAN	0)	0)	0)	0)	0)	0)	1)	1)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: HACHIJOJIMA AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 11****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<700	<800	<900	<1000	<1100	<1500	<3200	<5000
00	0)	0)	1)	1)	1)	1)	2)	4)
01	1)	1)	1)	1)	1)	1)	2)	4)
02	0)	0)	0)	0)	1)	1)	2)	3)
03	0)	0)	0)	0)	1)	1)	2)	3)
04	0)	1)	1)	1)	1)	1)	2)	3)
05	0)	0)	0)	0)	1)	1)	2)	4)
06	0)	0)	1)	1)	1)	1)	2)	4)
07	1)	1)	1)	1)	1)	1)	2)	3)
08	0)	0)	0)	0)	1)	1)	2)	4)
09	×	×	×	×	×	×	×	×
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1)	1)	1)	1)	1)	1)	2)	3)
23	0)	0)	0)	0)	0)	0)	2)	3)
MEAN	0)	1)	1)	1)	1)	1)	2)	4)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HACHIJOJIMA AIRPORT **MONTH:** JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 11

LATITUDE: 33° 6.9'N, **LONGITUDE:** 139° 47.2'E, **ELEVATION ABOVE MSL:** 301ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<1000	<1500	—	—
00	—	—	—	—	1		
01	—	—	—	1	2		
02	—	—	—	—	1		
03	—	—	—	—	—		
04	—	—	—	1	1		
05	—	—	1	1	2		
06	—	1	1	1	2		
07	—	—	—	—	1		
08	—	—	—	—	1		
09	×	×	×	×	×		
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	1	1		
23	—	—	—	—	1		
MEAN	0)	0)	0)	0)	1)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HACHIOJIMA AIRPORT **MONTH:** FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 11

LATITUDE: 33° 6.9'N, **LONGITUDE:** 139° 47.2'E, **ELEVATION ABOVE MSL:** 301ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<1000	<1500	—	—
00	—	—	—	1	2		
01	—	—	—	1	1		
02	—	—	—	2	3		
03	—	—	—	1	4		
04	—	—	—	1	3		
05	—	—	—	1	3		
06	—	—	—	1	6		
07	—	—	—	2	4		
08	—	—	—	2	4		
09	×	×	×	×	×		
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	—	1		
23	—	—	—	—	1		
MEAN	0)	0)	0)	1)	3)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: HACHIOJIMA AIRPORT MONTH: MAR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 11
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<1000	<1500	—	—
00	0)	0)	0)	2)	4)		
01	0)	0)	0)	1)	3)		
02	0)	0)	0)	0)	1)		
03	0)	0)	1)	1)	2)		
04	0)	0)	1)	1)	4)		
05	0)	0)	1)	3)	3)		
06	0)	0)	1)	3)	6)		
07	0)	0)	1)	4)	7)		
08	0)	0)	1)	5)	8)		
09	×	×	×	×	×		
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	0)	0)	1)	3)	5)		
23	0)	0)	0)	2)	3)		
MEAN	0)	0)	1)	2)	4)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HACHIJOJIMA AIRPORT **MONTH:** APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 11

LATITUDE: 33° 6.9'N, **LONGITUDE:** 139° 47.2'E, **ELEVATION ABOVE MSL:** 301ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<1000	<1500	—	—
00	0)	1)	2)	5)	7)		
01	0)	1)	3)	5)	10)		
02	—	1	3	5	9		
03	—	1	2	5	10		
04	—	1	1	4	7		
05	—	1	1	3	8		
06	—	1	1	7	11		
07	—	1	2	5	11		
08	—	1	2	4	9		
09	×	×	×	×	×		
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	0)	3)	3)	5)	7)		
23	0)	1)	2)	3)	8)		
MEAN	0)	1)	2)	5)	8)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: HACHIJOJIMA AIRPORT MONTH: MAY****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 11****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<1000	<1500	—	—
00	—	3	5	8	13		
01	—	3	6	9	11		
02	—	3	3	5	7		
03	—	2	2	4	8		
04	—	3	4	6	10		
05	—	2	4	8	8		
06	—	1	3	6	8		
07	—	2	4	8	10		
08	—	1	3	8	8		
09	×	×	×	×	×		
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	1	2	5	10		
23	—	2	3	5	7		
MEAN	0)	2)	3)	6)	9)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: HACHIOJIMA AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 11****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<1000	<1500	—	—
00	0)	2)	8)	15)	19)		
01	0)	4)	9)	13)	17)		
02	0)	3)	7)	15)	19)		
03	0)	5)	8)	13)	18)		
04	0)	4)	7)	13)	20)		
05	0)	3)	7)	14)	19)		
06	0)	4)	7)	15)	21)		
07	0)	7)	9)	15)	21)		
08	0)	6)	7)	14)	22)		
09	×	×	×	×	×		
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	0)	3)	7)	13)	17)		
23	0)	1)	6)	13)	19)		
MEAN	0)	4)	7)	13)	19)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HACHIJOJIMA AIRPORT **MONTH:** JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 11

LATITUDE: 33° 6.9'N, **LONGITUDE:** 139° 47.2'E, **ELEVATION ABOVE MSL:** 301ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<1000	<1500	—	—
00	0)	1)	1)	10)	14)		
01	—	1	3	5	12		
02	—	1	2	6	14		
03	—	—	1	5	8		
04	—	—	2	6	12		
05	—	—	2	6	10		
06	—	1	2	5	9		
07	—	1	4	7	11		
08	—	2	6	8	15		
09	×	×	×	×	×		
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	0)	1)	3)	10)	12)		
23	0)	1)	3)	11)	16)		
MEAN	0)	1)	2)	7)	12)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HACHIOJIMA AIRPORT **MONTH:** AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 11

LATITUDE: 33° 6.9'N, **LONGITUDE:** 139° 47.2'E, **ELEVATION ABOVE MSL:** 301ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<1000	<1500	—	—
00	0)	0)	0)	1)	1)		
01	0)	0)	0)	0)	0)		
02	0)	0)	0)	0)	1)		
03	0)	0)	0)	0)	0)		
04	—	—	—	—	1		
05	—	—	—	—	3		
06	—	—	—	—	3		
07	—	—	—	1	2		
08	—	—	—	1	3		
09	×	×	×	×	×		
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	0)	0)	0)	0)	0)		
23	0)	0)	0)	0)	0)		
MEAN	0)	0)	0)	0)	1)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HACHIJOJIMA AIRPORT **MONTH:** SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 11

LATITUDE: 33° 6.9'N, **LONGITUDE:** 139° 47.2'E, **ELEVATION ABOVE MSL:** 301ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<1000	<1500	—	—
00	—	—	—	1	2		
01	—	—	—	1	1		
02	—	—	—	—	1		
03	—	—	—	—	3		
04	—	—	—	—	1		
05	—	—	—	—	1		
06	—	—	—	—	1		
07	—	—	—	—	1		
08	—	—	—	—	2		
09	×	×	×	×	×		
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	1	1		
23	—	—	—	1	2		
MEAN	0)	0)	0)	0)	1)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HACHIJOJIMA AIRPORT **MONTH:** OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 11

LATITUDE: 33° 6.9'N, **LONGITUDE:** 139° 47.2'E, **ELEVATION ABOVE MSL:** 301ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<1000	<1500	—	—
00	—	—	—	1	3		
01	—	—	—	1	4		
02	—	—	1	1	1		
03	—	—	1	1	3		
04	—	—	1	1	2		
05	—	—	—	—	1		
06	—	—	1	1	3		
07	—	—	1	1	2		
08	—	—	1	1	3		
09	×	×	×	×	×		
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	1	2		
23	—	—	—	1	1		
MEAN	0)	0)	0)	1)	2)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HACHIJOJIMA AIRPORT **MONTH:** NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 11

LATITUDE: 33° 6.9'N, **LONGITUDE:** 139° 47.2'E, **ELEVATION ABOVE MSL:** 301ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<1000	<1500	—	—
00	—	—	—	1	3		
01	—	—	—	—	1		
02	—	—	—	—	1		
03	—	—	—	1	1		
04	—	—	—	1	1		
05	—	—	—	1	1		
06	—	—	—	1	1		
07	—	—	—	—	—		
08	—	—	—	1	1		
09	×	×	×	×	×		
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	—	1		
23	—	—	—	—	2		
MEAN	0)	0)	0)	0)	1)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HACHIJOJIMA AIRPORT **MONTH:** DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 11

LATITUDE: 33° 6.9'N, **LONGITUDE:** 139° 47.2'E, **ELEVATION ABOVE MSL:** 301ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<1000	<1500	—	—
00	0)	0)	0)	0)	1)		
01	—	—	—	—	1		
02	—	—	—	1	1		
03	—	—	—	—	1		
04	—	—	—	—	1		
05	—	—	—	—	—		
06	—	—	—	—	—		
07	—	—	1	1	1		
08	—	—	—	—	—		
09	×	×	×	×	×		
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	0)	0)	0)	0)	0)		
23	0)	0)	0)	0)	0)		
MEAN	0)	0)	0)	0)	0)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: HACHIJOJIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 11

LATITUDE: 33° 6.9'N, **LONGITUDE:** 139° 47.2'E, **ELEVATION ABOVE MSL:** 301ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<1000	<1500	—	—
00	0)	1)	1)	4)	6)		
01	0)	1)	2)	3)	5)		
02	0)	1)	1)	3)	5)		
03	0)	1)	1)	3)	5)		
04	0)	1)	1)	3)	5)		
05	0)	0)	1)	3)	5)		
06	0)	1)	1)	3)	6)		
07	0)	1)	2)	4)	6)		
08	0)	1)	2)	4)	6)		
09	×	×	×	×	×		
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	0)	1)	1)	3)	5)		
23	0)	0)	1)	3)	5)		
MEAN	0)	1)	1)	3)	5)		

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: HACHIOJIMA AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	6)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[35-36-01]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	1)	1)	1)	1)	0)	1)	0)	0)	0)	0)	0)	5)
[08-09-10]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[11-12-13]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	1)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[26-27-28]	2)	8)	14)	8)	2)	0)	0)	0)	0)	0)	0)	35)
[29-30-31]	1)	6)	10)	6)	1)	0)	0)	0)	0)	0)	0)	24)
[32-33-34]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	16)	27)	32)	18)	5)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: HACHIOJIMA AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	7)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[35-36-01]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	1)	2)	2)	2)	0)	1)	0)	0)	0)	0)	0)	9)
[05-06-07]	2)	2)	2)	2)	1)	0)	0)	0)	0)	0)	0)	9)
[08-09-10]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[11-12-13]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	0)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	0)	1)	2)	2)	2)	0)	0)	0)	0)	0)	0)	8)
[23-24-25]	1)	3)	1)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[26-27-28]	1)	5)	8)	7)	1)	0)	0)	0)	0)	0)	0)	23)
[29-30-31]	2)	5)	7)	4)	1)	0)	0)	0)	0)	0)	0)	20)
[32-33-34]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	19)	28)	27)	19)	6)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: HACHIOJIMA AIRPORT MONTH: MAR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	6)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[35-36-01]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[02-03-04]	2)	3)	2)	3)	1)	0)	0)	0)	0)	0)	0)	12)
[05-06-07]	1)	3)	3)	2)	1)	0)	0)	0)	0)	0)	0)	10)
[08-09-10]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	0)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[20-21-22]	1)	2)	3)	3)	2)	0)	0)	0)	0)	0)	0)	11)
[23-24-25]	2)	6)	7)	3)	0)	0)	0)	0)	0)	0)	0)	18)
[26-27-28]	1)	3)	8)	5)	2)	0)	0)	0)	0)	0)	0)	19)
[29-30-31]	1)	2)	4)	3)	1)	0)	0)	0)	0)	0)	0)	10)
[32-33-34]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
TOTAL	16)	25)	30)	19)	8)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: HACHIOJIMA AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[35-36-01]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[02-03-04]	2)	3)	3)	2)	1)	0)	0)	0)	0)	0)	0)	11)
[05-06-07]	2)	4)	5)	3)	1)	0)	0)	0)	0)	0)	0)	14)
[08-09-10]	1)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[11-12-13]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[20-21-22]	2)	4)	5)	2)	1)	0)	0)	0)	0)	0)	0)	14)
[23-24-25]	2)	6)	6)	2)	0)	0)	0)	0)	0)	0)	0)	16)
[26-27-28]	2)	2)	4)	3)	1)	0)	0)	0)	0)	0)	0)	12)
[29-30-31]	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[32-33-34]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	20)	29)	29)	14)	5)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: HACHIOJIMA AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	9	1	0	—	—	—	—	—	—	—	—	9
[35-36-01]	1	0	0	0	—	—	—	—	—	—	—	2
[02-03-04]	3	3	4	2	0	0	—	—	—	—	—	12
[05-06-07]	2	5	4	3	2	0	0	—	—	—	—	16
[08-09-10]	1	1	1	0	0	—	—	—	—	—	—	3
[11-12-13]	0	0	0	0	—	—	—	—	—	—	—	1
[14-15-16]	0	0	0	0	—	—	—	—	—	—	—	1
[17-18-19]	1	3	2	1	0	—	—	—	—	—	—	7
[20-21-22]	2	7	5	2	0	—	—	—	—	—	—	17
[23-24-25]	4	9	5	1	—	—	—	—	—	—	—	19
[26-27-28]	2	3	3	1	0	—	—	—	—	—	—	9
[29-30-31]	1	1	1	0	0	—	—	—	—	—	—	3
[32-33-34]	1	0	—	0	—	—	—	—	—	—	—	1
TOTAL	28	33	26	10	3	0	0	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: HACHIOJIMA AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	7)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[35-36-01]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	3)	6)	4)	2)	1)	0)	0)	0)	0)	0)	0)	16)
[05-06-07]	3)	9)	7)	4)	2)	1)	0)	0)	0)	0)	0)	25)
[08-09-10]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	3)	8)	5)	3)	0)	0)	0)	0)	0)	0)	0)	20)
[23-24-25]	5)	9)	3)	1)	0)	0)	0)	0)	0)	0)	0)	17)
[26-27-28]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[29-30-31]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
TOTAL	25)	39)	21)	10)	4)	1)	0)	0)	0)	0)	0)	

LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[35-36-01]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[02-03-04]	2)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[05-06-07]	2)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	11)
[08-09-10]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[11-12-13]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	4)	14)	9)	1)	1)	0)	0)	0)	0)	0)	0)	29)
[23-24-25]	7)	18)	9)	1)	0)	0)	0)	0)	0)	0)	0)	34)
[26-27-28]	2)	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
TOTAL	24)	44)	26)	5)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: HACHIOJIMA AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	8)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[35-36-01]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	3)	3)	2)	1)	1)	0)	0)	0)	0)	0)	0)	11)
[05-06-07]	3)	6)	4)	2)	0)	0)	0)	0)	0)	0)	0)	16)
[08-09-10]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[11-12-13]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	3)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[20-21-22]	4)	13)	4)	0)	0)	0)	0)	0)	0)	0)	0)	22)
[23-24-25]	5)	14)	4)	1)	0)	0)	0)	0)	0)	0)	0)	23)
[26-27-28]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[29-30-31]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	32)	43)	16)	5)	2)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: HACHIOJIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	11	1	0	—	—	—	—	—	—	—	—	11
[35-36-01]	2	0	0	0	0	—	—	—	—	—	—	3
[02-03-04]	4	4	2	2	1	1	1	0	—	—	—	15
[05-06-07]	4	6	7	5	3	1	0	0	—	—	—	25
[08-09-10]	2	1	1	0	0	—	—	—	—	—	—	4
[11-12-13]	0	0	0	0	—	—	—	—	—	—	—	1
[14-15-16]	1	1	0	0	—	—	—	—	—	—	—	2
[17-18-19]	2	4	1	0	0	0	—	—	—	—	—	8
[20-21-22]	3	7	3	1	0	—	—	—	—	—	—	14
[23-24-25]	4	7	2	0	—	—	—	—	—	—	—	13
[26-27-28]	2	1	0	—	0	—	—	—	—	—	—	3
[29-30-31]	1	0	—	—	—	—	—	—	—	—	—	1
[32-33-34]	1	0	—	—	0	—	—	—	—	—	—	1
TOTAL	35	32	17	8	5	2	1	0	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: HACHIOJIMA AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	7)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[35-36-01]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	3)	4)	5)	4)	2)	1)	0)	0)	0)	0)	0)	18)
[05-06-07]	2)	5)	8)	7)	5)	1)	0)	0)	0)	0)	0)	29)
[08-09-10]	1)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[20-21-22]	2)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[23-24-25]	2)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[26-27-28]	1)	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[29-30-31]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[32-33-34]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	22)	30)	24)	14)	8)	2)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: HACHIOJIMA AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	8)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[35-36-01]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[02-03-04]	3)	3)	4)	2)	1)	0)	0)	0)	0)	0)	0)	14)
[05-06-07]	2)	3)	5)	3)	3)	0)	0)	0)	0)	0)	0)	17)
[08-09-10]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[20-21-22]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[23-24-25]	1)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[26-27-28]	1)	4)	8)	6)	0)	0)	0)	0)	0)	0)	0)	20)
[29-30-31]	1)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[32-33-34]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
TOTAL	22)	29)	29)	15)	4)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: HACHIOJIMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	6)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[35-36-01]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[02-03-04]	2)	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[05-06-07]	1)	1)	2)	1)	1)	0)	0)	0)	0)	0)	0)	8)
[08-09-10]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[11-12-13]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	1)	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	1)	3)	3)	1)	1)	0)	0)	0)	0)	0)	0)	9)
[26-27-28]	1)	6)	14)	12)	2)	1)	0)	0)	0)	0)	0)	36)
[29-30-31]	1)	4)	8)	4)	0)	0)	0)	0)	0)	0)	0)	17)
[32-33-34]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
TOTAL	17)	24)	32)	21)	5)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: HACHIOJIMA AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	7)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[35-36-01]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	2)	3)	3)	2)	1)	0)	0)	0)	0)	0)	0)	11)
[05-06-07]	2)	4)	4)	3)	2)	0)	0)	0)	0)	0)	0)	15)
[08-09-10]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[11-12-13]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[14-15-16]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[20-21-22]	2)	5)	3)	1)	1)	0)	0)	0)	0)	0)	0)	13)
[23-24-25]	3)	7)	4)	1)	0)	0)	0)	0)	0)	0)	0)	15)
[26-27-28]	1)	3)	5)	4)	1)	0)	0)	0)	0)	0)	0)	15)
[29-30-31]	1)	2)	3)	2)	0)	0)	0)	0)	0)	0)	0)	8)
[32-33-34]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
TOTAL	23)	32)	26)	13)	4)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: HACHIOJIMA AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	39	56	5	—	—	—	—
01	—	—	—	—	1	37	54	8	—	—	—	—
02	—	—	—	—	1	32	55	12	—	—	—	—
03	—	—	—	—	1	30	60	8	—	—	—	—
04	—	—	—	—	1	30	59	10	—	—	—	—
05	—	—	—	—	1	30	59	10	—	—	—	—
06	—	—	—	—	1	30	63	6	—	—	—	—
07	—	—	—	—	1	35	57	7	—	—	—	—
08	—	—	—	—	1	47	48	5	—	—	—	—
09	—	—	—	—	1	54	41	5	—	—	—	—
10	0)	0)	0)	0)	1)	52)	43)	4)	0)	0)	0)	0)
11	0)	0)	0)	0)	1)	51)	45)	2)	0)	0)	0)	0)
12	0)	0)	0)	0)	1)	51)	46)	3)	0)	0)	0)	0)
13	0)	0)	0)	0)	3)	50)	46)	2)	0)	0)	0)	0)
14	0)	0)	0)	0)	3)	50)	44)	3)	0)	0)	0)	0)
15	0)	0)	0)	0)	4)	48)	46)	2)	0)	0)	0)	0)
16	0)	0)	0)	0)	3)	50)	45)	3)	0)	0)	0)	0)
17	0)	0)	0)	0)	2)	51)	43)	4)	0)	0)	0)	0)
18	0)	0)	0)	0)	1)	54)	42)	3)	0)	0)	0)	0)
19	0)	0)	0)	0)	2)	50)	43)	5)	0)	0)	0)	0)
20	—	—	—	—	1	55	39	5	—	—	—	—
21	—	—	—	—	3	59	35	3	—	—	—	—
22	—	—	—	—	2	59	35	4	—	—	—	—
23	—	—	—	—	1	50	46	3	—	—	—	—
MEAN	0)	0)	0)	0)	1)	46)	48)	5)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: HACHIOJIMA AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	1	39	48	11	—	—	—	—
01	—	—	—	—	—	32	53	15	—	—	—	—
02	—	—	—	—	—	29	53	18	—	—	—	—
03	—	—	—	—	—	28	52	19	1	—	—	—
04	—	—	—	—	—	25	58	16	—	—	—	—
05	—	—	—	—	—	24	58	17	1	—	—	—
06	—	—	—	—	—	29	54	16	1	—	—	—
07	—	—	—	—	1	32	51	15	1	—	—	—
08	—	—	—	—	1	39	46	14	—	—	—	—
09	—	—	—	—	1	49	40	10	—	—	—	—
10	0)	0)	0)	0)	1)	49)	38)	11)	0)	0)	0)	0)
11	—	—	—	—	1	53	37	10	—	—	—	—
12	—	—	—	—	1	48	42	9	—	—	—	—
13	—	—	—	—	2	50	39	8	1	—	—	—
14	—	—	—	—	1	53	39	6	1	—	—	—
15	—	—	—	—	1	54	35	8	1	—	—	—
16	—	—	—	—	2	58	30	10	—	—	—	—
17	—	—	—	—	3	58	30	10	—	—	—	—
18	—	—	—	—	4	55	33	8	—	—	—	—
19	—	—	—	—	1	56	35	8	—	—	—	—
20	—	—	—	—	3	56	33	8	—	—	—	—
21	—	—	—	—	5	53	35	8	—	—	—	—
22	—	—	—	—	4	50	37	9	—	—	—	—
23	—	—	—	—	1	42	45	12	—	—	—	—
MEAN	0)	0)	0)	0)	1)	44)	43)	12)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: HACHIOJIMA AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	0)	0)	0)	10)	43)	45)	1)	0)	0)	0)
01	0)	0)	0)	0)	0)	9)	39)	51)	1)	0)	0)	0)
02	0)	0)	0)	0)	0)	10)	35)	53)	2)	0)	0)	0)
03	0)	0)	0)	0)	0)	8)	40)	49)	4)	0)	0)	0)
04	0)	0)	0)	0)	0)	7)	40)	49)	5)	0)	0)	0)
05	0)	0)	0)	0)	0)	7)	40)	49)	3)	0)	0)	0)
06	0)	0)	0)	0)	0)	7)	43)	48)	2)	0)	0)	0)
07	0)	0)	0)	0)	0)	9)	40)	51)	1)	0)	0)	0)
08	0)	0)	0)	0)	0)	12)	42)	46)	0)	0)	0)	0)
09	0)	0)	0)	0)	1)	16)	46)	37)	0)	0)	0)	0)
10	0)	0)	0)	0)	0)	16)	52)	31)	0)	0)	0)	0)
11	0)	0)	0)	0)	0)	17)	50)	32)	0)	0)	0)	0)
12	0)	0)	0)	0)	0)	18)	50)	32)	0)	0)	0)	0)
13	0)	0)	0)	0)	0)	19)	50)	32)	0)	0)	0)	0)
14	0)	0)	0)	0)	0)	19)	49)	31)	1)	0)	0)	0)
15	0)	0)	0)	0)	0)	20)	54)	27)	0)	0)	0)	0)
16	0)	0)	0)	0)	0)	21)	52)	27)	0)	0)	0)	0)
17	0)	0)	0)	0)	1)	20)	53)	26)	0)	0)	0)	0)
18	0)	0)	0)	0)	1)	22)	51)	27)	0)	0)	0)	0)
19	0)	0)	0)	0)	0)	24)	50)	25)	0)	0)	0)	0)
20	0)	0)	0)	0)	0)	24)	52)	25)	0)	0)	0)	0)
21	0)	0)	0)	0)	1)	22)	51)	26)	0)	0)	0)	0)
22	0)	0)	0)	0)	0)	18)	54)	28)	0)	0)	0)	0)
23	0)	0)	0)	0)	0)	14)	48)	38)	0)	0)	0)	0)
MEAN	0)	0)	0)	0)	0)	15)	47)	37)	1)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: HACHIOJIMA AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	0)	0)	0)	1)	15)	70)	14)	0)	0)	0)
01	0)	0)	0)	0)	0)	0)	15)	70)	15)	0)	0)	0)
02	—	—	—	—	—	—	15	65	19	—	—	—
03	—	—	—	—	—	—	15	64	21	—	—	—
04	—	—	—	—	—	—	13	64	23	—	—	—
05	—	—	—	—	—	—	13	67	20	—	—	—
06	—	—	—	—	—	—	17	69	15	—	—	—
07	—	—	—	—	—	—	17	75	8	—	—	—
08	—	—	—	—	—	—	19	75	5	—	—	—
09	—	—	—	—	—	1	22	74	3	—	—	—
10	—	—	—	—	—	1	28	69	2	—	—	—
11	—	—	—	—	—	1	28	68	3	—	—	—
12	—	—	—	—	—	1	32	65	2	—	—	—
13	—	—	—	—	—	1	29	67	2	—	—	—
14	—	—	—	—	—	2	33	63	2	—	—	—
15	—	—	—	—	—	3	31	65	1	—	—	—
16	0)	0)	0)	0)	0)	3)	35)	61)	1)	0)	0)	0)
17	0)	0)	0)	0)	0)	4)	36)	58)	1)	0)	0)	0)
18	0)	0)	0)	0)	0)	5)	34)	60)	1)	0)	0)	0)
19	0)	0)	0)	0)	0)	5)	34)	60)	1)	0)	0)	0)
20	0)	0)	0)	0)	0)	4)	40)	56)	0)	0)	0)	0)
21	0)	0)	0)	0)	0)	2)	35)	63)	0)	0)	0)	0)
22	0)	0)	0)	0)	0)	2)	21)	76)	1)	0)	0)	0)
23	0)	0)	0)	0)	0)	1)	17)	74)	7)	0)	0)	0)
MEAN	0)	0)	0)	0)	0)	2)	25)	67)	7)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: HACHIJOJIMA AIRPORT MONTH: MAY****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	1	28	72	—	—	—
01	—	—	—	—	—	—	—	23	76	1	—	—
02	—	—	—	—	—	—	—	19	79	2	—	—
03	—	—	—	—	—	—	—	15	83	1	—	—
04	—	—	—	—	—	—	—	18	79	3	—	—
05	—	—	—	—	—	—	—	21	78	1	—	—
06	—	—	—	—	—	—	—	25	74	1	—	—
07	—	—	—	—	—	—	—	34	66	1	—	—
08	—	—	—	—	—	—	—	41	59	—	—	—
09	—	—	—	—	—	—	1	53	46	—	—	—
10	—	—	—	—	—	—	3	65	33	—	—	—
11	—	—	—	—	—	—	5	66	30	—	—	—
12	—	—	—	—	—	—	6	70	25	—	—	—
13	—	—	—	—	—	—	8	66	26	—	—	—
14	—	—	—	—	—	—	7	69	24	—	—	—
15	—	—	—	—	—	—	6	72	22	—	—	—
16	—	—	—	—	—	—	12	69	19	—	—	—
17	—	—	—	—	—	—	13	69	18	—	—	—
18	—	—	—	—	—	—	14	68	17	—	—	—
19	—	—	—	—	—	—	14	68	17	—	—	—
20	—	—	—	—	—	—	12	70	18	—	—	—
21	—	—	—	—	—	—	4	68	28	—	—	—
22	—	—	—	—	—	—	3	50	48	—	—	—
23	—	—	—	—	—	—	1	35	65	—	—	—
MEAN	—	—	—	—	—	—	5	49	46	0	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: HACHIOJIMA AIRPORT MONTH: JUN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	0)	0)	0)	0)	0)	11)	84)	5)	0)	0)
01	0)	0)	0)	0)	0)	0)	0)	8)	83)	9)	0)	0)
02	0)	0)	0)	0)	0)	0)	0)	9)	79)	12)	0)	0)
03	0)	0)	0)	0)	0)	0)	0)	7)	81)	13)	0)	0)
04	0)	0)	0)	0)	0)	0)	0)	6)	84)	10)	0)	0)
05	0)	0)	0)	0)	0)	0)	0)	9)	80)	11)	0)	0)
06	0)	0)	0)	0)	0)	0)	0)	9)	85)	6)	0)	0)
07	0)	0)	0)	0)	0)	0)	0)	9)	87)	4)	0)	0)
08	0)	0)	0)	0)	0)	0)	0)	9)	89)	2)	0)	0)
09	0)	0)	0)	0)	0)	0)	0)	12)	88)	0)	0)	0)
10	0)	0)	0)	0)	0)	0)	0)	19)	81)	0)	0)	0)
11	0)	0)	0)	0)	0)	0)	0)	20)	80)	0)	0)	0)
12	0)	0)	0)	0)	0)	0)	0)	22)	77)	1)	0)	0)
13	0)	0)	0)	0)	0)	0)	0)	25)	75)	0)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	26)	74)	0)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	26)	74)	0)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	30)	69)	1)	0)	0)
17	0)	0)	0)	0)	0)	0)	1)	32)	67)	1)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	34)	66)	1)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	36)	64)	1)	0)	0)
20	0)	0)	0)	0)	0)	0)	1)	34)	64)	1)	0)	0)
21	0)	0)	0)	0)	0)	0)	0)	23)	77)	1)	0)	0)
22	0)	0)	0)	0)	0)	0)	0)	15)	85)	1)	0)	0)
23	0)	0)	0)	0)	0)	0)	0)	13)	84)	3)	0)	0)
MEAN	0)	0)	0)	0)	0)	0)	0)	19)	78)	3)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: HACHIOJIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	0)	0)	0)	0)	0)	0)	18)	79)	3)	0)
01	—	—	—	—	—	—	—	—	14	81	5	—
02	—	—	—	—	—	—	—	—	12	81	7	—
03	—	—	—	—	—	—	—	—	12	78	10	—
04	—	—	—	—	—	—	—	—	12	78	10	—
05	—	—	—	—	—	—	—	—	13	81	6	—
06	—	—	—	—	—	—	—	—	15	80	5	—
07	—	—	—	—	—	—	—	—	19	79	2	—
08	—	—	—	—	—	—	—	—	21	79	—	—
09	—	—	—	—	—	—	—	—	22	78	—	—
10	—	—	—	—	—	—	—	—	31	69	—	—
11	—	—	—	—	—	—	—	—	35	65	—	—
12	—	—	—	—	—	—	—	—	37	63	—	—
13	0)	0)	0)	0)	0)	0)	0)	0)	41)	59)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	1)	40)	58)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	1)	42)	57)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	1)	47)	52)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	0)	48)	52)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	1)	48)	50)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	1)	49)	50)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	1)	50)	49)	0)	0)
21	0)	0)	0)	0)	0)	0)	0)	0)	41)	59)	0)	0)
22	0)	0)	0)	0)	0)	0)	0)	0)	23)	77)	0)	0)
23	0)	0)	0)	0)	0)	0)	0)	0)	20)	79)	1)	0)
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	30)	68)	2)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: HACHIOJIMA AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	0)	0)	0)	0)	0)	0)	3)	89)	8)	0)
01	0)	0)	0)	0)	0)	0)	0)	0)	5)	75)	20)	0)
02	0)	0)	0)	0)	0)	0)	0)	0)	2)	72)	26)	0)
03	0)	0)	0)	0)	0)	0)	0)	0)	2)	65)	33)	0)
04	—	—	—	—	—	—	—	—	1	63	36	—
05	—	—	—	—	—	—	—	—	3	63	34	—
06	—	—	—	—	—	—	—	—	2	74	25	—
07	—	—	—	—	—	—	—	—	3	87	10	—
08	—	—	—	—	—	—	—	—	3	92	5	—
09	—	—	—	—	—	—	—	—	4	96	—	—
10	—	—	—	—	—	—	—	—	5	95	—	—
11	—	—	—	—	—	—	—	—	8	92	—	—
12	—	—	—	—	—	—	—	—	11	89	—	—
13	—	—	—	—	—	—	—	—	10	90	—	—
14	—	—	—	—	—	—	—	—	15	85	—	—
15	—	—	—	—	—	—	—	—	17	83	—	—
16	0)	0)	0)	0)	0)	0)	0)	0)	18)	82)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	0)	18)	82)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	0)	23)	77)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	0)	27)	73)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	0)	29)	71)	0)	0)
21	0)	0)	0)	0)	0)	0)	0)	0)	13)	87)	0)	0)
22	0)	0)	0)	0)	0)	0)	0)	0)	6)	94)	1)	0)
23	0)	0)	0)	0)	0)	0)	0)	0)	5)	93)	3)	0)
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	10)	82)	8)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: HACHIJOJIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	1	32	67	1	—
01	—	—	—	—	—	—	—	1	30	67	3	—
02	—	—	—	—	—	—	—	—	28	68	4	—
03	—	—	—	—	—	—	—	1	24	70	5	—
04	—	—	—	—	—	—	—	1	23	70	7	—
05	—	—	—	—	—	—	—	1	21	76	2	—
06	—	—	—	—	—	—	—	1	20	79	—	—
07	—	—	—	—	—	—	—	1	27	71	—	—
08	—	—	—	—	—	—	—	1	39	59	—	—
09	—	—	—	—	—	—	—	1	51	47	—	—
10	—	—	—	—	—	—	—	1	56	43	—	—
11	—	—	—	—	—	—	—	1	59	40	—	—
12	—	—	—	—	—	—	—	2	58	40	—	—
13	—	—	—	—	—	—	—	2	61	37	—	—
14	—	—	—	—	—	—	—	4	60	36	—	—
15	—	—	—	—	—	—	—	4	62	34	—	—
16	—	—	—	—	—	—	—	3	64	33	—	—
17	—	—	—	—	—	—	—	5	63	33	—	—
18	—	—	—	—	—	—	—	3	63	34	—	—
19	—	—	—	—	—	—	—	3	66	31	—	—
20	—	—	—	—	—	—	—	2	68	30	—	—
21	—	—	—	—	—	—	—	3	62	35	—	—
22	—	—	—	—	—	—	—	—	48	52	—	—
23	—	—	—	—	—	—	—	—	40	60	—	—
MEAN	—	—	—	—	—	—	—	2	47	51	1	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: HACHIOJIMA AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	12	72	15	—	—
01	—	—	—	—	—	—	—	7	74	19	—	—
02	—	—	—	—	—	—	—	6	72	21	—	—
03	—	—	—	—	—	—	—	6	68	26	—	—
04	—	—	—	—	—	—	—	6	70	23	—	—
05	—	—	—	—	—	—	1	6	75	19	—	—
06	—	—	—	—	—	—	1	10	72	18	—	—
07	—	—	—	—	—	—	1	15	72	12	—	—
08	—	—	—	—	—	—	1	19	74	6	—	—
09	0)	0)	0)	0)	0)	0)	1)	23)	70)	6)	0)	0)
10	0)	0)	0)	0)	0)	0)	1)	23)	71)	5)	0)	0)
11	0)	0)	0)	0)	0)	0)	2)	25)	69)	5)	0)	0)
12	0)	0)	0)	0)	0)	0)	1)	26)	69)	3)	0)	0)
13	0)	0)	0)	0)	0)	0)	1)	27)	68)	4)	0)	0)
14	0)	0)	0)	0)	0)	0)	1)	31)	64)	4)	0)	0)
15	0)	0)	0)	0)	0)	0)	1)	29)	66)	3)	0)	0)
16	0)	0)	0)	0)	0)	0)	2)	29)	65)	4)	0)	0)
17	0)	0)	0)	0)	0)	0)	1)	32)	64)	3)	0)	0)
18	0)	0)	0)	0)	0)	0)	1)	34)	62)	3)	0)	0)
19	0)	0)	0)	0)	0)	0)	1)	35)	61)	3)	0)	0)
20	—	—	—	—	—	—	1	37	59	3	—	—
21	—	—	—	—	—	—	1	35	60	4	—	—
22	—	—	—	—	—	—	—	26	69	5	—	—
23	—	—	—	—	—	—	—	16	70	14	—	—
MEAN	0)	0)	0)	0)	0)	0)	1)	21)	68)	10)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: HACHIOJIMA AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	13	56	31	—	—	—
01	—	—	—	—	—	—	8	57	35	—	—	—
02	—	—	—	—	—	—	7	53	39	1	—	—
03	—	—	—	—	—	—	9	50	41	—	—	—
04	—	—	—	—	—	—	9	51	39	—	—	—
05	—	—	—	—	—	—	9	55	36	—	—	—
06	—	—	—	—	—	—	11	59	31	—	—	—
07	—	—	—	—	—	—	17	58	25	—	—	—
08	—	—	—	—	—	—	24	55	21	—	—	—
09	—	—	—	—	—	—	25	55	19	—	—	—
10	0)	0)	0)	0)	0)	0)	24)	58)	18)	0)	0)	0)
11	0)	0)	0)	0)	0)	1)	26)	59)	14)	0)	0)	0)
12	0)	0)	0)	0)	0)	1)	26)	58)	14)	0)	0)	0)
13	0)	0)	0)	0)	0)	1)	27)	61)	11)	0)	0)	0)
14	0)	0)	0)	0)	0)	1)	25)	61)	14)	0)	0)	0)
15	0)	0)	0)	0)	0)	1)	26)	61)	12)	0)	0)	0)
16	0)	0)	0)	0)	0)	1)	27)	58)	14)	0)	0)	0)
17	0)	0)	0)	0)	0)	1)	28)	60)	10)	0)	0)	0)
18	0)	0)	0)	0)	0)	1)	25)	66)	8)	0)	0)	0)
19	0)	0)	0)	0)	0)	1)	27)	64)	7)	0)	0)	0)
20	—	—	—	—	—	1	27	63	9	—	—	—
21	—	—	—	—	—	1	29	59	11	—	—	—
22	—	—	—	—	—	—	27	61	13	—	—	—
23	—	—	—	—	—	—	18	61	21	—	—	—
MEAN	0)	0)	0)	0)	0)	1)	21)	58)	21)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: HACHIOJIMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	0)	0)	0)	12)	54)	32)	2)	0)	0)	0)
01	—	—	—	—	—	10	50	38	3	—	—	—
02	—	—	—	—	—	8	54	35	4	—	—	—
03	—	—	—	—	—	9	52	34	5	—	—	—
04	—	—	—	—	—	9	53	33	5	—	—	—
05	—	—	—	—	—	9	53	32	6	—	—	—
06	—	—	—	—	—	12	55	28	5	—	—	—
07	—	—	—	—	—	16	55	26	2	—	—	—
08	—	—	—	—	—	21	58	19	1	—	—	—
09	—	—	—	—	—	23	59	16	1	—	—	—
10	0)	0)	0)	0)	0)	24)	57)	19)	1)	0)	0)	0)
11	0)	0)	0)	0)	0)	22)	61)	16)	1)	0)	0)	0)
12	0)	0)	0)	0)	0)	24)	59)	16)	1)	0)	0)	0)
13	0)	0)	0)	0)	0)	28)	53)	19)	1)	0)	0)	0)
14	0)	0)	0)	0)	0)	29)	51)	20)	1)	0)	0)	0)
15	0)	0)	0)	0)	0)	30)	51)	17)	2)	0)	0)	0)
16	0)	0)	0)	0)	0)	27)	54)	17)	2)	0)	0)	0)
17	0)	0)	0)	0)	1)	30)	51)	17)	1)	0)	0)	0)
18	0)	0)	0)	0)	1)	29)	48)	22)	1)	0)	0)	0)
19	0)	0)	0)	0)	1)	27)	51)	21)	1)	0)	0)	0)
20	0)	0)	0)	0)	1)	31)	48)	19)	1)	0)	0)	0)
21	0)	0)	0)	0)	1)	31)	47)	21)	1)	0)	0)	0)
22	0)	0)	0)	0)	0)	34)	46)	19)	1)	0)	0)	0)
23	0)	0)	0)	0)	0)	21)	55)	23)	1)	0)	0)	0)
MEAN	0)	0)	0)	0)	0)	21)	53)	23)	2)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: HACHIOJIMA AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	0)	0)	0)	0)	0)	8)	19)	22)	28)	21)	1)	0)
01	0)	0)	0)	0)	0)	7)	18)	23)	28)	21)	2)	0)
02	0)	0)	0)	0)	0)	7)	18)	23)	28)	22)	3)	0)
03	0)	0)	0)	0)	0)	6)	19)	21)	29)	21)	4)	0)
04	0)	0)	0)	0)	0)	6)	19)	21)	28)	21)	4)	0)
05	0)	0)	0)	0)	0)	6)	19)	22)	28)	21)	4)	0)
06	0)	0)	0)	0)	0)	6)	20)	22)	27)	22)	3)	0)
07	0)	0)	0)	0)	0)	8)	20)	24)	26)	21)	1)	0)
08	0)	0)	0)	0)	0)	10)	20)	24)	26)	20)	0)	0)
09	0)	0)	0)	0)	0)	12)	20)	24)	25)	19)	0)	0)
10	0)	0)	0)	0)	0)	12)	20)	25)	25)	18)	0)	0)
11	0)	0)	0)	0)	0)	12)	21)	25)	25)	17)	0)	0)
12	0)	0)	0)	0)	0)	12)	22)	25)	25)	17)	0)	0)
13	0)	0)	0)	0)	0)	12)	21)	26)	25)	16)	0)	0)
14	0)	0)	0)	0)	0)	13)	21)	26)	25)	16)	0)	0)
15	0)	0)	0)	0)	0)	13)	21)	26)	25)	15)	0)	0)
16	0)	0)	0)	0)	0)	13)	21)	26)	25)	14)	0)	0)
17	0)	0)	0)	0)	0)	13)	21)	26)	24)	14)	0)	0)
18	0)	0)	0)	0)	0)	14)	21)	27)	24)	14)	0)	0)
19	0)	0)	0)	0)	0)	13)	21)	27)	25)	13)	0)	0)
20	0)	0)	0)	0)	0)	14)	21)	27)	25)	13)	0)	0)
21	0)	0)	0)	0)	1)	14)	20)	26)	24)	16)	0)	0)
22	0)	0)	0)	0)	0)	13)	19)	24)	24)	19)	0)	0)
23	0)	0)	0)	0)	0)	11)	19)	23)	26)	21)	0)	0)
MEAN	0)	0)	0)	0)	0)	11)	20)	24)	26)	18)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: HACHIOJIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft**

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	10.4	10.8	13.6	16.5	19.5	21.8	25.9	27.3	25.1	21.7	17.6	12.7	18.6
Daily maximum air temperature(°C)	13.0	13.7	16.7	19.5	22.7	24.3	28.8	30.6	28.0	24.7	20.5	15.7	21.5
Daily minimum air temperature(°C)	7.4	7.5	10.5	13.4	16.2	19.6	23.7	24.8	22.4	19.0	14.5	9.6	15.7
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	151.2	170.3	228.3	202.1)	212.9)	374.5)	214.8)	158.1)	243.9)	392.1)	287.9)	175.5	2813.4)
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	968.5	981.6	981.8	976.8	981.1	973.6	982.7	972.8*	981.2	949.9	989.5	983.4	949.9
Daily maximum air temperature(°C)	20.8	20.9	22.1	23.7	26.7	28.9	32.9	33.8	31.2*	30.3	25.9	23.3	33.8
Daily minimum air temperature(°C)	1.8*	1.4	3.3	6.2	10.4	13.5	18.5	21.7	17.5*	12.5	7.6	3.8	1.4
Daily precipitation(mm)	97.0	80.0	160.0	87.0	187.0	103.5	120.5	126.5	70.0	243.0	134.5	55.5	243.0
Daily max.one-hour precipitation(mm)	19.5	19.0	31.5	28.5	39.0	40.0	45.0	73.0	55.0	66.0	84.0	24.5	84.0
Daily max.ten-minute precipitation(mm)	10.5	11.0	17.5	8.5	10.5	14.0*	15.0*	23.0	17.5	21.5	19.0	18.0	23.0
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)													
Daily maximum wind speed(kt)	42	46	38	37	34	41	29	54	41	52	34	40	54
with wind direction(36DIR.)	5	4	2	4	4	6	21	7	3	3	4	23	7
Daily maximum peak gust(kt)	62	66	57	58	51	55	47	99	59 *	84	51	61	99
with wind direction(36DIR.)	35	5	20	12	14	6	21	8	4 *	20	21	23	8

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: HACHIJOJIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft**

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	—	—	—	—	—	—	—	—	—	—	—	—	—
≥ 25.0°C	—	—	—	—	—	—	9.0	14.2	2.4	—	—	—	25.6
Daily mean air temperature < 0.0°C	—	—	—	—	—	—	—	—	—	—	—	—	—
≥ 25.0°C	—	—	—	—	—	—	23.4	30.0	17.2	2.0	—	—	72.6
Daily maximum air temperature < 0.0°C	—	—	—	—	—	—	—	—	—	—	—	—	—
≥ 25.0°C	—	—	—	—	2.8	11.2	30.0	30.8	26.8	13.4	0.6	—	115.6
≥ 30.0°C	—	—	—	—	—	—	9.4	23.8	6.2	0.6	—	—	40.0
Daily precipitation ≥ 0.0mm	22.4	23.0	24.2	24.3)	23.8)	27.8)	22.0)	23.0)	24.8)	26.3)	23.8)	23.4	288.8)
≥ 1.0mm	11.4	14.4	13.4	14.8)	11.0)	17.5)	8.8)	11.3)	16.5)	15.5)	15.3)	13.0	163.8)
≥ 5.0mm	6.4	8.2	8.8	9.3)	7.3)	12.8)	6.5)	5.3)	10.3)	11.5)	12.0)	7.8	107.3)
≥ 10.0mm	4.0	6.0	6.2	7.0)	5.8)	10.0)	5.0)	3.8)	6.8)	8.0)	9.0)	5.6	77.0)
≥ 30.0mm	1.8	1.2	2.4	2.0)	1.8)	4.3)	2.8)	1.0)	2.0)	4.3)	2.5)	2.2	27.8)
≥ 50.0mm	0.6	0.4	0.8	0.8)	0.8)	2.0)	1.0)	0.8)	1.5)	2.3)	1.5)	0.2	12.3)
≥ 70.0mm	0.4	0.2	0.2	0.5)	0.5)	0.8)	0.8)	0.8)	0.3)	1.3)	0.5)	—	6.0)
≥ 100.0mm	—	—	0.2	0.0)	0.3)	0.3)	0.5)	0.5)	0.0)	0.5)	0.3)	—	2.5)

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: HACHIJOJIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft**

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	≥ 0cm													
	≥ 5cm													
	≥ 10cm													
	≥ 20cm													
	≥ 50cm													
	≥ 100cm													
Daily max.depth of snow cover	≥ 0cm													
	≥ 5cm													
	≥ 10cm													
	≥ 20cm													
	≥ 50cm													
	≥ 100cm													
Daily maximum wind speed	≥ 200cm													
	≥ 20kt	15.6	14.8	16.6	14.4	8.4	9.2	2.8	4.4	8.4	12.0	14.2	16.2	137.0
	≥ 30kt	3.0	2.4	2.0	1.6	0.8	1.2	—	1.4	1.8	2.6	1.4	3.0	21.2
	≥ 40kt	0.4	0.4	—	—	—	0.2	—	0.2	0.4	0.8	—	0.2	2.6
	≥ 50kt	—	—	—	—	—	—	—	0.2	—	0.4	—	—	0.6

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: HACHIJOJIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft****AIR PRESSURE (hPa) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1006.8	1006.7	1006.2	1004.6	1001.8	998.3	1000.2	999.4	1002.6	1005.2	1006.9	1006.7	1003.8
01	1006.7	1006.6	1006.1	1004.6	1001.8	998.3	1000.3	999.3	1002.5	1005.1	1006.7	1006.6	1003.7
02	1006.1	1006.2	1005.8	1004.3	1001.6	998.3	1000.2	999.1	1002.2	1004.8	1006.2	1005.9	1003.4
03	1005.2	1005.5	1005.3	1003.9	1001.3	998.1	999.9	998.9	1001.8	1004.3	1005.5	1005.1	1002.9
04	1004.6	1004.8	1004.6	1003.6	1001.0	997.8	999.7	998.6	1001.5	1003.8	1005.0	1004.6	1002.5
05	1004.5	1004.5	1004.3	1003.2	1000.7	997.7	999.5	998.3	1001.2	1003.7	1004.9	1004.5	1002.2
06	1004.6	1004.6	1004.1	1002.9	1000.5	997.6	999.3	998.2	1001.1	1003.9	1005.1	1004.6	1002.2
07	1004.9	1004.7	1004.1	1002.9	1000.4	997.5	999.2	998.1	1001.2	1004.0	1005.3	1004.9	1002.3
08	1005.2	1004.9	1004.2	1003.0	1000.5	997.5	999.2	998.2	1001.3	1004.2	1005.5	1005.2	1002.4
09	1005.6	1005.4	1004.4	1003.3	1000.8	997.8	999.4	998.4	1001.5	1004.6	1005.9	1005.6	1002.7
10	1005.9	1005.7	1004.7	1003.6	1001.1	998.0	999.7	998.7	1002.0	1005.0	1006.2	1005.7	1003.0
11	1006.0	1005.9	1005.0	1004.1	1001.5	998.3	1000.1	999.2	1002.4	1005.1	1006.3	1005.9	1003.3
12	1006.1	1006.0	1005.1	1004.2	1001.8	998.7	1000.4	999.4	1002.5	1005.2	1006.4	1005.9	1003.5
13	1006.0	1006.0	1005.2	1004.2	1001.8	998.7	1000.4	999.3	1002.4	1005.1	1006.3	1005.9	1003.4
14	1005.9	1005.9	1005.1	1004.1	1001.6	998.5	1000.2	999.2	1002.3	1004.7	1006.2	1005.9	1003.3
15	1005.7	1005.7	1004.9	1003.9	1001.3	998.1	999.9	998.9	1002.0	1004.5	1005.9	1005.6	1003.0
16	1005.4	1005.8	1004.8	1003.7	1001.0	997.8	999.6	998.6	1001.8	1004.1	1005.9	1005.5	1002.8
17	1005.4	1005.6	1004.6	1003.5	1000.8	997.6	999.3	998.3	1001.5	1003.8	1005.8	1005.5	1002.7
18	1005.2	1005.4	1004.3	1003.4	1000.8	997.5	999.3	998.3	1001.4	1003.6	1005.6	1005.3	1002.5
19	1005.1	1005.3	1004.5	1003.4	1000.8	997.6	999.4	998.3	1001.4	1003.6	1005.6	1005.1	1002.5
20	1005.3	1005.5	1004.8	1003.7	1001.0	997.9	999.7	998.5	1001.6	1003.9	1005.6	1005.4	1002.8
21	1005.7	1005.7	1005.2	1004.0	1001.3	998.1	999.9	998.9	1001.9	1004.2	1006.0	1005.7	1003.1
22	1006.0	1006.2	1005.6	1004.3	1001.6	998.3	1000.1	999.1	1002.2	1004.6	1006.4	1006.1	1003.4
23	1006.4	1006.6	1006.0	1004.5	1001.7	998.3	1000.2	999.2	1002.4	1005.1	1006.8	1006.4	1003.6
MEAN	1005.6	1005.6	1004.9	1003.8	1001.2	998.0	999.8	998.8	1001.9	1004.4	1005.9	1005.6	1003.0

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: HACHIOJIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft****AIR TEMPERATURE (°C) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	10.7	11.3	14.1	17.3	20.8	22.4	26.8	28.5	26.0	22.7	18.4	13.5	19.4
01	11.1	11.5	14.6	17.6	21.2	22.8	27.1	28.7	26.3	23.0	18.7	14.0	19.7
02	11.3	11.9	14.8	17.8	21.4	23.0	27.3	29.1	26.5	23.4	19.0	14.1	20.0
03	11.4	12.0	15.0	17.9	21.5	23.0	27.5	29.3	26.7	23.3	19.0	14.1	20.1
04	11.5	12.0	14.9	17.9	21.5	23.0	27.5	29.3	26.7	23.2	19.0	14.1	20.0
05	11.5	12.0	14.8	17.8	21.3	22.9	27.4	29.2	26.7	23.0	18.8	14.0	19.9
06	11.3	11.8	14.6	17.6	21.0	22.7	27.1	28.9	26.4	22.7	18.4	13.7	19.7
07	10.9	11.5	14.4	17.3	20.6	22.5	26.8	28.5	26.0	22.2	17.9	13.2	19.3
08	10.3	11.1	14.0	16.9	20.2	22.2	26.4	28.0	25.4	21.6	17.4	12.6	18.8
09	10.1	10.6	13.4	16.4	19.5	21.8	25.9	27.2	24.7	21.3	17.2	12.4	18.4
10	10.1	10.5	13.2	16.1	18.9	21.4	25.4	26.8	24.5	21.2	17.0	12.4	18.1
11	10.0	10.4	13.2	16.0	18.7	21.3	25.2	26.6	24.4	21.2	17.0	12.4	18.0
12	10.0	10.5	13.1	15.9	18.6	21.2	25.1	26.4	24.4	21.1	16.9	12.3	18.0
13	9.9	10.4	13.1	15.8	18.5	21.2	25.0	26.3	24.2	21.1	16.9	12.2	17.9
14	9.9	10.4	13.0	15.7	18.4	21.1	24.9	26.2	24.1	21.0	16.9	12.2	17.8
15	9.8	10.2	13.0	15.6	18.3	21.0	24.9	26.1	23.9	21.0	16.8	12.1	17.7
16	9.8	10.0	12.8	15.4	18.0	20.9	24.8	26.0	24.0	21.1	16.9	12.3	17.7
17	9.8	9.8	12.6	15.3	17.9	20.9	24.7	26.0	23.9	20.9	16.7	12.2	17.6
18	9.9	9.9	12.6	15.3	17.9	20.8	24.7	25.9	23.9	20.8	16.7	12.2	17.5
19	9.8	9.8	12.6	15.2	17.8	20.7	24.7	25.8	23.8	20.8	16.6	12.3	17.5
20	9.7	9.7	12.5	15.2	17.9	20.7	24.7	25.7	23.8	20.8	16.7	12.1	17.5
21	9.6	9.8	12.4	15.5	18.8	21.1	25.2	26.3	24.0	20.8	16.8	12.1	17.7
22	9.6	9.9	13.0	16.2	19.7	21.5	25.9	27.2	24.9	21.3	17.1	12.1	18.2
23	10.1	10.7	13.6	16.8	20.3	22.0	26.3	28.0	25.5	22.2	17.8	12.8	18.8
MEAN	10.3	10.7	13.6	16.5	19.5	21.8	25.9	27.3	25.1	21.7	17.5	12.8	18.6

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: HACHIJOJIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft****VAPOR PRESSURE (hPa) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	8.2	8.8	10.7	14.1	17.9	23.2	29.4	29.8)	26.2	20.2	14.7	9.9	17.4)
01	8.2	8.8	10.7	14.1	17.8	23.3	29.3	29.9)	26.1	20.1	14.6	9.9	17.4)
02	8.2	8.9	10.9	14.1	17.9	23.3	29.3	30.2	26.1	20.2	14.7	9.9	17.8
03	8.1	8.9	10.9	14.1	17.6	23.3	29.3	30.0	26.0	20.3	14.6	10.0	17.8
04	8.2	9.0	11.0	14.1	17.6	23.4	29.3	30.1	26.1	20.2	14.5	10.1	17.8
05	8.2	9.1	11.0	14.2	17.7	23.4	29.1	29.9	26.0	20.1	14.6	10.0	17.8
06	8.1	9.1	11.1	14.3	17.7	23.4	29.1	29.8	26.0	20.1	14.6	10.0	17.8
07	8.0	9.2	11.0	14.2	17.5	23.4	29.0	29.7	25.8	20.0	14.5	9.9	17.7
08	8.1	9.1	11.2	14.3	17.5	23.3	29.1	29.9	25.9	20.1	14.5	10.0	17.8
09	8.1	9.1	11.3	14.2	17.7	23.3	29.0	30.0	25.9	20.0	14.5	9.8	17.7
10	8.1	9.0	11.3	14.2	17.8	23.2	29.2	30.1	25.8	20.0	14.5	9.8	17.8
11	8.0	8.9	11.3	14.1	17.8	23.1	29.2	29.8)	25.8	19.9	14.4	9.8	17.4)
12	8.0	8.9	11.2	14.1	17.9	23.1	29.2	29.8)	25.8	19.8	14.4	9.7	17.3)
13	8.0	8.8	11.1	14.2	17.9	23.1	29.2	29.8)	25.8	19.9	14.5	9.7	17.3)
14	8.1	8.8	11.1	14.2	17.9	23.1	29.1	29.8)	25.7	19.9	14.4	9.7	17.3)
15	8.0	8.8	11.1	14.2	17.9	23.1	29.1	29.7)	25.6	19.8	14.4	9.7	17.3)
16	8.0	8.6	11.1	13.9	17.8	22.4)	29.0	29.7)	25.6	20.1	14.5	9.8	17.2)
17	8.1	8.6	11.0	13.9	17.7	22.4)	29.0	29.7)	25.5	20.0	14.4	9.9	17.2)
18	8.2	8.6	10.9	13.9	17.8	22.4)	29.0	29.7)	25.5	20.0	14.4	9.7	17.2)
19	8.2	8.6	10.8	13.9	17.7	22.4)	29.0	29.4)	25.5	20.2	14.3	9.6	17.2)
20	8.2	8.6	10.7	13.9	17.6	22.4)	29.0	29.4)	25.5	20.1	14.3	9.6	17.1)
21	8.1	8.7	10.7	14.0	18.0	23.1	29.4	29.9)	25.7	20.0	14.4	9.8	17.3)
22	8.1	8.7	10.8	14.2	18.0	23.2	29.5	30.0)	26.2	20.2	14.5	9.7	17.4)
23	8.1	8.8	10.7	14.1	17.9	23.2	29.5	30.1)	26.1	20.3	14.6	9.9	17.4)
MEAN	8.1	8.9	11.0	14.1	17.8	22.5)	29.2	29.7)	25.8	20.0	14.5	9.8	17.3)

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: HACHIJOJIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft****RELATIVE HUMIDITY (%) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	62	64	64	69	73	85	84	77)	77	73	68	62	71)
01	60	63	63	69	71	84	82	75)	76	71	66	60	69)
02	59	62	62	68	70	83	81	75	75	70	65	60	69
03	59	62	62	68	69	82	80	74	74	70	65	60	69
04	58	62	63	68	69	82	80	74	75	70	64	61	69
05	59	63	63	69	70	83	80	74	74	71	66	61	69
06	59	63	65	70	71	84	81	75	75	72	67	62	70
07	60	65	65	71	72	85	82	76	77	74	69	63	72
08	63	66	68	72	74	87	85	79	79	77	71	66	74
09	64	68	70	74	77	88	87	83	82	78	72	66	76
10	64	68	71	76	81	90	90	85	83	78	73	66	77
11	64	68	71	76	81	90	91	86)	84	78	73	65	77)
12	64	68	71	76	83	90	91	87)	84	78	73	65	77)
13	64	67	70	77	83	91	92	87)	85	79	73	66	77)
14	64	68	71	78	83	91	92	87)	85	79	73	66	77)
15	65	68	71	78	84	91	92	87)	86	79	73	66	78)
16	64	68	72	77	85	91)	92	88)	86	80	74	66	78)
17	66	68	72	78	85	91)	93	89)	86	80	74	66	79)
18	66	68	72	78	86	91)	93	89)	86	80	74	66	78)
19	66	69	72	78	86	92)	93	89)	86	81	74	65	78)
20	66	69	71	79	85	92)	93	89)	85	80	73	66	78)
21	66	70	71	77	82	91	91	87)	85	80	73	66	78)
22	66	69	69	75	78	89	88	83)	83	79	72	66	76)
23	64	66	66	72	75	87	86	79)	79	75	70	65	73)
MEAN	63	66	68	74	78	87)	87	82)	81	76	71	64	74)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: HACHIOJIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft

MOST FREQUENT WIND DIRECTION (36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	27	28	28)	5)	22 *	5)	21)	23)	5	5	5	27)	5)
01	28 *	28	28)	5)	22	5)	22 *	21)	5	5	6	27	5)
02	27	28	24)	6	21 *	5)	22	23)	5	5	27 *	27	5)
03	27	29	27)	23	24	22)	22	6)	5	5	4	28	5)
04	27	27	27)	22 *	5	5)	23	23 *	5	6	27 *	27	5)
05	27	28	27)	22	24	5)	22	21	5	5	28 *	27	27)
06	28	28	27)	22	5	6)	22	23	5	5	27 *	27 *	5)
07	28	28	26)	6	4	5)	23	22	5	6	27	28	5)
08	27	28	25)	22 *	5	22)	22	22	6	5	5	27	22)
09	26	27	24)	24	24	23)	22	22	5 *	5	5	27 *	5)
10	28)	27)	27)	24	24	23)	23	22	5	4)	6)	27)	4)
11	27)	29	23)	23	4	22)	23 *	23	6	4)	6)	27)	4)
12	28)	27	24)	23	24	22)	23	23	5	6)	27)	27)	24)
13	28)	28 *	26)	25	23	6)	22)	24	5	6)	4)	28)	4)
14	28)	29	25)	23 *	5	22)	23)	22	5	5)	27)	28)	5)
15	28)	30	27)	25 *	4	21)	23)	24	5	6)	27)	27)	27)
16	28)	29	28)	4)	23	22)	23)	24)	5	4)	27)	29)	23)
17	28)	28	3)	22)	24	22)	23)	24)	5	6)	28)	27)	24)
18	29)	28	29)	4)	24	22)	23)	23)	5	4)	28)	27)	4)
19	29)	29	28)	4)	5 *	5)	23)	24)	6	4)	26)	27)	4)
20	29)	29 *	28)	4)	4	5)	23)	24)	6	5)	28)	27)	4)
21	30 *	29	24)	5)	5	22)	23)	23)	5	5	28	27)	5)
22	30	29	24)	25)	21	5)	22)	23)	5	5	6 *	28)	5)
23	28	28	28)	4)	21 *	6)	22)	23)	4	5	28	28)	5)
ALL	28)	28)	28)	4)	5	22)	23)	23)	5	5)	27)	27)	5)

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: HACHIJOJIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft****WIND SPEED (kt) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	12.3	12.0	12.1	11.8	10.7	10.8	9.3	9.4	9.7	12.0	11.4	12.3	11.2
01	12.6	12.6	12.7	12.0	10.8	11.0	9.6	9.8	10.3	12.4	12.2	12.5	11.6
02	13.0	13.1	13.2	12.2	11.3	11.1	10.0	9.8	10.7	12.9	12.2	12.9	11.9
03	13.2	13.5	13.5	12.3	11.2	11.2	9.9	10.1	10.6	12.5	12.3	13.1	11.9
04	13.1	13.6	13.4	12.3	11.2	11.1	10.1	10.1	10.8	12.9	12.5	13.1	12.0
05	13.2	13.8	13.5	12.0	10.9	10.7	10.1	10.1	10.6	12.4	12.3	12.9	11.9
06	12.7	13.4	13.2	11.8	10.6	10.3	9.9	9.6	10.6	11.7	11.8	12.3	11.5
07	12.2	12.6	13.0	11.6	10.5	10.1	9.6	9.1	10.4	11.5	11.1	12.1	11.1
08	11.1	12.1	12.2	11.4	9.7	9.4	9.2	8.7	9.8	10.6	10.4	11.4	10.5
09	11.5	11.4	11.4	10.6	8.9	9.1	8.9	8.0	9.0	10.5	10.2	10.9	10.1
10	11.1	11.1	11.8	10.3	8.2	8.4	8.1	7.3	8.8	10.5	10.1	11.2	9.8
11	10.8	11.1	11.7	10.3	7.9	8.4	7.8	6.9	8.7	10.5	9.9	11.2	9.6
12	10.9	10.9	11.8	10.3	8.0	8.4	7.7	7.1	8.3	10.6	9.8	11.2	9.6
13	10.7	10.9	11.7	10.3	7.9	8.5	7.8	6.9	8.2	10.6	10.1	11.0	9.5
14	11.0	11.1	11.7	10.3	8.0	8.4	7.9	7.2	8.1	10.1	10.0	11.2	9.6
15	11.2	10.4	11.5	10.4	8.0	8.4	7.9	7.2	8.1	9.9	9.9	11.4	9.5
16	11.0	10.3	11.8	10.5	8.1	8.6	8.0	7.3	7.7	10.5	10.0	11.4	9.6
17	11.5	10.3	11.8	10.2	8.1	8.7	7.8	7.1	7.8	10.4	10.1	11.5	9.6
18	11.6	10.8	11.7	9.9	8.3	8.8	7.7	7.1	8.1	10.7	9.7	11.6	9.7
19	11.7	10.7	11.5	9.9	8.8	8.8	7.8	7.3	8.1	10.8	9.5	11.8	9.7
20	11.6	10.6	11.3	9.9	8.7	9.2	7.9	7.1	8.3	11.0	9.9	11.5	9.8
21	11.3	11.0	11.0	9.9	8.9	9.2	7.6	7.3	8.4	11.0	10.0	11.4	9.8
22	11.0	10.9	11.2	10.5	9.6	9.8	8.4	7.9	8.5	10.7	10.3	11.1	10.0
23	11.4	11.2	11.6	11.4	10.4	10.3	8.9	8.9	9.2	11.1	10.4	11.4	10.5
MEAN	11.7	11.6	12.1	10.9	9.4	9.5	8.6	8.2	9.1	11.2	10.7	11.8	10.4

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: HACHIOJIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	11.1	13.9	8.1	10.5	13.4	7.2	12.3	15.2	9.5	15.1	18.3	11.8
02	11.0	13.8	8.0	10.5	13.4	7.2	12.4	15.4	9.7	15.3	18.4	12.0
03	10.9	13.6	8.0	10.5	13.4	7.1	12.6	15.5	9.9	15.4	18.4	12.2
04	10.8	13.5	7.9	10.5	13.4	7.1	12.7	15.6	10.1	15.4	18.5	12.3
05	10.7	13.4	7.8	10.4	13.4	7.1	12.8	15.7	10.2	15.5	18.5	12.4
06	10.6	13.3	7.8	10.4	13.4	7.1	12.9	15.8	10.2	15.6	18.6	12.5
07	10.5	13.1	7.7	10.4	13.4	7.1	12.9	15.8	10.3	15.6	18.6	12.5
08	10.5	13.0	7.7	10.4	13.4	7.1	13.0	15.9	10.3	15.7	18.7	12.6
09	10.4	13.0	7.6	10.4	13.4	7.1	13.0	15.9	10.3	15.7	18.7	12.7
10	10.3	12.9	7.6	10.4	13.4	7.1	13.1	16.0	10.3	15.8	18.8	12.8
11	10.3	12.8	7.5	10.4	13.4	7.1	13.1	16.1	10.3	15.9	18.9	12.9
12	10.3	12.8	7.5	10.4	13.4	7.1	13.2	16.2	10.3	16.1	19.0	13.0
13	10.3	12.8	7.5	10.4	13.4	7.1	13.3	16.3	10.3	16.2	19.2	13.1
14	10.3	12.8	7.4	10.4	13.4	7.2	13.4	16.4	10.3	16.4	19.3	13.3
15	10.3	12.8	7.4	10.5	13.4	7.2	13.5	16.6	10.4	16.5	19.5	13.4
16	10.3	12.8	7.4	10.5	13.5	7.2	13.6	16.7	10.5	16.6	19.6	13.5
17	10.3	12.9	7.4	10.5	13.5	7.3	13.7	16.8	10.5	16.7	19.7	13.7
18	10.4	12.9	7.4	10.6	13.6	7.3	13.8	17.0	10.6	16.8	19.8	13.7
19	10.4	12.9	7.3	10.7	13.6	7.4	13.9	17.1	10.6	16.9	19.9	13.8
20	10.4	12.9	7.3	10.8	13.7	7.5	13.9	17.2	10.6	16.9	20.0	13.9
21	10.4	13.0	7.3	10.9	13.9	7.7	14.0	17.2	10.7	17.0	20.1	13.9
22	10.4	13.0	7.2	11.0	14.0	7.8	14.0	17.2	10.7	17.1	20.1	14.0
23	10.4	13.0	7.2	11.2	14.2	8.0	14.0	17.3	10.7	17.1	20.2	14.0
24	10.4	13.0	7.2	11.3	14.3	8.3	14.1	17.3	10.7	17.2	20.3	14.1
25	10.4	13.1	7.2	11.5	14.5	8.5	14.1	17.4	10.7	17.3	20.4	14.2
26	10.4	13.1	7.1	11.7	14.7	8.8	14.2	17.5	10.8	17.4	20.5	14.3
27	10.4	13.1	7.1	11.9	14.9	9.0	14.4	17.6	10.9	17.6	20.6	14.5
28	10.5	13.2	7.1	12.1	15.1	9.2	14.5	17.7	11.1	17.7	20.7	14.6
29	10.5	13.2	7.1	12.2	15.2	9.4	14.7	17.9	11.2	17.9	20.9	14.8
30	10.5	13.3	7.1				14.8	18.0	11.4	18.0	21.0	14.9
31	10.5	13.3	7.2				15.0	18.2	11.6			

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: HACHIOJIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	18.2	21.2	15.1	20.7	23.6	17.7	23.6	26.0	21.7	27.2	30.6	24.7
02	18.3	21.3	15.2	20.7	23.5	17.8	23.8	26.2	21.9	27.3	30.6	24.8
03	18.4	21.4	15.3	20.7	23.5	18.0	24.1	26.5	22.1	27.3	30.7	24.8
04	18.5	21.6	15.3	20.8	23.6	18.1	24.3	26.7	22.4	27.4	30.7	24.8
05	18.6	21.7	15.4	20.9	23.6	18.2	24.5	27.0	22.6	27.4	30.7	24.9
06	18.7	21.8	15.4	21.0	23.6	18.4	24.7	27.3	22.8	27.4	30.7	24.9
07	18.8	21.9	15.4	21.0	23.7	18.5	25.0	27.5	23.0	27.4	30.7	25.0
08	18.8	22.0	15.4	21.1	23.8	18.7	25.2	27.8	23.2	27.5	30.7	25.0
09	18.9	22.1	15.4	21.3	23.9	18.9	25.4	28.0	23.4	27.5	30.7	25.1
10	19.0	22.2	15.4	21.4	24.0	19.1	25.5	28.3	23.6	27.5	30.7	25.1
11	19.1	22.3	15.4	21.5	24.1	19.3	25.7	28.5	23.7	27.5	30.7	25.1
12	19.1	22.4	15.5	21.6	24.2	19.5	25.8	28.6	23.8	27.5	30.7	25.2
13	19.2	22.5	15.6	21.7	24.3	19.6	25.9	28.8	23.9	27.5	30.7	25.2
14	19.3	22.5	15.7	21.8	24.3	19.7	26.0	28.9	23.9	27.5	30.8	25.2
15	19.4	22.6	15.8	21.8	24.4	19.9	26.1	29.0	23.9	27.6	30.8	25.2
16	19.5	22.7	15.9	21.9	24.5	19.9	26.1	29.1	23.9	27.6	30.8	25.1
17	19.5	22.8	16.0	22.0	24.6	20.0	26.2	29.1	23.9	27.6	30.8	25.1
18	19.6	22.9	16.1	22.0	24.6	20.1	26.2	29.2	23.9	27.5	30.8	25.1
19	19.7	22.9	16.2	22.1	24.7	20.1	26.2	29.3	23.9	27.5	30.8	25.0
20	19.8	23.0	16.3	22.1	24.7	20.2	26.3	29.3	23.9	27.5	30.8	24.9
21	19.8	23.1	16.4	22.2	24.8	20.2	26.3	29.4	24.0	27.4	30.8	24.9
22	19.9	23.2	16.5	22.3	24.8	20.3	26.4	29.5	24.0	27.4	30.7	24.8
23	20.0	23.3	16.7	22.4	24.9	20.4	26.5	29.6	24.1	27.3	30.6	24.7
24	20.1	23.4	16.8	22.4	25.0	20.5	26.5	29.7	24.1	27.2	30.5	24.6
25	20.2	23.4	16.9	22.6	25.0	20.6	26.6	29.9	24.2	27.1	30.4	24.5
26	20.3	23.5	17.0	22.7	25.1	20.7	26.8	30.0	24.3	27.0	30.2	24.4
27	20.4	23.5	17.2	22.8	25.3	20.9	26.9	30.1	24.4	26.9	30.1	24.3
28	20.5	23.6	17.3	23.0	25.4	21.1	27.0	30.2	24.5	26.8	30.0	24.2
29	20.5	23.6	17.4	23.2	25.6	21.3	27.0	30.3	24.5	26.7	29.9	24.1
30	20.6	23.6	17.5	23.4	25.8	21.5	27.1	30.4	24.6	26.6	29.8	24.0
31	20.6	23.6	17.6				27.2	30.5	24.7	26.6	29.7	24.0

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: HACHIOJIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 33° 6.9'N, LONGITUDE: 139° 47.2'E, ELEVATION ABOVE MSL: 301 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	26.5	29.6	23.9	23.6	26.4	21.0	19.5	22.5	16.5	14.8	17.9	11.6
02	26.4	29.5	23.8	23.5	26.3	20.9	19.4	22.3	16.4	14.6	17.7	11.3
03	26.4	29.4	23.7	23.4	26.2	20.8	19.3	22.2	16.3	14.4	17.5	11.2
04	26.3	29.3	23.6	23.2	26.1	20.7	19.2	22.1	16.2	14.1	17.3	11.0
05	26.2	29.2	23.5	23.1	26.0	20.5	19.1	21.9	16.1	14.0	17.0	10.8
06	26.1	29.1	23.4	23.0	25.9	20.4	19.0	21.8	16.0	13.8	16.8	10.6
07	26.0	29.0	23.3	22.8	25.7	20.2	18.8	21.7	15.8	13.6	16.6	10.5
08	25.9	28.9	23.1	22.6	25.5	20.1	18.7	21.6	15.7	13.4	16.5	10.4
09	25.8	28.8	23.0	22.5	25.4	19.9	18.6	21.4	15.6	13.3	16.3	10.2
10	25.7	28.7	22.9	22.3	25.2	19.8	18.4	21.3	15.4	13.2	16.1	10.1
11	25.6	28.6	22.8	22.2	25.1	19.7	18.3	21.1	15.2	13.0	16.0	10.0
12	25.5	28.5	22.6	22.0	25.0	19.5	18.1	21.0	15.0	12.9	15.9	9.9
13	25.4	28.4	22.5	21.9	24.8	19.4	17.9	20.8	14.8	12.8	15.7	9.8
14	25.3	28.3	22.4	21.8	24.7	19.3	17.8	20.7	14.7	12.7	15.6	9.7
15	25.2	28.2	22.4	21.7	24.6	19.2	17.6	20.5	14.5	12.6	15.5	9.6
16	25.1	28.1	22.3	21.6	24.6	19.1	17.5	20.4	14.4	12.5	15.4	9.5
17	24.9	28.0	22.2	21.5	24.5	19.0	17.3	20.3	14.2	12.5	15.3	9.4
18	24.8	27.8	22.1	21.5	24.4	18.9	17.2	20.1	14.1	12.4	15.3	9.3
19	24.7	27.7	22.0	21.4	24.4	18.8	17.1	20.0	14.0	12.3	15.2	9.3
20	24.5	27.5	21.9	21.3	24.3	18.7	17.0	19.9	13.8	12.3	15.1	9.2
21	24.4	27.4	21.8	21.2	24.2	18.5	16.8	19.8	13.7	12.2	15.1	9.1
22	24.3	27.2	21.7	21.1	24.1	18.4	16.7	19.6	13.6	12.2	15.0	9.1
23	24.2	27.1	21.6	21.0	24.0	18.2	16.5	19.5	13.4	12.1	14.9	9.0
24	24.1	27.0	21.5	20.8	23.9	18.0	16.4	19.3	13.2	12.1	14.9	9.0
25	24.0	26.9	21.5	20.7	23.7	17.8	16.2	19.2	13.0	12.0	14.8	8.9
26	23.9	26.8	21.4	20.5	23.5	17.6	16.0	19.0	12.7	11.9	14.7	8.8
27	23.8	26.7	21.3	20.3	23.4	17.4	15.7	18.8	12.5	11.8	14.6	8.7
28	23.8	26.6	21.2	20.2	23.2	17.2	15.5	18.6	12.2	11.6	14.5	8.6
29	23.7	26.6	21.2	20.0	23.0	17.0	15.3	18.4	12.0	11.5	14.3	8.5
30	23.6	26.5	21.1	19.8	22.8	16.8	15.0	18.1	11.8	11.4	14.2	8.3
31				19.7	22.7	16.7				11.3	14.1	8.2