

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OSHIMA AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft****NUMBER OF FORWARD SCATTER:**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1	5	6
01						1	5	8
02						1	5	7
03						2	5	7
04						2	4	6
05						2	3	8
06						1	4	8
07						—	4	8
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						1	5	6
MEAN						1	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OSHIMA AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft****NUMBER OF FORWARD SCATTER:**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						4	7	11
01						3	6	11
02						2	9	14
03						3	10	14
04						4	11	15
05						4	10	14
06						2	11	15
07						4	11	15
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						4	6	11
MEAN						3	9	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OSHIMA AIRPORT **MONTH:** MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 9

LATITUDE: 34° 46.9'N, **LONGITUDE:** 139° 21.6'E, **ELEVATION ABOVE MSL:** 124ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1	7	15
01						3	5	14
02						1	5	15
03						3	6	14
04						3	9	15
05						2	8	14
06						2	9	14
07						3	10	14
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						2	6	15
MEAN						2	7	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OSHIMA AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft****NUMBER OF FORWARD SCATTER:**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						3	11	17
01						5	12	17
02						6	12	15
03						5	13	16
04						5	10	13
05						4	10	13
06						4	9	11
07						4	8	13
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						3	12	16
MEAN						4	11	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OSHIMA AIRPORT MONTH: MAY****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft****NUMBER OF FORWARD SCATTER:**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						7	10	14
01						6	9	12
02						4	8	10
03						4	8	9
04						5	8	9
05						6	7	8
06						4	10	12
07						5	7	10
08						×	×	×
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						8	13	17
MEAN						5)	9)	11)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OSHIMA AIRPORT **MONTH:** JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 9

LATITUDE: 34° 46.9'N, **LONGITUDE:** 139° 21.6'E, **ELEVATION ABOVE MSL:** 124ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						11	20	31
01						13	21	28
02						14	20	25
03						11	19	23
04						8	12	16
05						6	14	18
06						7	14	17
07						7	14	17
08						×	×	×
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						16	26	35
MEAN						10)	17)	23)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OSHIMA AIRPORT **MONTH:** JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 9

LATITUDE: 34° 46.9'N, **LONGITUDE:** 139° 21.6'E, **ELEVATION ABOVE MSL:** 124ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						11	21	26
01						12	17	25
02						12	15	20
03						10	15	17
04						12	17	23
05						10	14	19
06						8	12	15
07						10	15	19
08						×	×	×
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						17	23	28
MEAN						11)	17)	21)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OSHIMA AIRPORT MONTH: AUG****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft****NUMBER OF FORWARD SCATTER:**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						5	11	17
01						2	8	14
02						3	8	13
03						3	7	10
04						1	4	8
05						1	4	8
06						2	3	8
07						1	2	6
08						×	×	×
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						6	14	23
MEAN						2)	7)	12)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OSHIMA AIRPORT **MONTH:** SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 9

LATITUDE: 34° 46.9'N, **LONGITUDE:** 139° 21.6'E, **ELEVATION ABOVE MSL:** 124ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						5	13	17
01						5	12	17
02						6	12	16
03						5	10	11
04						5	10	13
05						4	10	13
06						3	9	12
07						3	7	11
08						×	×	×
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						5	13	18
MEAN						5) 5)	11) 11)	15) 15)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OSHIMA AIRPORT **MONTH:** OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 9

LATITUDE: 34° 46.9'N, **LONGITUDE:** 139° 21.6'E, **ELEVATION ABOVE MSL:** 124ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1	7	16
01						3	7	12
02						4	11	14
03						1	9	12
04						2	8	13
05						1	6	11
06						2	6	12
07						1	5	12
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						3	8	14
MEAN						2	8	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OSHIMA AIRPORT **MONTH:** NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 9

LATITUDE: 34° 46.9'N, **LONGITUDE:** 139° 21.6'E, **ELEVATION ABOVE MSL:** 124ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						1	7	15
01						3	8	16
02						3	7	13
03						3	7	13
04						3	7	12
05						3	5	11
06						2	4	11
07						2	5	12
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						1	5	13
MEAN						2	6	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: OSHIMA AIRPORT MONTH: DEC****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft****NUMBER OF FORWARD SCATTER:**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						3	3	6
01						3	3	8
02						2	5	8
03						2	5	8
04						2	5	7
05						—	5	7
06						—	3	5
07						—	3	5
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						1	3	6
MEAN						1	4	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: OSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 9

LATITUDE: 34° 46.9'N, **LONGITUDE:** 139° 21.6'E, **ELEVATION ABOVE MSL:** 124ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	—	—	—	—	<1500	<3200	<5000
	—	—	—	—	—	<600	<1000	<1500
00						4	10	16
01						5	9	15
02						5	10	14
03						4	9	13
04						4	9	13
05						3	8	12
06						3	8	12
07						3	7	12
08						×	×	×
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23						6	11	17
MEAN						4)	9)	14)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OSHIMA AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<500	<800	<1100	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	—	1	1
01	—	—	—	—	—	—	1	3
02	—	—	—	—	—	—	2	4
03	—	—	—	—	—	2	3	3
04	—	—	—	—	—	1	2	3
05	—	—	—	—	—	1	2	3
06	—	—	—	—	—	—	1	2
07	—	—	—	—	—	—	1	4
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	—	—	—	—	1	2
MEAN	—	—	—	—	—	1	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OSHIMA AIRPORT **MONTH:** FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 9

LATITUDE: 34° 46.9'N, **LONGITUDE:** 139° 21.6'E, **ELEVATION ABOVE MSL:** 124ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<500	<800	<1100	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	—	1	6
01	—	—	—	—	—	—	1	4
02	—	—	—	—	—	1	3	6
03	—	—	—	—	—	1	3	4
04	—	—	—	—	—	—	2	4
05	—	—	—	—	—	1	2	6
06	—	—	—	—	—	1	1	5
07	—	—	—	—	—	1	1	6
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	—	—	—	—	2	4
MEAN	—	—	—	—	—	0	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OSHIMA AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<500	<800	<1100	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	—	1	5
01	—	—	—	—	—	—	—	4
02	—	—	—	—	—	—	1	7
03	—	—	—	—	—	—	1	6
04	—	—	—	—	—	—	3	8
05	—	—	—	—	—	1	2	7
06	—	—	—	—	—	1	2	8
07	—	—	—	—	—	1	2	9
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	—	—	1	1	2	6
MEAN	—	—	—	—	0	1	1	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OSHIMA AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<500	<800	<1100	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	1	1	7
01	—	—	—	—	—	1	1	7
02	—	—	—	—	—	—	3	7
03	—	—	—	—	—	—	1	6
04	—	—	—	—	—	—	2	6
05	—	—	—	—	—	—	3	6
06	—	—	—	—	—	1	3	8
07	—	—	—	—	—	—	3	8
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	—	—	—	—	3	8
MEAN	—	—	—	—	—	0	2	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OSHIMA AIRPORT **MONTH:** MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 9

LATITUDE: 34° 46.9'N, **LONGITUDE:** 139° 21.6'E, **ELEVATION ABOVE MSL:** 124ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<500	<800	<1100	<1500	<1600	<2400	<3200	<5000
00	—	1	1	1	1	5	6	9
01	—	—	—	—	1	1	1	8
02	—	1	1	1	1	1	3	6
03	—	—	—	—	—	1	3	5
04	—	—	—	—	—	1	1	5
05	—	—	—	—	—	1	2	4
06	—	—	—	1	1	1	2	5
07	—	—	—	1	1	1	2	6
08	×	×	×	×	×	×	×	×
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	—	—	—	5	6	9
MEAN	0)	0)	0)	0)	0)	2)	3)	6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OSHIMA AIRPORT **MONTH:** JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 9

LATITUDE: 34° 46.9'N, **LONGITUDE:** 139° 21.6'E, **ELEVATION ABOVE MSL:** 124ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<500	<800	<1100	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	1	3	11
01	—	—	—	1	1	3	5	9
02	—	—	—	—	1	1	5	11
03	—	—	—	1	1	2	5	11
04	—	—	—	1	1	2	5	9
05	—	—	—	—	—	1	4	7
06	—	—	—	—	—	3	4	7
07	—	—	—	—	—	1	3	7
08	×	×	×	×	×	×	×	×
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	—	—	1	3	4	12
MEAN	0)	0)	0)	0)	0)	2)	4)	9)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OSHIMA AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<500	<800	<1100	<1500	<1600	<2400	<3200	<5000
00	2	2	2	2	2	3	4	12
01	1	1	1	1	1	2	3	12
02	—	—	—	—	—	1	2	10
03	—	—	—	1	1	1	3	8
04	—	—	—	—	—	—	3	8
05	—	—	—	—	—	1	1	8
06	—	—	—	—	—	1	2	10
07	—	—	—	—	—	1	3	9
08	×	×	×	×	×	×	×	×
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	3	3	3	3	3	6	9	16
MEAN	1)	1)	1)	1)	1)	2)	3)	10)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OSHIMA AIRPORT MONTH: AUG****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<500	<800	<1100	<1500	<1600	<2400	<3200	<5000
00	—	—	—	1	1	1	1	3
01	—	—	—	—	—	1	1	5
02	—	—	—	—	1	1	1	3
03	—	1	1	1	1	1	1	3
04	—	—	1	1	1	1	1	1
05	—	—	—	—	—	1	1	1
06	—	—	—	—	—	—	—	1
07	—	—	—	—	1	1	1	1
08	×	×	×	×	×	×	×	×
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	1	1	1	1	1	5
MEAN	0)	0)	0)	0)	0)	1)	1)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: OSHIMA AIRPORT **MONTH:** SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 9

LATITUDE: 34° 46.9'N, **LONGITUDE:** 139° 21.6'E, **ELEVATION ABOVE MSL:** 124ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<500	<800	<1100	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	1	3	7
01	—	—	—	—	—	1	2	7
02	—	—	—	—	—	2	3	4
03	—	—	—	—	—	1	1	5
04	—	—	—	—	—	2	3	7
05	—	—	—	—	—	1	1	4
06	—	—	—	—	1	2	3	3
07	—	—	—	—	—	—	1	3
08	×	×	×	×	×	×	×	×
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	—	—	—	3	5	7
MEAN	0)	0)	0)	0)	0)	1)	2)	5)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OSHIMA AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<500	<800	<1100	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	—	2	6
01	—	—	1	1	1	2	3	6
02	—	—	—	—	—	1	3	5
03	—	—	—	—	—	—	1	3
04	—	—	—	—	—	—	1	4
05	—	—	—	—	—	—	1	3
06	—	—	—	—	—	—	1	3
07	—	—	—	—	—	1	1	5
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	1	1	1	1	1	3	5
MEAN	—	0	0	0	0	0	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OSHIMA AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<500	<800	<1100	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	—	1	4
01	—	—	—	—	—	—	3	6
02	—	—	—	—	—	—	1	4
03	—	—	—	—	—	—	1	5
04	—	—	—	—	—	1	3	6
05	—	—	—	—	—	1	1	5
06	—	—	—	—	—	1	1	7
07	—	—	—	—	—	1	1	5
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	—	—	—	—	1	3
MEAN	—	—	—	—	—	0	1	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OSHIMA AIRPORT MONTH: DEC****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<500	<800	<1100	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	1	1	3
01	—	—	1	1	1	1	1	3
02	—	—	—	—	—	1	1	3
03	—	—	—	—	1	1	2	3
04	—	—	—	—	—	1	1	2
05	—	—	—	—	1	1	1	4
06	—	—	—	—	—	—	1	2
07	—	—	—	—	—	1	1	1
08								
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	—	—	—	—	—	1	1	3
MEAN	—	—	0	0	0	1	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B**AERODROME: OSHIMA AIRPORT [ANNUAL]****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<500	<800	<1100	<1500	<1600	<2400	<3200	<5000
00	0	0	0	0	0	1	2	6
01	0	0	0	0	0	1	2	6
02	—	0	0	0	0	1	2	6
03	—	0	0	0	0	1	2	5
04	—	—	0	0	0	1	2	5
05	—	—	—	—	0	1	2	5
06	—	—	—	0	0	1	2	5
07	—	—	—	0	0	1	2	5
08	×	×	×	×	×	×	×	×
09								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	0	0	0	0	0	2	3	7
MEAN	0) 0)	0) 0)	0) 0)	0) 0)	0) 0)	1) 1)	2) 2)	6) 6)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OSHIMA AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1100	<1500
00	—	—	1	2	5	5	6
01	—	—	1	3	5	6	8
02	—	—	1	2	5	6	7
03	—	—	2	3	5	5	7
04	—	—	2	4	4	5	6
05	—	—	2	3	3	4	7
06	—	—	1	2	4	5	8
07	—	—	—	2	4	6	7
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	1	2	5	6	6
MEAN	—	—	1	3	4	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OSHIMA AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1100	<1500
00	—	—	4	5	7	8	11
01	—	—	3	4	6	7	11
02	—	—	2	3	8	10	14
03	—	—	3	4	9	11	14
04	—	—	4	6	11	11	15
05	—	—	4	5	10	11	14
06	—	—	2	7	11	13	15
07	—	—	4	4	11	12	15
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	4	4	6	9	11
MEAN	—	—	3	5	9	10	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OSHIMA AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1100	<1500
00	—	—	1	3	6	8	14
01	—	—	3	3	5	7	14
02	—	—	1	2	5	6	14
03	—	—	3	3	6	7	13
04	—	—	3	3	8	9	12
05	—	—	2	2	6	7	12
06	—	—	2	3	9	10	12
07	—	—	3	4	9	10	12
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	2	3	5	6	13
MEAN	—	—	2	3	7	8	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OSHIMA AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1100	<1500
00	—	—	3	7	11	13	16
01	—	—	5	6	11	13	16
02	—	1	6	7	12	12	14
03	—	—	5	6	11	13	14
04	—	—	5	6	9	10	13
05	—	—	4	5	9	10	12
06	—	—	4	4	8	8	9
07	—	—	4	4	8	10	11
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	3	4	11	12	15
MEAN	—	0	4	5	10	11	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OSHIMA AIRPORT **MONTH:** MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 9

LATITUDE: 34° 46.9'N, **LONGITUDE:** 139° 21.6'E, **ELEVATION ABOVE MSL:** 124ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1100	<1500
00	—	1	7	8	10	11	13
01	—	1	6	7	9	9	11
02	—	2	4	5	7	8	9
03	—	1	4	4	6	6	8
04	—	1	5	6	8	8	8
05	—	1	6	6	7	8	8
06	—	2	4	5	10	10	10
07	—	1	5	5	6	8	8
08	×	×	×	×	×	×	×
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	2	8	10	12	14	15
MEAN	0)	1)	5)	6)	8)	9)	10)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OSHIMA AIRPORT **MONTH:** JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 9

LATITUDE: 34° 46.9'N, **LONGITUDE:** 139° 21.6'E, **ELEVATION ABOVE MSL:** 124ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1100	<1500
00	—	2	11	13	20	23	28
01	—	1	13	13	20	21	25
02	—	2	14	15	19	20	21
03	—	1	11	13	19	19	21
04	—	1	8	9	11	12	14
05	—	1	6	7	13	14	16
06	—	1	7	8	13	14	16
07	—	1	7	9	13	15	16
08	×	×	×	×	×	×	×
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	2	16	22	25	27	31
MEAN	0)	1)	10)	12)	17)	18)	20)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OSHIMA AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1100	<1500
00	—	3	10	14	20	21	22
01	—	2	12	13	16	17	20
02	—	1	12	13	15	15	17
03	—	1	10	11	15	15	16
04	—	1	12	14	17	17	21
05	—	1	10	10	14	14	15
06	—	1	8	9	12	12	12
07	—	1	10	12	15	15	17
08	×	×	×	×	×	×	×
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	4	16	19	21	21	26
MEAN	0)	2)	11)	13)	16)	16)	18)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: OSHIMA AIRPORT **MONTH:** AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 9

LATITUDE: 34° 46.9'N, **LONGITUDE:** 139° 21.6'E, **ELEVATION ABOVE MSL:** 124ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1100	<1500
00	—	1	5	8	11	14	17
01	—	—	2	3	8	10	13
02	—	—	3	3	8	9	11
03	—	1	3	3	7	8	9
04	—	—	1	1	3	5	8
05	—	—	1	1	3	4	7
06	—	—	2	2	3	3	7
07	—	—	1	1	1	2	5
08	×	×	×	×	×	×	×
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	6	8	13	16	21
MEAN	0)	0)	2)	3)	6)	8)	11)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: OSHIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 9
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1100	<1500
00	—	—	5	7	12	13	16
01	—	—	5	7	12	12	16
02	—	—	6	7	11	13	16
03	—	—	5	7	10	11	11
04	—	—	5	5	9	11	13
05	—	—	4	5	10	10	13
06	—	—	3	3	9	9	11
07	—	—	3	5	7	9	11
08	×	×	×	×	×	×	×
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	5	6	11	12	16
MEAN	0)	0)	5)	6)	10)	11)	14)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OSHIMA AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1100	<1500
00	—	—	1	3	6	8	15
01	—	—	3	3	7	8	11
02	—	—	4	5	10	12	13
03	—	—	1	5	9	9	12
04	—	—	2	5	8	10	12
05	—	—	1	2	6	7	11
06	—	—	2	3	5	7	11
07	—	—	1	3	5	7	10
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	3	3	6	7	12
MEAN	—	—	2	3	7	8	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: OSHIMA AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 9****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1100	<1500
00	—	—	1	2	5	7	13
01	—	—	3	4	7	7	15
02	—	—	3	5	7	9	13
03	—	—	3	6	7	8	13
04	—	1	3	4	6	8	11
05	—	1	3	3	5	5	9
06	—	—	2	3	4	5	8
07	—	—	2	3	4	7	11
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	1	4	5	7	13
MEAN	—	0	2	4	5	7	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: OSHIMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 9
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1100	<1500
00	—	—	3	3	3	4	5
01	—	—	2	2	3	4	8
02	—	—	2	3	5	6	7
03	—	1	2	3	5	6	7
04	—	—	2	3	5	5	6
05	—	—	—	2	5	5	6
06	—	—	—	1	2	3	4
07	—	—	—	—	1	3	4
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	—	1	1	3	3	5
MEAN	—	0	1	2	3	4	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: OSHIMA AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 9
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<300	<600	<700	<1000	<1100	<1500
00	—	1	4	6	10	11	15
01	—	0	5	6	9	10	14
02	—	0	5	6	9	11	13
03	—	0	4	5	9	10	12
04	—	0	4	6	8	9	12
05	—	0	3	4	8	8	11
06	—	0	3	4	7	8	10
07	—	0	3	4	7	8	10
08	×	×	×	×	×	×	×
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23	—	1	5	7	10	12	15
MEAN	0)	0)	4)	5)	9)	10)	12)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: OSHIMA AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												—
VARIABLE	4	1	0	—	—	—	—	—	—	—	—	5
[35-36-01]	1	1	0	0	—	0	0	0	—	—	—	2
[02-03-04]	1	7	8	5	2	1	1	0	—	—	—	24
[05-06-07]	2	9	5	1	—	—	—	—	—	—	—	17
[08-09-10]	4	4	—	—	—	—	—	—	—	—	—	8
[11-12-13]	5	1	—	—	—	—	—	—	—	—	—	6
[14-15-16]	3	1	—	—	—	—	—	—	—	—	—	4
[17-18-19]	1	1	0	0	—	—	—	—	—	—	—	1
[20-21-22]	1	2	1	1	0	0	0	—	—	—	—	4
[23-24-25]	1	7	9	5	0	—	—	—	—	—	—	22
[26-27-28]	1	2	1	0	—	—	—	—	—	—	—	4
[29-30-31]	0	0	—	—	—	—	—	—	—	—	—	0
[32-33-34]	0	0	0	—	—	—	—	—	—	—	—	1
TOTAL	24	36	25	12	2	1	1	0	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OSHIMA AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	4	1	0	—	—	—	—	—	—	—	—	4
[35-36-01]	1	1	0	0	0	0	—	—	—	—	—	2
[02-03-04]	1	8	10	4	1	1	1	0	—	—	—	27
[05-06-07]	2	10	9	1	0	—	—	—	—	—	—	23
[08-09-10]	3	4	0	—	—	—	—	—	—	—	—	8
[11-12-13]	3	1	0	—	—	—	—	—	—	—	—	4
[14-15-16]	2	1	0	—	—	—	—	—	—	—	—	2
[17-18-19]	0	0	0	0	0	0	—	—	—	—	—	1
[20-21-22]	0	1	2	1	1	0	0	—	—	—	—	7
[23-24-25]	1	6	8	2	0	0	—	—	—	—	—	17
[26-27-28]	0	1	1	0	—	—	—	—	—	—	—	3
[29-30-31]	0	0	—	—	—	—	—	—	—	—	—	0
[32-33-34]	0	0	0	—	—	—	—	—	—	—	—	1
TOTAL	18	35	31	10	3	2	1	0	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OSHIMA AIRPORT MONTH: MAR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												—
VARIABLE	2	0	0	0	—	—	—	—	—	—	—	3
[35-36-01]	0	1	0	—	—	—	—	—	—	—	—	2
[02-03-04]	1	6	9	5	2	1	0	—	—	—	—	25
[05-06-07]	1	8	7	2	0	—	—	—	—	—	—	18
[08-09-10]	2	3	0	—	—	—	—	—	—	—	—	6
[11-12-13]	2	1	0	0	—	—	—	—	—	—	—	3
[14-15-16]	1	1	0	0	—	—	—	—	—	—	—	2
[17-18-19]	1	1	1	0	0	0	—	—	—	—	—	3
[20-21-22]	1	3	7	5	2	0	0	—	—	—	—	18
[23-24-25]	1	4	7	5	1	—	—	—	—	—	—	18
[26-27-28]	0	1	0	0	0	—	—	—	—	—	—	2
[29-30-31]	0	0	—	—	—	—	—	—	—	—	—	1
[32-33-34]	0	0	—	—	—	—	—	—	—	—	—	1
TOTAL	14	29	33	17	5	1	0	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OSHIMA AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	4	0	—	—	—	—	—	—	—	—	—	4
[35-36-01]	0	1	0	0	—	—	—	—	—	—	—	2
[02-03-04]	1	5	7	4	2	0	—	—	—	—	—	19
[05-06-07]	2	6	7	2	0	—	—	—	—	—	—	17
[08-09-10]	2	3	1	—	—	—	—	—	—	—	—	7
[11-12-13]	2	1	0	—	—	—	—	—	—	—	—	3
[14-15-16]	3	1	0	0	0	—	0	—	—	—	—	4
[17-18-19]	2	2	2	1	0	0	0	0	—	—	—	7
[20-21-22]	1	5	9	7	2	0	0	0	—	—	—	23
[23-24-25]	1	3	5	3	0	—	—	—	—	—	—	12
[26-27-28]	0	0	0	—	—	—	—	—	—	—	—	1
[29-30-31]	0	0	0	—	—	—	—	—	—	—	—	1
[32-33-34]	0	0	—	—	—	—	—	—	—	—	—	1
TOTAL	18	29	31	16	4	1	0	0	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OSHIMA AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	5	0	—	—	—	—	—	—	—	—	—	6
[35-36-01]	1	0	0	0	0	—	—	—	—	—	—	1
[02-03-04]	1	5	3	1	1	0	—	—	—	—	—	12
[05-06-07]	2	6	4	1	—	—	—	—	—	—	—	14
[08-09-10]	2	3	1	0	0	—	—	—	—	—	—	6
[11-12-13]	2	1	0	—	—	—	—	—	—	—	—	3
[14-15-16]	3	0	0	—	—	—	—	—	—	—	—	3
[17-18-19]	1	4	3	1	0	0	—	0	—	—	—	10
[20-21-22]	2	12	16	8	1	0	0	—	—	—	—	38
[23-24-25]	1	2	1	1	0	—	—	—	—	—	—	5
[26-27-28]	1	0	—	—	—	—	—	—	—	—	—	1
[29-30-31]	0	0	—	—	—	—	—	—	—	—	—	1
[32-33-34]	1	0	—	—	—	—	—	—	—	—	—	1
TOTAL	23	33	28	12	3	1	0	0	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OSHIMA AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	8	0	—	—	—	—	—	—	—	—	—	9
[35-36-01]	1	1	0	0	0	—	—	—	—	—	—	3
[02-03-04]	2	6	4	4	1	0	—	—	—	—	—	17
[05-06-07]	4	11	5	1	0	—	—	—	—	—	—	21
[08-09-10]	4	4	1	0	—	—	—	—	—	—	—	9
[11-12-13]	1	1	0	0	0	—	—	—	—	—	—	2
[14-15-16]	2	0	0	—	—	—	0	—	—	—	—	2
[17-18-19]	2	2	1	0	0	—	—	0	—	—	—	6
[20-21-22]	2	9	10	5	1	0	0	0	—	—	—	26
[23-24-25]	2	1	0	0	0	0	—	—	—	—	—	3
[26-27-28]	1	—	—	—	—	—	—	—	—	—	—	1
[29-30-31]	0	—	—	—	—	—	—	—	—	—	—	0
[32-33-34]	1	0	—	—	—	—	—	—	—	—	—	1
TOTAL	30	35	21	10	2	0	0	0	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OSHIMA AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	8	0	—	—	—	—	—	—	—	—	—	8
[35-36-01]	1	1	0	0	—	—	—	—	—	—	—	2
[02-03-04]	2	5	3	0	—	—	—	—	—	—	—	9
[05-06-07]	2	8	3	0	—	—	—	—	—	—	—	13
[08-09-10]	1	1	0	—	—	—	—	—	—	—	—	3
[11-12-13]	1	0	0	—	—	—	—	—	—	—	—	1
[14-15-16]	2	0	0	0	0	—	—	—	—	—	—	3
[17-18-19]	2	2	3	3	0	0	—	—	—	—	—	10
[20-21-22]	3	11	18	12	2	0	0	—	—	—	—	45
[23-24-25]	2	1	1	0	—	—	—	—	—	—	—	4
[26-27-28]	1	—	—	—	—	—	—	—	—	—	—	1
[29-30-31]	0	0	—	—	—	—	—	—	—	—	—	1
[32-33-34]	1	—	—	—	—	—	—	—	—	—	—	1
TOTAL	26	29	27	15	2	0	0	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OSHIMA AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	6	0	—	—	—	—	—	—	—	—	—	6
[35-36-01]	1	0	0	0	0	—	—	—	—	—	—	2
[02-03-04]	1	3	5	3	1	0	—	—	—	—	—	13
[05-06-07]	2	7	4	1	—	0	—	—	—	—	—	13
[08-09-10]	2	1	0	—	—	—	—	—	—	—	—	4
[11-12-13]	2	0	0	—	—	—	—	—	—	—	—	2
[14-15-16]	3	0	—	0	—	—	—	—	—	—	—	3
[17-18-19]	2	2	1	1	0	—	—	—	—	—	—	6
[20-21-22]	2	13	21	8	0	—	—	—	—	—	—	44
[23-24-25]	2	2	1	0	0	—	—	—	—	—	—	5
[26-27-28]	1	0	—	—	—	—	—	—	—	—	—	1
[29-30-31]	1	0	—	—	—	—	—	—	—	—	—	1
[32-33-34]	0	0	—	—	0	—	—	—	—	—	—	0
TOTAL	24	29	33	13	1	0	—	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OSHIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[35-36-01]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	1)	6)	10)	6)	3)	1)	0)	0)	0)	0)	0)	27)
[05-06-07]	3)	8)	6)	1)	1)	0)	0)	0)	0)	0)	0)	19)
[08-09-10]	4)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[11-12-13]	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[17-18-19]	2)	3)	1)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[20-21-22]	1)	8)	8)	2)	0)	0)	0)	0)	0)	0)	0)	20)
[23-24-25]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[32-33-34]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
TOTAL	26)	31)	27)	11)	4)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: OSHIMA AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[35-36-01]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	1)	7)	12)	9)	4)	1)	0)	0)	0)	0)	0)	35)
[05-06-07]	3)	9)	8)	4)	0)	0)	0)	0)	0)	0)	0)	24)
[08-09-10]	4)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[11-12-13]	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	1)	3)	4)	2)	1)	0)	0)	0)	0)	0)	0)	11)
[23-24-25]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[32-33-34]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
TOTAL	21)	28)	28)	16)	5)	2)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D**AERODROME: OSHIMA AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft**

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	3	0	0	—	—	—	—	—	—	—	—	3
[35-36-01]	1	1	0	0	—	—	—	—	—	—	—	2
[02-03-04]	1	8	10	7	2	0	0	—	—	—	—	29
[05-06-07]	3	11	9	2	0	—	—	—	—	—	—	25
[08-09-10]	4	3	0	—	—	—	—	—	—	—	—	7
[11-12-13]	4	1	—	—	—	—	—	—	—	—	—	5
[14-15-16]	2	1	—	—	—	—	—	—	—	—	—	3
[17-18-19]	1	1	0	0	0	0	0	—	—	—	—	2
[20-21-22]	1	1	2	1	0	0	0	0	—	—	—	6
[23-24-25]	1	5	9	2	0	—	—	—	—	—	—	17
[26-27-28]	0	0	0	0	—	—	—	—	—	—	—	1
[29-30-31]	0	0	—	—	—	—	—	—	—	—	—	0
[32-33-34]	0	0	—	—	—	—	—	—	—	—	—	0
TOTAL	21	33	31	12	3	1	0	0	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OSHIMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	3	0	0	—	—	—	—	—	—	—	—	4
[35-36-01]	1	1	0	0	0	—	—	—	—	—	—	2
[02-03-04]	1	6	7	4	1	0	0	—	—	—	—	19
[05-06-07]	2	9	4	1	0	—	—	—	—	—	—	17
[08-09-10]	4	4	0	—	—	—	—	—	—	—	—	8
[11-12-13]	5	1	—	—	—	—	—	—	—	—	—	6
[14-15-16]	3	1	0	—	—	—	—	—	—	—	—	4
[17-18-19]	1	1	0	0	0	—	—	—	—	—	—	2
[20-21-22]	1	2	1	1	1	0	0	0	—	—	—	5
[23-24-25]	1	6	13	7	1	0	—	—	—	—	—	28
[26-27-28]	0	2	2	1	0	—	—	—	—	—	—	5
[29-30-31]	0	0	—	—	—	—	—	—	—	—	—	0
[32-33-34]	0	0	—	—	—	—	—	—	—	—	—	0
TOTAL	22	33	28	13	2	1	0	0	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: OSHIMA AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[35-36-01]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	1)	6)	7)	4)	2)	1)	0)	0)	0)	0)	0)	21)
[05-06-07]	2)	9)	6)	1)	0)	0)	0)	0)	0)	0)	0)	18)
[08-09-10]	3)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[11-12-13]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[20-21-22]	1)	6)	8)	4)	1)	0)	0)	0)	0)	0)	0)	21)
[23-24-25]	1)	3)	5)	2)	0)	0)	0)	0)	0)	0)	0)	12)
[26-27-28]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[32-33-34]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	22)	32)	29)	13)	3)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: OSHIMA AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	8	70	22	—	—	—	—	—
01	—	—	—	—	4	70	25	1	—	—	—	—
02	—	—	—	—	5	64	28	3	—	—	—	—
03	—	—	—	—	4	61	32	3	—	—	—	—
04	—	—	—	—	5	57	35	3	—	—	—	—
05	—	—	—	—	3	57	39	2	—	—	—	—
06	—	—	—	—	3	55	39	3	—	—	—	—
07	—	—	—	—	3	61	33	3	—	—	—	—
08	—	—	—	—	8	68	23	1	—	—	—	—
09	—	—	—	—	15	65	19	1	—	—	—	—
10	—	—	—	—	17	64	17	1	—	—	—	—
11	—	—	—	—	18	63	19	—	—	—	—	—
12	—	—	—	1	15	65	20	—	—	—	—	—
13	—	—	—	—	18	64	18	—	—	—	—	—
14	—	—	—	—	21	61	17	—	—	—	—	—
15	—	—	—	—	24	60	16	—	—	—	—	—
16	—	—	—	—	26	61	14	—	—	—	—	—
17	—	—	—	1	24	63	13	—	—	—	—	—
18	—	—	—	1	26	59	13	—	—	—	—	—
19	—	—	—	—	35	55	10	—	—	—	—	—
20	—	—	—	—	31	61	8	—	—	—	—	—
21	—	—	—	1	32	59	9	—	—	—	—	—
22	—	—	—	1	30	60	10	—	—	—	—	—
23	—	—	—	—	18	71	11	—	—	—	—	—
MEAN	—	—	—	0	16	62	20	1	—	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: OSHIMA AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	15	64	17	4	—	—	—	—
01	—	—	—	—	11	67	17	5	—	—	—	—
02	—	—	—	—	8	63	23	5	—	—	—	—
03	—	—	—	—	6	64	23	6	—	—	—	—
04	—	—	—	—	6	55	35	4	—	—	—	—
05	—	—	—	—	6	57	32	5	—	—	—	—
06	—	—	—	—	5	58	32	5	—	—	—	—
07	—	—	—	—	6	55	36	4	—	—	—	—
08	—	—	—	—	7	62	30	1	—	—	—	—
09	—	—	—	—	13	65	20	2	—	—	—	—
10	—	—	—	—	18	63	17	3	—	—	—	—
11	—	—	—	—	15	65	16	4	—	—	—	—
12	—	—	—	—	15	66	16	3	—	—	—	—
13	—	—	—	—	16	65	15	3	—	—	—	—
14	—	—	—	—	19	63	15	3	—	—	—	—
15	—	—	—	—	24	58	15	2	—	—	—	—
16	—	—	—	—	25	58	14	3	—	—	—	—
17	—	—	—	—	25	60	13	2	—	—	—	—
18	—	—	—	—	25	58	14	3	—	—	—	—
19	—	—	—	—	30	56	12	3	—	—	—	—
20	—	—	—	—	30	54	13	2	—	—	—	—
21	—	—	—	—	32	55	11	2	—	—	—	—
22	—	—	—	—	30	56	12	1	—	—	—	—
23	—	—	—	—	19	65	15	1	—	—	—	—
MEAN	—	—	—	—	17	61	19	3	—	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OSHIMA AIRPORT MONTH: MAR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	1	39	39	21	—	—	—	—
01	—	—	—	—	1	32	42	25	—	—	—	—
02	—	—	—	—	—	32	40	28	1	—	—	—
03	—	—	—	—	1	26	42	30	1	—	—	—
04	—	—	—	—	1	22	46	30	1	—	—	—
05	—	—	—	—	—	21	46	32	1	—	—	—
06	—	—	—	—	—	20	48	31	1	—	—	—
07	—	—	—	—	—	21	50	29	1	—	—	—
08	—	—	—	—	—	26	46	28	—	—	—	—
09	—	—	—	—	—	37	39	24	—	—	—	—
10	—	—	—	—	1	40	39	20	—	—	—	—
11	—	—	—	—	1	41	40	19	—	—	—	—
12	—	—	—	—	1	40	41	17	—	—	—	—
13	—	—	—	—	1	41	45	14	—	—	—	—
14	—	—	—	—	1	40	46	13	—	—	—	—
15	—	—	—	—	3	39	46	12	—	—	—	—
16	—	—	—	—	4	42	41	13	—	—	—	—
17	—	—	—	—	2	46	38	14	—	—	—	—
18	—	—	—	—	3	48	39	10	—	—	—	—
19	—	—	—	—	5	48	39	8	—	—	—	—
20	—	—	—	—	5	48	39	8	—	—	—	—
21	—	—	—	—	4	50	37	8	—	—	—	—
22	—	—	—	—	3	47	39	11	—	—	—	—
23	—	—	—	—	1	41	43	15	—	—	—	—
MEAN	—	—	—	—	2	37	42	19	0	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E**AERODROME: OSHIMA AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 24****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft**

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	6	36	54	4	—	—	—
01	—	—	—	—	—	3	35	55	7	—	—	—
02	—	—	—	—	—	3	32	59	7	—	—	—
03	—	—	—	—	—	2	29	61	8	—	—	—
04	—	—	—	—	—	1	29	56	13	—	—	—
05	—	—	—	—	—	2	27	57	13	—	—	—
06	—	—	—	—	—	3	27	56	14	—	—	—
07	—	—	—	—	1	1	30	60	8	—	—	—
08	—	—	—	—	—	4	32	61	3	—	—	—
09	—	—	—	—	—	5	36	59	1	—	—	—
10	—	—	—	—	—	7	40	53	—	—	—	—
11	—	—	—	—	—	6	41	53	—	—	—	—
12	—	—	—	—	—	7	48	45	—	—	—	—
13	—	—	—	—	—	7	49	43	—	—	—	—
14	—	—	—	—	—	11	47	42	1	—	—	—
15	—	—	—	—	—	11	53	36	1	—	—	—
16	—	—	—	—	—	13	50	36	1	—	—	—
17	—	—	—	—	—	13	51	35	—	—	—	—
18	—	—	—	—	—	15	50	35	—	—	—	—
19	—	—	—	—	—	17	50	33	—	—	—	—
20	—	—	—	—	—	17	49	33	—	—	—	—
21	—	—	—	—	—	15	51	33	—	—	—	—
22	—	—	—	—	—	11	41	48	—	—	—	—
23	—	—	—	—	—	8	37	53	1	—	—	—
MEAN	—	—	—	—	0	8	41	48	3	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OSHIMA AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	3	48	49	—	—	—
01	—	—	—	—	—	—	2	40	58	—	—	—
02	—	—	—	—	—	—	2	34	63	1	—	—
03	—	—	—	—	—	—	2	25	72	1	—	—
04	—	—	—	—	—	—	1	23	74	1	—	—
05	—	—	—	—	—	—	1	23	75	1	—	—
06	—	—	—	—	—	—	1	26	72	1	—	—
07	—	—	—	—	—	—	1	32	66	—	—	—
08	—	—	—	—	—	—	3	44	54	—	—	—
09	—	—	—	—	—	—	3	59	38	—	—	—
10	—	—	—	—	—	—	5	68	27	—	—	—
11	—	—	—	—	—	—	8	73	19	—	—	—
12	—	—	—	—	—	—	7	74	19	—	—	—
13	—	—	—	—	—	—	9	75	16	—	—	—
14	—	—	—	—	—	—	9	75	16	—	—	—
15	—	—	—	—	—	—	8	81	12	—	—	—
16	—	—	—	—	—	—	10	80	10	—	—	—
17	—	—	—	—	—	—	14	77	8	—	—	—
18	—	—	—	—	—	1	16	77	6	—	—	—
19	—	—	—	—	—	1	17	74	8	—	—	—
20	—	—	—	—	—	1	21	71	8	—	—	—
21	—	—	—	—	—	—	14	75	12	—	—	—
22	—	—	—	—	—	—	5	72	23	—	—	—
23	—	—	—	—	—	—	3	63	35	—	—	—
MEAN	—	—	—	—	—	0	7	58	35	0	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OSHIMA AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	21	79	1	—	—
01	—	—	—	—	—	—	—	17	81	2	—	—
02	—	—	—	—	—	—	—	14	82	4	—	—
03	—	—	—	—	—	—	—	11	82	7	—	—
04	—	—	—	—	—	—	—	9	81	11	—	—
05	—	—	—	—	—	—	—	8	81	11	—	—
06	—	—	—	—	—	—	—	10	80	10	—	—
07	—	—	—	—	—	—	—	10	84	6	—	—
08	—	—	—	—	—	—	—	11	87	1	—	—
09	—	—	—	—	—	—	—	19	81	1	—	—
10	—	—	—	—	—	—	—	25	75	—	—	—
11	—	—	—	—	—	—	—	31	69	—	—	—
12	—	—	—	—	—	—	—	39	61	—	—	—
13	—	—	—	—	—	—	—	45	55	—	—	—
14	—	—	—	—	—	—	—	46	54	—	—	—
15	—	—	—	—	—	—	1	47	52	—	—	—
16	—	—	—	—	—	—	1	51	48	—	—	—
17	—	—	—	—	—	—	1	53	46	—	—	—
18	—	—	—	—	—	—	1	54	45	—	—	—
19	—	—	—	—	—	—	1	55	44	—	—	—
20	—	—	—	—	—	—	—	60	40	—	—	—
21	—	—	—	—	—	—	—	45	55	—	—	—
22	—	—	—	—	—	—	—	31	69	—	—	—
23	—	—	—	—	—	—	—	24	75	1	—	—
MEAN	—	—	—	—	—	—	0	31	67	2	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OSHIMA AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	4	37	59	—	—
01	—	—	—	—	—	—	—	1	34	64	1	—
02	—	—	—	—	—	—	—	2	29	66	3	—
03	—	—	—	—	—	—	—	3	25	66	6	—
04	—	—	—	—	—	—	—	3	22	68	8	—
05	—	—	—	—	—	—	—	2	24	66	8	—
06	—	—	—	—	—	—	—	1	25	66	8	—
07	—	—	—	—	—	—	—	2	28	66	4	—
08	—	—	—	—	—	—	—	2	29	68	1	—
09	—	—	—	—	—	—	—	3	36	61	—	—
10	—	—	—	—	—	—	—	3	48	49	—	—
11	—	—	—	—	—	—	—	4	48	48	—	—
12	—	—	—	—	—	—	—	4	52	44	—	—
13	—	—	—	—	—	—	—	3	57	40	—	—
14	—	—	—	—	—	—	—	5	61	35	—	—
15	—	—	—	—	—	—	—	5	59	35	—	—
16	—	—	—	—	—	—	—	6	66	28	—	—
17	—	—	—	—	—	—	—	8	68	25	—	—
18	—	—	—	—	—	—	—	7	67	26	—	—
19	—	—	—	—	—	—	—	8	68	23	—	—
20	—	—	—	—	—	—	—	10	69	21	—	—
21	—	—	—	—	—	—	—	5	65	30	—	—
22	—	—	—	—	—	—	—	5	51	45	—	—
23	—	—	—	—	—	—	—	4	45	51	—	—
MEAN	—	—	—	—	—	—	—	4	46	48	2	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OSHIMA AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	—	14	83	3	—
01	—	—	—	—	—	—	—	—	12	77	12	—
02	—	—	—	—	—	—	—	—	13	70	17	—
03	—	—	—	—	—	—	—	—	12	65	23	—
04	—	—	—	—	—	—	—	—	10	60	30	—
05	—	—	—	—	—	—	—	—	8	60	32	—
06	—	—	—	—	—	—	—	—	9	64	27	—
07	—	—	—	—	—	—	—	—	8	72	20	—
08	—	—	—	—	—	—	—	—	8	85	7	—
09	—	—	—	—	—	—	—	—	11	88	1	—
10	—	—	—	—	—	—	—	—	18	81	1	—
11	—	—	—	—	—	—	—	—	18	81	1	—
12	—	—	—	—	—	—	—	—	27	72	1	—
13	—	—	—	—	—	—	—	—	29	71	—	—
14	—	—	—	—	—	—	—	—	30	70	—	—
15	—	—	—	—	—	—	—	—	30	70	—	—
16	—	—	—	—	—	—	—	—	32	68	—	—
17	—	—	—	—	—	—	—	—	35	65	—	—
18	—	—	—	—	—	—	—	—	34	66	—	—
19	—	—	—	—	—	—	—	—	36	64	—	—
20	—	—	—	—	—	—	—	—	38	62	—	—
21	—	—	—	—	—	—	—	—	30	70	—	—
22	—	—	—	—	—	—	—	1	15	83	—	—
23	—	—	—	—	—	—	—	—	14	85	1	—
MEAN	—	—	—	—	—	—	—	0	20	72	7	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OSHIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	3	54	43	—	—
01	—	—	—	—	—	—	—	3	53	43	1	—
02	—	—	—	—	—	—	—	3	49	49	—	—
03	—	—	—	—	—	—	—	2	41	54	3	—
04	—	—	—	—	—	—	—	1	40	57	2	—
05	—	—	—	—	—	—	—	2	38	57	3	—
06	—	—	—	—	—	—	—	1	41	56	2	—
07	—	—	—	—	—	—	—	1	45	53	—	—
08	0)	0)	0)	0)	0)	0)	0)	1)	52)	47)	0)	0)
09	0)	0)	0)	0)	0)	0)	0)	4)	59)	37)	0)	0)
10	0)	0)	0)	0)	0)	0)	0)	7)	64)	29)	0)	0)
11	0)	0)	0)	0)	0)	0)	0)	8)	68)	25)	0)	0)
12	0)	0)	0)	0)	0)	0)	0)	8)	68)	24)	0)	0)
13	0)	0)	0)	0)	0)	0)	0)	10)	69)	21)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	9)	70)	21)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	9)	70)	21)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	8)	73)	18)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	10)	69)	20)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	7)	76)	17)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	10)	73)	17)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	11)	72)	17)	0)	0)
21	0)	0)	0)	0)	0)	0)	0)	11)	71)	18)	0)	0)
22	—	—	—	—	—	—	—	9	59	32	—	—
23	—	—	—	—	—	—	—	5	56	39	—	—
MEAN	0)	0)	0)	0)	0)	0)	0)	6)	60)	34)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OSHIMA AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	2	53	39	6	—	—
01	—	—	—	—	—	—	1	50	41	8	—	—
02	—	—	—	—	—	—	2	40	47	11	—	—
03	—	—	—	—	—	—	3	35	52	10	—	—
04	—	—	—	—	—	—	3	32	54	12	—	—
05	—	—	—	—	—	—	2	32	54	12	—	—
06	—	—	—	—	—	—	3	33	54	10	—	—
07	—	—	—	—	—	—	2	38	49	11	—	—
08	—	—	—	—	—	—	2	53	41	4	—	—
09	—	—	—	—	—	—	3	60	35	1	—	—
10	—	—	—	—	—	—	4	61	35	1	—	—
11	—	—	—	—	—	—	5	61	33	1	—	—
12	—	—	—	—	—	—	6	59	34	1	—	—
13	—	—	—	—	—	—	8	56	35	1	—	—
14	—	—	—	—	—	—	8	59	32	1	—	—
15	—	—	—	—	—	—	8	61	30	1	—	—
16	—	—	—	—	—	—	7	59	33	1	—	—
17	—	—	—	—	—	—	8	58	34	—	—	—
18	—	—	—	—	—	—	5	63	32	—	—	—
19	—	—	—	—	—	—	8	62	30	—	—	—
20	—	—	—	—	—	—	8	62	29	1	—	—
21	—	—	—	—	—	—	10	64	26	—	—	—
22	—	—	—	—	—	—	5	64	31	1	—	—
23	—	—	—	—	—	—	1	60	34	5	—	—
MEAN	—	—	—	—	—	—	5	53	38	4	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OSHIMA AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	1	—	47	49	3	—	—	—
01	—	—	—	—	1	—	40	56	3	—	—	—
02	—	—	—	—	—	1	33	61	5	—	—	—
03	—	—	—	—	—	1	30	63	7	—	—	—
04	—	—	—	—	—	1	27	63	9	—	—	—
05	—	—	—	—	—	1	27	65	7	—	—	—
06	—	—	—	—	—	1	30	62	7	—	—	—
07	—	—	—	—	—	1	37	59	3	—	—	—
08	—	—	—	—	—	3	47	49	2	—	—	—
09	—	—	—	—	—	4	52	43	1	—	—	—
10	—	—	—	—	—	6	50	43	1	—	—	—
11	—	—	—	—	—	6	47	47	1	—	—	—
12	—	—	—	—	—	6	47	46	1	—	—	—
13	—	—	—	—	—	5	51	42	1	—	—	—
14	—	—	—	—	—	9	47	43	1	—	—	—
15	—	—	—	—	—	8	49	41	2	—	—	—
16	—	—	—	—	—	7	54	37	2	—	—	—
17	—	—	—	—	—	6	56	37	1	—	—	—
18	—	—	—	—	—	9	53	37	1	—	—	—
19	—	—	—	—	1	9	49	40	1	—	—	—
20	—	—	—	—	—	9	53	37	1	—	—	—
21	—	—	—	—	—	10	50	40	—	—	—	—
22	—	—	—	—	—	8	52	39	1	—	—	—
23	—	—	—	—	1	3	48	47	1	—	—	—
MEAN	—	—	—	—	0	5	45	48	3	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OSHIMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	1	43	47	9	1	—	—	—
01	—	—	—	—	—	34	54	10	1	—	—	—
02	—	—	—	—	—	34	52	14	1	—	—	—
03	—	—	—	—	—	30	52	18	1	—	—	—
04	—	—	—	—	—	25	57	17	1	—	—	—
05	—	—	—	—	—	24	56	19	1	—	—	—
06	—	—	—	—	—	26	55	18	1	—	—	—
07	—	—	—	—	1	31	57	10	1	—	—	—
08	—	—	—	—	1	42	48	9	—	—	—	—
09	—	—	—	—	2	46	44	8	—	—	—	—
10	—	—	—	—	3	48	41	8	—	—	—	—
11	—	—	—	—	4	49	40	7	—	—	—	—
12	—	—	—	—	4	47	43	6	—	—	—	—
13	—	—	—	—	5	50	39	6	—	—	—	—
14	—	—	—	—	6	48	41	6	—	—	—	—
15	—	—	—	—	6	50	40	4	1	—	—	—
16	—	—	—	—	5	51	39	5	1	—	—	—
17	—	—	—	—	7	46	41	5	—	—	—	—
18	—	—	—	—	8	50	35	6	—	—	—	—
19	—	—	—	—	8	54	34	5	—	—	—	—
20	—	—	—	—	8	57	31	5	—	—	—	—
21	—	—	—	—	12	52	32	5	—	—	—	—
22	—	—	—	—	9	53	33	5	—	—	—	—
23	—	—	—	—	2	53	41	4	1	—	—	—
MEAN	—	—	—	—	4	43	44	9	0	—	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: OSHIMA AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	2	18	18	22	23	16	0	—
01	—	—	—	—	1	17	18	22	24	16	1	—
02	—	—	—	—	1	16	18	22	25	17	2	—
03	—	—	—	—	1	15	18	21	25	17	3	—
04	—	—	—	—	1	13	19	20	25	17	3	—
05	—	—	—	—	1	13	19	20	25	17	4	—
06	—	—	—	—	1	13	20	20	25	17	3	—
07	—	—	—	—	1	14	20	21	25	17	2	—
08	0)	0)	0)	0)	1)	17)	19)	22)	23)	17)	1)	0)
09	0)	0)	0)	0)	2)	18)	18)	23)	22)	16)	0)	0)
10	0)	0)	0)	0)	3)	19)	18)	24)	22)	13)	0)	0)
11	0)	0)	0)	0)	3)	19)	18)	26)	21)	13)	0)	0)
12	0)	0)	0)	0)	3)	19)	19)	25)	22)	12)	0)	0)
13	0)	0)	0)	0)	3)	19)	20)	25)	22)	11)	0)	0)
14	0)	0)	0)	0)	4)	19)	19)	25)	22)	11)	0)	0)
15	0)	0)	0)	0)	5)	19)	20)	25)	21)	11)	0)	0)
16	0)	0)	0)	0)	5)	19)	19)	25)	22)	10)	0)	0)
17	0)	0)	0)	0)	5)	19)	20)	25)	22)	9)	0)	0)
18	0)	0)	0)	0)	5)	20)	19)	25)	22)	9)	0)	0)
19	0)	0)	0)	0)	6)	20)	18)	25)	22)	9)	0)	0)
20	0)	0)	0)	0)	6)	20)	19)	25)	21)	9)	0)	0)
21	0)	0)	0)	0)	6)	20)	18)	24)	22)	10)	0)	0)
22	—	—	—	0	6	19	16	24	21	14	—	—
23	—	—	—	—	3	20	16	23	22	15	0	—
MEAN	0)	0)	0)	0)	3)	18)	19)	23)	23)	14)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OSHIMA AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft**

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	7.7	7.9	11.4	14.8	18.8	21.0	24.8	26.6	23.7	19.6	14.8	10.3	16.8
Daily maximum air temperature(°C)	10.6	11.0	14.5	18.1	22.3	23.9	27.8	29.7	26.6	22.4	17.4	13.3	19.8
Daily minimum air temperature(°C)	4.0	4.7	8.0	11.4	15.5	18.5	22.4	24.2	21.3	16.9	11.9	6.8	13.8
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	82.6	134.0	160.9	216.3	165.7	241.8	137.2	149.2	235.5	261.3	164.0	110.6	2059.1
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	984.4	990.6	984.0	976.7	985.1	985.7	984.4	975.7	984.2	961.6	990.5	985.2	961.6
Daily maximum air temperature(°C)	18.0	18.5*	21.3	23.0*	26.7	29.6	32.8	33.2	31.3	28.8	23.6	22.7	33.2
Daily minimum air temperature(°C)	-1.6*	-0.9	-0.9	4.4	8.2	14.4	17.1	19.3	16.3	11.0	4.2*	-0.4	-1.6*
Daily precipitation(mm)	53.0	88.0	76.5	153.5	150.0	84.5	65.0	207.5	72.0*	267.0	73.0	65.5	267.0
Daily max.one-hour precipitation(mm)	14.0	27.5	20.0	51.0	26.0	33.5	40.5	43.0	36.0	64.0	32.0	29.5	64.0
Daily max.ten-minute precipitation(mm)	4.0	8.0	6.0	18.0	10.5	10.5	21.5	20.5	15.5	12.0	13.0	14.0	21.5
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)													
Daily maximum wind speed(kt)	43	46	37 *	41	41	46	33	36	41 *	54	41	37 *	54
with wind direction(36DIR.)	3	4	20	20	18	20	20	4	20	21	20	21	21
Daily maximum peak gust(kt)	65	63	52 *	59	61	63	46	57	62 *	74	56	54	74
with wind direction(36DIR.)	2	4	19	17	20	22	20	5	20 *	22	20	20	22

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OSHIMA AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft**

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	1.2	0.4	0.2	—	—	—	—	—	—	—	—	0.2	2.0
≥ 25.0°C	—	—	—	—	—	—	2.6	11.6	1.0	—	—	—	15.2
Daily mean air temperature < 0.0°C	—	—	—	—	—	—	—	—	—	—	—	—	—
≥ 25.0°C	—	—	—	—	—	—	15.8	26.6	9.2	0.6	—	—	52.2
Daily maximum air temperature < 0.0°C	—	—	—	—	—	—	—	—	—	—	—	—	—
≥ 25.0°C	—	—	—	—	1.8	10.2	27.0	29.0	22.2	5.4	—	—	95.6
≥ 30.0°C	—	—	—	—	—	—	7.2	18.2	3.0	—	—	—	28.4
Daily precipitation ≥ 0.0mm	9.2	11.6	12.2	13.8	10.8	15.4	12.0	11.8	15.4	13.6	13.4	11.0	150.2
≥ 1.0mm	5.8	8.6	9.0	11.2	8.6	12.4	8.2	8.4	11.6	9.2	11.0	7.6	111.6
≥ 5.0mm	4.0	5.4	6.2	7.4	6.2	9.0	5.0	5.2	9.4	7.6	7.8	4.4	77.6
≥ 10.0mm	3.0	3.4	4.8	5.2	4.6	6.4	3.8	3.6	7.4	5.0	5.0	3.0	55.2
≥ 30.0mm	0.8	1.6	1.8	2.2	1.0	3.4	1.8	1.0	2.2	2.2	2.2	1.0	21.2
≥ 50.0mm	0.2	0.6	0.6	1.0	0.8	1.6	0.8	0.8	1.4	1.2	0.2	0.6	9.8
≥ 70.0mm	—	0.2	0.2	0.4	0.6	0.4	—	0.4	0.6	0.8	0.2	—	3.8
≥ 100.0mm	—	—	—	0.4	0.4	—	—	0.2	—	0.6	—	—	1.6

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OSHIMA AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft**

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	≥ 0cm													
	≥ 5cm													
	≥ 10cm													
	≥ 20cm													
	≥ 50cm													
	≥ 100cm													
Daily max.depth of snow cover	≥ 0cm													
	≥ 5cm													
	≥ 10cm													
	≥ 20cm													
	≥ 50cm													
	≥ 100cm													
Daily maximum wind speed	≥ 200cm													
	≥ 20kt	9.4	8.2	13.8	14.0	11.4	7.8	8.6	7.0	7.6	12.4	10.0	9.4	119.6
	≥ 30kt	1.0	1.8	2.4	1.6	0.6	1.0	0.4	0.4	1.2	2.6	1.0	1.6	15.6
	≥ 40kt	0.4	0.2	—	0.2	0.2	0.4	—	—	0.4	0.4	0.2	—	2.4
	≥ 50kt	—	—	—	—	—	—	—	—	—	0.2	—	—	0.2

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OSHIMA AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft****AIR PRESSURE (hPa) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1012.6	1013.0	1012.0	1010.6	1007.4	1004.6	1005.3	1005.0	1009.2	1012.3	1013.4	1012.2	1009.8
01	1012.5	1012.8	1011.9	1010.6	1007.5	1004.6	1005.3	1004.9	1009.1	1012.1	1013.3	1012.0	1009.7
02	1011.8	1012.4	1011.5	1010.2	1007.2	1004.5	1005.2	1004.7	1008.8	1011.8	1012.7	1011.3	1009.4
03	1010.8	1011.6	1010.9	1009.7	1006.8	1004.2	1004.9	1004.4	1008.3	1011.2	1011.8	1010.4	1008.7
04	1010.2	1010.8	1010.1	1009.2	1006.5	1003.9	1004.6	1004.1	1008.0	1010.6	1011.3	1009.8	1008.3
05	1009.9	1010.4	1009.5	1008.8	1006.1	1003.7	1004.4	1003.7	1007.6	1010.5	1011.1	1009.5	1007.9
06	1010.1	1010.4	1009.3	1008.4	1005.8	1003.5	1004.2	1003.6	1007.5	1010.6	1011.2	1009.6	1007.9
07	1010.3	1010.5	1009.3	1008.3	1005.8	1003.4	1004.1	1003.6	1007.6	1010.7	1011.4	1009.9	1007.9
08	1010.6	1010.7	1009.4	1008.4	1005.8	1003.4	1004.0	1003.6	1007.7	1010.9	1011.6	1010.2	1008.0
09	1011.0	1011.2	1009.7	1008.6	1006.1	1003.6	1004.3	1003.8	1007.9	1011.2	1012.0	1010.6	1008.3
10	1011.4	1011.6	1010.0	1009.0	1006.4	1004.0	1004.6	1004.2	1008.3	1011.6	1012.3	1010.9	1008.7
11	1011.5	1011.7	1010.4	1009.5	1006.8	1004.2	1004.9	1004.7	1008.9	1011.8	1012.4	1011.1	1009.0
12	1011.6	1011.9	1010.6	1009.8	1007.2	1004.6	1005.3	1005.0	1009.0	1011.9	1012.6	1011.2	1009.2
13	1011.6	1012.0	1010.7	1009.8	1007.2	1004.6	1005.3	1004.9	1008.9	1011.9	1012.5	1011.3	1009.2
14	1011.6	1011.9	1010.6	1009.7	1007.1	1004.4	1005.2	1004.9	1008.8	1011.6	1012.4	1011.2	1009.1
15	1011.5	1011.8	1010.5	1009.6	1006.9	1004.2	1004.9	1004.6	1008.6	1011.4	1012.2	1011.0	1009.0
16	1011.1	1011.9	1010.6	1009.4	1006.7	1003.9	1004.6	1004.3	1008.3	1011.1	1012.2	1011.1	1008.8
17	1011.3	1011.8	1010.4	1009.2	1006.4	1003.7	1004.4	1004.1	1008.1	1010.9	1012.2	1011.2	1008.6
18	1011.1	1011.5	1010.2	1009.1	1006.4	1003.7	1004.4	1004.0	1008.0	1010.8	1012.0	1010.9	1008.5
19	1010.9	1011.6	1010.3	1009.2	1006.5	1003.9	1004.5	1004.1	1008.1	1010.8	1012.0	1010.8	1008.6
20	1011.1	1011.7	1010.7	1009.4	1006.7	1004.1	1004.7	1004.3	1008.3	1011.0	1012.2	1011.0	1008.8
21	1011.5	1012.1	1011.1	1009.9	1007.1	1004.3	1005.0	1004.6	1008.6	1011.3	1012.5	1011.3	1009.1
22	1011.9	1012.5	1011.5	1010.3	1007.3	1004.6	1005.2	1004.8	1008.8	1011.8	1012.9	1011.7	1009.4
23	1012.3	1012.9	1011.9	1010.4	1007.4	1004.7	1005.3	1004.9	1009.0	1012.2	1013.3	1011.9	1009.7
MEAN	1011.3	1011.7	1010.5	1009.5	1006.7	1004.1	1004.8	1004.4	1008.4	1011.3	1012.2	1010.9	1008.8

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OSHIMA AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft****AIR TEMPERATURE (°C) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	8.0	7.9	11.5	15.3	19.6	21.4	25.3	27.2	24.3	20.0	15.2	10.9	17.2
01	8.6	8.3	12.0	15.7	20.0	21.8	25.7	27.7	24.6	20.4	15.6	11.4	17.7
02	8.9	8.7	12.3	16.1	20.5	22.2	26.2	28.0	25.0	20.7	15.8	11.7	18.0
03	9.2	8.9	12.7	16.4	20.8	22.4	26.4	28.2	25.3	20.9	16.1	11.9	18.3
04	9.4	9.3	12.9	16.6	21.0	22.6	26.5	28.6	25.5	21.1	16.3	12.1	18.5
05	9.5	9.4	13.0	16.6	21.1	22.7	26.6	28.7	25.5	21.2	16.4	12.2	18.6
06	9.5	9.4	13.1	16.6	20.8	22.6	26.5	28.6	25.4	21.0	16.2	12.0	18.5
07	9.2	9.3	12.9	16.4	20.5	22.4	26.2	28.3	25.1	20.7	15.8	11.5	18.2
08	8.2	8.8	12.5	15.9	20.0	21.9	25.8	27.8	24.6	19.9	14.8	10.6	17.6
09	7.6	8.1	11.7	15.3	19.4	21.5	25.3	27.0	23.8	19.4	14.6	10.3	17.0
10	7.4	7.8	11.4	14.9	18.6	20.9	24.7	26.4	23.4	19.3	14.6	10.2	16.6
11	7.4	7.7	11.2	14.7	18.3	20.6	24.4	26.1	23.2	19.2	14.5	10.0	16.5
12	7.4	7.7	11.1	14.4	18.1	20.4	24.2	25.9	23.1	19.0	14.4	10.0	16.3
13	7.3	7.6	11.0	14.2	18.0	20.3	24.1	25.7	23.0	19.1	14.3	9.9	16.2
14	7.2	7.5	10.9	14.0	17.8	20.1	23.9	25.7	22.9	18.9	14.2	9.8	16.1
15	7.0	7.4	10.8	13.8	17.7	20.0	23.8	25.5	22.8	18.9	14.1	9.6	15.9
16	6.9	7.2	10.5	13.5	17.3	19.8	23.5	25.4	22.9	19.0	14.1	9.6	15.8
17	6.8	7.1	10.4	13.5	17.2	19.7	23.3	25.3	22.8	18.9	14.0	9.5	15.7
18	6.6	7.0	10.2	13.4	16.9	19.7	23.2	25.2	22.7	18.9	13.9	9.2	15.6
19	6.5	6.8	10.0	13.3	16.8	19.6	23.2	25.2	22.6	18.8	13.9	9.1	15.5
20	6.4	6.6	9.9	13.2	16.7	19.5	23.1	25.1	22.5	18.6	13.8	9.1	15.4
21	6.4	6.6	9.8	13.4	17.4	20.1	23.6	25.4	22.6	18.5	13.7	9.0	15.5
22	6.3	6.6	10.2	14.3	18.5	20.6	24.3	26.2	23.4	18.9	13.8	9.1	16.0
23	7.0	7.3	10.9	14.9	19.1	21.0	24.8	26.6	23.9	19.6	14.6	10.0	16.6
MEAN	7.7	7.9	11.4	14.8	18.8	21.0	24.8	26.6	23.8	19.6	14.8	10.3	16.8

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OSHIMA AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft****VAPOR PRESSURE (hPa) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.3	6.9	9.1	12.6	17.1	21.3	27.2	29.6	24.6	17.6	12.1	8.2	16.0
01	6.3	6.8	9.1	12.6	16.9	21.2	27.2	29.6	24.7	17.4	11.9	8.3	16.0
02	6.4	6.8	9.0	12.7	16.9	21.3	27.4	29.6	24.6	17.6	12.0	8.2	16.1
03	6.4	6.8	9.2	12.8	16.8	21.2	27.4	29.6	24.6	17.5	12.1	8.2	16.1
04	6.4	6.9	9.3	12.8	16.9	21.4	27.5	29.5	24.5	17.5	12.1	8.2	16.1
05	6.5	6.9	9.5	12.8	17.1	21.5	27.4	29.6	24.6	17.6	12.1	8.3	16.1
06	6.5	7.0	9.5	12.8	17.1	21.4	27.4	29.5	24.7	17.6	12.1	8.3	16.2
07	6.5	7.0	9.6	12.8	17.2	21.3	27.3	29.4	24.6	17.6	12.2	8.2	16.2
08	6.6	7.1	9.6	12.8	17.0	21.2	27.3	29.4	24.5	17.6	12.2	8.2	16.1
09	6.5	7.1	9.6	12.8	16.9	21.1	27.2	29.2	24.3	17.4	12.2	8.2	16.0
10	6.4	7.0	9.7	12.9	16.8	21.1	27.0	29.2	24.1	17.5	12.2	8.1	16.0
11	6.4	7.0	9.7	12.9	16.7	21.1	27.0	29.1	24.0	17.5	12.1	8.0	16.0
12	6.3	7.0	9.8	12.9	16.7	21.0	26.9	29.1	24.0	17.6	12.1	8.0	15.9
13	6.3	7.0	9.7	13.0	16.7	20.9	26.8	29.0	23.9	17.5	12.0	7.9	15.9
14	6.3	6.9	9.6	12.9	16.7	20.9	26.7	29.1	24.0	17.5	12.0	7.9	15.9
15	6.3	6.9	9.6	12.9	16.7	20.8	26.7	29.1	24.0	17.6	12.0	7.9	15.9
16	6.3	6.8	9.4	12.7	16.7	20.7	26.4	29.2	24.1	17.7	11.9	8.1	15.8
17	6.3	6.9	9.3	12.6	16.6	20.7	26.5	29.0	23.9	17.5	12.0	8.1	15.8
18	6.4	6.8	9.1	12.6	16.6	20.6	26.4	28.9	23.8	17.5	11.9	8.1	15.7
19	6.4	6.8	9.1	12.5	16.5	20.7	26.3	28.8	23.8	17.3	11.8	8.1	15.7
20	6.3	6.8	9.0	12.4	16.3	20.6	26.3	28.9	23.9	17.2	11.8	8.0	15.6
21	6.2	6.8	9.0	12.6	16.8	21.1	26.9	29.3	24.1	17.2	11.8	8.0	15.8
22	6.2	6.8	9.1	12.7	17.0	21.2	27.0	29.5	24.6	17.4	11.8	8.1	15.9
23	6.3	7.0	9.1	12.6	17.1	21.3	27.2	29.5	24.5	17.6	12.1	8.3	16.0
MEAN	6.4	6.9	9.4	12.7	16.8	21.1	27.0	29.3	24.2	17.5	12.0	8.1	16.0

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OSHIMA AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft**

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES													
TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	58	63	65	71	74	84	84	82	80	74	69	61	72
01	56	61	63	70	72	81	82	80	79	71	67	59	70
02	55	60	61	69	70	80	81	79	77	71	65	58	69
03	54	58	61	68	68	78	80	77	76	70	65	57	68
04	54	58	61	67	68	78	79	76	75	69	64	57	67
05	54	58	62	67	69	78	79	75	75	70	64	56	67
06	55	58	61	68	70	78	79	76	75	70	65	57	68
07	56	59	63	68	71	79	80	76	76	71	67	58	69
08	60	61	65	70	73	80	82	79	78	75	71	62	71
09	62	63	68	73	75	83	84	82	82	76	72	63	74
10	62	64	69	75	78	85	87	85	83	77	72	63	75
11	61	65	71	76	79	87	88	85	83	78	72	64	76
12	60	65	71	77	80	87	89	87	84	78	72	63	76
13	61	65	71	78	81	87	89	87	84	78	73	63	76
14	61	65	71	79	81	88	90	88	85	78	73	63	77
15	61	65	71	80	82	88	90	89	85	79	72	64	77
16	63	65	71	79	84	89	91	90	86	79	73	66	78
17	63	66	71	79	84	90	92	90	85	79	73	66	78
18	64	66	71	80	85	89	92	90	85	79	73	67	78
19	65	66	71	80	85	90	92	90	86	79	72	67	79
20	64	67	70	80	84	90	92	90	86	79	73	67	79
21	64	67	71	80	84	89	92	90	86	80	73	68	79
22	64	67	70	76	79	87	89	87	85	78	73	67	77
23	62	66	67	73	77	86	86	84	82	76	71	66	75
MEAN	60	63	67	74	77	85	86	84	82	76	70	63	74

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: OSHIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft

MOST FREQUENT WIND DIRECTION (36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	4	4	4	4	5	5	21	21	4	4	4	4	4
01	4	5	5	5	21 *	5	21	21	5	5	5	4	5
02	4	4 *	5	4	22	4	21	21	4	4	4	4	4
03	3	5 *	4	22	21	5	21	21	3	4	5	4 *	4
04	5	4	4	22	22	5 *	21	21	4	3	5	5	4
05	5	4	23	22	21 *	22	20	21	3	4	5	24	22
06	4	4	22	21	21	22	21	21	21	4	4	24	21
07	24 *	23	22	23	21	21	21	21	21	4	4	24	21
08	24 *	4	22 *	21 *	21	21	20	21	21)	4	4	24	21)
09	14	4	22	21 *	21	21	21 *	21	21)	5)	4	24	21)
10	14	4	23	21	20	21	20	21	5)	5	4	24	21)
11	4	4	23	23	20	20	21	21	5)	4	4	25	21)
12	4	4	23	22	20	20	21	21	4)	4	5	25	21)
13	4	4	4	5	21	20	20	21	5)	4	5	25 *	4)
14	4	5	4	5 *	20 *	21	20	21	4)	4	5	25	4)
15	4	5	4	4	20	20	20	20	4)	4	5	25	4)
16	4	5	4	4	20	20	20	20	4)	4	4	4	4)
17	4	4	4	5	20	20	20	20	4)	4	5	4	4)
18	4	4	4	4	21	20	20	21	4)	4	4	4	4)
19	4	4	4	4	20	4	21	21	4)	4	4	4	4)
20	4	4	4	5	20	4	20	20	4)	4	4	4	4)
21	5	4	4	4	20	4	21	21 *	4)	4	5	4	4)
22	4	5	4	5	21	4 *	21	20	4	4	4	4	4
23	4	5	4	4	4	5	21	5	4	4	4	4	4
ALL	4	4	4	4	21	21	21	21	4)	4)	4	4	4)

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OSHIMA AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft****WIND SPEED (kt) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	10.8	11.8	12.6	11.9	10.6	9.8	10.2	10.5	11.4	12.8	11.1	11.0	11.2
01	10.9	11.7	12.8	12.0	10.6	10.0	10.5	10.9	11.8	13.0	11.3	11.1	11.4
02	10.7	11.5	12.8	12.0	11.3	10.2	10.7	10.9	11.4	12.6	11.3	11.0	11.4
03	10.6	11.5	12.9	12.2	11.2	10.0	11.0	11.2	11.4	12.4	11.1	11.2	11.4
04	10.5	11.0	12.7	12.1	11.4	10.0	11.2	11.4	11.2	11.8	11.1	10.9	11.3
05	10.4	11.0	12.9	12.4	11.3	10.5	11.4	11.5	11.0	11.3	10.9	10.4	11.3
06	9.9	10.7	12.7	12.5	11.6	9.9	11.0	11.6	10.6	10.7	10.2	10.5	11.0
07	9.4	10.3	12.6	12.3	11.6	9.9	11.3	11.5	9.9	9.9	9.5	9.6	10.6
08	8.7	9.6	12.1	11.7	11.0	9.4	10.7	11.2	9.3	9.3	9.4	9.8	10.2
09	9.1	9.8	11.5	11.2	10.2	9.1	10.2	10.3	8.8	9.2	9.6	9.9	9.9
10	9.3	9.8	11.2	10.9	10.0	8.6	9.5	9.6	8.7	9.5	9.8	10.1	9.8
11	9.1	9.7	10.9	10.7	9.8	8.3	9.3	9.3	9.0	9.7	9.8	9.8	9.6
12	9.4	9.8	10.9	10.6	9.4	8.2	9.3	9.1	9.1	9.6	10.0	9.8	9.6
13	9.6	9.8	11.1	10.7	9.4	8.1	9.2	9.2	9.0	10.1	10.4	10.2	9.7
14	9.5	10.3	11.1	10.6	9.5	8.0	9.4	9.4	9.3	10.4	10.0	10.2	9.8
15	9.5	9.8	11.7	10.2	9.3	7.8	9.2	9.1	9.3	10.7	9.9	9.9	9.7
16	9.5	9.9	11.5	10.0	8.8	8.3	9.0	8.9	9.2	11.1	9.9	9.8	9.7
17	9.5	10.3	11.4	10.2	8.7	8.3	9.3	9.1	9.3	11.3	10.3	9.8	9.8
18	9.4	10.5	11.2	10.2	8.6	8.3	8.8	9.0	9.8	11.7	10.2	9.9	9.8
19	9.8	10.8	11.5	10.2	8.6	8.1	8.7	9.1	9.6	11.9	10.2	9.5	9.8
20	10.0	11.1	11.6	10.2	8.6	8.6	8.5	9.1	10.1	12.3	10.4	9.5	10.0
21	10.2	11.1	11.3	9.8	8.8	8.8	8.6	9.1	10.0	12.0	10.4	9.7	10.0
22	10.2	11.1	11.3	10.2	9.7	9.1	9.1	9.7	10.4	12.1	10.3	10.2	10.3
23	10.2	11.3	12.0	11.3	10.3	9.7	9.8	10.1	11.2	12.6	10.7	10.1	10.8
MEAN	9.8	10.6	11.8	11.1	10.0	9.0	9.8	10.0	10.1	11.2	10.3	10.2	10.4

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OSHIMA AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	8.8	11.9	4.8	7.6	10.6	4.2	9.4	12.4	6.2	13.3	16.6	9.8
02	8.7	11.8	4.8	7.6	10.6	4.2	9.6	12.5	6.3	13.4	16.7	9.8
03	8.7	11.7	4.7	7.6	10.6	4.2	9.7	12.7	6.5	13.5	16.8	9.9
04	8.6	11.6	4.6	7.6	10.6	4.2	9.8	12.8	6.6	13.5	16.9	9.9
05	8.5	11.5	4.5	7.5	10.6	4.2	9.9	12.9	6.7	13.5	16.9	9.9
06	8.4	11.3	4.4	7.5	10.5	4.2	10.0	13.0	6.8	13.6	16.9	10.0
07	8.2	11.2	4.3	7.5	10.5	4.2	10.1	13.0	6.8	13.6	17.0	10.0
08	8.1	11.1	4.2	7.5	10.5	4.2	10.2	13.1	6.9	13.7	17.0	10.1
09	8.0	10.9	4.1	7.4	10.5	4.2	10.3	13.2	7.0	13.7	17.1	10.2
10	7.9	10.8	4.0	7.5	10.5	4.3	10.4	13.4	7.1	13.8	17.1	10.3
11	7.8	10.7	3.9	7.5	10.5	4.3	10.5	13.5	7.2	14.0	17.2	10.4
12	7.6	10.5	3.8	7.5	10.6	4.3	10.6	13.7	7.3	14.1	17.3	10.6
13	7.5	10.4	3.7	7.5	10.6	4.4	10.8	13.9	7.5	14.3	17.5	10.8
14	7.4	10.3	3.6	7.6	10.7	4.5	11.0	14.1	7.6	14.4	17.6	11.0
15	7.4	10.2	3.6	7.6	10.7	4.5	11.2	14.3	7.8	14.6	17.8	11.2
16	7.3	10.1	3.6	7.7	10.8	4.6	11.4	14.5	8.0	14.7	17.9	11.4
17	7.3	10.1	3.6	7.7	10.8	4.7	11.6	14.7	8.2	14.9	18.1	11.6
18	7.2	10.0	3.6	7.8	10.9	4.8	11.8	14.9	8.3	15.1	18.2	11.8
19	7.2	10.0	3.6	7.9	11.0	4.9	11.9	15.1	8.5	15.2	18.4	11.9
20	7.2	10.0	3.7	8.0	11.1	5.0	12.0	15.2	8.6	15.4	18.6	12.1
21	7.2	10.1	3.7	8.1	11.2	5.1	12.1	15.3	8.7	15.6	18.8	12.3
22	7.3	10.1	3.8	8.3	11.3	5.2	12.2	15.4	8.7	15.8	19.0	12.5
23	7.3	10.2	3.8	8.4	11.5	5.3	12.3	15.5	8.8	16.0	19.2	12.6
24	7.3	10.2	3.9	8.6	11.6	5.4	12.3	15.5	8.8	16.2	19.4	12.8
25	7.4	10.3	3.9	8.7	11.8	5.6	12.4	15.7	8.9	16.4	19.7	13.0
26	7.4	10.4	3.9	8.9	11.9	5.7	12.6	15.8	9.0	16.6	19.9	13.1
27	7.5	10.4	4.0	9.1	12.1	5.9	12.7	15.9	9.2	16.8	20.1	13.3
28	7.5	10.5	4.0	9.2	12.2	6.0	12.8	16.0	9.3	16.9	20.3	13.5
29	7.6	10.6	4.1	9.3	12.3	6.1	12.9	16.2	9.4	17.1	20.5	13.6
30	7.6	10.6	4.1				13.1	16.3	9.5	17.2	20.7	13.7
31	7.6	10.6	4.2				13.2	16.5	9.7			

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OSHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	17.4	20.8	13.9	20.1	23.3	17.2	22.2	25.1	19.9	26.7	29.9	24.1
02	17.5	21.0	14.0	20.1	23.2	17.2	22.4	25.2	20.1	26.8	30.0	24.2
03	17.6	21.1	14.0	20.2	23.2	17.3	22.6	25.4	20.3	26.9	30.1	24.3
04	17.7	21.2	14.1	20.2	23.2	17.3	22.8	25.6	20.6	26.9	30.2	24.4
05	17.8	21.3	14.1	20.2	23.2	17.4	23.1	25.9	20.8	27.0	30.2	24.5
06	17.8	21.4	14.2	20.2	23.2	17.5	23.3	26.2	21.1	27.1	30.3	24.5
07	17.9	21.5	14.2	20.3	23.2	17.6	23.6	26.4	21.4	27.1	30.3	24.6
08	18.0	21.6	14.3	20.3	23.2	17.8	23.8	26.7	21.6	27.1	30.4	24.6
09	18.1	21.7	14.4	20.4	23.3	17.9	24.1	27.0	21.9	27.2	30.4	24.6
10	18.2	21.8	14.5	20.6	23.4	18.1	24.3	27.3	22.1	27.2	30.4	24.6
11	18.3	21.9	14.5	20.7	23.5	18.3	24.6	27.6	22.3	27.2	30.4	24.6
12	18.4	22.0	14.7	20.8	23.6	18.5	24.7	27.8	22.5	27.2	30.4	24.6
13	18.5	22.1	14.8	21.0	23.7	18.7	24.9	28.0	22.6	27.2	30.4	24.7
14	18.6	22.2	14.9	21.1	23.9	18.8	25.0	28.1	22.7	27.2	30.4	24.7
15	18.7	22.3	15.0	21.2	24.0	19.0	25.1	28.2	22.8	27.2	30.3	24.7
16	18.8	22.4	15.2	21.4	24.1	19.1	25.1	28.3	22.8	27.1	30.3	24.7
17	18.9	22.5	15.3	21.5	24.2	19.2	25.2	28.3	22.9	27.1	30.2	24.7
18	19.0	22.6	15.5	21.5	24.3	19.3	25.2	28.3	22.9	27.0	30.1	24.6
19	19.1	22.6	15.6	21.6	24.4	19.3	25.2	28.3	22.9	26.9	30.0	24.6
20	19.2	22.7	15.8	21.6	24.4	19.3	25.2	28.3	22.9	26.8	29.8	24.5
21	19.3	22.8	16.0	21.6	24.5	19.3	25.3	28.3	22.9	26.7	29.6	24.3
22	19.4	22.9	16.2	21.6	24.5	19.3	25.3	28.4	22.9	26.5	29.4	24.2
23	19.5	22.9	16.3	21.6	24.5	19.3	25.4	28.5	23.0	26.3	29.2	24.0
24	19.6	23.0	16.5	21.6	24.5	19.3	25.5	28.6	23.1	26.1	29.0	23.8
25	19.7	23.1	16.6	21.7	24.5	19.3	25.7	28.7	23.2	26.0	28.8	23.6
26	19.8	23.1	16.8	21.7	24.6	19.3	25.8	28.9	23.3	25.8	28.6	23.4
27	19.9	23.2	16.9	21.7	24.6	19.4	26.0	29.1	23.4	25.7	28.5	23.3
28	20.0	23.2	17.0	21.8	24.7	19.5	26.2	29.3	23.6	25.5	28.3	23.2
29	20.1	23.3	17.1	21.9	24.8	19.6	26.3	29.5	23.7	25.4	28.3	23.1
30	20.1	23.3	17.1	22.0	24.9	19.7	26.4	29.6	23.9	25.4	28.2	23.0
31	20.1	23.3	17.2				26.6	29.8	24.0	25.3	28.2	22.9

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: OSHIMA AIRPORT PERIOD OF RECORD: 2012-2016****LATITUDE: 34° 46.9'N, LONGITUDE: 139° 21.6'E, ELEVATION ABOVE MSL: 124 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	25.3	28.1	22.9	22.2	24.8	19.8	16.9	19.5	14.0	12.2	15.1	9.0
02	25.3	28.1	22.9	22.1	24.8	19.7	16.8	19.4	13.9	12.1	14.9	8.9
03	25.3	28.1	22.8	22.0	24.7	19.6	16.7	19.2	13.8	11.9	14.8	8.7
04	25.2	28.1	22.8	21.8	24.5	19.4	16.6	19.1	13.7	11.8	14.6	8.5
05	25.1	28.0	22.7	21.7	24.4	19.3	16.5	19.0	13.6	11.6	14.5	8.4
06	25.1	28.0	22.6	21.5	24.2	19.1	16.3	18.9	13.5	11.5	14.3	8.2
07	25.0	27.9	22.5	21.3	24.1	18.9	16.2	18.8	13.4	11.3	14.2	8.0
08	24.9	27.8	22.4	21.1	23.9	18.7	16.1	18.7	13.3	11.2	14.0	7.8
09	24.7	27.6	22.3	20.9	23.7	18.4	15.9	18.5	13.2	11.0	13.9	7.7
10	24.6	27.5	22.1	20.7	23.5	18.2	15.8	18.4	13.1	10.9	13.8	7.5
11	24.4	27.3	22.0	20.5	23.3	17.9	15.6	18.3	12.9	10.8	13.7	7.3
12	24.3	27.1	21.8	20.2	23.1	17.7	15.4	18.1	12.7	10.7	13.6	7.2
13	24.1	27.0	21.6	20.0	22.9	17.4	15.3	18.0	12.5	10.6	13.5	7.1
14	24.0	26.8	21.5	19.8	22.7	17.2	15.1	17.8	12.3	10.5	13.4	7.0
15	23.8	26.6	21.3	19.6	22.5	17.0	14.9	17.7	12.1	10.4	13.3	6.9
16	23.6	26.4	21.1	19.4	22.3	16.8	14.7	17.5	11.9	10.3	13.2	6.8
17	23.5	26.2	20.9	19.3	22.1	16.6	14.6	17.4	11.7	10.2	13.2	6.7
18	23.3	26.0	20.8	19.1	21.9	16.4	14.4	17.2	11.5	10.2	13.1	6.6
19	23.1	25.8	20.6	19.0	21.8	16.2	14.2	17.0	11.3	10.1	13.0	6.5
20	23.0	25.6	20.5	18.8	21.6	16.0	14.1	16.9	11.1	10.0	13.0	6.4
21	22.8	25.4	20.3	18.6	21.4	15.8	13.9	16.7	10.8	9.9	12.9	6.3
22	22.7	25.3	20.2	18.5	21.2	15.6	13.7	16.5	10.6	9.9	12.8	6.2
23	22.6	25.2	20.1	18.3	21.1	15.5	13.5	16.4	10.4	9.8	12.7	6.0
24	22.5	25.1	20.1	18.2	20.9	15.3	13.4	16.2	10.2	9.6	12.6	5.9
25	22.5	25.0	20.0	18.0	20.7	15.1	13.2	16.0	10.0	9.5	12.5	5.7
26	22.4	25.0	20.0	17.9	20.6	14.9	13.0	15.9	9.9	9.4	12.4	5.5
27	22.4	24.9	20.0	17.7	20.4	14.7	12.9	15.7	9.7	9.3	12.3	5.4
28	22.4	24.9	20.0	17.5	20.2	14.5	12.7	15.6	9.5	9.2	12.2	5.2
29	22.3	24.9	19.9	17.4	20.0	14.4	12.5	15.4	9.3	9.1	12.1	5.1
30	22.3	24.9	19.9	17.2	19.8	14.2	12.4	15.2	9.2	9.0	12.0	5.0
31				17.1	19.7	14.1				8.9	12.0	4.9