

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMEJIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	3	3
01						-	1	1
02						-	2	5
03						-	1	4
04						-	3	5
05						-	3	3
06						-	2	3
07						-	3	5
08						-	1	1
09						-	1	3
10						-	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						1	2	3
23						-	-	2
MEAN						0	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMEJIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	3
01						-	1	2
02						-	-	1
03						-	1	2
04						-	1	3
05						-	1	4
06						-	1	2
07						1	1	4
08						-	2	4
09						-	1	4
10						-	1	4
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						-	1	4
23						-	-	3
MEAN						0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMEJIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	1
01						1	3	4
02						-	-	-
03						-	1	1
04						-	1	2
05						1	1	1
06						-	2	3
07						-	3	6
08						1	1	5
09						1	1	4
10						-	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						1	3	5
23						1	2	5
MEAN						0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMEJIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	1	5
01						-	1	5
02						1	3	6
03						-	3	7
04						-	3	7
05						-	2	5
06						-	1	7
07						-	1	5
08						-	4	9
09						-	1	9
10						-	1	8
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						-	1	5
23						-	1	4
MEAN						0	2	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMEJIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	3	8
01						1	4	8
02						-	3	7
03						1	1	5
04						1	3	6
05						2	4	6
06						1	1	4
07						-	1	3
08						-	1	5
09						-	3	5
10						-	-	5
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						4	8	13
23						2	6	8
MEAN						1	3	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMEJIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	2	5
01						1	1	3
02						-	-	1
03						-	1	1
04						-	2	3
05						1	3	3
06						-	1	2
07						-	3	4
08						1	2	3
09						-	1	3
10						1	1	2
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						-	-	3
23						-	1	5
MEAN						0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMEJIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	2	2
01						1	1	2
02						1	2	2
03						1	2	3
04						2	2	3
05						2	2	3
06						1	1	2
07						1	2	3
08						1	2	3
09						1	3	3
10						1	1	2
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						1	3	4
23						1	3	3
MEAN						1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMEJIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	3	6
01						1	2	3
02						1	2	2
03						1	3	3
04						1	2	3
05						1	3	3
06						-	3	3
07						1	1	3
08						1	2	4
09						-	-	2
10						1	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						2	3	4
23						1	2	3
MEAN						1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMEJIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	1	2
01						1	1	1
02						1	1	2
03						1	2	3
04						1	1	2
05						1	1	2
06						1	1	3
07						-	1	1
08						-	1	1
09						-	-	1
10						-	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						1	2	2
23						1	1	1
MEAN						1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMEJIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	2	4
01						1	3	3
02						-	3	4
03						1	3	5
04						2	3	4
05						2	3	4
06						1	2	6
07						1	4	5
08						1	4	6
09						2	3	6
10						1	2	6
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						3	3	5
23						1	3	5
MEAN						1	3	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMEJIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	-	1
01						-	-	1
02						-	-	1
03						-	1	1
04						-	-	1
05						1	1	1
06						1	1	1
07						-	1	1
08						-	1	3
09						-	1	4
10						-	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						-	2	2
23						1	1	1
MEAN						0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMEJIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	1
01						-	1	2
02						-	-	1
03						-	1	3
04						-	3	3
05						-	1	2
06						-	1	1
07						-	-	1
08						1	1	2
09						-	1	1
10						-	-	1
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						-	1	1
23						-	1	2
MEAN						0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: KUMEJIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						0	1	3
01						1	2	3
02						0	1	3
03						0	2	3
04						1	2	3
05						1	2	3
06						0	1	3
07						0	2	3
08						1	2	4
09						0	1	4
10						0	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22						1	2	4
23						1	2	3
MEAN						1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMEJIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	3	3					
01	-	1	1					
02	-	2	5					
03	-	1	3					
04	-	3	4					
05	-	3	3					
06	-	2	3					
07	-	3	5					
08	-	1	1					
09	-	1	2					
10	-	1	3					
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	2	3					
23	-	-	1					
MEAN	0	2	3					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMEJIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	-	1	1					
02	-	-	-					
03	-	-	1					
04	-	-	1					
05	-	1	2					
06	-	1	1					
07	1	1	2					
08	-	2	3					
09	-	1	2					
10	-	1	1					
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1					
23	-	-	-					
MEAN	0	1	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMEJIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	1	3	4					
02	-	-	-					
03	-	1	1					
04	-	1	2					
05	1	1	1					
06	-	2	2					
07	-	3	4					
08	-	1	3					
09	1	1	3					
10	-	1	1					
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	3	4					
23	1	2	3					
MEAN	0	1	2					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMEJIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	-	1					
01	-	1	3					
02	-	2	4					
03	-	1	5					
04	-	1	4					
05	-	1	2					
06	-	1	3					
07	-	1	1					
08	-	3	5					
09	-	-	2					
10	-	1	5					
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1					
23	-	1	3					
MEAN	-	1	3					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KUMEJIMA AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 13
 LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	-	2	3					
02	-	1	1					
03	1	1	1					
04	1	3	3					
05	1	3	3					
06	1	1	1					
07	-	1	1					
08	-	-	1					
09	-	1	1					
10	-	-	1					
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	6	8					
23	1	5	6					
MEAN	0	2	2					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMEJIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	2	2					
01	1	1	1					
02	-	-	1					
03	-	1	1					
04	-	2	2					
05	1	3	3					
06	-	1	1					
07	-	3	4					
08	1	2	2					
09	-	1	2					
10	1	1	1					
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-					
23	-	-	1					
MEAN	0	1	2					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KUMEJIMA AIRPORT MONTH: JUL
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 13
 LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1	2	2					
01	1	1	1					
02	1	2	2					
03	1	2	2					
04	2	2	2					
05	2	2	2					
06	1	1	1					
07	1	2	3					
08	1	2	2					
09	1	3	3					
10	1	1	2					
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	3	3					
23	1	2	2					
MEAN	1	2	2					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KUMEJIMA AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 13
 LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1	3	4					
01	1	2	3					
02	1	2	2					
03	1	3	3					
04	1	2	3					
05	1	3	3					
06	-	3	3					
07	1	1	3					
08	1	2	4					
09	-	-	1					
10	1	1	2					
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	2	3	4					
23	1	2	3					
MEAN	1	2	3					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: KUMEJIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1	1	2					
01	1	1	1					
02	1	1	2					
03	1	2	3					
04	1	1	2					
05	1	1	1					
06	1	1	3					
07	-	1	1					
08	-	1	1					
09	-	-	1					
10	-	1	3					
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	2	2					
23	1	1	1					
MEAN	1	1	2					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KUMEJIMA AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 13
 LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	2	3					
01	1	3	3					
02	-	3	3					
03	1	3	4					
04	2	3	3					
05	2	3	3					
06	1	2	3					
07	1	3	3					
08	1	4	5					
09	2	3	4					
10	1	2	3					
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	3	3	4					
23	1	3	3					
MEAN	1	3	3					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KUMEJIMA AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 13
 LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	-	1					
01	-	-	1					
02	-	-	-					
03	-	1	1					
04	-	-	-					
05	1	1	1					
06	1	1	1					
07	-	1	1					
08	-	1	2					
09	-	1	2					
10	-	1	1					
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	2	2					
23	1	1	1					
MEAN	0	1	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KUMEJIMA AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 13
 LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	-	1	1					
02	-	-	1					
03	-	1	2					
04	-	3	3					
05	-	1	2					
06	-	1	1					
07	-	-	1					
08	-	1	2					
09	-	1	1					
10	-	-	-					
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	1	1					
23	-	1	1					
MEAN	-	1	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: KUMEJIMA AIRPORT [ANNUAL]
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 13
 LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	0	1	2					
01	0	1	2					
02	0	1	2					
03	0	1	2					
04	1	2	2					
05	1	2	2					
06	0	1	2					
07	0	2	2					
08	0	2	3					
09	0	1	2					
10	0	1	2					
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	1	2	3					
23	1	1	2					
MEAN	0	1	2					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMEJIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	1			
01	-	-	-	-			
02	-	-	-	1			
03	-	-	-	1			
04	-	-	-	2			
05	-	-	-	1			
06	-	-	-	-			
07	-	-	-	3			
08	-	-	-	1			
09	-	-	-	1			
10	-	-	-	1			
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1			
23	-	-	-	1			
MEAN	-	-	-	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMEJIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	3			
01	-	-	-	1			
02	-	-	-	1			
03	-	-	1	1			
04	-	-	1	2			
05	-	-	1	3			
06	-	-	-	1			
07	-	-	-	1			
08	-	-	-	3			
09	-	-	-	1			
10	-	-	-	2			
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	3			
23	-	-	-	3			
MEAN	-	-	0	2			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMEJIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	1			
01	-	-	-	1			
02	-	-	-	-			
03	-	-	-	-			
04	-	-	-	1			
05	-	-	-	1			
06	-	-	-	1			
07	-	-	-	2			
08	-	1	1	3			
09	-	-	-	1			
10	-	-	-	2			
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	2			
23	-	-	-	2			
MEAN	-	0	0	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMEJIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	1	1	4			
01	-	-	-	4			
02	-	1	1	2			
03	-	-	2	3			
04	-	-	1	3			
05	-	-	1	3			
06	-	-	-	5			
07	-	-	-	4			
08	-	-	1	5			
09	-	-	1	7			
10	-	-	-	3			
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	4			
23	-	-	1	1			
MEAN	-	0	1	4			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMEJIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	1	2	7			
01	-	1	2	6			
02	-	-	1	6			
03	-	1	1	4			
04	-	1	1	5			
05	-	2	2	5			
06	-	1	1	4			
07	-	-	-	2			
08	-	-	1	3			
09	-	-	1	4			
10	-	-	-	4			
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	2	3	6			
23	-	2	2	3			
MEAN	-	1	1	5			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMEJIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	4			
01	-	-	-	1			
02	-	-	-	1			
03	-	-	-	-			
04	-	-	-	1			
05	-	1	1	1			
06	-	-	-	1			
07	-	-	-	1			
08	-	-	-	1			
09	-	-	-	1			
10	-	-	-	1			
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	3			
23	-	-	1	5			
MEAN	-	0	0	2			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMEJIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	-			
01	-	-	-	1			
02	-	-	-	-			
03	-	-	-	1			
04	-	-	-	1			
05	-	-	-	1			
06	-	-	-	1			
07	-	-	-	1			
08	-	-	-	1			
09	-	-	-	1			
10	-	-	-	-			
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1			
23	-	-	1	1			
MEAN	-	-	0	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMEJIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	3			
01	-	-	-	1			
02	-	-	-	1			
03	-	-	-	2			
04	-	-	-	1			
05	-	-	-	1			
06	-	-	-	-			
07	-	-	-	1			
08	-	-	-	1			
09	-	-	-	1			
10	-	-	-	1			
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1			
23	-	-	-	-			
MEAN	-	-	-	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMEJIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	-			
01	-	-	-	-			
02	-	-	-	-			
03	-	-	-	-			
04	-	-	-	-			
05	-	-	-	1			
06	-	-	-	1			
07	-	-	-	-			
08	-	-	-	-			
09	-	-	-	-			
10	-	-	-	1			
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-			
23	-	-	-	-			
MEAN	-	-	-	0			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMEJIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	1			
01	-	-	-	1			
02	-	-	-	1			
03	-	-	-	2			
04	-	-	-	1			
05	-	-	-	1			
06	-	-	-	3			
07	-	-	1	3			
08	-	-	-	2			
09	-	-	1	3			
10	-	-	-	4			
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	1			
23	-	-	-	1			
MEAN	-	-	0	2			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMEJIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	1			
01	-	-	-	1			
02	-	-	-	1			
03	-	-	-	1			
04	-	-	-	1			
05	-	-	-	-			
06	-	-	-	1			
07	-	-	-	-			
08	-	-	-	1			
09	-	-	-	2			
10	-	-	-	2			
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-			
23	-	-	-	1			
MEAN	-	-	-	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMEJIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	1			
01	-	-	-	1			
02	-	-	-	1			
03	-	-	-	2			
04	-	-	-	2			
05	-	-	-	1			
06	-	-	-	1			
07	-	-	-	-			
08	-	1	1	1			
09	-	-	-	-			
10	-	-	-	1			
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-			
23	-	-	-	1			
MEAN	-	0	0	1			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: KUMEJIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 13

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	0	0	2			
01	-	0	0	2			
02	-	0	0	1			
03	-	0	0	1			
04	-	0	0	1			
05	-	0	0	1			
06	-	0	0	1			
07	-	-	0	1			
08	-	0	0	2			
09	-	-	0	2			
10	-	-	-	2			
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	0	0	2			
23	-	0	0	2			
MEAN	-	0	0	2			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMEJIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	1	0	-	-	-	-	-	-	-	-	-	1
[35-36-01]	0	2	6	11	6	1	0	-	-	-	-	27
[02-03-04]	1	4	7	6	3	0	-	-	-	-	-	21
[05-06-07]	4	5	3	1	0	-	-	-	-	-	-	13
[08-09-10]	7	5	1	-	-	-	-	-	-	-	-	13
[11-12-13]	1	2	2	1	0	0	-	-	-	-	-	6
[14-15-16]	0	1	2	2	1	0	0	-	-	-	-	5
[17-18-19]	0	1	1	1	0	0	-	-	-	-	-	3
[20-21-22]	0	0	1	0	0	-	-	-	-	-	-	1
[23-24-25]	0	0	0	0	-	-	-	-	-	-	-	1
[26-27-28]	0	0	0	-	-	-	-	-	-	-	-	1
[29-30-31]	0	0	0	0	0	-	-	-	-	-	-	1
[32-33-34]	0	1	2	2	2	1	1	-	-	-	-	8
TOTAL	16	20	25	24	12	3	1	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMEJIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[35-36-01]	0)	2)	7)	7)	7)	2)	0)	0)	0)	0)	0)	25)
[02-03-04]	1)	5)	6)	4)	1)	0)	0)	0)	0)	0)	0)	17)
[05-06-07]	4)	5)	3)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[08-09-10]	6)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[11-12-13]	1)	3)	2)	1)	1)	0)	0)	0)	0)	0)	0)	7)
[14-15-16]	0)	1)	2)	3)	2)	1)	0)	0)	0)	0)	0)	7)
[17-18-19]	0)	1)	2)	4)	1)	0)	0)	0)	0)	0)	0)	7)
[20-21-22]	0)	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	3)
[23-24-25]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	1)	1)	1)	3)	1)	0)	0)	0)	0)	0)	0)	7)
TOTAL	15)	21)	25)	23)	13)	3)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMEJIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	0)	2)	5)	7)	4)	1)	0)	0)	0)	0)	0)	19)
[02-03-04]	1)	5)	7)	3)	0)	0)	0)	0)	0)	0)	0)	15)
[05-06-07]	4)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[08-09-10]	6)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[11-12-13]	1)	2)	3)	2)	1)	0)	0)	0)	0)	0)	0)	9)
[14-15-16]	0)	2)	3)	4)	2)	0)	0)	0)	0)	0)	0)	10)
[17-18-19]	0)	2)	4)	4)	0)	0)	0)	0)	0)	0)	0)	12)
[20-21-22]	0)	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[23-24-25]	0)	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	0)	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[32-33-34]	0)	1)	1)	2)	1)	0)	0)	0)	0)	0)	0)	5)
TOTAL	13)	23)	31)	23)	9)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMEJIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	2	0	-	-	-	-	-	-	-	-	-	2
[35-36-01]	1	2	3	4	1	0	0	-	-	-	-	10
[02-03-04]	1	3	4	2	0	-	-	-	-	-	-	10
[05-06-07]	4	5	2	0	0	-	-	-	-	-	-	11
[08-09-10]	5	3	1	0	0	-	-	-	-	-	-	11
[11-12-13]	1	4	5	2	1	0	-	-	-	-	-	13
[14-15-16]	0	2	6	4	1	0	-	-	-	-	-	14
[17-18-19]	1	3	6	3	0	-	-	-	-	-	-	13
[20-21-22]	0	3	2	1	0	-	-	-	-	-	-	6
[23-24-25]	1	1	1	0	-	-	-	-	-	-	-	2
[26-27-28]	0	0	0	0	0	-	-	-	-	-	-	1
[29-30-31]	0	0	1	1	0	-	-	-	-	-	-	2
[32-33-34]	0	2	2	1	1	1	0	-	-	-	-	6
TOTAL	17	29	32	18	4	1	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMEJIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[35-36-01]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[02-03-04]	2)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[05-06-07]	4)	6)	3)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[08-09-10]	6)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[11-12-13]	1)	4)	5)	3)	1)	0)	0)	0)	0)	0)	0)	14)
[14-15-16]	1)	2)	4)	2)	1)	0)	0)	0)	0)	0)	0)	11)
[17-18-19]	1)	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	11)
[20-21-22]	1)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[23-24-25]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[29-30-31]	1)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	1)	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	23)	35)	28)	10)	3)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMEJIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	1	-	-	-	-	-	-	-	-	-	-	1
[35-36-01]	0	2	1	0	0	-	-	-	-	-	-	3
[02-03-04]	1	2	1	0	0	-	-	-	-	-	-	5
[05-06-07]	2	2	1	0	-	-	-	-	-	-	-	4
[08-09-10]	3	2	1	0	-	-	-	-	-	-	-	5
[11-12-13]	1	2	2	1	0	0	-	-	-	-	-	7
[14-15-16]	0	2	3	2	0	0	0	-	-	-	-	8
[17-18-19]	1	6	13	3	1	0	0	0	-	-	-	24
[20-21-22]	1	8	13	5	0	0	0	-	-	-	-	27
[23-24-25]	1	3	3	1	-	0	-	-	-	-	-	7
[26-27-28]	0	1	1	0	0	-	-	-	-	-	-	2
[29-30-31]	0	1	1	-	-	-	-	-	-	-	-	2
[32-33-34]	1	2	0	0	-	-	-	-	-	-	-	3
TOTAL	11	33	40	14	1	0	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMEJIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	1	-	-	-	-	-	-	-	-	-	-	1
[35-36-01]	0	1	0	0	-	-	-	-	-	-	-	1
[02-03-04]	1	1	1	0	-	-	-	-	-	-	-	3
[05-06-07]	2	2	1	1	0	0	0	0	0	-	-	6
[08-09-10]	4	3	2	1	0	0	-	0	0	-	-	10
[11-12-13]	0	2	4	2	0	0	0	0	0	0	0	9
[14-15-16]	0	4	8	4	2	1	0	0	0	0	0	19
[17-18-19]	1	5	7	4	1	0	-	-	-	0	0	18
[20-21-22]	1	6	10	3	0	0	0	0	0	0	-	21
[23-24-25]	1	3	1	0	0	-	-	-	-	-	-	5
[26-27-28]	1	1	0	0	-	-	-	-	-	-	-	2
[29-30-31]	1	0	0	0	-	-	-	-	-	-	-	2
[32-33-34]	1	1	0	0	-	-	-	-	-	-	-	2
TOTAL	14	28	36	15	4	1	1	1	0	0	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMEJIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	3	0	-	-	-	-	-	-	-	-	-	3
[35-36-01]	0	2	1	1	0	0	0	0	0	-	-	4
[02-03-04]	1	2	2	1	0	-	-	-	-	-	-	6
[05-06-07]	3	3	2	0	-	-	-	-	-	-	-	8
[08-09-10]	8	3	2	0	0	0	-	-	-	-	-	13
[11-12-13]	1	3	3	2	1	1	0	0	-	-	-	11
[14-15-16]	1	5	5	2	2	1	0	0	0	0	0	15
[17-18-19]	1	3	5	3	2	0	0	0	0	0	0	15
[20-21-22]	1	4	3	1	0	0	0	0	0	0	0	10
[23-24-25]	2	3	0	0	0	0	0	0	0	0	-	6
[26-27-28]	1	1	0	0	0	0	0	0	0	0	-	2
[29-30-31]	1	1	1	0	0	0	-	-	0	0	-	3
[32-33-34]	0	1	1	1	1	0	-	-	0	0	-	4
TOTAL	23	29	24	12	7	2	1	1	1	0	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMEJIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												-
VARIABLE	3	0	-	-	-	-	-	-	-	-	-	3
[35-36-01]	1	3	5	2	0	0	0	0	-	-	0	11
[02-03-04]	1	6	6	1	0	0	-	-	-	-	0	15
[05-06-07]	7	5	4	1	-	0	0	-	0	-	-	18
[08-09-10]	9	3	2	0	0	-	-	-	-	-	-	14
[11-12-13]	1	3	2	2	1	0	-	-	-	-	-	10
[14-15-16]	0	3	1	1	2	0	-	-	-	-	-	8
[17-18-19]	0	2	1	1	0	0	0	0	-	-	-	4
[20-21-22]	1	2	1	0	0	0	0	0	-	-	-	4
[23-24-25]	1	1	1	0	0	0	-	-	-	-	-	3
[26-27-28]	1	1	0	0	0	-	-	-	-	-	-	2
[29-30-31]	1	1	0	0	0	0	0	0	-	-	-	3
[32-33-34]	1	2	2	1	0	0	0	0	0	-	0	6
TOTAL	26	30	25	11	6	1	1	0	0	-	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMEJIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	0)	2)	4)	4)	3)	2)	1)	0)	0)	0)	0)	16)
[02-03-04]	1)	5)	12)	9)	4)	0)	0)	0)	0)	0)	0)	31)
[05-06-07]	6)	8)	7)	1)	0)	0)	0)	0)	0)	0)	0)	23)
[08-09-10]	5)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[11-12-13]	1)	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[14-15-16]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	0)	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	0)	0)	1)	0)	1)	1)	0)	0)	0)	0)	0)	4)
TOTAL	17)	23)	29)	17)	8)	4)	1)	1)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMEJIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	2)	5)	7)	4)	0)	0)	0)	0)	0)	0)	20)
[02-03-04]	1)	6)	8)	5)	2)	0)	0)	0)	0)	0)	0)	22)
[05-06-07]	8)	7)	3)	0)	0)	0)	0)	0)	0)	0)	0)	19)
[08-09-10]	9)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[11-12-13]	1)	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[14-15-16]	0)	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	6)
[17-18-19]	0)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	0)	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	4)
TOTAL	22)	26)	27)	17)	7)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMEJIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	0)	3)	5)	11)	9)	2)	0)	0)	0)	0)	0)	29)
[02-03-04]	1)	6)	8)	3)	1)	0)	0)	0)	0)	0)	0)	20)
[05-06-07]	6)	8)	4)	0)	0)	0)	0)	0)	0)	0)	0)	19)
[08-09-10]	5)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[11-12-13]	0)	2)	2)	1)	1)	0)	0)	0)	0)	0)	0)	6)
[14-15-16]	0)	0)	0)	1)	1)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	0)	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	0)	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	0)	0)	1)	2)	2)	1)	0)	0)	0)	0)	0)	7)
TOTAL	14)	24)	25)	20)	13)	4)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: KUMEJIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[35-36-01]	0)	2)	4)	5)	3)	1)	0)	0)	0)	0)	0)	14)
[02-03-04]	1)	4)	5)	3)	1)	0)	0)	0)	0)	0)	0)	14)
[05-06-07]	5)	5)	3)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[08-09-10]	6)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[11-12-13]	1)	3)	3)	2)	1)	0)	0)	0)	0)	0)	0)	9)
[14-15-16]	0)	2)	3)	2)	1)	0)	0)	0)	0)	0)	0)	9)
[17-18-19]	1)	2)	4)	2)	1)	0)	0)	0)	0)	0)	0)	9)
[20-21-22]	0)	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[23-24-25]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[32-33-34]	0)	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	5)
TOTAL	18)	27)	29)	17)	7)	2)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMEJIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	1	14	70	15	-	-	-
01	-	-	-	-	-	1	12	67	21	-	-	-
02	-	-	-	-	-	1	10	65	24	1	-	-
03	-	-	-	-	-	1	10	63	26	-	-	-
04	-	-	-	-	-	1	11	63	25	1	-	-
05	-	-	-	-	-	1	10	65	23	1	-	-
06	-	-	-	-	-	1	10	65	23	1	-	-
07	-	-	-	-	-	1	12	66	21	1	-	-
08	-	-	-	-	-	1	16	65	18	-	-	-
09	-	-	-	-	-	1	19	69	12	-	-	-
10	-	-	-	-	-	1	20	70	10	-	-	-
11	-	-	-	-	-	1	19	72	9	-	-	-
12	-	-	-	-	-	1	20	70	9	-	-	-
13	-	-	-	-	-	1	21	68	10	-	-	-
14	-	-	-	-	-	1	23	68	8	-	-	-
15	-	-	-	-	-	1	24	68	8	-	-	-
16	-	-	-	-	-	1	24	67	8	-	-	-
17	-	-	-	-	-	1	26	65	8	-	-	-
18	-	-	-	-	-	1	26	65	8	-	-	-
19	-	-	-	-	-	1	27	65	8	-	-	-
20	-	-	-	-	-	1	27	65	7	-	-	-
21	-	-	-	-	-	1	25	66	8	-	-	-
22	-	-	-	-	-	1	26	64	10	-	-	-
23	-	-	-	-	-	1	23	66	10	-	-	-
MEAN	-	-	-	-	-	1	19	67	14	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMEJIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	16	60	24	-	-	-
01	-	-	-	-	-	-	15	55	30	-	-	-
02	-	-	-	-	-	-	14	54	32	1	-	-
03	-	-	-	-	-	-	9	56	35	1	-	-
04	-	-	-	-	-	-	9	53	36	2	-	-
05	-	-	-	-	-	-	12	51	36	1	-	-
06	-	-	-	-	-	-	13	51	35	1	-	-
07	-	-	-	-	-	-	13	52	35	-	-	-
08	-	-	-	-	-	-	15	54	31	-	-	-
09	-	-	-	-	-	-	18	58	24	-	-	-
10	-	-	-	-	-	-	20	56	24	-	-	-
11	0)	0)	0)	0)	0)	0)	21)	59)	20)	0)	0)	0)
12	0)	0)	0)	0)	0)	0)	21)	58)	21)	0)	0)	0)
13	0)	0)	0)	0)	0)	0)	22)	56)	22)	0)	0)	0)
14	0)	0)	0)	0)	0)	0)	24)	55)	21)	0)	0)	0)
15	0)	0)	0)	0)	0)	0)	24)	56)	21)	0)	0)	0)
16	0)	0)	0)	0)	0)	0)	25)	55)	20)	0)	0)	0)
17	0)	0)	0)	0)	0)	0)	26)	56)	18)	0)	0)	0)
18	0)	0)	0)	0)	0)	0)	30)	51)	19)	0)	0)	0)
19	-	-	-	-	-	-	30	54	17	-	-	-
20	-	-	-	-	-	-	27	55	18	-	-	-
21	-	-	-	-	-	-	27	56	17	-	-	-
22	-	-	-	-	-	-	27	58	15	-	-	-
23	-	-	-	-	-	-	27	56	17	-	-	-
MEAN	0)	0)	0)	0)	0)	0)	20)	55)	24)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMEJIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	5	45	50	-	-	-
01	-	-	-	-	-	-	6	41	52	1	-	-
02	-	-	-	-	-	-	3	41	54	2	-	-
03	-	-	-	-	-	-	2	40	54	4	-	-
04	-	-	-	-	-	-	2	37	57	3	-	-
05	-	-	-	-	-	-	2	37	56	5	-	-
06	-	-	-	-	-	-	4	38	54	5	-	-
07	-	-	-	-	-	-	4	41	51	5	-	-
08	-	-	-	-	-	-	4	43	53	1	-	-
09	-	-	-	-	-	-	5	47	48	-	-	-
10	-	-	-	-	-	-	7	49	44	-	-	-
11	0)	0)	0)	0)	0)	0)	9)	46)	44)	0)	0)	0)
12	0)	0)	0)	0)	0)	0)	9)	49)	42)	0)	0)	0)
13	0)	0)	0)	0)	0)	0)	9)	51)	39)	0)	0)	0)
14	0)	0)	0)	0)	0)	0)	12)	52)	36)	0)	0)	0)
15	-	-	-	-	-	-	11	56	33	-	-	-
16	-	-	-	-	-	-	11	57	32	-	-	-
17	-	-	-	-	-	-	14	54	32	-	-	-
18	-	-	-	-	-	-	12	57	31	-	-	-
19	-	-	-	-	-	-	14	55	32	-	-	-
20	-	-	-	-	-	-	16	50	34	-	-	-
21	-	-	-	-	-	-	16	49	35	-	-	-
22	-	-	-	-	-	-	14	52	34	-	-	-
23	-	-	-	-	-	-	9	50	41	-	-	-
MEAN	0)	0)	0)	0)	0)	0)	8)	47)	43)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMEJIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	16	76	8	-	-
01	-	-	-	-	-	-	-	15	71	14	-	-
02	-	-	-	-	-	-	-	13	67	20	-	-
03	-	-	-	-	-	-	-	10	69	21	-	-
04	-	-	-	-	-	-	-	11	67	23	-	-
05	-	-	-	-	-	-	-	10	65	25	-	-
06	-	-	-	-	-	-	-	11	66	23	-	-
07	-	-	-	-	-	-	-	15	67	19	-	-
08	-	-	-	-	-	-	-	17	69	15	-	-
09	-	-	-	-	-	-	-	19	71	10	-	-
10	-	-	-	-	-	-	-	23	73	3	-	-
11	-	-	-	-	-	-	1	26	70	3	-	-
12	-	-	-	-	-	-	1	28	68	3	-	-
13	-	-	-	-	-	-	1	30	66	3	-	-
14	-	-	-	-	-	-	1	31	66	1	-	-
15	-	-	-	-	-	-	1	33	65	1	-	-
16	-	-	-	-	-	-	1	33	65	1	-	-
17	-	-	-	-	-	-	2	30	67	1	-	-
18	-	-	-	-	-	-	3	33	63	1	-	-
19	-	-	-	-	-	-	3	34	63	1	-	-
20	-	-	-	-	-	-	1	35	64	-	-	-
21	-	-	-	-	-	-	2	37	60	1	-	-
22	-	-	-	-	-	-	2	31	66	1	-	-
23	-	-	-	-	-	-	1	19	75	6	-	-
MEAN	-	-	-	-	-	-	1	23	68	8	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMEJIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	1	50	48	1	-
01	-	-	-	-	-	-	-	-	44	55	1	-
02	-	-	-	-	-	-	-	1	30	68	1	-
03	-	-	-	-	-	-	-	1	32	66	1	-
04	-	-	-	-	-	-	-	1	27	70	1	-
05	-	-	-	-	-	-	-	1	31	67	1	-
06	-	-	-	-	-	-	-	1	35	63	1	-
07	-	-	-	-	-	-	-	1	38	59	1	-
08	-	-	-	-	-	-	-	1	48	49	1	-
09	-	-	-	-	-	-	-	1	55	44	-	-
10	-	-	-	-	-	-	-	1	59	39	-	-
11	0)	0)	0)	0)	0)	0)	0)	1)	64)	35)	0)	0)
12	0)	0)	0)	0)	0)	0)	0)	3)	65)	32)	0)	0)
13	-	-	-	-	-	-	-	5	65	30	-	-
14	-	-	-	-	-	-	-	5	65	30	-	-
15	-	-	-	-	-	-	-	5	68	27	-	-
16	-	-	-	-	-	-	-	8	67	25	-	-
17	-	-	-	-	-	-	-	8	68	25	-	-
18	-	-	-	-	-	-	-	10	61	29	-	-
19	-	-	-	-	-	-	-	8	65	27	-	-
20	-	-	-	-	-	-	-	9	65	26	-	-
21	-	-	-	-	-	-	-	9	64	27	-	-
22	-	-	-	-	-	-	-	4	64	32	-	-
23	-	-	-	-	-	-	-	2	55	43	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	4)	53)	42)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: KUMEJIMA AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	4	71	25	-
01	-	-	-	-	-	-	-	-	4	59	37	-
02	-	-	-	-	-	-	-	-	3	56	41	-
03	-	-	-	-	-	-	-	-	2	53	45	-
04	-	-	-	-	-	-	-	-	2	50	48	-
05	-	-	-	-	-	-	-	-	3	50	47	-
06	-	-	-	-	-	-	-	-	3	49	47	-
07	-	-	-	-	-	-	-	-	3	53	44	-
08	-	-	-	-	-	-	-	-	5	59	35	-
09	-	-	-	-	-	-	-	-	5	71	23	-
10	-	-	-	-	-	-	-	-	7	86	7	-
11	-	-	-	-	-	-	-	-	11	89	-	-
12	-	-	-	-	-	-	-	-	13	87	-	-
13	-	-	-	-	-	-	-	-	13	87	-	-
14	-	-	-	-	-	-	-	-	14	86	-	-
15	-	-	-	-	-	-	-	-	14	86	-	-
16	-	-	-	-	-	-	-	-	14	86	-	-
17	-	-	-	-	-	-	-	-	15	85	-	-
18	-	-	-	-	-	-	-	-	15	85	-	-
19	-	-	-	-	-	-	-	-	14	86	-	-
20	-	-	-	-	-	-	-	-	17	83	-	-
21	-	-	-	-	-	-	-	-	17	83	-	-
22	-	-	-	-	-	-	-	-	11	89	-	-
23	-	-	-	-	-	-	-	-	3	87	10	-
MEAN	-	-	-	-	-	-	-	-	9	74	17	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: KUMEJIMA AIRPORT MONTH: JUL
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	-	33	67	-
01	-	-	-	-	-	-	-	-	-	19	81	-
02	-	-	-	-	-	-	-	-	-	12	88	-
03	-	-	-	-	-	-	-	-	1	10	89	-
04	-	-	-	-	-	-	-	-	-	12	88	-
05	-	-	-	-	-	-	-	-	-	12	88	-
06	-	-	-	-	-	-	-	-	-	14	86	-
07	-	-	-	-	-	-	-	-	-	18	82	-
08	-	-	-	-	-	-	-	-	-	24	76	-
09	-	-	-	-	-	-	-	-	-	37	63	-
10	-	-	-	-	-	-	-	-	-	72	28	-
11	-	-	-	-	-	-	-	-	-	97	3	-
12	-	-	-	-	-	-	-	-	-	99	1	-
13	-	-	-	-	-	-	-	-	-	100	-	-
14	-	-	-	-	-	-	-	-	-	100	-	-
15	-	-	-	-	-	-	-	-	-	100	-	-
16	-	-	-	-	-	-	-	-	-	100	-	-
17	-	-	-	-	-	-	-	-	-	100	-	-
18	-	-	-	-	-	-	-	-	-	100	-	-
19	-	-	-	-	-	-	-	-	-	100	-	-
20	-	-	-	-	-	-	-	-	-	100	-	-
21	-	-	-	-	-	-	-	-	-	100	-	-
22	-	-	-	-	-	-	-	-	-	100	-	-
23	-	-	-	-	-	-	-	-	-	66	34	-
MEAN	-	-	-	-	-	-	-	-	0	64	36	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: KUMEJIMA AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	-	53	47	-
01	-	-	-	-	-	-	-	-	-	33	67	-
02	-	-	-	-	-	-	-	-	-	26	74	-
03	-	-	-	-	-	-	-	-	1	21	79	-
04	-	-	-	-	-	-	-	-	-	17	83	-
05	-	-	-	-	-	-	-	-	-	17	83	-
06	-	-	-	-	-	-	-	-	-	23	77	-
07	-	-	-	-	-	-	-	-	-	23	77	-
08	-	-	-	-	-	-	-	-	-	34	66	-
09	-	-	-	-	-	-	-	-	-	55	45	-
10	-	-	-	-	-	-	-	-	-	80	20	-
11	-	-	-	-	-	-	-	-	-	92	8	-
12	-	-	-	-	-	-	-	-	-	97	3	-
13	-	-	-	-	-	-	-	-	1	98	1	-
14	-	-	-	-	-	-	-	-	-	98	2	-
15	-	-	-	-	-	-	-	-	-	99	1	-
16	-	-	-	-	-	-	-	-	-	99	1	-
17	-	-	-	-	-	-	-	-	-	99	1	-
18	-	-	-	-	-	-	-	-	-	100	-	-
19	-	-	-	-	-	-	-	-	-	100	-	-
20	-	-	-	-	-	-	-	-	-	100	-	-
21	-	-	-	-	-	-	-	-	-	100	-	-
22	-	-	-	-	-	-	-	-	1	98	1	-
23	-	-	-	-	-	-	-	-	-	79	21	-
MEAN	-	-	-	-	-	-	-	-	0	68	31	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMEJIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	0)	0)	0)	0)	0)	0)	0)	0)	2)	77)	21)	0)
01	0)	0)	0)	0)	0)	0)	0)	0)	1)	62)	38)	0)
02	0)	0)	0)	0)	0)	0)	0)	0)	0)	50)	50)	0)
03	0)	0)	0)	0)	0)	0)	0)	0)	1)	45)	54)	0)
04	0)	0)	0)	0)	0)	0)	0)	0)	1)	39)	60)	0)
05	0)	0)	0)	0)	0)	0)	0)	0)	1)	41)	58)	0)
06	0)	0)	0)	0)	0)	0)	0)	0)	2)	40)	58)	0)
07	0)	0)	0)	0)	0)	0)	0)	0)	1)	54)	46)	0)
08	0)	0)	0)	0)	0)	0)	0)	0)	1)	74)	25)	0)
09	0)	0)	0)	0)	0)	0)	0)	0)	1)	90)	9)	0)
10	0)	0)	0)	0)	0)	0)	0)	0)	1)	98)	1)	0)
11	0)	0)	0)	0)	0)	0)	0)	0)	1)	99)	0)	0)
12	0)	0)	0)	0)	0)	0)	0)	0)	1)	99)	0)	0)
13	0)	0)	0)	0)	0)	0)	0)	0)	1)	99)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	0)	1)	99)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	0)	3)	97)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	0)	3)	97)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	0)	3)	97)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	0)	5)	95)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	0)	5)	95)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	0)	5)	95)	0)	0)
21	0)	0)	0)	0)	0)	0)	0)	0)	5)	95)	0)	0)
22	-	-	-	-	-	-	-	-	4	96	-	-
23	-	-	-	-	-	-	-	-	2	95	3	-
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	2)	80)	18)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMEJIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	23	76	1	-
01	-	-	-	-	-	-	-	-	15	83	3	-
02	-	-	-	-	-	-	-	-	14	81	6	-
03	-	-	-	-	-	-	-	1	11	79	9	-
04	-	-	-	-	-	-	-	1	12	77	11	-
05	-	-	-	-	-	-	-	-	11	79	10	-
06	0)	0)	0)	0)	0)	0)	0)	0)	14)	79)	7)	0)
07	0)	0)	0)	0)	0)	0)	0)	0)	16)	79)	6)	0)
08	0)	0)	0)	0)	0)	0)	0)	0)	22)	77)	1)	0)
09	0)	0)	0)	0)	0)	0)	0)	0)	34)	66)	0)	0)
10	0)	0)	0)	0)	0)	0)	0)	0)	41)	59)	0)	0)
11	0)	0)	0)	0)	0)	0)	0)	0)	40)	60)	0)	0)
12	0)	0)	0)	0)	0)	0)	0)	0)	44)	56)	0)	0)
13	0)	0)	0)	0)	0)	0)	0)	1)	44)	56)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	0)	44)	56)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	0)	42)	58)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	0)	43)	57)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	0)	47)	53)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	0)	49)	51)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	2)	47)	51)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	1)	46)	53)	0)	0)
21	0)	0)	0)	0)	0)	0)	0)	1)	51)	49)	0)	0)
22	0)	0)	0)	0)	0)	0)	0)	1)	51)	48)	0)	0)
23	0)	0)	0)	0)	0)	0)	0)	0)	36)	64)	0)	0)
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	33)	64)	2)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMEJIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	12	66	22	-	-
01	-	-	-	-	-	-	-	7	62	31	-	-
02	-	-	-	-	-	-	-	6	56	38	-	-
03	-	-	-	-	-	-	-	7	54	39	-	-
04	-	-	-	-	-	-	-	9	51	40	-	-
05	-	-	-	-	-	-	-	10	56	34	-	-
06	-	-	-	-	-	-	-	10	61	29	-	-
07	-	-	-	-	-	-	-	12	62	26	-	-
08	-	-	-	-	-	-	-	12	71	17	-	-
09	-	-	-	-	-	-	1	16	71	12	-	-
10	-	-	-	-	-	-	-	17	73	11	-	-
11	0)	0)	0)	0)	0)	0)	0)	17)	74)	9)	0)	0)
12	0)	0)	0)	0)	0)	0)	1)	14)	75)	10)	0)	0)
13	0)	0)	0)	0)	0)	0)	0)	17)	74)	9)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	18)	76)	6)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	20)	74)	6)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	20)	75)	5)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	22)	74)	5)	0)	0)
18	0)	0)	0)	0)	0)	0)	1)	22)	70)	7)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	23)	71)	5)	0)	0)
20	0)	0)	0)	0)	0)	0)	1)	27)	68)	5)	0)	0)
21	-	-	-	-	-	-	1	27	66	6	-	-
22	-	-	-	-	-	-	1	25	69	5	-	-
23	-	-	-	-	-	-	1	17	70	12	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	16)	67)	16)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMEJIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	6	54	41	-	-	-
01	-	-	-	-	-	-	5	48	45	1	-	-
02	-	-	-	-	-	-	4	47	46	3	-	-
03	-	-	-	-	-	-	3	46	48	3	-	-
04	-	-	-	-	-	-	4	42	49	5	-	-
05	-	-	-	-	-	-	4	41	50	5	-	-
06	-	-	-	-	-	-	5	48	44	4	-	-
07	-	-	-	-	-	-	5	53	42	1	-	-
08	-	-	-	-	-	-	6	57	35	1	-	-
09	-	-	-	-	-	-	6	61	32	-	-	-
10	-	-	-	-	-	-	6	63	30	-	-	-
11	-	-	-	-	-	-	7	63	30	-	-	-
12	0)	0)	0)	0)	0)	0)	7)	63)	29)	0)	0)	0)
13	0)	0)	0)	0)	0)	0)	8)	64)	29)	0)	0)	0)
14	0)	0)	0)	0)	0)	0)	8)	62)	31)	0)	0)	0)
15	0)	0)	0)	0)	0)	0)	8)	64)	27)	0)	0)	0)
16	0)	0)	0)	0)	0)	0)	8)	61)	30)	0)	0)	0)
17	0)	0)	0)	0)	0)	0)	8)	61)	31)	0)	0)	0)
18	0)	0)	0)	0)	0)	0)	8)	64)	29)	0)	0)	0)
19	-	-	-	-	-	-	10	61	29	-	-	-
20	-	-	-	-	-	-	8	62	30	-	-	-
21	-	-	-	-	-	-	8	62	30	-	-	-
22	-	-	-	-	-	-	10	62	28	-	-	-
23	-	-	-	-	-	-	8	63	30	-	-	-
MEAN	0)	0)	0)	0)	0)	0)	7)	57)	35)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: KUMEJIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	0)	0)	0)	0)	0)	0)	3)	21)	29)	32)	14)	0)
01	0)	0)	0)	0)	0)	0)	3)	19)	29)	30)	19)	0)
02	0)	0)	0)	0)	0)	0)	3)	19)	27)	30)	22)	0)
03	0)	0)	0)	0)	0)	0)	2)	19)	28)	29)	23)	0)
04	0)	0)	0)	0)	0)	0)	2)	18)	27)	28)	24)	0)
05	0)	0)	0)	0)	0)	0)	2)	18)	28)	28)	24)	0)
06	0)	0)	0)	0)	0)	0)	3)	19)	28)	28)	23)	0)
07	0)	0)	0)	0)	0)	0)	3)	20)	28)	28)	21)	0)
08	0)	0)	0)	0)	0)	0)	3)	21)	29)	29)	17)	0)
09	0)	0)	0)	0)	0)	0)	4)	23)	29)	32)	12)	0)
10	0)	0)	0)	0)	0)	0)	4)	23)	30)	37)	5)	0)
11	0)	0)	0)	0)	0)	0)	5)	24)	30)	40)	1)	0)
12	0)	0)	0)	0)	0)	0)	5)	24)	30)	41)	0)	0)
13	0)	0)	0)	0)	0)	0)	5)	24)	30)	40)	0)	0)
14	0)	0)	0)	0)	0)	0)	6)	24)	30)	40)	0)	0)
15	0)	0)	0)	0)	0)	0)	6)	25)	29)	40)	0)	0)
16	0)	0)	0)	0)	0)	0)	6)	25)	30)	39)	0)	0)
17	0)	0)	0)	0)	0)	0)	6)	25)	30)	39)	0)	0)
18	0)	0)	0)	0)	0)	0)	7)	25)	29)	39)	0)	0)
19	0)	0)	0)	0)	0)	0)	7)	25)	29)	39)	0)	0)
20	0)	0)	0)	0)	0)	0)	7)	25)	29)	39)	0)	0)
21	0)	0)	0)	0)	0)	0)	7)	26)	29)	38)	0)	0)
22	0)	0)	0)	0)	0)	0)	7)	25)	29)	39)	0)	0)
23	0)	0)	0)	0)	0)	0)	6)	23)	28)	38)	6)	0)
MEAN	0)	0)	0)	0)	0)	0)	5)	22)	29)	35)	9)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMEJIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	17.1	17.5	19.2	21.7	24.4	27.9	29.5	29.3	28.2	25.7	22.5	19.0	23.5
Daily maximum air temperature(°C)	19.4	20.0	21.9	24.3	27.0	30.4	32.3	32.0	30.9	28.4	25.2	21.5	26.1
Daily minimum air temperature(°C)	14.8	15.2	16.7	19.4	22.3	26.0	27.3	27.0	26.0	23.7	20.1	16.8	21.3
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	128.2	112.2	168.3	269.8	300.9	217.2	178.7	267.4	188.6	98.1	79.1)	102.4	2048.1)
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	1003.3	1005.8*	1004.9	998.0	992.4	993.4	965.4	967.8	961.2	954.3	1007.9	1003.8	954.3
Daily maximum air temperature(°C)	26.3	26.0	27.2	28.5	31.7	33.7	33.9*	34.6	33.7	32.1*	30.4	27.5*	34.6
Daily minimum air temperature(°C)	5.1	9.5	10.7	13.0	16.4	21.3	23.8	24.1	21.2	18.8	13.4	11.2	5.1
Daily precipitation(mm)	60.5	73.0	95.5	206.5	136.5	114.5	235.0	194.0	324.5	73.5	36.5	49.0	324.5
Daily max.one-hour precipitation(mm)	34.5	28.5	45.5	65.0	64.5	52.5	64.0	47.5	56.0	27.5	22.5	40.5	65.0
Daily max.ten-minute precipitation(mm)	13.5	13.0	22.5	23.5	21.5	31.5	20.5	19.5	17.5	9.5*	16.0	17.5	31.5
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)													
Daily maximum wind speed(kt)	37 *	33	37	34	64	37	68	84	85	94	32	50	94
with wind direction(36DIR.)	33	1	15	33	15	19	12	18	35	13	0	36	13
Daily maximum peak gust(kt)	50	40 *	46	47	79	51	90	105	107	116	39	59	116
with wind direction(36DIR.)	33	2	29	30	15	19	13	18	34	14	35	35	14

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMEJIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	-	-	-	-	3.4	19.8	29.8	29.0	24.0	8.8	-	-	114.8
Daily mean air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	-	-	-	1.6	12.8	27.8	30.4	30.4	28.8	20.6	3.4	-	155.8
Daily maximum air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	0.4	1.0	3.8	11.4	26.2	29.4	30.4	30.2	29.2	30.0	17.2	3.4	212.6
30.0°C	-	-	-	-	1.8	18.4	29.2	28.0	23.2	7.6	0.4	-	108.6
Daily precipitation 0.0mm	26.2	24.8	28.8	28.2	30.0	26.6	27.8	28.4	27.4	27.4	27.5)	27.4	330.3)
1.0mm	12.0	11.0	10.6	13.8	12.6	11.6	7.4	13.2	9.0	6.6	8.0)	9.6	125.8)
5.0mm	7.2	6.4	6.6	9.0	9.0	8.0	4.2	8.2	5.6	4.4	4.0)	5.0	78.3)
10.0mm	3.6	3.4	4.4	8.0	7.2	5.6	3.0	5.8	3.2	2.8	2.8)	3.4	53.0)
30.0mm	0.8	0.6	1.6	2.8	3.2	1.8	1.0	2.8	1.6	1.0	0.8)	1.2	19.0)
50.0mm	0.6	0.4	1.0	0.6	2.2	1.4	0.8	1.2	0.6	0.4	0.0)	-	9.5)
70.0mm	-	0.2	0.2	0.2	1.2	0.8	0.6	1.0	0.4	0.2	0.0)	-	4.8)
100.0mm	-	-	-	0.2	0.4	0.4	0.6	0.4	0.2	-	0.0)	-	2.0)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMEJIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily max.depth of snow cover	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily maximum wind speed	200cm													
	20kt	17.8	17.4	14.8	10.2	8.2	7.2	9.0	9.8	8.2	12.0	11.8	18.2	144.6
	30kt	2.0	1.4	1.6	1.6	0.4	0.8	2.2	2.8	1.6	3.0	0.4	2.8	20.6
	40kt	-	-	-	-	0.2	-	0.8	1.2	0.8	1.6	-	0.6	5.2
	50kt	-	-	-	-	0.2	-	0.4	0.4	0.2	0.8	-	0.2	2.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMEJIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1021.0	1019.7	1018.1	1014.0	1010.3	1006.9	1007.5	1005.6	1009.4	1013.0	1018.3	1020.4	1013.7
01	1021.3	1020.0	1018.3	1014.2	1010.4	1007.0	1007.6	1005.7	1009.6	1013.2	1018.5	1020.7	1013.9
02	1021.1	1019.8	1018.3	1014.2	1010.4	1007.0	1007.6	1005.7	1009.5	1013.0	1018.2	1020.5	1013.8
03	1020.4	1019.3	1017.8	1013.9	1010.2	1006.9	1007.4	1005.5	1009.2	1012.4	1017.6	1019.8	1013.4
04	1019.5	1018.6	1017.2	1013.4	1009.8	1006.6	1007.1	1005.3	1008.7	1011.9	1016.9	1019.0	1012.9
05	1018.9	1017.9	1016.6	1012.9	1009.5	1006.3	1006.8	1005.0	1008.3	1011.3	1016.3	1018.4	1012.3
06	1018.6	1017.6	1016.1	1012.4	1009.1	1006.0	1006.5	1004.6	1007.9	1011.1	1016.1	1018.1	1012.0
07	1018.7	1017.5	1016.0	1012.2	1008.8	1005.8	1006.3	1004.5	1007.8	1011.1	1016.1	1018.2	1011.9
08	1018.9	1017.7	1016.1	1012.1	1008.8	1005.7	1006.1	1004.4	1008.0	1011.4	1016.4	1018.6	1012.0
09	1019.3	1018.0	1016.4	1012.4	1008.9	1005.8	1006.2	1004.5	1008.2	1011.7	1016.8	1019.0	1012.3
10	1019.8	1018.4	1016.7	1012.8	1009.3	1006.2	1006.5	1004.8	1008.5	1012.0	1017.2	1019.5	1012.6
11	1020.1	1018.8	1017.1	1013.2	1009.7	1006.6	1006.9	1005.2	1009.0	1012.5	1017.5	1019.9	1013.0
12	1020.4	1019.1	1017.6	1013.7	1010.1	1006.9	1007.3	1005.6	1009.4	1012.8	1017.8	1020.2	1013.4
13	1020.5	1019.3	1017.8	1014.0	1010.4	1007.3	1007.7	1006.0	1009.6	1012.9	1017.9	1020.2	1013.7
14	1020.4	1019.3	1017.8	1014.0	1010.5	1007.4	1007.7	1006.0	1009.6	1012.8	1017.9	1020.2	1013.6
15	1020.2	1019.1	1017.7	1013.8	1010.2	1007.2	1007.5	1005.8	1009.4	1012.9	1017.7	1019.9	1013.5
16	1020.0	1019.1	1017.5	1013.6	1009.9	1006.7	1007.4	1005.3	1008.9	1012.5	1017.4	1019.5	1013.1
17	1019.9	1018.8	1017.1	1013.2	1009.4	1006.3	1007.0	1004.9	1008.6	1011.8	1017.2	1019.3	1012.8
18	1019.6	1018.5	1016.8	1012.7	1009.1	1006.0	1006.7	1004.6	1008.2	1011.6	1016.8	1019.0	1012.5
19	1019.4	1018.2	1016.4	1012.5	1008.9	1005.9	1006.6	1004.5	1008.0	1011.4	1016.6	1018.9	1012.3
20	1019.4	1018.2	1016.4	1012.6	1008.9	1006.0	1006.6	1004.5	1008.0	1011.5	1016.6	1018.8	1012.3
21	1019.6	1018.4	1016.7	1012.8	1009.2	1006.1	1006.8	1004.7	1008.2	1011.8	1016.8	1019.1	1012.5
22	1020.1	1018.9	1017.2	1013.2	1009.7	1006.5	1007.1	1005.1	1008.5	1012.2	1017.4	1019.5	1012.9
23	1020.5	1019.3	1017.7	1013.7	1010.0	1006.7	1007.4	1005.4	1008.8	1012.7	1017.9	1020.0	1013.3
MEAN	1019.9	1018.7	1017.1	1013.2	1009.7	1006.5	1007.0	1005.1	1008.7	1012.2	1017.2	1019.4	1012.9

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMEJIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	17.3	17.6	19.5	22.1	25.0	28.4	30.2	29.8	28.8	26.3	22.9	19.1	23.9
01	17.8	18.1	20.0	22.5	25.4	28.9	30.7	30.2	29.4	26.7	23.5	19.7	24.4
02	18.1	18.5	20.3	22.8	25.7	29.2	31.0	30.6	29.6	27.1	23.9	20.0	24.7
03	18.2	18.7	20.6	23.0	25.8	29.5	31.2	30.8	29.8	27.4	24.0	20.2	24.9
04	18.2	18.8	20.7	23.1	25.9	29.5	31.3	30.9	29.9	27.5	24.0	20.2	25.0
05	18.2	18.7	20.7	23.2	25.9	29.5	31.4	31.0	29.9	27.4	23.9	20.2	25.0
06	18.1	18.5	20.6	23.1	25.7	29.4	31.3	30.9	29.7	27.1	23.6	19.9	24.8
07	17.8	18.3	20.3	22.8	25.5	29.2	31.0	30.7	29.6	26.7	23.2	19.6	24.6
08	17.5	18.0	19.9	22.4	25.1	28.8	30.5	30.3	29.0	26.2	22.7	19.1	24.2
09	17.0	17.5	19.5	22.0	24.8	28.4	30.0	29.7	28.4	25.5	22.2	18.7	23.7
10	16.8	17.2	19.0	21.4	24.4	27.8	29.4	29.1	27.9	25.3	22.1	18.6	23.3
11	16.7	17.1	18.8	21.2	24.0	27.4	28.9	28.7	27.6	25.2	22.0	18.6	23.0
12	16.7	17.2	18.8	21.1	23.9	27.3	28.7	28.5	27.6	25.1	22.0	18.5	23.0
13	16.7	17.1	18.7	21.0	23.9	27.2	28.6	28.4	27.4	25.0	21.9	18.4	22.9
14	16.6	17.1	18.6	20.9	23.8	27.1	28.5	28.4	27.3	24.9	21.7	18.4	22.8
15	16.5	17.0	18.5	20.9	23.7	27.0	28.4	28.3	27.3	24.8	21.6	18.3	22.7
16	16.5	17.0	18.4	20.8	23.5	27.0	28.3	28.2	27.1	24.8	21.7	18.4	22.6
17	16.4	16.9	18.3	20.8	23.4	26.9	28.2	28.1	27.1	24.7	21.6	18.4	22.6
18	16.4	16.9	18.3	20.7	23.4	26.9	28.2	28.0	27.0	24.7	21.6	18.4	22.5
19	16.4	16.8	18.3	20.7	23.4	26.9	28.1	27.9	26.9	24.6	21.5	18.3	22.5
20	16.3	16.8	18.2	20.7	23.3	26.9	28.0	27.9	26.9	24.6	21.4	18.4	22.4
21	16.4	16.8	18.2	20.7	23.4	26.9	28.1	27.8	26.8	24.6	21.4	18.3	22.4
22	16.4	16.7	18.3	21.0	23.8	27.3	28.6	28.3	27.1	24.7	21.4	18.3	22.7
23	16.5	17.0	18.9	21.6	24.4	27.9	29.6	29.1	28.0	25.5	22.0	18.5	23.2
MEAN	17.1	17.5	19.2	21.7	24.4	28.0	29.5	29.2	28.2	25.7	22.4	19.0	23.5

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMEJIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	13.6	15.0	16.4	20.8	25.9	32.9)	33.1	32.8)	30.0	24.8	19.4	14.9	×
01	13.6	15.0	16.4)	20.8	25.9	33.0)	33.0	32.8)	30.0	24.7	19.3	14.9	×
02	13.6	15.0	16.6	20.8	25.9	33.2)	32.9	33.0)	29.9	24.7	19.3	15.0	×
03	13.7	15.0	16.5	20.9	25.8	33.2)	33.0	32.8)	29.9	24.7	19.2	15.1	×
04	13.7	15.0	16.6	20.9	25.9	33.3)	33.1	32.8)	29.9	24.8	19.3	15.0	×
05	13.8	15.1	16.6	20.8	25.9	33.3)	33.1	32.7)	30.1	24.6	19.3	15.0	×
06	13.6	15.0	16.5	20.8	25.8	33.1)	33.1	32.7)	30.0	24.6	19.2	15.0	×
07	13.6	15.0	16.5	20.7	25.7	33.0)	33.1	32.7)	29.9	24.6	19.3	15.0	×
08	13.6	15.0	16.4	20.6	25.6	33.0)	32.9	32.6)	29.6	24.6	19.2	14.8	×
09	13.7	14.9	16.4	20.7	25.6	32.9)	32.9	32.2)	29.7	24.8	19.2	14.7	×
10	13.6	14.9	16.3	20.6	25.5	32.8)	33.0	32.3)	29.8	24.8	19.3	14.6	×
11	13.6	14.9	16.3	20.6	25.5	32.8)	32.9	32.4)	30.1)	24.8	19.2	14.6	×
12	13.6	15.0	16.4	20.6	25.5	32.8)	33.0	32.4)	30.1)	24.7	19.3	14.5	×
13	13.5	15.0	16.3	20.7	25.6	32.8)	33.1	32.5)	30.2)	24.6	19.2	14.5	×
14	13.5	15.0	16.3	20.5	25.7	32.6)	33.2	32.4)	30.1)	24.7	19.2	14.5	×
15	13.5	15.0	16.2	20.6	25.7	32.7)	33.1	32.6)	30.3)	24.6	19.1	14.4	×
16	13.3	14.9	16.2	20.4	25.5	32.7)	33.0	32.7)	29.9	25.0	19.2	14.7	×
17	13.3	15.0	16.2	20.4	25.5	32.6)	32.9	32.7)	29.8	24.9	19.2	14.7	×
18	13.3	14.9	16.2	20.4	25.5	32.5)	32.8	32.5)	29.8	24.9	19.2	14.7	×
19	13.4	14.9	16.2	20.4	25.5	32.4)	32.8	32.5)	29.8	25.0	19.2	14.7	×
20	13.4	14.8	16.3	20.4	25.5	32.3)	32.7	32.4)	29.8	24.8	19.1	14.7	×
21	13.3	14.8	16.3	20.4	25.5	32.3)	32.8	32.4)	29.7	24.9	19.0	14.7	×
22	13.4	14.9	16.3	20.6	25.8	32.6)	33.0	32.6)	29.7	24.9	19.0	14.7	×
23	13.4	14.9	16.4	20.8	25.9	32.9)	33.0	32.7)	30.0	25.0	19.2	14.8	×
MEAN	13.5	15.0	16.4	20.6	25.7	32.8)	33.0	32.6)	30.2)	24.8	19.2	14.8	×

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMEJIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	67	73	71	77	81	84)	77	78)	75	72	68	66	×
01	66	71	69)	75	79	82)	75	76)	73	70	66	63	×
02	65	69	68)	74	78	81)	74	75)	72)	68	64	63	×
03	65	68	67	73	77	80)	73	73)	71)	67	63	63	×
04	65	68	66	73	77	80)	72	73)	70)	67	64	62	×
05	66	69	67	72	77	80)	72	73)	71)	67	64	62	×
06	65	69	67	73	78	79)	73	73)	71)	68	65	63	×
07	66	70	67	73	78	81)	74	74)	72	69	67	64	×
08	67	71	69	75	80	83)	76	75)	74	71	68	65	×
09	69	72	71	77	81	84)	78	77)	77	75	70	66	×
10	70	74	72	79	83	87)	80	80)	79	76	71	67	×
11	70	74	73	80	84	89)	83	82)	81)	76	71	67	×
12	70	74	74	80	85	90)	84	83)	80)	77	72	67	×
13	70	74	74	81	85	90)	85	84)	81)	77	72	67	×
14	70	74	74	81	86	90)	85	84)	82)	77	72	67	×
15	70	75	74	81	86	90)	86	85)	82)	78	72	67	×
16	69	75	75	81	86	91)	86	85)	83	79	72	68	×
17	69	76	75	81	87	91)	86	86)	83	79	73	68	×
18	70	75	75	81	87	91)	86	86)	83	79	73	68	×
19	70	75	76	81	88	90)	87	86)	84	79	73	68	×
20	70	75	76	82	88	90)	87	86)	84	79	73	68	×
21	70	75	76	82	87	90)	87	86)	84	79	73	68	×
22	70	76	75	81	86	89)	84	85)	83	79	73	68	×
23	70	75	74	79	84	86)	80	81)	79	76	71	68	×
MEAN	68	73	72	78	83	86)	80	80)	78)	74	70	66	×

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMEJIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	2	2	36	14	5	20	21	17	12	5	3	2	2
01	1	2	35 *	14 *	19	20 *	21	17 *	4	4	2	36	2
02	36	2	4	14	12	20	20	16	36	4	2	36	4
03	35	35	36 *	15	14 *	20	19 *	16	14	3	2	2 *	2
04	36	36	4	15	5	22	15	16	4	3	3	35	3
05	1	35	36	15	14	20	20	16 *	4	3	4	36 *	4
06	3	1	4 *	13 *	3	19	21	16	5	2)	3	35	3)
07	36	36	36	15 *	4	20	21 *	15	4	4)	2	35	4)
08	3	36	36	12 *	13	20	20	14	5	4)	3	36 *	36)
09	36	36	36	12	5	22	20	18	5	4)	7	36	36)
10	36	1	36	12	12	20	19 *	15	5	3)	2 *	1	1)
11	36	1)	36)	12	5)	20 *	19	8	7	5)	3)	36	5)
12	36	1)	36)	12	12)	20	19	9	6 *	5)	8)	1)	7)
13	36	1)	36)	12	12	19	19	10	7	5)	7)	36)	7)
14	36	1)	1)	12	12	19	20	8	7	6)	8)	36)	7)
15	36	36)	1	12	12 *	20	20	9	7	5)	7)	36)	7)
16	1	36)	2	12	12	18	20	19 *	7	6)	8)	35)	7)
17	1	2)	1	9	12	19	20	9	8	3)	8)	1)	8)
18	36	36)	1	7 *	16	19	20	17 *	8	7)	7)	7)	7)
19	36 *	35	2	8 *	17 *	19	20	10	6	4)	7)	36 *	7)
20	36	36	1	18	8 *	20 *	14	9	10	2)	7)	36	7)
21	35	36	7	9 *	12	20	20	8	6	4)	2	6	7)
22	1	1	2 *	8	9 *	21	21	8	5	3)	2	36	8)
23	36	2 *	36 *	15 *	12	20	21	17 *	5	3)	1	36	2)
ALL	36	36)	36)	12	12)	20	20	17	5	3)	2)	36)	36)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMEJIMA AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	13.4	13.3	13.4	11.9	10.3	11.8	12.3	12.2	11.3	13.9	11.8	13.2	12.4
01	14.1	13.8	14.0	12.6	10.4	12.1	12.7	12.5	11.9	14.5	12.6	14.0	12.9
02	14.4	14.3	14.0	12.4	10.7	11.8	12.8	12.7	12.3	14.9	12.5	14.3	13.1
03	14.5	14.4	14.3	12.7	11.1	11.8	12.9	12.6	12.3	15.2	12.6	14.1	13.2
04	14.3	14.5	14.0	12.7	11.1	12.0	13.0	12.8	12.3	15.5	12.6	14.4	13.3
05	14.5	14.4	13.9	12.9	11.1	11.6	12.9	12.7	12.2	15.3	12.6	14.7	13.2
06	14.1	14.4	13.8	12.5	11.1	11.2	12.9	12.6	11.9	15.3	12.7	14.6	13.1
07	14.0	14.3	13.7	12.2	10.9	10.9	12.5	12.4	11.7	15.1	12.2	14.5	12.9
08	13.6	14.3	13.3	12.1	10.6	10.8	12.2	12.1	11.1	14.5	11.5	14.1	12.5
09	13.6	14.1	12.9	11.5	10.0	10.4	12.2	11.7	10.6	13.9	10.8	13.8	12.1
10	13.5	13.5	12.4	10.9	9.7	10.1	11.7	11.0	10.1	13.3	10.8	13.7	11.7
11	13.5	13.5	12.3	10.6	9.1	9.9	11.4	10.7	9.4	13.1	10.8	13.2	11.5
12	13.2	13.4	12.0	10.6	9.1	10.2	11.4	10.4	9.4	12.7	10.9	13.0	11.4
13	13.0	13.2	12.2	10.4	9.0	10.4	11.6	10.7	9.3	12.3	10.5	13.1	11.3
14	12.8	13.1	12.1	10.2	9.0	10.8	11.8	10.8	9.2	11.9	10.0	13.1	11.2
15	12.7	13.0	11.9	10.5	9.4	11.0	12.1	10.8	9.1	12.0	9.9	12.8	11.3
16	12.6	12.9	11.8	10.6	9.1	11.1	12.3	10.9	8.9	11.7	10.1	12.8	11.2
17	12.4	12.6	11.9	10.3	9.1	11.3	12.4	11.1	9.1	11.6	10.1	12.5	11.2
18	12.4	12.3	11.9	10.8	9.1	11.7	12.2	11.0	9.2	11.6	10.3	12.7	11.3
19	12.8	12.4	11.7	10.7	9.3	11.7	11.9	11.1	9.5	11.5	10.3	12.6	11.3
20	12.8	12.5	12.1	10.7	9.1	11.4	11.7	10.8	9.7	11.7	10.3	12.8	11.3
21	12.8	12.5	12.2	10.6	8.9	11.4	11.4	10.9	9.6	11.8	10.9	12.9	11.3
22	12.8	12.8	12.1	10.6	9.1	11.2	11.3	11.1	9.6	11.9	10.8	13.4	11.4
23	13.3	12.5	12.6	11.0	9.5	11.7	11.9	11.4	10.5	12.5	10.7	13.3	11.8
MEAN	13.4	13.4	12.8	11.3	9.8	11.2	12.2	11.5	10.4	13.2	11.2	13.5	12.0

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMEJIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	17.5	20.0	15.2	17.3	19.7	15.0	18.5	21.3	16.1	20.4	23.1	17.9
02	17.5	19.9	15.2	17.3	19.7	15.1	18.6	21.3	16.2	20.5	23.2	18.1
03	17.4	19.9	15.2	17.2	19.7	15.1	18.6	21.3	16.2	20.6	23.3	18.2
04	17.4	19.8	15.2	17.2	19.6	15.0	18.6	21.3	16.2	20.7	23.3	18.3
05	17.4	19.8	15.2	17.1	19.5	15.0	18.5	21.2	16.2	20.7	23.4	18.4
06	17.4	19.8	15.3	17.0	19.4	14.9	18.5	21.2	16.1	20.8	23.4	18.5
07	17.4	19.7	15.3	17.0	19.4	14.8	18.5	21.2	16.1	20.9	23.4	18.5
08	17.4	19.7	15.3	17.0	19.4	14.7	18.5	21.2	16.1	20.9	23.5	18.6
09	17.4	19.6	15.4	17.0	19.4	14.7	18.5	21.2	16.1	21.0	23.5	18.7
10	17.4	19.6	15.4	17.0	19.4	14.7	18.6	21.2	16.2	21.0	23.6	18.8
11	17.3	19.6	15.4	17.0	19.4	14.7	18.6	21.3	16.3	21.1	23.7	18.9
12	17.3	19.5	15.3	17.1	19.5	14.7	18.7	21.4	16.4	21.2	23.8	19.0
13	17.2	19.5	15.3	17.2	19.6	14.7	18.9	21.6	16.5	21.4	23.9	19.1
14	17.1	19.4	15.2	17.3	19.7	14.8	19.1	21.8	16.7	21.5	24.0	19.2
15	17.1	19.3	15.1	17.3	19.8	14.8	19.2	21.9	16.8	21.6	24.2	19.4
16	17.0	19.3	14.9	17.4	19.9	14.9	19.4	22.1	17.0	21.8	24.3	19.5
17	16.9	19.2	14.8	17.5	20.0	15.0	19.6	22.3	17.1	21.9	24.4	19.7
18	16.7	19.1	14.6	17.6	20.1	15.0	19.7	22.4	17.2	22.0	24.6	19.8
19	16.6	19.0	14.4	17.7	20.2	15.2	19.8	22.5	17.3	22.1	24.7	19.9
20	16.6	19.0	14.3	17.8	20.3	15.3	19.8	22.5	17.4	22.2	24.8	20.0
21	16.5	18.9	14.2	17.9	20.5	15.4	19.9	22.5	17.4	22.3	24.8	20.1
22	16.5	18.9	14.1	18.0	20.6	15.5	19.9	22.5	17.3	22.4	24.9	20.2
23	16.5	18.9	14.1	18.1	20.7	15.6	19.8	22.5	17.3	22.4	25.0	20.2
24	16.5	19.0	14.1	18.2	20.8	15.7	19.8	22.5	17.3	22.4	25.0	20.2
25	16.6	19.1	14.1	18.3	21.0	15.9	19.8	22.5	17.3	22.4	25.0	20.2
26	16.7	19.2	14.2	18.4	21.1	16.0	19.8	22.6	17.3	22.4	25.1	20.2
27	16.8	19.3	14.4	18.4	21.2	16.0	19.9	22.6	17.3	22.5	25.1	20.2
28	17.0	19.4	14.5	18.5	21.2	16.1	20.0	22.7	17.4	22.5	25.2	20.2
29	17.1	19.5	14.7	18.5	21.3	16.1	20.1	22.8	17.5	22.5	25.3	20.2
30	17.2	19.6	14.9				20.2	22.9	17.6	22.6	25.4	20.2
31	17.2	19.7	15.0				20.3	23.0	17.8			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMEJIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	22.7	25.4	20.2	26.3	28.7	24.4	29.7	32.4	27.8	29.6	32.4	27.2
02	22.8	25.6	20.3	26.3	28.8	24.4	29.8	32.5	27.8	29.6	32.3	27.2
03	22.9	25.7	20.5	26.4	28.9	24.5	29.8	32.5	27.8	29.5	32.3	27.2
04	23.0	25.8	20.6	26.5	28.9	24.5	29.7	32.5	27.8	29.5	32.2	27.2
05	23.2	26.0	20.8	26.5	29.0	24.6	29.7	32.4	27.7	29.5	32.2	27.2
06	23.4	26.1	21.0	26.6	29.1	24.6	29.7	32.4	27.6	29.4	32.2	27.2
07	23.6	26.3	21.2	26.7	29.2	24.7	29.6	32.3	27.6	29.4	32.2	27.2
08	23.7	26.4	21.4	26.8	29.3	24.8	29.6	32.2	27.5	29.4	32.2	27.2
09	23.9	26.6	21.6	27.0	29.4	24.9	29.5	32.1	27.4	29.4	32.2	27.2
10	24.1	26.7	21.8	27.1	29.6	25.1	29.4	32.0	27.4	29.4	32.2	27.1
11	24.2	26.9	22.0	27.3	29.7	25.3	29.4	32.0	27.3	29.4	32.2	27.1
12	24.3	27.0	22.1	27.5	29.9	25.4	29.3	31.9	27.3	29.4	32.2	27.1
13	24.4	27.0	22.2	27.6	30.1	25.6	29.3	31.9	27.2	29.3	32.2	27.0
14	24.5	27.1	22.3	27.8	30.3	25.8	29.3	31.9	27.2	29.3	32.2	27.0
15	24.5	27.1	22.4	27.9	30.4	26.0	29.2	31.9	27.1	29.3	32.2	26.9
16	24.6	27.1	22.5	28.1	30.6	26.1	29.2	31.9	27.1	29.3	32.2	26.9
17	24.6	27.1	22.5	28.2	30.7	26.3	29.2	32.0	27.1	29.2	32.1	26.9
18	24.6	27.2	22.6	28.4	30.9	26.4	29.2	32.0	27.0	29.2	32.1	26.8
19	24.7	27.2	22.6	28.5	31.0	26.6	29.3	32.1	27.1	29.2	32.0	26.8
20	24.7	27.2	22.6	28.6	31.1	26.7	29.3	32.2	27.1	29.2	32.0	26.8
21	24.8	27.3	22.7	28.8	31.3	26.8	29.3	32.2	27.1	29.2	31.9	26.8
22	24.9	27.3	22.8	28.9	31.4	26.9	29.4	32.3	27.1	29.1	31.9	26.8
23	25.0	27.5	23.0	29.0	31.5	27.1	29.4	32.4	27.2	29.1	31.8	26.8
24	25.2	27.6	23.1	29.1	31.6	27.2	29.5	32.5	27.2	29.1	31.8	26.8
25	25.3	27.7	23.3	29.2	31.8	27.3	29.5	32.5	27.2	29.1	31.7	26.8
26	25.5	27.9	23.5	29.3	31.9	27.4	29.6	32.6	27.3	29.0	31.7	26.8
27	25.6	28.1	23.7	29.4	32.0	27.5	29.6	32.6	27.3	29.0	31.6	26.8
28	25.8	28.2	23.9	29.5	32.2	27.6	29.6	32.6	27.3	28.9	31.6	26.7
29	26.0	28.4	24.0	29.6	32.3	27.7	29.6	32.6	27.3	28.9	31.6	26.6
30	26.1	28.5	24.2	29.7	32.4	27.8	29.6	32.5	27.3	28.8	31.5	26.6
31	26.2	28.6	24.3				29.6	32.5	27.3	28.8	31.5	26.5

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: KUMEJIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 26° 21.8'N, LONGITUDE: 126° 42.8'E, ELEVATION ABOVE MSL: 23 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	28.7	31.5	26.4	27.6	30.0	25.5	23.9	26.7	21.7	20.3	23.0	18.2
02	28.7	31.4	26.4	27.5	29.9	25.4	23.8	26.5	21.6	20.2	22.8	18.0
03	28.6	31.4	26.3	27.3	29.8	25.3	23.6	26.4	21.5	20.1	22.7	17.9
04	28.6	31.3	26.2	27.2	29.6	25.1	23.5	26.3	21.4	20.0	22.6	17.9
05	28.5	31.3	26.2	27.0	29.5	25.0	23.4	26.2	21.3	19.9	22.5	17.8
06	28.5	31.2	26.1	26.8	29.3	24.8	23.4	26.1	21.2	19.8	22.4	17.7
07	28.4	31.2	26.1	26.7	29.1	24.7	23.3	26.1	21.1	19.8	22.3	17.6
08	28.4	31.1	26.0	26.5	29.0	24.5	23.2	26.0	21.0	19.7	22.2	17.6
09	28.3	31.1	26.0	26.3	28.8	24.4	23.1	25.9	20.8	19.6	22.1	17.5
10	28.3	31.0	26.0	26.2	28.7	24.3	23.0	25.8	20.7	19.6	22.0	17.4
11	28.3	31.0	25.9	26.0	28.6	24.2	22.9	25.7	20.6	19.5	21.9	17.3
12	28.2	31.0	25.9	25.9	28.5	24.1	22.8	25.6	20.5	19.4	21.8	17.3
13	28.2	30.9	25.9	25.8	28.4	24.0	22.7	25.6	20.4	19.3	21.7	17.2
14	28.2	30.9	25.9	25.7	28.3	23.9	22.7	25.5	20.3	19.2	21.6	17.1
15	28.2	30.8	25.8	25.6	28.2	23.8	22.6	25.4	20.2	19.1	21.6	16.9
16	28.1	30.8	25.8	25.6	28.2	23.8	22.5	25.4	20.1	19.0	21.5	16.8
17	28.1	30.8	25.8	25.6	28.2	23.7	22.4	25.3	20.0	19.0	21.4	16.7
18	28.1	30.8	25.8	25.5	28.1	23.6	22.3	25.2	19.9	18.9	21.3	16.7
19	28.1	30.7	25.8	25.5	28.1	23.5	22.3	25.1	19.8	18.8	21.2	16.6
20	28.0	30.7	25.8	25.4	28.1	23.4	22.1	25.0	19.7	18.7	21.1	16.5
21	28.0	30.7	25.9	25.3	28.1	23.3	22.0	24.8	19.6	18.6	21.1	16.4
22	28.0	30.6	25.9	25.3	28.0	23.2	21.9	24.7	19.4	18.5	21.0	16.3
23	28.0	30.6	25.9	25.2	27.9	23.1	21.7	24.5	19.3	18.4	20.9	16.2
24	28.0	30.6	25.9	25.1	27.8	22.9	21.6	24.3	19.2	18.3	20.8	16.1
25	28.0	30.5	25.9	24.9	27.7	22.8	21.4	24.1	19.0	18.2	20.7	16.0
26	28.0	30.5	25.9	24.8	27.6	22.6	21.2	23.9	18.9	18.0	20.6	15.9
27	27.9	30.4	25.8	24.6	27.4	22.5	21.0	23.7	18.7	17.9	20.5	15.8
28	27.9	30.3	25.8	24.5	27.3	22.3	20.8	23.5	18.6	17.8	20.4	15.6
29	27.8	30.2	25.7	24.3	27.1	22.2	20.7	23.3	18.4	17.7	20.3	15.5
30	27.7	30.1	25.6	24.2	27.0	22.0	20.5	23.1	18.3	17.6	20.2	15.4
31				24.0	26.8	21.9				17.5	20.1	15.3