

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAKO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

NUMBER OF FORWARD SCATTER: RWY22

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<500	<550	<800	<1600	<1500	<3200	<5000
	-	<100	<200	<600	-	<600	<1000	<1500
00	x	x	x	x	x	-	5	7
01	x	x	x	x	x	1	3	5
02	x	x	x	x	x	-	3	7
03	x	x	x	x	x	-	3	6
04	x	x	x	x	x	1	3	5
05	x	x	x	x	x	1	3	6
06	x	x	x	x	x	-	3	9
07	x	x	x	x	x	-	1	7
08	x	x	x	x	x	-	3	8
09	x	x	x	x	x	-	2	7
10	x	x	x	x	x	-	1	7
11	x	x	x	x	x	-	1	5
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	-	2	5
23	x	x	x	x	x	1	3	5
MEAN	x	x	x	x	x	0	2	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAKO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

NUMBER OF FORWARD SCATTER: RWY22

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<500	<550	<800	<1600	<1500	<3200	<5000
	-	<100	<200	<600	-	<600	<1000	<1500
00	x	x	x	x	x	-	1	6
01	x	x	x	x	x	-	4	8
02	x	x	x	x	x	1	1	4
03	x	x	x	x	x	1	2	5
04	x	x	x	x	x	1	1	4
05	x	x	x	x	x	1	2	4
06	x	x	x	x	x	-	2	5
07	x	x	x	x	x	-	3	8
08	x	x	x	x	x	-	1	7
09	x	x	x	x	x	-	2	10
10	x	x	x	x	x	-	1	8
11	x	x	x	x	x	-	2	8
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	1	2	9
23	x	x	x	x	x	1	4	9
MEAN	x	x	x	x	x	0	2	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAKO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

NUMBER OF FORWARD SCATTER: RWY22

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<500	<550	<800	<1600	<1500	<3200	<5000
	-	<100	<200	<600	-	<600	<1000	<1500
00	x	x	x	x	x	1	5	10
01	x	x	x	x	x	-	3	9
02	x	x	x	x	x	1	2	7
03	x	x	x	x	x	-	2	7
04	x	x	x	x	x	-	1	8
05	x	x	x	x	x	-	3	10
06	x	x	x	x	x	-	4	9
07	x	x	x	x	x	-	3	8
08	x	x	x	x	x	-	2	9
09	x	x	x	x	x	-	1	5
10	x	x	x	x	x	-	2	7
11	x	x	x	x	x	1	2	6
12								
13	x	x	x	x	x	x	x	x
14	x	x	x	x	x	x	x	x
15								
16								
17								
18								
19								
20								
21								
22	x	x	x	x	x	1	5	11
23	x	x	x	x	x	1	3	12
MEAN	x	x	x	x	x	0)	3)	8)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAKO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

NUMBER OF FORWARD SCATTER: RWY22

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<500	<550	<800	<1600	<1500	<3200	<5000
	-	<100	<200	<600	-	<600	<1000	<1500
00	-	-	-	2	1	2	9	17
01	-	-	-	1	-	1	9	12
02	-	-	-	1	1	1	7	15
03	-	-	-	1	1	1	9	13
04	-	-	-	1	-	1	5	13
05	-	-	-	-	-	-	7	15
06	-	-	-	1	-	1	7	15
07	-	-	-	1	-	1	8	13
08	-	-	-	1	-	1	9	11
09	-	-	-	3	-	3	7	13
10	-	-	-	4	-	5	8	17
11	-	-	-	3	-	3	7	14
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	1	5	1	4	9	13
23	-	-	-	4	1	4	10	14
MEAN	-	-	0	2	0	2	8	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAKO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

NUMBER OF FORWARD SCATTER: RWY22

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<500	<550	<800	<1600	<1500	<3200	<5000
	-	<100	<200	<600	-	<600	<1000	<1500
00	-	-	-	1	-	1	3	12
01	-	-	-	-	1	-	5	18
02	-	-	-	1	-	1	3	14
03	-	-	-	1	-	1	3	18
04	-	-	-	1	3	1	6	15
05	-	-	-	1	2	1	5	16
06	-	-	-	1	-	1	5	15
07	-	-	-	1	1	1	5	12
08	-	-	-	1	-	1	5	15
09	-	-	-	-	-	-	5	12
10	-	-	-	-	1	1	5	12
11	-	-	-	1	1	1	5	10
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	3	-	3	12	19
23	-	-	-	1	-	1	4	10
MEAN	-	-	-	1	1	1	5	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAKO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

NUMBER OF FORWARD SCATTER: RWY22

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<500	<550	<800	<1600	<1500	<3200	<5000
	-	<100	<200	<600	-	<600	<1000	<1500
00	-	-	-	-	1	-	1	10
01	0)	0)	0)	1)	1)	1	1	11
02	-	-	-	-	1	-	1	11
03	-	-	-	-	-	-	1	9
04	-	-	-	-	-	-	1	9
05	0)	0)	0)	0)	1)	-	3	9
06	-	-	-	-	-	-	2	7
07	-	-	1	1	2	1	2	7
08	-	-	-	-	-	-	1	5
09	-	-	-	1	1	1	1	5
10	-	-	-	1	-	1	2	6
11	-	-	-	-	-	-	1	3
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	1	9
23	-	-	-	-	-	-	2	9
MEAN	0)	0)	0)	0)	0)	0	1	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAKO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

NUMBER OF FORWARD SCATTER: RWY22

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<500	<550	<800	<1600	<1500	<3200	<5000
	-	<100	<200	<600	-	<600	<1000	<1500
00	-	-	-	-	-	-	1	5
01	-	-	-	-	1	-	1	5
02	-	-	-	-	1	-	2	4
03	-	-	-	-	-	-	1	3
04	-	-	-	1	1	1	2	3
05	-	-	-	-	1	-	2	3
06	-	-	-	-	1	-	1	3
07	-	-	-	-	1	-	1	5
08	-	-	-	-	1	-	1	5
09	0)	0)	0)	0)	0)	-	2	5
10	-	-	-	-	-	-	1	3
11	-	-	-	-	-	-	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	-	2	5
23	-	-	-	-	1	-	1	3
MEAN	0)	0)	0)	0)	1)	0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAKO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

NUMBER OF FORWARD SCATTER: RWY22

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<500	<550	<800	<1600	<1500	<3200	<5000
	-	<100	<200	<600	-	<600	<1000	<1500
00	-	-	-	-	-	-	-	2
01	0)	0)	0)	0)	0)	-	1	5
02	-	-	-	-	1	-	1	7
03	-	-	-	1	1	1	2	6
04	-	-	1	1	1	1	2	6
05	1	1	1	1	3	1	2	8
06	-	-	-	1	1	1	1	4
07	-	-	-	1	1	-	1	5
08	-	-	-	-	-	-	-	4
09	-	-	-	-	1	-	2	5
10	-	-	-	-	-	-	1	3
11	-	-	-	-	-	-	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	1	1	2	5
23	-	-	-	1	1	1	1	5
MEAN	0)	0)	0)	0)	1)	0	1	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAKO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

NUMBER OF FORWARD SCATTER: RWY22

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<500	<550	<800	<1600	<1500	<3200	<5000
	-	<100	<200	<600	-	<600	<1000	<1500
00	-	-	-	-	1	1	1	5
01	0)	0)	0)	0)	1)	-	1	4
02	-	-	-	-	1	-	1	3
03	-	-	-	-	-	-	-	3
04	-	-	-	-	1	-	-	3
05	0)	0)	0)	0)	1)	1	2	6
06	0)	0)	0)	0)	1)	-	1	3
07	-	-	-	-	1	1	3	3
08	-	-	-	1	1	-	1	3
09	-	-	-	-	1	1	1	2
10	-	-	-	1	1	1	1	2
11	-	1	1	1	1	1	1	2
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	1	2	-	3	6
23	-	-	-	1	1	-	1	5
MEAN	0)	0)	0)	0)	1)	0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAKO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

NUMBER OF FORWARD SCATTER: RWY22

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<500	<550	<800	<1600	<1500	<3200	<5000
	-	<100	<200	<600	-	<600	<1000	<1500
00	0)	0)	0)	0)	0)	-	1	5
01	0)	0)	0)	0)	1)	-	3	6
02	0)	0)	0)	0)	0)	-	1	4
03	0)	0)	0)	0)	1)	-	-	5
04	0)	0)	0)	0)	0)	-	1	7
05	0)	0)	0)	0)	1)	-	1	6
06	0)	0)	0)	0)	1)	-	2	6
07	0)	0)	0)	1)	0)	1	1	4
08	0)	0)	0)	1)	1)	1	3	4
09	0)	0)	0)	1)	1)	1	1	5
10	0)	0)	0)	0)	0)	-	1	3
11	0)	0)	0)	0)	1)	-	2	4
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	0)	0)	-	-	3
23	0)	0)	0)	0)	0)	-	1	6
MEAN	0)	0)	0)	0)	0)	0	1	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAKO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

NUMBER OF FORWARD SCATTER: RWY22

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<500	<550	<800	<1600	<1500	<3200	<5000
	-	<100	<200	<600	-	<600	<1000	<1500
00	0)	0)	0)	0)	1)	-	1	4
01	0)	0)	0)	0)	0)	-	1	2
02	0)	0)	0)	0)	0)	-	1	3
03	-	-	-	-	-	-	1	3
04	-	1	1	1	1	1	2	7
05	-	-	-	1	1	1	1	4
06	-	-	-	-	1	-	1	8
07	-	-	-	-	1	-	3	6
08	-	-	-	-	-	-	2	4
09	-	-	-	-	-	-	4	7
10	-	-	-	-	-	-	1	2
11	-	-	-	-	-	-	-	3
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	1)	1)	-	2	6
23	0)	0)	0)	0)	0)	-	1	3
MEAN	0)	0)	0)	0)	0)	0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAKO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

NUMBER OF FORWARD SCATTER: RWY22

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<500	<550	<800	<1600	<1500	<3200	<5000
	-	<100	<200	<600	-	<600	<1000	<1500
00	-	-	-	1	2	-	5	6
01	-	-	-	-	1	-	3	6
02	-	-	-	-	1	-	3	6
03	-	-	-	-	1	-	2	5
04	-	-	-	1	1	-	1	6
05	0)	0)	0)	0)	0)	-	1	4
06	-	-	-	-	-	-	1	3
07	-	-	-	-	-	-	1	6
08	-	-	-	-	-	-	2	6
09	-	-	-	-	-	-	2	6
10	-	-	-	-	-	-	1	3
11	-	-	-	-	-	-	1	4
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	1	-	3	7
23	-	-	-	-	-	-	1	4
MEAN	0)	0)	0)	0)	1)	-	2	5

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: MIYAKO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

NUMBER OF FORWARD SCATTER: RWY22

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<500	<550	<800	<1600	<1500	<3200	<5000
	-	<100	<200	<600	-	<600	<1000	<1500
00	0)	0)	0)	0)	1)	0	3	7
01	0)	0)	0)	0)	1)	0	3	8
02	0)	0)	0)	0)	1)	0	2	7
03	0)	0)	0)	0)	0)	0	2	7
04	0)	0)	0)	1)	1)	1	2	7
05	0)	0)	0)	0)	1)	0	3	8
06	0)	0)	0)	0)	0)	0	2	7
07	0)	0)	0)	0)	1)	0	3	7
08	0)	0)	0)	0)	0)	0	2	7
09	0)	0)	0)	0)	0)	0	2	7
10	0)	0)	0)	0)	0)	1	2	6
11	0)	0)	0)	0)	0)	0	2	5
12								
13	×	×	×	×	×	×	×	×
14	×	×	×	×	×	×	×	×
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	1)	1)	1	4	8
23	0)	0)	0)	1)	0)	1	3	7
MEAN	0)	0)	0)	0)	0)	0)	2)	7)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAKO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<900	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	1	3	5
01	-	-	-	-	1	1	3	5
02	-	-	-	-	-	1	3	6
03	-	-	-	-	-	1	3	5
04	-	-	-	1	1	1	2	5
05	-	1	1	1	1	2	2	4
06	-	-	-	-	1	2	3	6
07	-	-	-	-	-	1	1	3
08	-	-	-	-	-	1	3	5
09	-	-	-	-	-	-	1	3
10	-	-	-	-	-	-	1	5
11	-	-	-	-	-	-	1	3
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	2	3
23	-	-	-	-	-	-	2	3
MEAN	-	0	0	0	0	1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAKO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<900	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	4
01	-	-	-	-	-	-	1	4
02	-	-	-	-	-	-	-	1
03	-	-	-	-	-	-	1	2
04	-	-	1	1	1	1	1	3
05	-	-	-	-	-	-	1	2
06	-	-	-	-	1	1	1	2
07	-	-	-	-	-	-	3	4
08	-	-	-	-	-	1	1	6
09	-	-	-	-	-	1	1	4
10	-	-	-	-	-	-	-	6
11	-	-	-	-	-	-	1	3
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	1	1	5
23	-	-	-	-	-	2	3	6
MEAN	-	-	0	0	0	0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAKO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<900	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	1	3
01	-	-	-	-	-	1	1	2
02	-	1	1	1	1	1	1	3
03	-	-	-	-	-	-	1	1
04	-	-	-	-	1	1	1	1
05	-	-	-	-	-	-	1	2
06	-	-	-	-	-	-	1	2
07	-	-	-	-	-	-	-	1
08	-	-	-	-	1	1	1	3
09	-	-	-	-	-	1	1	1
10	-	-	-	-	-	-	-	3
11	-	-	-	-	-	-	-	2
12								
13	×	×	×	×	×	×	×	×
14	×	×	×	×	×	×	×	×
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	1	2	5
23	-	-	-	-	-	-	1	5
MEAN	0)	0)	0)	0)	0)	0)	1)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAKO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<900	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	1	1	2	3
01	-	-	-	-	-	1	1	1
02	-	-	1	1	1	1	1	2
03	-	-	-	1	1	1	3	3
04	-	-	-	-	-	-	-	1
05	-	-	-	-	-	-	-	3
06	-	-	-	-	-	-	1	2
07	-	-	-	-	-	1	1	3
08	-	-	-	-	-	-	2	2
09	-	-	-	-	-	-	1	3
10	-	1	1	1	1	1	1	3
11	-	-	-	-	-	1	1	2
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	1	1	3	5
23	-	-	-	-	1	1	2	3
MEAN	-	0	0	0	0	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAKO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<900	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	1	3
01	-	-	-	-	-	1	1	3
02	-	-	-	-	-	1	2	3
03	-	-	-	-	-	-	1	1
04	-	1	1	1	1	3	4	5
05	-	-	-	-	1	1	2	4
06	-	-	-	-	-	-	1	5
07	-	-	-	-	-	1	3	5
08	-	-	-	-	-	1	2	4
09	-	-	-	-	-	-	1	3
10	-	1	1	1	1	1	1	3
11	-	-	-	-	-	1	1	3
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	1	2
23	-	-	-	-	-	-	-	1
MEAN	-	0	0	0	0	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAKO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<400	<900	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	3
01	-	-	1	1	1	1	1	1
02	-	-	-	-	1	1	1	1
03	-	-	-	-	-	-	1	1
04	-	-	-	-	-	-	-	-
05	-	-	-	-	-	1	2	2
06	-	-	-	-	-	1	1	1
07	-	-	1	1	1	1	1	1
08	-	-	-	-	-	-	1	1
09	-	-	-	-	-	1	1	1
10	-	-	-	-	-	1	1	3
11	-	-	-	-	-	-	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	-	1
23	-	-	-	-	-	-	-	1
MEAN	-	-	0	0	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAKO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<900	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	1	2
01	-	-	-	-	1	1	1	2
02	-	-	-	-	-	1	1	2
03	-	-	-	-	-	1	1	1
04	-	-	1	1	1	1	2	2
05	-	-	-	-	1	1	2	2
06	-	-	-	-	1	1	1	2
07	-	-	-	-	-	-	1	3
08	-	-	-	-	-	-	1	2
09	-	-	-	-	-	1	2	3
10	-	-	-	-	-	1	1	2
11	-	-	-	-	-	1	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	1	2	2
23	-	-	-	-	1	1	1	1
MEAN	-	-	0	0	0	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAKO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<900	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	-	1
01	-	-	-	-	1	1	1	2
02	-	-	-	-	-	1	1	2
03	-	-	1	1	1	1	2	3
04	-	-	1	1	1	1	2	3
05	-	-	1	1	1	1	2	4
06	-	-	1	1	1	1	1	3
07	-	-	-	-	-	1	1	3
08	-	-	-	-	-	-	-	-
09	-	-	-	-	-	1	2	3
10	-	-	-	-	-	1	1	1
11	-	-	-	-	-	-	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	1	1	2	3
23	-	-	-	-	-	1	1	2
MEAN	-	-	0	0	0	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAKO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<900	<1200	<1500	<1600	<2400	<3200	<5000
00	-	1	1	1	1	1	1	3
01	-	-	-	-	1	1	1	1
02	-	-	-	-	-	1	1	1
03	-	-	-	-	-	-	-	2
04	-	-	-	-	-	-	-	1
05	-	-	1	1	1	2	2	2
06	-	-	-	-	-	-	1	1
07	-	-	1	1	1	1	3	3
08	-	-	-	-	1	1	1	1
09	-	-	1	1	1	1	1	1
10	-	1	1	1	1	1	1	1
11	-	1	1	1	1	1	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	3	4
23	-	-	-	-	-	-	1	3
MEAN	-	0	0	0	0	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAKO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<900	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	-	1	3
01	-	-	-	-	-	1	3	3
02	-	-	-	-	-	-	-	1
03	-	-	-	-	-	-	-	-
04	-	-	-	-	-	-	1	1
05	-	-	-	-	-	-	1	3
06	-	-	-	-	-	-	1	3
07	-	-	-	-	-	1	1	2
08	-	-	-	-	1	2	2	3
09	-	-	1	1	1	1	1	1
10	-	-	-	-	-	-	1	2
11	-	-	-	-	1	1	1	1
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	-	1
23	-	-	-	-	-	-	-	4
MEAN	-	-	0	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAKO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<900	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	1	1	3
01	-	-	-	-	-	-	1	1
02	-	-	-	-	-	-	-	1
03	-	-	-	-	-	-	1	2
04	-	-	1	1	1	1	2	5
05	-	-	-	-	-	-	1	2
06	-	-	-	-	-	-	1	3
07	-	-	-	-	-	-	2	4
08	-	-	-	-	-	-	2	3
09	-	-	-	-	-	1	4	6
10	-	-	-	-	-	-	1	1
11	-	-	-	-	-	-	-	1
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	-	2	3
23	-	-	-	-	-	1	1	1
MEAN	-	-	0	0	0	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAKO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<900	<1200	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	1	1	4	5
01	-	-	-	-	1	1	3	5
02	-	-	-	-	-	1	3	6
03	-	-	-	-	-	1	2	5
04	-	-	-	-	-	-	1	5
05	-	-	-	-	-	-	1	1
06	-	-	-	-	-	1	1	2
07	-	-	-	-	-	-	1	3
08	-	-	-	-	-	1	2	4
09	-	-	-	-	-	1	2	5
10	-	-	-	-	-	-	-	2
11	-	-	-	-	-	-	1	4
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	-	1	3	5
23	-	-	-	-	-	-	1	3
MEAN	-	-	-	-	0	1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: MIYAKO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<900	<1200	<1500	<1600	<2400	<3200	<5000
00	-	0	0	0	0	0	1	3
01	-	-	0	0	0	1	2	3
02	-	0	0	0	0	0	1	3
03	-	-	0	0	0	0	1	2
04	-	0	0	0	0	1	1	3
05	-	0	0	0	0	1	1	3
06	-	-	0	0	0	0	1	3
07	-	-	0	0	0	0	2	3
08	-	-	-	-	0	0	1	3
09	-	-	0	0	0	1	1	3
10	-	0	0	0	0	0	1	3
11	-	0	0	0	0	0	1	2
12								
13	×	×	×	×	×	×	×	×
14	×	×	×	×	×	×	×	×
15								
16								
17								
18								
19								
20								
21								
22	-	-	-	-	0	0	2	3
23	-	-	-	-	0	0	1	3
MEAN	0)	0)	0)	0)	0)	0)	1)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAKO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	3	5	
01	-	-	-	1	2	3	
02	-	-	-	-	1	3	
03	-	-	-	-	1	4	
04	-	-	1	1	1	3	
05	-	-	-	-	2	5	
06	-	-	-	-	-	5	
07	-	-	-	-	1	6	
08	-	-	-	-	1	5	
09	-	-	-	-	1	5	
10	-	-	-	-	1	5	
11	-	-	-	-	-	3	
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	3	
23	-	-	-	1	1	3	
MEAN	-	-	0	0	1	4	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAKO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	1	5	
01	-	-	-	-	2	4	
02	-	-	-	1	1	4	
03	-	-	-	1	1	4	
04	-	-	1	1	1	3	
05	-	-	-	1	1	3	
06	-	-	-	-	1	4	
07	-	-	-	-	1	6	
08	-	-	-	-	1	5	
09	-	-	-	-	1	6	
10	-	-	-	-	1	4	
11	-	-	-	-	1	5	
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	1	6	
23	-	-	1	1	3	8	
MEAN	-	-	0	0	1	5	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAKO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	1	3	9	
01	-	-	-	-	3	8	
02	-	-	-	1	1	6	
03	-	-	-	-	1	6	
04	-	-	-	-	1	8	
05	-	-	-	-	1	9	
06	-	-	-	-	3	8	
07	-	-	-	-	3	7	
08	-	-	-	-	1	7	
09	-	-	-	-	1	5	
10	-	-	-	-	2	5	
11	-	-	-	1	2	5	
12							
13	×	×	×	×	×	×	
14	×	×	×	×	×	×	
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	3	8	
23	-	-	1	1	2	10	
MEAN	0)	0)	0)	0)	2)	7)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAKO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	2	9	15	
01	-	-	-	1	9	12	
02	-	-	-	1	7	15	
03	-	-	-	1	8	13	
04	-	-	-	1	5	12	
05	-	-	-	-	7	13	
06	-	-	-	1	7	15	
07	-	-	-	1	7	12	
08	-	-	-	1	8	11	
09	-	-	-	3	7	12	
10	-	-	3	4	7	15	
11	-	-	2	3	5	13	
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	3	4	8	13	
23	-	-	3	4	9	13	
MEAN	-	-	1	2	7	13	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAKO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	1	2	12	
01	-	-	-	-	3	17	
02	-	-	1	1	3	13	
03	-	-	-	1	3	17	
04	-	-	-	1	3	14	
05	-	-	-	1	4	15	
06	-	-	1	1	4	12	
07	-	-	-	1	3	10	
08	-	-	-	1	3	14	
09	-	-	-	-	4	10	
10	-	-	-	-	4	11	
11	-	-	-	1	3	8	
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	3	11	19	
23	-	-	-	1	4	8	
MEAN	-	-	0	1	4	13	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAKO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	1	10	
01	-	-	-	-	-	11	
02	-	-	-	-	1	11	
03	-	-	-	-	-	7	
04	-	-	-	-	1	9	
05	-	-	-	-	1	7	
06	-	-	-	-	1	7	
07	-	-	-	-	1	7	
08	-	-	-	-	1	4	
09	-	-	-	1	1	4	
10	-	-	-	1	1	5	
11	-	-	-	-	-	3	
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	9	
23	-	-	-	-	2	8	
MEAN	-	-	-	0	1	7	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAKO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	1	3	
01	-	-	-	-	1	3	
02	-	-	-	-	1	3	
03	-	-	-	-	1	3	
04	-	-	-	1	1	3	
05	-	-	-	-	-	3	
06	-	-	-	-	1	1	
07	-	-	-	-	-	4	
08	-	-	-	-	-	4	
09	-	-	-	-	-	4	
10	-	-	-	-	-	2	
11	-	-	-	-	-	1	
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	1	4	
23	-	-	-	-	1	3	
MEAN	-	-	-	0	0	3	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAKO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	-	1	
01	-	-	-	-	-	4	
02	-	-	-	-	-	5	
03	-	-	-	-	-	5	
04	-	-	-	-	-	5	
05	-	-	-	-	1	6	
06	-	-	-	-	-	2	
07	-	-	-	-	-	3	
08	-	-	-	-	-	4	
09	-	-	-	-	-	2	
10	-	-	-	-	-	2	
11	-	-	-	-	-	1	
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	1	1	1	4	
23	-	-	-	1	1	4	
MEAN	-	-	0	0	0	3	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAKO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	-	4	
01	-	-	-	-	-	3	
02	-	-	-	-	-	2	
03	-	-	-	-	-	3	
04	-	-	-	-	-	2	
05	-	-	-	-	-	5	
06	-	-	-	-	-	3	
07	-	-	-	-	-	1	
08	-	-	-	-	-	3	
09	-	-	-	-	-	1	
10	-	-	-	-	-	2	
11	-	-	-	-	-	1	
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	3	
23	-	-	-	-	-	3	
MEAN	-	-	-	-	-	3	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAKO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	1	4	
01	-	-	-	-	1	5	
02	-	-	-	-	1	3	
03	-	-	-	-	-	5	
04	-	-	-	-	-	6	
05	-	-	-	-	1	5	
06	-	-	-	-	1	5	
07	-	-	-	1	1	3	
08	-	-	1	1	1	2	
09	-	-	1	1	1	4	
10	-	-	-	-	1	2	
11	-	-	-	-	1	3	
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	2	
23	-	-	-	-	1	3	
MEAN	-	-	0	0	1	3	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAKO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	1	1	
01	-	-	-	-	-	1	
02	-	-	-	-	1	2	
03	-	-	-	-	-	2	
04	-	-	-	-	-	3	
05	-	-	-	1	1	3	
06	-	-	-	-	1	5	
07	-	-	-	-	1	3	
08	-	-	-	-	1	2	
09	-	-	-	-	1	3	
10	-	-	-	-	-	1	
11	-	-	-	-	-	2	
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	4	
23	-	-	-	-	-	1	
MEAN	-	-	-	0	0	3	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAKO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	-	1	4	
01	-	-	-	-	1	4	
02	-	-	-	-	1	3	
03	-	-	-	-	-	3	
04	-	-	-	-	-	3	
05	-	-	-	-	-	3	
06	-	-	-	-	-	2	
07	-	-	-	-	1	6	
08	-	-	-	-	1	4	
09	-	-	-	-	-	1	
10	-	-	-	-	1	3	
11	-	-	-	-	1	2	
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	-	-	-	-	-	5	
23	-	-	-	-	-	2	
MEAN	-	-	-	-	0	3	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: MIYAKO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 14

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<500	<600	<1000	<1500	-
00	-	-	-	0	2	6	
01	-	-	-	0	2	6	
02	-	-	0	0	1	6	
03	-	-	-	0	1	6	
04	-	-	0	0	1	6	
05	-	-	-	0	1	6	
06	-	-	0	0	1	6	
07	-	-	-	0	1	6	
08	-	-	0	0	1	5	
09	-	-	0	0	1	5	
10	-	-	0	0	1	5	
11	-	-	0	0	1	4	
12							
13	×	×	×	×	×	×	
14	×	×	×	×	×	×	
15							
16							
17							
18							
19							
20							
21							
22	-	-	0	1	2	7	
23	-	-	0	1	2	5	
MEAN	0)	0)	0)	0)	1)	6)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAKO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	2)	9)	12)	2)	0)	0)	0)	0)	0)	0)	0)	25)
[02-03-04]	3)	10)	12)	2)	0)	0)	0)	0)	0)	0)	0)	27)
[05-06-07]	2)	7)	6)	1)	0)	0)	0)	0)	0)	0)	0)	16)
[08-09-10]	3)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[11-12-13]	2)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[14-15-16]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[17-18-19]	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[32-33-34]	1)	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	2)
TOTAL	16)	39)	37)	7)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAKO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	8)	11)	2)	0)	0)	0)	0)	0)	0)	0)	22)
[02-03-04]	1)	9)	8)	2)	0)	0)	0)	0)	0)	0)	0)	19)
[05-06-07]	1)	7)	5)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[08-09-10]	2)	5)	3)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[11-12-13]	2)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[14-15-16]	1)	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[17-18-19]	1)	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[20-21-22]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
TOTAL	12)	43)	37)	8)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAKO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	6)	8)	2)	0)	0)	0)	0)	0)	0)	0)	16)
[02-03-04]	1)	6)	6)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[05-06-07]	1)	7)	6)	1)	0)	0)	0)	0)	0)	0)	0)	15)
[08-09-10]	2)	6)	3)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[11-12-13]	3)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[14-15-16]	2)	5)	3)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[17-18-19]	2)	6)	4)	2)	0)	0)	0)	0)	0)	0)	0)	13)
[20-21-22]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[23-24-25]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[32-33-34]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
TOTAL	15)	44)	35)	7)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAKO AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	1	0	-	-	-	-	-	-	-	-	-	1
[35-36-01]	1	4	4	0	0	-	-	-	-	-	-	11
[02-03-04]	2	5	4	1	-	-	-	-	-	-	-	12
[05-06-07]	2	6	5	0	-	-	-	-	-	-	-	13
[08-09-10]	2	4	3	0	-	-	-	-	-	-	-	10
[11-12-13]	3	4	2	0	-	-	-	-	-	-	-	8
[14-15-16]	3	5	3	1	-	-	-	-	-	-	-	11
[17-18-19]	1	8	6	1	0	-	-	-	-	-	-	17
[20-21-22]	1	3	4	2	0	-	-	-	-	-	-	10
[23-24-25]	1	2	0	0	-	-	-	-	-	-	-	3
[26-27-28]	0	0	0	-	-	-	-	-	-	-	-	1
[29-30-31]	0	0	0	-	-	-	-	-	-	-	-	1
[32-33-34]	0	1	0	0	-	-	-	-	-	-	-	2
TOTAL	18	44	32	5	0	-	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAKO AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	1	0	-	-	-	-	-	-	-	-	-	1
[35-36-01]	1	2	1	0	-	-	-	-	-	-	-	5
[02-03-04]	3	4	2	0	-	-	-	-	-	-	-	9
[05-06-07]	3	8	5	0	0	-	-	-	-	-	-	16
[08-09-10]	4	5	2	0	-	-	-	-	-	-	-	11
[11-12-13]	3	3	2	0	0	-	0	-	-	-	-	9
[14-15-16]	2	3	3	0	-	-	-	-	-	-	-	7
[17-18-19]	2	7	4	1	0	-	-	-	-	-	0	14
[20-21-22]	1	6	7	3	0	-	-	-	-	-	-	17
[23-24-25]	1	2	1	0	0	-	-	-	-	-	-	4
[26-27-28]	1	1	0	0	0	-	-	-	-	-	-	2
[29-30-31]	1	1	-	-	-	-	-	-	-	-	-	1
[32-33-34]	0	1	0	-	-	-	-	-	-	-	-	2
TOTAL	23	45	27	5	0	-	0	-	-	-	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAKO AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	1	-	-	-	-	-	-	-	-	-	-	1
[35-36-01]	1	1	0	0	-	-	-	-	-	-	-	2
[02-03-04]	1	2	0	0	-	-	-	-	-	-	-	4
[05-06-07]	2	4	1	0	-	-	-	-	-	-	-	7
[08-09-10]	2	2	1	-	-	-	-	-	-	-	-	4
[11-12-13]	2	2	1	0	-	-	-	-	-	-	-	4
[14-15-16]	3	3	1	0	0	-	-	-	-	-	-	7
[17-18-19]	4	12	11	3	0	0	-	-	-	-	-	30
[20-21-22]	1	8	14	8	0	0	0	-	-	-	-	31
[23-24-25]	1	3	3	1	0	0	-	-	-	-	-	7
[26-27-28]	0	0	0	-	-	-	-	-	-	-	-	0
[29-30-31]	0	0	0	-	-	-	-	-	-	-	-	1
[32-33-34]	1	1	0	-	-	-	-	-	-	-	-	2
TOTAL	18	37	32	12	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAKO AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[02-03-04]	1)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[05-06-07]	1)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[08-09-10]	2)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[11-12-13]	4)	6)	3)	1)	0)	0)	0)	0)	0)	0)	0)	14)
[14-15-16]	5)	6)	3)	1)	0)	0)	0)	0)	0)	0)	0)	16)
[17-18-19]	4)	9)	7)	2)	0)	0)	0)	0)	0)	0)	0)	22)
[20-21-22]	1)	6)	7)	3)	1)	0)	0)	0)	0)	0)	0)	19)
[23-24-25]	1)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[26-27-28]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	22)	37)	27)	9)	2)	1)	1)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAKO AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1
VARIABLE	3	0	-	-	-	-	-	-	-	-	-	3
[35-36-01]	2	3	1	0	0	-	-	-	-	-	-	6
[02-03-04]	2	3	1	0	-	-	-	-	-	-	-	6
[05-06-07]	2	5	2	0	0	0	0	0	-	-	-	10
[08-09-10]	4	3	2	1	0	-	0	0	-	-	-	10
[11-12-13]	6	2	1	1	1	0	0	-	-	-	-	11
[14-15-16]	5	4	2	1	1	0	0	-	-	-	-	13
[17-18-19]	3	6	4	2	1	0	0	0	0	-	0	17
[20-21-22]	1	4	3	3	0	0	-	-	-	-	0	12
[23-24-25]	1	2	0	0	0	0	0	0	-	-	-	4
[26-27-28]	1	0	0	0	0	-	-	-	-	-	-	2
[29-30-31]	0	1	1	0	0	-	-	-	-	-	-	2
[32-33-34]	1	2	1	0	-	-	-	-	-	-	-	4
TOTAL	32	34	19	9	4	1	0	0	0	-	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAKO AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	2	-	-	-	-	-	-	-	-	-	-	2
[35-36-01]	3	5	2	1	-	-	0	-	-	-	-	10
[02-03-04]	4	8	4	1	0	-	-	0	-	-	-	16
[05-06-07]	4	9	5	2	0	0	0	-	0	-	-	21
[08-09-10]	6	4	1	1	0	0	0	-	0	0	0	13
[11-12-13]	5	2	1	1	0	0	0	-	-	-	-	9
[14-15-16]	2	1	1	1	0	0	-	-	-	-	-	6
[17-18-19]	2	2	1	1	0	-	-	-	-	-	-	6
[20-21-22]	1	2	0	1	0	-	-	-	-	-	-	4
[23-24-25]	1	1	1	1	0	-	-	-	-	-	-	4
[26-27-28]	1	1	1	-	-	-	-	-	-	-	-	2
[29-30-31]	1	1	0	0	-	0	0	0	-	-	-	2
[32-33-34]	1	2	1	0	0	0	-	-	-	0	0	5
TOTAL	32	37	19	9	2	1	0	0	0	0	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAKO AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	4)	8)	4)	1)	0)	0)	0)	0)	0)	0)	18)
[02-03-04]	5)	11)	13)	4)	0)	0)	0)	0)	0)	0)	0)	33)
[05-06-07]	3)	10)	9)	1)	0)	0)	0)	0)	0)	0)	0)	22)
[08-09-10]	3)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[11-12-13]	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	0)	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	4)
TOTAL	17)	34)	35)	11)	2)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAKO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	6)	6)	1)	0)	0)	0)	0)	0)	0)	0)	15)
[02-03-04]	3)	8)	13)	2)	0)	0)	0)	0)	0)	0)	0)	25)
[05-06-07]	3)	10)	9)	1)	0)	0)	0)	0)	0)	0)	0)	23)
[08-09-10]	3)	6)	5)	1)	0)	0)	0)	0)	0)	0)	0)	15)
[11-12-13]	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[14-15-16]	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[17-18-19]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[32-33-34]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	18)	39)	37)	5)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAKO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	2)	6)	14)	3)	0)	0)	0)	0)	0)	0)	0)	25)
[02-03-04]	2)	9)	13)	1)	0)	0)	0)	0)	0)	0)	0)	26)
[05-06-07]	1)	8)	11)	2)	0)	0)	0)	0)	0)	0)	0)	22)
[08-09-10]	2)	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	11)
[11-12-13]	1)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[14-15-16]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[20-21-22]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	0)	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
TOTAL	11)	34)	47)	7)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: MIYAKO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	1)	4)	6)	1)	0)	0)	0)	0)	0)	0)	0)	13)
[02-03-04]	2)	6)	6)	1)	0)	0)	0)	0)	0)	0)	0)	16)
[05-06-07]	2)	7)	6)	1)	0)	0)	0)	0)	0)	0)	0)	15)
[08-09-10]	3)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[11-12-13]	3)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[14-15-16]	2)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[17-18-19]	2)	5)	4)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[20-21-22]	1)	3)	3)	2)	0)	0)	0)	0)	0)	0)	0)	9)
[23-24-25]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
TOTAL	20)	39)	32)	8)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAKO AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	1	6	71	21	-	-	-
01	-	-	-	-	-	1	6	61	32	1	-	-
02	-	-	-	-	-	1	5	51	43	1	-	-
03	-	-	-	-	-	1	5	52	41	2	-	-
04	-	-	-	-	-	1	5	50	43	1	-	-
05	-	-	-	-	-	1	5	48	45	1	-	-
06	-	-	-	-	-	1	6	52	40	1	-	-
07	-	-	-	-	-	1	6	57	35	1	-	-
08	-	-	-	-	-	1	8	61	31	-	-	-
09	-	-	-	-	-	1	11	68	21	-	-	-
10	-	-	-	-	-	1	12	71	17	-	-	-
11	-	-	-	-	-	1	12	74	14	-	-	-
12	0)	0)	0)	0)	0)	1)	12)	75)	13)	0)	0)	0)
13	0)	0)	0)	0)	0)	1)	12)	76)	11)	0)	0)	0)
14	0)	0)	0)	0)	0)	1)	14)	75)	10)	0)	0)	0)
15	0)	0)	0)	0)	0)	1)	14)	74)	12)	0)	0)	0)
16	0)	0)	0)	0)	0)	1)	14)	75)	10)	0)	0)	0)
17	0)	0)	0)	0)	0)	1)	15)	73)	12)	0)	0)	0)
18	0)	0)	0)	0)	0)	1)	15)	72)	12)	0)	0)	0)
19	0)	0)	0)	0)	0)	2)	14)	70)	14)	0)	0)	0)
20	-	-	-	-	-	2	19	66	13	-	-	-
21	-	-	-	-	-	1	19	65	14	-	-	-
22	-	-	-	-	-	2	19	64	15	-	-	-
23	-	-	-	-	-	1	18	65	16	-	-	-
MEAN	0)	0)	0)	0)	0)	1)	11)	65)	22)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAKO AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	12	51	37	-	-	-
01	-	-	-	-	-	-	8	47	44	-	-	-
02	-	-	-	-	-	-	6	44	49	1	-	-
03	-	-	-	-	-	-	4	44	51	1	-	-
04	-	-	-	-	-	-	6	41	49	4	-	-
05	-	-	-	-	-	-	6	42	47	4	-	-
06	-	-	-	-	-	-	8	39	50	3	-	-
07	-	-	-	-	-	-	8	44	46	1	-	-
08	-	-	-	-	-	-	11	46	42	1	-	-
09	-	-	-	-	-	-	13	50	37	-	-	-
10	-	-	-	-	-	-	18	53	30	-	-	-
11	-	-	-	-	-	-	18	54	28	-	-	-
12	-	-	-	-	-	-	18	56	25	-	-	-
13	0)	0)	0)	0)	0)	0)	17)	58)	26)	0)	0)	0)
14	0)	0)	0)	0)	0)	0)	17)	60)	24)	0)	0)	0)
15	0)	0)	0)	0)	0)	0)	17)	61)	22)	0)	0)	0)
16	0)	0)	0)	0)	0)	0)	16)	61)	23)	0)	0)	0)
17	0)	0)	0)	0)	0)	1)	18)	57)	24)	0)	0)	0)
18	-	-	-	-	-	1	19	58	21	-	-	-
19	-	-	-	-	-	1	18	58	23	-	-	-
20	-	-	-	-	-	1	18	59	22	-	-	-
21	-	-	-	-	-	-	21	60	19	-	-	-
22	-	-	-	-	-	1	18	61	21	-	-	-
23	-	-	-	-	-	-	16	61	23	-	-	-
MEAN	0)	0)	0)	0)	0)	0)	14)	53)	33)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAKO AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	3	35	61	1	-	-
01	-	-	-	-	-	-	1	36	61	3	-	-
02	-	-	-	-	-	-	-	30	61	8	-	-
03	-	-	-	-	-	-	-	30	59	12	-	-
04	-	-	-	-	-	-	-	30	56	14	-	-
05	-	-	-	-	-	-	-	28	57	15	-	-
06	-	-	-	-	-	-	1	28	60	11	-	-
07	-	-	-	-	-	-	1	31	57	10	-	-
08	-	-	-	-	-	-	1	35	59	4	-	-
09	-	-	-	-	-	-	3	38	59	1	-	-
10	-	-	-	-	-	-	5	41	54	-	-	-
11	-	-	-	-	-	-	5	47	48	-	-	-
12	-	-	-	-	-	-	5	49	46	-	-	-
13	0)	0)	0)	0)	0)	0)	5)	49)	45)	0)	0)	0)
14	0)	0)	0)	0)	0)	0)	5)	50)	45)	0)	0)	0)
15	0)	0)	0)	0)	0)	0)	8)	45)	47)	0)	0)	0)
16	0)	0)	0)	0)	0)	0)	7)	53)	40)	0)	0)	0)
17	0)	0)	0)	0)	0)	0)	7)	54)	39)	0)	0)	0)
18	0)	0)	0)	0)	0)	0)	8)	56)	35)	0)	0)	0)
19	0)	0)	0)	0)	0)	0)	10)	52)	38)	0)	0)	0)
20	-	-	-	-	-	-	10	54	36	-	-	-
21	-	-	-	-	-	-	9	58	33	-	-	-
22	-	-	-	-	-	-	10	57	34	-	-	-
23	-	-	-	-	-	-	4	47	49	-	-	-
MEAN	0)	0)	0)	0)	0)	0)	4)	43)	49)	3)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: MIYAKO AIRPORT MONTH: APR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	9	67	23	-	-
01	-	-	-	-	-	-	-	9	63	28	-	-
02	-	-	-	-	-	-	-	7	55	38	-	-
03	-	-	-	-	-	-	-	6	53	41	-	-
04	-	-	-	-	-	-	-	5	51	44	-	-
05	-	-	-	-	-	-	-	4	54	42	-	-
06	-	-	-	-	-	-	-	6	52	42	-	-
07	-	-	-	-	-	-	-	7	53	41	-	-
08	-	-	-	-	-	-	-	9	61	30	-	-
09	-	-	-	-	-	-	-	12	67	21	-	-
10	-	-	-	-	-	-	-	17	71	12	-	-
11	-	-	-	-	-	-	-	21	70	9	-	-
12	-	-	-	-	-	-	-	22	69	9	-	-
13	-	-	-	-	-	-	1	22	69	7	-	-
14	-	-	-	-	-	-	1	23	69	7	-	-
15	-	-	-	-	-	-	1	25	67	7	-	-
16	-	-	-	-	-	-	2	25	67	5	-	-
17	-	-	-	-	-	-	2	30	62	6	-	-
18	-	-	-	-	-	-	3	29	63	6	-	-
19	-	-	-	-	-	-	4	25	65	5	-	-
20	-	-	-	-	-	-	3	27	65	4	-	-
21	-	-	-	-	-	-	3	28	65	4	-	-
22	-	-	-	-	-	-	3	26	66	5	-	-
23	-	-	-	-	-	-	1	14	77	9	-	-
MEAN	-	-	-	-	-	-	1	17	63	19	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: MIYAKO AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	1	31	67	1	-
01	-	-	-	-	-	-	-	1	28	68	3	-
02	-	-	-	-	-	-	-	1	19	73	8	-
03	-	-	-	-	-	-	-	1	17	75	7	-
04	-	-	-	-	-	-	-	1	19	71	10	-
05	-	-	-	-	-	-	-	-	23	68	9	-
06	-	-	-	-	-	-	-	1	23	68	9	-
07	-	-	-	-	-	-	-	1	27	66	6	-
08	-	-	-	-	-	-	-	1	28	68	3	-
09	-	-	-	-	-	-	-	3	34	61	2	-
10	-	-	-	-	-	-	-	4	43	54	-	-
11	-	-	-	-	-	-	-	4	48	48	-	-
12	-	-	-	-	-	-	-	4	50	46	-	-
13	-	-	-	-	-	-	-	5	54	42	-	-
14	-	-	-	-	-	-	-	4	55	41	-	-
15	-	-	-	-	-	-	-	3	58	39	-	-
16	-	-	-	-	-	-	-	3	57	40	-	-
17	-	-	-	-	-	-	-	5	56	39	-	-
18	-	-	-	-	-	-	-	3	59	38	-	-
19	-	-	-	-	-	-	-	3	61	36	-	-
20	-	-	-	-	-	-	-	4	57	39	-	-
21	-	-	-	-	-	-	-	4	59	37	-	-
22	-	-	-	-	-	-	-	2	49	49	-	-
23	-	-	-	-	-	-	-	1	39	60	-	-
MEAN	-	-	-	-	-	-	-	2	41	54	2	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: MIYAKO AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	3	70	27	-
01	-	-	-	-	-	-	-	-	1	51	48	-
02	-	-	-	-	-	-	-	-	2	42	56	-
03	-	-	-	-	-	-	-	-	1	39	60	-
04	-	-	-	-	-	-	-	-	1	38	61	-
05	-	-	-	-	-	-	-	-	1	38	61	-
06	-	-	-	-	-	-	-	-	1	41	57	-
07	-	-	-	-	-	-	-	-	4	41	55	-
08	-	-	-	-	-	-	-	-	4	50	46	-
09	-	-	-	-	-	-	-	-	3	77	20	-
10	-	-	-	-	-	-	-	-	4	91	5	-
11	-	-	-	-	-	-	-	-	3	97	-	-
12	-	-	-	-	-	-	-	-	3	97	-	-
13	-	-	-	-	-	-	-	-	3	97	-	-
14	-	-	-	-	-	-	-	-	6	94	-	-
15	-	-	-	-	-	-	-	-	5	95	-	-
16	-	-	-	-	-	-	-	-	7	93	-	-
17	-	-	-	-	-	-	-	-	8	92	-	-
18	-	-	-	-	-	-	-	-	9	91	-	-
19	-	-	-	-	-	-	-	-	9	91	-	-
20	-	-	-	-	-	-	-	-	11	89	-	-
21	-	-	-	-	-	-	-	-	11	89	-	-
22	-	-	-	-	-	-	-	-	5	95	-	-
23	-	-	-	-	-	-	-	-	3	89	9	-
MEAN	-	-	-	-	-	-	-	-	4	75	21	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: MIYAKO AIRPORT MONTH: JUL
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	-	53	47	-
01	-	-	-	-	-	-	-	-	-	26	74	-
02	-	-	-	-	-	-	-	-	-	19	81	-
03	-	-	-	-	-	-	-	-	-	14	86	-
04	-	-	-	-	-	-	-	-	-	18	82	-
05	-	-	-	-	-	-	-	-	-	17	83	-
06	-	-	-	-	-	-	-	-	-	21	79	-
07	-	-	-	-	-	-	-	-	-	25	75	-
08	-	-	-	-	-	-	-	-	-	28	72	-
09	-	-	-	-	-	-	-	-	1	54	45	-
10	-	-	-	-	-	-	-	-	1	93	6	-
11	-	-	-	-	-	-	-	-	-	100	-	-
12	-	-	-	-	-	-	-	-	1	99	-	-
13	-	-	-	-	-	-	-	-	1	99	-	-
14	-	-	-	-	-	-	-	-	1	99	-	-
15	0)	0)	0)	0)	0)	0)	0)	0)	0)	100)	0)	0)
16	-	-	-	-	-	-	-	-	1	99	-	-
17	-	-	-	-	-	-	-	-	3	97	-	-
18	-	-	-	-	-	-	-	-	2	98	-	-
19	-	-	-	-	-	-	-	-	5	95	-	-
20	-	-	-	-	-	-	-	-	4	96	-	-
21	-	-	-	-	-	-	-	-	5	95	-	-
22	-	-	-	-	-	-	-	-	-	100	-	-
23	-	-	-	-	-	-	-	-	-	86	14	-
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	1)	68)	31)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: MIYAKO AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	-	72	28	-
01	-	-	-	-	-	-	-	-	-	45	55	-
02	-	-	-	-	-	-	-	-	-	41	59	-
03	-	-	-	-	-	-	-	-	-	31	69	-
04	-	-	-	-	-	-	-	-	1	31	68	-
05	-	-	-	-	-	-	-	-	1	32	66	-
06	-	-	-	-	-	-	-	-	1	35	64	-
07	-	-	-	-	-	-	-	-	1	46	54	-
08	-	-	-	-	-	-	-	-	-	55	45	-
09	-	-	-	-	-	-	-	-	1	79	20	-
10	-	-	-	-	-	-	-	-	1	96	3	-
11	-	-	-	-	-	-	-	-	-	100	-	-
12	-	-	-	-	-	-	-	-	1	99	-	-
13	-	-	-	-	-	-	-	-	-	100	-	-
14	-	-	-	-	-	-	-	-	1	99	-	-
15	-	-	-	-	-	-	-	-	-	100	-	-
16	-	-	-	-	-	-	-	-	1	99	-	-
17	-	-	-	-	-	-	-	-	1	99	-	-
18	-	-	-	-	-	-	-	-	1	99	-	-
19	-	-	-	-	-	-	-	-	2	98	-	-
20	-	-	-	-	-	-	-	-	3	97	-	-
21	-	-	-	-	-	-	-	-	2	98	-	-
22	-	-	-	-	-	-	-	-	-	100	-	-
23	-	-	-	-	-	-	-	-	1	97	3	-
MEAN	-	-	-	-	-	-	-	-	1	77	22	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: MIYAKO AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	1	92	7	-
01	-	-	-	-	-	-	-	-	1	80	19	-
02	-	-	-	-	-	-	-	-	-	71	29	-
03	-	-	-	-	-	-	-	-	1	61	39	-
04	-	-	-	-	-	-	-	-	1	59	39	-
05	-	-	-	-	-	-	-	-	1	65	34	-
06	-	-	-	-	-	-	-	-	1	71	28	-
07	-	-	-	-	-	-	-	-	1	79	20	-
08	-	-	-	-	-	-	-	-	2	84	14	-
09	-	-	-	-	-	-	-	-	3	93	5	-
10	-	-	-	-	-	-	-	-	5	95	-	-
11	-	-	-	-	-	-	-	-	5	95	-	-
12	-	-	-	-	-	-	-	-	7	93	-	-
13	-	-	-	-	-	-	-	-	10	90	-	-
14	-	-	-	-	-	-	-	-	9	91	-	-
15	-	-	-	-	-	-	-	-	11	89	-	-
16	-	-	-	-	-	-	-	-	13	87	-	-
17	-	-	-	-	-	-	-	-	14	86	-	-
18	-	-	-	-	-	-	-	-	15	85	-	-
19	-	-	-	-	-	-	-	-	18	82	-	-
20	-	-	-	-	-	-	-	-	19	81	-	-
21	-	-	-	-	-	-	-	1	20	79	-	-
22	-	-	-	-	-	-	-	-	11	89	-	-
23	-	-	-	-	-	-	-	-	5	95	-	-
MEAN	-	-	-	-	-	-	-	0	7	83	10	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: MIYAKO AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	23	77	-	-
01	-	-	-	-	-	-	-	-	15	85	-	-
02	-	-	-	-	-	-	-	-	13	86	1	-
03	-	-	-	-	-	-	-	-	12	83	5	-
04	-	-	-	-	-	-	-	-	9	84	7	-
05	-	-	-	-	-	-	-	-	8	87	5	-
06	-	-	-	-	-	-	-	-	10	88	2	-
07	-	-	-	-	-	-	-	-	15	85	-	-
08	-	-	-	-	-	-	-	-	28	72	-	-
09	-	-	-	-	-	-	-	-	46	54	-	-
10	-	-	-	-	-	-	-	-	52	48	-	-
11	-	-	-	-	-	-	-	-	57	43	-	-
12	-	-	-	-	-	-	-	1	55	45	-	-
13	0)	0)	0)	0)	0)	0)	0)	0)	57)	43)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	1)	59)	39)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	0)	63)	38)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	0)	61)	39)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	1)	66)	33)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	1)	65)	33)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	1)	70)	29)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	0)	67)	33)	0)	0)
21	-	-	-	-	-	-	-	-	72	28	-	-
22	-	-	-	-	-	-	-	1	65	34	-	-
23	-	-	-	-	-	-	-	-	47	53	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	43)	56)	1)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAKO AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	8	61	30	-	-
01	-	-	-	-	-	-	1	6	53	41	-	-
02	-	-	-	-	-	-	-	7	49	44	-	-
03	-	-	-	-	-	-	-	7	45	48	-	-
04	-	-	-	-	-	-	-	7	45	49	-	-
05	-	-	-	-	-	-	-	7	46	47	-	-
06	-	-	-	-	-	-	-	9	51	40	-	-
07	-	-	-	-	-	-	-	11	57	33	-	-
08	-	-	-	-	-	-	-	13	66	21	-	-
09	-	-	-	-	-	-	1	14	76	9	-	-
10	-	-	-	-	-	-	-	16	79	5	-	-
11	-	-	-	-	-	-	1	15	81	3	-	-
12	-	-	-	-	-	-	-	17	80	3	-	-
13	-	-	-	-	-	-	-	16	81	3	-	-
14	-	-	-	-	-	-	1	13	83	3	-	-
15	-	-	-	-	-	-	1	14	82	3	-	-
16	0)	0)	0)	0)	0)	0)	1)	15)	83)	2)	0)	0)
17	0)	0)	0)	0)	0)	0)	1)	16)	82)	1)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	17)	81)	2)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	16)	82)	2)	0)	0)
20	-	-	-	-	-	-	2	13	82	3	-	-
21	-	-	-	-	-	-	2	15	81	2	-	-
22	-	-	-	-	-	-	2	13	83	2	-	-
23	-	-	-	-	-	-	1	9	80	10	-	-
MEAN	0)	0)	0)	0)	0)	0)	1)	12)	70)	17)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAKO AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	4	45	48	3	-	-
01	-	-	-	-	-	-	3	43	51	4	-	-
02	-	-	-	-	-	-	2	39	52	8	-	-
03	-	-	-	-	-	-	1	35	54	9	-	-
04	-	-	-	-	-	-	3	31	58	8	-	-
05	-	-	-	-	-	-	3	32	57	8	-	-
06	-	-	-	-	-	-	2	39	51	8	-	-
07	-	-	-	-	-	-	3	41	51	5	-	-
08	-	-	-	-	-	-	3	48	47	1	-	-
09	-	-	-	-	-	-	5	54	42	-	-	-
10	-	-	-	-	-	-	4	56	40	-	-	-
11	-	-	-	-	-	-	5	55	40	-	-	-
12	-	-	-	-	-	-	5	59	36	-	-	-
13	0)	0)	0)	0)	0)	0)	4)	54)	42)	0)	0)	0)
14	0)	0)	0)	0)	0)	0)	6)	56)	39)	0)	0)	0)
15	0)	0)	0)	0)	0)	0)	6)	57)	37)	0)	0)	0)
16	0)	0)	0)	0)	0)	0)	6)	56)	38)	0)	0)	0)
17	0)	0)	0)	0)	0)	0)	6)	57)	36)	0)	0)	0)
18	0)	0)	0)	0)	0)	0)	7)	56)	37)	0)	0)	0)
19	0)	0)	0)	0)	0)	0)	7)	56)	37)	0)	0)	0)
20	-	-	-	-	-	-	6	57	37	-	-	-
21	-	-	-	-	-	-	8	55	37	-	-	-
22	-	-	-	-	-	-	9	55	35	-	-	-
23	-	-	-	-	-	-	8	51	40	1	-	-
MEAN	0)	0)	0)	0)	0)	0)	5)	49)	43)	2)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: MIYAKO AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	0	2	18	29	41	9	-
01	-	-	-	-	-	0	2	17	29	36	17	-
02	-	-	-	-	-	0	1	15	28	36	20	-
03	-	-	-	-	-	0	1	14	28	35	22	-
04	-	-	-	-	-	0	1	14	28	35	22	-
05	-	-	-	-	-	0	1	13	28	35	22	-
06	-	-	-	-	-	0	1	14	28	36	20	-
07	-	-	-	-	-	0	2	16	29	36	18	-
08	-	-	-	-	-	0	2	18	31	35	15	-
09	-	-	-	-	-	0	3	20	32	38	8	-
10	-	-	-	-	-	0	3	21	33	41	1	-
11	-	-	-	-	-	0	3	22	33	41	-	-
12	0)	0)	0)	0)	0)	0)	3)	23)	32)	41)	0)	0)
13	0)	0)	0)	0)	0)	0)	3)	23)	33)	40)	0)	0)
14	0)	0)	0)	0)	0)	0)	4)	23)	33)	40)	0)	0)
15	0)	0)	0)	0)	0)	0)	4)	23)	34)	39)	0)	0)
16	0)	0)	0)	0)	0)	0)	4)	24)	33)	39)	0)	0)
17	0)	0)	0)	0)	0)	0)	4)	24)	33)	38)	0)	0)
18	0)	0)	0)	0)	0)	0)	4)	24)	33)	38)	0)	0)
19	0)	0)	0)	0)	0)	0)	4)	23)	35)	37)	0)	0)
20	0)	0)	0)	0)	0)	0)	5)	23)	35)	37)	0)	0)
21	-	-	-	-	-	0	5	24	35	36	-	-
22	-	-	-	-	-	0	5	23	32	40	-	-
23	-	-	-	-	-	0	4	21	32	42	2	-
MEAN	0)	0)	0)	0)	0)	0)	3)	20)	32)	38)	7)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAKO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	17.9	18.4	19.9	22.5	25.2	28.2	28.9	28.5	27.5	25.3	22.7	19.5	23.7
Daily maximum air temperature(°C)	20.9	21.4	23.1	25.6	28.4	31.3	32.4	31.8	30.6	28.3	26.0	22.4	26.9
Daily minimum air temperature(°C)	15.2	16.0	17.3	20.0	22.8	26.2	26.3	26.0	25.0	22.9	20.4	17.2	21.3
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	203.0	121.2	103.7	161.7	277.8	128.0	110.4	206.8	211.7	81.2	160.3	141.0	1906.8
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	998.9	1000.6	1002.1	993.8	989.2	989.1	959.0	962.7	941.7	962.4	1003.5	1001.5	941.7
Daily maximum air temperature(°C)	26.5*	27.4	27.9	30.0	32.5	34.3	34.9	34.9*	32.8*	31.1*	30.6	28.6	34.9*
Daily minimum air temperature(°C)	6.9	7.8	11.0	11.7	14.7	21.9*	23.1	23.8	19.9	18.6	12.4	10.6	6.9
Daily precipitation(mm)	157.5	60.0	85.0	188.0	97.0	112.0	95.5	93.5	313.5	74.0	130.5	59.0	313.5
Daily max.one-hour precipitation(mm)	51.0	20.5	63.0	84.0	57.0	68.0	28.0	42.0	63.0	32.0	52.0	22.5	84.0
Daily max.ten-minute precipitation(mm)	20.0	11.0	25.0	24.0	20.5	14.0*	8.0*	18.0	23.5	10.0	20.0	15.5	25.0
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)													
Daily maximum wind speed(kt)	28	28	28	29	57	35	54	59	62	55	26	29	62
with wind direction(36DIR.)	22	13	19	20	15	22	9	19	33	33	9	34	33
Daily maximum peak gust(kt)	40	37	35	40	74	51	79	75	92	77	36	43	92
with wind direction(36DIR.)	1	2	30	21	19	22	8	19	34	32	2	29	34

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAKO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	-	-	-	0.6	5.8	23.6	26.6	26.0	17.2	2.4	-	-	102.2
Daily mean air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	-	-	-	3.8	18.6	29.4	31.0	31.0	29.2	17.4	3.6	-	164.0
Daily maximum air temperature < 0.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
25.0°C	1.2	2.4	9.2	19.0	29.4	30.0	31.0	31.0	30.0	30.0	21.0	5.2	239.4
30.0°C	-	-	-	0.2	7.6	24.4	30.4	27.8	22.2	5.2	0.6	-	118.4
Daily precipitation 0.0mm	22.2	16.8	16.6	18.6	18.8	18.0	19.2	24.2	21.2	21.0	20.0	22.6	239.2
1.0mm	11.8	11.2	9.2	10.4	10.8	10.4	9.0	14.0	11.2	9.0	11.2	13.2	131.4
5.0mm	8.4	6.0	5.2	6.8	8.4	4.0	5.6	9.2	7.4	3.8	6.0	7.0	77.8
10.0mm	5.8	4.0	3.0	4.6	6.4	3.2	3.4	6.4	4.6	1.6	4.6	5.2	52.8
30.0mm	1.6	1.0	0.4	1.0	3.8	1.2	0.8	1.6	1.4	0.4	1.6	0.8	15.6
50.0mm	0.8	0.4	0.4	0.6	2.0	0.6	0.2	0.6	0.6	0.4	0.6	0.2	7.4
70.0mm	0.6	-	0.4	0.4	1.0	0.4	0.2	0.4	0.6	0.2	0.2	-	4.4
100.0mm	0.4	-	-	0.2	-	0.2	-	-	0.2	-	0.2	-	1.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAKO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily max.depth of snow cover	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily maximum wind speed	200cm													
	20kt	3.8	3.8	5.0	3.4	3.4	6.0	6.4	7.8	5.4	5.6	3.0	3.6	57.2
	30kt	-	-	-	-	0.4	0.4	2.2	2.0	1.2	1.0	-	-	7.2
	40kt	-	-	-	-	0.2	-	0.8	0.4	0.4	0.4	-	-	2.2
	50kt	-	-	-	-	0.2	-	0.2	0.2	0.4	0.4	-	-	1.4

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAKO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1015.9	1014.8	1013.4	1009.4	1005.7	1002.6	1002.6	1001.1	1004.6	1008.4	1013.2	1015.2	1008.9
01	1016.3	1015.1	1013.6	1009.6	1005.8	1002.6	1002.7	1001.2	1004.8	1008.6	1013.4	1015.5	1009.1
02	1016.1	1015.0	1013.5	1009.6	1005.8	1002.6	1002.7	1001.2	1004.7	1008.4	1013.2	1015.3	1009.0
03	1015.4	1014.4	1013.1	1009.3	1005.6	1002.5	1002.6	1001.0	1004.4	1007.9	1012.6	1014.8	1008.6
04	1014.5	1013.7	1012.4	1008.8	1005.3	1002.2	1002.3	1000.7	1003.9	1007.3	1011.8	1013.9	1008.1
05	1013.8	1012.9	1011.8	1008.2	1004.8	1001.9	1002.0	1000.3	1003.4	1006.7	1011.2	1013.2	1007.5
06	1013.4	1012.5	1011.2	1007.7	1004.4	1001.6	1001.6	1000.0	1003.0	1006.4	1011.0	1012.9	1007.2
07	1013.4	1012.3	1011.0	1007.4	1004.2	1001.4	1001.5	999.8	1002.9	1006.3	1011.0	1012.9	1007.0
08	1013.7	1012.6	1011.1	1007.4	1004.1	1001.3	1001.3	999.8	1003.0	1006.5	1011.2	1013.3	1007.1
09	1014.2	1013.0	1011.5	1007.6	1004.2	1001.4	1001.4	999.9	1003.2	1006.9	1011.6	1013.7	1007.3
10	1014.6	1013.3	1011.8	1008.0	1004.6	1001.7	1001.6	1000.2	1003.5	1007.2	1012.0	1014.2	1007.7
11	1015.0	1013.8	1012.3	1008.4	1005.0	1002.2	1002.1	1000.6	1003.9	1007.7	1012.4	1014.7	1008.2
12	1015.3	1014.2	1012.7	1008.9	1005.5	1002.6	1002.5	1001.0	1004.4	1008.1	1012.7	1014.9	1008.6
13	1015.4	1014.3	1013.1	1009.4	1005.8	1003.0	1002.9	1001.5	1004.7	1008.2	1012.9	1015.1	1008.9
14	1015.4	1014.4	1013.2	1009.4	1006.0	1003.2	1003.1	1001.6	1004.6	1008.1	1012.8	1015.1	1008.9
15	1015.2	1014.2	1012.9	1009.2	1005.7	1003.0	1002.9	1001.4	1004.5	1007.9	1012.6	1014.9	1008.7
16	1015.0	1014.2	1012.8	1008.9	1005.3	1002.5	1002.7	1000.8	1004.0	1007.6	1012.3	1014.5	1008.4
17	1014.9	1013.9	1012.3	1008.5	1004.9	1002.1	1002.3	1000.4	1003.7	1007.2	1012.0	1014.2	1008.0
18	1014.5	1013.6	1012.0	1008.0	1004.5	1001.7	1001.9	1000.0	1003.4	1006.9	1011.7	1013.8	1007.7
19	1014.3	1013.3	1011.6	1007.7	1004.3	1001.5	1001.7	999.9	1003.2	1006.7	1011.5	1013.7	1007.4
20	1014.2	1013.2	1011.6	1007.8	1004.4	1001.6	1001.7	999.9	1003.2	1006.8	1011.4	1013.5	1007.4
21	1014.5	1013.4	1012.0	1008.1	1004.6	1001.8	1001.8	1000.0	1003.5	1007.1	1011.7	1013.8	1007.7
22	1014.9	1013.9	1012.4	1008.5	1005.0	1002.1	1002.1	1000.5	1003.8	1007.5	1012.2	1014.2	1008.1
23	1015.4	1014.4	1012.9	1009.0	1005.4	1002.4	1002.4	1000.8	1004.2	1008.0	1012.7	1014.7	1008.5
MEAN	1014.8	1013.8	1012.3	1008.6	1005.0	1002.1	1002.2	1000.6	1003.9	1007.4	1012.1	1014.2	1008.1

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAKO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	18.1	18.6	20.3	23.0	26.0	28.9	29.8	29.3	28.3	26.1	23.4	19.8	24.3
01	18.8	19.2	20.9	23.5	26.4	29.4	30.4	29.9	28.8	26.6	24.0	20.4	24.9
02	19.3	19.7	21.4	24.0	26.8	29.8	30.8	30.1	29.3	26.9	24.4	20.7	25.3
03	19.5	20.0	21.7	24.2	27.0	30.0	31.1	30.4	29.5	27.1	24.7	21.0	25.5
04	19.5	20.2	21.8	24.4	27.1	30.1	31.2	30.4	29.4	27.3	24.5	21.0	25.6
05	19.4	20.1	21.8	24.4	27.0	30.1	31.2	30.2	29.3	27.2	24.4	21.0	25.5
06	19.2	19.9	21.6	24.2	26.8	30.0	31.1	30.1	29.2	27.0	24.2	20.7	25.3
07	18.9	19.6	21.3	23.9	26.5	29.6	30.6	29.9	28.9	26.5	23.8	20.3	25.0
08	18.4	19.1	20.9	23.4	26.1	29.3	30.3	29.6	28.5	25.8	23.2	19.9	24.6
09	17.9	18.5	20.3	22.9	25.6	28.7	29.6	29.0	27.8	25.1	22.5	19.3	23.9
10	17.6	18.0	19.6	22.2	24.9	28.0	28.8	28.3	27.1	24.7	22.2	19.2	23.4
11	17.4	17.8	19.4	21.9	24.5	27.5	28.2	27.8	26.9	24.6	22.2	19.2	23.1
12	17.3	17.7	19.3	21.7	24.4	27.3	27.9	27.6	26.7	24.5	22.1	19.1	23.0
13	17.3	17.7	19.2	21.6	24.3	27.3	27.8	27.5	26.6	24.5	22.0	19.0	22.9
14	17.3	17.7	19.1	21.5	24.2	27.2	27.7	27.4	26.5	24.4	22.0	18.9	22.9
15	17.2	17.6	19.1	21.5	24.2	27.1	27.6	27.4	26.3	24.3	21.9	18.9	22.8
16	17.1	17.6	18.9	21.3	24.0	27.0	27.4	27.3	26.2	24.3	21.9	19.0	22.7
17	17.0	17.5	18.8	21.3	24.0	26.9	27.3	27.1	26.2	24.1	21.8	18.9	22.6
18	17.0	17.4	18.7	21.2	24.0	26.8	27.2	27.0	26.1	24.0	21.8	18.9	22.5
19	17.0	17.4	18.6	21.1	23.9	26.8	27.1	27.0	26.1	23.9	21.7	18.9	22.5
20	16.9	17.4	18.6	21.0	23.9	26.8	27.0	26.9	25.9	23.9	21.6	18.8	22.4
21	16.8	17.4	18.6	21.1	23.9	26.8	27.0	26.8	26.0	23.8	21.5	18.8	22.4
22	16.9	17.4	18.6	21.3	24.5	27.4	27.8	27.3	26.2	24.0	21.6	18.8	22.7
23	17.1	17.7	19.4	22.3	25.4	28.3	29.0	28.4	27.5	25.1	22.4	19.1	23.5
MEAN	17.9	18.4	19.9	22.5	25.2	28.2	28.9	28.5	27.5	25.2	22.7	19.6	23.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAKO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	15.0	16.3	18.1	22.2	27.3	31.8	31.3	31.5	29.4	24.9	21.1	16.7	23.8
01	15.0	16.3	18.0	22.3	27.3	31.9	31.3	31.4	29.3	24.8	21.0	16.7	23.8
02	15.1	16.3	18.0	22.2	27.4	32.0	31.4	31.5	29.5	24.8	21.0	16.7	23.8
03	15.0	16.2	18.0	22.2	27.4	32.1	31.2	31.4	29.4	24.9	21.0	16.7	23.8
04	15.1	16.2	17.9	22.2	27.3	32.0	31.2	31.3	29.4	24.9	20.9	16.7	23.7
05	15.1	16.2	18.0	22.2	27.2	31.9	31.2	31.3	29.4	24.8	20.9	16.7	23.8
06	15.2	16.2	18.0	22.2	27.1	31.8	31.2	31.2	29.2	24.7	20.9	16.7	23.7
07	15.0	16.2	18.0	22.1	26.9	31.6	31.2	31.2	29.3	24.6	20.8	16.6	23.6
08	15.0	16.1	18.0	22.0	26.8	31.6	31.1	31.2	29.0	24.6	20.8	16.5	23.5
09	14.9	16.1	18.0	22.0	26.5	31.6	31.1	31.1	29.0	24.4	20.8	16.4	23.5
10	14.9	16.1	18.0	21.9	26.4	31.5	31.2	31.2	29.1	24.6	20.8	16.3	23.5
11	14.8	16.0	18.0	21.9	26.6	31.6	31.3	31.2	29.1	24.6	20.8	16.3	23.5
12	14.8	16.0	18.0	21.9	26.6	31.7	31.3	31.3	29.1	24.7	20.8	16.3	23.5
13	14.8	16.0	17.9	21.9	26.6	31.8	31.3	31.3	29.1	24.6	20.8	16.2	23.5
14	14.8	16.1	18.0	22.0	26.6	31.8	31.4	31.4	29.0	24.6	20.8	16.2	23.6
15	14.8	16.0	18.0	22.0	26.7	31.9	31.4	31.4	29.0	24.5	20.7	16.2	23.5
16	14.7	16.0	17.9	21.8	26.6	31.7	31.4	31.4	29.0	24.6	20.8	16.4	23.5
17	14.7	16.0	17.8	21.9	26.6	31.6	31.3	31.3	29.0	24.6	20.8	16.4	23.5
18	14.7	16.0	17.8	21.9	26.6	31.5	31.2	31.2	28.9	24.5	20.7	16.5	23.5
19	14.7	16.1	17.8	21.9	26.6	31.4	31.2	31.2	28.9	24.4	20.6	16.4	23.4
20	14.7	16.0	17.8	21.8	26.6	31.4	31.0	31.1	28.8	24.4	20.6	16.4	23.4
21	14.7	16.0	17.8	21.8	26.6	31.3	31.0	31.0	28.7	24.4	20.6	16.4	23.4
22	14.6	16.0	17.8	22.0	27.2	31.7	31.6	31.5	29.1	24.4	20.6	16.3	23.6
23	14.8	16.2	18.1	22.3	27.3	31.9	31.7	31.8	29.6	25.0	21.0	16.5	23.8
MEAN	14.9	16.1	18.0	22.0	26.9	31.7	31.3	31.3	29.1	24.6	20.8	16.5	23.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAKO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES													
TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	71	74	74	78	80	80	75	78	76	73	72	71	75
01	68	72	71	76	79	78	72	75	74	71	69	69	73
02	67	69	70	73	77	77	71	74	73	70	68	67	71
03	65	68	68	72	76	76	69	73	71	69	67	66	70
04	66	67	67	71	76	75	69	73	72	68	67	66	70
05	67	68	68	71	76	75	69	73	72	68	68	66	70
06	67	69	68	72	76	75	69	73	72	69	69	67	71
07	68	69	70	73	77	76	71	74	74	70	70	68	72
08	70	71	71	75	78	78	72	75	75	73	73	70	73
09	72	74	74	77	80	81	75	78	77	76	75	72	76
10	73	76	77	80	83	83	79	81	81	78	77	72	78
11	73	76	78	82	86	86	82	83	82	79	77	72	80
12	73	77	79	83	86	87	83	85	83	79	77	72	80
13	74	77	79	83	87	88	84	85	83	79	77	72	81
14	74	77	79	84	87	88	85	86	84	80	78	73	81
15	74	77	79	84	88	89	85	86	84	80	78	73	81
16	74	77	80	85	88	89	86	87	85	81	78	73	82
17	74	78	80	85	88	89	86	87	85	81	78	74	82
18	74	79	81	85	88	89	86	87	85	81	78	74	82
19	74	79	81	85	88	89	87	88	85	82	78	74	83
20	74	78	81	86	89	89	87	88	86	82	78	74	83
21	75	79	81	85	89	89	87	88	85	82	79	74	83
22	74	79	81	85	87	87	85	87	85	81	78	73	82
23	74	77	78	81	83	83	79	82	80	78	76	73	79
MEAN	71	75	76	80	83	83	79	81	80	76	75	71	77

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAKO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	36	1	36 *	7	21	20	18	19 *	5	4	5	36	5
01	1	1	1	18	20	20	21	20	7	5	3	2 *	6
02	1	36	1	19	20	19	20	20	7	5	1	2 *	6
03	1	36	7	20	20	20	19	20 *	6	4	2	1	7
04	2	1	36	21	21 *	20	19	6	6	4	7	1	6
05	2	1	6	20	6	20	21	19	6	6	4	1	6
06	1	1	36	6	7	20 *	20	6	7	3	4	1	7
07	1	1 *	1	19 *	7	22 *	20	20	6	3	3	1	6
08	1	1	7 *	19	7 *	22	20	20	6 *	5	5	2	5
09	2 *	1	1	19	7	20 *	20	20	6	4	5	1	1
10	1	1	1	18	6	19	19	21	6	3	5	1	1
11	2	36	1 *	17	2	19 *	18	19	6 *	4	5	1	2
12	3)	1	1 *	17 *	9	20	19	11	6	4	5	1	1)
13	3)	1)	2)	18	19 *	18	19	19	6 *	4)	4	2)	6)
14	3)	1)	4)	18	9	18	18	20	6	3)	2	1)	3)
15	3)	1)	1)	18 *	18	20	18)	19	9	4)	1	1)	1)
16	36)	1)	1)	18	17	20	19	19 *	10	3)	1)	1)	1)
17	2)	1)	2)	17	19	19	20	19	7	3)	1)	1)	1)
18	36)	1	2)	19	19	19	20	19	11	2)	1)	1)	2)
19	1)	2	36)	19 *	20	20	20	20	10	2)	2)	1)	1)
20	2	1	11)	19 *	19	20	19	19 *	5	2)	2 *	1	1)
21	2	1	11)	19	19	20	19	15 *	9 *	3	4	2	2)
22	1	1	1)	18	19	20	20	18	5	3 *	3	2	1)
23	2	1	1)	17	20	20	21	19	4	4	4	36	4)
ALL	1)	1)	1)	18	20	20	19)	20	6	4)	4)	1)	1)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAKO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	10.0	10.1	10.5	10.0	10.1	11.9	11.4	10.3	9.9	11.2	10.1	10.4	10.5
01	10.8	11.0	11.3	10.7	10.7	12.5	12.1	11.1	10.5	12.0	10.9	11.4	11.3
02	11.3	11.5	11.8	11.5	11.1	13.1	12.2	11.4	11.0	12.4	11.3	11.8	11.7
03	11.6	11.7	12.1	11.8	11.4	12.8	12.7	12.0	11.2	12.7	11.3	11.9	11.9
04	11.6	12.1	12.4	11.9	11.3	12.8	12.8	12.1	11.4	12.7	11.6	12.0	12.1
05	11.4	12.1	12.2	11.9	11.3	12.8	12.8	11.9	11.3	12.5	11.4	11.7	11.9
06	11.4	11.8	11.8	11.7	10.9	12.3	12.5	11.5	10.9	12.5	11.0	11.6	11.7
07	10.9	11.6	11.4	11.3	10.5	12.0	12.2	11.2	10.7	12.2	10.6	11.4	11.4
08	10.4	11.0	11.0	10.7	9.9	11.4	12.0	10.5	10.1	11.8	9.9	11.1	10.8
09	9.7	10.1	10.0	10.2	9.4	10.4	11.4	9.9	9.5	10.8	9.2	10.4	10.1
10	9.3	9.2	8.9	9.0	8.3	9.2	10.2	8.9	8.3	10.4	9.0	10.5	9.2
11	9.5	9.5	8.9	8.1	7.5	7.9	8.9	7.9	8.2	10.3	9.0	10.6	8.9
12	9.2	9.7	8.7	8.1	7.2	7.5	8.6	7.9	8.0	10.1	8.7	10.5	8.7
13	9.1	9.5	8.8	7.9	7.0	7.3	8.6	7.5	7.8	9.9	8.7	10.4	8.5
14	9.1	9.4	8.6	7.9	7.1	7.5	8.3	7.4	7.8	9.7	8.8	10.1	8.5
15	9.0	9.4	8.8	7.5	7.1	7.8	8.4	7.6	7.6	9.3	8.6	10.1	8.4
16	8.8	9.0	8.4	7.6	7.2	8.2	8.3	7.7	7.3	9.0	8.7	9.7	8.3
17	8.6	9.1	8.3	7.7	7.2	8.5	8.0	7.8	7.4	8.8	8.4	9.7	8.3
18	8.7	8.7	8.2	7.9	7.1	8.5	8.3	7.8	7.5	8.8	8.2	9.7	8.3
19	8.7	8.7	8.2	7.7	6.9	8.7	8.1	7.8	7.5	8.9	8.2	9.7	8.3
20	9.0	8.7	8.2	7.8	7.1	8.8	7.9	7.9	7.4	8.9	8.4	9.9	8.3
21	9.0	9.0	8.1	7.8	7.1	8.6	7.7	7.4	7.2	8.9	8.3	10.0	8.3
22	9.0	9.2	8.3	7.8	7.6	9.2	8.1	7.5	7.3	9.1	8.7	9.8	8.5
23	9.1	9.1	8.7	8.8	8.9	10.9	10.0	9.0	8.4	9.7	8.8	10.1	9.3
MEAN	9.8	10.0	9.7	9.3	8.7	10.0	10.1	9.2	8.9	10.5	9.5	10.6	9.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAKO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	18.2	21.2	15.6	18.1	21.1	15.5	19.4	22.5	16.9	20.9	24.3	18.1
02	18.2	21.2	15.6	18.1	21.1	15.6	19.4	22.6	16.9	21.0	24.4	18.2
03	18.2	21.3	15.6	18.1	21.0	15.6	19.4	22.6	16.9	21.2	24.5	18.4
04	18.2	21.3	15.7	18.0	21.0	15.6	19.4	22.6	16.9	21.3	24.6	18.5
05	18.2	21.2	15.8	18.0	21.0	15.6	19.4	22.5	16.9	21.4	24.7	18.7
06	18.3	21.2	15.8	18.0	20.9	15.5	19.4	22.5	16.9	21.5	24.8	18.8
07	18.3	21.2	15.9	17.9	20.9	15.5	19.4	22.5	16.9	21.6	24.9	18.9
08	18.3	21.2	15.9	17.9	21.0	15.4	19.4	22.4	16.9	21.7	25.0	19.0
09	18.3	21.1	16.0	17.9	21.0	15.4	19.4	22.5	16.9	21.8	25.0	19.1
10	18.3	21.1	16.0	17.9	21.1	15.4	19.4	22.5	17.0	21.9	25.1	19.2
11	18.2	21.0	16.0	18.0	21.1	15.4	19.5	22.5	17.0	22.0	25.2	19.4
12	18.2	20.9	16.0	18.0	21.2	15.4	19.6	22.6	17.1	22.1	25.4	19.5
13	18.1	20.8	15.9	18.1	21.3	15.4	19.7	22.8	17.3	22.2	25.5	19.7
14	18.0	20.8	15.8	18.1	21.3	15.5	19.9	22.9	17.4	22.4	25.6	19.8
15	17.9	20.7	15.6	18.2	21.4	15.6	20.0	23.1	17.6	22.5	25.7	20.0
16	17.8	20.6	15.5	18.2	21.4	15.7	20.2	23.3	17.7	22.7	25.9	20.2
17	17.7	20.5	15.3	18.3	21.5	15.7	20.3	23.4	17.8	22.8	26.0	20.3
18	17.6	20.4	15.1	18.4	21.5	15.8	20.4	23.5	17.9	22.9	26.1	20.5
19	17.5	20.4	14.9	18.5	21.6	15.9	20.5	23.6	17.9	23.0	26.1	20.6
20	17.4	20.3	14.7	18.6	21.7	16.1	20.5	23.7	17.9	23.1	26.2	20.8
21	17.3	20.3	14.6	18.7	21.8	16.2	20.5	23.7	17.8	23.1	26.2	20.8
22	17.3	20.3	14.5	18.8	21.8	16.3	20.5	23.7	17.8	23.2	26.2	20.9
23	17.3	20.4	14.4	18.9	22.0	16.4	20.4	23.7	17.7	23.2	26.2	20.9
24	17.3	20.4	14.4	19.0	22.1	16.5	20.4	23.7	17.6	23.2	26.2	20.9
25	17.4	20.5	14.4	19.1	22.2	16.6	20.3	23.7	17.6	23.2	26.2	20.9
26	17.5	20.6	14.5	19.2	22.3	16.7	20.3	23.7	17.5	23.2	26.2	20.8
27	17.6	20.7	14.7	19.3	22.4	16.8	20.4	23.7	17.5	23.2	26.3	20.7
28	17.7	20.8	14.8	19.4	22.5	16.9	20.4	23.8	17.6	23.2	26.3	20.7
29	17.8	20.9	15.0	19.4	22.5	16.9	20.5	23.9	17.7	23.2	26.3	20.7
30	17.9	21.0	15.2				20.6	24.0	17.8	23.2	26.4	20.7
31	18.0	21.0	15.4				20.8	24.1	17.9			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAKO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	23.3	26.4	20.7	27.1	30.2	24.9	29.4	32.9	27.0	28.8	32.4	26.1
02	23.4	26.5	20.8	27.1	30.2	25.0	29.5	33.0	27.0	28.8	32.3	26.1
03	23.5	26.7	20.9	27.2	30.3	25.0	29.5	33.0	26.9	28.8	32.3	26.1
04	23.7	26.8	21.0	27.2	30.3	25.1	29.4	33.0	26.9	28.8	32.2	26.1
05	23.8	27.0	21.2	27.2	30.3	25.1	29.4	33.0	26.8	28.7	32.2	26.2
06	24.0	27.1	21.4	27.3	30.4	25.2	29.4	32.9	26.7	28.7	32.1	26.2
07	24.2	27.3	21.6	27.3	30.4	25.2	29.3	32.8	26.7	28.7	32.1	26.2
08	24.4	27.5	21.9	27.4	30.4	25.3	29.2	32.7	26.6	28.7	32.1	26.2
09	24.6	27.7	22.1	27.5	30.5	25.4	29.2	32.6	26.5	28.7	32.0	26.3
10	24.7	27.9	22.3	27.5	30.6	25.5	29.1	32.5	26.5	28.7	32.0	26.3
11	24.9	28.0	22.5	27.7	30.7	25.6	29.0	32.4	26.4	28.6	32.0	26.3
12	25.1	28.2	22.7	27.8	30.8	25.7	28.9	32.3	26.3	28.6	32.0	26.3
13	25.2	28.3	22.8	27.9	30.9	25.9	28.8	32.2	26.3	28.6	32.0	26.3
14	25.3	28.4	22.9	28.0	31.0	26.0	28.7	32.1	26.2	28.5	32.0	26.2
15	25.4	28.5	23.0	28.1	31.1	26.1	28.7	32.1	26.1	28.5	32.0	26.2
16	25.4	28.6	23.1	28.3	31.2	26.3	28.6	32.0	26.1	28.5	31.9	26.2
17	25.5	28.6	23.1	28.4	31.3	26.4	28.6	32.0	26.0	28.5	31.9	26.1
18	25.5	28.7	23.2	28.5	31.5	26.5	28.6	32.0	26.0	28.4	31.9	26.1
19	25.5	28.7	23.2	28.6	31.6	26.6	28.6	32.0	26.0	28.4	31.8	26.0
20	25.6	28.8	23.3	28.7	31.7	26.7	28.6	32.0	26.0	28.4	31.8	26.0
21	25.6	28.8	23.3	28.8	31.8	26.7	28.6	32.1	26.0	28.3	31.7	25.9
22	25.7	28.9	23.4	28.9	32.0	26.8	28.6	32.1	26.0	28.3	31.6	25.9
23	25.8	29.0	23.6	28.9	32.1	26.9	28.6	32.2	26.0	28.3	31.6	25.8
24	26.0	29.1	23.7	29.0	32.2	26.9	28.7	32.2	26.0	28.2	31.5	25.8
25	26.1	29.3	23.9	29.1	32.3	27.0	28.7	32.3	26.0	28.2	31.5	25.7
26	26.3	29.4	24.0	29.2	32.4	27.0	28.7	32.3	26.1	28.2	31.4	25.7
27	26.4	29.6	24.2	29.2	32.6	27.0	28.8	32.4	26.1	28.1	31.4	25.6
28	26.6	29.7	24.4	29.3	32.7	27.1	28.8	32.4	26.1	28.1	31.4	25.6
29	26.7	29.9	24.5	29.4	32.8	27.0	28.8	32.4	26.1	28.0	31.3	25.5
30	26.9	30.0	24.7	29.4	32.9	27.0	28.8	32.4	26.1	28.0	31.3	25.5
31	27.0	30.1	24.8				28.8	32.4	26.1	27.9	31.3	25.5

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: MIYAKO AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 24° 47.0'N, LONGITUDE: 125° 17.7'E, ELEVATION ABOVE MSL: 140 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	27.9	31.2	25.4	26.5	29.5	24.2	24.0	27.3	21.5	21.0	24.0	18.7
02	27.8	31.2	25.4	26.4	29.4	24.1	23.9	27.2	21.4	20.9	23.8	18.6
03	27.8	31.2	25.3	26.3	29.3	24.0	23.8	27.1	21.4	20.8	23.7	18.5
04	27.8	31.2	25.3	26.2	29.2	23.8	23.8	27.0	21.3	20.7	23.6	18.4
05	27.7	31.1	25.2	26.1	29.1	23.8	23.7	26.9	21.2	20.6	23.5	18.3
06	27.7	31.1	25.2	26.0	29.0	23.7	23.6	26.8	21.1	20.5	23.4	18.3
07	27.7	31.1	25.2	25.9	28.9	23.6	23.5	26.8	21.0	20.4	23.3	18.2
08	27.7	31.1	25.2	25.8	28.7	23.5	23.4	26.7	20.9	20.3	23.2	18.2
09	27.6	31.0	25.1	25.7	28.6	23.5	23.3	26.6	20.8	20.3	23.2	18.1
10	27.6	31.0	25.1	25.6	28.5	23.4	23.2	26.5	20.8	20.2	23.1	18.0
11	27.6	30.9	25.1	25.5	28.4	23.3	23.1	26.4	20.7	20.1	23.0	17.9
12	27.6	30.9	25.0	25.5	28.4	23.3	23.0	26.3	20.6	19.9	22.9	17.8
13	27.5	30.8	25.0	25.4	28.3	23.2	23.0	26.2	20.5	19.8	22.7	17.7
14	27.5	30.7	25.0	25.3	28.2	23.2	22.9	26.2	20.5	19.7	22.6	17.6
15	27.5	30.7	24.9	25.3	28.2	23.1	22.8	26.1	20.4	19.6	22.5	17.5
16	27.5	30.6	24.9	25.3	28.2	23.0	22.7	26.1	20.4	19.5	22.4	17.4
17	27.4	30.5	24.9	25.2	28.2	23.0	22.7	26.0	20.3	19.5	22.3	17.3
18	27.4	30.5	24.9	25.2	28.2	22.9	22.6	25.9	20.2	19.4	22.2	17.2
19	27.4	30.4	24.9	25.1	28.2	22.8	22.6	25.9	20.2	19.3	22.2	17.1
20	27.4	30.3	24.9	25.1	28.1	22.7	22.5	25.8	20.1	19.2	22.1	17.0
21	27.3	30.2	24.9	25.0	28.1	22.6	22.4	25.7	20.0	19.1	22.0	16.9
22	27.3	30.2	24.8	25.0	28.1	22.5	22.3	25.6	19.9	19.1	21.9	16.8
23	27.2	30.1	24.8	24.9	28.1	22.4	22.1	25.4	19.8	19.0	21.8	16.7
24	27.2	30.1	24.8	24.8	28.0	22.3	22.0	25.3	19.7	18.9	21.7	16.5
25	27.1	30.0	24.8	24.7	28.0	22.2	21.9	25.1	19.5	18.8	21.6	16.4
26	27.0	29.9	24.7	24.6	27.9	22.0	21.7	24.9	19.4	18.7	21.5	16.2
27	27.0	29.8	24.6	24.5	27.8	21.9	21.6	24.7	19.2	18.5	21.4	16.1
28	26.9	29.8	24.5	24.4	27.7	21.8	21.4	24.5	19.1	18.4	21.4	16.0
29	26.7	29.7	24.4	24.3	27.6	21.8	21.2	24.3	18.9	18.4	21.3	15.8
30	26.6	29.6	24.3	24.2	27.5	21.7	21.1	24.1	18.8	18.3	21.3	15.7
31				24.1	27.4	21.6				18.2	21.3	15.7